

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

ICPSR Codebook for Wave 3: Youth / Parent
Questionnaire Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

CODEBOOK DISPLAY NOTES
PATH STUDY
YOUTH / PARENT QUESTIONNAIRE DATA
ICPSR #36498-3002

1. ICPSR customized the display of the variables in this codebook. Most variables contain a frequency table displaying value labels and unweighted counts. Some numeric variables show summary statistics (arithmetic mean, mode, median, minimum, maximum, and standard deviation) instead of a frequency table. The median and mode may not display in the summary statistics if a variable has a very large number of distinct categories or values. These numeric variables do not have value labels for valid data. The third type of variable display does not show either a frequency table or summary statistics. These variables usually fall into one of three categories:

- A. Character (String) variables: Free text responses have been omitted when there are more than 10 to 15 unique responses.
- B. Lengthy Categorical variables: Variables with more than 25 valid value labels such as variables that end in “_BRAND” and “_PRODUCT”.
- C. Identification variables: Variables for which univariate statistics are not meaningful, such as CASEID and PERSONID.

Unless a variable falls into the above categories of A or C, a missing values table will be present if the valid cases have been presented in a frequency table, display summary statistics, or have been suppressed.

2. A variable with the same PATH ID (see description in the Public-Use Files User Guide) can display differently over time as a frequency table, summary statistics, or neither of these in the codebook depending on the range of valid values or the number of valid values or the number of valid cases present for that variable for that wave.
3. Frequencies or summary statistics are not displayed for the valid cases for variables ending in “_C” that ask about “cents” for the cost of a product, or “_IN” that ask about “inches” for a person’s height. These variables are paired with a preceding variable

ending in “_D” (dollars) and “_FT” (feet), respectively. Summary statistics or a frequency table may be displayed for that preceding “_D” or “_FT” variable. Both variables in the pair should be used together to accurately estimate the cost of a product or a person’s height.

4. Some variables contain lengthy universal lists of values for a particular type of question or section. Examples of this are the “_BRAND” and “_PRODUCT” variables that are in each tobacco type section. Not all of the values listed in the data file apply to that type of tobacco. Frequency tables for these variables have been suppressed in the codebooks.
5. As noted above, the frequency tables of the “_BRAND” and “_PRODUCT” variables have been suppressed in the main section of the codebook. However, the top 20 most frequent responses are provided for each variable, with all other coded responses grouped into a separate category. These condensed frequency tables appear in the appendix of this codebook.
6. Variables ending in “_NN” do not have frequencies or summary statistics displayed for valid cases because the valid values correspond to different units. The “_NN” variables are paired with variables ending in “_UN” that specify the units used in the “_NN” responses. For example, see variables R03_YC1051_NN and R03_YC1051_UN.
7. The questionnaire contains numerous boxes of information that precede certain sections or individual variables. When utilizing this codebook, users should refer to the questionnaire and pay special attention to the content of these boxes. Using the questionnaire side by side with the codebook when reviewing the content will help in understanding the information in the data file. The question text of the first variable directly after one of these “boxes” contains the text from the box or a reference to that box. Boxes containing descriptive text are repeated. Boxes containing programming information for system routing variables are referenced. The text or reference following that information for the first variable also applies to the remaining variables in that questionnaire section.
8. In multiple sections of the interview, the order of a series of questions is automatically randomized for the respondent. Information about the order of randomization is included in the variables containing “_RANDOM_” in the variable name. Cases coded as “-1” indicate that the question was not applicable to the respondent and was skipped during the interview.

9. Users should consult Table 1 and Table 2 in the front of the questionnaire for specific variables that have been removed entirely from or revised in this public-use version of the data.

10. The codebook provides frequency tables for valid and missing values. The displayed percentages are rounded to one decimal place. Due to rounding, not all individual percentages in the sub-tables sum exactly to the total. Likewise, the total percentages when combined may not sum to 100%.

11. Each variable contains the following statement:

“This variable has XXXXX valid cases out of XXXXX total cases.”

This statement describes how many valid cases for a variable were used for the calculation of percents for the frequency tables and in the calculations for summary statistics for continuous variables. Users can also quickly understand the amount of missing data for a particular variable. All percents and summary statistics are unweighted.

12. Data may be missing for a multitude of reasons. The codebook contains a statement as the last piece of information in the display of a variable that lists all user-defined missing values assigned to that variable. Most variables will contain four user-defined missing values. For these variables, the codebook will display, “(Range of) Missing Values: -9, -8, -7, -1”. Some variables may contain additional negative numbers assigned as missing values. The (Range of . . .) statement will not display for any variable where missing values are not assigned, such as CASEID, and PERSONID.

13. Users should consult Section 6.7 of the Public-Use Files User Guide for further information about Missing Values. As with numeric variables, character (string) variables contain numerical values to signify why a case is missing but these values are not labeled. All missing values still correspond to the descriptions listed in the following table.

PATH Study Missing Value Codes and Their Descriptions

Value	Definition	Applicable		Description
		Applicable data types	variable types	
-1	Inapplicable	Numeric, Character	Interview	This value is coded to identify items that were validly skipped on a route specific to a respondent.
-5	Improbable response removed	Numeric	Interview	This value is coded to represent improbable numeric answers provided by respondents.
-6	Unassigned PERSONID	Character	Interview	This value is coded when a new person is added as a spouse or other guardian in parent interviews for Wave 2 and beyond.
-7	Refused	Numeric, Character	Interview	This value is coded when respondents answered a question as "Refused."
-8	Don't know	Numeric, Character	Interview	This value is coded when respondents answered a question as "Don't know."
-9	Missing – Not ascertained	Numeric, Character	Interview	This value is coded when data were supposed to be collected on a route specific to a respondent but the collection did not occur due to a skip error in the instrument.
-99933	Missing due to respondent not being in previous wave	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because a respondent did not participate in an interview in the previous wave.
-99999	Missing due to data not ascertained on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because data were "Not ascertained" (as described above) in one or more component variables.
-99988	Missing due to a don't know response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Don't know" response in one or more component variables and none of those variables were "Not ascertained" (as described above).
-99977	Missing due to a refused response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Refused" response in one or more component variables and none of those variables were missing due to a "Don't know" response or because they were "Not ascertained" (as described above).
-99955	Missing due to an improbable response on one or more component variables	Numeric	Derived	This value is coded when a value in a derived variable is missing due to an improbable response in one or more component variables and none of those variables were missing due to "Don't know" or "Refused" responses or because they were "Not ascertained" (as described above).

-99966	Missing due to missing data on a prior wave for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because of missing data in one or more component variables from any previous wave and none of those variables were missing due to “Don’t know” or “Refused” responses, because they were “Not ascertained,” or because of an improbable response (as described above).
-99911	Missing due to an instrument skip pattern for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to items that are not applicable/validly skipped for a respondent in one or more component variables and none of those variables were missing due to the other reasons listed above.
-97777	Missing due to data removed per respondent request	Numeric, Character	Interview, Derived	This value is coded when respondents request data removal.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 3: Youth / Parent Questionnaire Data

CASEID: Case Identification Number

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

PERSONID: Participant ID

Long Description: Participant ID Number.

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6-25 (width: 20; decimal: 0)

Variable Type: character

R03R_Y_PT0001: DERIVED - Recoded parent or guardian relationship to youth (4 levels)

Long Description: What is your relationship to [Child's first name]?

Algorithm: IF R03_PT0001 = 1 THEN R03R_Y_PT0001 = 1 ; ELSE IF R03_PT0001 = 2 THEN R03R_Y_PT0001 = 2 ; ELSE IF R03_PT0001 IN (3,4,5,6) THEN R03R_Y_PT0001 = 3 ; ELSE IF R03_PT0001 IN (7,8,9,10,11,12,91,92) THEN R03R_Y_PT0001 = 4; ELSE IF R03_PT0001 = -9 THEN R03R_Y_PT0001 = -99999 ; ELSE IF R03_PT0001 = -8 THEN R03R_Y_PT0001 = -99988 ; ELSE IF R03_PT0001 = -7 THEN R03R_Y_PT0001 = -99977 ; ELSE IF R03_PT0001 = -5 THEN R03R_Y_PT0001 = -99955 ; ELSE IF R03_PT0001 = -1 THEN R03R_Y_PT0001 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	6770	57.3 %
2	2 = Biological father	1635	13.8 %
3	3 = Adopted or step parent	539	4.6 %
4	4 = Other	786	6.7 %
	Total	9,730	82.4%

This variable has 9,730 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2084	17.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,084	17.6%

Percentages for both tables are based on 11,814 total cases.

Location: 26-33 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_Y_PT0047: DERIVED - Recoded parent or guardian marital status (3 levels)

Long Description: What is your marital status? Are you now married, widowed, divorced, separated or never married?

Algorithm: IF R03_PT0047 = 1 THEN R03R_Y_PT0047 = 1 ; ELSE IF R03_PT0047 IN (2,3,4) THEN R03R_Y_PT0047 = 2 ; ELSE IF R03_PT0047 = 5 THEN R03R_Y_PT0047 = 3 ; ELSE IF R03_PT0047 = -9 THEN R03R_Y_PT0047 = -99999 ; ELSE IF R03_PT0047 = -8 THEN R03R_Y_PT0047 = -99988 ; ELSE IF R03_PT0047 = -7 THEN R03R_Y_PT0047 = -99977 ; ELSE IF R03_PT0047 = -5 THEN R03R_Y_PT0047 = -99955 ; ELSE IF R03_PT0047 = -1 THEN R03R_Y_PT0047 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Married	7423	62.8 %
2	2 = Widowed, divorced or separated	2584	21.9 %
3	3 = Never married	1783	15.1 %
	Total	11,790	99.8%

This variable has 11,790 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	15	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	7	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	24	0.2%

Percentages for both tables are based on 11,814 total cases.

Location: 34-41 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_Y_PT0002: DERIVED - Recoded parent's spouse or partner relationship to youth (4 levels)

Long Description: What is [Spouse's first name]'s relationship to [Child's first name]?

Algorithm: IF R03_PT0002 = 1 THEN R03R_Y_PT0002 = 1 ; ELSE IF R03_PT0002 = 2 THEN R03R_Y_PT0002 = 2 ; ELSE IF R03_PT0002 IN (3,4,5,6) THEN R03R_Y_PT0002 = 3 ; ELSE IF

R03_PT0002 IN (7,8,9,10,11,12,91,92) THEN R03R_Y_PT0002 = 4; ELSE IF R03_PT0002 = -9 THEN R03R_Y_PT0002 = -99999; ELSE IF R03_PT0002 = -8 THEN R03R_Y_PT0002 = -99988; ELSE IF R03_PT0002 = -7 THEN R03R_Y_PT0002 = -99977; ELSE IF R03_PT0002 = -5 THEN R03R_Y_PT0002 = -99955; ELSE IF R03_PT0002 = -1 THEN R03R_Y_PT0002 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	1671	14.1 %
2	2 = Biological father	4130	35.0 %
3	3 = Adopted or step parent	1171	9.9 %
4	4 = Other	274	2.3 %
	Total	7,246	61.3%

This variable has 7,246 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4563	38.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	4,568	38.7%

Percentages for both tables are based on 11,814 total cases.

Location: 42-49 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99911, -97777

R03R_Y_PM0059: DERIVED - Recoded other parental figure/guardian's relationship to youth (4 levels)

Long Description: What is [Parental figure/guardian's first name]'s relationship to [Child's first name]?

Algorithm: IF R03_PM0059 = 1 THEN R03R_Y_PM0059 = 1; ELSE IF R03_PM0059 = 2 THEN R03R_Y_PM0059 = 2; ELSE IF R03_PM0059 IN (3,4,5,6) THEN R03R_Y_PM0059 = 3; ELSE IF R03_PM0059 IN (7,8,9,10,11,12,91,92) THEN R03R_Y_PM0059 = 4; ELSE IF R03_PM0059 = -9 THEN R03R_Y_PM0059 = -99999; ELSE IF R03_PM0059 = -8 THEN R03R_Y_PM0059 = -99988; ELSE IF R03_PM0059 = -7 THEN R03R_Y_PM0059 = -99977; ELSE IF R03_PM0059 = -5 THEN R03R_Y_PM0059 = -99955; ELSE IF R03_PM0059 = -1 THEN R03R_Y_PM0059 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	473	4.0 %
2	2 = Biological father	394	3.3 %

Value	Label	Unweighted Frequency	%
3	3 = Adopted or step parent	341	2.9 %
4	4 = Other	652	5.5 %
	Total	1,860	15.7%

This variable has 1,860 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	9954	84.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	9,954	84.3%

Percentages for both tables are based on 11,814 total cases.

Location: 50-57 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03_PT0003: Youth has another parent who lives somewhere else

Does {Child's first name} have another parent who lives somewhere else?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_PXR01.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4917	41.6 %
2	2 = No	6878	58.2 %
	Total	11,795	99.8%

This variable has 11,795 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	7	0.1 %
	Total	19	0.2%

Percentages for both tables are based on 11,814 total cases.

Location: 58-65 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0006: How often youth stays with other parent who lives somewhere else

How often does {Child's first name} stay there? Would you say never, less than half the time, about half the time, or more than half the time?

ASK: Parent/guardian respondents of youth respondents who have another parent/guardian who lives somewhere else.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_PT0003 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	2419	20.5 %
2	2 = Less than half the time	1618	13.7 %
3	3 = About half the time	598	5.1 %
4	4 = More than half the time	280	2.4 %
	Total	4,915	41.6%

This variable has 4,915 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	6897	58.4 %
	Total	6,899	58.4%

Percentages for both tables are based on 11,814 total cases.

Location: 66-73 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0009: Youth has a curfew or set time to be home on school nights

The next series of questions ask about {Child's first name}'s life at home and in school.

In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on school nights?

[IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10113	85.6 %
2	2 = No	1686	14.3 %
	Total	11,799	99.9%

This variable has 11,799 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	15	0.1%

Percentages for both tables are based on 11,814 total cases.

Location: 74-81 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0011: Youth has a curfew or set time to be home on weekend nights

In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on weekend nights?

[IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9792	82.9 %
2	2 = No	2004	17.0 %
	Total	11,796	99.8%

This variable has 11,796 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	18	0.2%

Percentages for both tables are based on 11,814 total cases.

Location: 82-89 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0019: In past 12 months, youth's grade performance in school

Please look at this list. How would you describe how {Child's first name} has performed at school in the past 12 months? Would you say {Child's first name}'s grades are . . . ?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Mostly A's	3129	26.5 %
2	2 = A's and B's	3912	33.1 %
3	3 = Mostly B's	1081	9.2 %
4	4 = B's and C's	2115	17.9 %
5	5 = Mostly C's	611	5.2 %
6	6 = C's and D's	571	4.8 %
7	7 = Mostly D's	87	0.7 %
8	8 = D's and F's	163	1.4 %
9	9 = Mostly F's	44	0.4 %
10	10 = Your child's school is ungraded	78	0.7 %
	Total	11,791	99.8%

This variable has 11,791 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	5	0.0 %

	Missing Data		
-1	-1 = Inapplicable	7	0.1 %
	Total	23	0.2%

Percentages for both tables are based on 11,814 total cases.

Location: 90-97 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0021: Youth has ever used a tobacco product (parent or guardian report)

As far as you know, has {Child's first name} ever smoked a cigarette, used e-cigarettes or other electronic nicotine products, smoked cigars, a pipe, a hookah, used snus or other smokeless tobacco?

Please look at this list. Would you say . . . ?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = You know that she / he has	896	7.6 %
2	2 = You strongly suspect she / he has	284	2.4 %
3	3 = You don't think she / he has	1784	15.1 %
4	4 = You are confident she / he has not	8841	74.8 %
	Total	11,805	99.9%

This variable has 11,805 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	9	0.1%

Percentages for both tables are based on 11,814 total cases.

Location: 98-105 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PR1045: Rules about using tobacco products that are burned inside home

[Box ID R03_PXR02: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent, go to

R03_PR1045. Else, go to R03_PT0029.

IF R03_YOUTHTYPE = 1, 2 AND R03_PARENT_COMPLETE_LD = 2, GO TO R03_PR1045. ELSE,
GO TO R03_PT0029.]

These next few questions ask about the rules of using tobacco inside your home.
Please think about everyone who might be in your home including children, adults,
visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah,
which statement best describes the rules about smoking these products inside your
home?

Please look at this list. Would you say . . . ?

ASK: Parent/guardian respondents of all youth respondents who have not already
completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9839	83.3 %
2	2 = It is allowed in some places or at some times inside my home	1108	9.4 %
3	3 = It is allowed anywhere and at any time inside my home	608	5.1 %
	Total	11,555	97.8%

This variable has 11,555 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	252	2.1 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	259	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 106-113 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PR1051: Rules about using e-cigarettes or other electronic nicotine products inside home

Now think about e-cigarettes and other electronic nicotine products. Which statement
best describes the rules about using these products inside your home?

Please look at this list. Would you say . . . ?

ASK: Parent/guardian respondents of all youth respondents who have not already

completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9524	80.6 %
2	2 = It is allowed in some places or at some times inside my home	1102	9.3 %
3	3 = It is allowed anywhere and at any time inside my home	921	7.8 %
	Total	11,547	97.7%

This variable has 11,547 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	252	2.1 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	267	2.3%

Percentages for both tables are based on 11,814 total cases.

Location: 114-121 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PR1050: Rules about using other not burned tobacco products inside home

Now think about other tobacco products that are not burned, like snus and other types of smokeless tobacco. Which statement best describes the rules about using these products inside your home?

Please look at this list. Would you say . . . ?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9262	78.4 %
2	2 = It is allowed in some places or at some times inside my home	1164	9.9 %
3	3 = It is allowed anywhere and at any time inside my home	1109	9.4 %
	Total	11,535	97.6%

This variable has 11,535 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	252	2.1 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	279	2.4%

Percentages for both tables are based on 11,814 total cases.

Location: 122-129 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0029: Cigarettes or tobacco might be available to youth at parent or guardian's home

Do you think any tobacco products or electronic nicotine products (such as e-cigarettes) might be available to {Child's first name} at your home?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1591	13.5 %
2	2 = No	10210	86.4 %
	Total	11,801	99.9%

This variable has 11,801 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	13	0.1%

Percentages for both tables are based on 11,814 total cases.

Location: 130-137 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0005: Parent thinks youth might have access to cigarettes or tobacco at another parent's home

[Box ID R03_PTR04: Parent/guardian respondents of youth respondents who have

another parent/guardian who lives somewhere else and spend time living with another parent/guardian in another household, go to R03_PT0005. Else, go to R03_PT0035.

IF R03_YOUTHTYPE = 1, 2 AND R03_PT0003 = 1 AND R03_PT0006 > 1, GO TO R03_PT0005.
ELSE, GO TO R03_PT0035.]

Do you think any tobacco products or electronic nicotine products (such as e-cigarettes) might be available to {Child's first name} when {he/she} is at the other parent's home?

ASK: Parent/guardian respondents of youth respondents who have another parent/guardian who lives somewhere else and spend time living with another parent/guardian in another household.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_PT0003 = 1 AND R03_PT0006 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	647	5.5 %
2	2 = No	1805	15.3 %
	Total	2,452	20.8%

This variable has 2,452 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.4 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9318	78.9 %
	Total	9,362	79.2%

Percentages for both tables are based on 11,814 total cases.

Location: 138-145 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0035: Youth's overall health status

The next series of questions ask about {Child's first name}'s health.

In general, would you say {Child's first name}'s overall health is excellent, very good, good, fair, or poor?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	6868	58.1 %
2	2 = Very good	3167	26.8 %
3	3 = Good	1462	12.4 %
4	4 = Fair	293	2.5 %
5	5 = Poor	17	0.1 %
	Total	11,807	99.9%

This variable has 11,807 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	7	0.1%

Percentages for both tables are based on 11,814 total cases.

Location: 146-153 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PX0188_NB: Youth has difficulty dressing or bathing

Does {Child's first name} have difficulty dressing or bathing?

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	2029	17.2 %
	Total	2,042	17.3%

This variable has 2,042 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9772	82.7 %

	Missing Data		
	Total	9,772	82.7%

Percentages for both tables are based on 11,814 total cases.

Location: 154-161 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PX0189_NB: Youth has serious difficulty concentrating, remembering or making decisions because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, does {Child's first name} have serious difficulty concentrating, remembering, or making decisions?

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	207	1.8 %
2	2 = No	1834	15.5 %
	Total	2,041	17.3%

This variable has 2,041 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9772	82.7 %
	Total	9,773	82.7%

Percentages for both tables are based on 11,814 total cases.

Location: 162-169 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PX0187_NB: Youth has difficulty doing errands alone because of a physical, mental or emotional condition

[Box ID R03_PXR05: Parent/guardian respondents of new baseline youth respondents who are 15 years old or older, go to R03_PX0187_NB. Else, go to R03_PT0050_NB.

IF R03_YOUTHTYPE = 2 AND R03R_Y_AGE >= 15, GO TO R03_PX0187_NB. ELSE, GO TO R03_PT0050_NB.]

Because of a physical, mental, or emotional condition, does {Child's first name}

have difficulty doing errands alone such as visiting a doctor's office or shopping?

[Go to R03_PT0050_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents who are 15 years old or older.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03R_Y_AGE >= 15.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 170-177 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0050_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has high blood pressure

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has high blood pressure?

[Go to R03_PT0051_12M.]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	124	1.0 %
2	2 = No	9639	81.6 %
	Total	9,763	82.6%

This variable has 9,763 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	2049	17.3 %
	Total	2,051	17.4%

Percentages for both tables are based on 11,814 total cases.

Location: 178-185 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0050_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has high blood pressure

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has high blood pressure?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_PT0051_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	2026	17.1 %
	Total	2,042	17.3%

This variable has 2,042 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9772	82.7 %
	Total	9,772	82.7%

Percentages for both tables are based on 11,814 total cases.

Location: 186-193 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_PT0041_NB: DERIVED - Age range youth was first told he/she had high blood pressure (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had high blood pressure?

Algorithm: IF R03_PT0253_NB = 1 OR (0<=R03_PT0041_NB<=11) THEN R03R_Y_PT0041_NB = 1; ELSE IF R03_PT0253_NB = 2 OR (12<=R03_PT0041_NB<=14) THEN R03R_Y_PT0041_NB = 2; ELSE IF R03_PT0253_NB = 3 OR (15<=R03_PT0041_NB<=17) THEN R03R_Y_PT0041_NB = 3; ELSE IF R03_PT0041_NB = -9 OR R03_PT0253_NB = -9 THEN R03R_Y_PT0041_NB = -99999; ELSE IF R03_PT0041_NB = -8 OR R03_PT0253_NB = -8 THEN R03R_Y_PT0041_NB = -99988; ELSE IF R03_PT0041_NB = -7 OR R03_PT0253_NB = -7 THEN R03R_Y_PT0041_NB = -99977; ELSE IF R03_PT0041_NB = -5 THEN R03R_Y_PT0041_NB = -99955; ELSE IF R03_PT0041_NB = -1 OR R03_PT0253_NB = -1 THEN R03R_Y_PT0041_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	14	0.1 %
2	2 = 12 to 14 years old	2	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11798	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 194-201 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_PT0051_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has high cholesterol

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has high cholesterol?

[Go to R03_PT0031_12M.]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	133	1.1 %
2	2 = No	9624	81.5 %
	Total	9,757	82.6%

This variable has 9,757 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	2049	17.3 %
	Total	2,057	17.4%

Percentages for both tables are based on 11,814 total cases.

Location: 202-209 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0051_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has high cholesterol

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has high cholesterol?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_PT0031_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	2004	17.0 %
	Total	2,042	17.3%

This variable has 2,042 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9772	82.7 %
	Total	9,772	82.7%

Percentages for both tables are based on 11,814 total cases.

Location: 210-217 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_PT0043_NB: DERIVED - Age range youth was first told he/she has high cholesterol (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had high cholesterol?

Algorithm: IF R03_PT0254_NB = 1 OR (0<=R03_PT0043_NB<=11) THEN R03R_Y_PT0043_NB = 1; ELSE IF R03_PT0254_NB = 2 OR (12<=R03_PT0043_NB<=14) THEN R03R_Y_PT0043_NB = 2; ELSE IF R03_PT0254_NB = 3 OR (15<=R03_PT0043_NB<=17) THEN R03R_Y_PT0043_NB = 3; ELSE IF R03_PT0043_NB = -9 OR R03_PT0254_NB = -9 THEN R03R_Y_PT0043_NB = -99999; ELSE IF R03_PT0043_NB = -8 OR R03_PT0254_NB = -8 THEN R03R_Y_PT0043_NB = -99988; ELSE IF R03_PT0043_NB = -7 OR R03_PT0254_NB = -7 THEN R03R_Y_PT0043_NB = -99977; ELSE IF R03_PT0043_NB = -5 THEN R03R_Y_PT0043_NB = -99955; ELSE IF R03_PT0043_NB = -1 OR R03_PT0254_NB = -1 THEN R03R_Y_PT0043_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	26	0.2 %
2	2 = 12 to 14 years old	12	0.1 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	38	0.3%

This variable has 38 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11776	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
	Total	11,776	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 218-225 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_PT0031_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has asthma

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has asthma?

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	910	7.7 %
2	2 = No	8851	74.9 %
	Total	9,761	82.6%

This variable has 9,761 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	2049	17.3 %
	Total	2,053	17.4%

Percentages for both tables are based on 11,814 total cases.

Location: 226-233 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0031_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has asthma

[BOX ID: R03_PTR06 - Parent/guardian respondents of youth respondents who have ever had asthma, go to R03_PT0022. Else, go to R03_PT0033.]

IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1), GO TO R03_PT0022. ELSE, GO TO R03_PT0033.]

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has asthma?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_PT0033.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	354	3.0 %
2	2 = No	1688	14.3 %
	Total	2,042	17.3%

This variable has 2,042 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9772	82.7 %
	Total	9,772	82.7%

Percentages for both tables are based on 11,814 total cases.

Location: 234-241 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_PT0038_NB: DERIVED - Age range youth was first told he/she has asthma (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had asthma?

Algorithm: IF R03_PT0260_NB = 1 OR (0<=R03_PT0038_NB<=11) THEN R03R_Y_PT0038_NB = 1; ELSE IF R03_PT0260_NB = 2 OR (12<=R03_PT0038_NB<=14) THEN R03R_Y_PT0038_NB = 2; ELSE IF R03_PT0260_NB = 3 OR (15<=R03_PT0038_NB<=17) THEN R03R_Y_PT0038_NB = 3; ELSE IF R03_PT0038_NB = -9 OR R03_PT0260_NB = -9 THEN R03R_Y_PT0038_NB = -99999; ELSE IF R03_PT0038_NB = -8 OR R03_PT0260_NB = -8 THEN R03R_Y_PT0038_NB = -99988; ELSE IF R03_PT0038_NB = -7 OR R03_PT0260_NB = -7 THEN R03R_Y_PT0038_NB = -99977; ELSE IF R03_PT0038_NB = -5 THEN R03R_Y_PT0038_NB = -99955; ELSE IF R03_PT0038_NB = -1 OR R03_PT0260_NB = -1 THEN R03R_Y_PT0038_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	347	2.9 %
2	2 = 12 to 14 years old	7	0.1 %

Value	Label	Unweighted Frequency	%
3	3 = 15 to 17 years old	0	0.0 %
	Total	354	3.0%

This variable has 354 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11460	97.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,460	97.0%

Percentages for both tables are based on 11,814 total cases.

Location: 242-249 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_PT0022: In past 12 months, youth has taken medications regularly for asthma

[In a previous interview, it was reported that {Child's first name} had asthma.]

In the past 12 months, has {Child's first name} taken medications regularly for asthma?

[Taken regularly means according to a health care provider's instructions.]

[If No (2), Never had asthma (3), Don't Know (-8), or Refused (-7), Go to R03_PT0125.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	705	6.0 %
2	2 = No	1628	13.8 %

Value	Label	Unweighted Frequency	%
3	3 = Youth has never had asthma	40	0.3 %
	Total	2,373	20.1%

This variable has 2,373 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9438	79.9 %
	Total	9,441	79.9%

Percentages for both tables are based on 11,814 total cases.

Location: 250-257 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0036_01: In past 12 months, medications youth has taken for asthma: Quick-relief inhaler

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

Quick-relief inhaler - FOR EXAMPLE: ALBUTEROL (PROAIR, VENTOLIN, XOPENEX), IPRATROPIUM (ATROVENT), OR A COMBINATION INHALER (COMBIVENT)

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	595	5.0 %
2	2 = Not Marked	109	0.9 %
	Total	704	6.0%

This variable has 704 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11109	94.0 %
	Total	11,110	94.0%

Percentages for both tables are based on 11,814 total cases.

Location: 258-265 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0036_02: In past 12 months, medications youth has taken for asthma: Controller/long-acting inhaler

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

Controller or long-acting inhaler including steroid inhaler -
FOR EXAMPLE: BECLOMETHASONE (QVAR), FLUTICASONE (FLOVENT), SALMETEROL (SEREVENT), TIOTROPIUM (SPIRIVA), OR A COMBINATION INHALER (ADVAIR)

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	242	2.0 %
2	2 = Not Marked	462	3.9 %
	Total	704	6.0%

This variable has 704 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11109	94.0 %
	Total	11,110	94.0%

Percentages for both tables are based on 11,814 total cases.

Location: 266-273 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0036_03: In past 12 months, medications youth has taken for asthma: Other controlling medication

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

Other controlling medication - FOR EXAMPLE: MONTELUKAST (SINGULAIR), ZAFIRLUKAST (ACCOLATE), THEOPHYLLINE, ROFLUMILAST (DALIRESP)

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	153	1.3 %
2	2 = Not Marked	551	4.7 %
	Total	704	6.0%

This variable has 704 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11109	94.0 %
	Total	11,110	94.0%

Percentages for both tables are based on 11,814 total cases.

Location: 274-281 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0036_04: In past 12 months, medications youth has taken for asthma: Other asthma medication

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

Other asthma medication

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	81	0.7 %
2	2 = Not Marked	623	5.3 %
	Total	704	6.0 %

This variable has 704 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11109	94.0 %
	Total	11,110	94.0 %

Percentages for both tables are based on 11,814 total cases.

Location: 282-289 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0125: In past 12 months, youth had an asthma attack that required use of an oral or injected steroid medication

In the past 12 months, has {Child's first name} had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?

[Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).]

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND

R03_PT0022 = 1, 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	261	2.2 %
2	2 = No	2071	17.5 %
	Total	2,332	19.7%

This variable has 2,332 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9478	80.2 %
	Total	9,482	80.3%

Percentages for both tables are based on 11,814 total cases.

Location: 290-297 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0039: In past 12 months, number of asthma attacks youth has had that required use of an oral or injected steroid medication

In the past 12 months, how many asthma attacks has {Child's first name} had that required use of an oral or injected steroid medication at the time of the attack?

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and have had an asthma attack in the past 12 months that required use of an oral or injected steroid medication at the time of the attack.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTMHA = 1) AND R03_PT0022 = 1, 2, -8, -7 AND R03_PT0125 = 1.

[PROGRAM: Allow 0-999.]

[CHECK ID: R03_PT0039_LC1 - I have that in the past 12 months {CHILD'S FIRST NAME} had [R03_PT0039] asthma attacks that required use of an oral or injected steroid medication at the time of the attack. Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

[IF 1, GOTO GO TO R03_PT0039. IF 2, SUPPRESS GO TO R03_PT0127.]

ASK: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1, 2, -8, -7 AND R03_PT0125 = 1 AND R03_PT0039 > 20.

PROGRAM: TRIGGER CHECK IF R03_PT0039 > 20. ELSE, GO TO R03_PT0127 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 258 valid cases out of 11,814 total cases.

- Mean: 5.65
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 700.00
- Standard Deviation: 43.67

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11553	97.8 %
	Total	11,556	97.8%

Percentages for both tables are based on 11,814 total cases.

Location: 298-305 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_PT0127: In past 12 months, youth has visited an emergency room or urgent care center because of asthma

In the past 12 months, has {Child's first name} had to visit an emergency room or urgent care center because of asthma?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_PT0033.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1, 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	157	1.3 %
2	2 = No	2177	18.4 %
	Total	2,334	19.8%

This variable has 2,334 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9480	80.2 %
	Total	9,480	80.2%

Percentages for both tables are based on 11,814 total cases.

Location: 306-313 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0282: In past 12 months, number of times youth has visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times has {Child's first name} had to visit an emergency room or urgent care center because of asthma?

[If Don't Know (-8) or Refused (-7), Go to R03_PXR07.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1, 2, -8, -7 AND R03_PT0127 = 1.

[PROGRAM: Allow 0-999.]

[CHECK ID: R03_PT0282_LC1 - I have that in the past 12 months {CHILD'S FIRST NAME} had to visit the emergency room or urgent care center [R03_PT0282] times because of asthma. Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

IF 1 GOTO, GO TO R03_PT0282. IF 2 SUPPRESS, GO TO BOX R03_PXR07.

ASK: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_Asthma = 1) AND R03_PT0022 = 1, 2, -8, -7 AND R03_PT0127 = 1 AND R03_PT0282 != -8, -7 AND R03_PT0282 > 10.

PROGRAM: TRIGGER CHECK IF R03_PT0282 > 10. ELSE, GO TO BOX R03_PXR07 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 157 valid cases out of 11,814 total cases.

- Mean: 1.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.51

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11657	98.7 %
	Total	11,657	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 314-321 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_PX0692: In past 12 months, single visit to emergency room or urgent care center was due to an asthma attack

[BOX ID: R03_PXR07 - Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months, go to R03_PX0692.

Else, parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months,

go to R03_PX0720. Else, go to R03_PT0033.

IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1, 2, -8, -7 AND R03_PT0127 = 1 AND R03_PT0282 = 1, GO TO R03_PX0692. ELSE, IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1, 2, -8, -7 AND R03_PT0127 = 1 AND R03_PT0282 > 1, GO TO R03_PX0720. ELSE, GO TO R03_PT0033.]

Was that visit due to an asthma attack?

[GO TO R03_PT0033.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1, 2, -8, -7 AND R03_PT0127 = 1 AND R03_PT0282 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.6 %
2	2 = No	16	0.1 %
	Total	91	0.8%

This variable has 91 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11723	99.2 %
	Total	11,723	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 322-329 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PX0720: Number of visits to emergency room due to asthma attack

How many of those visits were due to an asthma attack?

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1, 2, -8, -7 AND R03_PT0127 = 1 AND R03_PT0282 > 1.

[CHECK ID: R03_PX0720_LC1 - I have that in the past 12 months {CHILD'S FIRST NAME} had to visit the emergency room or urgent care center [R03_PX0720] times because of an asthma attack. Is that correct?

YES: PRESS SUPPRESS TO GO TO THE NEXT QUESTION.

NO: PRESS GOTO TO CORRECT THE ANSWER.

IF 1 GOTO, GO TO R03_PX0720. IF 2 SUPPRESS, GO TO R03_PT0033.

ASK: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0031_NB = 1 OR R03_PT0031_12M = 1 OR R02_PARREPT_ASTHMA = 1) AND R03_PT0022 = 1, 2, -8, -7 AND R03_PT0127 = 1 AND R03_PT0282 > 1 AND R03_PX0720 > R03_PT0282.

PROGRAM: TRIGGER CHECK IF R03_PX0720 > R03_PT0282. ELSE, GO TO R03_PT0033 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 64 valid cases out of 11,814 total cases.

- Mean: 2.39
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.98

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11750	99.5 %
	Total	11,750	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 330-337 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_PT0033: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has bronchitis, pneumonia or chronic cough

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has bronchitis, pneumonia, or chronic cough?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	383	3.2 %
2	2 = No	11420	96.7 %
	Total	11,803	99.9%

This variable has 11,803 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	11	0.1%

Percentages for both tables are based on 11,814 total cases.

Location: 338-345 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0040_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has bronchitis, pneumonia or chronic cough

[BOX ID: R03_PTR07 - Parent/guardian respondents of new baseline youth respondents who have not been told they had bronchitis in the past 12 months, go to R03_PT0040_NB. Else, go to R03_PT0052_12M.]

IF R03_YOUTHTYPE = 2 AND R03_PT0033 = 2, GO TO R03_PT0040_NB.
ELSE, GO TO R03_PT0052_12M.]

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} had bronchitis, pneumonia, or chronic cough?

ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had bronchitis in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_PT0033 = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	182	1.5 %
2	2 = No	1788	15.1 %
	Total	1,970	16.7%

This variable has 1,970 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9843	83.3 %
	Total	9,844	83.3%

Percentages for both tables are based on 11,814 total cases.

Location: 346-353 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0052_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has ADHD or ADD

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has ADHD or ADD?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1174	9.9 %
2	2 = No	10627	90.0 %
	Total	11,801	99.9%

This variable has 11,801 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	13	0.1%

Percentages for both tables are based on 11,814 total cases.

Location: 354-361 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0052_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has ADHD or ADD

[BOX ID: R03_PTR08 - Parent/guardian respondents of new baseline youth respondents who were not told they had ADD/ADHD in the past year, go to R03_PT0052_NB. Else, parent/guardian respondents of youth respondents who have ever been told they had ADD/ADHD, go to R03_PT0048. Else, go to R03_PT0049.]

IF R03_YOUTHTYPE = 2 AND R03_PT0052_12M = 2, GO TO R03_PT0052_NB.
ELSE, IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0052_NB = 1 OR R03_PT0052_12M = 1 OR R02_PARREPT_ADHD = 1), GO TO R03_PT0048.
ELSE, GO TO R03_PT0049.]

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has ADHD or ADD?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_PT0049.]

ASK: Parent/guardian respondents of new baseline youth respondents who were not told they had ADD/ADHD in the past year.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_PT0052_12M = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	66	0.6 %
2	2 = No	1743	14.8 %
	Total	1,809	15.3%

This variable has 1,809 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10004	84.7 %
	Total	10,005	84.7%

Percentages for both tables are based on 11,814 total cases.

Location: 362-369 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0048: In past 12 months, youth has taken medications regularly for ADHD or ADD

[In a previous interview, it was reported that {Child's first name} had ADHD or ADD.]

In the past 12 months, has {Child's first name} taken medications regularly for ADHD or ADD?

[Taken regularly means according to a health care provider's instructions.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had ADD/ADHD.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R03_PT0052_NB = 1 OR R03_PT0052_12M = 1 OR R02_PARREPT_ADHD = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	962	8.1 %
2	2 = No	874	7.4 %
3	3 = Youth has never had ADHD or ADD	29	0.2 %
	Total	1,865	15.8%

This variable has 1,865 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9949	84.2 %
	Total	9,949	84.2%

Percentages for both tables are based on 11,814 total cases.

Location: 370-377 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0049: In past 12 months, youth has been told by a doctor, dentist or other health professional that he/she has dental health issues

In the past 12 months, has {Child's first name} been told by a doctor, dentist or other health professional that {he/she} has dental health issues, such as cavities, gum disease or dental stains?

[Dental health issues do NOT include orthodontia or braces.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2247	19.0 %
2	2 = No	9547	80.8 %
	Total	11,794	99.8%

This variable has 11,794 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	20	0.2%

Percentages for both tables are based on 11,814 total cases.

Location: 378-385 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0044_NB: Youth has ever been told by a doctor, dentist or other health professional that he/she has dental health issues

[BOX ID: R03_PT0044_NB - Parent/guardian respondents of new baseline youth respondents who were not told they had dental issues in the past year, go to R03_PT0044_NB. Else, parent/guardian respondents of continuing youth respondents, go to R03_PT0281_12M. Else, go to R03_PT0281_NB.

IF R03_YOUTHTYPE = 2 AND R03_PT0049 = 2, GO TO R03_PT0044_NB.
ELSE, IF R03_YOUTHTYPE = 1, GO TO R03_PT0281_12M. ELSE, GO TO R03_PT0281_NB.]

Has {Child's first name} ever been told by a doctor, dentist, or other health professional that {he/she} has dental health

issues, such as cavities, gum disease, or dental stains?

[Dental health issues do NOT include orthodontia or braces.]

[Go to R03_PT0281_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents who were not told they had dental issues in the past year.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_PT0049 = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	423	3.6 %
2	2 = No	1195	10.1 %
	Total	1,618	13.7%

This variable has 1,618 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10194	86.3 %
	Total	10,196	86.3%

Percentages for both tables are based on 11,814 total cases.

Location: 386-393 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0281_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[Go to Box R03_PTR10.]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	151	1.3 %
2	2 = No	9613	81.4 %
	Total	9,764	82.6%

This variable has 9,764 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	2049	17.3 %
	Total	2,050	17.4%

Percentages for both tables are based on 11,814 total cases.

Location: 394-401 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0281_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_PX0221.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.3 %
2	2 = No	2011	17.0 %
	Total	2,042	17.3%

This variable has 2,042 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	9772	82.7 %
	Total	9,772	82.7%

Percentages for both tables are based on 11,814 total cases.

Location: 402-409 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_PT0042_NB: DERIVED - Age range youth was first told by a doctor or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes (3 levels)

Long Description: Has [Child's first name] ever been told by a doctor, nurse or other health professional that [he/she] has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

Algorithm: IF R03_PT0263_NB = 1 OR (0<=R03_PT0042_NB<=11) THEN R03R_Y_PT0042_NB = 1; ELSE IF R03_PT0263_NB = 2 OR (12<=R03_PT0042_NB<=14) THEN R03R_Y_PT0042_NB = 2; ELSE IF R03_PT0263_NB = 3 OR (15<=R03_PT0042_NB<=17) THEN R03R_Y_PT0042_NB = 3; ELSE IF R03_PT0042_NB = -9 OR R03_PT0263_NB = -9 THEN R03R_Y_PT0042_NB = -99999; ELSE IF R03_PT0042_NB = -8 OR R03_PT0263_NB = -8 THEN R03R_Y_PT0042_NB = -99988; ELSE IF R03_PT0042_NB = -7 OR R03_PT0263_NB = -7 THEN R03R_Y_PT0042_NB = -99977; ELSE IF R03_PT0042_NB = -5 THEN R03R_Y_PT0042_NB = -99955; ELSE IF R03_PT0042_NB = -1 OR R03_PT0263_NB = -1 THEN R03R_Y_PT0042_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	25	0.2 %
2	2 = 12 to 14 years old	6	0.1 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	31	0.3%

This variable has 31 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11783	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,783	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 410-417 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_PX0721: Youth has Type 1 or Type 2 diabetes

[BOX ID: R03_PTR10 - Parent/guardian respondents of youth respondents who have ever been told they have diabetes, go to R03_PX0721. Else, go to R03_PX0221.

IF R03_YOUTHTYPE = 1, 2 AND (R02_PARREPT_DIABETES = 1 OR R03_PT0281_12M = 1 OR R03_PT0281_NB = 1), GO TO R03_PX0721. ELSE, GO TO R03_PX0221.]

[In a previous interview, it was reported that {Child's first name} had diabetes.]

Does [Child's first name] have Type 1 or Type 2 diabetes?

ASK: Parent/guardian respondents of youth respondents who have ever been told they have diabetes.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND (R02_PARREPT_DIABETES = 1 OR R03_PT0281_12M = 1 OR R03_PT0281_NB = 1).

[DISPLAY: IF PARENT REPORTED YOUTH HAD DIABETES IN WAVES 1 AND/OR 2, BUT NOT WAVE 3 (R02_PARREPT_DIABETES = 1 AND R03_PT0281_12M != 1), DISPLAY "In a previous interview, it was reported that {Child's first name} had diabetes.". ELSE, DO NOT DISPLAY THIS TRANSITION TEXT.]

Value	Label	Unweighted Frequency	%
1	1 = Type 1	58	0.5 %
2	2 = Type 2	47	0.4 %
3	3 = Youth has never had diabetes	191	1.6 %
	Total	296	2.5%

This variable has 296 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11501	97.4 %
	Total	11,518	97.5%

Percentages for both tables are based on 11,814 total cases.

Location: 418-425 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PX0221: Youth's close biological relatives have ever been told by a health professional that they had high blood pressure

The next questions ask about {Child's first name}'s close biological or blood relatives, including {his|her} father, mother, or brothers or sisters, both living and deceased.

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high blood pressure?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5006	42.4 %
2	2 = No	6626	56.1 %
	Total	11,632	98.5%

This variable has 11,632 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	167	1.4 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	7	0.1 %
	Total	182	1.5%

Percentages for both tables are based on 11,814 total cases.

Location: 426-433 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PX0222: Youth's close biological relatives have ever been told by a health professional that they had high cholesterol

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high cholesterol?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4400	37.2 %
2	2 = No	7183	60.8 %
	Total	11,583	98.0%

This variable has 11,583 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	215	1.8 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	7	0.1 %
	Total	231	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 434-441 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PX0707: Youth's close biological relatives have used any tobacco products

Have any of {Child's first name}'s close biological or blood relatives used any tobacco products? By this we mean cigarettes, e-cigarettes or other electronic nicotine products, cigars, pipe, hookah, snus pouches or other types of smokeless tobacco (such as dip, spit or chew), and dissolvable tobacco.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7052	59.7 %
2	2 = No	4646	39.3 %
	Total	11,698	99.0%

This variable has 11,698 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	104	0.9 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	7	0.1 %

	Missing Data		
	Total	116	1.0%

Percentages for both tables are based on 11,814 total cases.

Location: 442-449 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PX0731: Youth's close biological relatives have ever been an alcoholic or problem drinker

Have any of {Child's first name}'s close biological or blood relatives ever been an alcoholic or problem drinker? By this we mean a person whose drinking causes problems with their physical or emotional health, family or friends, work or school, or the police.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2689	22.8 %
2	2 = No	9010	76.3 %
	Total	11,699	99.0%

This variable has 11,699 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	101	0.9 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	7	0.1 %
	Total	115	1.0%

Percentages for both tables are based on 11,814 total cases.

Location: 450-457 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PX0732: Youth's close biological relatives have ever had problems with drugs

Have any of {Child's first name}'s close biological or blood relatives ever had problems with drugs? By this we mean a person whose drug use causes problems with their physical or emotional health, family or friends, work or school, or the police.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2164	18.3 %
2	2 = No	9544	80.8 %
	Total	11,708	99.1%

This variable has 11,708 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	92	0.8 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	7	0.1 %
	Total	106	0.9%

Percentages for both tables are based on 11,814 total cases.

Location: 458-465 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_PM0069: DERIVED - Recoded parent respondent is a citizen of the United States (2 levels)

Long Description: Are you a citizen of the United States?

Algorithm: IF 1<= R03_PM0069 <= 4 THEN R03R_Y_PM0069=1; ELSE IF R03_PM0069 > 4 THEN R03R_Y_PM0069=2; ELSE IF R03_PM0069 = -9 THEN R03R_Y_PM0069 = -99999; ELSE IF R03_PM0069 = -8 THEN R03R_Y_PM0069 = -99988; ELSE IF R03_PM0069 = -7 THEN R03R_Y_PM0069 = -99977; ELSE IF R03_PM0069 = -1 THEN R03R_Y_PM0069 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes, a U.S. citizen	10169	86.1 %
2	2 = No, not a U.S. citizen	1358	11.5 %
	Total	11,527	97.6%

This variable has 11,527 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	225	1.9 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	22	0.2 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	33	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	7	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	287	2.4%

Percentages for both tables are based on 11,814 total cases.

Location: 466-473 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_Y_PM0065: DERIVED - Recoded number of years parents lived in the United States (3 levels)

Long Description: About how many years have you lived in the United States?

Algorithm: IF 0 <= R03_PM0065 <= 7 THEN R03R_Y_PM0065 = 1; ELSE IF 8 <= R03_PM0065 <= 12 THEN R03R_Y_PM0065 = 2; ELSE IF R03_PM0065 > 12 THEN R03R_Y_PM0065 = 3; ELSE IF R03_PM0065 = -9 THEN R03R_Y_PM0065 = -99999; ELSE IF R03_PM0065 = -8 THEN R03R_Y_PM0065 = -99988; ELSE IF R03_PM0065 = -7 THEN R03R_Y_PM0065 = -99977; ELSE IF R03_PM0065 = -5 THEN R03R_Y_PM0065 = -99955; ELSE IF R03_PM0065 = -1 THEN R03R_Y_PM0065 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = 0 - 7 years	169	1.4 %
2	2 = 8 - 12 years	282	2.4 %
3	3 = 13+ years	2155	18.2 %
	Total	2,606	22.1%

This variable has 2,606 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	225	1.9 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	8	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	8960	75.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	9,208	77.9%

Percentages for both tables are based on 11,814 total cases.

Location: 474-481 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_PM0066: How well you speak English

How well do you speak English? Would you say very well, well, not well, or not at all?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very well	9462	80.1 %
2	2 = Well	848	7.2 %
3	3 = Not well	913	7.7 %
4	4 = Not at all	355	3.0 %
	Total	11,578	98.0%

This variable has 11,578 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	225	1.9 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	236	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 482-489 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_PM0001: DERIVED - Recoded highest grade or year of school completed by parent (6 levels)

Long Description: What is the highest grade or year of school that you have completed?

Algorithm: IF R03_PM0001 IN (1,2) THEN R03R_Y_PM0001 = 1 ; ELSE IF R03_PM0001 = 3 THEN R03R_Y_PM0001 = 2 ; ELSE IF R03_PM0001 = 4 THEN R03R_Y_PM0001 = 3 ; ELSE IF R03_PM0001 IN (5,6,7) THEN R03R_Y_PM0001 = 4 ; ELSE IF R03_PM0001 = 8 THEN

R03R_Y_PM0001 = 5; ELSE IF R03_PM0001 >=9 THEN R03R_Y_PM0001 = 6; ELSE IF R03_PM0001 = -9 THEN R03R_Y_PM0001 = -99999 ; ELSE IF R03_PM0001 = -8 THEN R03R_Y_PM0001 = -99988; ELSE IF R03_PM0001 = -7 THEN R03R_Y_PM0001 = -99977; ELSE IF R03_PM0001 = -1 THEN R03R_Y_PM0001 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Less than High School	1729	14.6 %
2	2 = GED	508	4.3 %
3	3 = High school graduate	2086	17.7 %
4	4 = Some college (no degree) or associates degree	3759	31.8 %
5	5 = Bachelor's degree	2158	18.3 %
6	6 = Advanced degree	1338	11.3 %
	Total	11,578	98.0%

This variable has 11,578 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	225	1.9 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	7	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	236	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 490-497 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_Y_PM0118: DERIVED - Recoded highest grade or year of school completed by spouse/guardian (6 levels)

Long Description: What is the highest grade or year of school that [Spouse/Guardian's First name] has completed?

Algorithm: IF R03_PM0118 IN (1,2) THEN R03R_Y_PM0118 = 1 ; ELSE IF R03_PM0118 = 3 THEN R03R_Y_PM0118 = 2 ; ELSE IF R03_PM0118 = 4 THEN R03R_Y_PM0118 = 3 ; ELSE IF R03_PM0118 IN (5,6,7) THEN R03R_Y_PM0118 = 4 ; ELSE IF R03_PM0118 = 8 THEN R03R_Y_PM0118 = 5; ELSE IF R03_PM0118 >=9 THEN R03R_Y_PM0118 = 6; ELSE IF R03_PM0118 = -9 THEN R03R_Y_PM0118 = -99999 ; ELSE IF R03_PM0118 = -8 THEN R03R_Y_PM0118 = -99988 ; ELSE IF R03_PM0118 = -7 THEN R03R_Y_PM0118 = -99977; ELSE IF R03_PM0118 = -1 THEN R03R_Y_PM0118 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Less than High School	1108	9.4 %
2	2 = GED	275	2.3 %
3	3 = High school graduate	1481	12.5 %
4	4 = Some college (no degree) or associates degree	1819	15.4 %
5	5 = Bachelor's degree	1507	12.8 %
6	6 = Advanced degree	1108	9.4 %
	Total	7,298	61.8%

This variable has 7,298 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	678	5.7 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	30	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3806	32.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	4,516	38.2%

Percentages for both tables are based on 11,814 total cases.

Location: 498-505 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_Y_PM0130: DERIVED - Recoded total household income in past 12 months (5 levels)

Long Description: Which of the following categories best describes your total household income in the past 12 months? This is the total income before taxes of all persons in your household combined.

Algorithm: IF R03_PM0130 = 1 THEN R03R_Y_PM0130 = 1 ; ELSE IF R03_PM0130 IN (2,3) THEN R03R_Y_PM0130 = 2; ELSE IF R03_PM0130 IN (4,5) THEN R03R_Y_PM0130 = 3; ELSE IF R03_PM0130 IN (6,7) THEN R03R_Y_PM0130 = 4; ELSE IF R03_PM0130 >=8 THEN R03R_Y_PM0130 = 5; ELSE IF R03_PM0130 = -9 THEN R03R_Y_PM0130 = -99999 ; ELSE IF R03_PM0130 = -8 THEN R03R_Y_PM0130 = -99988 ; ELSE IF R03_PM0130 = -7 THEN R03R_Y_PM0130 = -99977 ; ELSE IF R03_PM0130 = -1 THEN R03R_Y_PM0130 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Less than \$10,000	940	8.0 %
2	2 = \$10,000 to \$24,999	1926	16.3 %
3	3 = \$25,000 to \$49,999	2629	22.3 %
4	4 = \$50,000 to \$99,999	2839	24.0 %

Value	Label	Unweighted Frequency	%
5	5 = \$100,000 or more	2700	22.9 %
	Total	11,034	93.4%

This variable has 11,034 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	225	1.9 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	275	2.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	273	2.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	7	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	780	6.6%

Percentages for both tables are based on 11,814 total cases.

Location: 506-513 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03_PM0031: In past 12 months, total household income is above or below \$50,000

Is your total household income during the past 12 months above or below \$50,000?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and who did not know or refused to report their total household income.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND
R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2 AND
R03_PM0130 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Above \$50,000	153	1.3 %
2	2 = Below \$50,000	116	1.0 %
	Total	269	2.3%

This variable has 269 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	160	1.4 %
-7	-7 = Refused	119	1.0 %
-1	-1 = Inapplicable	11266	95.4 %
	Total	11,545	97.7%

Percentages for both tables are based on 11,814 total cases.

Location: 514-521 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_PL0040: DERIVED - Recoded home is owned or rented (2 levels)

Long Description: Do you own or rent your home?

Algorithm: IF R03_PL0040 = 1 THEN R03R_Y_PL0040 = 1; ELSE IF R03_PL0040 IN (2,3) THEN R03R_Y_PL0040 = 2; ELSE IF R03_PL0040 = -9 THEN R03R_Y_PL0040 = -99999 ; ELSE IF R03_PL0040 = -8 THEN R03R_Y_PL0040 = -99988 ; ELSE IF R03_PL0040 = -7 THEN R03R_Y_PL0040 = -99977 ; ELSE IF R03_PL0040 = -1 THEN R03R_Y_PL0040 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Owned	6812	57.7 %
2	2 = Not Owned	4765	40.3 %
	Total	11,577	98.0%

This variable has 11,577 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	215	1.8 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	7	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	237	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 522-529 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03_PX0691: Type of living space where you currently live

Please look at this list. In what type of living space do you

currently live?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Single Family Home	8884	75.2 %
2	2 = Duplex	393	3.3 %
3	3 = Double or Multi-Family Home	419	3.5 %
4	4 = Condominium	127	1.1 %
5	5 = Townhouse	369	3.1 %
6	6 = Apartment Building	1137	9.6 %
7	7 = None of the above	177	1.5 %
	Total	11,506	97.4%

This variable has 11,506 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	294	2.5 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	308	2.6%

Percentages for both tables are based on 11,814 total cases.

Location: 530-537 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PN0335_01: In past 30 days, parent respondent used even one or two times: Cigarettes

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

Cigarettes

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND

R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2099	17.8 %
2	2 = No	9478	80.2 %
	Total	11,577	98.0%

This variable has 11,577 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	225	1.9 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	237	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 538-545 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PN0335_02: In past 30 days, parent respondent used even one or two times: Traditional cigars

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

Traditional cigars

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND
R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	199	1.7 %
2	2 = No	11379	96.3 %
	Total	11,578	98.0%

This variable has 11,578 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	225	1.9 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	236	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 546-553 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PN0335_03: In past 30 days, parent respondent used even one or two times: Cigarillos

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

Cigarillos

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	249	2.1 %
2	2 = No	11328	95.9 %
	Total	11,577	98.0%

This variable has 11,577 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	225	1.9 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	237	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 554-561 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PN0335_04: In past 30 days, parent respondent used even one or two times: Filtered cigars

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

Filtered cigars

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	88	0.7 %
2	2 = No	11489	97.2 %
	Total	11,577	98.0%

This variable has 11,577 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	225	1.9 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	237	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 562-569 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PN0335_05: In past 30 days, parent respondent used even one or two times: Pipe

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

Pipe

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND

R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	36	0.3 %
2	2 = No	11541	97.7 %
	Total	11,577	98.0%

This variable has 11,577 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	225	1.9 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	237	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 570-577 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PN0335_06: In past 30 days, parent respondent used even one or two times: Hookah

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

Hookah

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	113	1.0 %
2	2 = No	11463	97.0 %
	Total	11,576	98.0%

This variable has 11,576 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	225	1.9 %

	Missing Data		
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	238	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 578-585 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PN0336_01: In past 30 days, parent respondent used even one or two times: Snus pouches

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

Snus pouches

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	62	0.5 %
2	2 = No	11515	97.5 %
	Total	11,577	98.0%

This variable has 11,577 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	225	1.9 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	237	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 586-593 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PN0336_02: In past 30 days, parent respondent used even one or two times: Other types of smokeless tobacco

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

Other types of smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	199	1.7 %
2	2 = No	11379	96.3 %
	Total	11,578	98.0%

This variable has 11,578 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	225	1.9 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	236	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 594-601 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PN0337_01: In past 30 days, parent respondent used even one or two times: E-cigarettes or other electronic nicotine products

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

E-cigarettes or other electronic nicotine products

(IF NEEDED: Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	529	4.5 %
2	2 = No	11048	93.5 %
	Total	11,577	98.0%

This variable has 11,577 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	225	1.9 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	237	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 602-609 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PN0337_02: In past 30 days, parent respondent used even one or two times: Dissolvable tobacco

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

Dissolvable tobacco

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_ADULT_COMPLETE_LD = 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	11551	97.8 %

Value	Label	Unweighted Frequency	%
	Total	11,575	98.0%

This variable has 11,575 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	227	1.9 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	239	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 610-617 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0060: Parent respondent's general perception: How much people harm themselves when they smoke tobacco products that are burned

How much do you think people harm themselves when they smoke tobacco products that are burned (such as cigarettes, cigars, pipes or hookah)?

Would you say no harm, a little harm, some harm, or a lot of harm?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = No harm	60	0.5 %
2	2 = Little harm	192	1.6 %
3	3 = Some harm	1512	12.8 %
4	4 = A lot of harm	9767	82.7 %
	Total	11,531	97.6%

This variable has 11,531 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	252	2.1 %

	Missing Data		
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	283	2.4%

Percentages for both tables are based on 11,814 total cases.

Location: 618-625 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0061: Parent respondent's general perception: How much people harm themselves when they use e-cigarettes or other electronic nicotine products

Now think about e-cigarettes and other electronic nicotine products. How much do you think people harm themselves when they use these products?

Would you say no harm, a little harm, some harm, or a lot of harm?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = No harm	162	1.4 %
2	2 = Little harm	954	8.1 %
3	3 = Some harm	3741	31.7 %
4	4 = A lot of harm	6428	54.4 %
	Total	11,285	95.5%

This variable has 11,285 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	252	2.1 %
-8	-8 = Don't know	249	2.1 %
-7	-7 = Refused	21	0.2 %
-1	-1 = Inapplicable	7	0.1 %
	Total	529	4.5%

Percentages for both tables are based on 11,814 total cases.

Location: 626-633 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_PT0062: Parent respondent's general perception: How much people harm themselves when they use smokeless tobacco products

And finally, how much do you think people harm themselves when they use smokeless tobacco products (products in which you chew, suck or spit such as snus pouches, loose snus, moist snuff, dip, spit, and chewing tobacco)?

Would you say no harm, a little harm, some harm, or a lot of harm?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R03_YOUTHTYPE = 1, 2 AND
R03_PARENT_COMPLETE_LD = 2.

Value	Label	Unweighted Frequency	%
1	1 = No harm	60	0.5 %
2	2 = Little harm	338	2.9 %
3	3 = Some harm	2215	18.7 %
4	4 = A lot of harm	8866	75.0 %
	Total	11,479	97.2%

This variable has 11,479 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	252	2.1 %
-8	-8 = Don't know	74	0.6 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	7	0.1 %
	Total	335	2.8%

Percentages for both tables are based on 11,814 total cases.

Location: 634-641 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_P_OTHPAR_INHH: DERIVED - Recoded youth has any parental figures/guardians other than the parent/guardian in the house (2 levels)

Long Description: Youth has any parental figures/guardians other than the parent/guardian in the house

Algorithm: IF R03_PT0045 = 1 OR R03_PM0057 = 1 THEN R03R_P_OTHPAR_INHH = 1; ELSE IF R03_PT0045 In (-1, 2) AND R03_PM0057 = 2 THEN R03R_P_OTHPAR_INHH = 2; ELSE IF R03_PT0045 = -9 OR R03_PM0057 = -9 THEN R03R_P_OTHPAR_INHH = -99999; ELSE IF R03_PT0045 = -8 OR R03_PM0057 = -8 THEN R03R_P_OTHPAR_INHH = -99988; ELSE IF R03_PT0045 = -7 OR R03_PM0057 = -7 THEN R03R_P_OTHPAR_INHH = -99977; ELSE IF R03_PT0045 = -5 OR R03_PM0057 = -5 THEN R03R_P_OTHPAR_INHH = -99955; ELSE IF R03_PT0045 = -1 OR R03_PM0057 = -1 THEN R03R_P_OTHPAR_INHH = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	8783	74.3 %
2	2 = No	3018	25.5 %
	Total	11,801	99.9%

This variable has 11,801 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	7	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	13	0.1%

Percentages for both tables are based on 11,814 total cases.

Location: 642-649 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03_YOUTHTYPE: Wave 3 youth type classification

Long Description: Flag to indicate whether respondent is a continuing youth or a new baseline (aged-up) youth.

Value	Label	Unweighted Frequency	%
1	1 = Continuing Youth	9769	82.7 %
2	2 = New Baseline Youth	2045	17.3 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 11,814 total cases.

Location: 650-657 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R03R_Y_YM0069: DERIVED - Recoded citizen of the United States (2 levels)

Long Description: Are you a citizen of the United States?

Algorithm: IF 1<= R03_YM0069 <= 4 THEN R03R_Y_YM0069=1; ELSE IF R03_YM0069 > 4 THEN R03R_Y_YM0069=2; ELSE IF R03_YM0069 = -9 THEN R03R_Y_YM0069 = -99999 ; ELSE IF R03_YM0069 = -8 THEN R03R_Y_YM0069 = -99988 ; ELSE IF R03_YM0069 = -7 THEN R03R_Y_YM0069 = -99977 ; ELSE IF R03_YM0069 = -1 THEN R03R_Y_YM0069 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Yes, a U.S. citizen	11451	96.9 %
2	2 = No, not a U.S. citizen	312	2.6 %
	Total	11,763	99.6%

This variable has 11,763 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	29	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	51	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 658-665 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_Y_YM0065: DERIVED - Recoded number of years youth lived in the United States (3 levels)

Long Description: About how many years have you lived in the United States?

Algorithm: IF 0 <= R03_YM0065 <= 7 THEN R03R_Y_YM0065 = 1; ELSE IF 8 <= R03_YM0065 <= 12 THEN R03R_Y_YM0065 = 2; ELSE IF R03_YM0065 > 12 THEN R03R_Y_YM0065 = 3; ELSE IF R03_YM0065 = -9 THEN R03R_Y_YM0065 = -99999 ; ELSE IF R03_YM0065 = -8 THEN R03R_Y_YM0065 = -99988 ; ELSE IF R03_YM0065 = -7 THEN R03R_Y_YM0065 = -99977 ; ELSE IF R03_YM0065 = -5 THEN R03R_Y_YM0065 = -99955 ; ELSE IF R03_YM0065 = -1 THEN R03R_Y_YM0065 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = 0 - 7 years	201	1.7 %
2	2 = 8 - 12 years	266	2.3 %
3	3 = 13+ years	215	1.8 %
	Total	682	5.8%

This variable has 682 valid cases out of 11,814 total cases.

- Minimum: 1.00
- Maximum: 3.00

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	3	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11121	94.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,132	94.2%

Percentages for both tables are based on 11,814 total cases.

Location: 666-673 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YM0071: Speak a language other than English at home

Do you speak a language other than English at home?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YCT01.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3315	28.1 %
2	2 = No	8487	71.8 %
	Total	11,802	99.9%

This variable has 11,802 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	12	0.1%

Percentages for both tables are based on 11,814 total cases.

Location: 674-681 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YM0072_01: Language other than English spoken at home: Spanish

What is this language?

Spanish

ASK: Youth respondents who speak a language other than English at home.

ASK Specification: IF R03_YM0071 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2624	22.2 %
2	2 = Not Marked	640	5.4 %
	Total	3,264	27.6%

This variable has 3,264 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.3 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	8499	71.9 %
	Total	8,550	72.4%

Percentages for both tables are based on 11,814 total cases.

Location: 682-689 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YM0072_02: Language other than English spoken at home: Other language

What is this language?

Other language

ASK: Youth respondents who speak a language other than English at home.

ASK Specification: IF R03_YM0071 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	696	5.9 %
2	2 = Not Marked	2568	21.7 %
	Total	3,264	27.6%

This variable has 3,264 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.3 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	8499	71.9 %
	Total	8,550	72.4%

Percentages for both tables are based on 11,814 total cases.

Location: 690-697 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1002_NB: Ever tried cigarette smoking, even one or two puffs

[BOX ID: R03_YCR02 - New baseline youth respondents, go to R03_YC1002_NB. Continuing youth respondents, go to R03_YC1002_12M.]

IF R03_YOUTHTYPE = 2, GO TO R03_YC1002_NB. ELSE, GO TO R03_YC1002_12M.]

Have you ever tried cigarette smoking, even one or two puffs?

[Go to Box R03_YCV02.]

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	53	0.4 %
2	2 = No	1986	16.8 %
	Total	2,039	17.3%

This variable has 2,039 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,775	82.7%

Percentages for both tables are based on 11,814 total cases.

Location: 698-705 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1002_12M: In past 12 months, tried cigarette smoking, even one or two puffs

In the past 12 months, have you smoked a cigarette, even one or two puffs?

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	677	5.7 %
2	2 = No	9083	76.9 %
	Total	9,760	82.6%

This variable has 9,760 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,054	17.4%

Percentages for both tables are based on 11,814 total cases.

Location: 706-713 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1103: Ever been curious about smoking a cigarette

[PROGRAM NOTE: See Box R03_YCV02 and R03_YCR01 in the questionnaire for important information about temporary variables and navigation

that will be referenced in this section.]

Have you ever been curious about smoking a cigarette?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	113	1.0 %
2	2 = Somewhat curious	428	3.6 %
3	3 = A little curious	1604	13.6 %
4	4 = Not at all curious	8421	71.3 %
	Total	10,566	89.4%

This variable has 10,566 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	1220	10.3 %
	Total	1,248	10.6%

Percentages for both tables are based on 11,814 total cases.

Location: 714-721 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1206: Think you will smoke a cigarette in the next year

Do you think you will smoke a cigarette in the next year?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	9	0.1 %
2	2 = Probably yes	84	0.7 %
3	3 = Probably not	1258	10.6 %
4	4 = Definitely not	9234	78.2 %
	Total	10,585	89.6%

This variable has 10,585 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	1220	10.3 %
	Total	1,229	10.4%

Percentages for both tables are based on 11,814 total cases.

Location: 722-729 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1104: Think you will try a cigarette soon

Do you think that you will try a cigarette soon?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	7	0.1 %
2	2 = Probably yes	79	0.7 %
3	3 = Probably not	1115	9.4 %
4	4 = Definitely not	9383	79.4 %
	Total	10,584	89.6%

This variable has 10,584 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	1220	10.3 %
	Total	1,230	10.4%

Percentages for both tables are based on 11,814 total cases.

Location: 730-737 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1105: Would smoke a cigarette if one of your best friends offered you one

If one of your best friends were to offer you a cigarette,
would you smoke it?

[Go to Box R03_YVT01.]

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	14	0.1 %
2	2 = Probably yes	151	1.3 %
3	3 = Probably not	1454	12.3 %
4	4 = Definitely not	8954	75.8 %
	Total	10,573	89.5%

This variable has 10,573 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	1220	10.3 %
	Total	1,241	10.5%

Percentages for both tables are based on 11,814 total cases.

Location: 738-745 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YC1006_NB: DERIVED - Age range when first tried cigarette smoking, even one or two puffs (3 levels)

Long Description: How old were you when you first tried cigarette smoking, even one or two puffs?

Algorithm: IF R03_YC1120_NB = 1 OR (0<=R03_YC1006_NB<=11) THEN R03R_Y_YC1006_NB = 1;
ELSE IF R03_YC1120_NB = 2 OR (12<=R03_YC1006_NB<=14) THEN R03R_Y_YC1006_NB = 2; ELSE
IF R03_YC1120_NB = 3 OR (15<=R03_YC1006_NB<=17) THEN R03R_Y_YC1006_NB = 3; ELSE IF
R03_YC1006_NB = -9 OR R03_YC1120_NB = -9 THEN R03R_Y_YC1006_NB = -99999; ELSE IF
R03_YC1006_NB = -8 OR R03_YC1120_NB = -8 THEN R03R_Y_YC1006_NB = -99988; ELSE IF
R03_YC1006_NB = -7 OR R03_YC1120_NB = -7 THEN R03R_Y_YC1006_NB = -99977; ELSE IF
R03_YC1006_NB = -5 THEN R03R_Y_YC1006_NB = -99955; ELSE IF R03_YC1006_NB = -1 OR
R03_YC1120_NB = -1 THEN R03R_Y_YC1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	46	0.4 %
2	2 = 12 to 14 years old	7	0.1 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	53	0.4%

This variable has 53 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11761	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,761	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 746-753 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YC1108: First cigarette smoked flavored to taste like menthol or mint

Was the first cigarette you smoked flavored to taste like menthol or mint?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_CIGS_YOUTH = 1) OR R03_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	104	0.9 %
2	2 = No	135	1.1 %
3	3 = I don't know	103	0.9 %
	Total	342	2.9%

This variable has 342 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11472	97.1 %
	Total	11,472	97.1%

Percentages for both tables are based on 11,814 total cases.

Location: 754-761 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9104: Pleasant sensations experienced first time you smoked a cigarette

How much did you experience pleasant sensations the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_CIGS_YOUTH = 1) OR R03_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	158	1.3 %
2	2 = A little	83	0.7 %
3	3 = Somewhat	79	0.7 %
4	4 = A lot	22	0.2 %
	Total	342	2.9%

This variable has 342 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11472	97.1 %
	Total	11,472	97.1%

Percentages for both tables are based on 11,814 total cases.

Location: 762-769 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9105: Unpleasant sensations experienced first time you smoked a cigarette

How much did you experience unpleasant sensations the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_CIGS_YOUTH = 1) OR R03_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	87	0.7 %
2	2 = A little	92	0.8 %
3	3 = Somewhat	75	0.6 %
4	4 = A lot	83	0.7 %
	Total	337	2.9%

This variable has 337 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11472	97.1 %
	Total	11,477	97.1%

Percentages for both tables are based on 11,814 total cases.

Location: 770-777 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9106: Felt sick to stomach after smoking cigarette for the first time

How much did you feel sick to your stomach the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_CIGS_YOUTH = 1) OR R03_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	193	1.6 %
2	2 = A little	63	0.5 %
3	3 = Somewhat	42	0.4 %
4	4 = A lot	40	0.3 %
	Total	338	2.9%

This variable has 338 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11472	97.1 %
	Total	11,476	97.1%

Percentages for both tables are based on 11,814 total cases.

Location: 778-785 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1005: Number of cigarettes smoked in entire life

How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and have initiated cigarette smoking since their last completed interview or had not smoked 100 or more cigarettes as of their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_CIGS_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_CIGS_YOUTH = 1 AND (R03_INIT_CIGS_YOUTH = 1 OR R02_NUMLIFE_CIGS != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole cigarette	385	3.3 %
2	2 = 1 cigarette	124	1.0 %
3	3 = 2 to 10 cigarettes (about 1/2 pack total)	224	1.9 %
4	4 = 11 to 20 cigarettes (about 1/2 pack to 1 pack)	90	0.8 %
5	5 = 21 to 50 cigarettes (more than 1 pack but less than 3 packs)	68	0.6 %
6	6 = 51 to 99 cigarettes (more than 2 1/2 packs but less than 5 packs)	34	0.3 %
7	7 = 100 or more cigarettes (5 packs or more)	90	0.8 %

Value	Label	Unweighted Frequency	%
	Total	1,015	8.6%

This variable has 1,015 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.5 %
-7	-7 = Refused	31	0.3 %
-1	-1 = Inapplicable	10713	90.7 %
	Total	10,799	91.4%

Percentages for both tables are based on 11,814 total cases.

Location: 786-793 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1100: Ever smoked cigarettes fairly regularly

[BOX ID: R03_YC1100 - New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and had not reported ever smoking cigarettes fairly regularly as of their last completed interview, go to R03_YC1100. Else, go to R03_YC9022.]

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_CIGS_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_CIGS_YOUTH = 1 AND R02_REGUSE_CIGS != 1), GO TO R03_YC1100. ELSE, GO TO R03_YC9022.]

Have you ever smoked cigarettes fairly regularly?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YC9022.]

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and had not reported ever smoking cigarettes fairly regularly as of their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_CIGS_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_CIGS_YOUTH = 1 AND R02_REGUSE_CIGS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	152	1.3 %
2	2 = No	885	7.5 %
	Total	1,037	8.8%

This variable has 1,037 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10776	91.2 %
	Total	10,777	91.2%

Percentages for both tables are based on 11,814 total cases.

Location: 794-801 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YC1007: DERIVED - Age range when first started smoking cigarettes fairly regularly (3 levels)

Long Description: How old were you when you first started smoking cigarettes fairly regularly?

Algorithm: IF R03_YC1121 = 1 OR (0<=R03_YC1007<=11) THEN R03R_Y_YC1007 = 1; ELSE IF R03_YC1121 = 2 OR (12<=R03_YC1007<=14) THEN R03R_Y_YC1007 = 2; ELSE IF R03_YC1121 = 3 OR (15<=R03_YC1007<=17) THEN R03R_Y_YC1007 = 3; ELSE IF R03_YC1007 = -9 OR R03_YC1121 = -9 THEN R03R_Y_YC1007 = -99999; ELSE IF R03_YC1007 = -8 OR R03_YC1121 = -8 THEN R03R_Y_YC1007 = -99988; ELSE IF R03_YC1007 = -7 OR R03_YC1121 = -7 THEN R03R_Y_YC1007 = -99977; ELSE IF R03_YC1007 = -5 THEN R03R_Y_YC1007 = -99955; ELSE IF R03_YC1007 = -1 OR R03_YC1121 = -1 THEN R03R_Y_YC1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	22	0.2 %
2	2 = 12 to 14 years old	62	0.5 %
3	3 = 15 to 17 years old	68	0.6 %
	Total	152	1.3%

This variable has 152 valid cases out of 11,814 total cases.

- Minimum: 1.00
- Maximum: 3.00

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %

	Missing Data		
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11662	98.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,662	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 802-809 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YC9022: Consider yourself a smoker

Do you consider yourself a smoker?

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	193	1.6 %
2	2 = No	1026	8.7 %
	Total	1,219	10.3%

This variable has 1,219 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10594	89.7 %
	Total	10,595	89.7%

Percentages for both tables are based on 11,814 total cases.

Location: 810-817 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1112: Last time smoked a cigarette, even one or two puffs

When was the last time you smoked a cigarette, even one or two puffs?

[If more than 30 days ago (4 to 7), Don't Know (-8), or Refused (-7),

Go to Box R03_YVT01.]

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R03_YC1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	124	1.0 %
2	2 = Not today but sometime in the past 7 days	131	1.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	111	0.9 %
4	4 = Not in the past 30 days but sometime in the past 6 months	202	1.7 %
5	5 = Not in the past 6 months but sometime in the past year	185	1.6 %
6	6 = 1 to 4 years ago	241	2.0 %
7	7 = 5 or more years ago	150	1.3 %
	Total	1,144	9.7%

This variable has 1,144 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	52	0.4 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	10594	89.7 %
	Total	10,670	90.3%

Percentages for both tables are based on 11,814 total cases.

Location: 818-825 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1022: In past 30 days, number of days smoked cigarettes

[PROGRAM NOTE: See Box R03_YCV01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke cigarettes?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R03_PAST30DAY_CIGS = 1.

[Range check (1-30 days).]

This variable has 357 valid cases out of 11,814 total cases.

- Mean: 12.22
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.87

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,457	97.0%

Percentages for both tables are based on 11,814 total cases.

Location: 826-833 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YC1023: In past 30 days, number of cigarettes smoked per day on the days that you smoked

In the past 30 days, on the days you smoked, how many cigarettes did you smoke per day? A pack usually has 20 cigarettes in it.

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R03_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarette per day	103	0.9 %
2	2 = 1 cigarette per day	70	0.6 %
3	3 = 2 to 5 cigarettes per day	121	1.0 %
4	4 = 6 to 10 cigarettes per day	40	0.3 %
5	5 = 11 to 20 cigarettes per day	19	0.2 %
6	6 = More than 20 cigarettes per day	8	0.1 %
	Total	361	3.1%

This variable has 361 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,453	96.9%

Percentages for both tables are based on 11,814 total cases.

Location: 834-841 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9048: In past 30 days, smoked manufactured cigarettes or roll-your-own cigarettes

In the past 30 days, did you smoke manufactured cigarettes or did you smoke roll-your-own cigarettes?

[If Roll-your-own cigarettes (2), Go to R03_YC9045.]

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R03_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Manufactured cigarettes	253	2.1 %
2	2 = Roll-your-own cigarettes	18	0.2 %
3	3 = Both manufactured and roll-your-own cigarettes	53	0.4 %
4	4 = I don't know	39	0.3 %
	Total	363	3.1%

This variable has 363 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,451	96.9%

Percentages for both tables are based on 11,814 total cases.

Location: 842-849 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1130: In past 30 days, smoked cigarettes flavored to taste like menthol or mint

In the past 30 days, were any of the cigarettes you smoked flavored to taste like menthol or mint?

ASK: Youth respondents who are past 30 day cigarette smokers and smoked manufactured cigarettes in the past 30 days or did not know or refused to report the type of cigarettes they smoked in the past 30 days.

ASK Specification: IF R03_PAST30DAY_CIGS = 1 AND R03_YC9048 = 1, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	198	1.7 %
2	2 = No	110	0.9 %
3	3 = I don't know	40	0.3 %
	Total	348	2.9%

This variable has 348 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11466	97.1 %
	Total	11,466	97.1%

Percentages for both tables are based on 11,814 total cases.

Location: 850-857 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9045: In past 30 days, smoked roll-your-own tobacco flavored like menthol or mint

[BOX ID: R03_YCR20 - Youth respondents who are past 30 day cigarette smokers and smoked roll-your-own cigarettes in the past 30 days, go to R03_YC9045. Else, go to R03_YC1142.]

IF R03_PAST30DAY_CIGS = 1 AND R03_YC9048 = 2, 3, GO TO R03_YC9045.
ELSE, GO TO R03_YC1142.]

In the past 30 days, was any of the roll-your-own tobacco you smoked flavored to taste like menthol or mint?

ASK: Youth respondents who are past 30 day cigarette smokers and smoked roll-your-own cigarettes in the past 30 days.

ASK Specification: IF R03_PAST30DAY_CIGS = 1 AND R03_YC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	42	0.4 %
3	3 = I don't know	10	0.1 %
	Total	71	0.6%

This variable has 71 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11743	99.4 %
	Total	11,743	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 858-865 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1142: In past 30 days, anyone sold you cigarettes

In the past 30 days, did anyone sell you cigarettes?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R03_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	73	0.6 %
2	2 = No	291	2.5 %
	Total	364	3.1%

This variable has 364 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,450	96.9%

Percentages for both tables are based on 11,814 total cases.

Location: 866-873 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1123: In the past 30 days, someone refused to sell you cigarettes because of your age

In the past 30 days, did anyone refuse to sell you cigarettes because of your age?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R03_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	69	0.6 %
2	2 = No	290	2.5 %
	Total	359	3.0%

This variable has 359 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,455	97.0%

Percentages for both tables are based on 11,814 total cases.

Location: 874-881 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1118: In past 30 days, how you usually got your own cigarettes

In the past 30 days, how did you usually get your own cigarettes?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R03_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy cigarettes for me	110	0.9 %
2	2 = I bought cigarettes myself from a store	42	0.4 %
3	3 = I asked someone to give me a cigarette	72	0.6 %

Value	Label	Unweighted Frequency	%
4	4 = Someone offered me a cigarette	81	0.7 %
5	5 = I bought cigarettes from another person	9	0.1 %
6	6 = I took cigarettes from a store or another person	24	0.2 %
7	7 = I got cigarettes some other way	17	0.1 %
	Total	355	3.0%

This variable has 355 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,459	97.0%

Percentages for both tables are based on 11,814 total cases.

Location: 882-889 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1098: In past 30 days, how often you used a coupon when buying cigarettes

[BOX ID: R03_YCR03 - Youth respondents who are past 30 day "not-light" cigarette smokers and usually get their own cigarettes by buying themselves from a store, go to R03_YC1098. Else, youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them, go to R03_YC1030. Else, youth respondents who are past 30 day "not-light" cigarette smokers, go to R03_YC1047. Else, go to Box R03_YVT01.

IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1118 = 2, GO TO R03_YC1098.
ELSE, IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1118 = 1, GO TO R03_YC1030. ELSE, IF R03_PAST30DAY_CIGS_LEVEL = 2, GO TO R03_YC1047.
ELSE, GO TO BOX R03_YVT01.]

In the past 30 days, how often have you used a coupon when buying cigarettes?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1118 = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	0	0.0 %
2	2 = Sometimes	1	0.0 %
3	3 = Rarely	2	0.0 %
4	4 = Never	30	0.3 %
	Total	33	0.3%

This variable has 33 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,781	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 890-897 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1030: How you usually buy your cigarettes

[When you give money to someone else, how do they/How do you] usually buy your cigarettes?

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R03_YC1039.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	126	1.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	126	1.1%

This variable has 126 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11686	98.9 %
	Total	11,688	98.9%

Percentages for both tables are based on 11,814 total cases.

Location: 898-905 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1032: Geographic area where you usually buy cigarettes

Do [you/they] usually buy cigarettes . . .

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1118 = 1, 2 AND R03_YC1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	122	1.0 %
2	2 = In another state	1	0.0 %
3	3 = Outside the US	3	0.0 %
	Total	126	1.1%

This variable has 126 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11688	98.9 %
	Total	11,688	98.9%

Percentages for both tables are based on 11,814 total cases.

Location: 906-913 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1033: Retail location where your cigarettes are bought most of the time

Where do [you/they] buy your cigarettes most of the time?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1118 = 1, 2 AND R03_YC1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	114	1.0 %
2	2 = A supermarket, grocery store, or drug store	4	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	4	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	2	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = A store on an Indian reservation	0	0.0 %
10	10 = Somewhere else	2	0.0 %
	Total	126	1.1%

This variable has 126 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11688	98.9 %
	Total	11,688	98.9%

Percentages for both tables are based on 11,814 total cases.

Location: 914-921 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1039: Usually buy cigarettes by carton, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] cigarettes. Did you buy them by the carton, pack, or as a single cigarette?

[If Don't Know (-8) or Refused (-7), Go to R03_YC1047.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Carton	8	0.1 %
2	2 = Pack	106	0.9 %
3	3 = Single cigarettes	12	0.1 %
	Total	126	1.1%

This variable has 126 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11686	98.9 %
	Total	11,688	98.9%

Percentages for both tables are based on 11,814 total cases.

Location: 922-929 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1034_D: Amount paid when last time bought a carton of cigarettes/pack of cigarettes/single cigarette - Dollars

How much did you pay for a [carton of cigarettes/pack of cigarettes/single cigarette]?

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and usually buy cigarettes by the carton, pack, or as single cigarettes.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1118 = 1, 2 AND R03_YC1039 = 1, 2, 3.

This variable has 124 valid cases out of 11,814 total cases.

- Mean: 7.23
- Median: 5.00

- Mode: 5.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 11.47

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11688	98.9 %
	Total	11,690	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 930-937 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YC1034_C: Amount paid when last time bought a carton of cigarettes/pack of cigarettes/single cigarette - Cents

How much did you pay for a [carton of cigarettes/pack of cigarettes/single cigarette]?

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and usually buy cigarettes by the carton, pack, or as single cigarettes.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1118 = 1, 2 AND R03_YC1039 = 1, 2, 3.

This variable has 124 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11690	99.0 %
	Total	11,690	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 938-945 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YC1047: Have a regular brand of cigarettes you usually smoke

Do you have a regular brand of cigarettes that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	173	1.5 %
2	2 = No	72	0.6 %
	Total	245	2.1%

This variable has 245 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11569	97.9 %
	Total	11,569	97.9%

Percentages for both tables are based on 11,814 total cases.

Location: 946-953 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1945: Know the name of brand of cigarettes last smoked

Do you know the name of the brand of cigarettes you [usually smoke/last smoked]?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YCR07.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	209	1.8 %

Value	Label	Unweighted Frequency	%
2	2 = No	36	0.3 %
	Total	245	2.1%

This variable has 245 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11569	97.9 %
	Total	11,569	97.9%

Percentages for both tables are based on 11,814 total cases.

Location: 954-961 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1048_BRAND: Brand of cigarettes usually/last smoked

What brand of cigarette [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1945 = 1.

[PROGRAM NOTE: Show pictures of the major brands on the touchscreen.]

This variable has 208 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11605	98.2 %
	Total	11,606	98.2%

Percentages for both tables are based on 11,814 total cases.

Location: 962-969 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1070_PRODUCT: Sub-brand of cigarette product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand of cigarettes.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1945 = 1 AND R03_YC1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: Fill BRANDFILL with brand selected in R03_YC1048_BRAND. Show pictures or text on the touchscreen of the major products associated with the brand selected.]

This variable has 206 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11607	98.2 %
	Total	11,608	98.3%

Percentages for both tables are based on 11,814 total cases.

Location: 970-977 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1051_NN: How long smoked regular brand of cigarettes - Number

[BOX ID: R03_YCR07 - Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes, go to R03_YC1051. Else, go to Box R03_YVT01.

IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1047 = 1, GO TO R03_YC1051.
ELSE, GO TO BOX R03_YVT01.]

About how long have you been smoking your regular brand of

cigarettes?

[If Don't Know (-8) or Refused (-7), Go to R03_YC9019.]

ASK: Youth respondents who are past 30 day "not-light"
cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND
R03_YC1047 = 1.

This variable has 170 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11641	98.5 %
	Total	11,644	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 978-985 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YC1051_UN: How long smoked regular brand of cigarettes - Unit

[UNITS OF RESPONSE FOR R03_YC1051_NN]

ASK: Youth respondents who are past 30 day "not-light"
cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND
R03_YC1047 = 1.

[CHECK ID: R03_YC1051_LC1 - The computer recorded that you have been
smoking your regular brand for [R03_YC1051_NN]. That is older than
you are now.

If this is correct, please press the NEXT button to continue. If this
is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YC1051. IF 2 NEXT, GO TO R03_YC1051_LC2.

ASK: IF (R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1047 = 1 AND
R03_YC1051_NN != -8, -7) AND R03_YC1051_NN > R03R_Y_AGE AND
R03R_Y_AGE >= 12 AND R03_YC1051_UN = 3.

PROGRAM: TRIGGER CHECK IF R03_YC1051_NN > R03R_Y_AGE AND
R03R_Y_AGE >= 12 AND R03_YC1051_UN = 3. ELSE, GO TO
R03_YC1051_LC2 AND DO NOT DISPLAY THIS SCREEN.]

[CHECK ID: R03_YC1051_LC2 - The computer recorded that you have been smoking your regular brand for [R03_YC1051_NN]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YC1051. IF 2 NEXT, GO TO R03_YC1051_LC2.

ASK: IF (R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1047 = 1 AND R03_YC1051_NN != -8, -7) AND R03_YC1051_NN > R03R_Y_AGE AND R03R_Y_AGE >= 12 AND R03_YC1051_UN = 3.

PROGRAM: TRIGGER CHECK IF R03_YC1051_NN > R03R_Y_AGE AND R03R_Y_AGE >= 12 AND R03_YC1051_UN = 3. ELSE, GO TO R03_YC1051_LC2 AND DO NOT DISPLAY THIS SCREEN.]

Value	Label	Unweighted Frequency	%
1	1 = Days	14	0.1 %
2	2 = Months	57	0.5 %
3	3 = Years	99	0.8 %
	Total	170	1.4%

This variable has 170 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11644	98.6 %
	Total	11,644	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 986-993 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9019: Harmfulness of brand of cigarettes usually smoked compared to other cigarette brands

Do you think the brand of cigarettes you usually smoke might be less harmful, no different, or more harmful, compared to other cigarette brands?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND

R03_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	20	0.2 %
2	2 = No different	126	1.1 %
3	3 = More harmful	23	0.2 %
	Total	169	1.4%

This variable has 169 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11641	98.5 %
	Total	11,645	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 994-1001 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9010: In choosing regular brand of cigarettes, part of your decision was based on the following: It is affordable

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

It is affordable.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	90	0.8 %
2	2 = No	82	0.7 %
	Total	172	1.5%

This variable has 172 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11641	98.5 %
	Total	11,642	98.5%

Percentages for both tables are based on 11,814 total cases.

Location: 1002-1009 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9014: In choosing regular brand of cigarettes, part of your decision was based on the following: The taste

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

The taste.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	140	1.2 %
2	2 = No	31	0.3 %
	Total	171	1.4%

This variable has 171 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11641	98.5 %
	Total	11,643	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 1010-1017 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1001_NB: Ever seen or heard of electronic nicotine products before this study

[BOX ID: R03_YVT01 - The next questions are about electronic nicotine products, such as e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.

These products are battery-powered and produce vapor instead of smoke. They typically use a nicotine liquid, although the amount of nicotine can vary and some may not contain any nicotine at all.

Some common brands include Vuse, Blu, Logic, MarkTen, NJOY, and eGo.]

[BOX ID: R03_YVR03 - New youth baseline respondents, go to R03_YV1001_NB. Continuing youth respondents, go to R03_YV1002_12M.

IF R03_YOUTHTYPE = 2, GO TO R03_YV1001_NB. ELSE, GO TO R03_YV1002_12M.]

Have you ever seen or heard of electronic nicotine products before this study? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YGT01.]

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1548	13.1 %
2	2 = No	488	4.1 %
	Total	2,036	17.2%

This variable has 2,036 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,778	82.8%

Percentages for both tables are based on 11,814 total cases.

Location: 1018-1025 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1002_NB: Ever used an electronic nicotine product, even one or two times

Have you ever used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If Yes (1), Go to R03_YV9035. If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YVV02.]

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YV1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	58	0.5 %
2	2 = No	1489	12.6 %
	Total	1,547	13.1%

This variable has 1,547 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10266	86.9 %
	Total	10,267	86.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1026-1033 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1002_12M: In the past 12 months, used an electronic nicotine product, even one or two times

In the past 12 months, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YVV02.]

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1105	9.4 %
2	2 = No	8645	73.2 %
	Total	9,750	82.5%

This variable has 9,750 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,064	17.5%

Percentages for both tables are based on 11,814 total cases.

Location: 1034-1041 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9035_01: Ever used an e-cigarette including a vape pen, personal vaporizer, or mod

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-cigarette including a vape pen, personal vaporizer, or mod

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used electronic nicotine products, or continuing youth respondents who have used electronic nicotine products in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YV1001_NB = 1 AND R03_YV1002_NB = 1) OR (R03_YOUTHTYPE = 1 AND R03_YV1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	942	8.0 %
2	2 = Not Marked	195	1.7 %
	Total	1,137	9.6%

This variable has 1,137 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	10651	90.2 %
	Total	10,677	90.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1042-1049 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9035_02: Ever used an e-cigar

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-cigar

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used electronic nicotine products, or continuing youth respondents who have used electronic nicotine products in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YV1001_NB = 1 AND R03_YV1002_NB = 1) OR (R03_YOUTHTYPE = 1 AND R03_YV1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	54	0.5 %
2	2 = Not Marked	1083	9.2 %
	Total	1,137	9.6%

This variable has 1,137 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	10651	90.2 %
	Total	10,677	90.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1050-1057 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9035_03: Ever used an e-pipe

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-pipe

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used electronic nicotine products, or continuing youth respondents who have used electronic nicotine products in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YV1001_NB = 1 AND R03_YV1002_NB = 1) OR (R03_YOUTHTYPE = 1 AND R03_YV1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.2 %
2	2 = Not Marked	1117	9.5 %
	Total	1,137	9.6%

This variable has 1,137 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	10651	90.2 %
	Total	10,677	90.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1058-1065 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9035_04: Ever used an e-hookah including a hookah pen

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-hookah including a hookah pen

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used electronic nicotine products, or continuing youth respondents who have used electronic nicotine products in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YV1001_NB = 1 AND R03_YV1002_NB = 1) OR (R03_YOUTHTYPE = 1 AND R03_YV1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	297	2.5 %
2	2 = Not Marked	840	7.1 %
	Total	1,137	9.6%

This variable has 1,137 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	10651	90.2 %
	Total	10,677	90.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1066-1073 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9035_05: Ever used some other electronic nicotine product

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

Something else (SPECIFY)

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used electronic nicotine products, or continuing youth respondents who have used electronic nicotine products in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YV1001_NB = 1 AND R03_YV1002_NB = 1) OR (R03_YOUTHTYPE = 1 AND

R03_YV1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.2 %
2	2 = Not Marked	1109	9.4 %
	Total	1,137	9.6%

This variable has 1,137 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	10651	90.2 %
	Total	10,677	90.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1074-1081 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9044: Electronic nicotine product used most often

[PROGRAM NOTE: See Box R03_YVV02 and R03_YVR31 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

You mentioned that you have used more than one type of electronic nicotine product.

Which electronic nicotine product do you use most often?

ASK: Youth respondents who have used more than one electronic nicotine product.

ASK Specification: IF R03_EPRODCOUNT > 1.

[PROGRAM NOTE: Suppress option 1 if R03_YV9035_01 != 1.
Suppress option 2 if R03_YV9035_02 != 1. Suppress option 3 if R03_YV9035_03 != 1. Suppress option 4 if R03_YV9035_04 != 1.]

Value	Label	Unweighted Frequency	%
1	1 = E-cigarette including a vape pen, personal vaporizer, or mod	109	0.9 %
2	2 = E-cigar	5	0.0 %
3	3 = E-pipe	2	0.0 %
4	4 = E-hookah including a hookah pen	38	0.3 %

Value	Label	Unweighted Frequency	%
	Total	154	1.3%

This variable has 154 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,660	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1082-1089 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1103: Ever been curious about using an electronic nicotine product

[PROGRAM NOTE: See Box R03_YVV04 and R03_YVR01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products.

ASK Specification: IF R03_YV1001_NB != 2, -8, -7 AND R03_EVER_NEVER_EPRODS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	127	1.1 %
2	2 = Somewhat curious	412	3.5 %
3	3 = A little curious	1422	12.0 %
4	4 = Not at all curious	7502	63.5 %
	Total	9,463	80.1%

This variable has 9,463 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	2330	19.7 %
	Total	2,351	19.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1090-1097 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1206: Think you will use electronic nicotine products in the next year

Do you think you will try an electronic nicotine product in the next year?

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products.

ASK Specification: IF R03_YV1001_NB != 2, -8, -7 AND R03_EVER_NEVER_EPRODS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	11	0.1 %
2	2 = Probably yes	139	1.2 %
3	3 = Probably not	1315	11.1 %
4	4 = Definitely not	8010	67.8 %
	Total	9,475	80.2%

This variable has 9,475 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	2330	19.7 %
	Total	2,339	19.8%

Percentages for both tables are based on 11,814 total cases.

Location: 1098-1105 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1104: Think you will try an electronic nicotine product soon

Do you think that you will try an electronic nicotine product soon?

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products.

ASK Specification: IF R03_YV1001_NB != 2, -8, -7 AND R03_EVER_NEVER_EPRODS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	13	0.1 %
2	2 = Probably yes	73	0.6 %
3	3 = Probably not	1156	9.8 %
4	4 = Definitely not	8231	69.7 %
	Total	9,473	80.2%

This variable has 9,473 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2330	19.7 %
	Total	2,341	19.8%

Percentages for both tables are based on 11,814 total cases.

Location: 1106-1113 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1105: Would use an electronic nicotine product if one of your best friends offered you one

If one of your best friends were to offer you an electronic nicotine product, would you try it?

[Go to R03_YV9041.]

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products.

ASK Specification: IF R03_YV1001_NB != 2, -8, -7 AND

R03_EVER_NEVER_EPRODS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	31	0.3 %
2	2 = Probably yes	293	2.5 %
3	3 = Probably not	1412	12.0 %
4	4 = Definitely not	7729	65.4 %
	Total	9,465	80.1%

This variable has 9,465 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	2330	19.7 %
	Total	2,349	19.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1114-1121 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YV1006_NB: DERIVED - Age range when first tried [primary electronic nicotine product], even one or two times (3 levels)

Long Description: How old were you when you first tried [primary electronic nicotine product], even one or two times?

Algorithm: IF R03_YV1120_NB = 1 OR (0<=R03_YV1006_NB<=11) THEN R03R_Y_YV1006_NB = 1; ELSE IF R03_YV1120_NB = 2 OR (12<=R03_YV1006_NB<=14) THEN R03R_Y_YV1006_NB = 2; ELSE IF R03_YV1120_NB = 3 OR (15<=R03_YV1006_NB<=17) THEN R03R_Y_YV1006_NB = 3; ELSE IF R03_YV1006_NB = -9 OR R03_YV1120_NB = -9 THEN R03R_Y_YV1006_NB = -99999; ELSE IF R03_YV1006_NB = -8 OR R03_YV1120_NB = -8 THEN R03R_Y_YV1006_NB = -99988; ELSE IF R03_YV1006_NB = -7 OR R03_YV1120_NB = -7 THEN R03R_Y_YV1006_NB = -99977; ELSE IF R03_YV1006_NB = -5 THEN R03R_Y_YV1006_NB = -99955; ELSE IF R03_YV1006_NB = -1 OR R03_YV1120_NB = -1 THEN R03R_Y_YV1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	26	0.2 %
2	2 = 12 to 14 years old	26	0.2 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	52	0.4%

This variable has 52 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11756	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,762	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 1122-1129 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YV1011_01: Flavor of first [primary electronic nicotine product] used: Tobacco-flavored

When you first used an [EPRODTYPE1], which flavor did you use?

Choose all that apply.

Tobacco-flavored

ASK: New baseline youth respondents who have ever used an electronic nicotine product or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_EPRODS_YOUTH = 1) OR R03_INIT_EPRODS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.2 %
2	2 = Not Marked	511	4.3 %
	Total	539	4.6%

This variable has 539 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11242	95.2 %

	Missing Data		
	Total	11,275	95.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1130-1137 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1011_02: Flavor of first [primary electronic nicotine product] used: Menthol or mint

When you first used an [EPRODTYPE1], which flavor did you use?

Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used an electronic nicotine product or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_EPRODS_YOUTH = 1) OR R03_INIT_EPRODS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	60	0.5 %
2	2 = Not Marked	479	4.1 %
	Total	539	4.6%

This variable has 539 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11242	95.2 %
	Total	11,275	95.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1138-1145 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1011_03: Flavor of first [primary electronic nicotine product] used: Clove or spice

When you first used an [EPRODTYPE1], which flavor did you use?

Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used an electronic nicotine product or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_EPRODS_YOUTH = 1) OR R03_INIT_EPRODS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	535	4.5 %
	Total	539	4.6%

This variable has 539 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11242	95.2 %
	Total	11,275	95.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1146-1153 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1011_04: Flavor of first [primary electronic nicotine product] used: Fruit

When you first used an [EPRODTYPE1], which flavor did you use?
Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used an electronic nicotine product or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_EPRODS_YOUTH = 1) OR R03_INIT_EPRODS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	313	2.6 %
2	2 = Not Marked	226	1.9 %

Value	Label	Unweighted Frequency	%
	Total	539	4.6%

This variable has 539 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11242	95.2 %
	Total	11,275	95.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1154-1161 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1011_05: Flavor of first [primary electronic nicotine product] used: Chocolate

When you first used an [EPRODTYPE1], which flavor did you use?
Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used an electronic nicotine product or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_EPRODS_YOUTH = 1) OR R03_INIT_EPRODS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.3 %
2	2 = Not Marked	506	4.3 %
	Total	539	4.6%

This variable has 539 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11242	95.2 %
	Total	11,275	95.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1162-1169 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1011_06: Flavor of first [primary electronic nicotine product] used: Alcoholic drink

When you first used an [EPRODTYPE1], which flavor did you use?
Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever used an electronic nicotine product or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND
R03_EVER_NEVER_EPRODS_YOUTH = 1) OR R03_INIT_EPRODS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	527	4.5 %
	Total	539	4.6%

This variable has 539 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11242	95.2 %
	Total	11,275	95.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1170-1177 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1011_07: Flavor of first [primary electronic nicotine product] used: Non-alcoholic drink

When you first used an [EPRODTYPE1], which flavor did you use?
Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: New baseline youth respondents who have ever used an

electronic nicotine product or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_EPRODS_YOUTH = 1) OR R03_INIT_EPRODS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.2 %
2	2 = Not Marked	514	4.4 %
	Total	539	4.6%

This variable has 539 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11242	95.2 %
	Total	11,275	95.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1178-1185 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1011_08: Flavor of first [primary electronic nicotine product] used: Candy, desserts or other sweets

When you first used an [EPRODTYPE1], which flavor did you use?
Choose all that apply.

Candy, desserts or other sweets

ASK: New baseline youth respondents who have ever used an electronic nicotine product or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_EPRODS_YOUTH = 1) OR R03_INIT_EPRODS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	211	1.8 %
2	2 = Not Marked	328	2.8 %
	Total	539	4.6%

This variable has 539 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11242	95.2 %
	Total	11,275	95.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1186-1193 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1011_09: Flavor of first [primary electronic nicotine product] used: Some other flavor?

When you first used an [EPRODTYPE1], which flavor did you use?
Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever used an electronic nicotine product or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_EPRODS_YOUTH = 1) OR R03_INIT_EPRODS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.2 %
2	2 = Not Marked	516	4.4 %
	Total	539	4.6%

This variable has 539 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	11242	95.2 %
	Total	11,275	95.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1194-1201 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1005: Number of times [primary electronic nicotine product] used in entire life

How many times have you used an [EPRODTYPE1] in your entire life?

ASK: New baseline youth respondents who have ever used electronic nicotine products and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product, or continuing youth respondents who have ever used electronic nicotine products and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and had not used e-cigarettes 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_EPRODS_YOUTH = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_EPRODS_YOUTH = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_NUMLIFE_ECIG != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 time, even just a few puffs	622	5.3 %
2	2 = 2 to 10 times	451	3.8 %
3	3 = 11 to 20 times	171	1.4 %
4	4 = 21 to 50 times	153	1.3 %
5	5 = 51 to 99 times	76	0.6 %
6	6 = 100 or more times	137	1.2 %
	Total	1,610	13.6%

This variable has 1,610 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	116	1.0 %
-7	-7 = Refused	68	0.6 %
-1	-1 = Inapplicable	10020	84.8 %
	Total	10,204	86.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1202-1209 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1100: Ever used [primary electronic nicotine product]s fairly regularly

[BOX ID: R03_YVR37 - New baseline youth respondents who have ever used electronic nicotine products and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product, or continuing youth respondents who have ever used electronic nicotine products and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and had not reported ever using e-cigarettes fairly regularly as of their last completed interview, go to R03_YV1100. Else, go to R03_YV1112.]

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_EPRODS_YOUTH = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_EPRODS_YOUTH = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_REGUSE_E-CIG != 1), GO TO R03_YV1100. ELSE, GO TO R03_YV1112.]

Have you ever used [EPRODTYPE1]s fairly regularly?

[If No (2), Don't Know (-8) or Refused (-7), Go to R03_YV1112.]

ASK: New baseline youth respondents who have ever used electronic nicotine products and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product, or
Continuing youth respondents who have ever used electronic nicotine products and whose primary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or other electronic nicotine product and had not reported ever using e-cigarettes fairly regularly as of their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_EPRODS_YOUTH = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_EPRODS_YOUTH = 1 AND R03_PRIMARY_EPROD = 1, 2, 3, 4, 5 AND R02_REGUSE_ECIG != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	215	1.8 %
2	2 = No	1440	12.2 %
	Total	1,655	14.0%

This variable has 1,655 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10154	85.9 %
	Total	10,159	86.0%

Percentages for both tables are based on 11,814 total cases.

Location: 1210-1217 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YV1007: DERIVED - Age range when first started using [primary electronic nicotine product]s fairly regularly (3 levels)

Long Description: How old were you when you first started using [primary electronic nicotine product]s fairly regularly?

Algorithm: IF R03_YV1121 = 1 OR (0<=R03_YV1007<=11) THEN R03R_Y_YV1007 = 1; ELSE IF R03_YV1121 = 2 OR (12<=R03_YV1007<=14) THEN R03R_Y_YV1007 = 2; ELSE IF R03_YV1121 = 3 OR (15<=R03_YV1007<=17) THEN R03R_Y_YV1007 = 3; ELSE IF R03_YV1007 = -9 OR R03_YV1121 = -9 THEN R03R_Y_YV1007 = -99999; ELSE IF R03_YV1007 = -8 OR R03_YV1121 = -8 THEN R03R_Y_YV1007 = -99988; ELSE IF R03_YV1007 = -7 OR R03_YV1121 = -7 THEN R03R_Y_YV1007 = -99977; ELSE IF R03_YV1007 = -5 THEN R03R_Y_YV1007 = -99955; ELSE IF R03_YV1007 = -1 OR R03_YV1121 = -1 THEN R03R_Y_YV1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	11	0.1 %
2	2 = 12 to 14 years old	90	0.8 %
3	3 = 15 to 17 years old	114	1.0 %
	Total	215	1.8%

This variable has 215 valid cases out of 11,814 total cases.

- Minimum: 1.00
- Maximum: 3.00

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11599	98.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,599	98.2%

Percentages for both tables are based on 11,814 total cases.

Location: 1218-1225 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YV1112: Last time an [primary electronic nicotine product] was used, even one or two times

When was the last time you used an [EPRODTYPE1], even one or two times?

ASK: Youth respondents who have ever used an electronic nicotine product.

ASK Specification: IF R03_EVER_NEVER_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have used in the past year (R03_YV1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	76	0.6 %
2	2 = Not today but sometime in the past 7 days	161	1.4 %
3	3 = Not in the past 7 days but sometime in the past 30 days	203	1.7 %
4	4 = Not in the past 30 days but sometime in the past 6 months	402	3.4 %
5	5 = Not in the past 6 months but sometime in the past year	434	3.7 %
6	6 = 1 to 4 years ago	266	2.3 %
7	7 = 5 or more years ago	114	1.0 %
	Total	1,656	14.0%

This variable has 1,656 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	119	1.0 %
-7	-7 = Refused	61	0.5 %
-1	-1 = Inapplicable	9978	84.5 %
	Total	10,158	86.0%

Percentages for both tables are based on 11,814 total cases.

Location: 1226-1233 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9041: Someone else in home owns an e-cigarette or other electronic nicotine product

[PROGRAM NOTE: See Box R03_YVV01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Not including yourself, does anyone living in your home own an e-cigarette or other electronic nicotine product?

ASK: New baseline youth respondents who have seen or heard of electronic nicotine product, or continuing youth respondents.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YV1001_NB = 1) OR R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1322	11.2 %
2	2 = No	9931	84.1 %
	Total	11,253	95.3%

This variable has 11,253 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	50	0.4 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	497	4.2 %
	Total	561	4.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1234-1241 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9005: Is the [primary electronic nicotine product] you use most of the time rechargeable

[BOX ID: R03_YVR04 - Youth respondents who are past 30 day "not-light" electronic nicotine product users, go to R03_YV9005. Else, youth respondents who are past 30 day electronic nicotine product users, go to Box R03_YVV03. Else, go to R03_YV9042.]

IF R03_PAST30DAY_EPRODS_LEVEL = 2, GO TO R03_YV9005. ELSE, IF R03_PAST30DAY_EPRODS = 1, GO TO BOX R03_YVV03. ELSE, GO TO R03_YV9042.]

Please think about the [EPRODTYPE1] you use most of the time.

Is your [EPRODTYPE1] rechargeable?

[IF EPRODTYPE1=e-cigarettes, SHOW GENERIC IMAGE OF RECHARGABLE E-CIGARETTE]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	329	2.8 %
2	2 = No	53	0.4 %
	Total	382	3.2%

This variable has 382 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11424	96.7 %
	Total	11,432	96.8%

Percentages for both tables are based on 11,814 total cases.

Location: 1242-1249 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9038: [Primary electronic nicotine product] used most of the time uses a tank system

Does your [EPRODTYPE1] use a tank system?

[IF EPRODTYPE1=e-cigarettes, SHOW GENERIC IMAGE OF TANK SYSTEM
E-CIGARETTE]

ASK: Youth respondents who are past 30 day "not-light"
electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	259	2.2 %
2	2 = No	75	0.6 %
3	3 = I don't know	52	0.4 %
	Total	386	3.3%

This variable has 386 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11424	96.7 %

	Missing Data		
	Total	11,428	96.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1250-1257 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9008: [Primary electronic nicotine product] used most of the time uses cartridges

Does your [EPRODTYPE1] use cartridges?

[IF EPRODTYPE1=e-cigarettes, SHOW GENERIC IMAGE OF E-CIGARETTE CARTRIDGES]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	85	0.7 %
2	2 = No	292	2.5 %
	Total	377	3.2%

This variable has 377 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11424	96.7 %
	Total	11,437	96.8%

Percentages for both tables are based on 11,814 total cases.

Location: 1258-1265 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9009: Primary electronic nicotine product used most of the time can be refilled with e-liquid

Can you refill your [[EPRODTYPE1]/[EPRODTYPE1] cartridges] with "e-liquid"?

[SHOW GENERIC IMAGE OF E-LIQUID]

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YVV03.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	327	2.8 %
2	2 = No	58	0.5 %
	Total	385	3.3%

This variable has 385 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11424	96.7 %
	Total	11,429	96.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1266-1273 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9046: How often [primary electronic nicotine product]/tank/cartridges refilled with e-liquid

How often do you refill your [[EPRODTYPE1]/tank/cartridges] with e-liquid?

[If Never (8), Go to Box R03_YVR30.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and refill their electronic nicotine product with e-liquid.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV9009 = 1.

Value	Label	Unweighted Frequency	%
1	1 = At least once a day	69	0.6 %
2	2 = Once every couple of days	61	0.5 %
3	3 = Once a week	47	0.4 %
4	4 = A few times a month	44	0.4 %

Value	Label	Unweighted Frequency	%
5	5 = Once a month	23	0.2 %
6	6 = A few times a year	17	0.1 %
7	7 = Once a year	3	0.0 %
8	8 = Never	43	0.4 %
	Total	307	2.6%

This variable has 307 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11487	97.2 %
	Total	11,507	97.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1274-1281 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9036: Method through which you usually get your [primary electronic nicotine product] cartridge refilled with e-liquid

Who refills your [[EPRODTYPE1]/[EPRODTYPE1] cartridge] with e-liquid?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and refill their electronic nicotine product with e-liquid and have refilled their electronic nicotine product or did not know or refused to report how often they refill their electronic nicotine product.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV9009 = 1 AND R03_YV9046 != 8.

Value	Label	Unweighted Frequency	%
1	1 = I refill it myself	214	1.8 %
2	2 = I get it refilled at a vape shop or vapor lounge	11	0.1 %
3	3 = I buy it already filled	7	0.1 %
4	4 = I get it refilled some other way	43	0.4 %
	Total	275	2.3%

This variable has 275 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11530	97.6 %
	Total	11,539	97.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1282-1289 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9045: Milliliters of e-liquid tank holds

[BOX ID: R03_YVR30 - Youth respondents who are past 30 day "not-light" electronic nicotine product users and refill their electronic nicotine product with e-liquid and use an electronic nicotine product with a tank, go to R03_YV9045. Else, go to Box R03_YVV03.]

IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV9009 = 1 AND R03_YV9038 = 1, GO TO R03_YV9045. ELSE, GO TO BOX R03_YVV03.]

How many milliliters of e-liquid does your tank system hold?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and refill their electronic nicotine product with e-liquid and use an electronic nicotine product with a tank.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV9009 = 1 AND R03_YV9038 = 1.

This variable has 62 valid cases out of 11,814 total cases.

- Mean: 10.61
- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 50.00
- Standard Deviation: 10.31

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-2	-2 = I don't know	185	1.6 %
-1	-1 = Inapplicable	11562	97.9 %

	Missing Data		
	Total	11,752	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 1290-1297 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -2 , -1

R03_YV9010: Electronic nicotine product/cartridge/e-liquid contains nicotine

[PROGRAM NOTE: See Box R03_YVV03, R03_YVT04, and R03_YVR32 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Please think about the [EPRODFILL3] you use most of the time.

Does the [EPRODFILL3] you use contain nicotine?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	146	1.2 %
2	2 = No	175	1.5 %
3	3 = I don't know	67	0.6 %
	Total	388	3.3%

This variable has 388 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11424	96.7 %
	Total	11,426	96.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1298-1305 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9037: Voltage can be changed on your electronic nicotine product

[BOX ID: R03_YVR12 - Youth respondents who are past 30 day "not-light" electronic nicotine product users that use a rechargeable electronic

nicotine product or did not know or refused to report that they use a rechargeable electronic nicotine product, go to R03_YV9037. Else, go to R03_YV1022.

IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV9005 = 1, -8, -7, GO TO R03_YV9037. ELSE, GO TO R03_YV1022.]

Some electronic nicotine products allow you to adjust the battery's voltage.

Can you change the voltage on your [EPRODTYPE1]?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R03_YV1022.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users that use a rechargeable electronic nicotine product or did not know or refused to report that they use a rechargeable electronic nicotine product.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV9005 = 1, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	209	1.8 %
2	2 = No	62	0.5 %
3	3 = I don't know	61	0.5 %
	Total	332	2.8%

This variable has 332 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11477	97.1 %
	Total	11,482	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 1306-1313 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9050: Change voltage on your electronic nicotine product

Do you change the voltage on your [EPRODTYPE1]?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users that use a rechargeable

electronic nicotine product or did not know or refused to report that they use a rechargeable electronic nicotine product and can change their voltage and can adjust the battery's voltage.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV9005 = 1, -8, -7 AND R03_YV9037 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	144	1.2 %
2	2 = No	53	0.4 %
3	3 = I don't know	12	0.1 %
	Total	209	1.8%

This variable has 209 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11605	98.2 %
	Total	11,605	98.2%

Percentages for both tables are based on 11,814 total cases.

Location: 1314-1321 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1022: In past 30 days, number of days used [primary electronic nicotine product]

In the past 30 days, on how many days did you use an [EPRODTYPE1]?

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

[Range check: 1-30 days.]

This variable has 430 valid cases out of 11,814 total cases.

- Mean: 7.86
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 9.00

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,384	96.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1322-1329 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV9040: In past 30 days, number of [electronic nicotine products/cartridges/milliliters of e-liquid] used per day on days used [primary electronic nicotine product]

In the past 30 days, on the days you used an [EPRODTYPE1], how many [EPRODFILL1] did you use per day?

[If Less than 1 per day (-2), Don't Know (-8) or Refused (-7),
Go to R03_YV1131.]

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow 2 digits.]

[CHECK ID: R03_YV9040_LC1 - The computer recorded that on the days you used in the past 30 days, you used [R03_YV9040] [EPRODFILL1] a day.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YV9040. IF 2 NEXT, GO TO R03_YV1131.

ASK: IF (R03_PAST30DAY_EPRODS = 1 AND R03_YV9040 != -2, -8, -7) AND R03_YV9040 > 5.

PROGRAM: TRIGGER CHECK IF R03_YV9040 > 5. ELSE, GO TO R03_YV1131 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 170 valid cases out of 11,814 total cases.

- Mean: 4.49
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 66.00
- Standard Deviation: 9.17

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.2 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-2	-2 = Less than 1 per day	237	2.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,644	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 1330-1337 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -2 , -1

R03_YV1131_01: In past 30 days, used [electronic nicotine products/cartridges/e-liquid] flavored to taste like tobacco-flavored

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Tobacco-flavored

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	48	0.4 %
2	2 = Not Marked	373	3.2 %
	Total	421	3.6%

This variable has 421 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,393	96.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1338-1345 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1131_02: In past 30 days, used [electronic nicotine products/cartridges/e-liquid] flavored to taste like menthol or mint

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	78	0.7 %
2	2 = Not Marked	343	2.9 %
	Total	421	3.6%

This variable has 421 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,393	96.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1346-1353 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1131_03: In past 30 days, used [electronic nicotine products/cartridges/e-liquid] flavored to taste like clove or spice

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	407	3.4 %
	Total	421	3.6%

This variable has 421 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,393	96.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1354-1361 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1131_04: In past 30 days, used [electronic nicotine products/cartridges/e-liquid] flavored to taste like fruit

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	296	2.5 %
2	2 = Not Marked	125	1.1 %
	Total	421	3.6%

This variable has 421 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11374	96.3 %

	Missing Data		
	Total	11,393	96.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1362-1369 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1131_05: In past 30 days, used [electronic nicotine products/cartridges/e-liquid] flavored to taste like chocolate

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	42	0.4 %
2	2 = Not Marked	379	3.2 %
	Total	421	3.6%

This variable has 421 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,393	96.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1370-1377 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1131_06: In past 30 days, used [electronic nicotine products/cartridges/e-liquid] flavored to taste like an alcoholic drink

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.2 %
2	2 = Not Marked	393	3.3 %
	Total	421	3.6%

This variable has 421 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,393	96.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1378-1385 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1131_07: In past 30 days, used [electronic nicotine products/cartridges/e-liquid] flavored to taste like a non-alcoholic drink

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	47	0.4 %
2	2 = Not Marked	374	3.2 %
	Total	421	3.6%

This variable has 421 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,393	96.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1386-1393 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1131_08: In past 30 days, used [electronic nicotine products/cartridges/e-liquid] flavored to taste like candy, desserts or other sweets

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Candy, desserts or other sweets

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	220	1.9 %
2	2 = Not Marked	201	1.7 %
	Total	421	3.6%

This variable has 421 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,393	96.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1394-1401 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1131_09: In past 30 days, used [electronic nicotine products/cartridges/e-liquid] flavored to taste like some other flavor

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.2 %
2	2 = Not Marked	400	3.4 %
	Total	421	3.6%

This variable has 421 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,393	96.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1402-1409 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1142: In the past 30 days, did anyone sell you [electronic nicotine products/cartridges/e-liquid]

In the past 30 days, did anyone sell you [EPRODFILL2]?

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	62	0.5 %
2	2 = No	377	3.2 %

Value	Label	Unweighted Frequency	%
	Total	439	3.7%

This variable has 439 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,375	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1410-1417 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1123: In the past 30 days, someone refused to sell you [electronic nicotine products/cartridges/e-liquid] because of your age

In the past 30 days, did anyone refuse to sell you [EPRODFILL2] because of your age?

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	50	0.4 %
2	2 = No	381	3.2 %
	Total	431	3.6%

This variable has 431 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,383	96.4%

Percentages for both tables are based on 11,814 total cases.

Location: 1418-1425 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1118: In past 30 days, how you usually got your own [electronic nicotine products/cartridges/e-liquid]

In the past 30 days, how did you usually get your own [EPRODFILL2]?

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	94	0.8 %
2	2 = I bought them myself from a store (including a vape shop or vapor lounge)	55	0.5 %
3	3 = I asked someone to give me one	45	0.4 %
4	4 = Someone offered it to me	122	1.0 %
5	5 = I bought them from another person	32	0.3 %
6	6 = I took them from a store or another person	10	0.1 %
7	7 = I got them some other way	39	0.3 %
	Total	397	3.4%

This variable has 397 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.3 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,417	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 1426-1433 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1098: In past 30 days, used a coupon when buying [electronic nicotine products/cartridges/e-liquid]

[BOX ID: R03_YVR05 - Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by buying themselves from a store, go to R03_YV1098. Else, youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving

someone else money to buy for them, go to R03_YV1030. Else, youth respondents who are past 30 day "not-light" electronic nicotine product users, go to R03_YV9140. Else, go to Box R03_YVD02.

IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 2, GO TO R03_YV1098.
ELSE, IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, GO TO R03_YV1030. ELSE, IF R03_PAST30DAY_EPRODS_LEVEL = 2, GO TO R03_YV9140.
ELSE, GO TO BOX R03_YVD02.]

In the past 30 days, how often have you used a coupon when buying [EPRODFILL2]?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	2	0.0 %
2	2 = Sometimes	1	0.0 %
3	3 = Rarely	6	0.1 %
4	4 = Never	42	0.4 %
	Total	51	0.4%

This variable has 51 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11763	99.6 %
	Total	11,763	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 1434-1441 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1030: How you usually buy your [electronic nicotine products/cartridges/e-liquid]

[When you give money to someone else, how do they/How do you] usually buy your [EPRODFILL2]?

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to Box R03_YVR06.]

ASK: Youth respondents who are past 30 day "not-light"

electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	127	1.1 %
2	2 = From the internet	13	0.1 %
3	3 = By telephone	2	0.0 %
	Total	142	1.2%

This variable has 142 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11672	98.8 %
	Total	11,672	98.8%

Percentages for both tables are based on 11,814 total cases.

Location: 1442-1449 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1033: Where [electronic nicotine products/cartridges/e-liquid] is purchased

Where do [you/they] buy your [EPRODFILL2] most of the time?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_YV1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A mall kiosk	5	0.0 %
2	2 = A convenience store or gas station	20	0.2 %
3	3 = A supermarket, grocery store, or drug store	0	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	2	0.0 %

Value	Label	Unweighted Frequency	%
6	6 = A duty free shop or military commissary	1	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	2	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
11	11 = A vape shop or vapor lounge	95	0.8 %
	Total	125	1.1%

This variable has 125 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11687	98.9 %
	Total	11,689	98.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1450-1457 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1136: Usually buy [primary electronic nicotine product]s cartridges by box, pack or as single [primary electronic nicotine product]s

[BOX ID: R03_YVR06 - Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use a disposable or unknown electronic nicotine product, go to R03_YV1136. Else, youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a refillable cartridge, refillable tank system, or refillable mod system, go to R03_YV1041. Else, youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge, go to R03_YV1039. Else, go to R03_YV9140.]

IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 1, 6, GO TO R03_YV1136. ELSE, IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 3, 4, 5, GO TO R03_YV1041. ELSE, IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 2, GO TO R03_YV1039. ELSE, GO TO R03_YV9140.]

Think about the last time you [bought/gave money to someone else to buy you] [EPRODTYPE1]s. Did you buy them by the box

or pack, or as single [EPRODTYPE1]s?

[If Single [EPRODTYPE1]s (2), Don't Know (-8) or Refused (-7),
Go to R03_YV1034.]

ASK: Youth respondents who are past 30 day "not-light"
electronic nicotine product users and usually get electronic
nicotine products by giving someone else money to buy for them
or buying themselves from a store and use a disposable or
unknown electronic nicotine product.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND
R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 1, 6.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	3	0.0 %
2	2 = Single (e-cigarette/e-cigar/e-pipe/e-hookah/electronic nicotine product)	10	0.1 %
	Total	13	0.1%

This variable has 13 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,801	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1458-1465 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1137: Number of [primary electronic nicotine product]s in box or pack you last bought

How many [EPRODTYPE1]s came in the box or pack that you last
bought?

ASK: Youth respondents who are past 30 day "not-light"
electronic nicotine product users and usually get electronic
nicotine products by giving someone else money to buy for them
or buying themselves from a store and use a disposable or
unknown electronic nicotine product and usually buy their
electronic nicotine products in a box or pack.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND
R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 1, 6 AND R03_YV1136 =
1.

[PROGRAM NOTE: Allow for 2 digits.]

This variable has 3 valid cases out of 11,814 total cases.

- Mean: 3.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 4.04

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11811	100.0 %
	Total	11,811	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 1466-1473 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV1138_D: Amount paid last time bought a box of [primary electronic nicotine product]s - Dollars

How much did you pay for a box or pack of [EPRODTYPE1]s?

_____ DOLLARS

[If Don't Know (-8) or Refused (-7), Go to R03_YV9140.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 1, 6 AND R03_YV1136 = 1.

This variable has 2 valid cases out of 11,814 total cases.

- Mean: 37.50
- Median: 37.50
- Minimum: 25.00
- Maximum: 50.00
- Standard Deviation: 17.68

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11811	100.0 %
	Total	11,812	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 1474-1481 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV1138_C: Amount paid last time bought a box of [primary electronic nicotine product]s -Cents

How much did you pay for a box or pack of [EPRODTYPE1]s?

_____ CENTS

[If Don't Know (-8) or Refused (-7), Go to R03_YV9140.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 1, 6 AND R03_YV1136 = 1.

This variable has 2 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11812	100.0 %
	Total	11,812	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 1482-1489 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV1034_D: Amount paid when last time bought [primary electronic nicotine product] - Dollars

How much did you pay for a single [EPRODTYPE1]?

_____ DOLLARS

[If Don't Know (-8) or Refused (-7), Go to R03_YV9140.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use a disposable or unknown electronic nicotine product and usually buy single electronic nicotine products or did not know or refused to report whether they usually buy them in a box or pack or as single electronic nicotine products.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 1, 6 AND R03_YV1136 = 2, -8, -7.

This variable has 10 valid cases out of 11,814 total cases.

- Mean: 77.00
- Median: 10.00
- Mode: 10.00
- Minimum: 5.00
- Maximum: 666.00
- Standard Deviation: 207.05

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11803	99.9 %
	Total	11,804	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1490-1497 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV1034_C: Amount paid when last time bought [primary electronic nicotine product] - Cents

How much did you pay for a single [EPRODTYPE1]?

_____ CENTS

[If Don't Know (-8) or Refused (-7), Go to R03_YV9140.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use a disposable or unknown electronic nicotine product and usually buy single electronic nicotine products or did not know or refused to report whether they usually buy them in a box or pack or as single electronic nicotine products.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 1, 6 AND R03_YV1136 = 2, -8, -7.

[CHECK ID: R03_YV1034_LC1 - The computer recorded that you paid \$[R03_YV1034[_D/_C]] for a single [EPRODFILL3]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YV1034. IF 2 NEXT, GO TO R03_YV9140.

ASK: IF (R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 1, 6 AND R03_YV1136 = 2, -8, -7 AND R03_YV1034_D != -8, -7) AND R03_YV1034_D > 50.

PROGRAM: TRIGGER CHECK IF R03_YV1034_D > 50. ELSE, GO TO R03_YV9140 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 10 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,804	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1498-1505 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV1041_D: Amount paid when last time bought e-liquid - Dollars

Think about the last time you [bought/gave money to someone else to buy you] e-liquid. How much did you pay for a bottle or container of e-liquid?

_____ DOLLARS

[If Don't Know (-8) or Refused (-7), Go to R03_YV9140.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a refillable cartridge, refillable tank system, or refillable mod system.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 3, 4, 5.

This variable has 112 valid cases out of 11,814 total cases.

- Mean: 11.17
- Median: 10.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 7.84

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11694	99.0 %
	Total	11,702	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 1506-1513 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV1041_C: Amount paid when last time bought e-liquid - Cents

Think about the last time you [bought/gave money to someone else to buy you] e-liquid. How much did you pay for a bottle or container of e-liquid?

_____ CENTS

[If Don't Know (-8) or Refused (-7), Go to R03_YV9140.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a refillable cartridge, refillable tank system, or refillable mod system.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 3, 4, 5.

[CHECK ID: R03_YV1041_LC1 - The computer recorded that you paid \$[R03_YV1041[_D/_C]] for a bottle or container of e-liquid. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YV1041. IF 2 NEXT, GO TO R03_YV9140.

ASK: IF (R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 3, 4, 5 AND R03_YV1041_D != -8, -7) AND R03_YV1041_D > 50.

PROGRAM: TRIGGER CHECK IF R03_YV1041_D > 50. ELSE, GO TO R03_YV9140 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 112 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11702	99.1 %
	Total	11,702	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 1514-1521 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV1039: Usually buy [primary electronic nicotine products] cartridges by box, pack or as single cartridges

Think about the last time you [bought/gave money to someone else to buy you] [EPRODTYPE1] cartridges. Did you buy them by the box or pack, or as single cartridges?

[If Single cartridges (2), Don't Know (-8) or Refused (-7), Go to R03_YV1043.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND

R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	4	0.0 %
2	2 = Single cartridges	3	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11806	99.9 %
	Total	11,807	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1522-1529 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1040: Number of [primary electronic nicotine product] cartridges in box or pack you last bought

How many [EPRODTYPE1] cartridges came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 2 AND R03_YV1039 = 1.

[PROGRAM NOTE: Allow for 2 digits.]

This variable has 4 valid cases out of 11,814 total cases.

- Mean: 3.25
- Median: 3.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.50

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0 %

Percentages for both tables are based on 11,814 total cases.

Location: 1530-1537 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV1042_D: Amount paid for a box or pack of [primary electronic nicotine product] cartridges -Dollars

How much did you pay for a box or pack of [EPRODTYPE1] cartridges?

_____ DOLLARS

[If Don't Know (-8) or Refused (-7), Go to R03_YV9140.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 2 AND R03_YV1039 = 1.

This variable has 4 valid cases out of 11,814 total cases.

- Mean: 12.25
- Median: 11.00
- Minimum: 7.00
- Maximum: 20.00
- Standard Deviation: 5.56

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %

	Missing Data		
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 1538-1545 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV1042_C: Amount paid for a box or pack of [primary electronic nicotine product] cartridges -Cents

How much did you pay for a box or pack of [EPRODTYPE1] cartridges?

_____ CENTS

[If Don't Know (-8) or Refused (-7), Go to R03_YV9140.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 2 AND R03_YV1039 = 1.

[CHECK ID: R03_YV1042_LC1 - The computer recorded that you paid \$[R03_YV1042[_D/_C]] for a box or pack of [EPRODFILL1]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YV1042. IF 2 NEXT, GO TO R03_YV9140

ASK: IF (R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 2 AND R03_YV1039 = 1 AND R03_YV1042_D != -8, -7) AND R03_YV1042_D > 50.

PROGRAM: TRIGGER CHECK IF R03_YV1042_D > 50. ELSE, GO TO R03_YV9140 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %

	Missing Data		
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 1546-1553 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV1043_D: Amount paid for a single [primary electronic nicotine product] cartridge - Dollars

How much did you pay for a single [EPROTOTYPE1] cartridge?

_____ DOLLARS

[Go to R03_AV9040.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge and usually buy single electronic nicotine products or did not know or refused to report whether they usually buy them in a box or pack or as single electronic nicotine products.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 2 AND R03_YV1039 = 2, -8, -7.

This variable has 2 valid cases out of 11,814 total cases.

- Mean: 4.00
- Median: 4.00
- Minimum: 3.00
- Maximum: 5.00
- Standard Deviation: 1.41

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,812	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 1554-1561 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV1043_C: Amount paid for a single [primary electronic nicotine product] cartridge - Cents

How much did you pay for a single [EPRODTYPE1] cartridge?

_____ CENTS

[Go to R03_AV9040.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge and usually buy single electronic nicotine products or did not know or refused to report whether they usually buy them in a box or pack or as single electronic nicotine products.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 2 AND R03_YV1039 = 2, -8, -7.

[CHECK ID: R03_YV1043_LC1 - The computer recorded that you paid \$[R03_YV1043[_D/_C]] for a single [EPRODFILL3]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YV1043. IF 2 NEXT, GO TO R03_YV9140.

ASK: IF (R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1118 = 1, 2 AND R03_EDEVICETYPE = 2 AND R03_YV1039 = 2, -8, -7) AND R03_YV1043_D > 50.

PROGRAM: TRIGGER CHECK IF R03_YV1043_D > 50. ELSE, GO TO R03_YV9140 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 2 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11812	100.0 %
	Total	11,812	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 1562-1569 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV9140: Group most like [primary electronic nicotine product] you usually use

Please look at this picture. Which group is most like the [EPRODTYPE1] you usually use?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2.

[Note: Group 1 is disposable 'cig-a-like' e-cigarettes; group 2 is tank system 'vapor pen' e-cigarettes; group 3 is tank system 'box style' e-cigarettes; group 4 is e-cigars; group 5 is e-pipes; group 6 is e-hookah and hookah pens.]

Value	Label	Unweighted Frequency	%
1	1 = Group 1	22	0.2 %
2	2 = Group 2	112	0.9 %
3	3 = Group 3	222	1.9 %
4	4 = Group 4	2	0.0 %
5	5 = Group 5	1	0.0 %
6	6 = Group 6	15	0.1 %
7	7 = None of the above	12	0.1 %
	Total	386	3.3%

This variable has 386 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11424	96.7 %
	Total	11,428	96.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1570-1577 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1047: Have a regular brand of [electronic nicotine products/cartridges/e-liquid] you usually use

Do you have a regular brand of [EPRODFILL2] that you usually use?

ASK: Youth respondents who are past 30 day "not-light"
electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	87	0.7 %
2	2 = No	231	2.0 %
3	3 = I don't know	70	0.6 %
	Total	388	3.3%

This variable has 388 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11424	96.7 %
	Total	11,426	96.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1578-1585 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1945: Know the name of brand of [electronic nicotine products/cartridges/e-liquid] you usually use

Do you know the name of the brand of [EPRODFILL2] you [usually use/last used]?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YVD02.]

ASK: Youth respondents who are past 30 day "not-light"
electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	98	0.8 %
2	2 = No	289	2.4 %
	Total	387	3.3%

This variable has 387 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11424	96.7 %
	Total	11,427	96.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1586-1593 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1048_BRAND: Brand of [electronic nicotine products/cartridges/e-liquid] usually/last used

What brand of [EPRODFILL2] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users who know the name of the brand of electronic nicotine products they usually use or last used.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YV1945 = 1.

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11716	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1594-1601 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1060_RANDOM_01: YV1060 series random question 1

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YV1060 through R03_YV1067)

were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11374	96.3 %
R03_YV1060	-	46	0.4 %
R03_YV1062	-	55	0.5 %
R03_YV1063	-	52	0.4 %
R03_YV1064	-	23	0.2 %
R03_YV1065	-	58	0.5 %
R03_YV1066	-	60	0.5 %
R03_YV1067	-	53	0.4 %
R03_YV1075	-	47	0.4 %
R03_YV1085	-	46	0.4 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 1602-1616 (width: 15; decimal: 0)

Variable Type: character

R03_YV1060_RANDOM_02: YV1060 series random question 2

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YV1060 through R03_YV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11374	96.3 %
R03_YV1060	-	55	0.5 %
R03_YV1062	-	49	0.4 %
R03_YV1063	-	50	0.4 %
R03_YV1064	-	30	0.3 %
R03_YV1065	-	54	0.5 %
R03_YV1066	-	34	0.3 %
R03_YV1067	-	51	0.4 %
R03_YV1075	-	65	0.6 %

Value	Label	Unweighted Frequency	%
R03_YV1085	-	52	0.4 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 1617-1631 (width: 15; decimal: 0)

Variable Type: character

R03_YV1060_RANDOM_03: YV1060 series random question 3

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YV1060 through R03_YV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11374	96.3 %
R03_YV1060	-	47	0.4 %
R03_YV1062	-	53	0.4 %
R03_YV1063	-	55	0.5 %
R03_YV1064	-	29	0.2 %
R03_YV1065	-	49	0.4 %
R03_YV1066	-	56	0.5 %
R03_YV1067	-	45	0.4 %
R03_YV1075	-	49	0.4 %
R03_YV1085	-	57	0.5 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 1632-1646 (width: 15; decimal: 0)

Variable Type: character

R03_YV1060_RANDOM_04: YV1060 series random question 4

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YV1060 through R03_YV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11374	96.3 %
R03_YV1060	-	52	0.4 %
R03_YV1062	-	50	0.4 %
R03_YV1063	-	57	0.5 %
R03_YV1064	-	31	0.3 %
R03_YV1065	-	45	0.4 %
R03_YV1066	-	42	0.4 %
R03_YV1067	-	63	0.5 %
R03_YV1075	-	52	0.4 %
R03_YV1085	-	48	0.4 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 1647-1661 (width: 15; decimal: 0)

Variable Type: character

R03_YV1060_RANDOM_05: YV1060 series random question 5

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YV1060 through R03_YV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11374	96.3 %
R03_YV1060	-	60	0.5 %
R03_YV1062	-	53	0.4 %
R03_YV1063	-	41	0.3 %
R03_YV1064	-	26	0.2 %
R03_YV1065	-	58	0.5 %
R03_YV1066	-	47	0.4 %
R03_YV1067	-	56	0.5 %
R03_YV1075	-	51	0.4 %
R03_YV1085	-	48	0.4 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 1662-1676 (width: 15; decimal: 0)

Variable Type: character

R03_YV1060_RANDOM_06: YV1060 series random question 6

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YV1060 through R03_YV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11374	96.3 %
R03_YV1060	-	48	0.4 %
R03_YV1062	-	62	0.5 %
R03_YV1063	-	58	0.5 %
R03_YV1064	-	21	0.2 %
R03_YV1065	-	54	0.5 %
R03_YV1066	-	53	0.4 %
R03_YV1067	-	43	0.4 %
R03_YV1075	-	48	0.4 %
R03_YV1085	-	53	0.4 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 1677-1691 (width: 15; decimal: 0)

Variable Type: character

R03_YV1060_RANDOM_07: YV1060 series random question 7

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YV1060 through R03_YV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11374	96.3 %
R03_YV1060	-	53	0.4 %
R03_YV1062	-	42	0.4 %
R03_YV1063	-	52	0.4 %
R03_YV1064	-	16	0.1 %
R03_YV1065	-	42	0.4 %

Value	Label	Unweighted Frequency	%
R03_YV1066	-	62	0.5 %
R03_YV1067	-	66	0.6 %
R03_YV1075	-	46	0.4 %
R03_YV1085	-	61	0.5 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 1692-1706 (width: 15; decimal: 0)

Variable Type: character

R03_YV1060_RANDOM_08: YV1060 series random question 8

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YV1060 through R03_YV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11374	96.3 %
R03_YV1060	-	52	0.4 %
R03_YV1062	-	61	0.5 %
R03_YV1063	-	46	0.4 %
R03_YV1064	-	26	0.2 %
R03_YV1065	-	55	0.5 %
R03_YV1066	-	59	0.5 %
R03_YV1067	-	40	0.3 %
R03_YV1075	-	50	0.4 %
R03_YV1085	-	51	0.4 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 1707-1721 (width: 15; decimal: 0)

Variable Type: character

R03_YV1060_RANDOM_09: YV1060 series random question 9

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YV1060 through R03_YV1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11584	98.1 %
R03_YV1060	-	27	0.2 %
R03_YV1062	-	15	0.1 %
R03_YV1063	-	29	0.2 %
R03_YV1064	-	28	0.2 %
R03_YV1065	-	25	0.2 %
R03_YV1066	-	27	0.2 %
R03_YV1067	-	23	0.2 %
R03_YV1075	-	32	0.3 %
R03_YV1085	-	24	0.2 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 1722-1736 (width: 15; decimal: 0)

Variable Type: character

R03_YV1060: Use [primary electronic nicotine product]s because: They are affordable

The next questions are about the reasons people use [EPRODTYPE1]s. Please select which reasons apply to you.

I use [EPRODTYPE1]s because . . .

They are affordable.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	193	1.6 %
2	2 = No	240	2.0 %
	Total	433	3.7%

This variable has 433 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,381	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1737-1744 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1085: Use [primary electronic nicotine product]s because: [Primary electronic nicotine product]s can be used in places where smoking cigarettes is not allowed

The next questions are about the reasons people use [EPRODTYPE1]s. Please select which reasons apply to you.

I use [EPRODTYPE1]s because . . .

I can use [EPRODTYPE1]s at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	184	1.6 %
2	2 = No	254	2.1 %
	Total	438	3.7%

This variable has 438 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,376	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1745-1752 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1062: Use [primary electronic nicotine product]s because: They might be less harmful to me than cigarettes

The next questions are about the reasons people use [EPRODTYPE1]s. Please select which reasons apply to you.

I use [EPRODTYPE1]s because . . .

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	284	2.4 %
2	2 = No	151	1.3 %
	Total	435	3.7%

This variable has 435 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,379	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1753-1760 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1075: Use [primary electronic nicotine product]s because: They might be less harmful to people around me than cigarettes

The next questions are about the reasons people use [EPRODTYPE1]s. Please select which reasons apply to you.

I use [EPRODTYPE1]s because . . .

They might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	285	2.4 %
2	2 = No	150	1.3 %
	Total	435	3.7%

This variable has 435 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,379	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1761-1768 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1063: Use [primary electronic nicotine product]s because: [electronic nicotine products/cartridges/e-liquid] come/comes in flavors I like

The next questions are about the reasons people use [EPRODTYPE1]s. Please select which reasons apply to you.

I use [EPRODTYPE1]s because . . .

[EPRODFILL2] [come/comes] in flavors I like.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	338	2.9 %
2	2 = No	99	0.8 %
	Total	437	3.7%

This variable has 437 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,377	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1769-1776 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1064: Use [primary electronic nicotine product]s because: Using [primary electronic nicotine product]s helps people quit smoking cigarettes

[BOX ID: R03_YVR13 - Youth respondents who are past 30 day electronic nicotine product users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R03_YV1064. Else, go to R03_YV1065.]

IF R03_PAST30DAY_EPRODS = 1 AND R03_YC1112 = 1, 2, 3, 4, 5, GO TO R03_YV1064. ELSE, GO TO R03_YV1065.]

The next questions are about the reasons people use [EPRODTYPE1]s. Please select which reasons apply to you.

I use [EPRODTYPE1]s because . . .

Using [EPRODTYPE1]s helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day electronic nicotine product users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1 AND R03_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	119	1.0 %
2	2 = No	109	0.9 %
	Total	228	1.9%

This variable has 228 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11584	98.1 %
	Total	11,586	98.1%

Percentages for both tables are based on 11,814 total cases.

Location: 1777-1784 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1065: Use [primary electronic nicotine product]s because: [Primary electronic nicotine product]s don't smell

The next questions are about the reasons people use [EPRODTYPE1]s. Please select which reasons apply to you.

I use [EPRODTYPE1]s because . . .

[EPRODTYPE1]s don't smell.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	188	1.6 %
2	2 = No	246	2.1 %
	Total	434	3.7%

This variable has 434 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,380	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1785-1792 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1066: Use [primary electronic nicotine product]s because: [Primary electronic nicotine product] feels like smoking a regular cigarette

The next questions are about the reasons people use

[EPRODTYPE1]s. Please select which reasons apply to you.

I use [EPRODTYPE1]s because . . .

Using an [EPRODTYPE1] feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	71	0.6 %
2	2 = No	366	3.1 %
	Total	437	3.7%

This variable has 437 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,377	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1793-1800 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1067: Use [primary electronic nicotine product]s because: [Primary electronic nicotine product]s don't bother non-tobacco users

The next questions are about the reasons people use [EPRODTYPE1]s. Please select which reasons apply to you.

I use [EPRODTYPE1]s because . . .

[EPRODTYPE1]s don't bother non-tobacco users.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	197	1.7 %

Value	Label	Unweighted Frequency	%
2	2 = No	236	2.0 %
	Total	433	3.7%

This variable has 433 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,381	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1801-1808 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1086: In past 30 days, used [primary electronic nicotine product] at times when or in places you could not smoke cigarettes

[BOX ID: R03_YVR14 - Youth respondents who are past 30 day electronic nicotine product users and are past 30 day cigarette smokers, go to R03_YV1086. Else, youth respondents who are past 30 day electronic nicotine product users, go to R03_YV1139. Else, go to Box R03_YVR10.

IF R03_PAST30DAY_EPRODS = 1 AND R03_PAST30DAY_CIGS = 1, GO TO R03_YV1086.
ELSE, IF R03_PAST30DAY_EPRODS = 1, GO TO R03_YV1139. ELSE, GO TO BOX R03_YVR10.]

In the past 30 days, have you used an [EPRODTYPE1] at times when or in places where you could not smoke regular cigarettes?

ASK: Youth respondents who are past 30 day electronic nicotine product users and are past 30 day cigarette smokers.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1 AND R03_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	71	0.6 %
2	2 = No	75	0.6 %
	Total	146	1.2%

This variable has 146 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11668	98.8 %
	Total	11,668	98.8%

Percentages for both tables are based on 11,814 total cases.

Location: 1809-1816 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1139: Level of agreement: It is easier to talk and get along with people when using [primary electronic nicotine product]

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when using an [EPRODTYPE1].

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	270	2.3 %
2	2 = 2 on a scale of 1 to 4	68	0.6 %
3	3 = 3 on a scale of 1 to 4	54	0.5 %
4	4 = Very true of me	41	0.3 %
	Total	433	3.7%

This variable has 433 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,381	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1817-1824 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1140: Level of agreement: Feel more confident with other people when using [primary electronic nicotine product]

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While using an [EPRODTYPE1], I feel more confident with other people.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	297	2.5 %
2	2 = 2 on a scale of 1 to 4	70	0.6 %
3	3 = 3 on a scale of 1 to 4	41	0.3 %
4	4 = Very true of me	26	0.2 %
	Total	434	3.7%

This variable has 434 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,380	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1825-1832 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1141: Level of agreement: Use [primary electronic nicotine product]s more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I use [EPRODTYPE1]s much more when I am with other people.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	210	1.8 %
2	2 = 2 on a scale of 1 to 4	66	0.6 %
3	3 = 3 on a scale of 1 to 4	74	0.6 %
4	4 = Very true of me	85	0.7 %
	Total	435	3.7%

This variable has 435 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,379	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 1833-1840 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV9042: Used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an e-cigarette or other electronic nicotine product

Have you ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an e-cigarette or other electronic nicotine product? (Remember all information you give to the PATH Study will be kept private.)

ASK: New baseline youth respondents who have seen or heard of electronic nicotine product, or continuing youth respondents.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YV1001_NB = 1) OR R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1096	9.3 %
2	2 = No	10192	86.3 %
	Total	11,288	95.5%

This variable has 11,288 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	18	0.2 %
-1	-1 = Inapplicable	497	4.2 %
	Total	526	4.5%

Percentages for both tables are based on 11,814 total cases.

Location: 1841-1848 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2005: Number of times [secondary electronic nicotine product] used in entire life

[PROGRAM NOTE: See Box R03_YVR10, R03_YVD04, and R03_YVT50 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How many times have you used [an [EPRODTYPE2]/these [EPRODTYPE2]s] in your entire life?

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

[DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "these [EPRODTYPE2]s". ELSE, DISPLAY "an [EPRODTYPE2]".]

Value	Label	Unweighted Frequency	%
1	1 = 1 time, even just a few puffs	62	0.5 %
2	2 = 2 to 10 times	36	0.3 %
3	3 = 11 to 20 times	25	0.2 %
4	4 = 21 to 50 times	10	0.1 %
5	5 = 51 to 99 times	6	0.1 %
6	6 = 100 or more times	12	0.1 %
	Total	151	1.3%

This variable has 151 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %

	Missing Data		
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,663	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1849-1856 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2100: Ever used [secondary electronic nicotine product]s fairly regularly

Have you ever used [an [EPRODTYPE2]/these [EPRODTYPE2]s]
fairly regularly?

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

[DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "these [EPRODTYPE2]s".
ELSE, DISPLAY "an [EPRODTYPE2]".]

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	136	1.2 %
	Total	160	1.4%

This variable has 160 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,654	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 1857-1864 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2011_01: Flavor of first [secondary electronic nicotine product] used: Tobacco-flavored

[BOX ID: R03_YVT51 - The following questions are still about

[LIST SECONDARY EPRODS]. Please continue to think about your use of only these products as you answer.

IF R03_SECONDARY_EPROD = 1, FILL [LIST SECONDARY EPRODS] WITH "e-cigarettes".
ELSE, IF R03_SECONDARY_EPROD = 2, FILL [LIST SECONDARY EPRODS] WITH "e-cigars".
ELSE, IF R03_SECONDARY_EPROD = 3, FILL [LIST SECONDARY EPRODS] WITH "e-pipes".
ELSE, IF R03_SECONDARY_EPROD = 4, FILL [LIST SECONDARY EPRODS] WITH "e-hookahs".
ELSE, IF R03_SECONDARY_EPROD = 5 AND R03_EPRODCOUNT = 3, FILL [LIST SECONDARY EPRODS] WITH EACH PRODUCT SELECTED IN R03_YV9035, EXCEPT FOR PRIMARY EPROD, AND SEPARATE WITH "and". ELSE, IF R03_SECONDARY_EPROD = 5 AND R03_EPRODCOUNT > 3, FILL [LIST SECONDARY EPRODS] WITH EACH PRODUCT SELECTED IN R03_YV9035, EXCEPT FOR PRIMARY EPROD, AND SEPARATE WITH COMMAS WITH ", and" PRECEDING THE LAST PRODUCT.]

When you first started using [these][EPRODTYPE2]s, which flavor did you use? Choose all that apply.

Tobacco-flavored

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.2 %
2	2 = Not Marked	125	1.1 %
	Total	152	1.3%

This variable has 152 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,662	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1865-1872 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2011_02: Flavor of first [secondary electronic nicotine product] used: Menthol or mint

When you first started using [these][EPRODTYPE2]s, which flavor did you use? Choose all that apply.

Menthol or mint

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.3 %
2	2 = Not Marked	119	1.0 %
	Total	152	1.3%

This variable has 152 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,662	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1873-1880 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2011_03: Flavor of first [secondary electronic nicotine product] used: Clove or spice

When you first started using [these][EPRODTYPE2]s, which flavor did you use? Choose all that apply.

Clove or spice

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	147	1.2 %
	Total	152	1.3%

This variable has 152 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,662	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1881-1888 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2011_04: Flavor of first [secondary electronic nicotine product] used: Fruit

When you first started using [these][EPRODTYPE2]s, which flavor did you use? Choose all that apply.

Fruit

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Marked	111	0.9 %
2	2 = Not Marked	41	0.3 %
	Total	152	1.3%

This variable has 152 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,662	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1889-1896 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2011_05: Flavor of first [secondary electronic nicotine product] used: Chocolate

When you first started using [these][EPRODTYPE2]s, which flavor did you use? Choose all that apply.

Chocolate

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.2 %
2	2 = Not Marked	134	1.1 %
	Total	152	1.3%

This variable has 152 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,662	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1897-1904 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2011_06: Flavor of first [secondary electronic nicotine product] used: An alcoholic drink

When you first started using [these][EPRODTYPE2]s, which flavor did you use? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	141	1.2 %
	Total	152	1.3%

This variable has 152 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,662	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1905-1912 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2011_07: Flavor of first [secondary electronic nicotine product] used: A non-alcoholic drink

When you first started using [these][EPRODTYPE2]s, which flavor did you use? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %
2	2 = Not Marked	135	1.1 %
	Total	152	1.3%

This variable has 152 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

	Missing Data		
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,662	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1913-1920 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2011_08: Flavor of first [secondary electronic nicotine product] used: Candy, desserts or other sweets

When you first started using [these][EPRODTYPE2]s, which flavor did you use? Choose all that apply.

Candy, desserts or other sweets

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Marked	65	0.6 %
2	2 = Not Marked	87	0.7 %
	Total	152	1.3%

This variable has 152 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,662	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1921-1928 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2011_09: Flavor of first [secondary electronic nicotine product] used: Some other flavor

When you first started using [these][EPRODTYPE2]s, which flavor did you use? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	148	1.3 %
	Total	152	1.3%

This variable has 152 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,662	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1929-1936 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2029_NN: How long since you took a puff from [secondary electronic nicotine product] - Number

About how long has it been since you last took a puff from [an [EPRODTYPE2]/one of these [EPRODTYPE2]s]?

[NUMBER OF DAYS / MONTHS / YEARS]

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

[DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "one of these [EPRODTYPE2]s". ELSE, DISPLAY "an [EPRODTYPE2]".]

This variable has 155 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,659	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1937-1944 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YV2029_UN: How long since you took a puff from [secondary electronic nicotine product] - Unit

[Units for response for R03_YV2029_NN]

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Days	27	0.2 %
2	2 = Months	96	0.8 %
3	3 = Years	33	0.3 %
	Total	156	1.3%

This variable has 156 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11658	98.7 %
	Total	11,658	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1945-1952 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV2010: [Secondary electronic nicotine product] you usually use contains nicotine

[Does the [EPRODTYPE2]/Do these [EPRODTYPE2]s] you usually use contain nicotine?

ASK: Youth respondents whose secondary electronic nicotine product is an e-cigarette, e-cigar, e-pipe, e-hookah, or multiple electronic nicotine products.

ASK Specification: IF R03_SECONDARY_EPROD = 1, 2, 3, 4, 5.

[DISPLAY: IF R03_SECONDARY_EPROD = 5, DISPLAY "Do these [EPRODTYPE2]s". ELSE, DISPLAY "Does the [EPRODTYPE2]".]

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.5 %
2	2 = No	57	0.5 %
3	3 = I don't know	46	0.4 %
	Total	159	1.3%

This variable has 159 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,655	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 1953-1960 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9101_NB: Ever seen or heard of a traditional cigar, cigarillo or filtered cigar before this study

[BOX ID: R03_YGT01 - The next questions are about traditional cigars, cigarillos, and filtered cigars. These products go by lots of different names, so please use these descriptions and photos to understand what they are.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.]

[BOX ID: R03_YGT02 - Cigarillos and filtered cigars are smaller than traditional cigars. They are usually brown. Some are the same size as

cigarettes, and some come with filters or with plastic or wooden tips.
Some common brands are Black & Mild, Swisher Sweets, Dutch Masters,
Phillies Blunts, Zig Zag, Prime Time, and Cheyenne.]

[BOX ID: R03_YGR03 - New baseline youth respondents, go to R03_YG9101_NB.
Continuing youth respondents, go to R03_YG1002_12M.]

IF R03_YOUTHTYPE = 2, GO TO R03_YG9101_NB. ELSE, GO TO R03_YG1002_12M.]

Have you ever seen or heard of a traditional cigar, cigarillo,
or filtered cigar before this study?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND
FILTERED CIGARS]

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YPT01.]

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1310	11.1 %
2	2 = No	720	6.1 %
	Total	2,030	17.2%

This variable has 2,030 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,784	82.8%

Percentages for both tables are based on 11,814 total cases.

Location: 1961-1968 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1002_NB: Ever smoked a traditional cigar, cigarillo or filtered cigar, even one or two puffs

Have you ever smoked a traditional cigar, cigarillo, or
filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND
FILTERED CIGARS]

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	1294	11.0 %
	Total	1,310	11.1%

This variable has 1,310 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10504	88.9 %
	Total	10,504	88.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1969-1976 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9104_NB_01: Type of cigar ever smoked: Traditional cigars

Which type of cigar have you ever smoked?

Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG1002_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	10	0.1 %
	Total	15	0.1%

This variable has 15 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,799	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1977-1984 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9104_NB_02: Type of cigar ever smoked: Cigarillos or filtered cigars

Which type of cigar have you ever smoked?

Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Prime Time, Cheyenne, or others

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG1002_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1 %
2	2 = No	8	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1985-1992 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9009_NB_01: Type of cigarillos or filtered cigars ever smoked: With a plastic or wooden tip

[BOX ID: R03_YGR19 - New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar, go to R03_YG9009_NB. Else, go to Box R03_YGV04.]

IF R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG1002_NB = 1 AND R03_YG9104_NB_02 = 1, GO TO R03_YG9009_NB. ELSE, GO TO BOX R03_YGV04.]

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind . . .

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

With a plastic or wooden tip

[Go to Box R03_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG1002_NB = 1 AND R03_YG9104_NB_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	1	0.0 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11808	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 1993-2000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9009_NB_02: Type of cigarillos or filtered cigars ever smoked: With a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind . . .

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

With a filter (like a cigarette filter)

[Go to Box R03_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG1002_NB = 1 AND R03_YG9104_NB_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11808	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2001-2008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9009_NB_03: Type of cigarillos or filtered cigars ever smoked: Without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind . . .

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS,
AND CIGARILLOS WITHOUT TIPS]

Without a tip or filter

[Go to Box R03_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG1002_NB = 1 AND R03_YG9104_NB_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.1 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11808	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2009-2016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1002_12M: In past 12 months, smoked a traditional cigar, cigarillo or filtered cigar, even one or two puffs

In the past 12 months, have you smoked a traditional cigar, cigarillo, or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS]

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	352	3.0 %
2	2 = No	9387	79.5 %
	Total	9,739	82.4%

This variable has 9,739 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,075	17.6%

Percentages for both tables are based on 11,814 total cases.

Location: 2017-2024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9104_12M_01: In past 12 months, type of cigar smoked: Traditional cigars

Which type of cigar have you smoked in the past 12 months?

Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1 AND R03_YG1002_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	71	0.6 %
2	2 = No	272	2.3 %
	Total	343	2.9%

This variable has 343 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11462	97.0 %
	Total	11,471	97.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2025-2032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9104_12M_02: In past 12 months, type of cigar smoked: Cigarillos or filtered cigars

Which type of cigar have you smoked in the past 12 months?

Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Prime Time, Cheyenne, or others

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1 AND R03_YG1002_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	278	2.4 %
2	2 = No	65	0.6 %
	Total	343	2.9%

This variable has 343 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11462	97.0 %
	Total	11,471	97.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2033-2040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9009_12M_01: In past 12 months, type of cigarillos or filtered cigars smoked: With a plastic or wooden tip

[BOX ID: R03_YGR20 - Continuing youth respondents who have smoked a traditional cigar, cigarillo or filtered cigar in the past 12 months

and have smoked a cigarillo or filtered cigar in the past 12 months,
go to R03_YG9009_12M. Else, go to Box R03_YGV04.

IF R03_YOUTHTYPE = 1 AND R03_YG1002_12M = 1 AND R03_YG9104_12M_02 = 1,
GO TO R03_YG9009_12M. ELSE, GO TO BOX R03_YGV04.]

Which of the following kinds of cigarillos or filtered cigars
have you smoked in the past 12 months? Choose all that apply.

The kind . . .

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS,
AND CIGARILLOS WITHOUT TIPS]

With a plastic or wooden tip

ASK: Continuing youth respondents who have smoked a
traditional cigar, cigarillo or filtered cigar in the past 12
months and have smoked a cigarillo or filtered cigar in the
past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1 AND R03_YG1002_12M = 1
AND R03_YG9104_12M_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	153	1.3 %
2	2 = Not Marked	123	1.0 %
	Total	276	2.3%

This variable has 276 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11536	97.6 %
	Total	11,538	97.7%

Percentages for both tables are based on 11,814 total cases.

Location: 2041-2048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9009_12M_02: In past 12 months, type of cigarillos or filtered cigars smoked: With a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars
have you smoked in the past 12 months? Choose all that apply.

The kind . . .

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS,
AND CIGARILLOS WITHOUT TIPS]

With a filter (like a cigarette filter)

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1 AND R03_YG1002_12M = 1
AND R03_YG9104_12M_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	77	0.7 %
2	2 = Not Marked	199	1.7 %
	Total	276	2.3%

This variable has 276 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11536	97.6 %
	Total	11,538	97.7%

Percentages for both tables are based on 11,814 total cases.

Location: 2049-2056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9009_12M_03: In past 12 months, type of cigarillos or filtered cigars smoked: Without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind . . .

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS,
AND CIGARILLOS WITHOUT TIPS]

Without a tip or filter

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1 AND R03_YG1002_12M = 1
AND R03_YG9104_12M_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	141	1.2 %
2	2 = Not Marked	135	1.1 %
	Total	276	2.3%

This variable has 276 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11536	97.6 %
	Total	11,538	97.7%

Percentages for both tables are based on 11,814 total cases.

Location: 2057-2064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9010: Ever been curious about smoking a traditional cigar

[PROGRAM NOTE: See Box R03_YGV04 and R03_YGR04 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever been curious about smoking a traditional cigar?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GTRAD_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	124	1.0 %
2	2 = Somewhat curious	264	2.2 %
3	3 = A little curious	986	8.3 %
4	4 = Not at all curious	9492	80.3 %

Value	Label	Unweighted Frequency	%
	Total	10,866	92.0%

This variable has 10,866 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	930	7.9 %
	Total	948	8.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2065-2072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9020: Think you will smoke a traditional cigar in the next year

Do you think you will smoke a traditional cigar in the next year?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GTRAD_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	21	0.2 %
2	2 = Probably yes	123	1.0 %
3	3 = Probably not	958	8.1 %
4	4 = Definitely not	9771	82.7 %
	Total	10,873	92.0%

This variable has 10,873 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	4	0.0 %

	Missing Data		
-1	-1 = Inapplicable	930	7.9 %
	Total	941	8.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2073-2080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9013: Think you will try a traditional cigar soon

Do you think that you will try a traditional cigar soon?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GTRAD_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	18	0.2 %
2	2 = Probably yes	91	0.8 %
3	3 = Probably not	970	8.2 %
4	4 = Definitely not	9796	82.9 %
	Total	10,875	92.1%

This variable has 10,875 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	930	7.9 %
	Total	939	7.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2081-2088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9016: Would smoke a traditional cigar if one of your friends offered you one

If one of your best friends were to offer you a traditional cigar, would you smoke it?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GTRAD_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	67	0.6 %
2	2 = Probably yes	308	2.6 %
3	3 = Probably not	1087	9.2 %
4	4 = Definitely not	9403	79.6 %
	Total	10,865	92.0%

This variable has 10,865 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	930	7.9 %
	Total	949	8.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2089-2096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9011: Ever been curious about smoking a cigarillo

[BOX ID: R03_YGR12 - New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos, go to R03_YG9011. Else, new baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars, go to R03_YG9012. Else, new baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, go to R03_YG9105_NB. Else, go to R03_YG9107.

IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GRILLO_YOUTH = 2, GO TO

R03_YG9011. ELSE, IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GFILTR_YOUTH = 2, GO TO R03_YG9012. ELSE, IF R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1, GO TO R03_YG9105_NB. ELSE, GO TO R03_YG9107.]

Have you ever been curious about smoking a cigarillo?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GRILLO_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	52	0.4 %
2	2 = Somewhat curious	160	1.4 %
3	3 = A little curious	548	4.6 %
4	4 = Not at all curious	9821	83.1 %
	Total	10,581	89.6%

This variable has 10,581 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	1214	10.3 %
	Total	1,233	10.4%

Percentages for both tables are based on 11,814 total cases.

Location: 2097-2104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9021: Think you will smoke a cigarillo in the next year

Do you think you will smoke a cigarillo in the next year?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND

R03_EVER_NEVER_GRILLO_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	22	0.2 %
2	2 = Probably yes	82	0.7 %
3	3 = Probably not	762	6.4 %
4	4 = Definitely not	9719	82.3 %
	Total	10,585	89.6%

This variable has 10,585 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1214	10.3 %
	Total	1,229	10.4%

Percentages for both tables are based on 11,814 total cases.

Location: 2105-2112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9014: Think you will try a cigarillo soon

Do you think that you will try a cigarillo soon?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GRILLO_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	13	0.1 %
2	2 = Probably yes	61	0.5 %
3	3 = Probably not	831	7.0 %
4	4 = Definitely not	9683	82.0 %
	Total	10,588	89.6%

This variable has 10,588 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1214	10.3 %
	Total	1,226	10.4%

Percentages for both tables are based on 11,814 total cases.

Location: 2113-2120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9017: Would smoke a cigarillo if one of your friends offered you one

If one of your best friends were to offer you a cigarillo, would you smoke it?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GRILLO_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	28	0.2 %
2	2 = Probably yes	213	1.8 %
3	3 = Probably not	957	8.1 %
4	4 = Definitely not	9385	79.4 %
	Total	10,583	89.6%

This variable has 10,583 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	1214	10.3 %
	Total	1,231	10.4%

Percentages for both tables are based on 11,814 total cases.

Location: 2121-2128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9012: Ever been curious about smoking a filtered cigar

[BOX ID: R03_YGR13 - New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars, go to R03_YG9012. Else, new baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, go to R03_YG9105_NB. Else, go to R03_YG9107.

IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GFILTR_YOUTH = 2, GO TO R03_YG9012. ELSE, IF R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1, GO TO R03_YG9105_NB. ELSE, GO TO R03_YG9107.]

Have you ever been curious about smoking a filtered cigar?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GFILTR_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	56	0.5 %
2	2 = Somewhat curious	120	1.0 %
3	3 = A little curious	529	4.5 %
4	4 = Not at all curious	10185	86.2 %
	Total	10,890	92.2%

This variable has 10,890 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	906	7.7 %
	Total	924	7.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2129-2136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9022: Think you will smoke a filtered cigar in the next year

Do you think you will smoke a filtered cigar in the next year?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND R03_EVER_NEVER_GFILTR_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	17	0.1 %
2	2 = Probably yes	67	0.6 %
3	3 = Probably not	810	6.9 %
4	4 = Definitely not	9999	84.6 %
	Total	10,893	92.2%

This variable has 10,893 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	906	7.7 %
	Total	921	7.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2137-2144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9015: Think you will try a filtered cigar soon

Do you think that you will try a filtered cigar soon?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND
R03_EVER_NEVER_GFILTR_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	18	0.2 %
2	2 = Probably yes	55	0.5 %
3	3 = Probably not	817	6.9 %
4	4 = Definitely not	10002	84.7 %
	Total	10,892	92.2%

This variable has 10,892 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	906	7.7 %
	Total	922	7.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2145-2152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9018: Would smoke a filtered cigar if one of your best friends offered you one

If one of your best friends were to offer you a filtered cigar, would you smoke it?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF R03_YG9101_NB != 2, -8, -7 AND
R03_EVER_NEVER_GFILTR_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	46	0.4 %
2	2 = Probably yes	225	1.9 %
3	3 = Probably not	915	7.7 %
4	4 = Definitely not	9708	82.2 %

Value	Label	Unweighted Frequency	%
	Total	10,894	92.2%

This variable has 10,894 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	906	7.7 %
	Total	920	7.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2153-2160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9105_NB: Ever smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it (blunt)

[BOX ID: R03_YGR14 - New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, go to R03_YG9105_NB. Else, go to R03_YG9107.]

IF R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1, GO TO R03_YG9105_NB.
ELSE, GO TO R03_YG9107.]

Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YGV01.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.1 %
2	2 = No	1294	11.0 %
	Total	1,309	11.1%

This variable has 1,309 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10504	88.9 %
	Total	10,505	88.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2161-2168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9107: In past 12 months, smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it

[Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".]

In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? [(Remember all information you give to the PATH Study will be kept private.)]

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YGV01.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it, or continuing youth respondents.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG9105_NB = 1) OR R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	713	6.0 %
2	2 = No	9058	76.7 %
	Total	9,771	82.7%

This variable has 9,771 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %

	Missing Data		
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	2030	17.2 %
	Total	2,043	17.3%

Percentages for both tables are based on 11,814 total cases.

Location: 2169-2176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1095_01: Type of cigar usually smoked as a blunt: Group 1 (Traditional cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

Group 1

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG9105_NB = 1 AND R03_YG9107 = 1) OR (R03_YOUTHTYPE = 1 AND R03_YG9107 = 1).

[Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	74	0.6 %
2	2 = Not Marked	628	5.3 %
	Total	702	5.9%

This variable has 702 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11101	94.0 %

	Missing Data		
	Total	11,112	94.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2177-2184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9106_01: In past 12 months, frequency with which the tobacco in traditional cigars was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]]

Traditional cigars

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos with tips/cigarillos without tips/filtered cigars as blunts, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos with tips/cigarillos without tips/filtered cigars as blunts.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG9105_NB = 1 AND R03_YG9107 = 1 AND R03_YG1095_01 = 1) OR (R03_YOUTHTYPE = 1 AND R03_YG9107 = 1 AND R03_YG1095_01 = 1).

[PROGRAM NOTE: Repeat this question for every cigar type identified in R03_YG1095.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	38	0.3 %
2	2 = Most of the time	5	0.0 %
3	3 = Sometimes	9	0.1 %
4	4 = Rarely	12	0.1 %
5	5 = Never	9	0.1 %
	Total	73	0.6%

This variable has 73 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11740	99.4 %
	Total	11,741	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 2185-2192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1095_02: Type of cigar usually smoked as a blunt: Group 2 (Cigarillo with tip)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

Group 2

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG9105_NB = 1 AND R03_YG9107 = 1) OR (R03_YOUTHTYPE = 1 AND R03_YG9107 = 1).

[Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	110	0.9 %
2	2 = Not Marked	592	5.0 %
	Total	702	5.9%

This variable has 702 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11101	94.0 %
	Total	11,112	94.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2193-2200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9106_02: In past 12 months, frequency with which the tobacco in cigarillos with tips was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]]

Cigarillos with tips

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos with tips/cigarillos without tips/filtered cigars as blunts, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos with tips/cigarillos without tips/filtered cigars as blunts.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG9105_NB = 1 AND R03_YG9107 = 1 AND R03_YG1095_02 = 1) OR (R03_YOUTHTYPE = 1 AND R03_YG9107 = 1 AND R03_YG1095_02 = 1).

[PROGRAM NOTE: Repeat this question for every cigar type identified in R03_YG1095.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	34	0.3 %
2	2 = Most of the time	16	0.1 %
3	3 = Sometimes	22	0.2 %
4	4 = Rarely	23	0.2 %

Value	Label	Unweighted Frequency	%
5	5 = Never	15	0.1 %
	Total	110	0.9%

This variable has 110 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11704	99.1 %
	Total	11,704	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2201-2208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1095_03: Type of cigar usually smoked as a blunt: Group 3 (Cigarillo without tip)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

Group 3

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG9105_NB = 1 AND R03_YG9107 = 1) OR (R03_YOUTHTYPE = 1 AND R03_YG9107 = 1).

[Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	608	5.1 %
2	2 = Not Marked	94	0.8 %
	Total	702	5.9%

This variable has 702 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11101	94.0 %
	Total	11,112	94.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2209-2216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9106_03: In past 12 months, frequency with which the tobacco in cigarillos without tips was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]]

Cigarillos without tips

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos with tips/cigarillos without tips/filtered cigars as blunts, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos with tips/cigarillos without tips/filtered cigars as blunts.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG9105_NB = 1 AND R03_YG9107 = 1 AND R03_YG1095_03 = 1) OR (R03_YOUTHTYPE = 1 AND R03_YG9107 = 1 AND R03_YG1095_03 = 1).

[PROGRAM NOTE: Repeat this question for every cigar type identified in R03_YG1095.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	350	3.0 %

Value	Label	Unweighted Frequency	%
2	2 = Most of the time	74	0.6 %
3	3 = Sometimes	57	0.5 %
4	4 = Rarely	103	0.9 %
5	5 = Never	21	0.2 %
	Total	605	5.1%

This variable has 605 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11206	94.9 %
	Total	11,209	94.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2217-2224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1095_04: Type of cigar usually smoked as a blunt: Group 4 (Filtered cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

Group 4

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG9105_NB = 1 AND R03_YG9107 = 1) OR (R03_YOUTHTYPE = 1 AND R03_YG9107 = 1).

[Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	43	0.4 %
2	2 = Not Marked	659	5.6 %
	Total	702	5.9%

This variable has 702 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11101	94.0 %
	Total	11,112	94.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2225-2232 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9106_04: In past 12 months, frequency with which the tobacco in filtered cigars was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]]

Filtered cigars

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos with tips/cigarillos without tips/filtered cigars as blunts, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos with tips/cigarillos without tips/filtered cigars as blunts.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YG9101_NB = 1 AND R03_YG9105_NB = 1 AND R03_YG9107 = 1 AND R03_YG1095_04 = 1) OR (R03_YOUTHTYPE = 1 AND R03_YG9107 = 1 AND R03_YG1095_04 = 1).

[PROGRAM NOTE: Repeat this question for every cigar type

identified in R03_YG1095.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	12	0.1 %
2	2 = Most of the time	6	0.1 %
3	3 = Sometimes	7	0.1 %
4	4 = Rarely	11	0.1 %
5	5 = Never	7	0.1 %
	Total	43	0.4%

This variable has 43 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11771	99.6 %
	Total	11,771	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 2233-2240 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1108TC: First traditional cigar smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[PROGRAM NOTE: See Box R03_YGV01, R03_YGR02, R03_YJT04, and R03_YJR09 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Was the first [CIGARFILL] you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R03_YJ1112TC.]

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: IF LOOP = BTRAD AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BTRAD = 1) OR R03_INIT_BLUNT_BTRAD_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	8	0.1 %
3	3 = I don't know	3	0.0 %
	Total	27	0.2%

This variable has 27 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,787	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2241-2248 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011TC_01: Flavor of first traditional cigar smoked as a blunt: Menthol or mint

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Traditional cigar smoked as a blunt

Menthol or mint

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BTRAD AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BTRAD = 1) OR R03_INIT_BLUNT_BTRAD_YOUTH = 1) AND R03_YJ1108TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	13	0.1 %

Value	Label	Unweighted Frequency	%
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2249-2256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011TC_02: Flavor of first traditional cigar smoked as a blunt: Clove or spice

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Traditional cigar smoked as a blunt

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BTRAD AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BTRAD = 1) OR R03_INIT_BLUNT_BTRAD_YOUTH = 1) AND R03_YJ1108TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	15	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2257-2264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011TC_03: Flavor of first traditional cigar smoked as a blunt: Fruit

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Traditional cigar smoked as a blunt

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BTRAD AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BTRAD = 1) OR R03_INIT_BLUNT_BTRAD_YOUTH = 1) AND R03_YJ1108TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	5	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2265-2272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011TC_04: Flavor of first traditional cigar smoked as a blunt: Chocolate

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Traditional cigar smoked as a blunt

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BTRAD AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BTRAD = 1) OR R03_INIT_BLUNT_BTRAD_YOUTH = 1) AND R03_YJ1108TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	12	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2273-2280 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011TC_05: Flavor of first traditional cigar smoked as a blunt: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Traditional cigar smoked as a blunt

An alcoholic drink (such as wine, cognac, margarita or other
cocktails)

ASK: New baseline youth respondents who are past 12 month
blunt-only traditional cigar/cigarillo/filtered cigar smokers
and initiated blunt-only traditional cigar/cigarillo/filtered
cigar smoking with flavored traditional
cigars/cigarillos/filtered cigars, or continuing youth
respondents who initiated blunt-only traditional
cigar/cigarillo/filtered cigar smoking since their last
completed interview and initiated blunt-only traditional
cigar/cigarillo/filtered cigar smoking with flavored
traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BTRAD AND ((R03_YOUTHTYPE = 2 AND
R03_12MBLUNT_ONLY_BTRAD = 1) OR R03_INIT_BLUNT_BTRAD_YOUTH = 1)
AND R03_YJ1108TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	15	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2281-2288 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011TC_06: Flavor of first traditional cigar smoked as a blunt: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Traditional cigar smoked as a blunt

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BTRAD AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BTRAD = 1) OR R03_INIT_BLUNT_BTRAD_YOUTH = 1) AND R03_YJ1108TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	12	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2289-2296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011TC_07: Flavor of first traditional cigar smoked as a blunt: Some other flavor

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Traditional cigar smoked as a blunt

Some other flavor

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BTRAD AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BTRAD = 1) OR R03_INIT_BLUNT_BTRAD_YOUTH = 1) AND R03_YJ1108TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	13	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2297-2304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1112TC: Last time smoked a traditional cigar as a blunt, even one or two puffs

When was the last time you smoked a [CIGARFILL] as a blunt, even one or two puffs?

Traditional cigar smoked as a blunt

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	10	0.1 %
2	2 = Not today but sometime in the past 7 days	5	0.0 %
3	3 = Not in the past 7 days but sometime in the past 30 days	8	0.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	11	0.1 %
5	5 = Not in the past 6 months but sometime in the past year	4	0.0 %
	Total	38	0.3%

This variable has 38 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11776	99.7 %
	Total	11,776	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 2305-2312 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1022TC: In past 30 days, number of days smoked a traditional cigar as a blunt

[PROGRAM NOTE: See Box R03_YJV02 and R03_YJR06 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke a [CIGARFILL] as a blunt?

Traditional cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1.

[Range check: 1-30 days.]

This variable has 23 valid cases out of 11,814 total cases.

- Mean: 14.83
- Median: 13.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00

- Standard Deviation: 12.53

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2313-2320 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1023TC: In past 30 days, number of traditional cigars smoked as a blunt per day on the days that you smoked

In the past 30 days, on the days you smoked [CIGARFILL]s as blunts, how many [CIGARFILL]s did you smoke as a blunt per day?

Traditional cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 traditional cigar per day	9	0.1 %
2	2 = 1 traditional cigar per day	1	0.0 %
3	3 = 2 to 5 traditional cigars per day	11	0.1 %
4	4 = 6 to 10 traditional cigars per day	1	0.0 %
5	5 = 11 to 20 traditional cigars per day	1	0.0 %
6	6 = More than 20 traditional cigars per day	0	0.0 %
	Total	23	0.2%

This variable has 23 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2321-2328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1130TC: In past 30 days, smoked traditional cigars as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Traditional cigar smoked as a blunt

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R03_YJ1142TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	8	0.1 %
3	3 = I don't know	4	0.0 %
	Total	23	0.2%

This variable has 23 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2329-2336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131TC_01: In past 30 days, smoked traditional cigars as blunts flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigar smoked as a blunt

Menthol or mint

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1
AND R03_YJ1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	10	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11803	99.9 %
	Total	11,803	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2337-2344 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131TC_02: In past 30 days, smoked traditional cigars as blunts flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigar smoked as a blunt

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only

traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1 AND R03_YJ1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11803	99.9 %
	Total	11,803	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2345-2352 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131TC_03: In past 30 days, smoked traditional cigars as blunts flavored to taste like fruit

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigar smoked as a blunt

Fruit

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1 AND R03_YJ1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	4	0.0 %

Value	Label	Unweighted Frequency	%
	Total	11	0.1%

This variable has 11 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11803	99.9 %
	Total	11,803	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2353-2360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131TC_04: In past 30 days, smoked traditional cigars as blunts flavored to taste like chocolate

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigar smoked as a blunt

Chocolate

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1
AND R03_YJ1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11803	99.9 %
	Total	11,803	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2361-2368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131TC_05: In past 30 days, smoked traditional cigars as blunts flavored to taste like an alcohol drink

Which flavors have you smoked in the past 30 days?

Choose all that apply.

Traditional cigar smoked as a blunt

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1
AND R03_YJ1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11803	99.9 %
	Total	11,803	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2369-2376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131TC_06: In past 30 days, smoked traditional cigars as a blunt flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigar smoked as a blunt

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1
AND R03_YJ1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	10	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11803	99.9 %
	Total	11,803	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2377-2384 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131TC_07: In past 30 days, smoked traditional cigars as blunts flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigar smoked as a blunt

Some other flavor

ASK: Youth respondents who are past 30 day blunt-only

traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1 AND R03_YJ1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11803	99.9 %
	Total	11,803	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2385-2392 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1142TC: In past 30 days, anyone sell you traditional cigars

In the past 30 days, did anyone sell you [CIGARFILL]s?

Traditional cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	16	0.1 %
	Total	23	0.2%

This variable has 23 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2393-2400 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1123TC: In the past 30 days, someone refused to sell you traditional cigars you used as blunts because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s because of your age?

Traditional cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1 %
2	2 = No	17	0.1 %
	Total	23	0.2%

This variable has 23 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2401-2408 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1118TC: In past 30 days, how you usually got your own traditional cigars as a blunt

In the past 30 days, how did you usually get your own [CIGARFILL]s for when you smoke blunts?

Traditional cigar smoked as a blunt

[If valid response (3 - 7), Don't Know (-8), or Refused (-7), Go to R03_YJ1047TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	6	0.1 %
2	2 = I bought them myself from a store (including a cigar bar)	4	0.0 %
3	3 = I asked someone to give me one	4	0.0 %
4	4 = Someone offered it to me	6	0.1 %
5	5 = I bought them from another person	2	0.0 %
6	6 = I took them from a store or another person	1	0.0 %
7	7 = I got them some other way	0	0.0 %
	Total	23	0.2%

This variable has 23 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2409-2416 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1030TC: How you usually buy your traditional cigars for blunts

How do [you/they] usually buy your [CIGARFILL]s for when you smoke blunts?

Traditional cigar smoked as a blunt

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R03_YJ1039TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1 AND R03_YJ1118TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	9	0.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	1	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,804	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2417-2424 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1033TC: Retail location where your traditional cigars for blunts are bought most of the time

Where do [you/they] buy your [CIGARFILL]s for blunts most of the time?

Traditional cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store in person.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1 AND R03_YJ1118TC = 1, 2 AND R03_YJ1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	8	0.1 %
3	3 = A supermarket, grocery store, or drug store	1	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11805	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2425-2432 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1039TC: Usually buy traditional cigars for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s for blunts. Did you buy them by the box or pack, or as single [CIGARFILL]s?

Traditional cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1 AND R03_YJ1118TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	6	0.1 %
2	2 = Single traditional cigars	4	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,804	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2433-2440 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1040TC: Number of traditional cigars that come in box or pack usually bought for blunts

How many [CIGARFILL]s came in the box or pack that you last bought for blunts?

Traditional cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1 AND R03_YJ1118TC = 1, 2 AND R03_YJ1039TC = 1.

This variable has 6 valid cases out of 11,814 total cases.

- Mean: 5.67
- Median: 2.50
- Mode: 2.00
- Minimum: 2.00
- Maximum: 13.00
- Standard Deviation: 5.32

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11808	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2441-2448 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1034TC_D: Amount paid when last time bought a box of traditional cigars for blunts/pack of traditional cigars for blunts/single traditional cigar for blunts - Dollars

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARILL]]?

Traditional cigar smoked as a blunt

_____ DOLLARS

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1 AND R03_YJ1118TC = 1, 2 AND R03_YJ1039TC = 1, 2.

This variable has 10 valid cases out of 11,814 total cases.

- Mean: 3.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 5.85

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,804	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2449-2456 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1034TC_C: Amount paid when last time bought a box of traditional cigars for blunts/pack of traditional cigars for blunts/single traditional cigar for blunts - Cents

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARILL]]?

Traditional cigar smoked as a blunt

_____ CENTS

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF LOOP = BTRAD AND R03_30DBLUNT_ONLY_BTRAD = 1 AND R03_YJ1118TC = 1, 2 AND R03_YJ1039TC = 1, 2.

This variable has 10 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,804	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2457-2464 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1047TC: Have a regular brand of traditional cigars you usually smoke as blunts

Do you have a regular brand of [CIGARFILL]s that you usually

smoke as blunts?

Traditional cigar smoked as a blunt

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2 %
2	2 = No	17	0.1 %
	Total	38	0.3%

This variable has 38 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11776	99.7 %
	Total	11,776	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 2465-2472 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1945TC: Know the name of brand of traditional cigars usually smoke/last smoked as blunts

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/last smoked] as blunts?

Traditional cigar smoked as a blunt

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YJR08.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	18	0.2 %

Value	Label	Unweighted Frequency	%
	Total	38	0.3%

This variable has 38 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11776	99.7 %
	Total	11,776	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 2473-2480 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1048TC_BRAND: Brand of traditional cigars usually/last smoked as blunts

What brand of [CIGARFILL] [do/did] you [usually/last] smoke as a blunt?

Traditional cigar smoked as a blunt

Please select it from the choices below by touching the screen. If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_YJ1945TC = 1.

This variable has 19 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11794	99.8 %
	Total	11,795	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2481-2488 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Traditional cigar smoked as a blunt

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF LOOP = BTRAD AND R03_12MBLUNT_ONLY_BTRAD = 1 AND R03_YJ1945TC = 1 AND R03_YJ1048TC_BRAND != 9995, -8, -7.

This variable has 19 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11795	99.8 %
	Total	11,795	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 2489-2496 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1108CG: First cigarillo smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[PROGRAM NOTE: See Box R03_YGV01, R03_YGR02, R03_YJT04, and R03_YJR09 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Was the first [CIGARFILL] you smoked as a blunt flavored to

taste like menthol, mint, clove, spice, fruit, chocolate,
alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7),
Go to R03_YJ1112CG.]

ASK: New baseline youth respondents who are past 12 month
blunt-only traditional cigar/cigarillo/filtered cigar smokers,
or continuing youth respondents who initiated blunt-only
traditional cigar/cigarillo/filtered cigar smoking since their
last completed interview.

ASK Specification: IF LOOP = BRILLO AND ((R03_YOUTHTYPE = 2 AND
R03_12MBLUNT_ONLY_BRILLO = 1) OR R03_INIT_BLUNT_BRILLO_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	103	0.9 %
2	2 = No	61	0.5 %
3	3 = I don't know	39	0.3 %
	Total	203	1.7%

This variable has 203 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11611	98.3 %
	Total	11,611	98.3%

Percentages for both tables are based on 11,814 total cases.

Location: 2497-2504 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011CG_01: Flavor of first cigarillo smoked as a blunt: Menthol or mint

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Cigarillo smoked as a blunt

Menthol or mint

ASK: New baseline youth respondents who are past 12 month
blunt-only traditional cigar/cigarillo/filtered cigar smokers
and initiated blunt-only traditional cigar/cigarillo/filtered
cigar smoking with flavored traditional
cigars/cigarillos/filtered cigars, or continuing youth
respondents who initiated blunt-only traditional

cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BRILLO AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BRILLO = 1) OR R03_INIT_BLUNT_BRILLO_YOUTH = 1) AND R03_YJ1108CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	100	0.8 %
	Total	102	0.9%

This variable has 102 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11711	99.1 %
	Total	11,712	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2505-2512 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011CG_02: Flavor of first cigarillo smoked as a blunt: Clove or spice

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Cigarillo smoked as a blunt

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BRILLO AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BRILLO = 1) OR R03_INIT_BLUNT_BRILLO_YOUTH = 1)

AND R03_YJ1108CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	101	0.9 %
	Total	102	0.9%

This variable has 102 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11711	99.1 %
	Total	11,712	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2513-2520 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011CG_03: Flavor of first cigarillo smoked as a blunt: Fruit

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Cigarillo smoked as a blunt

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BRILLO AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BRILLO = 1) OR R03_INIT_BLUNT_BRILLO_YOUTH = 1) AND R03_YJ1108CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	78	0.7 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	24	0.2 %
	Total	102	0.9%

This variable has 102 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11711	99.1 %
	Total	11,712	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2521-2528 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011CG_04: Flavor of first cigarillo smoked as a blunt: Chocolate

What flavor was that first [CIGARFILL] you smoked as a blunt?

Choose all that apply.

Cigarillo smoked as a blunt

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BRILLO AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BRILLO = 1) OR R03_INIT_BLUNT_BRILLO_YOUTH = 1) AND R03_YJ1108CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	92	0.8 %
	Total	102	0.9%

This variable has 102 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11711	99.1 %
	Total	11,712	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2529-2536 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011CG_05: Flavor of first cigarillo smoked as a blunt: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Cigarillo smoked as a blunt

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BRILLO AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BRILLO = 1) OR R03_INIT_BLUNT_BRILLO_YOUTH = 1) AND R03_YJ1108CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	98	0.8 %
	Total	102	0.9%

This variable has 102 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11711	99.1 %
	Total	11,712	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2537-2544 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011CG_06: Flavor of first cigarillo smoked as a blunt: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Cigarillo smoked as a blunt

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BRILLO AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BRILLO = 1) OR R03_INIT_BLUNT_BRILLO_YOUTH = 1) AND R03_YJ1108CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.2 %
2	2 = Not Marked	80	0.7 %
	Total	102	0.9%

This variable has 102 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11711	99.1 %
	Total	11,712	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2545-2552 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011CG_07: Flavor of first cigarillo smoked as a blunt: Some other flavor

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Cigarillo smoked as a blunt

Some other flavor

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BRILLO AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BRILLO = 1) OR R03_INIT_BLUNT_BRILLO_YOUTH = 1) AND R03_YJ1108CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	93	0.8 %
	Total	102	0.9%

This variable has 102 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11711	99.1 %
	Total	11,712	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 2553-2560 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1112CG: Last time smoked a cigarillo as a blunt, even one or two puffs

When was the last time you smoked a [CIGARFILL] as a blunt, even one or two puffs?

Cigarillo smoked as a blunt

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	35	0.3 %
2	2 = Not today but sometime in the past 7 days	86	0.7 %
3	3 = Not in the past 7 days but sometime in the past 30 days	71	0.6 %
4	4 = Not in the past 30 days but sometime in the past 6 months	99	0.8 %
5	5 = Not in the past 6 months but sometime in the past year	69	0.6 %
	Total	360	3.0%

This variable has 360 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11451	96.9 %
	Total	11,454	97.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2561-2568 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1022CG: In past 30 days, number of days smoked a cigarillo as a blunt

[PROGRAM NOTE: See Box R03_YJV02 and R03_YJR06 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke a [CIGARFILL] as a blunt?

Cigarillo smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1.

[Range check: 1-30 days.]

This variable has 187 valid cases out of 11,814 total cases.

- Mean: 9.26
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 9.56

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11622	98.4 %
	Total	11,627	98.4 %

Percentages for both tables are based on 11,814 total cases.

Location: 2569-2576 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1023CG: In past 30 days, number of cigarillos smoked as a blunt per day on the days that you smoked

In the past 30 days, on the days you smoked [CIGARFILL]s as blunts, how many [CIGARFILL]s did you smoke as a blunt per day?

Cigarillo smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarillo per day	59	0.5 %
2	2 = 1 cigarillo per day	58	0.5 %
3	3 = 2 to 5 cigarillos per day	57	0.5 %
4	4 = 6 to 10 cigarillos per day	9	0.1 %
5	5 = 11 to 20 cigarillos per day	4	0.0 %

Value	Label	Unweighted Frequency	%
6	6 = More than 20 cigarillos per day	3	0.0 %
	Total	190	1.6%

This variable has 190 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11622	98.4 %
	Total	11,624	98.4%

Percentages for both tables are based on 11,814 total cases.

Location: 2577-2584 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1130CG: In past 30 days, smoked cigarillos as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Cigarillo smoked as a blunt

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7),
Go to R03_YJ1142CG.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	122	1.0 %
2	2 = No	54	0.5 %
3	3 = I don't know	16	0.1 %
	Total	192	1.6%

This variable has 192 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11622	98.4 %
	Total	11,622	98.4%

Percentages for both tables are based on 11,814 total cases.

Location: 2585-2592 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131CG_01: In past 30 days, smoked cigarillos as blunts flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillo smoked as a blunt

Menthol or mint

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND
R03_30DBLUNT_ONLY_BRILLO = 1 AND R03_YJ1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2 %
2	2 = Not Marked	98	0.8 %
	Total	122	1.0%

This variable has 122 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11692	99.0 %
	Total	11,692	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2593-2600 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131CG_02: In past 30 days, smoked cigarillos as blunts flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillo smoked as a blunt

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND
R03_30DBLUNT_ONLY_BRILLO = 1 AND R03_YJ1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	118	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11692	99.0 %
	Total	11,692	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2601-2608 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131CG_03: In past 30 days, smoked cigarillos as blunts flavored to taste like fruit

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillo smoked as a blunt

Fruit

ASK: Youth respondents who are past 30 day blunt-only

traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1 AND R03_YJ1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	103	0.9 %
2	2 = Not Marked	19	0.2 %
	Total	122	1.0%

This variable has 122 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11692	99.0 %
	Total	11,692	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2609-2616 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131CG_04: In past 30 days, smoked cigarillos as blunts flavored to taste like chocolate

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillo smoked as a blunt

Chocolate

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1 AND R03_YJ1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.2 %
2	2 = Not Marked	102	0.9 %

Value	Label	Unweighted Frequency	%
	Total	122	1.0%

This variable has 122 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11692	99.0 %
	Total	11,692	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2617-2624 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131CG_05: In past 30 days, smoked cigarillos as blunts flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days?

Choose all that apply.

Cigarillo smoked as a blunt

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND

R03_30DBLUNT_ONLY_BRILLO = 1 AND R03_YJ1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1 %
2	2 = Not Marked	116	1.0 %
	Total	122	1.0%

This variable has 122 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11692	99.0 %
	Total	11,692	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2625-2632 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131CG_06: In past 30 days, smoked cigarillos as a blunt flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillo smoked as a blunt

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND
R03_30DBLUNT_ONLY_BRILLO = 1 AND R03_YJ1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	41	0.3 %
2	2 = Not Marked	81	0.7 %
	Total	122	1.0%

This variable has 122 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11692	99.0 %
	Total	11,692	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2633-2640 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131CG_07: In past 30 days, smoked cigarillos as blunts flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillo smoked as a blunt

Some other flavor

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1 AND R03_YJ1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.2 %
2	2 = Not Marked	104	0.9 %
	Total	122	1.0%

This variable has 122 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11692	99.0 %
	Total	11,692	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2641-2648 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1142CG: In past 30 days, anyone sell you cigarillos

In the past 30 days, did anyone sell you [CIGARFILL]s?

Cigarillo smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	57	0.5 %
2	2 = No	135	1.1 %
	Total	192	1.6%

This variable has 192 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11622	98.4 %
	Total	11,622	98.4%

Percentages for both tables are based on 11,814 total cases.

Location: 2649-2656 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1123CG: In the past 30 days, someone refused to sell you cigarillos you used as blunts because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s because of your age?

Cigarillo smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	28	0.2 %
2	2 = No	162	1.4 %
	Total	190	1.6%

This variable has 190 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11622	98.4 %

	Missing Data		
	Total	11,624	98.4%

Percentages for both tables are based on 11,814 total cases.

Location: 2657-2664 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1118CG: In past 30 days, how you usually got your own cigarillo as a blunt

In the past 30 days, how did you usually get your own [CIGARFILL]s for when you smoke blunts?

Cigarillo smoked as a blunt

[If valid response (3 - 7), Don't Know (-8), or Refused (-7),
Go to R03_YJ1047CG.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	57	0.5 %
2	2 = I bought them myself from a store (including a cigar bar)	31	0.3 %
3	3 = I asked someone to give me one	21	0.2 %
4	4 = Someone offered it to me	57	0.5 %
5	5 = I bought them from another person	11	0.1 %
6	6 = I took them from a store or another person	4	0.0 %
7	7 = I got them some other way	8	0.1 %
	Total	189	1.6%

This variable has 189 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11622	98.4 %
	Total	11,625	98.4%

Percentages for both tables are based on 11,814 total cases.

Location: 2665-2672 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1030CG: How you usually buy your cigarillos for blunts

How do [you/they] usually buy your [CIGARFILL]s for when you smoke blunts?

Cigarillo smoked as a blunt

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R03_YJ1039CG.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1 AND R03_YJ1118CG = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	85	0.7 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	3	0.0 %
	Total	88	0.7%

This variable has 88 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11726	99.3 %
	Total	11,726	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 2673-2680 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1033CG: Retail location where your cigarillos for blunts are bought most of the time

Where do [you/they] buy your [CIGARFILL]s for blunts most of the time?

Cigarillo smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually

get traditional cigars/cigarillos/filtered cigars for blunts
by giving someone else money to buy for them or buying
themselves from a store in person.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1
AND R03_YJ1118CG = 1, 2 AND R03_YJ1030CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	67	0.6 %
3	3 = A supermarket, grocery store, or drug store	7	0.1 %
4	4 = A warehouse club, such as Sam's or Costco	1	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	7	0.1 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	1	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	1	0.0 %
	Total	84	0.7%

This variable has 84 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11729	99.3 %
	Total	11,730	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 2681-2688 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1039CG: Usually buy cigarillos for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone
else to buy you] [CIGARFILL]s for blunts. Did you buy them by
the box or pack, or as single [CIGARFILL]s?

Cigarillo smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only
traditional cigar/cigarillo/filtered cigar smokers and usually
get traditional cigars/cigarillos/filtered cigars for blunts
by giving someone else money to buy for them or buying

themselves from a store.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1
AND R03_YJ1118CG = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	46	0.4 %
2	2 = Single cigarillos	42	0.4 %
	Total	88	0.7%

This variable has 88 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11726	99.3 %
	Total	11,726	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 2689-2696 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1040CG: Number of cigarillos that come in box or pack usually bought for blunts

How many [CIGARFILL]s came in the box or pack that you last bought for blunts?

Cigarillo smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1
AND R03_YJ1118CG = 1, 2 AND R03_YJ1039CG = 1.

This variable has 46 valid cases out of 11,814 total cases.

- Mean: 4.59
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00

- Maximum: 90.00
- Standard Deviation: 13.00

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11768	99.6 %
	Total	11,768	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 2697-2704 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1034CG_D: Amount paid when last time bought a box of cigarillos for blunts/pack of cigarillos for blunts/single cigarillo for blunts - Dollars

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARILL]]?

Cigarillo smoked as a blunt

_____ DOLLARS

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1 AND R03_YJ1118CG = 1, 2 AND R03_YJ1039CG = 1, 2.

This variable has 86 valid cases out of 11,814 total cases.

- Mean: 7.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 420.00
- Standard Deviation: 46.21

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11726	99.3 %
	Total	11,728	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 2705-2712 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1034CG_C: Amount paid when last time bought a box of cigarillos for blunts/pack of cigarillos for blunts/single cigarillo for blunts - Cents

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARILL]]?

Cigarillo smoked as a blunt

_____ CENTS

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF LOOP = BRILLO AND R03_30DBLUNT_ONLY_BRILLO = 1 AND R03_YJ1118CG = 1, 2 AND R03_YJ1039CG = 1, 2.

This variable has 86 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11728	99.3 %
	Total	11,728	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 2713-2720 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1047CG: Have a regular brand of cigarillos you usually smoke as blunts

Do you have a regular brand of [CIGARFILL]s that you usually smoke as blunts?

Cigarillo smoked as a blunt

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	166	1.4 %
2	2 = No	196	1.7 %
	Total	362	3.1%

This variable has 362 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11451	96.9 %
	Total	11,452	96.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2721-2728 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1945CG: Know the name of brand of cigarillos usually smoke/last smoked as blunts

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/last smoked] as blunts?

Cigarillo smoked as a blunt

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YJR08.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	198	1.7 %
2	2 = No	164	1.4 %
	Total	362	3.1%

This variable has 362 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11451	96.9 %
	Total	11,452	96.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2729-2736 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1048CG_BRAND: Brand of cigarillos usually/last smoked as blunts

What brand of [CIGARFILL] [do/did] you [usually/last] smoke as a blunt?

Cigarillo smoked as a blunt

Please select it from the choices below by touching the screen. If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_YJ1945CG = 1.

This variable has 197 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11616	98.3 %

	Missing Data		
	Total	11,617	98.3%

Percentages for both tables are based on 11,814 total cases.

Location: 2737-2744 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1070CG_PRODUCT: Sub-brand of cigarillo product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Cigarillo smoked as a blunt

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF LOOP = BRILLO AND R03_12MBLUNT_ONLY_BRILLO = 1 AND R03_YJ1945CG = 1 AND R03_YJ1048CG_BRAND != 9995, -8, -7.

This variable has 189 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11620	98.4 %
	Total	11,625	98.4%

Percentages for both tables are based on 11,814 total cases.

Location: 2745-2752 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1108FC: First filtered cigar smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

[PROGRAM NOTE: See Box R03_YGV01, R03_YGR02, R03_YJT04, and R03_YJR09 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Was the first [CIGARFILL] you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R03_YJ1112FC.]

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: IF LOOP = BFILTR AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BFILTR = 1) OR R03_INIT_BLUNT_BFILTR_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	6	0.1 %
3	3 = I don't know	2	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11802	99.9 %
	Total	11,802	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2753-2760 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011FC_01: Flavor of first filtered cigar smoked as a blunt: Menthol or mint

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Filtered cigar smoked as a blunt

Menthol or mint

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional

cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BFILTR AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BFILTR = 1) OR R03_INIT_BLUNT_BFILTR_YOUTH = 1) AND R03_YJ1108FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2761-2768 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011FC_02: Flavor of first filtered cigar smoked as a blunt: Clove or spice

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Filtered cigar smoked as a blunt

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BFILTR AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BFILTR = 1) OR R03_INIT_BLUNT_BFILTR_YOUTH = 1) AND R03_YJ1108FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	1	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2769-2776 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011FC_03: Flavor of first filtered cigar smoked as a blunt: Fruit

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Filtered cigar smoked as a blunt

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BFILTR AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BFILTR = 1) OR R03_INIT_BLUNT_BFILTR_YOUTH = 1) AND R03_YJ1108FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	2	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2777-2784 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011FC_04: Flavor of first filtered cigar smoked as a blunt: Chocolate

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Filtered cigar smoked as a blunt

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BFILTR AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BFILTR = 1) OR R03_INIT_BLUNT_BFILTR_YOUTH = 1) AND R03_YJ1108FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2785-2792 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011FC_05: Flavor of first filtered cigar smoked as a blunt: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Filtered cigar smoked as a blunt

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BFILTR AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BFILTR = 1) OR R03_INIT_BLUNT_BFILTR_YOUTH = 1) AND R03_YJ1108FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2793-2800 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011FC_06: Flavor of first filtered cigar smoked as a blunt: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Filtered cigar smoked as a blunt

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BFILTR AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BFILTR = 1) OR R03_INIT_BLUNT_BFILTR_YOUTH = 1) AND R03_YJ1108FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2801-2808 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1011FC_07: Flavor of first filtered cigar smoked as a blunt: Some other flavor

What flavor was that first [CIGARFILL] you smoked as a blunt?
Choose all that apply.

Filtered cigar smoked as a blunt

Some other flavor

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = BFILTR AND ((R03_YOUTHTYPE = 2 AND R03_12MBLUNT_ONLY_BFILTR = 1) OR R03_INIT_BLUNT_BFILTR_YOUTH = 1) AND R03_YJ1108FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2809-2816 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1112FC: Last time smoked a filtered cigar as a blunt, even one or two puffs

When was the last time you smoked a [CIGARFILL] as a blunt, even one or two puffs?

Filtered cigar smoked as a blunt

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	0	0.0 %
2	2 = Not today but sometime in the past 7 days	1	0.0 %
3	3 = Not in the past 7 days but sometime in the past 30 days	2	0.0 %
4	4 = Not in the past 30 days but sometime in the past 6 months	5	0.0 %
5	5 = Not in the past 6 months but sometime in the past year	3	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11802	99.9 %
	Total	11,803	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2817-2824 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1022FC: In past 30 days, number of days smoked a filtered cigar as a blunt

[PROGRAM NOTE: See Box R03_YJV02 and R03_YJR06 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke a [CIGARFILL] as a blunt?

Filtered cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1.

[Range check: 1-30 days.]

This variable has 3 valid cases out of 11,814 total cases.

- Mean: 2.33
- Median: 2.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.53

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11811	100.0 %
	Total	11,811	100.0 %

Percentages for both tables are based on 11,814 total cases.

Location: 2825-2832 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1023FC: In past 30 days, number of filtered cigars smoked as a blunt per day on the days that you smoked

In the past 30 days, on the days you smoked [CIGARFILL]s as blunts, how many [CIGARFILL]s did you smoke as a blunt per day?

Filtered cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 filtered cigar per day	1	0.0 %
2	2 = 1 filtered cigar per day	1	0.0 %
3	3 = 2 to 5 filtered cigars per day	1	0.0 %
4	4 = 6 to 10 filtered cigars per day	0	0.0 %
5	5 = 11 to 20 filtered cigars per day	0	0.0 %
6	6 = More than 20 filtered cigars per day	0	0.0 %

Value	Label	Unweighted Frequency	%
	Total	3	0.0%

This variable has 3 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11811	100.0 %
	Total	11,811	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2833-2840 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1130FC: In past 30 days, smoked filtered cigars as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Filtered cigar smoked as a blunt

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7),
Go to R03_YJ1142FC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	3	0.0 %
3	3 = I don't know	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11811	100.0 %
	Total	11,811	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2841-2848 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131FC_01: In past 30 days, smoked filtered cigars as blunts flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigar smoked as a blunt

Menthol or mint

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND
R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2849-2856 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131FC_02: In past 30 days, smoked filtered cigars as blunts flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigar smoked as a blunt

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND
R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2857-2864 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131FC_03: In past 30 days, smoked filtered cigars as blunts flavored to taste like fruit

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigar smoked as a blunt

Fruit

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars

as blunts in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND
R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2865-2872 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131FC_04: In past 30 days, smoked filtered cigars as blunts flavored to taste like chocolate

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigar smoked as a blunt

Chocolate

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND
R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2873-2880 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131FC_05: In past 30 days, smoked filtered cigars as blunts flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigar smoked as a blunt

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2881-2888 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131FC_06: In past 30 days, smoked filtered cigars as a blunt flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigar smoked as a blunt

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2889-2896 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1131FC_07: In past 30 days, smoked filtered cigars as blunts flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigar smoked as a blunt

Some other flavor

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2897-2904 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1142FC: In past 30 days, anyone sell you filtered cigars

In the past 30 days, did anyone sell you [CIGARFILL]s?

Filtered cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	2	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11811	100.0 %
	Total	11,811	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2905-2912 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1123FC: In the past 30 days, someone refused to sell you filtered cigars you used as blunts because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]
s because of your age?

Filtered cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only
traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	2	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11811	100.0 %
	Total	11,811	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2913-2920 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1118FC: In past 30 days, how you usually got your own filtered cigars as a blunt

In the past 30 days, how did you usually get your own [CIGARFILL]s for when you smoke blunts?

Filtered cigar smoked as a blunt

[If valid response (3 - 7), Don't Know (-8), or Refused (-7),
Go to R03_YJ1047FC.]

ASK: Youth respondents who are past 30 day blunt-only
traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	0	0.0 %
2	2 = I bought them myself from a store (including a cigar bar)	1	0.0 %
3	3 = I asked someone to give me one	0	0.0 %
4	4 = Someone offered it to me	1	0.0 %
5	5 = I bought them from another person	1	0.0 %
6	6 = I took them from a store or another person	0	0.0 %
7	7 = I got them some other way	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11811	100.0 %
	Total	11,811	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2921-2928 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1030FC: How you usually buy your filtered cigars for blunts

How do [you/they] usually buy your [CIGARFILL]s for when you
smoke blunts?

Filtered cigar smoked as a blunt

[If From the internet (2), By telephone (3), Don't Know (-8),

or Refused (-7), Go to R03_YJ1039FC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1118FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	1	0.0 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11813	100.0 %
	Total	11,813	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2929-2936 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1033FC: Retail location where your filtered cigars for blunts are bought most of the time

Where do [you/they] buy your [CIGARFILL]s for blunts most of the time?

Filtered cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store in person.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1118FC = 1, 2 AND R03_YJ1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	1	0.0 %
3	3 = A supermarket, grocery store, or drug store	0	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11813	100.0 %
	Total	11,813	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2937-2944 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1039FC: Usually buy filtered cigars for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s for blunts. Did you buy them by the box or pack, or as single [CIGARFILL]s?

Filtered cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1118FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	0	0.0 %
2	2 = Single filtered cigars	1	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11813	100.0 %
	Total	11,813	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2945-2952 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1040FC: Number of filtered cigars that come in box or pack usually bought for blunts

How many [CIGARFILL]s came in the box or pack that you last bought for blunts?

Filtered cigar smoked as a blunt

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1118FC = 1, 2 AND R03_YJ1039FC = 1.

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2953-2960 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1034FC_D: Amount paid when last time bought a box of filtered cigars for blunts/pack of filtered cigars for blunts/single filtered cigar for blunts - Dollars

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARILL]]?

Filtered cigar smoked as a blunt

_____ DOLLARS

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1118FC = 1, 2 AND R03_YJ1039FC = 1, 2.

This variable has 1 valid cases out of 11,814 total cases.

- Mean: 5.00
- Median: 5.00
- Mode: 5.00
- Minimum: 5.00
- Maximum: 5.00
- Standard Deviation: 0.00

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11813	100.0 %
	Total	11,813	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2961-2968 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1034FC_C: Amount paid when last time bought a box of filtered cigars for blunts/pack of filtered cigars for blunts/single filtered cigar for blunts - Cents

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARILL]]?

Filtered cigar smoked as a blunt

_____ CENTS

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF LOOP = BFILTR AND R03_30DBLUNT_ONLY_BFILTR = 1 AND R03_YJ1118FC = 1, 2 AND R03_YJ1039FC = 1, 2.

This variable has 1 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11813	100.0 %
	Total	11,813	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2969-2976 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YJ1047FC: Have a regular brand of filtered cigars you usually smoke as blunts

Do you have a regular brand of [CIGARFILL]s that you usually smoke as blunts?

Filtered cigar smoked as a blunt

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	9	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11802	99.9 %
	Total	11,802	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2977-2984 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1945FC: Know the name of brand of filtered cigars usually smoke/last smoked as blunts

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/last smoked] as blunts?

Filtered cigar smoked as a blunt

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YJR08.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	9	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11802	99.9 %
	Total	11,802	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 2985-2992 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1048FC_BRAND: Brand of filtered cigars usually/last smoked as blunts

What brand of [CIGARFILL] [do/did] you [usually/last] smoke as a blunt?

Filtered cigar smoked as a blunt

Please select it from the choices below by touching the screen. If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_YJ1945FC = 1.

This variable has 2 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11811	100.0 %
	Total	11,812	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 2993-3000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YJ1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Filtered cigar smoked as a blunt

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF LOOP = BFILTR AND R03_12MBLUNT_ONLY_BFILTR = 1 AND R03_YJ1945FC = 1 AND R03_YJ1048FC_BRAND != 9995, -8, -7.

This variable has 2 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11812	100.0 %
	Total	11,812	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 3001-3008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YG1006TC_NB: DERIVED - Age range when first tried a traditional cigar, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a traditional cigar, even one or two puffs?

Algorithm: IF R03_YG1120TC_NB = 1 OR (0<=R03_YG1006TC_NB<=11) THEN R03R_Y_YG1006TC_NB = 1; ELSE IF R03_YG1120TC_NB = 2 OR (12<=R03_YG1006TC_NB<=14) THEN R03R_Y_YG1006TC_NB = 2; ELSE IF R03_YG1120TC_NB = 3 OR (15<=R03_YG1006TC_NB<=17) THEN R03R_Y_YG1006TC_NB = 3; ELSE IF R03_YG1006TC_NB = -9 OR R03_YG1120TC_NB = -9 THEN R03R_Y_YG1006TC_NB = -99999; ELSE IF R03_YG1006TC_NB = -8 OR R03_YG1120TC_NB = -8 THEN R03R_Y_YG1006TC_NB = -99988; ELSE IF R03_YG1006TC_NB = -7 OR R03_YG1120TC_NB = -7 THEN R03R_Y_YG1006TC_NB = -99977; ELSE IF R03_YG1006TC_NB = -5 THEN R03R_Y_YG1006TC_NB = -99955; ELSE IF R03_YG1006TC_NB = -1 OR R03_YG1120TC_NB = -1 THEN R03R_Y_YG1006TC_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	3	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = 12 to 14 years old	2	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11809	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,809	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 3009-3016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YG1108TC: First traditional cigar smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first [CIGARFILL] you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Traditional cigars

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7),
Go to Box R03_YGR09.]

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: IF LOOP = GTRAD AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1) OR R03_INIT_GTRAD_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = No	19	0.2 %
3	3 = I don't know	16	0.1 %
	Total	49	0.4%

This variable has 49 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11764	99.6 %
	Total	11,765	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3017-3024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011TC_01: Flavor of first traditional cigar smoked: Menthol or mint

What flavor was that first [CIGARFILL] you smoked?

Choose all that apply.

Traditional cigars

Menthol or mint

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1) OR (R03_INIT_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3025-3032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011TC_02: Flavor of first traditional cigar smoked: Clove or spice

What flavor was that first [CIGARFILL] you smoked?

Choose all that apply.

Traditional cigars

Clove or spice

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1) OR (R03_INIT_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	13	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3033-3040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011TC_03: Flavor of first traditional cigar smoked: Fruit

What flavor was that first [CIGARFILL] you smoked?
Choose all that apply.

Traditional cigars

Fruit

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1) OR (R03_INIT_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1 %
2	2 = Not Marked	8	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3041-3048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011TC_04: Flavor of first traditional cigar smoked: Chocolate

What flavor was that first [CIGARFILL] you smoked?

Choose all that apply.

Traditional cigars

Chocolate

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1) OR (R03_INIT_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3049-3056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011TC_05: Flavor of first traditional cigar smoked: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked?

Choose all that apply.

Traditional cigars

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or

continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1) OR (R03_INIT_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	14	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3057-3064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011TC_06: Flavor of first traditional cigar smoked: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked?
Choose all that apply.

Traditional cigars

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1) OR (R03_INIT_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	12	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3065-3072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011TC_07: Flavor of first traditional cigar smoked: Some other flavor

What flavor was that first [CIGARFILL] you smoked?

Choose all that apply.

Traditional cigars

Some other flavor

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GTRAD AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1) OR (R03_INIT_GTRAD_YOUTH = 1 AND R03_YG1108TC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3073-3080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1005TC: Number of traditional cigars smoked in entire life

[BOX ID: R03_YGR09 - New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview, go to R03_YG1005[TC/CL/FC]. Else, go to R03_YG9040[TC/CL/FC].

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GTRAD_YOUTH = 1 AND R02_NUMLIFE_GTRAD != 1), GO TO R03_YG1005TC. ELSE, GO TO R03_YG9040TC.]

How many [CIGARFILL]s have you smoked in your entire life?

Traditional cigars

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview.

ASK Specification: IF LOOP = GTRAD AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GTRAD_YOUTH = 1 AND (R03_INIT_GTRAD_YOUTH = 1 OR R02_NUMLIFE_GTRAD != 1))).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	77	0.7 %
2	2 = 1	18	0.2 %
3	3 = 2 to 10	44	0.4 %
4	4 = 11 to 20	10	0.1 %
5	5 = 21 to 50	6	0.1 %

Value	Label	Unweighted Frequency	%
6	6 = 51 to 99	1	0.0 %
7	7 = 100 or more	2	0.0 %
	Total	158	1.3%

This variable has 158 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11634	98.5 %
	Total	11,656	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3081-3088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9040TC: Group most like traditional cigar usually smoked

Please look at this picture. Which group is most like the [CIGARFILL] you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

Traditional cigars

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GTRAD AND R03_EVER_NEVER_GTRAD_YOUTH = 1.

[Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Group 1	70	0.6 %
2	2 = Group 2	50	0.4 %
3	3 = Group 3	32	0.3 %
4	4 = Group 4	11	0.1 %
	Total	163	1.4%

This variable has 163 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.2 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11626	98.4 %
	Total	11,651	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3089-3096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1100TC: Ever smoked traditional cigars fairly regularly

[BOX ID: R03_YGR18 - New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, go to R03_YG1100[TC/CL/FC]. Else, go to R03_YG1112[TC/CL/FC].

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GTRAD_YOUTH = 1 AND R02_REGUSE_GTRAD != 1), GO TO R03_YG1100TC. ELSE, GO TO R03_YG1112TC.]

Have you ever smoked [CIGARFILL]s fairly regularly?

Traditional cigars

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YG1112TC.]

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview.

ASK Specification: IF LOOP = GTRAD AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GTRAD_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GTRAD_YOUTH = 1 AND R02_REGUSE_GTRAD != 1)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	159	1.3 %
	Total	172	1.5%

This variable has 172 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11641	98.5 %
	Total	11,642	98.5%

Percentages for both tables are based on 11,814 total cases.

Location: 3097-3104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YG1007TC: DERIVED - Age range when first started smoking traditional cigars fairly regularly (3 levels)

Long Description: How old were you when you first started smoking traditional cigars fairly regularly?

Algorithm: IF R03_YG1121TC = 1 OR (0<=R03_YG1007TC<=11) THEN R03R_Y_YG1007TC = 1; ELSE IF R03_YG1121TC = 2 OR (12<=R03_YG1007TC<=14) THEN R03R_Y_YG1007TC = 2; ELSE IF R03_YG1121TC = 3 OR (15<=R03_YG1007TC<=17) THEN R03R_Y_YG1007TC = 3; ELSE IF R03_YG1007TC = -9 OR R03_YG1121TC = -9 THEN R03R_Y_YG1007TC = -99999; ELSE IF R03_YG1007TC = -8 OR R03_YG1121TC = -8 THEN R03R_Y_YG1007TC = -99988; ELSE IF R03_YG1007TC = -7 OR R03_YG1121TC = -7 THEN R03R_Y_YG1007TC = -99977; ELSE IF R03_YG1007TC = -5 THEN R03R_Y_YG1007TC = -99955; ELSE IF R03_YG1007TC = -1 OR R03_YG1121TC = -1 THEN R03R_Y_YG1007TC = -99911;

This variable has 13 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11801	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,801	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3105-3112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YG112TC: Last time smoked a traditional cigar, even one or two puffs

When was the last time you smoked a [CIGARFILL], even one or two puffs?

Traditional cigars

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GTRAD AND R03_EVER_NEVER_GTRAD_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R03_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	4	0.0 %
2	2 = Not today but sometime in the past 7 days	10	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	19	0.2 %
4	4 = Not in the past 30 days but sometime in the past 6 months	44	0.4 %
5	5 = Not in the past 6 months but sometime in the past year	39	0.3 %
6	6 = 1 to 4 years ago	30	0.3 %
7	7 = 5 or more years ago	21	0.2 %
	Total	167	1.4%

This variable has 167 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11626	98.4 %
	Total	11,647	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3113-3120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1022TC: In past 30 days, number of days smoked a traditional cigar

[PROGRAM NOTE: See Box R03_YGV02 and R03_YGR06 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke a [CIGARFILL]?

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

[Range check: 1-30 days.]

This variable has 32 valid cases out of 11,814 total cases.

- Mean: 6.69
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 9.52

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7 %

Percentages for both tables are based on 11,814 total cases.

Location: 3121-3128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1023TC: In past 30 days, number of traditional cigars smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a [CIGARFILL], how many [CIGARFILL]s did you smoke per day?

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 traditional cigar per day	14	0.1 %
2	2 = 1 traditional cigar per day	8	0.1 %

Value	Label	Unweighted Frequency	%
3	3 = 2 to 5 traditional cigars per day	7	0.1 %
4	4 = 6 to 10 traditional cigars per day	2	0.0 %
5	5 = 11 to 20 traditional cigars per day	0	0.0 %
6	6 = More than 20 traditional cigars per day	0	0.0 %
	Total	31	0.3%

This variable has 31 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,783	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3129-3136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1130TC: In past 30 days, smoked traditional cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Traditional cigars

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R03_YG1142TC.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	13	0.1 %
3	3 = I don't know	3	0.0 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3137-3144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131TC_01: In past 30 days, smoked traditional cigars flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigars

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1
AND R03_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	15	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3145-3152 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131TC_02: In past 30 days, smoked traditional cigars flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigars

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1
AND R03_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	16	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3153-3160 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131TC_03: In past 30 days, smoked traditional cigars flavored to taste like fruit

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigars

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1
AND R03_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	7	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3161-3168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131TC_04: In past 30 days, smoked traditional cigars flavored to taste like chocolate

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigars

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1
AND R03_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	13	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3169-3176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131TC_05: In past 30 days, smoked traditional cigars flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigars

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1
AND R03_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	9	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3177-3184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131TC_06: In past 30 days, smoked traditional cigars flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigars

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1
AND R03_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3185-3192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131TC_07: In past 30 days, smoked traditional cigars flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Traditional cigars

Some other flavor

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1
AND R03_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	13	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3193-3200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1142TC: In past 30 days, anyone sold you traditional cigars

In the past 30 days, did anyone sell you [CIGARFILL]s?

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	24	0.2 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3201-3208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1123TC: In the past 30 days, someone refused to sell you traditional cigars because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s because of your age?

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	30	0.3 %
	Total	33	0.3%

This variable has 33 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %

	Missing Data		
	Total	11,781	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3209-3216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG118TC: In past 30 days, how you usually got your own traditional cigars

In the past 30 days, how did you usually get your own [CIGARFILL]s?

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	14	0.1 %
2	2 = I bought them myself from a store (including a cigar bar)	5	0.0 %
3	3 = I asked someone to give me one	7	0.1 %
4	4 = Someone offered it to me	6	0.1 %
5	5 = I bought them from another person	0	0.0 %
6	6 = I took them from a store or another person	0	0.0 %
7	7 = I got them some other way	0	0.0 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3217-3224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1030TC: How you usually buy your traditional cigars

[BOX ID: R03_YGR07 - Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, go to R03_YG1030[TC/CL/FC]. Else, youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers, go to R03_YG1047[TC/CL/FC]. Else, youth respondents who are past 30 day "very light" traditional cigar/cigarillo/filtered cigar smokers, go to Box R03_YGD04. Else, go to Box R03_YGR16.

IF R03_PAST30DAY_GTRAD_LEVEL = 2 AND R03_YG1118TC = 1, 2, GO TO R03_YG1030TC. ELSE, IF R03_PAST30DAY_GTRAD_LEVEL = 2, GO TO R03_YG1047TC. ELSE, IF R03_PAST30DAY_GTRAD_LEVEL = 1, GO TO BOX R03_YGD04. ELSE, GO TO BOX R03_YGR16.]

How do [you/they] usually buy your [CIGARFILL]s?

Traditional cigars

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R03_YG1039TC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD_LEVEL = 2 AND R03_YG1118TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	6	0.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11808	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3225-3232 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1033TC: Retail location where your traditional cigars are bought most of the time

Where do [you/they] buy your [CIGARFILL]s most of the time?

Traditional cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD_LEVEL = 2 AND R03_YG1118TC = 1, 2 AND R03_YG1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	2	0.0 %
2	2 = A convenience store or gas station	4	0.0 %
3	3 = A supermarket, grocery store, or drug store	0	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11808	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3233-3240 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1039TC: Usually buy traditional cigars by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s. Did you buy them by the box or pack, or as single [CIGARFILL]s?

Traditional cigars

[If Single [CIGARFILL]s (2), Go to R03_YG1034TC. If Don't Know (-8) or Refused (-7), Go to R03_YG1047TC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD_LEVEL = 2 AND R03_YG1118TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	3	0.0 %
2	2 = Single traditional cigars	3	0.0 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11808	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3241-3248 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1040TC: Number of traditional cigars that come in box or pack usually bought

How many [CIGARFILL]s came in the box or pack that you last bought?

Traditional cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered

cigars by the box or pack.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD_LEVEL = 2
AND R03_YG1118TC = 1, 2 AND R03_YG1039TC = 1.

This variable has 3 valid cases out of 11,814 total cases.

- Mean: 12.33
- Median: 4.00
- Minimum: 3.00
- Maximum: 30.00
- Standard Deviation: 15.31

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11811	100.0 %
	Total	11,811	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 3249-3256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1034TC_D: Amount paid when last time bought a box of traditional cigars/pack of traditional cigars/single traditional cigar - Dollars

How much did you pay for a [box or pack of [CIGARFILL]]s/single [CIGARFILL]]?

Traditional cigars

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD_LEVEL = 2
AND R03_YG1118TC = 1, 2 AND R03_YG1039TC = 1, 2.

This variable has 6 valid cases out of 11,814 total cases.

- Mean: 4.50

- Median: 1.50
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 7.66

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11808	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3257-3264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1034TC_C: Amount paid when last time bought a box of traditional cigars/pack of traditional cigars/single traditional cigar - Cents

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARFILL]]?

Traditional cigars

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD_LEVEL = 2 AND R03_YG1118TC = 1, 2 AND R03_YG1039TC = 1, 2.

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11808	99.9 %

	Missing Data		
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3265-3272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1047TC: Have a regular brand of traditional cigars you usually smoke

Do you have a regular brand of [CIGARFILL]s that you usually smoke?

Traditional cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1 %
2	2 = No	3	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11805	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3273-3280 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1945TC: Know the name of brand of traditional cigars you usually/last smoked

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/last smoked]?

Traditional cigars

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YGD04.]

ASK: Youth respondents who are past 30 day "not-light"
traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	1	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11805	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3281-3288 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1048TC_BRAND: Brand of traditional cigars usually/last smoked

What brand of [CIGARFILL] [do/did] you [usually/last] smoke?

Cigarillos

Please select it from the choices below by touching the screen. If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light"
traditional cigar/cigarillo/filtered cigar smokers who know
the name of the brand of traditional cigars/cigarillos/filtered
cigars they usually smoke or last smoked.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD_LEVEL = 2
AND R03_YG1945TC = 1.

This variable has 8 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11806	99.9 %
	Total	11,806	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3289-3296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Traditional cigars

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R03_YG1070TC_PRODUCT: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD_LEVEL = 2 AND R03_YG1945TC = 1 AND R03_YG1048TC_BRAND != 9995, -8, -7.
FOR R03_YG1070CL_PRODUCT: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2 AND R03_YG1945CL = 1 AND R03_YG1048CL_BRAND != 9995, -8, -7.
FOR R03_YG1070FC_PRODUCT: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR_LEVEL = 2 AND R03_YG1945FC = 1 AND R03_YG1048FC_BRAND != 9995, -8, -7.

This variable has 8 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11806	99.9 %
	Total	11,806	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3297-3304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1060TC_RANDOM_01: YG1060TC series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060TC through R03_YG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11781	99.7 %
R03_YG1060TC	-	10	0.1 %
R03_YG1062TC	-	3	0.0 %
R03_YG1063TC	-	2	0.0 %
R03_YG1064TC	-	4	0.0 %
R03_YG1066TC	-	3	0.0 %
R03_YG1075TC	-	6	0.1 %
R03_YG1085TC	-	5	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3305-3319 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060TC_RANDOM_02: YG1060TC series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060TC through R03_YG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11781	99.7 %
R03_YG1060TC	-	2	0.0 %
R03_YG1062TC	-	3	0.0 %
R03_YG1063TC	-	1	0.0 %
R03_YG1064TC	-	3	0.0 %
R03_YG1066TC	-	11	0.1 %

Value	Label	Unweighted Frequency	%
R03_YG1075TC	-	8	0.1 %
R03_YG1085TC	-	5	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3320-3334 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060TC_RANDOM_03: YG1060TC series random question 3

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060TC through R03_YG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11781	99.7 %
R03_YG1060TC	-	2	0.0 %
R03_YG1062TC	-	4	0.0 %
R03_YG1063TC	-	8	0.1 %
R03_YG1064TC	-	3	0.0 %
R03_YG1066TC	-	6	0.1 %
R03_YG1075TC	-	3	0.0 %
R03_YG1085TC	-	7	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3335-3349 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060TC_RANDOM_04: YG1060TC series random question 4

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060TC through R03_YG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11781	99.7 %
R03_YG1060TC	-	4	0.0 %
R03_YG1062TC	-	6	0.1 %
R03_YG1063TC	-	7	0.1 %
R03_YG1064TC	-	3	0.0 %
R03_YG1066TC	-	3	0.0 %
R03_YG1075TC	-	3	0.0 %
R03_YG1085TC	-	7	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3350-3364 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060TC_RANDOM_05: YG1060TC series random question 5

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060TC through R03_YG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11781	99.7 %
R03_YG1060TC	-	6	0.1 %
R03_YG1062TC	-	7	0.1 %
R03_YG1063TC	-	5	0.0 %
R03_YG1064TC	-	1	0.0 %
R03_YG1066TC	-	5	0.0 %
R03_YG1075TC	-	7	0.1 %
R03_YG1085TC	-	2	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3365-3379 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060TC_RANDOM_06: YG1060TC series random question 6

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060TC through R03_YG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11781	99.7 %
R03_YG1060TC	-	4	0.0 %
R03_YG1062TC	-	6	0.1 %
R03_YG1063TC	-	8	0.1 %
R03_YG1064TC	-	3	0.0 %
R03_YG1066TC	-	4	0.0 %
R03_YG1075TC	-	5	0.0 %
R03_YG1085TC	-	3	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3380-3394 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060TC_RANDOM_07: YG1060TC series random question 7

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060TC through R03_YG1066TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11791	99.8 %
R03_YG1060TC	-	5	0.0 %
R03_YG1062TC	-	4	0.0 %
R03_YG1063TC	-	2	0.0 %
R03_YG1064TC	-	6	0.1 %
R03_YG1066TC	-	1	0.0 %
R03_YG1075TC	-	1	0.0 %
R03_YG1085TC	-	4	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3395-3409 (width: 15; decimal: 0)

R03_YG1060TC: Smoke traditional cigars because: They are affordable

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

They are affordable.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	20	0.2 %
	Total	33	0.3%

This variable has 33 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,781	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3410-3417 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1085TC: Smoke traditional cigars because: I can smoke them in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

I can smoke [CIGARFILL]s at times when or in places where smoking cigarettes isn't allowed.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	28	0.2 %
	Total	33	0.3%

This variable has 33 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,781	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3418-3425 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1062TC: Smoke traditional cigars because: They might be less harmful than cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

They might be less harmful to me than smoking cigarettes.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	26	0.2 %
	Total	33	0.3%

This variable has 33 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,781	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3426-3433 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1075TC: Smoke traditional cigars because: Might be less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

They might be less harmful to people around me than smoking cigarettes.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	26	0.2 %
	Total	33	0.3%

This variable has 33 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,781	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3434-3441 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1063TC: Smoke traditional cigars because: They come in flavors I like

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

[CIGARFILL]s come in flavors I like.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.2 %
2	2 = No	15	0.1 %
	Total	33	0.3%

This variable has 33 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,781	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3442-3449 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1064TC: Smoke traditional cigars because: It helps people to quit smoking cigarettes

[BOX ID: R03_YGR15 - Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R03_YG1064[TC/CL/FC]. Else, go to R03_YG1066[TC/CL/FC].

IF R03_PAST30DAY_GTRAD = 1 AND R03_YC1112 = 1, 2, 3, 4, 5, GO TO R03_YG1064TC. ELSE, GO TO R03_YG1066TC.]

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

Smoking [CIGARFILL]s helps people quit smoking cigarettes.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1 AND R03_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	21	0.2 %
	Total	23	0.2%

This variable has 23 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 3450-3457 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1066TC: Smoke traditional cigars because: It feels like smoking a regular cigarette

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

Smoking a [CIGARFILL] feels like smoking a regular cigarette.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	29	0.2 %
	Total	33	0.3%

This variable has 33 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,781	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3458-3465 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1139TC: Level of agreement: Easier to talk and get along with other people when smoking a traditional cigar

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a [CIGARFILL].

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	18	0.2 %
2	2 = 2 on a scale of 1 to 4	4	0.0 %
3	3 = 3 on a scale of 1 to 4	5	0.0 %
4	4 = Very true of me	6	0.1 %

Value	Label	Unweighted Frequency	%
	Total	33	0.3%

This variable has 33 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,781	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3466-3473 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1140TC: Level of agreement: Feel more confident with other people while smoking a traditional cigar

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While smoking a [CIGARFILL], I feel more confident with other people.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	17	0.1 %
2	2 = 2 on a scale of 1 to 4	8	0.1 %
3	3 = 3 on a scale of 1 to 4	5	0.0 %
4	4 = Very true of me	3	0.0 %
	Total	33	0.3%

This variable has 33 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,781	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3474-3481 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1141TC: Level of agreement: Smoke traditional cigars much more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I smoke [CIGARFILL]s much more when I am with other people.

Traditional cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	14	0.1 %
2	2 = 2 on a scale of 1 to 4	3	0.0 %
3	3 = 3 on a scale of 1 to 4	7	0.1 %
4	4 = Very true of me	8	0.1 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3482-3489 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YG1006CL_NB: DERIVED - Age range when first tried a cigarillo, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a cigarillo, even one or two puffs?

Algorithm: IF R03_YG1120CL_NB = 1 OR (0<=R03_YG1006CL_NB<=11) THEN
 R03R_Y_YG1006CL_NB = 1; ELSE IF R03_YG1120CL_NB = 2 OR (12<=R03_YG1006CL_NB<=14) THEN
 R03R_Y_YG1006CL_NB = 2; ELSE IF R03_YG1120CL_NB = 3 OR (15<=R03_YG1006CL_NB<=17) THEN
 R03R_Y_YG1006CL_NB = 3; ELSE IF R03_YG1006CL_NB = -9 OR R03_YG1120CL_NB = -9 THEN
 R03R_Y_YG1006CL_NB = -99999; ELSE IF R03_YG1006CL_NB = -8 OR R03_YG1120CL_NB = -8
 THEN R03R_Y_YG1006CL_NB = -99988; ELSE IF R03_YG1006CL_NB = -7 OR
 R03_YG1120CL_NB = -7 THEN R03R_Y_YG1006CL_NB = -99977; ELSE IF R03_YG1006CL_NB = -5
 THEN R03R_Y_YG1006CL_NB = -99955; ELSE IF R03_YG1006CL_NB = -1 OR
 R03_YG1120CL_NB = -1 THEN R03R_Y_YG1006CL_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0 %
2	2 = 12 to 14 years old	3	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11809	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,809	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 3490-3497 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YG1108CL: First cigarillo smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first [CIGARFILL] you smoked flavored to taste like

menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Cigarillos

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7),
Go to Box R03_YGR09.]

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: IF LOOP = GRILLO AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1) OR R03_INIT_GRILLO_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	63	0.5 %
2	2 = No	24	0.2 %
3	3 = I don't know	24	0.2 %
	Total	111	0.9%

This variable has 111 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11703	99.1 %
	Total	11,703	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 3498-3505 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011CL_01: Flavor of first cigarillo smoked: Menthol or mint

What flavor was that first [CIGARFILL] you smoked?
Choose all that apply.

Cigarillos

Menthol or mint

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional

cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1) OR (R03_INIT_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	51	0.4 %
	Total	62	0.5%

This variable has 62 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11751	99.5 %
	Total	11,752	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 3506-3513 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011CL_02: Flavor of first cigarillo smoked: Clove or spice

What flavor was that first [CIGARFILL] you smoked?
Choose all that apply.

Cigarillos

Clove or spice

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1) OR (R03_INIT_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	62	0.5 %
	Total	62	0.5%

This variable has 62 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11751	99.5 %
	Total	11,752	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 3514-3521 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011CL_03: Flavor of first cigarillo smoked: Fruit

What flavor was that first [CIGARFILL] you smoked?

Choose all that apply.

Cigarillos

Fruit

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1) OR (R03_INIT_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.3 %
2	2 = Not Marked	28	0.2 %
	Total	62	0.5%

This variable has 62 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11751	99.5 %
	Total	11,752	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 3522-3529 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011CL_04: Flavor of first cigarillo smoked: Chocolate

What flavor was that first [CIGARFILL] you smoked?

Choose all that apply.

Cigarillos

Chocolate

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1) OR (R03_INIT_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	52	0.4 %
	Total	62	0.5%

This variable has 62 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11751	99.5 %
	Total	11,752	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 3530-3537 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011CL_05: Flavor of first cigarillo smoked: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked?
Choose all that apply.

Cigarillos

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1) OR (R03_INIT_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1 %
2	2 = Not Marked	56	0.5 %
	Total	62	0.5%

This variable has 62 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11751	99.5 %
	Total	11,752	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 3538-3545 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011CL_06: Flavor of first cigarillo smoked: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked?
Choose all that apply.

Cigarillos

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1) OR (R03_INIT_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	49	0.4 %
	Total	62	0.5%

This variable has 62 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11751	99.5 %
	Total	11,752	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 3546-3553 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011CL_07: Flavor of first cigarillo smoked: Some other flavor

What flavor was that first [CIGARFILL] you smoked?
Choose all that apply.

Cigarillos

Some other flavor

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first

traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GRILLO AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1) OR (R03_INIT_GRILLO_YOUTH = 1 AND R03_YG1108CL = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	52	0.4 %
	Total	62	0.5%

This variable has 62 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11751	99.5 %
	Total	11,752	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 3554-3561 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1005CL: Number of cigarillos smoked in entire life

[BOX ID: R03_YGR09 - New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview, go to R03_YG1005[TC/CL/FC]. Else, go to R03_YG9040[TC/CL/FC].

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GRILLO_YOUTH = 1 AND R02_NUMLIFE_GRILLO != 1), GO TO R03_YG1005CL. ELSE, GO TO R03_YG9040CL.]

How many [CIGARFILL]s have you smoked in your entire life?

Cigarillos

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and have initiated

traditional cigar/cigarillo/filtered cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview.

ASK Specification: IF LOOP = GRILLO AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GRILLO_YOUTH = 1 AND (R03_INIT_GRILLO_YOUTH = 1 OR R02_NUMLIFE_GRILLO != 1))).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	119	1.0 %
2	2 = 1	35	0.3 %
3	3 = 2 to 10	81	0.7 %
4	4 = 11 to 20	36	0.3 %
5	5 = 21 to 50	25	0.2 %
6	6 = 51 to 99	6	0.1 %
7	7 = 100 or more	10	0.1 %
	Total	312	2.6%

This variable has 312 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	11463	97.0 %
	Total	11,502	97.4%

Percentages for both tables are based on 11,814 total cases.

Location: 3562-3569 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9040CL: Group most like cigarillo usually smoked

Please look at this picture. Which group is most like the [CIGARFILL] you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

Cigarillos

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GRILLO AND R03_EVER_NEVER_GRILLO_YOUTH = 1.

[Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Group 1	22	0.2 %
2	2 = Group 2	162	1.4 %
3	3 = Group 3	94	0.8 %
4	4 = Group 4	37	0.3 %
	Total	315	2.7%

This variable has 315 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	11450	96.9 %
	Total	11,499	97.3%

Percentages for both tables are based on 11,814 total cases.

Location: 3570-3577 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1100CL: Ever smoked cigarillos fairly regularly

[BOX ID: R03_YGR18 - New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, go to R03_YG1100[TC/CL/FC]. Else, go to R03_YG1112[TC/CL/FC].

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GRILLO_YOUTH = 1 AND R02_REGUSE_GRILLO != 1), GO TO R03_YG1100CL. ELSE, GO TO R03_YG1112CL.]

Have you ever smoked [CIGARFILL]s fairly regularly?

Cigarillos

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YG1112CG.]

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly

regularly as of their last completed interview.

ASK Specification: IF LOOP = GRILLO AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GRILLO_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GRILLO_YOUTH = 1 AND R02_REGUSE_GRILLO != 1)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.3 %
2	2 = No	310	2.6 %
	Total	340	2.9%

This variable has 340 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11471	97.1 %
	Total	11,474	97.1%

Percentages for both tables are based on 11,814 total cases.

Location: 3578-3585 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YG1007CL: DERIVED - Age range when first started smoking cigarillos fairly regularly (3 levels)

Long Description: How old were you when you first started smoking cigarillos fairly regularly?

Algorithm: IF R03_YG1121CL = 1 OR (0<=R03_YG1007CL<=11) THEN R03R_Y_YG1007CL = 1; ELSE IF R03_YG1121CL = 2 OR (12<=R03_YG1007CL<=14) THEN R03R_Y_YG1007CL = 2; ELSE IF R03_YG1121CL = 3 OR (15<=R03_YG1007CL<=17) THEN R03R_Y_YG1007CL = 3; ELSE IF R03_YG1007CL = -9 OR R03_YG1121CL = -9 THEN R03R_Y_YG1007CL = -99999; ELSE IF R03_YG1007CL = -8 OR R03_YG1121CL = -8 THEN R03R_Y_YG1007CL = -99988; ELSE IF R03_YG1007CL = -7 OR R03_YG1121CL = -7 THEN R03R_Y_YG1007CL = -99977; ELSE IF R03_YG1007CL = -5 THEN R03R_Y_YG1007CL = -99955; ELSE IF R03_YG1007CL = -1 OR R03_YG1121CL = -1 THEN R03R_Y_YG1007CL = -99911;

This variable has 30 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11784	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,784	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3586-3593 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YG112CL: Last time smoked a cigarillo, even one or two puffs

When was the last time you smoked a [CIGARFILL], even one or two puffs?

Cigarillos

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GRILLO AND R03_EVER_NEVER_GRILLO_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R03_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	8	0.1 %
2	2 = Not today but sometime in the past 7 days	32	0.3 %
3	3 = Not in the past 7 days but sometime in the past 30 days	52	0.4 %
4	4 = Not in the past 30 days but sometime in the past 6 months	85	0.7 %
5	5 = Not in the past 6 months but sometime in the past year	64	0.5 %
6	6 = 1 to 4 years ago	51	0.4 %
7	7 = 5 or more years ago	39	0.3 %
	Total	331	2.8%

This variable has 331 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	9	0.1 %

	Missing Data		
-1	-1 = Inapplicable	11450	96.9 %
	Total	11,483	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3594-3601 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1022CL: In past 30 days, number of days smoked a cigarillo

[PROGRAM NOTE: See Box R03_YGV02 and R03_YGR06 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke a [CIGARFILL]?

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

[Range check: 1-30 days.]

This variable has 91 valid cases out of 11,814 total cases.

- Mean: 5.81
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 7.84

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,723	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3602-3609 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1023CL: In past 30 days, number of cigarillos smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a [CIGARFILL], how many [CIGARFILL]s did you smoke per day?

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarillo per day	40	0.3 %
2	2 = 1 cigarillo per day	35	0.3 %
3	3 = 2 to 5 cigarillos per day	14	0.1 %
4	4 = 6 to 10 cigarillos per day	2	0.0 %
5	5 = 11 to 20 cigarillos per day	1	0.0 %
6	6 = More than 20 cigarillos per day	0	0.0 %
	Total	92	0.8%

This variable has 92 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,722	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3610-3617 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1130CL: In past 30 days, smoked cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Cigarillos

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7),
Go to R03_YG1142CL.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	53	0.4 %
2	2 = No	25	0.2 %
3	3 = I don't know	12	0.1 %
	Total	90	0.8%

This variable has 90 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,724	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3618-3625 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131CL_01: In past 30 days, smoked cigarillos flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillos

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1
AND R03_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1 %
2	2 = Not Marked	47	0.4 %

Value	Label	Unweighted Frequency	%
	Total	53	0.4%

This variable has 53 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11761	99.6 %
	Total	11,761	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3626-3633 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131CL_02: In past 30 days, smoked cigarillos flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillos

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1
AND R03_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	51	0.4 %
	Total	53	0.4%

This variable has 53 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11761	99.6 %
	Total	11,761	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3634-3641 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131CL_03: In past 30 days, smoked cigarillos flavored to taste like fruit

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillos

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1
AND R03_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	38	0.3 %
2	2 = Not Marked	15	0.1 %
	Total	53	0.4%

This variable has 53 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11761	99.6 %
	Total	11,761	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3642-3649 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131CL_04: In past 30 days, smoked cigarillos flavored to taste like chocolate

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillos

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1
AND R03_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	46	0.4 %
	Total	53	0.4%

This variable has 53 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11761	99.6 %
	Total	11,761	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3650-3657 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131CL_05: In past 30 days, smoked cigarillos flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillos

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1
AND R03_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	43	0.4 %
	Total	53	0.4%

This variable has 53 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11761	99.6 %
	Total	11,761	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3658-3665 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131CL_06: In past 30 days, smoked cigarillos flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Cigarillos

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1
AND R03_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	37	0.3 %
	Total	53	0.4%

This variable has 53 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11761	99.6 %
	Total	11,761	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3666-3673 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131CL_07: In past 30 days, smoked cigarillos flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days?

Choose all that apply.

Cigarillos

Some other flavor

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1
AND R03_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	45	0.4 %
	Total	53	0.4%

This variable has 53 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11761	99.6 %
	Total	11,761	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3674-3681 (width: 8; decimal: 0)

Variable Type: numeric
 (Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1142CL: In past 30 days, anyone sold you cigarillos

In the past 30 days, did anyone sell you [CIGARFILL]s?

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2 %
2	2 = No	71	0.6 %
	Total	92	0.8%

This variable has 92 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,722	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3682-3689 (width: 8; decimal: 0)
 Variable Type: numeric
 (Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1123CL: In the past 30 days, someone refused to sell you cigarillos because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s because of your age?

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	75	0.6 %
	Total	91	0.8%

This variable has 91 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,723	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3690-3697 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG118CL: In past 30 days, how you usually got your own cigarillos

In the past 30 days, how did you usually get your own [CIGARFILL]s?

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	23	0.2 %
2	2 = I bought them myself from a store (including a cigar bar)	16	0.1 %
3	3 = I asked someone to give me one	14	0.1 %
4	4 = Someone offered it to me	28	0.2 %
5	5 = I bought them from another person	4	0.0 %
6	6 = I took them from a store or another person	2	0.0 %
7	7 = I got them some other way	2	0.0 %
	Total	89	0.8%

This variable has 89 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,725	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3698-3705 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1030CL: How you usually buy your cigarillos

[BOX ID: R03_YGR07 - Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, go to R03_YG1030[TC/CL/FC]. Else, youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers, go to R03_YG1047[TC/CL/FC]. Else, youth respondents who are past 30 day "very light" traditional cigar/cigarillo/filtered cigar smokers, go to Box R03_YGD04. Else, go to Box R03_YGR16.

IF R03_PAST30DAY_GRILLO_LEVEL = 2 AND R03_YG1118CL = 1, 2, GO TO R03_YG1030CL. ELSE, IF R03_PAST30DAY_GRILLO_LEVEL = 2, GO TO R03_YG1047CL. ELSE, IF R03_PAST30DAY_GRILLO_LEVEL = 1, GO TO BOX R03_YGD04. ELSE, GO TO BOX R03_YGR16.]

How do [you/they] usually buy your [CIGARFILL]s?

Cigarillos

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R03_YG1039CL.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2 AND R03_YG1118CL = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	23	0.2 %
2	2 = From the internet	1	0.0 %
3	3 = By telephone	0	0.0 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11789	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 3706-3713 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1033CL: Retail location where your cigarillos are bought most of the time

Where do [you/they] buy your [CIGARFILL]s most of the time?

Cigarillos

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2 AND R03_YG1118CL = 1, 2 AND R03_YG1030CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	18	0.2 %
3	3 = A supermarket, grocery store, or drug store	3	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	1	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	1	0.0 %
	Total	23	0.2%

This variable has 23 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 3714-3721 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1039CL: Usually buy cigarillos by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s. Did you buy them by the box or pack, or as single [CIGARFILL]s?

Cigarillos

[If Single [CIGARFILL]s (2), Go to R03_YG1034CL. If Don't Know (-8) or Refused (-7), Go to R03_YG1047CL.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2 AND R03_YG1118CL = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	11	0.1 %
2	2 = Single cigarillos	13	0.1 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11789	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 3722-3729 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1040CL: Number of cigarillos that come in box or pack usually bought

How many [CIGARFILL]s came in the box or pack that you last bought?

Cigarillos

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2 AND R03_YG1118CL = 1, 2 AND R03_YG1039CL = 1.

This variable has 11 valid cases out of 11,814 total cases.

- Mean: 3.91
- Median: 4.00
- Minimum: 2.00
- Maximum: 8.00
- Standard Deviation: 1.81

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11803	99.9 %
	Total	11,803	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 3730-3737 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1034CL_D: Amount paid when last time bought a box of cigarillos/pack of cigarillos/single cigarillo - Dollars

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARFILL]]?

Cigarillos

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2 AND R03_YG1118CL = 1, 2 AND R03_YG1039CL = 1, 2.

This variable has 24 valid cases out of 11,814 total cases.

- Mean: 2.71
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 5.00

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11790	99.8 %
	Total	11,790	99.8 %

Percentages for both tables are based on 11,814 total cases.

Location: 3738-3745 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1034CL_C: Amount paid when last time bought a box of cigarillos/pack of cigarillos/single cigarillo - Cents

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARFILL]]?

Cigarillos

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered

cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2 AND R03_YG1118CL = 1, 2 AND R03_YG1039CL = 1, 2.

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11790	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 3746-3753 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1047CL: Have a regular brand of cigarillos you usually smoke

Do you have a regular brand of [CIGARFILL]s that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

Cigarillos

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.3 %
2	2 = No	13	0.1 %
	Total	43	0.4%

This variable has 43 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11770	99.6 %

	Missing Data		
	Total	11,771	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3754-3761 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1945CL: Know the name of brand of cigarillos you usually/last smoked

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/last smoked]?

Cigarillos

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YGD04.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.3 %
2	2 = No	10	0.1 %
	Total	44	0.4%

This variable has 44 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11770	99.6 %
	Total	11,770	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 3762-3769 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1048CL_BRAND: Brand of cigarillos usually/last smoked

What brand of [CIGARFILL] [do/did] you [usually/last] smoke?

Cigarillos

Please select it from the choices below by touching the

screen. If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2 AND R03_YG1945CL = 1.

This variable has 34 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11780	99.7 %
	Total	11,780	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3770-3777 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1070CL_PRODUCT: Sub-brand of cigarillo product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Cigarillos

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2 AND R03_YG1945CL = 1 AND R03_YG1048CL_BRAND != 9995, -8, -7.

This variable has 33 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,781	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3778-3785 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1060CL_RANDOM_01: YG1060CL series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060CL through R03_YG1066CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11722	99.2 %
R03_YG1060CL	-	13	0.1 %
R03_YG1062CL	-	17	0.1 %
R03_YG1063CL	-	11	0.1 %
R03_YG1064CL	-	8	0.1 %
R03_YG1066CL	-	11	0.1 %
R03_YG1075CL	-	14	0.1 %
R03_YG1085CL	-	18	0.2 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3786-3800 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060CL_RANDOM_02: YG1060CL series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060CL through R03_YG1066CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11722	99.2 %
R03_YG1060CL	-	21	0.2 %
R03_YG1062CL	-	17	0.1 %
R03_YG1063CL	-	13	0.1 %
R03_YG1064CL	-	3	0.0 %
R03_YG1066CL	-	13	0.1 %
R03_YG1075CL	-	15	0.1 %
R03_YG1085CL	-	10	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3801-3815 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060CL_RANDOM_03: YG1060CL series random question 3

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060CL through R03_YG1066CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11722	99.2 %
R03_YG1060CL	-	15	0.1 %
R03_YG1062CL	-	12	0.1 %
R03_YG1063CL	-	16	0.1 %
R03_YG1064CL	-	9	0.1 %
R03_YG1066CL	-	14	0.1 %
R03_YG1075CL	-	8	0.1 %
R03_YG1085CL	-	18	0.2 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3816-3830 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060CL_RANDOM_04: YG1060CL series random question 4

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060CL through R03_YG1066CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11722	99.2 %
R03_YG1060CL	-	11	0.1 %
R03_YG1062CL	-	10	0.1 %
R03_YG1063CL	-	15	0.1 %
R03_YG1064CL	-	10	0.1 %
R03_YG1066CL	-	21	0.2 %
R03_YG1075CL	-	16	0.1 %
R03_YG1085CL	-	9	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3831-3845 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060CL_RANDOM_05: YG1060CL series random question 5

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060CL through R03_YG1066CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11722	99.2 %
R03_YG1060CL	-	16	0.1 %
R03_YG1062CL	-	14	0.1 %
R03_YG1063CL	-	11	0.1 %
R03_YG1064CL	-	10	0.1 %
R03_YG1066CL	-	12	0.1 %
R03_YG1075CL	-	22	0.2 %
R03_YG1085CL	-	7	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3846-3860 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060CL_RANDOM_06: YG1060CL series random question 6

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060CL through R03_YG1066CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11722	99.2 %
R03_YG1060CL	-	11	0.1 %
R03_YG1062CL	-	12	0.1 %
R03_YG1063CL	-	12	0.1 %
R03_YG1064CL	-	14	0.1 %
R03_YG1066CL	-	10	0.1 %
R03_YG1075CL	-	11	0.1 %
R03_YG1085CL	-	22	0.2 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3861-3875 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060CL_RANDOM_07: YG1060CL series random question 7

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060CL through R03_YG1066CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11750	99.5 %
R03_YG1060CL	-	5	0.0 %
R03_YG1062CL	-	10	0.1 %
R03_YG1063CL	-	14	0.1 %
R03_YG1064CL	-	10	0.1 %
R03_YG1066CL	-	11	0.1 %
R03_YG1075CL	-	6	0.1 %

Value	Label	Unweighted Frequency	%
R03_YG1085CL	-	8	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 3876-3890 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060CL: Smoke cigarillos because: They are affordable

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

They are affordable.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.4 %
2	2 = No	44	0.4 %
	Total	90	0.8%

This variable has 90 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,724	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3891-3898 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1085CL: Smoke cigarillos because: I can smoke them in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

I can smoke [CIGARFILL]s at times when or in places where smoking cigarettes isn't allowed.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	80	0.7 %
	Total	91	0.8 %

This variable has 91 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,723	99.2 %

Percentages for both tables are based on 11,814 total cases.

Location: 3899-3906 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1062CL: Smoke cigarillos because: They might be less harmful than cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

They might be less harmful to me than smoking cigarettes.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2 %
2	2 = No	68	0.6 %
	Total	90	0.8%

This variable has 90 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,724	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3907-3914 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1075CL: Smoke cigarillos because: Might be less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

They might be less harmful to people around me than smoking cigarettes.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	70	0.6 %
	Total	90	0.8%

This variable has 90 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,724	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3915-3922 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1063CL: Smoke cigarillos because: They come in flavors I like

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

[CIGARFILL]s come in flavors I like.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	59	0.5 %
2	2 = No	32	0.3 %
	Total	91	0.8%

This variable has 91 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,723	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3923-3930 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1064CL: Smoke cigarillos because: It helps people to quit smoking cigarettes

[BOX ID: R03_YGR15 - Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R03_YG1064[TC/CL/FC]. Else, go to R03_YG1066[TC/CL/FC].

IF R03_PAST30DAY_GRILLO = 1 AND R03_YC1112 = 1, 2, 3, 4, 5, GO TO R03_YG1064CL. ELSE, GO TO R03_YG1066CL.]

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

Smoking [CIGARFILL]s helps people quit smoking cigarettes.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1 AND R03_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.1 %
2	2 = No	58	0.5 %
	Total	64	0.5%

This variable has 64 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11750	99.5 %
	Total	11,750	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 3931-3938 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1066CL: Smoke cigarillos because: It feels like smoking a regular cigarette

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

Smoking a [CIGARFILL] feels like smoking a regular cigarette.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	73	0.6 %
	Total	89	0.8%

This variable has 89 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,725	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3939-3946 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1139CL: Level of agreement: Easier to talk and get along with other people when smoking a cigarillo

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a [CIGARFILL].

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	42	0.4 %
2	2 = 2 on a scale of 1 to 4	26	0.2 %
3	3 = 3 on a scale of 1 to 4	14	0.1 %
4	4 = Very true of me	7	0.1 %
	Total	89	0.8%

This variable has 89 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,725	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3947-3954 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1140CL: Level of agreement: Feel more confident with other people while smoking a cigarillo

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While smoking a [CIGARFILL], I feel more confident with other people.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	45	0.4 %
2	2 = 2 on a scale of 1 to 4	30	0.3 %
3	3 = 3 on a scale of 1 to 4	8	0.1 %

Value	Label	Unweighted Frequency	%
4	4 = Very true of me	8	0.1 %
	Total	91	0.8%

This variable has 91 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,723	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3955-3962 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1141CL: Level of agreement: Smoke cigarillos much more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I smoke [CIGARFILL]s much more when I am with other people.

Cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	30	0.3 %
2	2 = 2 on a scale of 1 to 4	26	0.2 %
3	3 = 3 on a scale of 1 to 4	16	0.1 %
4	4 = Very true of me	19	0.2 %
	Total	91	0.8%

This variable has 91 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,723	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 3963-3970 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YG1006FC_NB: DERIVED - Age range when first tried a filtered cigar, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a filtered cigar, even one or two puffs?

Algorithm: IF R03_YG1120FC_NB = 1 OR (0<=R03_YG1006FC_NB<=11) THEN
R03R_Y_YG1006FC_NB = 1; ELSE IF R03_YG1120FC_NB = 2 OR (12<=R03_YG1006FC_NB<=14)
THEN R03R_Y_YG1006FC_NB = 2; ELSE IF R03_YG1120FC_NB = 3 OR (15<=R03_YG1006FC_NB<=17)
THEN R03R_Y_YG1006FC_NB = 3; ELSE IF R03_YG1006FC_NB = -9 OR R03_YG1120FC_NB = -9 THEN
R03R_Y_YG1006FC_NB = -99999; ELSE IF R03_YG1006FC_NB = -8 OR R03_YG1120FC_NB = -8 THEN
R03R_Y_YG1006FC_NB = -99988; ELSE IF R03_YG1006FC_NB = -7 OR R03_YG1120FC_NB = -7 THEN
R03R_Y_YG1006FC_NB = -99977; ELSE IF R03_YG1006FC_NB = -5 THEN
R03R_Y_YG1006FC_NB = -99955; ELSE IF R03_YG1006FC_NB = -1 OR R03_YG1120FC_NB = -1 THEN
R03R_Y_YG1006FC_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	0	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11813	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,813	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 3971-3978 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YG1108FC: First filtered cigar smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first [CIGARFILL] you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Filtered cigars

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7),
Go to Box R03_YGR09.]

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: IF LOOP = GFILTR AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1) OR R03_INIT_GFILTR_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.3 %
2	2 = No	19	0.2 %
3	3 = I don't know	8	0.1 %
	Total	57	0.5%

This variable has 57 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11757	99.5 %
	Total	11,757	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 3979-3986 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011FC_01: Flavor of first filtered cigar smoked: Menthol or mint

What flavor was that first [CIGARFILL] you smoked?
Choose all that apply.

Filtered cigars

Menthol or mint

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1) OR (R03_INIT_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	22	0.2 %
	Total	30	0.3%

This variable has 30 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11784	99.7 %
	Total	11,784	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3987-3994 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011FC_02: Flavor of first filtered cigar smoked: Clove or spice

What flavor was that first [CIGARFILL] you smoked?
Choose all that apply.

Filtered cigars

Clove or spice

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first

traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1) OR (R03_INIT_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	30	0.3%

This variable has 30 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11784	99.7 %
	Total	11,784	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 3995-4002 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011FC_03: Flavor of first filtered cigar smoked: Fruit

What flavor was that first [CIGARFILL] you smoked?
Choose all that apply.

Filtered cigars

Fruit

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1) OR (R03_INIT_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %
2	2 = Not Marked	13	0.1 %
	Total	30	0.3%

This variable has 30 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11784	99.7 %
	Total	11,784	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4003-4010 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011FC_04: Flavor of first filtered cigar smoked: Chocolate

What flavor was that first [CIGARFILL] you smoked?

Choose all that apply.

Filtered cigars

Chocolate

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1) OR (R03_INIT_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	25	0.2 %
	Total	30	0.3%

This variable has 30 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11784	99.7 %
	Total	11,784	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4011-4018 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011FC_05: Flavor of first filtered cigar smoked: An alcoholic drink

What flavor was that first [CIGARFILL] you smoked?

Choose all that apply.

Filtered cigars

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1) OR (R03_INIT_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	30	0.3%

This variable has 30 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11784	99.7 %

	Missing Data		
	Total	11,784	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4019-4026 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011FC_06: Flavor of first filtered cigar smoked: Candy or other sweets

What flavor was that first [CIGARFILL] you smoked?

Choose all that apply.

Filtered cigars

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1) OR (R03_INIT_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	25	0.2 %
	Total	30	0.3%

This variable has 30 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11784	99.7 %
	Total	11,784	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4027-4034 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1011FC_07: Flavor of first filtered cigar smoked: Some other flavor

What flavor was that first [CIGARFILL] you smoked?
Choose all that apply.

Filtered cigars

Some other flavor

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF LOOP = GFILTR AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1) OR (R03_INIT_GFILTR_YOUTH = 1 AND R03_YG1108FC = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	30	0.3%

This variable has 30 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11784	99.7 %
	Total	11,784	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4035-4042 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1005FC: Number of filtered cigars smoked in entire life

[BOX ID: R03_YGR09 - New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview, go to R03_YG1005[TC/CL/FC]. Else, go to R03_YG9040[TC/CL/FC].

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GFILTR_YOUTH = 1 AND R02_NUMLIFE_GFILTR != 1), GO TO R03_YG1005FC. ELSE, GO TO R03_YG9040FC.]

How many [CIGARFILL]s have you smoked in your entire life?

Filtered cigars

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview.

ASK Specification: IF LOOP = GFILTR AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GFILTR_YOUTH = 1 AND (R03_INIT_GFILTR_YOUTH = 1 OR R02_NUMLIFE_GFILTR != 1))).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	63	0.5 %
2	2 = 1	14	0.1 %
3	3 = 2 to 10	35	0.3 %
4	4 = 11 to 20	15	0.1 %
5	5 = 21 to 50	17	0.1 %
6	6 = 51 to 99	3	0.0 %
7	7 = 100 or more	8	0.1 %
	Total	155	1.3%

This variable has 155 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11645	98.6 %
	Total	11,659	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4043-4050 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9040FC: Group most like filtered cigar usually smoked

Please look at this picture. Which group is most like the [CIGARFILL] you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

Filtered cigars

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GFILTR AND R03_EVER_NEVER_GFILTR_YOUTH = 1.

[Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Group 1	8	0.1 %
2	2 = Group 2	52	0.4 %
3	3 = Group 3	23	0.2 %
4	4 = Group 4	72	0.6 %
	Total	155	1.3%

This variable has 155 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11641	98.5 %
	Total	11,659	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4051-4058 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1100FC: Ever smoked filtered cigars fairly regularly

[BOX ID: R03_YGR18 - New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, go to R03_YG1100[TC/CL/FC]. Else, go to R03_YG1112[TC/CL/FC].

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GFILTR_YOUTH = 1 AND R02_REGUSE_GFILTR != 1), GO TO R03_YG1100FC. ELSE, GO TO

R03_YG1112FC.]

Have you ever smoked [CIGARFILL]s fairly regularly?

Filtered cigars

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YG1112FC.]

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview.

ASK Specification: IF LOOP = GFILTR AND ((R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_GFILTR_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_GFILTR_YOUTH = 1 AND R02_REGUSE_GFILTR != 1)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.3 %
2	2 = No	133	1.1 %
	Total	163	1.4%

This variable has 163 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11651	98.6 %
	Total	11,651	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4059-4066 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YG1007FC: DERIVED - Age range when first started smoking filtered cigars fairly regularly (3 levels)

Long Description: How old were you when you first started smoking filtered cigars fairly regularly?

Algorithm: IF R03_YG1121FC = 1 OR (0<=R03_YG1007FC<=11) THEN R03R_Y_YG1007FC = 1; ELSE IF R03_YG1121FC = 2 OR (12<=R03_YG1007FC<=14) THEN R03R_Y_YG1007FC = 2; ELSE IF R03_YG1121FC = 3 OR (15<=R03_YG1007FC<=17) THEN R03R_Y_YG1007FC = 3; ELSE IF R03_YG1007FC = -9 OR R03_YG1121FC = -9 THEN R03R_Y_YG1007FC = -99999; ELSE IF R03_YG1007FC = -8 OR R03_YG1121FC = -8 THEN R03R_Y_YG1007FC = -99988; ELSE IF R03_YG1007FC = -7 OR R03_YG1121FC = -7 THEN R03R_Y_YG1007FC = -99977; ELSE IF

R03_YG1007FC = -5 THEN R03R_Y_YG1007FC = -99955; ELSE IF R03_YG1007FC = -1 OR R03_YG1121FC = -1 THEN R03R_Y_YG1007FC = -99911;

This variable has 30 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11784	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,784	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4067-4074 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YG112FC: Last time smoked a filtered cigar, even one or two puffs

When was the last time you smoked a [CIGARFILL], even one or two puffs?

Filtered cigars

ASK: Youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GFILTR AND R03_EVER_NEVER_GFILTR_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R03_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	3	0.0 %
2	2 = Not today but sometime in the past 7 days	15	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	27	0.2 %
4	4 = Not in the past 30 days but sometime in the past 6 months	33	0.3 %
5	5 = Not in the past 6 months but sometime in the past year	37	0.3 %
6	6 = 1 to 4 years ago	31	0.3 %
7	7 = 5 or more years ago	17	0.1 %

Value	Label	Unweighted Frequency	%
	Total	163	1.4%

This variable has 163 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11641	98.5 %
	Total	11,651	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4075-4082 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1022FC: In past 30 days, number of days smoked a filtered cigar

[PROGRAM NOTE: See Box R03_YGV02 and R03_YGR06 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you smoke a [CIGARFILL]?

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

[Range check: 1-30 days.]

This variable has 45 valid cases out of 11,814 total cases.

- Mean: 6.47
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 8.33

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4083-4090 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1023FC: In past 30 days, number of filtered cigars smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a [CIGARFILL], how many [CIGARFILL]s did you smoke per day?

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 filtered cigar per day	19	0.2 %
2	2 = 1 filtered cigar per day	10	0.1 %
3	3 = 2 to 5 filtered cigars per day	13	0.1 %
4	4 = 6 to 10 filtered cigars per day	1	0.0 %
5	5 = 11 to 20 filtered cigars per day	0	0.0 %
6	6 = More than 20 filtered cigars per day	1	0.0 %
	Total	44	0.4%

This variable has 44 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,770	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4091-4098 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1130FC: In past 30 days, smoked filtered cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

Filtered cigars

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7),
Go to R03_YG1142FC.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	15	0.1 %
3	3 = I don't know	4	0.0 %
	Total	44	0.4%

This variable has 44 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,770	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4099-4106 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131FC_01: In past 30 days, smoked filtered cigars flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigars

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1
AND R03_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	25	0.2%

This variable has 25 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11789	99.8 %
	Total	11,789	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4107-4114 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131FC_02: In past 30 days, smoked filtered cigars flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigars

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1
AND R03_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	22	0.2 %
	Total	25	0.2%

This variable has 25 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11789	99.8 %
	Total	11,789	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4115-4122 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131FC_03: In past 30 days, smoked filtered cigars flavored to taste like fruit

Which flavors have you smoked in the past 30 days?

Choose all that apply.

Filtered cigars

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1
AND R03_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	9	0.1 %
	Total	25	0.2%

This variable has 25 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11789	99.8 %
	Total	11,789	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4123-4130 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131FC_04: In past 30 days, smoked filtered cigars flavored to taste like chocolate

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigars

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1
AND R03_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	22	0.2 %
	Total	25	0.2%

This variable has 25 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11789	99.8 %
	Total	11,789	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4131-4138 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131FC_05: In past 30 days, smoked filtered cigars flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigars

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1
AND R03_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	25	0.2%

This variable has 25 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11789	99.8 %
	Total	11,789	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4139-4146 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131FC_06: In past 30 days, smoked filtered cigars flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigars

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1
AND R03_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	25	0.2%

This variable has 25 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11789	99.8 %
	Total	11,789	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4147-4154 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1131FC_07: In past 30 days, smoked filtered cigars flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days?
Choose all that apply.

Filtered cigars

Some other flavor

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1
AND R03_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	22	0.2 %
	Total	25	0.2%

This variable has 25 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11789	99.8 %
	Total	11,789	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4155-4162 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1142FC: In past 30 days, anyone sold you filtered cigars

In the past 30 days, did anyone sell you [CIGARFILL]s?

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	35	0.3 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4163-4170 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1123FC: In the past 30 days, someone refused to sell you filtered cigars because of your age

In the past 30 days, did anyone refuse to sell you [CIGARFILL]s because of your age?

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	40	0.3 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4171-4178 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1118FC: In past 30 days, how you usually got your own filtered cigars

In the past 30 days, how did you usually get your own [CIGARFILL]s?

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	18	0.2 %
2	2 = I bought them myself from a store (including a cigar bar)	4	0.0 %
3	3 = I asked someone to give me one	6	0.1 %
4	4 = Someone offered it to me	14	0.1 %
5	5 = I bought them from another person	0	0.0 %
6	6 = I took them from a store or another person	1	0.0 %
7	7 = I got them some other way	2	0.0 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4179-4186 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1030FC: How you usually buy your filtered cigars

[BOX ID: R03_YGR07 - Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store, go to R03_YG1030[TC/CL/FC]. Else, youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers, go to R03_YG1047[TC/CL/FC]. Else, youth respondents who are past 30 day "very light" traditional cigar/cigarillo/filtered cigar smokers, go to Box R03_YGD04. Else, go to Box R03_YGR16.

IF R03_PAST30DAY_GFILTR_LEVEL = 2 AND R03_YG1118FC = 1, 2, GO TO R03_YG1030FC. ELSE, IF R03_PAST30DAY_GFILTR_LEVEL = 2, GO TO R03_YG1047FC. ELSE, IF R03_PAST30DAY_GFILTR_LEVEL = 1, GO TO BOX R03_YGD04. ELSE, GO TO BOX R03_YGR16.]

How do [you/they] usually buy your [CIGARFILL]s?

Filtered cigars

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R03_YG1039FC.]

ASK: Youth respondents who are past 30 day "not-light"

traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR_LEVEL = 2 AND R03_YG1118FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	12	0.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11802	99.9 %
	Total	11,802	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4187-4194 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1033FC: Retail location where your filtered cigars are bought most of the time

Where do [you/they] buy your [CIGARFILL]s most of the time?

Filtered cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR_LEVEL = 2 AND R03_YG1118FC = 1, 2 AND R03_YG1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	1	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = A convenience store or gas station	9	0.1 %
3	3 = A supermarket, grocery store, or drug store	1	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	1	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11802	99.9 %
	Total	11,802	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4195-4202 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1039FC: Usually buy filtered cigars by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] [CIGARFILL]s. Did you buy them by the box or pack, or as single [CIGARFILL]s?

Filtered cigars

[If Single [CIGARFILL]s (2), Go to R03_YG1034FC. If Don't Know (-8) or Refused (-7), Go to R03_YG1047FC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: FOR R03_YG1039TC: IF LOOP = GTRAD AND R03_PAST30DAY_GTRAD_LEVEL = 2 AND R03_YG1118TC = 1, 2.
FOR R03_YG1039CL: IF LOOP = GRILLO AND R03_PAST30DAY_GRILLO_LEVEL = 2 AND R03_YG1118CL = 1, 2.
FOR R03_YG1039FC: IF LOOP = GFILTR AND

R03_PAST30DAY_GFILTR_LEVEL = 2 AND R03_YG1118FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	9	0.1 %
2	2 = Single filtered cigars	3	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11802	99.9 %
	Total	11,802	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4203-4210 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1040FC: Number of filtered cigars that come in box or pack usually bought

How many [CIGARFILL]s came in the box or pack that you last bought?

Filtered cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR_LEVEL = 2 AND R03_YG1118FC = 1, 2 AND R03_YG1039FC = 1.

This variable has 8 valid cases out of 11,814 total cases.

- Mean: 14.38
- Median: 17.50
- Mode: 20.00
- Minimum: 2.00
- Maximum: 20.00
- Standard Deviation: 7.13

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11805	99.9 %
	Total	11,806	99.9 %

Percentages for both tables are based on 11,814 total cases.

Location: 4211-4218 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1034FC_D: Amount paid when last time bought a box of filtered cigars/pack of filtered cigars/single filtered cigar - Dollars

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARFILL]]?

Filtered cigars

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR_LEVEL = 2 AND R03_YG1118FC = 1, 2 AND R03_YG1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 9 valid cases out of 11,814 total cases.

- Mean: 2.56
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.74

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11802	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4219-4226 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1034FC_C: Amount paid when last time bought a box of filtered cigars/pack of filtered cigars/single filtered cigar - Cents

How much did you pay for a [box or pack of [CIGARFILL]s/single [CIGARFILL]]?

Filtered cigars

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR_LEVEL = 2 AND R03_YG1118FC = 1, 2 AND R03_YG1039FC = 1, 2.

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11805	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4227-4234 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YG1047FC: Have a regular brand of filtered cigars you usually smoke

Do you have a regular brand of [CIGARFILL]s that you usually smoke?

Filtered cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	6	0.1 %
	Total	20	0.2%

This variable has 20 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11794	99.8 %
	Total	11,794	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4235-4242 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1945FC: Know the name of brand of filtered cigars you usually/last smoked

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/last smoked]?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

Filtered cigars

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YGD04.]

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	3	0.0 %

Value	Label	Unweighted Frequency	%
	Total	19	0.2%

This variable has 19 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11794	99.8 %
	Total	11,795	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4243-4250 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1048FC_BRAND: Brand of filtered cigars usually/last smoked

What brand of [CIGARFILL] [do/did] you [usually/last] smoke?

Filtered cigars

Please select it from the choices below by touching the screen. If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR_LEVEL = 2 AND R03_YG1945FC = 1.

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11798	99.9 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4251-4258 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Filtered cigars

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers who know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR_LEVEL = 2 AND R03_YG1945FC = 1 AND R03_YG1048FC_BRAND != 9995, -8, -7.

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11799	99.9 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4259-4266 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1060FC_RANDOM_01: YG1060FC series random question 1

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060FC through R03_YG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11769	99.6 %
R03_YG1060FC	-	10	0.1 %
R03_YG1062FC	-	5	0.0 %
R03_YG1063FC	-	8	0.1 %
R03_YG1064FC	-	5	0.0 %
R03_YG1066FC	-	7	0.1 %
R03_YG1075FC	-	7	0.1 %
R03_YG1085FC	-	3	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 4267-4281 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060FC_RANDOM_02: YG1060FC series random question 2

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060FC through R03_YG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11769	99.6 %
R03_YG1060FC	-	6	0.1 %
R03_YG1062FC	-	5	0.0 %
R03_YG1063FC	-	2	0.0 %
R03_YG1064FC	-	4	0.0 %
R03_YG1066FC	-	9	0.1 %
R03_YG1075FC	-	10	0.1 %
R03_YG1085FC	-	9	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 4282-4296 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060FC_RANDOM_03: YG1060FC series random question 3

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060FC through R03_YG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11769	99.6 %
R03_YG1060FC	-	7	0.1 %
R03_YG1062FC	-	8	0.1 %
R03_YG1063FC	-	3	0.0 %
R03_YG1064FC	-	7	0.1 %
R03_YG1066FC	-	3	0.0 %
R03_YG1075FC	-	9	0.1 %
R03_YG1085FC	-	8	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 4297-4311 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060FC_RANDOM_04: YG1060FC series random question 4

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060FC through R03_YG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11769	99.6 %
R03_YG1060FC	-	9	0.1 %
R03_YG1062FC	-	4	0.0 %
R03_YG1063FC	-	8	0.1 %
R03_YG1064FC	-	5	0.0 %
R03_YG1066FC	-	12	0.1 %
R03_YG1075FC	-	4	0.0 %
R03_YG1085FC	-	3	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 4312-4326 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060FC_RANDOM_05: YG1060FC series random question 5

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060FC through R03_YG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11769	99.6 %
R03_YG1060FC	-	4	0.0 %
R03_YG1062FC	-	11	0.1 %
R03_YG1063FC	-	8	0.1 %
R03_YG1064FC	-	4	0.0 %
R03_YG1066FC	-	7	0.1 %
R03_YG1075FC	-	4	0.0 %
R03_YG1085FC	-	7	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 4327-4341 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060FC_RANDOM_06: YG1060FC series random question 6

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060FC through R03_YG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11769	99.6 %
R03_YG1060FC	-	8	0.1 %
R03_YG1062FC	-	7	0.1 %
R03_YG1063FC	-	5	0.0 %
R03_YG1064FC	-	7	0.1 %
R03_YG1066FC	-	5	0.0 %
R03_YG1075FC	-	4	0.0 %

Value	Label	Unweighted Frequency	%
R03_YG1085FC	-	9	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 4342-4356 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060FC_RANDOM_07: YG1060FC series random question 7

[ICPSR NOTE: The 7 items that follow in the questionnaire (R03_YG1060FC through R03_YG1066FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11773	99.7 %
R03_YG1060FC	-	1	0.0 %
R03_YG1062FC	-	5	0.0 %
R03_YG1063FC	-	11	0.1 %
R03_YG1064FC	-	9	0.1 %
R03_YG1066FC	-	2	0.0 %
R03_YG1075FC	-	7	0.1 %
R03_YG1085FC	-	6	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 4357-4371 (width: 15; decimal: 0)

Variable Type: character

R03_YG1060FC: Smoke filtered cigars because: They are affordable

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

They are affordable.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	21	0.2 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4372-4379 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1085FC: Smoke filtered cigars because: I can smoke them in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

I can smoke [CIGARFILL]s at times when or in places where smoking cigarettes isn't allowed.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	40	0.3 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4380-4387 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1062FC: Smoke filtered cigars because: They might be less harmful than cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

They might be less harmful to me than smoking cigarettes.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	34	0.3 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4388-4395 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1075FC: Smoke filtered cigars because: Might be less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

They might be less harmful to people around me than smoking cigarettes.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	37	0.3 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4396-4403 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1063FC: Smoke filtered cigars because: They come in flavors I like

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

[CIGARFILL]s come in flavors I like.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.3 %
2	2 = No	14	0.1 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4404-4411 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1064FC: Smoke filtered cigars because: It helps people to quit smoking cigarettes

[BOX ID: R03_YGR15 - Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R03_YG1064[TC/CL/FC]. Else, go to R03_YG1066[TC/CL/FC].

IF R03_PAST30DAY_GFILTR = 1 AND R03_YC1112 = 1, 2, 3, 4, 5, GO TO R03_YG1064FC. ELSE, GO TO R03_YG1066FC.]

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

Smoking [CIGARFILL]s helps people quit smoking cigarettes.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1
AND R03_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	36	0.3 %
	Total	41	0.3%

This variable has 41 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11773	99.7 %
	Total	11,773	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4412-4419 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1066FC: Smoke filtered cigars because: It feels like smoking a regular cigarette

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons apply to you.

I smoke [CIGARFILL]s because . . .

Smoking a [CIGARFILL] feels like smoking a regular cigarette.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	23	0.2 %
2	2 = No	22	0.2 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4420-4427 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1139FC: Level of agreement: Easier to talk and get along with other people when smoking a filtered cigar

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a [CIGARFILL].

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	15	0.1 %
2	2 = 2 on a scale of 1 to 4	17	0.1 %
3	3 = 3 on a scale of 1 to 4	6	0.1 %
4	4 = Very true of me	7	0.1 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4428-4435 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1140FC: Level of agreement: Feel more confident with other people while smoking a filtered cigar

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While smoking a [CIGARFILL], I feel more confident with other people.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	15	0.1 %
2	2 = 2 on a scale of 1 to 4	15	0.1 %
3	3 = 3 on a scale of 1 to 4	9	0.1 %
4	4 = Very true of me	6	0.1 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4436-4443 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1141FC: Level of agreement: Smoke filtered cigars much more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very

true of me.

I smoke [CIGARFILL]s much more when I am with other people.

Filtered cigars

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF LOOP = GFILTR AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	16	0.1 %
2	2 = 2 on a scale of 1 to 4	8	0.1 %
3	3 = 3 on a scale of 1 to 4	10	0.1 %
4	4 = Very true of me	11	0.1 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4444-4451 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YP1001_NB: Ever seen or heard of a pipe before this study

[BOX ID: R03_YPT01 - The next set of questions are about smoking tobacco in a pipe. Pipes come in many shapes and sizes. They all have a bowl that holds the tobacco and a stem. Pipe tobacco is often sold loose in packages or tins. In the following section, we are only asking about smoking pipes filled with tobacco. The picture below shows a typical pipe and some pipe tobacco.]

[BOX ID: R03_YPR02 - New baseline youth respondents, go to R03_YP1001_NB. Continuing youth respondents, go to R03_YP1002_12M.]

IF R03_YOUTHTYPE = 2, GO TO R03_YP1001_NB. ELSE, GO TO R03_YP1002_12M.]

Have you ever seen or heard of a pipe before this study?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YHT01.]

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1437	12.2 %
2	2 = No	599	5.1 %
	Total	2,036	17.2%

This variable has 2,036 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,778	82.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4452-4459 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YP1002_NB: Ever smoked a pipe filled with tobacco, even one or two puffs

Have you ever smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

[Go to Box R03_YPV01.]

ASK: New baseline youth respondents who have seen or heard of pipe tobacco.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YP1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	1426	12.1 %
	Total	1,436	12.2%

This variable has 1,436 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10377	87.8 %
	Total	10,378	87.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4460-4467 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YP1002_12M: In past 12 months, smoked a pipe filled with tobacco, even one or two puffs

In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	54	0.5 %
2	2 = No	9694	82.1 %
	Total	9,748	82.5%

This variable has 9,748 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,066	17.5%

Percentages for both tables are based on 11,814 total cases.

Location: 4468-4475 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YP1112: Last time smoked a pipe, even one or two puffs

[PROGRAM NOTE: See Box R03_YPV01 and R03_YPR01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

When was the last time you smoked a pipe, even one or two puffs?

[If more than 30 days ago (4 to 7), or Don't Know (-8), or Refused (-7), Go to Box R03_YHT01.]

ASK: Youth respondents who have ever smoked a pipe.

ASK Specification: R03_EVER_NEVER_PIPE_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R03_YP1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	8	0.1 %
2	2 = Not today but sometime in the past 7 days	8	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	11	0.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	21	0.2 %
5	5 = Not in the past 6 months but sometime in the past year	16	0.1 %
6	6 = 1 to 4 years ago	25	0.2 %
7	7 = 5 or more years ago	43	0.4 %
	Total	132	1.1%

This variable has 132 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.3 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11641	98.5 %
	Total	11,682	98.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4476-4483 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YP1022: In past 30 days, number of days smoked a pipe

[BOX ID: R03_YPV02 - R03_PAST30DAY_PIPE = Youth respondents who have smoked a pipe in the past 30 days.

R03_PAST30DAY_PIPE: IF R03_YP1112 = 1, 2, 3, THEN R03_PAST30DAY_PIPE = 1.

ELSE, R03_PAST30DAY_PIPE = 2.]

In the past 30 days, on how many days did you smoke a pipe?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R03_PAST30DAY_PIPE = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 26 valid cases out of 11,814 total cases.

- Mean: 8.35
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.67

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,788	99.8 %

Percentages for both tables are based on 11,814 total cases.

Location: 4484-4491 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YP1023: In past 30 days, number of bowls filled with pipe tobacco smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a pipe, how many bowls filled with tobacco did you smoke per day?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R03_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 bowl per day	7	0.1 %
2	2 = 1 bowl per day	7	0.1 %
3	3 = 2 to 5 bowls per day	8	0.1 %
4	4 = 6 to 10 bowls per day	2	0.0 %

Value	Label	Unweighted Frequency	%
5	5 = 11 to 20 bowls per day	0	0.0 %
6	6 = More than 20 bowls per day	3	0.0 %
	Total	27	0.2%

This variable has 27 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,787	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4492-4499 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YP1142: In the past 30 days, did anyone sell you pipe tobacco

In the past 30 days, did anyone sell you pipe tobacco?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R03_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	20	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,787	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4500-4507 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YP1123: In the past 30 days, someone refused to sell you pipe tobacco because of your age

In the past 30 days, did anyone refuse to sell you pipe tobacco because of your age?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R03_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	17	0.1 %
	Total	25	0.2%

This variable has 25 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,789	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4508-4515 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YP1118: In past 30 days, how you usually got your own pipe tobacco

In the past 30 days, how did you usually get your own pipe tobacco?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R03_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	6	0.1 %
2	2 = I bought it myself from a store	2	0.0 %
3	3 = I asked someone to give me some	2	0.0 %

Value	Label	Unweighted Frequency	%
4	4 = Someone offered it to me	9	0.1 %
5	5 = I bought it from another person	2	0.0 %
6	6 = I took it from a store or another person	1	0.0 %
7	7 = I got it some other way	4	0.0 %
	Total	26	0.2%

This variable has 26 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,788	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4516-4523 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YP1030: How you usually buy your pipe tobacco

[BOX ID: R03_YPR03 - Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store, go to R03_YP1030. Else, all other youth respondents, go to Box R03_YHT01.

IF R03_PAST30DAY_PIPE = 1 AND R03_YP1118 = 1, 2, GO TO R03_YP1030.
ELSE, GO TO BOX R03_YHT01]

[When you give money to someone else, how do they/How do you] usually buy your pipe tobacco?

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R03_YP1034.]

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_PIPE = 1 AND R03_YP1118 = 1, 2.

[DISPLAY: IF R03_YP1118 = 1, DISPLAY "When you give money to someone else, how do they". ELSE, IF R03_YP1118 = 2, DISPLAY "How do you".]

Value	Label	Unweighted Frequency	%
1	1 = In person	7	0.1 %
2	2 = From the internet	1	0.0 %
3	3 = By telephone	0	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11806	99.9 %
	Total	11,806	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4524-4531 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YP1033: Retail location where your pipe tobacco are bought most of the time

Where do [you/they] buy your pipe tobacco most of the time?

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store and usually buy pipe tobacco in person.

ASK Specification: IF R03_PAST30DAY_PIPE = 1 AND R03_YP1118 = 1, 2 AND R03_YP1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	5	0.0 %
2	2 = A supermarket, grocery store, or drug store	0	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	1	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	1	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	0	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,807	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4532-4539 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YP1034_D: Amount paid when last time bought pipe tobacco - Dollars

Think about the last time you [bought/gave money to someone else to buy you] pipe tobacco. How much did you pay for it?

_____ DOLLARS

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_PIPE = 1 AND R03_YP1118 = 1, 2.

[DISPLAY: IF R03_YP1118 = 1, DISPLAY "gave money to someone else to buy you". ELSE, IF R03_YP1118 = 2, DISPLAY "bought".]

This variable has 8 valid cases out of 11,814 total cases.

- Mean: 6.62
- Median: 5.50
- Mode: 10.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 5.90

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11806	99.9 %
	Total	11,806	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4540-4547 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YP1034_C: Amount paid when last time bought pipe tobacco - Cents

Think about the last time you [bought/gave money to someone else to buy you] pipe tobacco. How much did you pay for it?

_____ CENTS

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_PIPE = 1 AND R03_YP1118 = 1, 2.

[DISPLAY: IF R03_YP1118 = 1, DISPLAY "gave money to someone else to buy you". ELSE, IF R03_YP1118 = 2, DISPLAY "bought".]

This variable has 8 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11806	99.9 %
	Total	11,806	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4548-4555 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YH1001_NB: Ever seen or heard of a hookah before this study

[BOX ID: R03_YHT01 - The next questions are about smoking tobacco in a hookah, which is a type of water pipe. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe. There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafés or in hookah bars.

People smoke shisha or hookah tobacco in a hookah. Shisha comes in many different flavors. Some types of shisha contain tobacco and some do not.]

[BOX ID: R03_YHR01 - New baseline youth respondents, go to R03_YH1001_NB. Continuing youth respondents, go to R03_YH1002_12M.

IF R03_YOUTHTYPE = 2, GO TO R03_YH1001_NB. ELSE, GO TO R03_YH1002_12M.]

Have you ever seen or heard of a hookah before this study?

[SHOW GENERIC IMAGE OF HOOKAH]

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YUT01.]

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	781	6.6 %
2	2 = No	1257	10.6 %
	Total	2,038	17.3%

This variable has 2,038 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,776	82.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4556-4563 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1002_NB: Ever smoked tobacco in a hookah, even one or two puffs

Have you ever smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

[Go to Box R03_YHV01.]

ASK: New baseline youth respondents who have ever seen or heard of hookah.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YH1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	773	6.5 %
	Total	781	6.6%

This variable has 781 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11033	93.4 %
	Total	11,033	93.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4564-4571 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1002_12M: In past 12 months, smoked tobacco in a hookah, even one or two puffs

In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	283	2.4 %
2	2 = No	9468	80.1 %
	Total	9,751	82.5%

This variable has 9,751 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,063	17.5%

Percentages for both tables are based on 11,814 total cases.

Location: 4572-4579 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1103: Ever been curious about smoking tobacco in a hookah

[PROGRAM NOTE: See Box R03_YHV01 and R03_YHR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever been curious about smoking tobacco in a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF R03_YH1001_NB != 2, -8, -7 AND R03_EVER_NEVER_HOOK_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	169	1.4 %
2	2 = Somewhat curious	388	3.3 %
3	3 = A little curious	1119	9.5 %
4	4 = Not at all curious	8258	69.9 %
	Total	9,934	84.1%

This variable has 9,934 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	1859	15.7 %
	Total	1,880	15.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4580-4587 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1206: Think you will smoke hookah tobacco in the next year

Do you think you will smoke tobacco in a hookah in the next year?

ASK: New baseline youth respondents who have ever seen or

heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF R03_YH1001_NB != 2, -8, -7 AND R03_EVER_NEVER_HOOK_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	20	0.2 %
2	2 = Probably yes	151	1.3 %
3	3 = Probably not	1098	9.3 %
4	4 = Definitely not	8674	73.4 %
	Total	9,943	84.2%

This variable has 9,943 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	1859	15.7 %
	Total	1,871	15.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4588-4595 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1104: Think you will try smoking tobacco in a hookah soon

Do you think you will try smoking tobacco in a hookah soon?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF R03_YH1001_NB != 2, -8, -7 AND R03_EVER_NEVER_HOOK_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	15	0.1 %
2	2 = Probably yes	111	0.9 %
3	3 = Probably not	1061	9.0 %
4	4 = Definitely not	8756	74.1 %
	Total	9,943	84.2%

This variable has 9,943 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1859	15.7 %
	Total	1,871	15.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4596-4603 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH105: Would smoke a hookah if one of your best friends offered you one

If one of your best friends were to offer you a hookah, would you try it?

[Go to R03_YH9041.]

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF R03_YH1001_NB != 2, -8, -7 AND R03_EVER_NEVER_HOOK_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	103	0.9 %
2	2 = Probably yes	449	3.8 %
3	3 = Probably not	1247	10.6 %
4	4 = Definitely not	8141	68.9 %
	Total	9,940	84.1%

This variable has 9,940 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1859	15.7 %
	Total	1,874	15.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4604-4611 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YH1006_NB: DERIVED - Age range when first tried smoking hookah, even one or two puffs (3 levels)

Long Description: How old were you when you first tried smoking hookah, even one or two puffs?

Algorithm: IF R03_YH1120_NB = 1 OR (0<=R03_YH1006_NB<=11) THEN R03R_Y_YH1006_NB = 1; ELSE IF R03_YH1120_NB = 2 OR (12<=R03_YH1006_NB<=14) THEN R03R_Y_YH1006_NB = 2; ELSE IF R03_YH1120_NB = 3 OR (15<=R03_YH1006_NB<=17) THEN R03R_Y_YH1006_NB = 3; ELSE IF R03_YH1006_NB = -9 OR R03_YH1120_NB = -9 THEN R03R_Y_YH1006_NB = -99999; ELSE IF R03_YH1006_NB = -8 OR R03_YH1120_NB = -8 THEN R03R_Y_YH1006_NB = -99988; ELSE IF R03_YH1006_NB = -7 OR R03_YH1120_NB = -7 THEN R03R_Y_YH1006_NB = -99977; ELSE IF R03_YH1006_NB = -5 THEN R03R_Y_YH1006_NB = -99955; ELSE IF R03_YH1006_NB = -1 OR R03_YH1120_NB = -1 THEN R03R_Y_YH1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	3	0.0 %
2	2 = 12 to 14 years old	3	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11806	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4612-4619 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YH1108: First shisha or hookah tobacco used was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R03_YH1005.]

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have initiated hookah smoking since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_HOOK_YOUTH = 1) OR R03_INIT_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	121	1.0 %
2	2 = No	14	0.1 %
3	3 = I don't know	26	0.2 %
	Total	161	1.4%

This variable has 161 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11653	98.6 %
	Total	11,653	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4620-4627 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1011_01: Flavor of first shisha or hookah tobacco smoked: Menthol or mint

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1108 = 1) OR

(R03_INIT_HOOK_YOUTH = 1 AND R03_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	105	0.9 %
	Total	121	1.0%

This variable has 121 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11693	99.0 %
	Total	11,693	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 4628-4635 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1011_02: Flavor of first shisha or hookah tobacco smoked: Clove or spice

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1108 = 1) OR (R03_INIT_HOOK_YOUTH = 1 AND R03_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	120	1.0 %
	Total	121	1.0%

This variable has 121 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11693	99.0 %
	Total	11,693	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 4636-4643 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1011_03: Flavor of first shisha or hookah tobacco smoked: Fruit

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1108 = 1) OR (R03_INIT_HOOK_YOUTH = 1 AND R03_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	81	0.7 %
2	2 = Not Marked	40	0.3 %
	Total	121	1.0%

This variable has 121 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11693	99.0 %
	Total	11,693	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 4644-4651 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1011_04: Flavor of first shisha or hookah tobacco smoked: Chocolate

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1108 = 1) OR (R03_INIT_HOOK_YOUTH = 1 AND R03_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	117	1.0 %
	Total	121	1.0%

This variable has 121 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11693	99.0 %
	Total	11,693	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 4652-4659 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1011_05: Flavor of first shisha or hookah tobacco smoked: An alcoholic drink

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah

smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1108 = 1) OR (R03_INIT_HOOK_YOUTH = 1 AND R03_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	112	0.9 %
	Total	121	1.0%

This variable has 121 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11693	99.0 %
	Total	11,693	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 4660-4667 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1011_06: Flavor of first shisha or hookah tobacco smoked: Candy or other sweets

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1108 = 1) OR (R03_INIT_HOOK_YOUTH = 1 AND R03_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.3 %
2	2 = Not Marked	88	0.7 %

Value	Label	Unweighted Frequency	%
	Total	121	1.0%

This variable has 121 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11693	99.0 %
	Total	11,693	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 4668-4675 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1011_07: Flavor of first shisha or hookah tobacco smoked: Some other flavor

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1108 = 1) OR (R03_INIT_HOOK_YOUTH = 1 AND R03_YH1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	107	0.9 %
	Total	121	1.0%

This variable has 121 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11693	99.0 %
	Total	11,693	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 4676-4683 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1005: Number of times smoked tobacco in a hookah in entire life

How many times have you smoked tobacco in a hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and have initiated hookah smoking since their last completed interview or had not smoked hookah 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_HOOK_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_HOOK_YOUTH = 1 AND (R03_INIT_HOOK_YOUTH = 1 OR R02_NUMLIFE_HOOK != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1	215	1.8 %
2	2 = 2 to 10	184	1.6 %
3	3 = 11 to 20	50	0.4 %
4	4 = 21 to 50	27	0.2 %
5	5 = 51 to 99	11	0.1 %
6	6 = 100 or more	8	0.1 %
	Total	495	4.2%

This variable has 495 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	52	0.4 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	11244	95.2 %
	Total	11,319	95.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4684-4691 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1100: Ever smoked a hookah fairly regularly

[BOX ID: R03_YHR10 - New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview, go to R03_YH1100. Else, go to R03_YH1112.]

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_HOOK_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_HOOK_YOUTH = 1 AND R02_REGUSE_HOOK != 1), GO TO R03_YH1100. ELSE, GO TO R03_YH1112.]

Have you ever smoked hookah fairly regularly?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YH1112.]

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_HOOK_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_HOOK_YOUTH = 1 AND R02_REGUSE_HOOK != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	35	0.3 %
2	2 = No	499	4.2 %
	Total	534	4.5%

This variable has 534 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11276	95.4 %
	Total	11,280	95.5%

Percentages for both tables are based on 11,814 total cases.

Location: 4692-4699 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YH1007: DERIVED - Age range when first started smoking a hookah fairly regularly (3 levels)

Long Description: How old were you when you first started smoking hookah fairly regularly?

Algorithm: IF R03_YH1121 = 1 OR (0<=R03_YH1007<=11) THEN R03R_Y_YH1007 = 1; ELSE IF R03_YH1121 = 2 OR (12<=R03_YH1007<=14) THEN R03R_Y_YH1007 = 2; ELSE IF R03_YH1121 = 3 OR (15<=R03_YH1007<=17) THEN R03R_Y_YH1007 = 3; ELSE IF R03_YH1007 = -9 OR R03_YH1121 = -9 THEN R03R_Y_YH1007 = -99999; ELSE IF R03_YH1007 = -8 OR R03_YH1121 = -8 THEN R03R_Y_YH1007 = -99988; ELSE IF R03_YH1007 = -7 OR R03_YH1121 = -7 THEN R03R_Y_YH1007 = -99977; ELSE IF R03_YH1007 = -5 THEN R03R_Y_YH1007 = -99955; ELSE IF R03_YH1007 = -1 OR R03_YH1121 = -1 THEN R03R_Y_YH1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	3	0.0 %
2	2 = 12 to 14 years old	15	0.1 %
3	3 = 15 to 17 years old	17	0.1 %
	Total	35	0.3%

This variable has 35 valid cases out of 11,814 total cases.

- Minimum: 1.00
- Maximum: 3.00

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11779	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,779	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4700-4707 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YH112: Last time smoked tobacco in a hookah, even one or two puffs

When was the last time you smoked tobacco in a hookah, even one or two puffs?

[If more than 1 year ago (6 or 7), Go to R03_YH1090.]

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R03_EVER_NEVER_HOOK_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R03_YH1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	9	0.1 %
2	2 = Not today but sometime in the past 7 days	22	0.2 %
3	3 = Not in the past 7 days but sometime in the past 30 days	41	0.3 %
4	4 = Not in the past 30 days but sometime in the past 6 months	125	1.1 %
5	5 = Not in the past 6 months but sometime in the past year	146	1.2 %
6	6 = 1 to 4 years ago	124	1.0 %
7	7 = 5 or more years ago	57	0.5 %
	Total	524	4.4%

This variable has 524 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	45	0.4 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	11217	94.9 %
	Total	11,290	95.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4708-4715 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9003: How often you usually smoke hookah

[BOX ID: R03_YHV02 - PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R03_PAST30DAY_HOOK = Youth respondents who have smoked hookah in the past 30 days.

R03_PAST30DAY_HOOK: IF R03_YH1112 = 1, 2, 3, THEN R03_PAST30DAY_HOOK = 1.
ELSE, R03_PAST30DAY_HOOK = 2.]

Which of the following choices best describes your hookah smoking? Usually I smoke hookah . . .

[If Weekly (2), Go to R03_YH9005. If Monthly (3), Go to R03_YH9004.
If Every couple of months (4), About once a year (5), Don't Know (-8),
or Refused (-7), Go to R03_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last

smoked hookah in the past year or did not know or refused to report when they last smoked hookah.

ASK Specification: IF R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1112 != 6, 7.

Value	Label	Unweighted Frequency	%
1	1 = Every day	6	0.1 %
2	2 = Weekly	17	0.1 %
3	3 = Monthly	38	0.3 %
4	4 = Every couple of months	99	0.8 %
5	5 = About once a year	181	1.5 %
	Total	341	2.9%

This variable has 341 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	53	0.4 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	11398	96.5 %
	Total	11,473	97.1%

Percentages for both tables are based on 11,814 total cases.

Location: 4716-4723 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9006: Average number of times you smoke tobacco in a hookah each day

On average, about how many times do you smoke tobacco in a hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[If Don't Know (-8) or Refused (-7), Go to

ASK: Youth respondents who have ever smoked hookah and last smoked hookah in the past year or did not know or refused to report when they last smoked hookah and usually smoke hookah every day.

ASK Specification: IF R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1112 != 6, 7 AND R03_YH9003 = 1.

[CHECK ID: R03_YH9006_LC1 - The computer recorded that, on average, you smoke tobacco in a hookah [R03_YH9006] times each day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YH9006. IF 2 NEXT, GO TO R03_YH1090.

ASK: IF (R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1112 != 6, 7 AND R03_YH9003 = 1 AND R03_YH9006 != -8, -7) AND R03_YH9006 > 2.

PROGRAM: TRIGGER CHECK IF R03_YH9006 > 2. ELSE, GO TO R03_YH1090 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 6 valid cases out of 11,814 total cases.

- Mean: 4.33
- Median: 2.50
- Mode: 2.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 4.46

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11808	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4724-4731 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YH9005: Average number of times you smoke tobacco in a hookah in a week

On average, about how many times do you smoke tobacco in a hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[If Don't Know (-8) or Refused (-7), Go to R03_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah in the past year or did not know or refused to report when they last smoked hookah and usually smoke hookah weekly.

ASK Specification: IF R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1112 != 6, 7 AND R03_YH9003 = 2.

[CHECK ID: R03_YH9005_LC1 - The computer recorded that, on average, you smoke tobacco in a hookah [R03_YH9005] times in a week. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YH9005. IF 2 NEXT, GO TO R03_YH1090.

ASK: IF (R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1112 != 6, 7 AND R03_YH9003 = 2 AND R03_YH9005 != -8, -7) AND R03_YH9005 > 15.

PROGRAM: TRIGGER CHECK IF R03_YH9005 > 15. ELSE, GO TO R03_YH1090 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 17 valid cases out of 11,814 total cases.

- Mean: 5.47
- Median: 2.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 12.84

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11797	99.9 %
	Total	11,797	99.9 %

Percentages for both tables are based on 11,814 total cases.

Location: 4732-4739 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YH9004: Average number of times you smoke tobacco in a hookah in a month

On average, about how many times do you smoke tobacco in a hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

ASK: Youth respondents who have ever smoked hookah and last smoked hookah in the past year or did not know or refused to report when they last smoked hookah and usually smoke hookah monthly.

ASK Specification: IF R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1112 != 6, 7 AND R03_YH9003 = 3.

[CHECK ID: R03_YH9004_LC1 - The computer recorded that, on average, you smoke tobacco in a hookah [R03_YH9004] times in a month. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YH9004. IF 2 NEXT, GO TO R03_YH1090.

ASK: IF (R03_EVER_NEVER_HOOK_YOUTH = 1 AND R03_YH1112 != 6, 7 AND R03_YH9003 = 3) AND R03_YH9004 > 50.

PROGRAM: TRIGGER CHECK IF R03_YH9004 > 50. ELSE, GO TO R03_YH1090 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 38 valid cases out of 11,814 total cases.

- Mean: 7.37
- Median: 3.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 58.00
- Standard Deviation: 12.60

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11776	99.7 %
	Total	11,776	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 4740-4747 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YH1090: Owns a hookah

Do you own a hookah?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R03_EVER_NEVER_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.4 %
2	2 = No	554	4.7 %
	Total	596	5.0%

This variable has 596 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11217	94.9 %
	Total	11,218	95.0%

Percentages for both tables are based on 11,814 total cases.

Location: 4748-4755 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9041: Someone else in home owns a hookah

Does anyone [else] living in your home own a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YH1001_NB = 1) OR R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	239	2.0 %
2	2 = No	10276	87.0 %
	Total	10,515	89.0%

This variable has 10,515 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	28	0.2 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	1264	10.7 %
	Total	1,299	11.0%

Percentages for both tables are based on 11,814 total cases.

Location: 4756-4763 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9012: Usually share the same hookah with others

[BOX ID: R03_YHR03 - Youth respondents who are past 30 day hookah users, go to R03_YH9012. Else, youth respondents who have ever smoked hookah, go to R03_YH9042. Else, go to R03_YH9031.]

IF R03_PAST30DAY_HOOK = 1, GO TO R03_YH9012. ELSE, IF R03_EVER_NEVER_HOOK_YOUTH = 1, GO TO R03_YH9042. ELSE, GO TO R03_YH9031.]

Do you usually share a hookah with others when you smoke?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YH9014.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	55	0.5 %
2	2 = No	17	0.1 %
	Total	72	0.6%

This variable has 72 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,742	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4764-4771 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9013: Number of people hookah is usually shared with

How many people do you usually share a hookah with?

ASK: Youth respondents who are past 30 day hookah smokers and share a hookah with others when they smoke.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH9012 = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 other person	11	0.1 %
2	2 = 2 other people	16	0.1 %
3	3 = 3 other people	9	0.1 %
4	4 = 4 or more other people	18	0.2 %
	Total	54	0.5%

This variable has 54 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11759	99.5 %
	Total	11,760	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 4772-4779 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9014: Average length of hookah session

On average, how long is one hookah session for you [and the people you share it with]?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 30 minutes	21	0.2 %
2	2 = More than 30 minutes up to 1 hour	30	0.3 %
3	3 = 1 to 2 hours	13	0.1 %
4	4 = More than 2 hours	7	0.1 %
	Total	71	0.6%

This variable has 71 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,743	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4780-4787 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9015: Number of times hookah is refilled with tobacco

On average, when you [smoke/share a] hookah, how many times is the hookah refilled with tobacco during a session?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = 0 times	23	0.2 %
2	2 = 1 time	22	0.2 %
3	3 = 2 to 3 times	21	0.2 %
4	4 = 4 or more times	6	0.1 %
	Total	72	0.6%

This variable has 72 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,742	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4788-4795 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9016: How often you personally set up the hookah

How often do you personally set up the hookah?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	6	0.1 %
2	2 = Most of the time	11	0.1 %
3	3 = Some of the time	13	0.1 %
4	4 = Rarely	14	0.1 %
5	5 = Never, someone else always sets it up for me	27	0.2 %
	Total	71	0.6%

This variable has 71 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,743	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4796-4803 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9011_01: Usually smoke hookah: At home

Where do you usually smoke hookah? Choose all that apply.

At home

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.2 %
2	2 = Not Marked	52	0.4 %
	Total	71	0.6%

This variable has 71 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,743	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4804-4811 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9011_02: Usually smoke hookah: In a hookah bar or café

Where do you usually smoke hookah? Choose all that apply.

In a hookah bar or café

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1 %
2	2 = Not Marked	56	0.5 %
	Total	71	0.6%

This variable has 71 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,743	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4812-4819 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9011_03: Usually smoke hookah: At a friend's home

Where do you usually smoke hookah? Choose all that apply.

At a friend's home

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	44	0.4 %
2	2 = Not Marked	27	0.2 %
	Total	71	0.6%

This variable has 71 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,743	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4820-4827 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9011_04: Usually smoke hookah: Somewhere else

Where do you usually smoke hookah? Choose all that apply.

Somewhere else

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	58	0.5 %
	Total	71	0.6%

This variable has 71 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,743	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4828-4835 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1130: In past 30 days, used shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7), Go to R03_YH1142.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.4 %
2	2 = No	14	0.1 %
3	3 = I don't know	11	0.1 %
	Total	72	0.6%

This variable has 72 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,742	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4836-4843 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1131_01: In past 30 days, smoked hookah tobacco flavored to taste like menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	33	0.3 %
	Total	47	0.4%

This variable has 47 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11767	99.6 %
	Total	11,767	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4844-4851 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1131_02: In past 30 days, smoked hookah tobacco flavored to taste like clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	45	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11767	99.6 %

	Missing Data		
	Total	11,767	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4852-4859 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1131_03: In past 30 days, smoked hookah tobacco flavored to taste like fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.3 %
2	2 = Not Marked	14	0.1 %
	Total	47	0.4%

This variable has 47 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11767	99.6 %
	Total	11,767	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4860-4867 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1131_04: In past 30 days, smoked hookah tobacco flavored to taste like chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day hookah smokers and

have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	42	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11767	99.6 %
	Total	11,767	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4868-4875 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1131_05: In past 30 days, smoked hookah tobacco flavored to taste like an alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	42	0.4 %
	Total	47	0.4%

This variable has 47 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11767	99.6 %
	Total	11,767	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4876-4883 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1131_06: In past 30 days, smoked hookah tobacco flavored to taste like candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	34	0.3 %
	Total	47	0.4%

This variable has 47 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11767	99.6 %
	Total	11,767	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4884-4891 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1131_07: In past 30 days, smoked hookah tobacco flavored to taste like some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	40	0.3 %
	Total	47	0.4%

This variable has 47 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11767	99.6 %
	Total	11,767	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 4892-4899 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1142: In past 30 days, anyone sold you shisha or hookah tobacco

In the past 30 days, did anyone sell you shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	61	0.5 %

Value	Label	Unweighted Frequency	%
	Total	70	0.6%

This variable has 70 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,744	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4900-4907 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1123: In the past 30 days, someone refused to sell you shisha or hookah tobacco because of your age

In the past 30 days, did anyone refuse to sell you shisha or hookah tobacco because of your age?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	59	0.5 %
	Total	69	0.6%

This variable has 69 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,745	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4908-4915 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1118: In past 30 days, how you usually got your own shisha or hookah tobacco

In the past 30 days, how did you usually get your own shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	14	0.1 %
2	2 = I bought it myself from a store (including a hookah bar or café)	7	0.1 %
3	3 = I asked someone to give me some	3	0.0 %
4	4 = Someone offered it to me	23	0.2 %
5	5 = I bought it from another person	9	0.1 %
6	6 = I took it from a store or another person	2	0.0 %
7	7 = I got it some other way	8	0.1 %
	Total	66	0.6%

This variable has 66 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,748	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4916-4923 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1030: How you usually buy your shisha or hookah tobacco

[BOX ID: R03_YHR04 - Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store, go to R03_YH1030. Else, go to R03_YH1047.]

IF R03_PAST30DAY_HOOK = 1 AND R03_YH1118 = 1, 2, GO TO R03_YH1030. ELSE, GO TO R03_YH1047.]

[When you give money to someone else, how do they/How do you] usually buy your shisha or hookah tobacco?

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R03_YH1034.]

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or hookah bar)	18	0.2 %
2	2 = From the internet	1	0.0 %
3	3 = By telephone	2	0.0 %
	Total	21	0.2%

This variable has 21 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11793	99.8 %
	Total	11,793	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4924-4931 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1033: Retail location where your shisha or hookah tobacco is bought most of the time

Where do [you/they] buy your shisha or hookah tobacco most of the time?

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store and usually buy shisha or hookah tobacco in person.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1118 = 1, 2 AND R03_YH1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A hookah bar or café	6	0.1 %
2	2 = A convenience store or gas station	3	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = A supermarket, grocery store, or drug store	2	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	7	0.1 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	18	0.2%

This variable has 18 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11796	99.8 %
	Total	11,796	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4932-4939 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1034_D: Amount paid when last time bought shisha or hookah tobacco - Dollars

Think about the last time you [bought/gave money to someone else to buy you] shisha or hookah tobacco. How much did you pay for it?

_____ DOLLARS

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1118 = 1, 2.

This variable has 21 valid cases out of 11,814 total cases.

- Mean: 13.52
- Median: 6.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 14.04

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11793	99.8 %
	Total	11,793	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4940-4947 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YH1034_C: Amount paid when last time bought shisha or hookah tobacco - Cents

Think about the last time you [bought/gave money to someone else to buy you] shisha or hookah tobacco. How much did you pay for it?

_____ CENTS

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1118 = 1, 2.

[CHECK ID: R03_YH1034_LC1 - The computer recorded that you paid \$[R03_YH1034[_D/_C]] for shisha or hookah tobacco. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YH1034. IF 2 NEXT, GO TO R03_YH1047.

ASK: IF (R03_PAST30DAY_HOOK = 1 AND R03_YH1118 = 1, 2) AND R03_YH1034_D > 100.

PROGRAM: TRIGGER CHECK IF R03_YH1034_D > 100. ELSE, GO TO R03_YH1047 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 21 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11793	99.8 %
	Total	11,793	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 4948-4955 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YH1047: Have a regular brand of shisha or hookah tobacco you usually smoke

Do you have a regular brand of shisha or hookah tobacco that you usually smoke?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	57	0.5 %
	Total	71	0.6%

This variable has 71 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,743	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4956-4963 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1945: Know the name of brand of shisha or hookah tobacco you [usually smoke/last smoked]

Do you know the name of the brand of shisha or hookah tobacco you [usually smoke/last smoked]?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YHD01.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	57	0.5 %
	Total	71	0.6%

This variable has 71 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,743	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 4964-4971 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1048_BRAND: Brand of shisha or hookah tobacco usually / last smoked

What brand of shisha or hookah tobacco [do/did] you
[usually/last] smoke?

Please select it from the choices below by touching the
screen. [If you do not see it below, touch the button marked
"NEXT"./If you do not see it below, touch the box marked
"Something else".]

ASK: Youth respondents who are past 30 day hookah smokers who
know the name of the brand of shisha or hookah tobacco they
usually smoke or last smoked.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1945 = 1.

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4972-4979 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1070_PRODUCT: Sub-brand of hookah tobacco product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1945 = 1 AND R03_YH1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: Fill BRANDFILL with brand selected in R03_YH1048_BRAND. Show pictures or text on the touchscreen of the major products associated with the brand selected.]

This variable has 13 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,801	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4980-4987 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9108: This brand of shisha contains tobacco

Does this brand of shisha contain tobacco?

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YH1945 = 1 AND (R03_YH1048_BRAND != 9995, -8, -7 OR (R03_YH1048_BRAND = 9995 AND R03_YH1049 != -1, -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	3	0.0 %
3	3 = I don't know	0	0.0 %
	Total	13	0.1%

This variable has 13 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,801	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 4988-4995 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1060_RANDOM_01: YH1060 series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YH1060 through R03_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11742	99.4 %
R03_YH1060	-	12	0.1 %
R03_YH1062	-	8	0.1 %
R03_YH1063	-	12	0.1 %
R03_YH1064	-	6	0.1 %
R03_YH1069	-	10	0.1 %
R03_YH1073	-	8	0.1 %
R03_YH1075	-	3	0.0 %

Value	Label	Unweighted Frequency	%
R03_YH1085	-	13	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 4996-5010 (width: 15; decimal: 0)

Variable Type: character

R03_YH1060_RANDOM_02: YH1060 series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YH1060 through R03_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11742	99.4 %
R03_YH1060	-	10	0.1 %
R03_YH1062	-	10	0.1 %
R03_YH1063	-	11	0.1 %
R03_YH1064	-	1	0.0 %
R03_YH1069	-	15	0.1 %
R03_YH1073	-	12	0.1 %
R03_YH1075	-	6	0.1 %
R03_YH1085	-	7	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5011-5025 (width: 15; decimal: 0)

Variable Type: character

R03_YH1060_RANDOM_03: YH1060 series random question 3

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YH1060 through R03_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11742	99.4 %
R03_YH1060	-	6	0.1 %
R03_YH1062	-	6	0.1 %
R03_YH1063	-	7	0.1 %
R03_YH1064	-	9	0.1 %
R03_YH1069	-	12	0.1 %
R03_YH1073	-	10	0.1 %
R03_YH1075	-	14	0.1 %
R03_YH1085	-	8	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5026-5040 (width: 15; decimal: 0)

Variable Type: character

R03_YH1060_RANDOM_04: YH1060 series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YH1060 through R03_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11742	99.4 %
R03_YH1060	-	14	0.1 %
R03_YH1062	-	8	0.1 %
R03_YH1063	-	11	0.1 %
R03_YH1064	-	3	0.0 %
R03_YH1069	-	8	0.1 %
R03_YH1073	-	6	0.1 %
R03_YH1075	-	14	0.1 %
R03_YH1085	-	8	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5041-5055 (width: 15; decimal: 0)

Variable Type: character

R03_YH1060_RANDOM_05: YH1060 series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YH1060 through R03_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11742	99.4 %
R03_YH1060	-	12	0.1 %
R03_YH1062	-	7	0.1 %
R03_YH1063	-	11	0.1 %
R03_YH1064	-	3	0.0 %
R03_YH1069	-	10	0.1 %
R03_YH1073	-	11	0.1 %
R03_YH1075	-	10	0.1 %
R03_YH1085	-	8	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5056-5070 (width: 15; decimal: 0)

Variable Type: character

R03_YH1060_RANDOM_06: YH1060 series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YH1060 through R03_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11742	99.4 %
R03_YH1060	-	6	0.1 %
R03_YH1062	-	16	0.1 %
R03_YH1063	-	8	0.1 %
R03_YH1064	-	3	0.0 %
R03_YH1069	-	3	0.0 %
R03_YH1073	-	10	0.1 %
R03_YH1075	-	12	0.1 %

Value	Label	Unweighted Frequency	%
R03_YH1085	-	14	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5071-5085 (width: 15; decimal: 0)

Variable Type: character

R03_YH1060_RANDOM_07: YH1060 series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YH1060 through R03_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11742	99.4 %
R03_YH1060	-	10	0.1 %
R03_YH1062	-	11	0.1 %
R03_YH1063	-	8	0.1 %
R03_YH1064	-	5	0.0 %
R03_YH1069	-	9	0.1 %
R03_YH1073	-	9	0.1 %
R03_YH1075	-	10	0.1 %
R03_YH1085	-	10	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5086-5100 (width: 15; decimal: 0)

Variable Type: character

R03_YH1060_RANDOM_08: YH1060 series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YH1060 through R03_YH1073) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11780	99.7 %
R03_YH1060	-	2	0.0 %
R03_YH1062	-	6	0.1 %
R03_YH1063	-	4	0.0 %
R03_YH1064	-	4	0.0 %
R03_YH1069	-	5	0.0 %
R03_YH1073	-	6	0.1 %
R03_YH1075	-	3	0.0 %
R03_YH1085	-	4	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5101-5115 (width: 15; decimal: 0)

Variable Type: character

R03_YH1060: Smoke hookah because: It is affordable

The next questions are about the reasons people smoke hookah.
Please select which reasons apply to you.

I smoke hookah because . . .

It is affordable.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	42	0.4 %
	Total	71	0.6%

This variable has 71 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,743	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 5116-5123 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1085: Smoke hookah because: It can be smoked in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke hookah.
Please select which reasons apply to you.

I smoke hookah because . . .

I can smoke hookah at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.1 %
2	2 = No	57	0.5 %
	Total	72	0.6%

This variable has 72 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,742	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 5124-5131 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1062: Smoke hookah because: It might be less harmful than smoking cigarettes

The next questions are about the reasons people smoke hookah.
Please select which reasons apply to you.

I smoke hookah because . . .

It might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	43	0.4 %
	Total	72	0.6%

This variable has 72 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,742	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 5132-5139 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1075: Smoke hookah because: It might be less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke hookah.
Please select which reasons apply to you.

I smoke hookah because . . .

It might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	26	0.2 %
2	2 = No	46	0.4 %
	Total	72	0.6%

This variable has 72 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,742	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 5140-5147 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1063: Smoke hookah because: It comes in flavors I like

The next questions are about the reasons people smoke hookah.
Please select which reasons apply to you.

I smoke hookah because . . .

Shisha or hookah tobacco comes in flavors I like.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	40	0.3 %
2	2 = No	32	0.3 %
	Total	72	0.6%

This variable has 72 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,742	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 5148-5155 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1064: Smoke hookah because: It helps people to quit smoking cigarettes

[BOX ID: R03_YHR07 - Youth respondents who are past 30 day hookah smokers

and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R03_YH1064. Else, go to R03_YH1069.

IF R03_PAST30DAY_HOOK = 1 AND R03_YC1112 = 1, 2, 3, 4, 5, GO TO R03_YH1064.
ELSE, GO TO R03_YH1069.]

The next questions are about the reasons people smoke hookah.
Please select which reasons apply to you.

I smoke hookah because . . .

Smoking hookah helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R03_PAST30DAY_HOOK = 1 AND R03_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	25	0.2 %
	Total	34	0.3%

This variable has 34 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11780	99.7 %
	Total	11,780	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5156-5163 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1069: Smoke hookah because: I like socializing while smoking it

The next questions are about the reasons people smoke hookah.
Please select which reasons apply to you.

I smoke hookah because . . .

I like socializing while smoking hookah.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	41	0.3 %
2	2 = No	31	0.3 %
	Total	72	0.6%

This variable has 72 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,742	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 5164-5171 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9042: Ever used another liquid besides water in the bowl of the hookah

Have you ever used another liquid besides water in the bowl of the hookah?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R03_EVER_NEVER_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.4 %
2	2 = No	542	4.6 %
	Total	588	5.0%

This variable has 588 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	3	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11217	94.9 %
	Total	11,226	95.0%

Percentages for both tables are based on 11,814 total cases.

Location: 5172-5179 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9031: Ever smoked marijuana in a hookah

[BOX ID: R03_YHR09 - New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents, go to R03_YH9031. Else, go to Box R03_YUT01.

IF (R03_YOUTHTYPE = 2 AND R03_YH1001_NB = 1) OR R03_YOUTHTYPE = 1, GO TO R03_YH9031. ELSE, GO TO BOX R03_YUT01.]

Have you ever smoked marijuana in a hookah? (Remember all information you give to the PATH Study will be kept private.)

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YH1001_NB = 1) OR R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	239	2.0 %
2	2 = No	10297	87.2 %
	Total	10,536	89.2%

This variable has 10,536 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	1264	10.7 %
	Total	1,278	10.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5180-5187 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9040: Ever smoked herbal or tobacco-free shisha in a hookah

Have you ever smoked herbal or tobacco-free shisha in a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YH1001_NB = 1) OR R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	175	1.5 %
2	2 = No	10354	87.6 %
	Total	10,529	89.1%

This variable has 10,529 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1264	10.7 %
	Total	1,285	10.9%

Percentages for both tables are based on 11,814 total cases.

Location: 5188-5195 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1001_NB: Have you ever seen or heard of snus pouches, before this study

[BOX ID: R03_YUT01 - The next questions ask about snus pouches, a type of smokeless tobacco that comes in a small pouch that you put under your lip.

Common brands of snus pouches include Camel Snus, General Snus, Marlboro Snus, and Skoal Snus, but there are many others.

Please think about your use of snus pouches as you answer these questions. There will be a separate section later about other types of smokeless tobacco products.]

[BOX ID: R03_YUR14 - New baseline youth respondents, go to R03_YU1001_NB. Continuing youth respondents, go to R03_YU1002_12M.

IF R03_YOUTHTYPE = 2, GO TO R03_YU1001_NB. ELSE, GO TO R03_YU1002_12M.]

Have you ever seen or heard of snus pouches, before this study?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YST01.]

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	245	2.1 %
2	2 = No	1795	15.2 %
	Total	2,040	17.3%

This variable has 2,040 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,774	82.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5196-5203 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1002_NB: Have you ever used snus pouches, even one or two times

Have you ever used snus pouches, even one or two times?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YUV03.]

ASK: New baseline youth respondents who have ever seen or heard of snus pouches.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YU1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	240	2.0 %
	Total	245	2.1%

This variable has 245 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11569	97.9 %
	Total	11,569	97.9%

Percentages for both tables are based on 11,814 total cases.

Location: 5204-5211 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1003_NB: Ever used the brand called Skoal Bandits

There are types of smokeless tobacco that come in a pouch like snus, but are not snus, including Skoal Bandits.

Have you ever used the brand called "Skoal Bandits"?

[Go to Box R03_YUV03.]

ASK: New baseline youth respondents who have ever seen or heard of snus pouches and have ever used snus pouches.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YU1001_NB = 1 AND R03_YU1002_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes, I have used only Skoal Bandits	2	0.0 %
2	2 = Yes, I have used both Skoal Bandits and snus pouches	1	0.0 %
3	3 = No, I have not used Skoal Bandits	2	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11809	100.0 %
	Total	11,809	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 5212-5219 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1002_12M: In the past 12 months, have you used snus pouches, even one or two times

In the past 12 months, have you used snus pouches, even one or two times?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YUV03.]

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	125	1.1 %
2	2 = No	9617	81.4 %
	Total	9,742	82.5%

This variable has 9,742 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,072	17.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5220-5227 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1003_12M: In the past 12 months, used the brand called Skoal Bandits

There are types of smokeless tobacco that come in a pouch like snus, but are not snus, including Skoal Bandits.

In the past 12 months, have you used the brand called "Skoal Bandits"?

ASK: Continuing youth respondents who have used snus pouches in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1 AND R03_YU1002_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes, I have used only Skoal Bandits	10	0.1 %
2	2 = Yes, I have used both Skoal Bandits and snus pouches	18	0.2 %
3	3 = No, I have not used Skoal Bandits	95	0.8 %
	Total	123	1.0%

This variable has 123 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11689	98.9 %
	Total	11,691	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 5228-5235 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1103: Ever been curious about using snus pouches

[PROGRAM NOTE: See Box R03_YUV03 and R03_YUR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever been curious about using snus pouches[(not including Skoal Bandits)]?

ASK: New baseline youth respondents who have ever seen or heard of snus pouches and have never used snus pouches, or continuing youth respondents who have never used snus pouches.

ASK Specification: IF R03_YU1001_NB != 2, -8, -7 AND R03_EVER_NEVER_SNUS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	32	0.3 %
2	2 = Somewhat curious	54	0.5 %
3	3 = A little curious	268	2.3 %
4	4 = Not at all curious	9442	79.9 %
	Total	9,796	82.9%

This variable has 9,796 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	1988	16.8 %
	Total	2,018	17.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5236-5243 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1206: Think you will use snus pouches in the next year

Do you think you will try snus pouches in the next year?

ASK: New baseline youth respondents who have ever seen or heard of snus pouches and have never used snus pouches, or continuing youth respondents who have never used snus pouches.

ASK Specification: IF R03_YU1001_NB != 2, -8, -7 AND R03_EVER_NEVER_SNUS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	4	0.0 %
2	2 = Probably yes	20	0.2 %
3	3 = Probably not	375	3.2 %
4	4 = Definitely not	9411	79.7 %
	Total	9,810	83.0%

This variable has 9,810 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	1988	16.8 %
	Total	2,004	17.0%

Percentages for both tables are based on 11,814 total cases.

Location: 5244-5251 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1104: Think you will try snus pouches soon

Do you think you will try snus pouches soon?

ASK: New baseline youth respondents who have ever seen or heard of snus pouches and have never used snus pouches, or continuing youth respondents who have never used snus pouches.

ASK Specification: IF R03_YU1001_NB != 2, -8, -7 AND
R03_EVER_NEVER_SNUS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	6	0.1 %
2	2 = Probably yes	17	0.1 %
3	3 = Probably not	364	3.1 %
4	4 = Definitely not	9420	79.7 %
	Total	9,807	83.0%

This variable has 9,807 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	1988	16.8 %
	Total	2,007	17.0%

Percentages for both tables are based on 11,814 total cases.

Location: 5252-5259 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1105: Would use snus pouches if one of your best friends offered you one

If one of your best friends were to offer you a snus pouch, would you try it?

[Go to Box R03_YST01.]

ASK: New baseline youth respondents who have ever seen or heard of snus pouches and have never used snus pouches, or continuing youth respondents who have never used snus pouches.

ASK Specification: IF R03_YU1001_NB != 2, -8, -7 AND
R03_EVER_NEVER_SNUS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	15	0.1 %
2	2 = Probably yes	81	0.7 %
3	3 = Probably not	546	4.6 %
4	4 = Definitely not	9160	77.5 %
	Total	9,802	83.0%

This variable has 9,802 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	1988	16.8 %
	Total	2,012	17.0%

Percentages for both tables are based on 11,814 total cases.

Location: 5260-5267 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YU1006_NB: DERIVED - Age range when first tried snus pouches, even one or two times (3 levels)

Long Description: How old were you when you first tried snus pouches, even one or two times?

Algorithm: IF R03_YU1120_NB = 1 OR (0<=R03_YU1006_NB<=11) THEN R03R_Y_YU1006_NB = 1; ELSE IF R03_YU1120_NB = 2 OR (12<=R03_YU1006_NB<=14) THEN R03R_Y_YU1006_NB = 2; ELSE IF R03_YU1120_NB = 3 OR (15<=R03_YU1006_NB<=17) THEN R03R_Y_YU1006_NB = 3; ELSE IF R03_YU1006_NB = -9 OR R03_YU1120_NB = -9 THEN R03R_Y_YU1006_NB = -99999; ELSE IF R03_YU1006_NB = -8 OR R03_YU1120_NB = -8 THEN R03R_Y_YU1006_NB = -99988; ELSE IF R03_YU1006_NB = -7 OR R03_YU1120_NB = -7 THEN R03R_Y_YU1006_NB = -99977; ELSE IF R03_YU1006_NB = -5 THEN R03R_Y_YU1006_NB = -99955; ELSE IF R03_YU1006_NB = -1 OR R03_YU1120_NB = -1 THEN R03R_Y_YU1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11811	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,811	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 5268-5275 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YU1108: First snus pouch used was flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, candy, fruit, chocolate, alcohol or other sweets

[PROGRAM NOTE: See Box R03_YUR15 and R03_YUT02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Was the first snus pouch you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7),
Go to R03_YU1005.]

ASK: New baseline youth respondents who have ever used snus pouches, or continuing youth respondents who have initiated snus pouch use since their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND
R03_EVER_NEVER_SNUS_YOUTH = 1) OR R03_INIT_SNUS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	59	0.5 %
2	2 = No	8	0.1 %
3	3 = I don't know	15	0.1 %
	Total	82	0.7%

This variable has 82 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11732	99.3 %
	Total	11,732	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 5276-5283 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1011_01: Flavor of first snus pouch used: Menthol or mint

What flavor was that first snus pouch you used? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used snus pouches and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus pouch use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YU1108 = 1) OR (R03_INIT_SNUS_YOUTH = 1 AND R03_YU1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.2 %
2	2 = Not Marked	36	0.3 %
	Total	59	0.5%

This variable has 59 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11755	99.5 %
	Total	11,755	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5284-5291 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1011_02: Flavor of first snus pouch used: Wintergreen, spearmint or frost

What flavor was that first snus pouch you used? Choose all that apply.

Wintergreen, spearmint or frost

ASK: New baseline youth respondents who have ever used snus pouches and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus pouch use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YU1108 = 1) OR (R03_INIT_SNUS_YOUTH = 1 AND R03_YU1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	40	0.3 %
2	2 = Not Marked	19	0.2 %
	Total	59	0.5%

This variable has 59 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11755	99.5 %
	Total	11,755	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5292-5299 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1011_03: Flavor of first snus pouch used: Clove or spice

What flavor was that first snus pouch you used? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used snus pouches and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus pouch use since

their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YU1108 = 1) OR (R03_INIT_SNUS_YOUTH = 1 AND R03_YU1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	58	0.5 %
	Total	59	0.5%

This variable has 59 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11755	99.5 %
	Total	11,755	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5300-5307 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1011_04: Flavor of first snus pouch used: Fruit

What flavor was that first snus pouch you used? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used snus pouches and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus pouch use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YU1108 = 1) OR (R03_INIT_SNUS_YOUTH = 1 AND R03_YU1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	51	0.4 %

Value	Label	Unweighted Frequency	%
	Total	59	0.5%

This variable has 59 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11755	99.5 %
	Total	11,755	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5308-5315 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1011_05: Flavor of first snus pouch used: Chocolate

What flavor was that first snus pouch you used? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used snus pouches and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus pouch use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YU1108 = 1) OR (R03_INIT_SNUS_YOUTH = 1 AND R03_YU1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	59	0.5 %
	Total	59	0.5%

This variable has 59 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11755	99.5 %
	Total	11,755	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5316-5323 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1011_06: Flavor of first snus pouch used: An alcoholic drink

What flavor was that first snus pouch you used? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever used snus pouches and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus pouch use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YU1108 = 1) OR (R03_INIT_SNUS_YOUTH = 1 AND R03_YU1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	58	0.5 %
	Total	59	0.5%

This variable has 59 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11755	99.5 %
	Total	11,755	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5324-5331 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1011_07: Flavor of first snus pouch used: Candy or other sweets

What flavor was that first snus pouch you used? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever used snus pouches and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus pouch use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YU1108 = 1) OR (R03_INIT_SNUS_YOUTH = 1 AND R03_YU1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	58	0.5 %
	Total	59	0.5%

This variable has 59 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11755	99.5 %
	Total	11,755	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5332-5339 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1011_08: Flavor of first snus pouch used: Some other flavor

What flavor was that first snus pouch you used? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever used snus pouches and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus pouch use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YU1108 = 1) OR

(R03_INIT_SNUS_YOUTH = 1 AND R03_YU1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	58	0.5 %
	Total	59	0.5%

This variable has 59 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11755	99.5 %
	Total	11,755	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5340-5347 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1005: Number of snus pouches used in your entire life

How many snus pouches have you used in your entire life?

ASK: New baseline youth respondents who have ever used snus pouches, or continuing youth respondents who have ever used snus pouches and have initiated snus pouch use since their last completed interview or had not used 100 or more snus pouches in their lifetime as of their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SNUS_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_SNUS_YOUTH = 1 AND (R03_INIT_SNUS_YOUTH = 1 OR R02_NUMLIFE_SNUS != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1	52	0.4 %
2	2 = 2 to 10	54	0.5 %
3	3 = 11 to 20	27	0.2 %
4	4 = 21 to 50	12	0.1 %
5	5 = 51 to 99	9	0.1 %
6	6 = 100 or more	8	0.1 %
	Total	162	1.4%

This variable has 162 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	11633	98.5 %
	Total	11,652	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 5348-5355 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1100: Ever used snus pouches fairly regularly

[BOX ID: R03_YUR13 - New baseline youth respondents who have ever used snus pouches, or continuing youth respondents who have ever used snus pouches and had not reported ever using snus pouches fairly regularly as of their last completed interview, go to R03_YU1100. Else, go to R03_YU1112.]

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SNUS_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_SNUS_YOUTH = 1 AND R02_REGUSE_SNUS != 1), GO TO R03_YU1100. ELSE, GO TO R03_YU1112.]

Have you ever used snus pouches fairly regularly?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YU1112.]

ASK: New baseline youth respondents who have ever used snus pouches, or continuing youth respondents who have ever used snus pouches and had not reported ever using snus pouches fairly regularly as of their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SNUS_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_SNUS_YOUTH = 1 AND R02_REGUSE_SNUS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	139	1.2 %
	Total	163	1.4%

This variable has 163 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11648	98.6 %
	Total	11,651	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 5356-5363 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YU1007: DERIVED - Age range when first started using snus pouches fairly regularly (3 levels)

Long Description: How old were you when you first started using snus pouches fairly regularly?

Algorithm: IF R03_YU1121 = 1 OR (0<=R03_YU1007<=11) THEN R03R_Y_YU1007 = 1; ELSE IF R03_YU1121 = 2 OR (12<=R03_YU1007<=14) THEN R03R_Y_YU1007 = 2; ELSE IF R03_YU1121 = 3 OR (15<=R03_YU1007<=17) THEN R03R_Y_YU1007 = 3; ELSE IF R03_YU1007 = -9 OR R03_YU1121 = -9 THEN R03R_Y_YU1007 = -99999; ELSE IF R03_YU1007 = -8 OR R03_YU1121 = -8 THEN R03R_Y_YU1007 = -99988; ELSE IF R03_YU1007 = -7 OR R03_YU1121 = -7 THEN R03R_Y_YU1007 = -99977; ELSE IF R03_YU1007 = -5 THEN R03R_Y_YU1007 = -99955; ELSE IF R03_YU1007 = -1 OR R03_YU1121 = -1 THEN R03R_Y_YU1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	7	0.1 %
2	2 = 12 to 14 years old	9	0.1 %
3	3 = 15 to 17 years old	8	0.1 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

- Minimum: 1.00
- Maximum: 3.00

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11790	99.8 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5364-5371 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YU1112: Last time used snus pouches, even one or two times

When did you last use snus pouches[(not including Skoal Bandits)] even one or two times?

[If more than 30 days ago (4 to 7), Don't Know (-8), or Refused (-7), Go to Box R03_YST01.]

ASK: Youth respondents who have ever used snus pouches.

ASK Specification: IF R03_EVER_NEVER_SNUS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have used in the past year (R03_YU1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	6	0.1 %
2	2 = Not today but sometime in the past 7 days	13	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	17	0.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	47	0.4 %
5	5 = Not in the past 6 months but sometime in the past year	55	0.5 %
6	6 = 1 to 4 years ago	19	0.2 %
7	7 = 5 or more years ago	17	0.1 %
	Total	174	1.5%

This variable has 174 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11623	98.4 %
	Total	11,640	98.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5372-5379 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1022: In past 30 days, number of days used snus pouches

[PROGRAM NOTE: See Box R03_YUV04 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you use snus pouches?

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

[Range check: 1-30 days.]

This variable has 36 valid cases out of 11,814 total cases.

- Mean: 6.83
- Median: 4.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 7.44

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,778	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5380-5387 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YU1023: In past 30 days, number of snus pouches used per day on the days that you used

In the past 30 days, on the days you used snus pouches, how many snus pouches did you use per day?

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

[CHECK ID: R03_YU1023_LC1 - The computer recorded that on the days you used

in the past 30 days, you used (R03_YU1023) snus pouches a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YU1023. IF 2 NEXT, GO TO R03_YU1130.

ASK: IF R03_PAST30DAY_SNUS = 1 AND R03_YU1023 > 20.

PROGRAM: TRIGGER CHECK IF R03_YU1023 > 20. ELSE, GO TO R03_YU1130 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 36 valid cases out of 11,814 total cases.

- Mean: 3.42
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 4.74

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,778	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5388-5395 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YU1130: In the past 30 days, used snus pouches flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, candy, fruit, chocolate, alcohol or other sweets

In the past 30 days, were any of the snus pouches you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7),
Go to R03_YU1142.]

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	27	0.2 %
2	2 = No	5	0.0 %
3	3 = I don't know	4	0.0 %
	Total	36	0.3%

This variable has 36 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,778	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5396-5403 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1131_01: In past 30 days, used snus pouches flavored to taste like menthol or mint

Which flavors have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day snus pouch users and have used flavored snus pouches in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SNUS = 1 AND R03_YU1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.2 %
2	2 = Not Marked	8	0.1 %
	Total	27	0.2%

This variable has 27 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %

	Missing Data		
	Total	11,787	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5404-5411 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1131_02: In past 30 days, used snus pouches flavored to taste like wintergreen, spearmint or frost

Which flavors have you used in the past 30 days? Choose all that apply.

Wintergreen, spearmint or frost

ASK: Youth respondents who are past 30 day snus pouch users and have used flavored snus pouches in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SNUS = 1 AND R03_YU1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.2 %
2	2 = Not Marked	4	0.0 %
	Total	27	0.2%

This variable has 27 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,787	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5412-5419 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1131_03: In past 30 days, used snus pouches flavored to taste like clove or spice

Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day snus pouch users and have used flavored snus pouches in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SNUS = 1 AND R03_YU1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	24	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,787	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5420-5427 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1131_04: In past 30 days, used snus pouches flavored to taste like fruit

Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day snus pouch users and have used flavored snus pouches in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SNUS = 1 AND R03_YU1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	23	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,787	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5428-5435 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1131_05: In past 30 days, used snus pouches flavored to taste like chocolate

Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day snus pouch users and have used flavored snus pouches in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SNUS = 1 AND R03_YU1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	25	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,787	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5436-5443 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1131_06: In past 30 days, used snus pouches flavored to taste like an alcoholic drink

Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day snus pouch users and have used flavored snus pouches in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SNUS = 1 AND R03_YU1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	25	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,787	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5444-5451 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1131_07: In past 30 days, used snus pouches flavored to taste like candy or other sweets

Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day snus pouch users and have used flavored snus pouches in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SNUS = 1 AND R03_YU1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	24	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,787	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5452-5459 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1131_08: In past 30 days, used snus pouches flavored to taste like some other flavor

Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day snus pouch users and have used flavored snus pouches in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SNUS = 1 AND R03_YU1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	24	0.2 %
	Total	27	0.2%

This variable has 27 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,787	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5460-5467 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1142: In the past 30 days, did anyone sell you snus pouches

In the past 30 days, did anyone sell you snus pouches?

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	26	0.2 %
	Total	36	0.3%

This variable has 36 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,778	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5468-5475 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1123: In the past 30 days, someone refused to sell you snus pouches because of your age

In the past 30 days, did anyone refuse to sell you snus pouches because of your age?

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	31	0.3 %
	Total	35	0.3%

This variable has 35 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,779	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5476-5483 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1118: In past 30 days, how you usually got your own snus pouches

In the past 30 days, how did you usually get your own snus pouches?

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	7	0.1 %
2	2 = I bought it myself from a store	3	0.0 %
3	3 = I asked someone to give me some	5	0.0 %
4	4 = Someone offered it to me	11	0.1 %
5	5 = I bought it from another person	3	0.0 %
6	6 = I took it from a store or another person	1	0.0 %
7	7 = I got it some other way	5	0.0 %
	Total	35	0.3%

This variable has 35 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,779	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5484-5491 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1098: Used a coupon when buying snus pouches in past 30 days

[BOX ID: R03_YUR04 - Youth respondents who are past 30 day "not-light" snus pouch users and usually get snus pouches by buying themselves from a store, go to R03_YU1098. Else, youth respondents who are past 30 day "not-light" snus pouch users and usually get snus pouches by giving someone else money to buy for them, go to R03_YU1030. Else, youth respondents who are past 30 day "not-light" snus pouch users, go to R03_YU1047. Else, go to Box R03_YUD02.]

IF R03_PAST30DAY_SNUS_LEVEL = 2 AND R03_YU1118 = 2, GO TO R03_YU1098. ELSE,
IF R03_PAST30DAY_SNUS_LEVEL = 2 AND R03_YU1118 = 1, GO TO R03_YU1030. ELSE,
IF R03_PAST30DAY_SNUS_LEVEL = 2, GO TO R03_YU1047. ELSE, GO TO BOX R03_YUD02.]

In the past 30 days, how often have you used a coupon when buying snus pouches?

ASK: Youth respondents who are past 30 day "not-light" snus pouch users and usually get snus pouches by buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_SNUS_LEVEL = 2 AND R03_YU1118 = 2.

Value	Label	Unweighted Frequency	%
1	1 = Always	0	0.0 %
2	2 = Sometimes	0	0.0 %
3	3 = Rarely	1	0.0 %
4	4 = Never	1	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11812	100.0 %
	Total	11,812	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 5492-5499 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1)

R03_YU1030: How you usually buy your snus pouches

[When you give money to someone else, how do they/How do you] usually buy your snus pouches?

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R03_YU1034.]

ASK: Youth respondents who are past 30 day "not-light" snus pouch users and usually get snus pouches by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_SNUS_LEVEL = 2 AND R03_YU1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	7	0.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,807	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 5500-5507 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1033: Retail location where your snus pouches are purchased most of the time

Where do [you/they] buy your snus pouches most of the time?

ASK: Youth respondents who are past 30 day "not-light" snus pouch users and usually get snus pouches by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R03_PAST30DAY_SNUS_LEVEL = 2 AND R03_YU1118 = 1, 2 AND R03_YU1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	5	0.0 %
2	2 = A supermarket, grocery store, or drug store	1	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = A warehouse club, such as Sam's or Costco	1	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	0	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	0	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,807	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 5508-5515 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1034_D: Amount paid when last time bought snus - Dollars

Think about the last time you [bought/gave money to someone else to buy you] snus pouches. How much did you pay for a container of snus pouches?

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" snus pouch users and usually get snus pouches by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_SNUS_LEVEL = 2 AND R03_YU1118 = 1, 2.

This variable has 7 valid cases out of 11,814 total cases.

- Mean: 4.00
- Median: 4.00
- Minimum: 2.00
- Maximum: 6.00
- Standard Deviation: 1.53

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,807	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 5516-5523 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YU1034_C: Amount paid when last time bought snus - Cents

Think about the last time you [bought/gave money to someone else to buy you] snus pouches. How much did you pay for a container of snus pouches?

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" snus pouch users and usually get snus pouches by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_SNUS_LEVEL = 2 AND R03_YU1118 = 1, 2.

This variable has 7 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,807	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 5524-5531 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YU9001: Number of snus pouches in container you usually buy

How many pouches are in the container of snus that you usually

buy?

ASK: Youth respondents who are past 30 day "not-light" snus pouch users and usually get snus pouches by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_SNUS_LEVEL = 2 AND R03_YU1118 = 1, 2.

This variable has 7 valid cases out of 11,814 total cases.

- Mean: 15.14
- Median: 15.00
- Mode: 20.00
- Minimum: 4.00
- Maximum: 25.00
- Standard Deviation: 7.13

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,807	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 5532-5539 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YU1047: Have a regular brand of snus pouches you usually use

Do you have a regular brand of snus pouches that you usually use?

ASK: Youth respondents who are past 30 day "not-light" snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	9	0.1 %
	Total	25	0.2%

This variable has 25 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11789	99.8 %
	Total	11,789	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5540-5547 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1945: Know the name of brand of snus pouches you usually use

Do you know the name of the brand of snus pouches you [usually use/last used]?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YUD02.]

ASK: Youth respondents who are past 30 day "not-light" snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.2 %
2	2 = No	7	0.1 %
	Total	25	0.2%

This variable has 25 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11789	99.8 %
	Total	11,789	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5548-5555 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1048_BRAND: Brand of snus pouches usually / last used

What brand of snus pouches [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" snus pouch users who know the name of the brand of snus pouches they usually use or last used.

ASK Specification: IF R03_PAST30DAY_SNUS_LEVEL = 2 AND R03_YU1945 = 1.

[PROGRAM NOTE: Show pictures of the major brands on the touchscreen.]

This variable has 18 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11796	99.8 %
	Total	11,796	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5556-5563 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1070_PRODUCT: Sub-brand of snus pouches usually / last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" snus pouch users who know the name of the brand of snus pouches they usually use or last used and selected a brand of snus pouches.

ASK Specification: IF R03_PAST30DAY_SNUS_LEVEL = 2 AND R03_YU1945 = 1 AND R03_YU1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: Fill BRANDFILL with brand selected in R03_YU1048_BRAND. Show pictures or text on the touchscreen]

of the major products associated with the brand selected.]

This variable has 15 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11799	99.9 %
	Total	11,799	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 5564-5571 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1060_RANDOM_01: YU1060 series random question 1

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YU1060 through R03_YU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11778	99.7 %
R03_YU1060	-	1	0.0 %
R03_YU1062	-	2	0.0 %
R03_YU1063	-	5	0.0 %
R03_YU1064	-	2	0.0 %
R03_YU1065	-	5	0.0 %
R03_YU1067	-	3	0.0 %
R03_YU1075	-	8	0.1 %
R03_YU1076	-	4	0.0 %
R03_YU1085	-	6	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5572-5586 (width: 15; decimal: 0)

Variable Type: character

R03_YU1060_RANDOM_02: YU1060 series random question 2

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YU1060 through R03_YU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11778	99.7 %
R03_YU1060	-	5	0.0 %
R03_YU1062	-	5	0.0 %
R03_YU1063	-	6	0.1 %
R03_YU1064	-	2	0.0 %
R03_YU1065	-	4	0.0 %
R03_YU1067	-	3	0.0 %
R03_YU1075	-	4	0.0 %
R03_YU1076	-	4	0.0 %
R03_YU1085	-	3	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5587-5601 (width: 15; decimal: 0)

Variable Type: character

R03_YU1060_RANDOM_03: YU1060 series random question 3

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YU1060 through R03_YU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11778	99.7 %
R03_YU1060	-	4	0.0 %
R03_YU1062	-	6	0.1 %
R03_YU1063	-	8	0.1 %
R03_YU1064	-	6	0.1 %
R03_YU1065	-	3	0.0 %
R03_YU1067	-	3	0.0 %

Value	Label	Unweighted Frequency	%
R03_YU1075	-	2	0.0 %
R03_YU1085	-	4	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5602-5616 (width: 15; decimal: 0)

Variable Type: character

R03_YU1060_RANDOM_04: YU1060 series random question 4

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YU1060 through R03_YU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11778	99.7 %
R03_YU1060	-	4	0.0 %
R03_YU1062	-	6	0.1 %
R03_YU1063	-	2	0.0 %
R03_YU1064	-	3	0.0 %
R03_YU1065	-	4	0.0 %
R03_YU1067	-	2	0.0 %
R03_YU1075	-	6	0.1 %
R03_YU1076	-	3	0.0 %
R03_YU1085	-	6	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5617-5631 (width: 15; decimal: 0)

Variable Type: character

R03_YU1060_RANDOM_05: YU1060 series random question 5

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YU1060 through R03_YU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11778	99.7 %
R03_YU1060	-	7	0.1 %
R03_YU1062	-	1	0.0 %
R03_YU1063	-	2	0.0 %
R03_YU1064	-	2	0.0 %
R03_YU1065	-	5	0.0 %
R03_YU1067	-	7	0.1 %
R03_YU1075	-	2	0.0 %
R03_YU1076	-	5	0.0 %
R03_YU1085	-	5	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5632-5646 (width: 15; decimal: 0)

Variable Type: character

R03_YU1060_RANDOM_06: YU1060 series random question 6

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YU1060 through R03_YU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11778	99.7 %
R03_YU1060	-	3	0.0 %
R03_YU1062	-	3	0.0 %
R03_YU1063	-	2	0.0 %
R03_YU1064	-	1	0.0 %
R03_YU1065	-	5	0.0 %
R03_YU1067	-	8	0.1 %
R03_YU1075	-	4	0.0 %
R03_YU1076	-	4	0.0 %
R03_YU1085	-	6	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5647-5661 (width: 15; decimal: 0)

Variable Type: character

R03_YU1060_RANDOM_07: YU1060 series random question 7

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YU1060 through R03_YU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11778	99.7 %
R03_YU1060	-	4	0.0 %
R03_YU1062	-	3	0.0 %
R03_YU1063	-	7	0.1 %
R03_YU1064	-	3	0.0 %
R03_YU1065	-	4	0.0 %
R03_YU1067	-	5	0.0 %
R03_YU1075	-	4	0.0 %
R03_YU1076	-	5	0.0 %
R03_YU1085	-	1	0.0 %
	Total	11,814	100.0 %

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5662-5676 (width: 15; decimal: 0)

Variable Type: character

R03_YU1060_RANDOM_08: YU1060 series random question 8

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YU1060 through R03_YU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11778	99.7 %
R03_YU1060	-	6	0.1 %
R03_YU1062	-	5	0.0 %
R03_YU1063	-	3	0.0 %
R03_YU1064	-	3	0.0 %
R03_YU1065	-	4	0.0 %

Value	Label	Unweighted Frequency	%
R03_YU1067	-	3	0.0 %
R03_YU1075	-	3	0.0 %
R03_YU1076	-	4	0.0 %
R03_YU1085	-	5	0.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5677-5691 (width: 15; decimal: 0)

Variable Type: character

R03_YU1060_RANDOM_09: YU1060 series random question 9

[ICPSR NOTE: The 9 items that follow in the questionnaire (R03_YU1060 through R03_YU1076) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11791	99.8 %
R03_YU1060	-	2	0.0 %
R03_YU1062	-	5	0.0 %
R03_YU1063	-	1	0.0 %
R03_YU1064	-	1	0.0 %
R03_YU1065	-	2	0.0 %
R03_YU1067	-	2	0.0 %
R03_YU1075	-	3	0.0 %
R03_YU1076	-	7	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 5692-5706 (width: 15; decimal: 0)

Variable Type: character

R03_YU1060: Use snus pouches because: It is affordable

The next questions are about the reasons people use snus pouches. Please select which reasons apply to you.

I use snus pouches because . . .

It is affordable.

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	12	0.1 %
	Total	36	0.3%

This variable has 36 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,778	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5707-5714 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1085: Use snus pouches because: I can use snus pouches in places where smoking cigarettes is not allowed

The next questions are about the reasons people use snus pouches. Please select which reasons apply to you.

I use snus pouches because . . .

I can use snus pouches at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	11	0.1 %
	Total	36	0.3%

This variable has 36 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,778	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5715-5722 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1062: Use snus pouches because: They might be less harmful to me than cigarettes

The next questions are about the reasons people use snus pouches. Please select which reasons apply to you.

I use snus pouches because . . .

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2 %
2	2 = No	15	0.1 %
	Total	36	0.3%

This variable has 36 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,778	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5723-5730 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1075: Use snus pouches because: They might be less harmful to people around me than smoking cigarettes

The next questions are about the reasons people use snus pouches. Please select which reasons apply to you.

I use snus pouches because . . .

They might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	11	0.1 %
	Total	36	0.3%

This variable has 36 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,778	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5731-5738 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1063: Use snus pouches because: They come in flavors I like

The next questions are about the reasons people use snus pouches. Please select which reasons apply to you.

I use snus pouches because . . .

Snus pouches come in flavors I like.

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	10	0.1 %
	Total	35	0.3%

This variable has 35 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,779	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5739-5746 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1064: Use snus pouches because: It helps people to quit smoking cigarettes

[BOX ID: R03_YUR11 - Youth respondents who are past 30 day snus pouch users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R03_YU1064. Else, go to R03_YU1065.

IF R03_PAST30DAY_SNUS = 1 AND R03_YC1112 = 1, 2, 3, 4, 5, GO TO R03_YU1064.
ELSE, GO TO R03_YU1065.]

The next questions are about the reasons people use snus pouches. Please select which reasons apply to you.

I use snus pouches because . . .

Using snus pouches helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day snus pouch users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R03_PAST30DAY_SNUS = 1 AND R03_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	13	0.1 %

Value	Label	Unweighted Frequency	%
	Total	23	0.2%

This variable has 23 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5747-5754 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1065: Use snus pouches because: They don't smell

The next questions are about the reasons people use snus pouches. Please select which reasons apply to you.

I use snus pouches because . . .

Snus pouches don't smell.

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	19	0.2 %
	Total	36	0.3%

This variable has 36 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,778	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5755-5762 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1067: Use snus pouches because: They don't bother non-tobacco users

The next questions are about the reasons people use snus pouches. Please select which reasons apply to you.

I use snus pouches because . . .

Snus pouches don't bother non-tobacco users.

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	17	0.1 %
	Total	36	0.3%

This variable has 36 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,778	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5763-5770 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1076: Use snus pouches because: No one can tell when I am using it

The next questions are about the reasons people use snus pouches. Please select which reasons apply to you.

I use snus pouches because . . .

No one can tell when I am using a snus pouch.

ASK: Youth respondents who are past 30 day snus pouch users.

ASK Specification: IF R03_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	23	0.2 %
2	2 = No	13	0.1 %
	Total	36	0.3%

This variable has 36 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,778	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5771-5778 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1086: In past 30 days, used snus pouches at times when or in places you could not smoke cigarettes

[BOX ID: R03_YUR12 - Youth respondents who are past 30 day snus pouch users and are past 30 day cigarette smokers, go to R03_YU1086. Else, go to Box R03_YST01.]

IF R03_PAST30DAY_SNUS = 1 AND R03_PAST30DAY_CIGS = 1, GO TO R03_YU1086.
ELSE, GO TO BOX R03_YST01.]

In the past 30 days, have you used snus pouches at times when or in places where you could not smoke cigarettes?

ASK: Youth respondents who are past 30 day snus pouch users and are past 30 day cigarette smokers.

ASK Specification: IF R03_PAST30DAY_SNUS = 1 AND
R03_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	7	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11800	99.9 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 5779-5786 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1001_NB: Ever seen or heard of smokeless tobacco before this study

[BOX ID: R0S_YST01 - The next questions ask about other types of smokeless tobacco products which you put in your mouth and chew, suck or spit.

There are many types of smokeless tobacco products such as loose snus, moist snuff, dip, spit, and chewing tobacco.

Common brands include Redman, Levi Garrett, Beechnut, Skoal, Grizzly, Copenhagen, and Kodiak, but there are many others.]

[BOX ID: R03_YSR01 - New baseline youth respondents, go to R03_YS1001_NB. Continuing youth respondents, go to R03_YS1002_12M.

IF R03_YOUTHTYPE = 2, GO TO R03_YS1001_NB. ELSE, GO TO R03_YS1002_12M.]

Have you ever seen or heard of smokeless tobacco, such as loose snus, moist snuff, dip, spit or chewing tobacco, before this study?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO, EXCLUDING SNUS TIN AND POUCHES]

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1108	9.4 %
2	2 = No	928	7.9 %
	Total	2,036	17.2%

This variable has 2,036 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,778	82.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5787-5794 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1002_NB: Ever used smokeless tobacco products, even one or two times

[BOX ID: R03_YSR15 - New baseline youth respondents who have ever seen or heard of smokeless tobacco, go to R03_YS1002_NB. Else, new baseline youth respondents who have ever seen or heard of snus pouches and have ever used snus pouches and have ever used Skoal Bandits, go to Box R03_YSR03. Else, go to Box R03_YDT01.]

IF R03_YOUTHTYPE = 2 AND R03_YS1001_NB = 1, GO TO R03_YS1002_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND R03_YU1001_NB = 1 AND R03_YU1002_NB = 1 AND R03_YU1003_NB = 1, 2, GO TO BOX R03_YSR03. ELSE, GO TO BOX R03_YDT01.]

Have you ever used smokeless tobacco products, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO, EXCLUDING SNUS TIN AND POUCHES]

[Go to Box R03_YSV03.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YS1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.2 %
2	2 = No	1090	9.2 %
	Total	1,108	9.4%

This variable has 1,108 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10706	90.6 %
	Total	10,706	90.6%

Percentages for both tables are based on 11,814 total cases.

Location: 5795-5802 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1002_12M: In the past 12 months, used smokeless tobacco products, even one or two time

In the past 12 months, have you used smokeless tobacco products, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO, EXCLUDING SNUS TIN AND POUCHES]

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	225	1.9 %
2	2 = No	9519	80.6 %
	Total	9,744	82.5%

This variable has 9,744 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,070	17.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5803-5810 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1103: Ever been curious about using smokeless tobacco

[PROGRAM NOTE: See Box R03_YSV03 and R03_YSR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you ever been curious about using smokeless tobacco?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF R03_YS1001_NB != 2, -8, -7 AND R03_EVER_NEVER_SMKLS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	47	0.4 %
2	2 = Somewhat curious	94	0.8 %
3	3 = A little curious	486	4.1 %
4	4 = Not at all curious	9811	83.0 %
	Total	10,438	88.4%

This variable has 10,438 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	1358	11.5 %
	Total	1,376	11.6%

Percentages for both tables are based on 11,814 total cases.

Location: 5811-5818 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1206: Think you will use a smokeless tobacco in the next year

Do you think you will try smokeless tobacco in the next year?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF R03_YS1001_NB != 2, -8, -7 AND R03_EVER_NEVER_SMKLS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	6	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = Probably yes	22	0.2 %
3	3 = Probably not	499	4.2 %
4	4 = Definitely not	9912	83.9 %
	Total	10,439	88.4%

This variable has 10,439 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1358	11.5 %
	Total	1,375	11.6%

Percentages for both tables are based on 11,814 total cases.

Location: 5819-5826 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1104: Think you will try smokeless tobacco soon

Do you think you will try smokeless tobacco soon?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF R03_YS1001_NB != 2, -8, -7 AND R03_EVER_NEVER_SMKLS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2	0.0 %
2	2 = Probably yes	21	0.2 %
3	3 = Probably not	472	4.0 %
4	4 = Definitely not	9935	84.1 %
	Total	10,430	88.3%

This variable has 10,430 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	13	0.1 %

	Missing Data		
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	1358	11.5 %
	Total	1,384	11.7%

Percentages for both tables are based on 11,814 total cases.

Location: 5827-5834 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1105: Would use smokeless tobacco if one of your best friends offered you one

If one of your best friends were to offer you smokeless tobacco, would you try it?

[Go to Box R03_YDT01.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF R03_YS1001_NB != 2, -8, -7 AND R03_EVER_NEVER_SMKLS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	15	0.1 %
2	2 = Probably yes	108	0.9 %
3	3 = Probably not	605	5.1 %
4	4 = Definitely not	9715	82.2 %
	Total	10,443	88.4%

This variable has 10,443 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	1358	11.5 %
	Total	1,371	11.6%

Percentages for both tables are based on 11,814 total cases.

Location: 5835-5842 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_Y_S1006_NB: DERIVED - Age range when first tried smokeless tobacco, even one or two times (3 levels)

Long Description: How old were you when you first tried smokeless tobacco, even one or two times?

Algorithm: IF R03_Y_S1120_NB = 1 OR (0<=R03_Y_S1006_NB<=11) THEN R03R_Y_Y_S1006_NB = 1; ELSE IF R03_Y_S1120_NB = 2 OR (12<=R03_Y_S1006_NB<=14) THEN R03R_Y_Y_S1006_NB = 2; ELSE IF R03_Y_S1120_NB = 3 OR (15<=R03_Y_S1006_NB<=17) THEN R03R_Y_Y_S1006_NB = 3; ELSE IF R03_Y_S1006_NB = -9 OR R03_Y_S1120_NB = -9 THEN R03R_Y_Y_S1006_NB = -99999; ELSE IF R03_Y_S1006_NB = -8 OR R03_Y_S1120_NB = -8 THEN R03R_Y_Y_S1006_NB = -99988; ELSE IF R03_Y_S1006_NB = -7 OR R03_Y_S1120_NB = -7 THEN R03R_Y_Y_S1006_NB = -99977; ELSE IF R03_Y_S1006_NB = -5 THEN R03R_Y_Y_S1006_NB = -99955; ELSE IF R03_Y_S1006_NB = -1 OR R03_Y_S1120_NB = -1 THEN R03R_Y_Y_S1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	9	0.1 %
2	2 = 12 to 14 years old	7	0.1 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11795	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,798	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 5843-5850 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_Y_S1108: First smokeless tobacco used was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first smokeless tobacco product you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or

other sweets?

[If No (2), I don't know (3), Don't Know (-8), or Refused (-7),
Go to R03_YS1005.]

ASK: New baseline youth respondents who have ever used
smokeless tobacco, or continuing youth respondents who have
initiated smokeless tobacco use since their last completed
interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND
R03_EVER_NEVER_SMKLS_YOUTH = 1) OR R03_INIT_SMKLS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	107	0.9 %
2	2 = No	12	0.1 %
3	3 = I don't know	21	0.2 %
	Total	140	1.2%

This variable has 140 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11671	98.8 %
	Total	11,674	98.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5851-5858 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1011_01: Flavor of first smokeless tobacco product used: Menthol or mint

What flavor was that first smokeless tobacco product you used?
Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used
smokeless tobacco and whose first smokeless tobacco was
flavored, or continuing youth respondents who have initiated
smokeless tobacco use since their last completed interview and
whose first smokeless tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND
R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YS1108 = 1) OR
(R03_INIT_SMKLS_YOUTH = 1 AND R03_YS1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	40	0.3 %
2	2 = Not Marked	67	0.6 %
	Total	107	0.9%

This variable has 107 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11707	99.1 %
	Total	11,707	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5859-5866 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1011_02: Flavor of first smokeless tobacco product used: Wintergreen, spearmint or frost

What flavor was that first smokeless tobacco product you used?
Choose all that apply.

Wintergreen, spearmint or frost

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YS1108 = 1) OR (R03_INIT_SMKLS_YOUTH = 1 AND R03_YS1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	81	0.7 %
2	2 = Not Marked	26	0.2 %
	Total	107	0.9%

This variable has 107 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11707	99.1 %
	Total	11,707	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5867-5874 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1011_03: Flavor of first smokeless tobacco product used: Clove or spice

What flavor was that first smokeless tobacco product you used?
Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YS1108 = 1) OR (R03_INIT_SMKLS_YOUTH = 1 AND R03_YS1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	104	0.9 %
	Total	107	0.9%

This variable has 107 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11707	99.1 %
	Total	11,707	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5875-5882 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1011_04: Flavor of first smokeless tobacco product used: Fruit

What flavor was that first smokeless tobacco product you used?
Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YS1108 = 1) OR (R03_INIT_SMKLS_YOUTH = 1 AND R03_YS1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	93	0.8 %
	Total	107	0.9%

This variable has 107 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11707	99.1 %
	Total	11,707	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5883-5890 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1011_05: Flavor of first smokeless tobacco product used: Chocolate

What flavor was that first smokeless tobacco product you used?
Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YS1108 = 1) OR (R03_INIT_SMKLS_YOUTH = 1 AND R03_YS1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	107	0.9 %
	Total	107	0.9%

This variable has 107 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11707	99.1 %
	Total	11,707	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5891-5898 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1011_06: Flavor of first smokeless tobacco product used: An alcoholic drink

What flavor was that first smokeless tobacco product you used?
Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YS1108 = 1) OR (R03_INIT_SMKLS_YOUTH = 1 AND R03_YS1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	105	0.9 %
	Total	107	0.9%

This variable has 107 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11707	99.1 %
	Total	11,707	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5899-5906 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1011_07: Flavor of first smokeless tobacco product used: Candy or other sweets

What flavor was that first smokeless tobacco product you used?

Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YS1108 = 1) OR (R03_INIT_SMKLS_YOUTH = 1 AND R03_YS1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	104	0.9 %
	Total	107	0.9%

This variable has 107 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11707	99.1 %
	Total	11,707	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5907-5914 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1011_08: Flavor of first smokeless tobacco product used: Some other flavor

What flavor was that first smokeless tobacco product you used?
Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YS1108 = 1) OR (R03_INIT_SMKLS_YOUTH = 1 AND R03_YS1108 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1 %
2	2 = Not Marked	101	0.9 %
	Total	107	0.9%

This variable has 107 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11707	99.1 %
	Total	11,707	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5915-5922 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1005: Number of times you used smokeless tobacco in your entire life

[BOX ID: R03_YSR13 - New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and have initiated smokeless tobacco use since their last completed interview or had not used smokeless tobacco 100 or more times in their lifetime as of their last completed interview, go to R03_YS1005. Else, go to Box R03_YSR06.

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SMKLS_YOUTH = 1) OR

(R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_SMKLS_YOUTH = 1 AND (R03_INIT_SMKLS_YOUTH = 1 OR R02_NUMLIFE_SMKLS != 1)), GO TO R03_YS1005. ELSE, GO TO BOX R03_YSR06.]

How many times have you used smokeless tobacco in your entire life?

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and had not used smokeless tobacco 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SMKLS_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_SMKLS_YOUTH = 1 AND (R03_INIT_SMKLS_YOUTH = 1 OR R02_NUMLIFE_SMKLS != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1	140	1.2 %
2	2 = 2 to 10	97	0.8 %
3	3 = 11 to 20	34	0.3 %
4	4 = 21 to 50	21	0.2 %
5	5 = 51 to 99	15	0.1 %
6	6 = 100 or more	35	0.3 %
	Total	342	2.9%

This variable has 342 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	36	0.3 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11424	96.7 %
	Total	11,472	97.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5923-5930 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1100: Ever used smokeless tobacco fairly regularly

[New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview, go to R03_YS1100. Else, go to R03_YS1112.

IF (R03_YOUTHTYPE = 2 AND R03_EVER_NEVER_SMKLS_YOUTH = 1) OR
 (R03_YOUTHTYPE = 1 AND R03_EVER_NEVER_SMKLS_YOUTH = 1 AND
 R02_REGUSE_SMKLS != 1 AND R03_YS1100 = 1), GO TO R03_YS1100.
 ELSE, GO TO R03_YS1112.]

Have you ever used smokeless tobacco fairly regularly?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YS1112.]

ASK: New baseline youth respondents who have ever used
 smokeless tobacco, or continuing youth respondents who have
 ever used smokeless tobacco and had not reported ever using
 smokeless tobacco fairly regularly as of their last completed
 interview.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND
 R03_EVER_NEVER_SMKLS_YOUTH = 1) OR (R03_YOUTHTYPE = 1 AND
 R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R02_REGUSE_SMKLS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	60	0.5 %
2	2 = No	299	2.5 %
	Total	359	3.0%

This variable has 359 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11452	96.9 %
	Total	11,455	97.0%

Percentages for both tables are based on 11,814 total cases.

Location: 5931-5938 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YS1007: DERIVED - Age range when first started using smokeless tobacco fairly regularly (3 levels)

Long Description: How old were you when you first started using smokeless tobacco fairly regularly?

Algorithm: IF R03_YS1121 = 1 OR (0<=R03_YS1007<=11) THEN R03R_Y_YS1007 = 1; ELSE IF
 R03_YS1121 = 2 OR (12<=R03_YS1007<=14) THEN R03R_Y_YS1007 = 2; ELSE IF R03_YS1121 = 3
 OR (15<=R03_YS1007<=17) THEN R03R_Y_YS1007 = 3; ELSE IF R03_YS1007 = -9 OR
 R03_YS1121 = -9 THEN R03R_Y_YS1007 = -99999; ELSE IF R03_YS1007 = -8 OR
 R03_YS1121 = -8 THEN R03R_Y_YS1007 = -99988; ELSE IF R03_YS1007 = -7 OR

R03_YS1121 = -7 THEN R03R_Y_YS1007 = -99977; ELSE IF R03_YS1007 = -5 THEN
R03R_Y_YS1007 = -99955; ELSE IF R03_YS1007 = -1 OR R03_YS1121 = -1 THEN
R03R_Y_YS1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	6	0.1 %
2	2 = 12 to 14 years old	27	0.2 %
3	3 = 15 to 17 years old	27	0.2 %
	Total	60	0.5%

This variable has 60 valid cases out of 11,814 total cases.

- Minimum: 1.00
- Maximum: 3.00

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11754	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,754	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 5939-5946 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YS1112: Last time used smokeless tobacco, even one or two times

When did you last use smokeless tobacco, even one or two times?

[If more than 30 days ago (4 to 7), Don't Know (-8), or Refused (-7),
Go to Box R03_YDT01.]

ASK: Youth respondents who have ever used smokeless tobacco.

ASK Specification: IF R03_EVER_NEVER_SMKLS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have
used in the past year (R03_YS1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	49	0.4 %
2	2 = Not today but sometime in the past 7 days	32	0.3 %
3	3 = Not in the past 7 days but sometime in the past 30 days	32	0.3 %
4	4 = Not in the past 30 days but sometime in the past 6 months	68	0.6 %
5	5 = Not in the past 6 months but sometime in the past year	77	0.7 %
6	6 = 1 to 4 years ago	60	0.5 %
7	7 = 5 or more years ago	55	0.5 %
	Total	373	3.2%

This variable has 373 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	37	0.3 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	11391	96.4 %
	Total	11,441	96.8%

Percentages for both tables are based on 11,814 total cases.

Location: 5947-5954 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1022: In past 30 days, number of days used smokeless tobacco

[PROGRAM NOTE: See Box R03_YSV04 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, on how many days did you use smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

[Range check: 1-30 days.]

This variable has 111 valid cases out of 11,814 total cases.

- Mean: 13.59
- Median: 10.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00

- Standard Deviation: 11.58

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,703	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5955-5962 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YS1023: In past 30 days, number of times smokeless tobacco used per day on the days that you used

In the past 30 days, on the days you used smokeless tobacco, how many times did you use smokeless tobacco per day?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

[CHECK ID: R03_YS1023_LC1 - The computer recorded that on the days you used in the past 30 days, you used smokeless tobacco (R03_YS1023) times a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YS1023. IF 2 NEXT, GO TO R03_YS1130.

ASK: IF R03_PAST30DAY_SMKLS = 1 AND R03_YS1023 > 10.

PROGRAM: TRIGGER CHECK IF R03_YS1023 > 10.
ELSE, GO TO R03_YS1130 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 109 valid cases out of 11,814 total cases.

- Mean: 4.59
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 68.00
- Standard Deviation: 8.09

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,705	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 5963-5970 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YS1130: In past 30 days, used smokeless tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YS1142.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	87	0.7 %
2	2 = No	15	0.1 %
3	3 = I don't know	11	0.1 %
	Total	113	1.0%

This variable has 113 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,701	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 5971-5978 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1131_01: In past 30 days, used smokeless tobacco flavored to taste like menthol or mint

Which flavors have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1 AND R03_YS1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	39	0.3 %
2	2 = Not Marked	48	0.4 %
	Total	87	0.7%

This variable has 87 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11727	99.3 %
	Total	11,727	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 5979-5986 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1131_02: In past 30 days, used smokeless tobacco flavored to taste wintergreen, spearmint or frost

Which flavors have you used in the past 30 days? Choose all that apply.

Wintergreen, spearmint or frost

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1 AND R03_YS1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	70	0.6 %
2	2 = Not Marked	17	0.1 %
	Total	87	0.7%

This variable has 87 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11727	99.3 %
	Total	11,727	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 5987-5994 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1131_03: In past 30 days, used smokeless tobacco flavored to taste like clove or spice

Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1 AND R03_YS1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	84	0.7 %
	Total	87	0.7%

This variable has 87 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11727	99.3 %
	Total	11,727	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 5995-6002 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1131_04: In past 30 days, used smokeless tobacco flavored to taste like fruit

Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1 AND R03_YS1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	78	0.7 %
	Total	87	0.7%

This variable has 87 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11727	99.3 %
	Total	11,727	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6003-6010 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1131_05: In past 30 days, used smokeless tobacco flavored to taste like chocolate

Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1 AND R03_YS1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	86	0.7 %
	Total	87	0.7%

This variable has 87 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11727	99.3 %
	Total	11,727	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6011-6018 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1131_06: In past 30 days, used smokeless tobacco flavored to taste like an alcoholic drink

Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1 AND R03_YS1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	83	0.7 %
	Total	87	0.7%

This variable has 87 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11727	99.3 %

	Missing Data		
	Total	11,727	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6019-6026 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1131_07: In past 30 days, used smokeless tobacco flavored to taste like candy or other sweets

Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1 AND R03_YS1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	83	0.7 %
	Total	87	0.7%

This variable has 87 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11727	99.3 %
	Total	11,727	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6027-6034 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1131_08: In past 30 days, used smokeless tobacco flavored to taste like some other flavor

Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1 AND R03_YS1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	76	0.6 %
	Total	87	0.7%

This variable has 87 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11727	99.3 %
	Total	11,727	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6035-6042 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1142: In the past 30 days, did anyone sell you smokeless tobacco?

In the past 30 days, did anyone sell you smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	36	0.3 %
2	2 = No	75	0.6 %
	Total	111	0.9%

This variable has 111 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,703	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6043-6050 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1123: In the past 30 days, someone refused to sell you smokeless tobacco because of your age

In the past 30 days, did anyone refuse to sell you smokeless tobacco because of your age?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.2 %
2	2 = No	93	0.8 %
	Total	111	0.9%

This variable has 111 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,703	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6051-6058 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1118: In past 30 days, how you usually got your own smokeless tobacco

In the past 30 days, how did you usually get your own smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	44	0.4 %
2	2 = I bought it myself from a store	14	0.1 %
3	3 = I asked someone to give me some	17	0.1 %
4	4 = Someone offered it to me	22	0.2 %
5	5 = I bought it from another person	7	0.1 %
6	6 = I took it from a store or another person	1	0.0 %
7	7 = I got it some other way	4	0.0 %
	Total	109	0.9%

This variable has 109 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,705	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6059-6066 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1030: How you usually buy your smokeless tobacco

[BOX ID: R0S_YSR04 - Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store, go to R03_YS1030. Else, youth respondents who are past 30 day "not-light" smokeless tobacco users, go to R03_YS1047. Else, go to Box R03_YSD02.]

IF R03_PAST30DAY_SMKLS_LEVEL = 2 AND R03_YS1118 = 1, 2, GO TO R03_YS1030. ELSE, IF R03_PAST30DAY_SMKLS_LEVEL = 2, GO TO R03_YS1047. ELSE, GO TO BOX R03_YSD02.]

[When you give money to someone else, how do they/How do you] usually buy your smokeless tobacco?

[If From the internet (2), By telephone (3), Don't Know (-8), or Refused (-7), Go to R03_YS1034.]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually get smokeless tobacco by

giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_SMKLS_LEVEL = 2 AND R03_YS1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	52	0.4 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	52	0.4%

This variable has 52 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11762	99.6 %
	Total	11,762	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 6067-6074 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1033: Retail location where your smokeless tobacco is bought most of the time

Where do [you/they] buy your smokeless tobacco most of the time?

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R03_PAST30DAY_SMKLS_LEVEL = 2 AND R03_YS1118 = 1, 2 AND R03_YS1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	49	0.4 %
2	2 = A supermarket, grocery store, or drug store	0	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	2	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %

Value	Label	Unweighted Frequency	%
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	0	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	1	0.0 %
	Total	52	0.4%

This variable has 52 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11762	99.6 %
	Total	11,762	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 6075-6082 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1034_D: Amount paid when last time bought smokeless tobacco - Dollars

Think about the last time you [bought/gave money to someone else to buy you] smokeless tobacco. How much did you pay for a container of smokeless tobacco?

_____ DOLLARS

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_SMKLS_LEVEL = 2 AND R03_YS1118 = 1, 2.

This variable has 52 valid cases out of 11,814 total cases.

- Mean: 8.94
- Median: 4.50
- Mode: 5.00
- Minimum: 1.00
- Maximum: 200.00
- Standard Deviation: 27.30

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11762	99.6 %
	Total	11,762	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 6083-6090 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YS1034_C: Amount paid when last time bought smokeless tobacco - Cents

Think about the last time you [bought/gave money to someone else to buy you] smokeless tobacco. How much did you pay for a container of smokeless tobacco?

_____ CENTS

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R03_PAST30DAY_SMKLS_LEVEL = 2 AND R03_YS1118 = 1, 2.

This variable has 52 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11762	99.6 %
	Total	11,762	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 6091-6098 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YS1047: Have a regular brand of smokeless tobacco you usually use

Do you have a regular brand of smokeless tobacco that you

usually use?

ASK: Youth respondents who are past 30 day "not-light"
smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	64	0.5 %
2	2 = No	21	0.2 %
	Total	85	0.7%

This variable has 85 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11729	99.3 %
	Total	11,729	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6099-6106 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_Y51945: Know the name of brand of smokeless tobacco you [usually use]

Do you know the name of the brand of smokeless tobacco you
[usually use/last used]?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_Y5D02.]

ASK: Youth respondents who are past 30 day "not-light"
smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	70	0.6 %
2	2 = No	15	0.1 %
	Total	85	0.7%

This variable has 85 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11729	99.3 %
	Total	11,729	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6107-6114 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1048_BRAND: Brand of smokeless tobacco usually/last used

What brand of smokeless tobacco [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used.

ASK Specification: IF R03_PAST30DAY_SMKLS_LEVEL = 2 AND R03_YS1945 = 1.

[PROGRAM NOTE: Show pictures of the major brands on the touchscreen.]

This variable has 70 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11744	99.4 %
	Total	11,744	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 6115-6122 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1070_PRODUCT: Sub-brand of smokeless tobacco product usually/last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF R03_PAST30DAY_SMKLS_LEVEL = 2 AND R03_YS1945 = 1 AND R03_YS1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: Fill BRANDFILL with brand selected in R03_YS1048_BRAND. Show pictures or text on the touchscreen of the major products associated with the brand selected.]

This variable has 70 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11744	99.4 %
	Total	11,744	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 6123-6130 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1060_RANDOM_01: YS1060 series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YS1060 through R03_YS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11701	99.0 %
R03_YS1060	-	17	0.1 %
R03_YS1062	-	11	0.1 %

Value	Label	Unweighted Frequency	%
R03_YS1063	-	20	0.2 %
R03_YS1064	-	10	0.1 %
R03_YS1065	-	10	0.1 %
R03_YS1067	-	18	0.2 %
R03_YS1075	-	15	0.1 %
R03_YS1085	-	12	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6131-6145 (width: 15; decimal: 0)

Variable Type: character

R03_YS1060_RANDOM_02: YS1060 series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YS1060 through R03_YS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11701	99.0 %
R03_YS1060	-	15	0.1 %
R03_YS1062	-	11	0.1 %
R03_YS1063	-	9	0.1 %
R03_YS1064	-	10	0.1 %
R03_YS1065	-	17	0.1 %
R03_YS1067	-	20	0.2 %
R03_YS1075	-	16	0.1 %
R03_YS1085	-	15	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6146-6160 (width: 15; decimal: 0)

Variable Type: character

R03_YS1060_RANDOM_03: YS1060 series random question 3

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YS1060 through R03_YS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11701	99.0 %
R03_YS1060	-	16	0.1 %
R03_YS1062	-	17	0.1 %
R03_YS1063	-	18	0.2 %
R03_YS1064	-	5	0.0 %
R03_YS1065	-	10	0.1 %
R03_YS1067	-	13	0.1 %
R03_YS1075	-	20	0.2 %
R03_YS1085	-	14	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6161-6175 (width: 15; decimal: 0)

Variable Type: character

R03_YS1060_RANDOM_04: YS1060 series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YS1060 through R03_YS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11701	99.0 %
R03_YS1060	-	16	0.1 %
R03_YS1062	-	18	0.2 %
R03_YS1063	-	13	0.1 %
R03_YS1064	-	4	0.0 %
R03_YS1065	-	24	0.2 %
R03_YS1067	-	10	0.1 %
R03_YS1075	-	13	0.1 %
R03_YS1085	-	15	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6176-6190 (width: 15; decimal: 0)

Variable Type: character

R03_YS1060_RANDOM_05: YS1060 series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YS1060 through R03_YS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11701	99.0 %
R03_YS1060	-	16	0.1 %
R03_YS1062	-	14	0.1 %
R03_YS1063	-	13	0.1 %
R03_YS1064	-	3	0.0 %
R03_YS1065	-	15	0.1 %
R03_YS1067	-	11	0.1 %
R03_YS1075	-	20	0.2 %
R03_YS1085	-	21	0.2 %
	Total	11,814	100.0 %

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6191-6205 (width: 15; decimal: 0)

Variable Type: character

R03_YS1060_RANDOM_06: YS1060 series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YS1060 through R03_YS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11701	99.0 %
R03_YS1060	-	15	0.1 %
R03_YS1062	-	18	0.2 %
R03_YS1063	-	15	0.1 %

Value	Label	Unweighted Frequency	%
R03_YS1064	-	10	0.1 %
R03_YS1065	-	12	0.1 %
R03_YS1067	-	20	0.2 %
R03_YS1075	-	12	0.1 %
R03_YS1085	-	11	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6206-6220 (width: 15; decimal: 0)

Variable Type: character

R03_YS1060_RANDOM_07: YS1060 series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YS1060 through R03_YS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11701	99.0 %
R03_YS1060	-	12	0.1 %
R03_YS1062	-	14	0.1 %
R03_YS1063	-	19	0.2 %
R03_YS1064	-	12	0.1 %
R03_YS1065	-	15	0.1 %
R03_YS1067	-	15	0.1 %
R03_YS1075	-	12	0.1 %
R03_YS1085	-	14	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6221-6235 (width: 15; decimal: 0)

Variable Type: character

R03_YS1060_RANDOM_08: YS1060 series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R03_YS1060 through R03_YS1067) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11750	99.5 %
R03_YS1060	-	6	0.1 %
R03_YS1062	-	10	0.1 %
R03_YS1063	-	6	0.1 %
R03_YS1064	-	10	0.1 %
R03_YS1065	-	10	0.1 %
R03_YS1067	-	6	0.1 %
R03_YS1075	-	5	0.0 %
R03_YS1085	-	11	0.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6236-6250 (width: 15; decimal: 0)

Variable Type: character

R03_YS1060: Use smokeless tobacco because: It is affordable

The next questions are about the reasons people use smokeless tobacco. Please select which reasons apply to you.

I use smokeless tobacco because . . .

It is affordable.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	67	0.6 %
2	2 = No	45	0.4 %
	Total	112	0.9%

This variable has 112 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,702	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6251-6258 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1085: Use smokeless tobacco because: It can be used in places where smoking cigarettes is not allowed

The next questions are about the reasons people use smokeless tobacco. Please select which reasons apply to you.

I use smokeless tobacco because . . .

I can use smokeless tobacco at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	71	0.6 %
2	2 = No	42	0.4 %
	Total	113	1.0%

This variable has 113 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,701	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6259-6266 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1062: Use smokeless tobacco because: It might be less harmful to me than cigarettes

The next questions are about the reasons people use smokeless

tobacco. Please select which reasons apply to you.

I use smokeless tobacco because . . .

It might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	67	0.6 %
2	2 = No	45	0.4 %
	Total	112	0.9%

This variable has 112 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,702	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6267-6274 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1075: Use smokeless tobacco because: It might be less harmful to people around me than cigarettes

The next questions are about the reasons people use smokeless tobacco. Please select which reasons apply to you.

I use smokeless tobacco because . . .

It might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.6 %

Value	Label	Unweighted Frequency	%
2	2 = No	36	0.3 %
	Total	111	0.9%

This variable has 111 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,703	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6275-6282 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1063: Use smokeless tobacco because: It comes in flavors I like

The next questions are about the reasons people use smokeless tobacco. Please select which reasons apply to you.

I use smokeless tobacco because . . .

Smokeless tobacco comes in flavors I like.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	80	0.7 %
2	2 = No	33	0.3 %
	Total	113	1.0%

This variable has 113 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11701	99.0 %

	Missing Data		
	Total	11,701	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6283-6290 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1064: Use smokeless tobacco because: It helps people to quit smoking cigarettes

[BOX ID: R03_YSR11 - Youth respondents who are past 30 day smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year, go to R03_YS1064. Else, go to R03_YS1065.]

IF R03_PAST30DAY_SMKLS = 1 AND R03_YC1112 = 1, 2, 3, 4, 5, GO TO R03_YS1064. ELSE, GO TO R03_YS1065.]

The next questions are about the reasons people use smokeless tobacco. Please select which reasons apply to you.

I use smokeless tobacco because . . .

Using smokeless tobacco helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1 AND R03_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2 %
2	2 = No	41	0.3 %
	Total	63	0.5%

This variable has 63 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11750	99.5 %
	Total	11,751	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 6291-6298 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1065: Use smokeless tobacco because: It doesn't smell

The next questions are about the reasons people use smokeless tobacco. Please select which reasons apply to you.

I use smokeless tobacco because . . .

Smokeless tobacco doesn't smell.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	43	0.4 %
2	2 = No	70	0.6 %
	Total	113	1.0%

This variable has 113 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,701	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6299-6306 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1067: Use smokeless tobacco because: It doesn't bother non-tobacco users

The next questions are about the reasons people use smokeless tobacco. Please select which reasons apply to you.

I use smokeless tobacco because . . .

Smokeless tobacco doesn't bother non-tobacco users.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	54	0.5 %
2	2 = No	57	0.5 %
	Total	111	0.9%

This variable has 111 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,703	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6307-6314 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1086: In past 30 days, used smokeless tobacco at times when or in places you could not smoke cigarettes

[BOX ID = R03_YSR12 - Youth respondents who are past 30 day smokeless tobacco users and are past 30 day cigarette smokers, go to R03_YS1086. Else, go to Box R03_YDT01.

IF R03_PAST30DAY_SMKLS = 1 AND R03_PAST30DAY_CIGS = 1, GO TO R03_YS1086. ELSE, GO TO BOX R03_YDT01.]

In the past 30 days, have you used smokeless tobacco at times when or in places where you could not smoke cigarettes?

ASK: Youth respondents who are past 30 day smokeless tobacco users and are past 30 day cigarette smokers.

ASK Specification: IF R03_PAST30DAY_SMKLS = 1 AND R03_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	23	0.2 %
2	2 = No	12	0.1 %
	Total	35	0.3%

This variable has 35 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11779	99.7 %
	Total	11,779	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 6315-6322 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YD1001_NB: Ever seen or heard of dissolvable tobacco before this study

[BOX ID: R03_YDT01 - The next questions ask about another type of tobacco called dissolvable tobacco. You don't smoke dissolvable tobacco products - they are made of finely ground flavored tobacco that dissolves in your mouth.

Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, or Camel Orbs, Sticks or Strips.]

[BOX ID: R03_YDR01 - New baseline youth respondents, go to R03_YD1001_NB. Continuing youth respondents, go to R03_YD1002_12M.

IF R03_YOUTHTYPE = 2, GO TO R03_YD1001_NB. ELSE, GO TO R03_YD1002_12M.]

Have you ever seen or heard of dissolvable tobacco before this study?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YDV01.]

[SHOW GENERIC IMAGE OF DISSOLVABLES]

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	110	0.9 %
2	2 = No	1926	16.3 %
	Total	2,036	17.2%

This variable has 2,036 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %

	Missing Data		
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,778	82.8%

Percentages for both tables are based on 11,814 total cases.

Location: 6323-6330 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YD1002_NB: Ever used dissolvable tobacco products, even one or two times

Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YDV01.]

[SHOW GENERIC IMAGE OF DISSOLVABLES]

ASK: New baseline youth respondents who have seen or heard of dissolvable tobacco.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YD1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	110	0.9 %
	Total	110	0.9%

This variable has 110 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11704	99.1 %
	Total	11,704	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6331-6338 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YD1002_12M: In past 12 months, used dissolvable tobacco products, even one or two times

In the past 12 months, have you used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YDV01.]

[SHOW GENERIC IMAGE OF DISSOLVABLES]

ASK: Continuing youth respondents or new baseline youth respondents who have ever seen or heard of dissolvable tobacco and have ever used dissolvable tobacco.

ASK Specification: IF R03_YOUTHTYPE = 1 OR (R03_YOUTHTYPE = 2 AND R03_YD1001_NB = 1 AND R03_YD1002_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	9739	82.4 %
	Total	9,751	82.5%

This variable has 9,751 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,063	17.5%

Percentages for both tables are based on 11,814 total cases.

Location: 6339-6346 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YD1002_30D: In past 30 days, used dissolvable tobacco products, even one or two times

In the past 30 days, have you used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLES]

ASK: Continuing youth respondents who have used dissolvable tobacco in the past 12 months, or new baseline youth respondents who have ever seen or heard of dissolvable tobacco and have ever used dissolvable tobacco and have

used dissolvable tobacco in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 1 AND R03_YD1002_12M = 1) OR (R03_YOUTHTYPE = 2 AND R03_YD1001_NB = 1 AND R03_YD1002_NB = 1 AND R03_YD1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	8	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11802	99.9 %
	Total	11,802	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 6347-6354 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9101_NB_01: Ever heard of bidis before this study

[BOX ID: R03_YBT01 - The next questions are about bidis or kreteks. Bidis are small brown cigarettes wrapped in a leaf and typically tied on one or both ends with string. Kreteks are clove cigarettes]

[BOX ID: R03_YBR01 - New baseline youth respondents, go to R03_YB9101_NB. Continuing youth respondents, go to R03_YB9102_12M.]

IF R03_YOUTHTYPE = 2, GO TO R03_YB9101_NB. ELSE, GO TO R03_YB9102_12M.]

Which of the following tobacco products have you ever seen or heard of before this study? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Bidis

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Marked	71	0.6 %
2	2 = Not Marked	1965	16.6 %
	Total	2,036	17.2%

This variable has 2,036 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,778	82.8%

Percentages for both tables are based on 11,814 total cases.

Location: 6355-6362 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9101_NB_02: Ever heard of kreteks before this study

Which of the following tobacco products have you ever seen or heard of before this study? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Kreteks

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Marked	89	0.8 %
2	2 = Not Marked	1947	16.5 %
	Total	2,036	17.2%

This variable has 2,036 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9769	82.7 %

	Missing Data		
	Total	9,778	82.8%

Percentages for both tables are based on 11,814 total cases.

Location: 6363-6370 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9101_NB_03: Never heard of bidis or kreteks

Which of the following tobacco products have you ever seen or heard of before this study? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Never seen or heard of either of these products

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1917	16.2 %
2	2 = Not Marked	119	1.0 %
	Total	2,036	17.2%

This variable has 2,036 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,778	82.8%

Percentages for both tables are based on 11,814 total cases.

Location: 6371-6378 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9102_NB_01: Ever tried bidis, even one or two times

[BOX ID: R03_YBR02 - New baseline youth respondents who have ever seen or heard of bidis or kreteks, go to R03_YB9102_NB. Else, go to Box R03_YBV01.

IF R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01 = 1 OR R03_YB9101_NB_02 = 1), GO TO R03_YB9102_NB. ELSE, GO TO BOX R03_YBV01.]

Which of the following tobacco products have you ever tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Bidis

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks.

ASK Specification: IF R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01 = 1 OR R03_YB9101_NB_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	115	1.0 %
	Total	118	1.0%

This variable has 118 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11695	99.0 %
	Total	11,696	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6379-6386 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9102_NB_02: Ever tried kreteks, even one or two times

Which of the following tobacco products have you ever tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Kreteks

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks.

ASK Specification: IF R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01

= 1 OR R03_YB9101_NB_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	117	1.0 %
	Total	118	1.0%

This variable has 118 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11695	99.0 %
	Total	11,696	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6387-6394 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9102_NB_03: Never tried bidis or kreteks

Which of the following tobacco products have you ever tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

I have never tried either of these products

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks.

ASK Specification: IF R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01 = 1 OR R03_YB9101_NB_02 = 1).

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	115	1.0 %
2	2 = Not Marked	3	0.0 %
	Total	118	1.0%

This variable has 118 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11695	99.0 %
	Total	11,696	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6395-6402 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9102_12M_01: In past 12 months, tried bidis even one or two times

[BOX ID: R03_YBR03 - New baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever used bidis or kreteks, go to R03_YB9102_12M. Else, go to Box R03_YBV01.]

IF (R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01 = 1 OR R03_YB9101_NB_02 = 1) AND (R03_YB9102_NB_01 = 1 OR R03_YB9102_NB_02 = 1)), GO TO R03_YB9102_12M. ELSE, GO TO BOX R03_YBV01.]

In the past 12 months, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Bidis

ASK: Continuing youth respondents, or new baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever used bidis or kreteks.

ASK Specification: IF R03_YOUTHTYPE = 1 OR (R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01 = 1 OR R03_YB9101_NB_02 = 1) AND (R03_YB9102_NB_01 = 1 OR R03_YB9102_NB_02 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	9705	82.1 %
	Total	9,718	82.3%

This variable has 9,718 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	32	0.3 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	2042	17.3 %
	Total	2,096	17.7%

Percentages for both tables are based on 11,814 total cases.

Location: 6403-6410 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9102_12M_02: In past 12 months, tried kreteks even one or two times

In the past 12 months, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Kreteks

ASK: Continuing youth respondents, or new baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever used bidis or kreteks.

ASK Specification: IF R03_YOUTHTYPE = 1 OR (R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01 = 1 OR R03_YB9101_NB_02 = 1) AND (R03_YB9102_NB_01 = 1 OR R03_YB9102_NB_02 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	9704	82.1 %
	Total	9,718	82.3%

This variable has 9,718 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	32	0.3 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	2042	17.3 %
	Total	2,096	17.7%

Percentages for both tables are based on 11,814 total cases.

Location: 6411-6418 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9102_12M_03: In past 12 months, never tried bidis or kreteks

In the past 12 months, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

I have not tried either of these products

ASK: Continuing youth respondents, or new baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever used bidis or kreteks.

ASK Specification: IF R03_YOUTHTYPE = 1 OR (R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01 = 1 OR R03_YB9101_NB_02 = 1) AND (R03_YB9102_NB_01 = 1 OR R03_YB9102_NB_02 = 1)).

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9695	82.1 %
2	2 = Not Marked	23	0.2 %
	Total	9,718	82.3%

This variable has 9,718 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	32	0.3 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	2042	17.3 %
	Total	2,096	17.7%

Percentages for both tables are based on 11,814 total cases.

Location: 6419-6426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9102_30D_01: In past 30 days, tried bidis even one or two times

[BOX ID: R03_YBR04 - Continuing youth respondents who have used bidis or kreteks in the past 12 months, or new baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever used bidis or kreteks and have used bidis or kreteks in the past 12 months, go to R03_YB9102_30D. Else, go to Box R03_YBV01.

IF (R03_YOUTHTYPE = 1 AND (R03_YB9102_12M_01 = 1 OR

R03_YB9102_12M_02 = 1)) OR (R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01 = 1 OR R03_YB9101_NB_02 = 1) AND (R03_YB9102_NB_01 = 1 OR R03_YB9102_NB_02 = 1) AND (R03_YB9102_12M_01 = 1 OR R03_YB9102_12M_02 = 1)), GO TO R03_YB9102_30D. ELSE, GO TO BOX R03_YBV01.]

In the past 30 days, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Bidis

ASK: Continuing youth respondents who have used bidis or kreteks in the past 12 months, or new baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever used bidis or kreteks and have used bidis or kreteks in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 1 AND (R03_YB9102_12M_01 = 1 OR R03_YB9102_12M_02 = 1)) OR (R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01 = 1 OR R03_YB9101_NB_02 = 1) AND (R03_YB9102_NB_01 = 1 OR R03_YB9102_NB_02 = 1) AND (R03_YB9102_12M_01 = 1 OR R03_YB9102_12M_02 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	13	0.1 %
	Total	23	0.2%

This variable has 23 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 6427-6434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9102_30D_02: In past 30 days, tried kreteks even one or two times

In the past 30 days, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Kreteks

ASK: Continuing youth respondents who have used bidis or kreteks in the past 12 months, or new baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever used bidis or kreteks and have used bidis or kreteks in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 1 AND (R03_YB9102_12M_01 = 1 OR R03_YB9102_12M_02 = 1)) OR (R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01 = 1 OR R03_YB9101_NB_02 = 1) AND (R03_YB9102_NB_01 = 1 OR R03_YB9102_NB_02 = 1) AND (R03_YB9102_12M_01 = 1 OR R03_YB9102_12M_02 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	16	0.1 %
	Total	23	0.2%

This variable has 23 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 6435-6442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YB9102_30D_03: In past 30 days, never tried bidis or kreteks

In the past 30 days, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

I have not tried either of these products

ASK: Continuing youth respondents who have used bidis or kreteks in the past 12 months, or new baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever used bidis or kreteks and have used bidis or kreteks in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 1 AND (R03_YB9102_12M_01 = 1 OR R03_YB9102_12M_02 = 1)) OR (R03_YOUTHTYPE = 2 AND (R03_YB9101_NB_01 = 1 OR R03_YB9101_NB_02 = 1) AND (R03_YB9102_NB_01 = 1 OR R03_YB9102_NB_02 = 1) AND (R03_YB9102_12M_01 = 1 OR R03_YB9102_12M_02 = 1)).

[PROGRAM NOTE: Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	15	0.1 %
	Total	23	0.2%

This variable has 23 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	99.8 %
	Total	11,791	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 6443-6450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YZ1002: Ever used any other tobacco products

You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipes, hookahs, snus, smokeless tobacco, dissolvable tobacco, bidis and kreteks.

Besides these products, have you ever used any other tobacco products? Please do not include products such as a nicotine patch, gum, inhaler, nasal spray, lozenge or pill.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.3 %
2	2 = No	11740	99.4 %

Value	Label	Unweighted Frequency	%
	Total	11,773	99.7%

This variable has 11,773 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	41	0.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6451-6458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YY0601: First type of tobacco you tried

[PROGRAM NOTE: See Box R03_YYV01 and R03_YYR01 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

You mentioned that you started using [LIST OF ALL PRODUCTS INITIATED/USED AT EARLIEST AGE] [in the past 12 months/at age {EARLIEST AGE}]. Which type of tobacco did you try first?

ASK: New baseline youth respondents who used 2 or more tobacco products for the first time at the same age, not including pipe tobacco, dissolvable tobacco, bidis, or kreteks, or continuing youth respondents who had never used any tobacco products as of their last completed interview and initiated use of two or more tobacco products since their last completed interview, not including pipe tobacco, dissolvable tobacco, bidis, or kreteks.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND MIN VALID AGE IN (R03_YC1006_NB OR R03_YV1006_NB OR R03_YG1006TC_NB OR R03_YG1006CL_NB OR R03_YG1006FC_NB OR R03_YH1006_NB OR R03_YU1006_NB OR R03_YS1006_NB) = AGE AT FIRST USE OF 2 OR MORE PRODUCTS) OR (R03_YOUTHTYPE = 1 AND R02_EVER_NEVER_CIGS != 1 AND R02_EVER_NEVER_EPRODS != 1 AND R02_EVER_NEVER_GTRAD != 1 AND R02_EVER_NEVER_GRILLO != 1 AND R02_EVER_NEVER_GFILTR != 1 AND R02_EVER_NEVER_PIPE != 1 AND R02_EVER_NEVER_HOOK != 1 AND R02_EVER_NEVER_SNUS != 1 AND R02_EVER_NEVER_SMKLS != 1 AND R02_EVER_NEVER_DISSBL != 1 AND R02_EVER_NEVER_BIDI != 1 AND R02_EVER_NEVER_KRETEK != 1 AND R03_INIT_[PRODUCT]_YOUTH = 1 FOR 2 OR MORE OF THESE PRODUCTS: CIGARETTES, ELECTRONIC NICOTINE PRODUCTS, TRADITIONAL CIGARS, CIGARILLOS, FILTERED CIGARS, HOOKAH, SNUS POUCHES, SMOKELESS TOBACCO).

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes	56	0.5 %
2	2 = E-cigarettes or other electronic nicotine products	59	0.5 %
3	3 = Traditional cigars	1	0.0 %
4	4 = Cigarillos	12	0.1 %
5	5 = Filtered cigars	1	0.0 %
7	7 = Shisha or hookah tobacco	10	0.1 %
8	8 = Smokeless tobacco (other than snus pouches)	13	0.1 %
9	9 = Snus pouches	2	0.0 %
14	14 = Other	5	0.0 %
	Total	159	1.3%

This variable has 159 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11650	98.6 %
	Total	11,655	98.7%

Percentages for both tables are based on 11,814 total cases.

Location: 6459-6466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0703E: Time to wanting to use first [e-cigarettes/electronic nicotine products] after waking

[PROGRAM NOTE: See Box R03_YND01E, R03_YNR04E, and R03_YNT03 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How soon after you wake up do you want to use [ND EFILL]?

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Within 5 minutes	21	0.2 %
2	2 = From 6 to 30 minutes	25	0.2 %
3	3 = From more than 30 minutes to 1 hour	32	0.3 %
4	4 = After more than 1 hour but less than 24 hours	68	0.6 %

Value	Label	Unweighted Frequency	%
5	5 = Rarely want to use electronic nicotine products	1071	9.1 %
	Total	1,217	10.3%

This variable has 1,217 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.3 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	10538	89.2 %
	Total	10,597	89.7%

Percentages for both tables are based on 11,814 total cases.

Location: 6467-6474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0704E: Ever have strong cravings to use [e-cigarettes/electronic nicotine products]

Do you ever have strong cravings to use [ND EFILL]?

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	84	0.7 %
2	2 = No	1191	10.1 %
	Total	1,275	10.8%

This variable has 1,275 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10538	89.2 %
	Total	10,539	89.2%

Percentages for both tables are based on 11,814 total cases.

Location: 6475-6482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0705E: Ever felt like you really needed to use [e-cigarettes/electronic nicotine products]

Have you ever felt like you really needed to use [ND EFILL]?

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	96	0.8 %
2	2 = No	1178	10.0 %
	Total	1,274	10.8%

This variable has 1,274 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10538	89.2 %
	Total	10,540	89.2%

Percentages for both tables are based on 11,814 total cases.

Location: 6483-6490 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0055E: Level of agreement: I find myself reaching for [e-cigarettes/electronic nicotine products] without thinking about it

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for [ND EFILL] without thinking about it.

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1023	8.7 %
2	2 = 2 on a scale of 1 to 5	116	1.0 %
3	3 = 3 on a scale of 1 to 5	67	0.6 %

Value	Label	Unweighted Frequency	%
4	4 = 4 on a scale of 1 to 5	24	0.2 %
5	5 = Extremely true of me	30	0.3 %
	Total	1,260	10.7%

This variable has 1,260 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	10538	89.2 %
	Total	10,554	89.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6491-6498 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0025E_RANDOM_01: YN0025E series random question 1

[ICPSR NOTE: The 5 items that follow in the questionnaire (R03_YN0025E through R03_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10538	89.2 %
R03_YN0025E	-	275	2.3 %
R03_YN0045E	-	242	2.0 %
R03_YN0070E	-	243	2.1 %
R03_YN0075E	-	263	2.2 %
R03_YN0080E	-	253	2.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6499-6513 (width: 15; decimal: 0)

Variable Type: character

R03_YN0025E_RANDOM_02: YN0025E series random question 2

[ICPSR NOTE: The 5 items that follow in the questionnaire (R03_YN0025E through R03_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10538	89.2 %
R03_YN0025E	-	262	2.2 %
R03_YN0045E	-	258	2.2 %
R03_YN0070E	-	251	2.1 %
R03_YN0075E	-	244	2.1 %
R03_YN0080E	-	261	2.2 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6514-6528 (width: 15; decimal: 0)

Variable Type: character

R03_YN0025E_RANDOM_03: YN0025E series random question 3

[ICPSR NOTE: The 5 items that follow in the questionnaire (R03_YN0025E through R03_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10538	89.2 %
R03_YN0025E	-	252	2.1 %
R03_YN0045E	-	252	2.1 %
R03_YN0070E	-	265	2.2 %
R03_YN0075E	-	244	2.1 %
R03_YN0080E	-	263	2.2 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6529-6543 (width: 15; decimal: 0)

Variable Type: character

R03_YN0025E_RANDOM_04: YN0025E series random question 4

[ICPSR NOTE: The 5 items that follow in the questionnaire (R02_YN0025E through R02_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10538	89.2 %
R03_YN0025E	-	233	2.0 %
R03_YN0045E	-	259	2.2 %
R03_YN0070E	-	265	2.2 %
R03_YN0075E	-	260	2.2 %
R03_YN0080E	-	259	2.2 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6544-6558 (width: 15; decimal: 0)

Variable Type: character

R03_YN0025E_RANDOM_05: YN0025E series random question 5

[ICPSR NOTE: The 5 items that follow in the questionnaire (R03_YN0025E through R03_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10538	89.2 %
R03_YN0025E	-	254	2.1 %
R03_YN0045E	-	265	2.2 %
R03_YN0070E	-	252	2.1 %
R03_YN0075E	-	265	2.2 %
R03_YN0080E	-	240	2.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6559-6573 (width: 15; decimal: 0)

Variable Type: character

R03_YN0025E: Level of agreement: Frequently crave [e-cigarettes/electronic nicotine products]

I frequently crave [ND EFILL].

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1105	9.4 %
2	2 = 2 on a scale of 1 to 5	90	0.8 %
3	3 = 3 on a scale of 1 to 5	32	0.3 %
4	4 = 4 on a scale of 1 to 5	16	0.1 %
5	5 = Extremely true of me	23	0.2 %
	Total	1,266	10.7%

This variable has 1,266 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	10538	89.2 %
	Total	10,548	89.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6574-6581 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0045E: Level of agreement: My [e-cigarette use/electronic nicotine product use] is out of control

My [ND EFILL4] is out of control.

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1203	10.2 %
2	2 = 2 on a scale of 1 to 5	36	0.3 %
3	3 = 3 on a scale of 1 to 5	14	0.1 %

Value	Label	Unweighted Frequency	%
4	4 = 4 on a scale of 1 to 5	4	0.0 %
5	5 = Extremely true of me	11	0.1 %
	Total	1,268	10.7%

This variable has 1,268 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	10538	89.2 %
	Total	10,546	89.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6582-6589 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0070E: Level of agreement: Using [e-cigarettes/electronic nicotine products] helps me feel better if I've been feeling down

Using [ND EFILL] really helps me feel better if I've been feeling down.

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	999	8.5 %
2	2 = 2 on a scale of 1 to 5	115	1.0 %
3	3 = 3 on a scale of 1 to 5	74	0.6 %
4	4 = 4 on a scale of 1 to 5	45	0.4 %
5	5 = Extremely true of me	36	0.3 %
	Total	1,269	10.7%

This variable has 1,269 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	10538	89.2 %

	Missing Data		
	Total	10,545	89.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6590-6597 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0075E: Level of agreement: Using [e-cigarettes/electronic nicotine products] helps me think better

Using [ND EFILL] helps me think better.

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1095	9.3 %
2	2 = 2 on a scale of 1 to 5	82	0.7 %
3	3 = 3 on a scale of 1 to 5	45	0.4 %
4	4 = 4 on a scale of 1 to 5	24	0.2 %
5	5 = Extremely true of me	23	0.2 %
	Total	1,269	10.7%

This variable has 1,269 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10538	89.2 %
	Total	10,545	89.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6598-6605 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0080E: Level of agreement: I would feel alone without my [e-cigarettes/electronic nicotine products]

I would feel alone without my [ND EFILL].

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1184	10.0 %
2	2 = 2 on a scale of 1 to 5	42	0.4 %
3	3 = 3 on a scale of 1 to 5	18	0.2 %
4	4 = 4 on a scale of 1 to 5	8	0.1 %
5	5 = Extremely true of me	16	0.1 %
	Total	1,268	10.7%

This variable has 1,268 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	10538	89.2 %
	Total	10,546	89.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6606-6613 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0060E: Level of agreement: I usually want to use [e-cigarettes/electronic nicotine products] after waking up

[Box ID R03_YNR03E: Youth respondents who are past 12 month electronic nicotine product users and did not report that they rarely want to use electronic nicotine products after waking up, go to R03_YN0060E. Else, go to Box R03_YNR06.

IF R03_PASTYEAR_TOB_USE = 2, 3 AND R03_YN0703E != 5, GO TO R03_YN0060E. ELSE, GO TO BOX R03_YNR06.]

I usually want to use [ND EFILL] right after I wake up.

ASK: Youth respondents who are past 12 month electronic nicotine product users and did not report that they rarely want to use electronic nicotine products after waking up.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 2, 3 AND R03_YN0703E != 5.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	140	1.2 %
2	2 = 2 on a scale of 1 to 5	30	0.3 %
3	3 = 3 on a scale of 1 to 5	19	0.2 %

Value	Label	Unweighted Frequency	%
4	4 = 4 on a scale of 1 to 5	6	0.1 %
5	5 = Extremely true of me	8	0.1 %
	Total	203	1.7%

This variable has 203 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11609	98.3 %
	Total	11,611	98.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6614-6621 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0126E: In past 12 months, tried to completely stop use of all [e-cigarettes/electronic nicotine products]

[Box ID R03_YNR06: Youth respondents who are past 30 day "not-light" electronic nicotine product users, go to R03_YN0126E. Else, youth respondents who are past 12 month non-electronic tobacco users, go to Box R03_YNT02. Else, go to Box R03_YRT01.]

IF R03_PAST30DAY_EPRODS_LEVEL = 2, GO TO R03_YN0126E. ELSE, IF R03_PASTYEAR_TOB_USE = 1, 3, GO TO BOX R03_YNT02. ELSE, GO TO BOX R03_YRT01.]

Have you tried to completely stop using [ND EFILL] within the past 12 months?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YN0127E.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	113	1.0 %
2	2 = No	266	2.3 %
	Total	379	3.2%

This variable has 379 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11424	96.7 %
	Total	11,435	96.8%

Percentages for both tables are based on 11,814 total cases.

Location: 6622-6629 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0120E: In past 12 months, stopped using [e-cigarettes/electronic nicotine products] for one day or longer because you were trying to quit for good

In the past 12 months, have you stopped using [ND EFILL] for one day or longer because you were trying to quit for good?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and have tried to completely stop using electronic nicotine products within the past 12 months.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2 AND R03_YN0126E = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	99	0.8 %
2	2 = No	14	0.1 %
	Total	113	1.0%

This variable has 113 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,701	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6630-6637 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0127E: Seriously thinking about quitting [e-cigarettes/electronic nicotine products]

Are you seriously thinking about quitting [ND EFILL]?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R03_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes, within the next 30 days	109	0.9 %
2	2 = Yes, within the next 6 months	8	0.1 %
3	3 = Yes, within the year	18	0.2 %
4	4 = Yes, but not within the year	30	0.3 %
5	5 = No, I am not seriously thinking about quitting	189	1.6 %
	Total	354	3.0%

This variable has 354 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	11424	96.7 %
	Total	11,460	97.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6638-6645 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0703: Time to wanting to use first tobacco product after waking

[PROGRAM NOTE: See Box R03_YNR02E and R03_YNT02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How soon after you wake up do you want to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Within 5 minutes	66	0.6 %
2	2 = From 6 to 30 minutes	56	0.5 %
3	3 = From more than 30 minutes to 1 hour	51	0.4 %
4	4 = After more than 1 hour but less than 24 hours	94	0.8 %

Value	Label	Unweighted Frequency	%
5	5 = Rarely want to use tobacco	854	7.2 %
	Total	1,121	9.5%

This variable has 1,121 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	10642	90.1 %
	Total	10,693	90.5%

Percentages for both tables are based on 11,814 total cases.

Location: 6646-6653 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0704: Ever have strong cravings to use tobacco

Do you ever have strong cravings to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	207	1.8 %
2	2 = No	963	8.2 %
	Total	1,170	9.9%

This variable has 1,170 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10642	90.1 %
	Total	10,644	90.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6654-6661 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0705: Ever felt like you really needed to use tobacco

Have you ever felt like you really needed to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	241	2.0 %
2	2 = No	927	7.8 %
	Total	1,168	9.9%

This variable has 1,168 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10642	90.1 %
	Total	10,646	90.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6662-6669 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0055: Level of agreement: Find myself reaching for a tobacco product without thinking about it

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for a tobacco product without thinking about it.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	855	7.2 %
2	2 = 2 on a scale of 1 to 5	119	1.0 %
3	3 = 3 on a scale of 1 to 5	93	0.8 %
4	4 = 4 on a scale of 1 to 5	40	0.3 %

Value	Label	Unweighted Frequency	%
5	5 = Extremely true of me	61	0.5 %
	Total	1,168	9.9%

This variable has 1,168 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10642	90.1 %
	Total	10,646	90.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6670-6677 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0025_RANDOM_01: YN0025 series random question 1

[ICPSR NOTE: The 5 items that follow in the questionnaire (R03_YN0025 through R03_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10642	90.1 %
R03_YN0025	-	237	2.0 %
R03_YN0045	-	239	2.0 %
R03_YN0070	-	204	1.7 %
R03_YN0075	-	247	2.1 %
R03_YN0080	-	245	2.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6678-6692 (width: 15; decimal: 0)

Variable Type: character

R03_YN0025_RANDOM_02: YN0025 series random question 2

[ICPSR NOTE: The 5 items that follow in the questionnaire (R02_YN0025 through R02_YN0080)

were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10642	90.1 %
R03_YN0025	-	244	2.1 %
R03_YN0045	-	255	2.2 %
R03_YN0070	-	214	1.8 %
R03_YN0075	-	224	1.9 %
R03_YN0080	-	235	2.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6693-6707 (width: 15; decimal: 0)

Variable Type: character

R03_YN0025_RANDOM_03: YN0025 series random question 3

[ICPSR NOTE: The 5 items that follow in the questionnaire (R02_YN0025 through R02_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R02_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10642	90.1 %
R03_YN0025	-	220	1.9 %
R03_YN0045	-	244	2.1 %
R03_YN0070	-	255	2.2 %
R03_YN0075	-	239	2.0 %
R03_YN0080	-	214	1.8 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6708-6722 (width: 15; decimal: 0)

Variable Type: character

R03_YN0025_RANDOM_04: YN0025 series random question 4

[ICPSR NOTE: The 5 items that follow in the questionnaire (R03_YN0025 through R03_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10642	90.1 %
R03_YN0025	-	230	1.9 %
R03_YN0045	-	229	1.9 %
R03_YN0070	-	262	2.2 %
R03_YN0075	-	224	1.9 %
R03_YN0080	-	227	1.9 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6723-6737 (width: 15; decimal: 0)

Variable Type: character

R03_YN0025_RANDOM_05: YN0025 series random question 5

[ICPSR NOTE: The 5 items that follow in the questionnaire (R03_YN0025 through R03_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R03_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10642	90.1 %
R03_YN0025	-	241	2.0 %
R03_YN0045	-	205	1.7 %
R03_YN0070	-	237	2.0 %
R03_YN0075	-	238	2.0 %
R03_YN0080	-	251	2.1 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

Location: 6738-6752 (width: 15; decimal: 0)

Variable Type: character

R03_YN0025: Level of agreement: Frequently crave tobacco

I frequently crave tobacco.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	877	7.4 %
2	2 = 2 on a scale of 1 to 5	115	1.0 %
3	3 = 3 on a scale of 1 to 5	75	0.6 %
4	4 = 4 on a scale of 1 to 5	46	0.4 %
5	5 = Extremely true of me	53	0.4 %
	Total	1,166	9.9%

This variable has 1,166 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	10642	90.1 %
	Total	10,648	90.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6753-6760 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0045: Level of agreement: My tobacco use is out of control

My tobacco use is out of control.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	992	8.4 %
2	2 = 2 on a scale of 1 to 5	74	0.6 %
3	3 = 3 on a scale of 1 to 5	41	0.3 %
4	4 = 4 on a scale of 1 to 5	29	0.2 %

Value	Label	Unweighted Frequency	%
5	5 = Extremely true of me	30	0.3 %
	Total	1,166	9.9%

This variable has 1,166 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10642	90.1 %
	Total	10,648	90.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6761-6768 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0070: Level of agreement: Using tobacco helps me feel better if feeling down

Using tobacco really helps me feel better if I've been feeling down.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	787	6.7 %
2	2 = 2 on a scale of 1 to 5	109	0.9 %
3	3 = 3 on a scale of 1 to 5	111	0.9 %
4	4 = 4 on a scale of 1 to 5	74	0.6 %
5	5 = Extremely true of me	80	0.7 %
	Total	1,161	9.8%

This variable has 1,161 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	10642	90.1 %
	Total	10,653	90.2%

Percentages for both tables are based on 11,814 total cases.

Location: 6769-6776 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0075: Level of agreement: Using tobacco helps me think better

Using tobacco helps me think better.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	895	7.6 %
2	2 = 2 on a scale of 1 to 5	98	0.8 %
3	3 = 3 on a scale of 1 to 5	80	0.7 %
4	4 = 4 on a scale of 1 to 5	45	0.4 %
5	5 = Extremely true of me	48	0.4 %
	Total	1,166	9.9%

This variable has 1,166 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10642	90.1 %
	Total	10,648	90.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6777-6784 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0080: Level of agreement: Would feel alone without my tobacco

I would feel alone without my tobacco.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1011	8.6 %
2	2 = 2 on a scale of 1 to 5	68	0.6 %
3	3 = 3 on a scale of 1 to 5	43	0.4 %
4	4 = 4 on a scale of 1 to 5	16	0.1 %
5	5 = Extremely true of me	29	0.2 %
	Total	1,167	9.9%

This variable has 1,167 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10642	90.1 %
	Total	10,647	90.1%

Percentages for both tables are based on 11,814 total cases.

Location: 6785-6792 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0060: Level of agreement: Usually want to use tobacco after waking up

[Box ID R03_YNR03: Youth respondents who are past 12 month non-electronic tobacco users and did not report that they rarely want to use tobacco after waking up, go to R03_YN0060. Else, go to Box R03_YNR05.

IF R03_PASTYEAR_TOB_USE = 1, 3 AND R03_YN0703 != 5, GO TO R03_YN0060. ELSE, GO TO BOX R03_YNR05.]

I usually want to use tobacco right after I wake up.

ASK: Youth respondents who are past 12 month non-electronic tobacco users and did not report that they rarely want to use tobacco after waking up.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 1, 3 AND R03_YN0703 != 5.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	145	1.2 %
2	2 = 2 on a scale of 1 to 5	55	0.5 %
3	3 = 3 on a scale of 1 to 5	38	0.3 %
4	4 = 4 on a scale of 1 to 5	26	0.2 %
5	5 = Extremely true of me	49	0.4 %
	Total	313	2.6%

This variable has 313 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11496	97.3 %
	Total	11,501	97.4%

Percentages for both tables are based on 11,814 total cases.

Location: 6793-6800 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0126: In past 12 months, tried to completely stop use of all tobacco products

[Box ID R03_YNR05: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers, go to R03_YN0126. Else, youth respondents who are past 30 day "not light" cigarette smokers, go to R03_YN0127. Else, go to Box R03_YRT01.

IF R03_PAST30DAY_TOB = 1 AND (R03_PAST30DAY_GTRAD_LEVEL = 2 OR R03_PAST30DAY_GRILLO_LEVEL = 2 OR R03_PAST30DAY_GFILTR_LEVEL = 2 OR R03_PAST30DAY_PIPE = 1 OR R03_PAST30DAY_HOOK = 1 OR R03_PAST30DAY_SNUS_LEVEL = 2 OR R03_PAST30DAY_SMKLS_LEVEL = 2 OR R03_PAST30DAY DISS = 1 OR R03_PAST30DAY_BIDI = 1 OR R03_PAST30DAY_KRETEK = 1), GO TO R03_YN0126. IF R03_PAST30DAY_CIGS_LEVEL = 2, GO TO R03_YN0127. ELSE, GO TO BOX R03_YRT01.]

Have you tried to completely stop using all tobacco products within the past 12 months?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YN0127.]

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND (R03_PAST30DAY_GTRAD_LEVEL = 2 OR R03_PAST30DAY_GRILLO_LEVEL = 2 OR R03_PAST30DAY_GFILTR_LEVEL = 2 OR R03_PAST30DAY_PIPE = 1 OR R03_PAST30DAY_HOOK = 1 OR R03_PAST30DAY_SNUS_LEVEL = 2 OR R03_PAST30DAY_SMKLS_LEVEL = 2 OR R03_PAST30DAY DISS = 1 OR R03_PAST30DAY_BIDI = 1 OR R03_PAST30DAY_KRETEK = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	91	0.8 %
2	2 = No	140	1.2 %
	Total	231	2.0%

This variable has 231 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11581	98.0 %
	Total	11,583	98.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6801-6808 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0120: In past 12 months, stopped using all tobacco products for one day or longer because you were trying to quit for good

In the past 12 months, have you stopped using all tobacco products for one day or longer because you were trying to quit for good?

[Go to R03_YN0127.]

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have tried to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF (R03_PAST30DAY_TOB = 1 AND (R03_PAST30DAY_GTRAD_LEVEL = 2 OR R03_PAST30DAY_GRILLO_LEVEL = 2 OR R03_PAST30DAY_GFILTR_LEVEL = 2 OR R03_PAST30DAY_PIPE = 1 OR R03_PAST30DAY_HOOK = 1 OR R03_PAST30DAY_SNUS_LEVEL = 2 OR R03_PAST30DAY_SMKLS_LEVEL = 2 OR R03_PAST30DAY DISS = 1 OR R03_PAST30DAY_BIDI = 1 OR R03_PAST30DAY_KRETEK = 1) AND R03_YN0126 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	78	0.7 %
2	2 = No	13	0.1 %
	Total	91	0.8%

This variable has 91 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11723	99.2 %
	Total	11,723	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 6809-6816 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0127: Seriously thinking about quitting cigarettes/all tobacco products

Are you seriously thinking about quitting [cigarettes/all tobacco products/cigarettes and tobacco products]?

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers, or youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF (R03_PAST30DAY_TOB = 1 AND (R03_PAST30DAY_GTRAD_LEVEL = 2 OR R03_PAST30DAY_GRILLO_LEVEL = 2 OR R03_PAST30DAY_GFILTR_LEVEL = 2 OR R03_PAST30DAY_PIPE = 1 OR R03_PAST30DAY_HOOK = 1 OR R03_PAST30DAY_SNUS_LEVEL = 2 OR R03_PAST30DAY_SMKLS_LEVEL = 2 OR R03_PAST30DAY_DISS = 1 OR R03_PAST30DAY_BIDI = 1 OR R03_PAST30DAY_KRETEK = 1)) OR R03_PAST30DAY_CIGS_LEVEL = 2.

[DISPLAY: IF CIGARETTE SMOKER ONLY {R03_PAST30DAY_CIGS_LEVEL = 2 AND [(R03_PAST30DAY_GTRAD = 2) AND (R03_PAST30DAY_GRILLO = 2) AND (R03_PAST30DAY_GFILTR = 2) AND (R03_PAST30DAY_PIPE = 2) AND (R03_PAST30DAY_HOOK = 2) AND (R03_PAST30DAY_SNUS = 2) AND (R03_PAST30DAY_SMKLS = 2) AND (R03_PAST30DAY_DISS = 2) AND (R03_PAST30DAY_BIDI = 2) AND (R03_PAST30DAY_KRETEK = 2)]}, DISPLAY "cigarettes".

ELSE, IF NON-CIGARETTE TOBACCO USER {(R03_PAST30DAY_CIGS = 2 OR R03_PAST30DAY_CIGS_LEVEL = 1) AND R03_PAST30DAY_TOB = 1}, DISPLAY "all tobacco products".

ELSE, IF CIGARETTE AND OTHER TOBACCO USER {R03_PAST30DAY_CIGS_LEVEL = 2 AND [(R03_PAST30DAY_GTRAD_LEVEL = 2) OR (R03_PAST30DAY_GRILLO_LEVEL = 2) OR (R03_PAST30DAY_GFILTR_LEVEL = 2) OR (R03_PAST30DAY_PIPE = 1) OR (R03_PAST30DAY_HOOK = 1) OR (R03_PAST30DAY_SNUS_LEVEL = 2) OR (R03_PAST30DAY_SMKLS_LEVEL = 2) OR (R03_PAST30DAY_DISS = 1) OR (R03_PAST30DAY_BIDI = 1) OR (R03_PAST30DAY_KRETEK = 1)]}, DISPLAY "cigarettes and tobacco products".]

Value	Label	Unweighted Frequency	%
1	1 = Yes, within the next 30 days	102	0.9 %
2	2 = Yes, within the next 6 months	32	0.3 %
3	3 = Yes, within the year	34	0.3 %
4	4 = Yes, but not within the year	58	0.5 %
5	5 = No, I am not seriously thinking about quitting	155	1.3 %
	Total	381	3.2%

This variable has 381 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11414	96.6 %
	Total	11,433	96.8 %

Percentages for both tables are based on 11,814 total cases.

Location: 6817-6824 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1210: Wants to completely stop smoking cigarettes

[Box ID R03_YNR02: Youth respondents who are past 30 day "not-light" cigarette smokers and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smoker or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers, go to Box R03_YNT05. Else, past 30 day "not-light" cigarette smokers, go to R03_YC1210. Else, go to Box R03_YRT01.]

IF R03_PAST30DAY_CIGS_LEVEL = 2 AND (R03_PAST30DAY_GTRAD_LEVEL = 2 OR R03_PAST30DAY_GRILLO_LEVEL = 2 OR R03_PAST30DAY_GFILTR_LEVEL = 2 OR R03_PAST30DAY_PIPE = 1 OR R03_PAST30DAY_HOOK = 1 OR R03_PAST30DAY_SNUS_LEVEL = 2 OR R03_PAST30DAY_SMKLS_LEVEL = 2 OR R03_PAST30DAY DISS = 1 OR R03_PAST30DAY_BIDI = 1 OR R03_PAST30DAY_KRETEK = 1), GO TO BOX R03_YNT05. ELSE IF R03_PAST30DAY_CIGS_LEVEL = 2, GO TO R03_YC1210. ELSE, GO TO BOX R03_YRT01.]

[Box ID R03_YNT05: The next questions ask about your experience with cigarettes. Please think only about cigarettes as you answer these questions.]

Do you want to completely stop smoking cigarettes?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	133	1.1 %
2	2 = No	109	0.9 %
	Total	242	2.0 %

This variable has 242 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11569	97.9 %
	Total	11,572	98.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6825-6832 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1215: In past 12 months, tried to completely stop smoking cigarettes

[Box ID R03_YNR01: Youth respondents who are past 30 day "not-light" cigarette smokers and did not report trying to completely stop using all tobacco products within the past 12 months, go to R03_YC1215. Else, go to R03_YC1220.]

IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YN0126 != 1, GO TO R03_YC1215. ELSE, GO TO R03_YC1220.]

In the past 12 months, have you tried to completely stop smoking cigarettes?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YC1230.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and did not report trying to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND R03_YN0126 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	84	0.7 %
2	2 = No	122	1.0 %
	Total	206	1.7%

This variable has 206 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11606	98.2 %
	Total	11,608	98.3%

Percentages for both tables are based on 11,814 total cases.

Location: 6833-6840 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1220: In past 12 months, number of times you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good

In the past 12 months, how many times have you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop using all tobacco products within the past 12 months or did not report trying to completely stop using all tobacco products within the past 12 months and have tried to completely stop smoking cigarettes within the past 12 months.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND (R03_YN0126 = 1 OR (R03_YN0126 != 1 AND R03_YC1215 = 1)).

This variable has 75 valid cases out of 11,814 total cases.

- Mean: 13.43
- Median: 4.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 365.00
- Standard Deviation: 45.01

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	37	0.3 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	11693	99.0 %
	Total	11,739	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 6841-6848 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YC1225: How long stayed off cigarettes when last tried to quit for good

[Check ID R03_YC1220_LC1: The computer recorded that you stopped smoking for one day or longer [R03_YC1220] times in the past 12 months because you were trying to quit smoking cigarettes for good. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

[If Back (1), Go to R03_YC1220. If Next (2), Go to R03_YC1225.]

ASK: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND (R03_YN0126 = 1 OR (R03_YN0126 != 1 AND

R03_YC1215 = 1)) AND R03_YC1220 > 100.

PROGRAM: TRIGGER CHECK IF R03_YC1220 > 100. ELSE, GO TO R03_YC1225 AND DO NOT DISPLAY THIS SCREEN,]

When you last tried to quit for good, how long did you stay off cigarettes? Please choose the first answer that fits.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop using all tobacco products within the past 12 months or did not report trying to completely stop using all tobacco products within the past 12 months and have tried to completely stop smoking cigarettes within the past 12 months.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 AND (R03_YN0126 = 1 OR (R03_YN0126 != 1 AND R03_YC1215 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Less than one day	11	0.1 %
2	2 = 1 to 7 days	39	0.3 %
3	3 = More than 7 days but less than 30 days	22	0.2 %
4	4 = More than 30 days but less than 6 months	22	0.2 %
5	5 = More than 6 months but less than 1 year	12	0.1 %
6	6 = 1 year or more	13	0.1 %
	Total	119	1.0%

This variable has 119 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11693	99.0 %
	Total	11,695	99.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6849-6856 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1230: Likeliness you would succeed if decided to quit cigarettes for good

If you decided to quit cigarettes for good, how likely is it that you would succeed?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	107	0.9 %
2	2 = Somewhat likely	72	0.6 %
3	3 = Somewhat unlikely	30	0.3 %
4	4 = Very unlikely	34	0.3 %
	Total	243	2.1%

This variable has 243 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11569	97.9 %
	Total	11,571	97.9%

Percentages for both tables are based on 11,814 total cases.

Location: 6857-6864 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0141: In past 12 months, how often saw a list of the chemicals contained in tobacco products

[Box ID R03_YRT01: The next questions ask about things you may have seen or read about tobacco products.]

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	4792	40.6 %
2	2 = Rarely	3311	28.0 %
3	3 = Sometimes	2141	18.1 %
4	4 = Often	927	7.8 %
5	5 = Very often	569	4.8 %
	Total	11,740	99.4%

This variable has 11,740 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	63	0.5 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	74	0.6%

Percentages for both tables are based on 11,814 total cases.

Location: 6865-6872 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0142: In past 12 months, how often thought about the chemicals contained in tobacco

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	5471	46.3 %
2	2 = Rarely	3000	25.4 %
3	3 = Sometimes	2024	17.1 %
4	4 = Often	771	6.5 %
5	5 = Very often	496	4.2 %
	Total	11,762	99.6%

This variable has 11,762 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	37	0.3 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	52	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 6873-6880 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0005: In past 30 days, how often noticed health warnings on cigarette packages

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	6297	53.3 %
2	2 = Rarely	1903	16.1 %
3	3 = Sometimes	1486	12.6 %
4	4 = Often	1073	9.1 %
5	5 = Very often	940	8.0 %
	Total	11,699	99.0%

This variable has 11,699 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	93	0.8 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	115	1.0%

Percentages for both tables are based on 11,814 total cases.

Location: 6881-6888 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0202: How often read or looked closely at the health warnings on cigarette packages in past 30 days

[Box ID R03_YRR01: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days, go to R03_YR0202. Else, youth respondents who have never smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days, go to R03_YR0055. Else, go to R03_YR0206.]

IF R03_EVER_NEVER_CIGS_YOUTH = 1 AND R03_YR0005 > 1, GO TO R03_YR0202. ELSE, IF R03_EVER_NEVER_CIGS_YOUTH = 2 AND R03_YR0005 > 1, GO TO R03_YR0055. ELSE, GO TO R03_YR0206.]

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 1 AND R03_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	178	1.5 %
2	2 = Rarely	232	2.0 %
3	3 = Sometimes	153	1.3 %

Value	Label	Unweighted Frequency	%
4	4 = Often	95	0.8 %
5	5 = Very often	97	0.8 %
	Total	755	6.4%

This variable has 755 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11056	93.6 %
	Total	11,059	93.6%

Percentages for both tables are based on 11,814 total cases.

Location: 6889-6896 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0010: In past 30 days, how often health warnings stopped you from having a cigarette when you were about to smoke one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 1 AND R03_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	308	2.6 %
2	2 = Rarely	122	1.0 %
3	3 = Sometimes	90	0.8 %
4	4 = Often	52	0.4 %
5	5 = Very often	155	1.3 %
	Total	727	6.2%

This variable has 727 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %

	Missing Data		
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11056	93.6 %
	Total	11,087	93.8%

Percentages for both tables are based on 11,814 total cases.

Location: 6897-6904 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0015: Tried to avoid looking at or thinking about the health warnings on cigarette packs in past 30 days

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 1 AND R03_YR0005 > 1

Value	Label	Unweighted Frequency	%
1	1 = Yes	102	0.9 %
2	2 = No	645	5.5 %
	Total	747	6.3%

This variable has 747 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11056	93.6 %
	Total	11,067	93.7%

Percentages for both tables are based on 11,814 total cases.

Location: 6905-6912 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0025: Believability of health warnings on cigarette packs

How believable do you consider the health warnings on cigarette packs to be?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 1 AND R03_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	19	0.2 %
2	2 = A little believable	41	0.3 %
3	3 = Somewhat believable	118	1.0 %
4	4 = Very believable	240	2.0 %
5	5 = Extremely believable	336	2.8 %
	Total	754	6.4%

This variable has 754 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11056	93.6 %
	Total	11,060	93.6%

Percentages for both tables are based on 11,814 total cases.

Location: 6913-6920 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0035: Extent to which health warnings on cigarette packs make you think about the health risks of smoking

To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 1 AND R03_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	70	0.6 %
2	2 = A little	153	1.3 %
3	3 = Somewhat	214	1.8 %
4	4 = A lot	315	2.7 %
	Total	752	6.4%

This variable has 752 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11056	93.6 %
	Total	11,062	93.6%

Percentages for both tables are based on 11,814 total cases.

Location: 6921-6928 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0203: Extent to which health warnings on cigarette packs make you never want to smoke again

To what extent, if at all, do the health warnings on cigarette packs make you never want to smoke again?

[Go to R03_YR0206.]

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 1 AND R03_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	159	1.3 %
2	2 = A little	143	1.2 %
3	3 = Somewhat	162	1.4 %
4	4 = A lot	279	2.4 %
	Total	743	6.3%

This variable has 743 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11056	93.6 %
	Total	11,071	93.7%

Percentages for both tables are based on 11,814 total cases.

Location: 6929-6936 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0055: Extent to which health warnings on cigarette packs made you less likely to start smoking

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

ASK: Youth respondents who have never smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 2 AND R03_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	867	7.3 %
2	2 = A little	288	2.4 %
3	3 = Somewhat	703	6.0 %
4	4 = A lot	2667	22.6 %
	Total	4,525	38.3%

This variable has 4,525 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	99	0.8 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	7170	60.7 %
	Total	7,289	61.7%

Percentages for both tables are based on 11,814 total cases.

Location: 6937-6944 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0206: In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers

In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	10194	86.3 %
2	2 = Rarely	607	5.1 %

Value	Label	Unweighted Frequency	%
3	3 = Sometimes	328	2.8 %
4	4 = Often	184	1.6 %
5	5 = Very often	313	2.6 %
	Total	11,626	98.4%

This variable has 11,626 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	163	1.4 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	188	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 6945-6952 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0207: In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers

[Box ID R03_YRR15: Youth respondents who have ever used snus pouches and have noticed health warnings on snus pouch containers in the past 30 days, go to R03_YR0207. Else, youth respondents who have never used snus pouches and have noticed health warnings on snus pouch containers in the past 30 days, go to R03_YR0213. Else, go to R03_YR0060.]

IF R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YR0206 > 1, GO TO R03_YR0207. ELSE, IF R03_EVER_NEVER_SNUS_YOUTH = 2 AND R03_YR0206 > 1, GO TO R03_YR0213. ELSE, GO TO R03_YR0060.]

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers?

ASK: Youth respondents who have ever used snus pouches and have noticed health warnings on snus pouch containers in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	16	0.1 %
2	2 = Rarely	28	0.2 %
3	3 = Sometimes	16	0.1 %
4	4 = Often	14	0.1 %
5	5 = Very often	20	0.2 %

Value	Label	Unweighted Frequency	%
	Total	94	0.8%

This variable has 94 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11719	99.2 %
	Total	11,720	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 6953-6960 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0208: In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus pouch when you were about to use one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus pouch when you were about to use one?

ASK: Youth respondents who have ever used snus pouches and have noticed health warnings on snus pouch containers in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	34	0.3 %
2	2 = Rarely	20	0.2 %
3	3 = Sometimes	14	0.1 %
4	4 = Often	10	0.1 %
5	5 = Very often	16	0.1 %
	Total	94	0.8%

This variable has 94 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11719	99.2 %

	Missing Data		
	Total	11,720	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 6961-6968 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0209: In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on containers of snus

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on containers of snus -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever used snus pouches and have noticed health warnings on snus pouch containers in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	81	0.7 %
	Total	93	0.8%

This variable has 93 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11719	99.2 %
	Total	11,721	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 6969-6976 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0210: Believability of health warnings on snus containers

How believable do you consider the health warnings on snus containers to be?

ASK: Youth respondents who have ever used snus pouches and have noticed health warnings on snus pouch containers in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	5	0.0 %
2	2 = A little believable	16	0.1 %
3	3 = Somewhat believable	16	0.1 %
4	4 = Very believable	25	0.2 %
5	5 = Extremely believable	33	0.3 %
	Total	95	0.8%

This variable has 95 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11719	99.2 %
	Total	11,719	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 6977-6984 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0211: Extent to which health warnings on snus containers make you think about the health risks of using snus

To what extent, if at all, do the health warnings on snus containers make you think about the health risks of using snus?

ASK: Youth respondents who have ever used snus pouches and have noticed health warnings on snus pouch containers in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	19	0.2 %
2	2 = A little	15	0.1 %
3	3 = Somewhat	31	0.3 %
4	4 = A lot	28	0.2 %
	Total	93	0.8%

This variable has 93 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11719	99.2 %
	Total	11,721	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 6985-6992 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0212: Extent to which the health warnings on snus containers make you never want to use snus again

To what extent, if at all, do the health warnings on snus containers make you never want to use snus again?

[Go to R03_YR0060.]

ASK: Youth respondents who have ever used snus pouches and have noticed health warnings on snus pouch containers in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SNUS_YOUTH = 1 AND R03_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	25	0.2 %
2	2 = A little	20	0.2 %
3	3 = Somewhat	25	0.2 %
4	4 = A lot	23	0.2 %
	Total	93	0.8%

This variable has 93 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11719	99.2 %
	Total	11,721	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 6993-7000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0213: Extent to which the health warnings on snus containers made you less likely to start using snus

To what extent, if at all, have the health warnings on snus containers made you less likely to start using snus?

ASK: Youth respondents who have never used snus pouches and have noticed health warnings on snus pouch containers in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SNUS_YOUTH = 2 AND R03_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	278	2.4 %
2	2 = A little	105	0.9 %
3	3 = Somewhat	227	1.9 %
4	4 = A lot	703	6.0 %
	Total	1,313	11.1%

This variable has 1,313 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10477	88.7 %
	Total	10,501	88.9%

Percentages for both tables are based on 11,814 total cases.

Location: 7001-7008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0060: In past 30 days, how often noticed health warnings on packages of smokeless tobacco products

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of other smokeless tobacco products like dip, spit and chew?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS TIN AND POUCHES]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9437	79.9 %
2	2 = Rarely	850	7.2 %

Value	Label	Unweighted Frequency	%
3	3 = Sometimes	551	4.7 %
4	4 = Often	355	3.0 %
5	5 = Very often	448	3.8 %
	Total	11,641	98.5%

This variable has 11,641 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	149	1.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	173	1.5%

Percentages for both tables are based on 11,814 total cases.

Location: 7009-7016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0205: How often read or looked closely at the health warnings on smokeless tobacco packages in past 30 days

[Box ID R03_YRR04: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days, go to R03_YR0205. Else, youth respondents who have never used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days, go to R03_YR0220. Else, new baseline youth respondents who are past 30 day electronic nicotine product users, go to R03_YR0110_NB. Else, new baseline youth respondents who are past 30 day traditional cigar smokers, go to R03_YR0115_NB. Else, new baseline youth respondents who are past 30 day cigarillo smokers, go to R03_YR0120_NB. Else, new baseline youth respondents who are past 30 day filtered cigar smokers, go to R03_YR0125_NB. Else, new baseline youth respondents who are past 30 day pipe smokers, go to R03_YR0130_NB. Else, new baseline youth respondents who are past 30 day hookah smokers, go to R03_YR0135_NB. Else, new baseline youth respondents who are past 30 day bidi smokers or past 30 day kretek smokers, go to R03_YR0230_NB. Else, go to Box R03_YXT30.

IF R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YR0060 > 1, GO TO R03_YR0205. ELSE, IF R03_EVER_NEVER_SMKLS_YOUTH = 2 AND R03_YR0060 > 1, GO TO R03_YR0220. ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_EPRODS = 1, GO TO R03_YR0110_NB. ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GTRAD = 1, GO TO R03_YR0115_NB. ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GRILLO = 1, GO TO R03_YR0120_NB. ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GFILTR = 1, GO TO R03_YR0125_NB. ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_PIPE = 1, GO TO R03_YR0130_NB. ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_HOOK = 1, GO TO R03_YR0135_NB. ELSE, IF R03_YOUTHTYPE = 2 AND (R03_PAST30DAY_KRETEK = 1 OR R03_PAST30DAY_BIDI = 1), GO TO R03_YR0230_NB. ELSE, GO TO BOX R03_YXT30.]

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	41	0.3 %
2	2 = Rarely	38	0.3 %
3	3 = Sometimes	47	0.4 %
4	4 = Often	22	0.2 %
5	5 = Very often	53	0.4 %
	Total	201	1.7%

This variable has 201 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11613	98.3 %
	Total	11,613	98.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7017-7024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0065: In past 30 days, how often have health warnings stopped you from having a smokeless tobacco product when about to use one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	75	0.6 %
2	2 = Rarely	29	0.2 %
3	3 = Sometimes	27	0.2 %
4	4 = Often	12	0.1 %
5	5 = Very often	56	0.5 %
	Total	199	1.7%

This variable has 199 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11613	98.3 %
	Total	11,615	98.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7025-7032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0070: Tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products in past 30 days

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products - such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.3 %
2	2 = No	170	1.4 %
	Total	200	1.7%

This variable has 200 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11613	98.3 %
	Total	11,614	98.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7033-7040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0075: Believability of health warnings on packages of smokeless tobacco products

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	11	0.1 %
2	2 = A little believable	17	0.1 %
3	3 = Somewhat believable	37	0.3 %
4	4 = Very believable	58	0.5 %
5	5 = Extremely believable	77	0.7 %
	Total	200	1.7%

This variable has 200 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11613	98.3 %
	Total	11,614	98.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7041-7048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0085: Extent to which health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	30	0.3 %

Value	Label	Unweighted Frequency	%
2	2 = A little	35	0.3 %
3	3 = Somewhat	60	0.5 %
4	4 = A lot	73	0.6 %
	Total	198	1.7%

This variable has 198 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11613	98.3 %
	Total	11,616	98.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7049-7056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0218: Extent to which health warnings on packages of smokeless tobacco products make you never want to use smokeless tobacco again

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you never want to use smokeless tobacco again?

[Go to BOX R03_YRR06]

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	53	0.4 %
2	2 = A little	34	0.3 %
3	3 = Somewhat	44	0.4 %
4	4 = A lot	68	0.6 %
	Total	199	1.7%

This variable has 199 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11613	98.3 %
	Total	11,615	98.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7057-7064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0220: Extent to which health warnings on packages of smokeless tobacco products make you less likely to start using smokeless tobacco

To what extent, if at all, have the health warnings on smokeless tobacco packages made you less likely to start using smokeless tobacco?

ASK: Youth respondents who have never used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R03_EVER_NEVER_SMKLS_YOUTH = 2 AND R03_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	307	2.6 %
2	2 = A little	176	1.5 %
3	3 = Somewhat	378	3.2 %
4	4 = A lot	1104	9.3 %
	Total	1,965	16.6%

This variable has 1,965 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	32	0.3 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	9811	83.0 %
	Total	9,849	83.4%

Percentages for both tables are based on 11,814 total cases.

Location: 7065-7072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0110_NB: In past 30 days, how often noticed health warnings on packages of e-cigarettes or other electronic nicotine products

[Box ID R03_YRR06: New baseline youth respondents who are past 30 day electronic nicotine product users, go to R03_YR0110_NB. Else, new baseline youth respondents who are past 30 day traditional cigar smokers, go to R03_YR0115_NB. Else, new baseline youth respondents who are past 30 day cigarillo smokers, go to R03_YR0120_NB. Else, new baseline youth respondents who are past 30 day filtered cigar smokers, go to R03_YR0125_NB. Else, new baseline youth respondents who are past 30 day pipe smokers, go to R03_YR0130_NB. Else, new baseline youth respondents who are past 30 day hookah smokers, go to R03_YR0135_NB. Else, new baseline youth respondents who are past 30 day bidi smokers or past 30 day kretek smokers, go to R03_YR0230_NB. Else, go to Box R03_YXT30.]

IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_EPRODS = 1, GO TO R03_YR0110_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GTRAD = 1, GO TO R03_YR0115_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GRILLO = 1, GO TO R03_YR0120_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GFILTR = 1, GO TO R03_YR0125_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_PIPE = 1, GO TO R03_YR0130_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_HOOK = 1, GO TO R03_YR0135_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND (R03_PAST30DAY_KRETEK = 1 OR R03_PAST30DAY_BIDI = 1),
GO TO R03_YR0230_NB. ELSE, GO TO BOX R03_YXT30.]

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE WITH ENP LABEL]

ASK: New baseline youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	4	0.0 %
2	2 = Rarely	1	0.0 %
3	3 = Sometimes	1	0.0 %
4	4 = Often	1	0.0 %
5	5 = Very often	0	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11806	99.9 %
	Total	11,807	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 7073-7080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0115_NB: In past 30 days, how often noticed health warnings on packages of traditional cigars

[Box ID R03_YRR07: New baseline youth respondents who are past 30 day traditional cigar smokers, go to R03_YR0115_NB. Else, new baseline youth respondents who are past 30 day cigarillo smokers, go to R03_YR0120_NB. Else, new baseline youth respondents who are past 30 day filtered cigar smokers, go to R03_YR0125_NB. Else, new baseline youth respondents who are past 30 day pipe smokers, go to R03_YR0130_NB. Else, new baseline youth respondents who are past 30 day hookah smokers, go to R03_YR0135_NB. Else, new baseline youth respondents who are past 30 day bidi smokers or past 30 day kretek smokers, go to R03_YR0230_NB. Else, go to Box R03_YXT30.]

IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GTRAD = 1, GO TO R03_YR0115_NB.
 ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GRILLO = 1, GO TO R03_YR0120_NB.
 ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GFILTR = 1, GO TO R03_YR0125_NB.
 ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_PIPE = 1, GO TO R03_YR0130_NB.
 ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_HOOK = 1, GO TO R03_YR0135_NB.
 ELSE, IF R03_YOUTHTYPE = 2 AND (R03_PAST30DAY_KRETEK = 1 OR R03_PAST30DAY_BIDI = 1),
 GO TO R03_YR0230_NB. ELSE, GO TO BOX R03_YXT30.]

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	0	0.0 %
2	2 = Rarely	0	0.0 %
3	3 = Sometimes	1	0.0 %
4	4 = Often	0	0.0 %
5	5 = Very often	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11813	100.0 %
	Total	11,813	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 7081-7088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0120_NB: In past 30 days, how often noticed health warnings on packages of cigarillos

[Box ID R03_YRR08: New baseline youth respondents who are past 30 day cigarillo smokers, go to R03_YR0120_NB. Else, new baseline youth respondents who are past 30 day filtered cigar smokers, go to R03_YR0125_NB. Else, new baseline youth respondents who are past 30 day pipe smokers, go to R03_YR0130_NB. Else, new baseline youth respondents who are past 30 day hookah smokers, go to R03_YR0135_NB. Else, new baseline youth respondents who are past 30 day bidi smokers or past 30 day kretek smokers, go to R03_YR0230_NB. Else, go to Box R03_YXT30.]

IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GRILLO = 1, GO TO R03_YR0120_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GFILTR = 1, GO TO R03_YR0125_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_PIPE = 1, GO TO R03_YR0130_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_HOOK = 1, GO TO R03_YR0135_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND (R03_PAST30DAY_KRETEK = 1 OR R03_PAST30DAY_BIDI = 1),
GO TO R03_YR0230_NB. ELSE, GO TO BOX R03_YXT30.]

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	2	0.0 %
2	2 = Rarely	0	0.0 %
3	3 = Sometimes	1	0.0 %
4	4 = Often	0	0.0 %
5	5 = Very often	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11811	100.0 %
	Total	11,811	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 7089-7096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0125_NB: In past 30 days, how often noticed health warnings on packages of filtered cigars

[Box ID R03_YRR09: New baseline youth respondents who are past 30 day filtered cigar smokers, go to R03_YR0125_NB. Else, new baseline youth respondents who are past 30 day pipe smokers, go to R03_YR0130_NB. Else, new baseline youth respondents who are past 30 day hookah smokers, go to R03_YR0135_NB. Else, new baseline youth respondents who are past 30 day bidi smokers or past 30 day kretek smokers, go to R03_YR0230_NB. Else, go to Box R03_YXT30.]

IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GFILTR = 1, GO TO R03_YR0125_NB.
 ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_PIPE = 1, GO TO R03_YR0130_NB.
 ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_HOOK = 1, GO TO R03_YR0135_NB.
 ELSE, IF R03_YOUTHTYPE = 2 AND (R03_PAST30DAY_KRETEK = 1 OR R03_PAST30DAY_BIDI = 1),
 GO TO R03_YR0230_NB. ELSE, GO TO BOX R03_YXT30.]

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	0	0.0 %
2	2 = Rarely	0	0.0 %
3	3 = Sometimes	0	0.0 %
4	4 = Often	0	0.0 %
5	5 = Very often	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 7097-7104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0130_NB: In past 30 days, how often noticed health warnings on packages of pipe tobacco

[Box ID R03_YRR10: New baseline youth respondents who are past 30 day pipe smokers, go to R03_YR0130_NB. Else, new baseline youth respondents who are past 30 day hookah smokers, go to R03_YR0135_NB. Else, new baseline youth respondents who are past 30 day bidi smokers or past 30 day kretek smokers, go to R03_YR0230_NB. Else, go to Box R03_YXT30.]

IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_PIPE = 1, GO TO R03_YR0130_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_HOOK = 1, GO TO R03_YR0135_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND (R03_PAST30DAY_KRETEK = 1 OR R03_PAST30DAY_BIDI = 1),
GO TO R03_YR0230_NB. ELSE, GO TO BOX R03_YXT30.]

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

ASK: New baseline youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	0	0.0 %
2	2 = Rarely	0	0.0 %
3	3 = Sometimes	0	0.0 %
4	4 = Often	0	0.0 %
5	5 = Very often	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 7105-7112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0135_NB: In past 30 days, how often noticed health warnings on packages of shisha or hookah tobacco

[Box ID R03_YRR11: New baseline youth respondents who are past 30 day hookah smokers, go to R03_YR0135_NB. Else, new baseline youth respondents who are past 30 day bidi smokers or past 30 day kretek smokers, go to R03_YR0230_NB. Else, go to Box R03_YXT30.]

IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_HOOK = 1, GO TO R03_YR0135_NB.
ELSE, IF R03_YOUTHTYPE = 2 AND (R03_PAST30DAY_KRETEK = 1 OR R03_PAST30DAY_BIDI = 1),
GO TO R03_YR0230_NB. ELSE, GO TO BOX R03_YXT30.]

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: New baseline youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1	0.0 %
2	2 = Rarely	0	0.0 %
3	3 = Sometimes	0	0.0 %
4	4 = Often	0	0.0 %
5	5 = Very often	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11813	100.0 %
	Total	11,813	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 7113-7120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR0230_NB: In past 30 days, how often noticed health warnings on packages of bidis or kreteks

[Box ID R03_YRR12: New baseline youth respondents who are past 30 day bidi smokers or past 30 day kretek smokers, go to R03_YR0230_NB. Else, go to Box R03_YXT30.]

IF R03_YOUTHTYPE = 2 AND (R03_PAST30DAY_KRETEK = 1 OR R03_PAST30DAY_BIDI = 1), GO TO R03_YR0230_NB.
ELSE, GO TO BOX R03_YXT30.]

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of bidis or kreteks?

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

ASK: New baseline youth respondents who are past 30 day bidi smokers or past 30 day kretek smokers.

ASK Specification: IF R03_YOUTHTYPE = 2 AND (R03_PAST30DAY_BIDI = 1 OR R03_PAST30DAY_KRETEK = 1).

Value	Label	Unweighted Frequency	%
1	1 = Never	0	0.0 %
2	2 = Rarely	0	0.0 %
3	3 = Sometimes	0	0.0 %
4	4 = Often	0	0.0 %
5	5 = Very often	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 7121-7128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YN0250: Believe that nicotine is the main substance in tobacco that makes people want to use tobacco products

[BOX ID: R03_YXT30 - "The next questions ask about your opinions on using tobacco, including e-cigarettes and other electronic nicotine products."]

Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3747	31.7 %
2	2 = Probably yes	5174	43.8 %

Value	Label	Unweighted Frequency	%
3	3 = Probably not	1102	9.3 %
4	4 = Definitely not	1333	11.3 %
	Total	11,356	96.1%

This variable has 11,356 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	435	3.7 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	458	3.9%

Percentages for both tables are based on 11,814 total cases.

Location: 7129-7136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0667: Agree/disagree: Some tobacco products are safer than others

Please tell me how much you agree or disagree with the following statement.

Some tobacco products are safer than others.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	492	4.2 %
2	2 = Agree	2286	19.3 %
3	3 = Neither agree nor disagree	2639	22.3 %
4	4 = Disagree	2290	19.4 %
5	5 = Strongly disagree	3971	33.6 %
	Total	11,678	98.8%

This variable has 11,678 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	119	1.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	136	1.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7137-7144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0723: Level of harm: Additive-free tobacco products compared to regular tobacco products

Do you think a tobacco product described as additive-free is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1247	10.6 %
2	2 = About the same	8083	68.4 %
3	3 = More harmful	1926	16.3 %
	Total	11,256	95.3%

This variable has 11,256 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	524	4.4 %
-7	-7 = Refused	34	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	558	4.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7145-7152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0724: Level of harm: Organic tobacco product compared to regular tobacco product

Do you think a tobacco product described as organic is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1316	11.1 %
2	2 = About the same	8311	70.3 %
3	3 = More harmful	1732	14.7 %
	Total	11,359	96.1%

This variable has 11,359 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	413	3.5 %
-7	-7 = Refused	42	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	455	3.9%

Percentages for both tables are based on 11,814 total cases.

Location: 7153-7160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9050: Harmfulness of cigarettes to health

How harmful do you think cigarettes are to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	99	0.8 %
2	2 = Slightly harmful	97	0.8 %
3	3 = Somewhat harmful	622	5.3 %
4	4 = Very harmful	2963	25.1 %
5	5 = Extremely harmful	7984	67.6 %
	Total	11,765	99.6%

This variable has 11,765 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	36	0.3 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	49	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 7161-7168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1125: Thoughts on how much people harm themselves when they smoke cigarettes

How much do you think people harm themselves when they smoke cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	105	0.9 %
2	2 = A little harm	204	1.7 %
3	3 = Some harm	1499	12.7 %
4	4 = A lot of harm	9969	84.4 %
	Total	11,777	99.7%

This variable has 11,777 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	37	0.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7169-7176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9047: Harmfulness of cigarettes with lower amounts of nicotine compared to regular cigarettes

In your opinion, do you think that cigarettes with lower amounts of nicotine are less harmful to a person's health than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1780	15.1 %

Value	Label	Unweighted Frequency	%
2	2 = No	4131	35.0 %
3	3 = I don't know	5814	49.2 %
	Total	11,725	99.2%

This variable has 11,725 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	71	0.6 %
-7	-7 = Refused	18	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	89	0.8%

Percentages for both tables are based on 11,814 total cases.

Location: 7177-7184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9040: Harmfulness of cigarettes flavored like menthol or mint compared to regular cigarettes

Do you think cigarettes flavored like menthol or mint are less harmful, no different, or more harmful than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	156	1.3 %
2	2 = No different	6838	57.9 %
3	3 = More harmful	1283	10.9 %
4	4 = I don't know	3460	29.3 %
	Total	11,737	99.3%

This variable has 11,737 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.5 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	77	0.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7185-7192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9118: Ease of smoking cigarettes that are flavored compared to non-flavored cigarettes

Do you think cigarettes flavored like menthol or mint are easier to smoke, about the same, or harder to smoke than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1399	11.8 %
2	2 = About the same	3101	26.2 %
3	3 = Harder to smoke	448	3.8 %
4	4 = I don't know	6788	57.5 %
	Total	11,736	99.3%

This variable has 11,736 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	61	0.5 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	78	0.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7193-7200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1124: Likeliness of someone becoming addicted to cigarettes

How likely is someone to become addicted to cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	298	2.5 %
2	2 = Somewhat unlikely	242	2.0 %

Value	Label	Unweighted Frequency	%
3	3 = Neither likely nor unlikely	701	5.9 %
4	4 = Somewhat likely	3181	26.9 %
5	5 = Very likely	7214	61.1 %
	Total	11,636	98.5%

This variable has 11,636 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	154	1.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	178	1.5%

Percentages for both tables are based on 11,814 total cases.

Location: 7201-7208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9043: Likely to become addicted to cigarettes

How likely are you to become addicted to cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	8334	70.5 %
2	2 = Somewhat unlikely	577	4.9 %
3	3 = Neither likely nor unlikely	1038	8.8 %
4	4 = Somewhat likely	573	4.9 %
5	5 = Very likely	1058	9.0 %
	Total	11,580	98.0%

This variable has 11,580 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	192	1.6 %
-7	-7 = Refused	42	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	234	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 7209-7216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC9120: Believe nicotine is the chemical that causes most cancer from smoking cigarettes

Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3117	26.4 %
2	2 = Probably yes	5560	47.1 %
3	3 = Probably not	1683	14.2 %
4	4 = Definitely not	936	7.9 %
	Total	11,296	95.6%

This variable has 11,296 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	496	4.2 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	518	4.4%

Percentages for both tables are based on 11,814 total cases.

Location: 7217-7224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1125: Thoughts on how much people harm themselves when they use e-cigarettes or other electronic nicotine products

How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE WITH ENP LABEL]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	284	2.4 %
2	2 = Little harm	1272	10.8 %
3	3 = Some harm	3620	30.6 %
4	4 = A lot of harm	6517	55.2 %
	Total	11,693	99.0%

This variable has 11,693 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	101	0.9 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	121	1.0%

Percentages for both tables are based on 11,814 total cases.

Location: 7225-7232 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1180: How long you think someone has to use e-cigarettes before it harms their health

How long do you think someone has to use e-cigarettes or other electronic nicotine products before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	285	2.4 %
2	2 = Less than a year	5931	50.2 %
3	3 = 1 year	2191	18.5 %
4	4 = 5 years	1520	12.9 %
5	5 = 10 years	689	5.8 %
6	6 = 20 years or more	753	6.4 %
	Total	11,369	96.2%

This variable has 11,369 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	414	3.5 %

	Missing Data		
-7	-7 = Refused	31	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	445	3.8%

Percentages for both tables are based on 11,814 total cases.

Location: 7233-7240 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1099: Harmfulness of using e-cigarettes or other electronic nicotine products compared to smoking cigarettes

Do you think using e-cigarettes or other electronic nicotine products is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	3151	26.7 %
2	2 = About the same	6903	58.4 %
3	3 = More harmful	1454	12.3 %
	Total	11,508	97.4%

This variable has 11,508 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	286	2.4 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	306	2.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7241-7248 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1146: Ease of using e-cigarettes or other electronic nicotine products that are flavored compared to unflavored e-cigarettes or other electronic nicotine products

Some e-cigarettes and other electronic nicotine products come in flavors like tobacco-flavored, menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts or other sweets.

Do you think flavored e-cigarettes or other electronic nicotine products are easier to use, about the same, or harder to use than unflavored e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2649	22.4 %
2	2 = About the same	7413	62.7 %
3	3 = Harder to use	809	6.8 %
	Total	10,871	92.0%

This variable has 10,871 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	882	7.5 %
-7	-7 = Refused	61	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	943	8.0%

Percentages for both tables are based on 11,814 total cases.

Location: 7249-7256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1124: Likelihood of someone becoming addicted e-cigarettes or other electronic nicotine products

How likely is someone to become addicted to e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	511	4.3 %
2	2 = Somewhat unlikely	737	6.2 %
3	3 = Neither likely nor unlikely	1588	13.4 %
4	4 = Somewhat likely	4176	35.3 %
5	5 = Very likely	4512	38.2 %
	Total	11,524	97.5%

This variable has 11,524 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	265	2.2 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	290	2.5%

Percentages for both tables are based on 11,814 total cases.

Location: 7257-7264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9025: How much people harm themselves when they smoke traditional cigars

How much do you think people harm themselves when they smoke traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	129	1.1 %
2	2 = A little harm	571	4.8 %
3	3 = Some harm	2603	22.0 %
4	4 = A lot of harm	8402	71.1 %
	Total	11,705	99.1%

This variable has 11,705 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	89	0.8 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	109	0.9%

Percentages for both tables are based on 11,814 total cases.

Location: 7265-7272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9097: Harmfulness of smoking traditional cigars compared to cigarettes

Do you think smoking traditional cigars is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	983	8.3 %
2	2 = About the same	6819	57.7 %
3	3 = More harmful	3708	31.4 %
	Total	11,510	97.4%

This variable has 11,510 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	276	2.3 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	304	2.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7273-7280 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9146: Ease of smoking flavored traditional cigars compared to unflavored traditional cigars

Some traditional cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Do you think flavored traditional cigars are easier to smoke, about the same, or harder to smoke than unflavored traditional cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1862	15.8 %
2	2 = About the same	7786	65.9 %
3	3 = Harder to smoke	1257	10.6 %
	Total	10,905	92.3%

This variable has 10,905 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	847	7.2 %
-7	-7 = Refused	62	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	909	7.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7281-7288 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9026: How much people harm themselves when they smoke cigarillos

How much do you think people harm themselves when they smoke cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	122	1.0 %
2	2 = A little harm	497	4.2 %
3	3 = Some harm	2871	24.3 %
4	4 = A lot of harm	8132	68.8 %
	Total	11,622	98.4%

This variable has 11,622 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	176	1.5 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	192	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7289-7296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9098: Harmfulness of smoking cigarillos compared to cigarettes

Do you think smoking cigarillos is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	604	5.1 %
2	2 = About the same	8478	71.8 %
3	3 = More harmful	2274	19.2 %
	Total	11,356	96.1%

This variable has 11,356 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	432	3.7 %
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	458	3.9%

Percentages for both tables are based on 11,814 total cases.

Location: 7297-7304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9147: Ease of smoking flavored cigarillos compared to unflavored cigarillos

Some cigarillos come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Do you think flavored cigarillos are easier to smoke, about the same, or harder to smoke than unflavored cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1940	16.4 %
2	2 = About the same	7868	66.6 %
3	3 = Harder to smoke	1145	9.7 %
	Total	10,953	92.7%

This variable has 10,953 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	824	7.0 %
-7	-7 = Refused	37	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	861	7.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7305-7312 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9027: How much people harm themselves when they smoke filtered cigars

How much do you think people harm themselves when they smoke filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	107	0.9 %
2	2 = A little harm	572	4.8 %
3	3 = Some harm	3173	26.9 %
4	4 = A lot of harm	7801	66.0 %
	Total	11,653	98.6%

This variable has 11,653 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	142	1.2 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	161	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 7313-7320 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9099: Harmfulness of smoking filtered cigars compared to cigarettes

Do you think smoking filtered cigars is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	978	8.3 %
2	2 = About the same	8425	71.3 %
3	3 = More harmful	1989	16.8 %
	Total	11,392	96.4%

This variable has 11,392 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	401	3.4 %
-7	-7 = Refused	21	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	422	3.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7321-7328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG9148: Ease of smoking flavored filtered cigars compared to unflavored filtered cigars

Some filtered cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Do you think flavored filtered cigars are easier to smoke, about the same, or harder to smoke than unflavored filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1925	16.3 %
2	2 = About the same	7908	66.9 %
3	3 = Harder to smoke	1154	9.8 %
	Total	10,987	93.0%

This variable has 10,987 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	778	6.6 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	827	7.0%

Percentages for both tables are based on 11,814 total cases.

Location: 7329-7336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1125: Thoughts on how much people harm themselves when they smoke hookah

How much do you think people harm themselves when they smoke shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	167	1.4 %
2	2 = A little harm	847	7.2 %
3	3 = Some harm	2876	24.3 %
4	4 = A lot of harm	7768	65.8 %
	Total	11,658	98.7%

This variable has 11,658 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	137	1.2 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	156	1.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7337-7344 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9044: General perception: Harmfulness of being around people who are smoking shisha or hookah tobacco

How harmful is it to be around people who are smoking shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	296	2.5 %
2	2 = Slightly harmful	1069	9.0 %
3	3 = Somewhat harmful	3167	26.8 %
4	4 = Very harmful	3151	26.7 %
5	5 = Extremely harmful	3771	31.9 %
	Total	11,454	97.0%

This variable has 11,454 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	336	2.8 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	360	3.0%

Percentages for both tables are based on 11,814 total cases.

Location: 7345-7352 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH9110: Harmfulness of shisha that does not contain tobacco compared to shisha that does contain tobacco

Do you think shisha that does not contain tobacco is less harmful, about the same, or more harmful than shisha that does contain tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	3681	31.2 %
2	2 = About the same	6016	50.9 %
3	3 = More harmful	1617	13.7 %

Value	Label	Unweighted Frequency	%
	Total	11,314	95.8%

This variable has 11,314 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	469	4.0 %
-7	-7 = Refused	31	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	500	4.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7353-7360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1099: Harmfulness of smoking a hookah compared to smoking cigarettes

Do you think smoking hookah is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1861	15.8 %
2	2 = About the same	6819	57.7 %
3	3 = More harmful	2742	23.2 %
	Total	11,422	96.7%

This variable has 11,422 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	367	3.1 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	392	3.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7361-7368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1146: Ease of smoking shisha or hookah tobacco that are flavored compared to unflavored shisha or hookah tobacco

Some shisha or hookah tobacco comes in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Do you think flavored shisha or hookah tobacco is easier to smoke, about the same, or harder to smoke than unflavored shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	2288	19.4 %
2	2 = About the same	7462	63.2 %
3	3 = Harder to smoke	1231	10.4 %
	Total	10,981	92.9%

This variable has 10,981 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	798	6.8 %
-7	-7 = Refused	35	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	833	7.1%

Percentages for both tables are based on 11,814 total cases.

Location: 7369-7376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1124: Likeliness of someone becoming addicted to shisha or hookah tobacco

How likely is someone to become addicted to shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	350	3.0 %
2	2 = Somewhat unlikely	568	4.8 %
3	3 = Neither likely nor unlikely	1598	13.5 %

Value	Label	Unweighted Frequency	%
4	4 = Somewhat likely	4064	34.4 %
5	5 = Very likely	4832	40.9 %
	Total	11,412	96.6%

This variable has 11,412 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	376	3.2 %
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	402	3.4%

Percentages for both tables are based on 11,814 total cases.

Location: 7377-7384 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1125: Thoughts on how much people harm themselves when they use snus pouches

How much do you think people harm themselves when they use snus pouches?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	119	1.0 %
2	2 = A little harm	445	3.8 %
3	3 = Some harm	2629	22.3 %
4	4 = A lot of harm	8367	70.8 %
	Total	11,560	97.9%

This variable has 11,560 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	232	2.0 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	254	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 7385-7392 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1099: Harmfulness of using snus pouches compared to smoking cigarettes

Do you think using snus pouches is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	858	7.3 %
2	2 = About the same	7299	61.8 %
3	3 = More harmful	3193	27.0 %
	Total	11,350	96.1%

This variable has 11,350 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	440	3.7 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	464	3.9%

Percentages for both tables are based on 11,814 total cases.

Location: 7393-7400 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1146: Ease using snus pouches that are flavored compared to unflavored snus pouches

Some snus comes in flavors like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Do you think flavored snus pouches are easier to use, about the same, or harder to use than unflavored snus pouches?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2097	17.8 %
2	2 = About the same	7488	63.4 %
3	3 = Harder to use	1353	11.5 %
	Total	10,938	92.6%

This variable has 10,938 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	839	7.1 %
-7	-7 = Refused	37	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	876	7.4%

Percentages for both tables are based on 11,814 total cases.

Location: 7401-7408 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1124: Likeliness of someone becoming addicted to snus pouches

How likely is someone to become addicted to snus pouches?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	234	2.0 %
2	2 = Somewhat unlikely	298	2.5 %
3	3 = Neither likely nor unlikely	1447	12.2 %
4	4 = Somewhat likely	3975	33.6 %
5	5 = Very likely	5408	45.8 %
	Total	11,362	96.2%

This variable has 11,362 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	429	3.6 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	452	3.8%

Percentages for both tables are based on 11,814 total cases.

Location: 7409-7416 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1125: Thoughts on how much people harm themselves when they use smokeless tobacco

How much do you think people harm themselves when they use smokeless tobacco? (Smokeless tobacco includes dip, spit or chew.)

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS TIN AND POUCHES)]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	127	1.1 %
2	2 = A little harm	502	4.2 %
3	3 = Some harm	2604	22.0 %
4	4 = A lot of harm	8439	71.4 %
	Total	11,672	98.8%

This variable has 11,672 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	126	1.1 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	142	1.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7417-7424 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1099: Harmfulness of using smokeless tobacco compared to smoking cigarettes

Do you think using smokeless tobacco is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1088	9.2 %
2	2 = About the same	7322	62.0 %
3	3 = More harmful	3072	26.0 %
	Total	11,482	97.2%

This variable has 11,482 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	305	2.6 %
-7	-7 = Refused	27	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	332	2.8%

Percentages for both tables are based on 11,814 total cases.

Location: 7425-7432 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1146: Ease of smoking smokeless tobacco that are flavored compared to unflavored smokeless tobacco

Some smokeless tobacco comes in flavors like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets.

Do you think flavored smokeless tobacco is easier to use, about the same, or harder to use than unflavored smokeless tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2198	18.6 %
2	2 = About the same	7509	63.6 %
3	3 = Harder to use	1330	11.3 %
	Total	11,037	93.4%

This variable has 11,037 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	739	6.3 %

	Missing Data		
-7	-7 = Refused	38	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	777	6.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7433-7440 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1124: Likeliness of someone becoming addicted to smokeless tobacco

How likely is someone to become addicted to smokeless tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	212	1.8 %
2	2 = Somewhat unlikely	288	2.4 %
3	3 = Neither likely nor unlikely	1297	11.0 %
4	4 = Somewhat likely	3756	31.8 %
5	5 = Very likely	5957	50.4 %
	Total	11,510	97.4%

This variable has 11,510 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	278	2.4 %
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	304	2.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7441-7448 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0300: Agree/disagree: Considered switching completely from using [other tobacco products used in past 30 days] to smoking cigarettes

[PROGRAM NOTE: See Box R03_YXV01 and R03_YYR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

How much do you agree or disagree with this statement?

I have considered switching completely from using
[USEPROD(2-12)] to smoking cigarettes.

ASK: Youth respondents who have ever smoked a cigarette and
are past 30 days users of at least one non-cigarette tobacco
product.

ASK Specification: IF R03_EVER_NEVER_CIGS_YOUTH = 1 AND
(R03_PAST30DAY_EPRODS = 1 OR R03_PAST30DAY_GTRAD = 1 OR
R03_PAST30DAY_GRILLO = 1 OR R03_PAST30DAY_GFILTER = 1 OR
R03_PAST30DAY_PIPE = 1 OR R03_PAST30DAY_HOOK = 1 OR
R03_PAST30DAY_SMKLS = 1 OR R03_PAST30DAY_SNUS = 1 OR
R03_PAST30DAY_DISS = 1 OR R03_PAST30DAY_BIDI = 1 OR
R03_PAST30DAY_KRETEK = 1).

[PROGRAM NOTE: EXCLUDE USEPROD(1)=CIGARETTES from USEPROD list
for this question. Ask the question one time and list all
product(s) the respondent has used in the past 30 days,
excluding cigarettes, in [USEPROD(2-12)].]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	16	0.1 %
2	2 = Agree	27	0.2 %
3	3 = Neither agree nor disagree	133	1.1 %
4	4 = Disagree	63	0.5 %
5	5 = Strongly disagree	145	1.2 %
	Total	384	3.3%

This variable has 384 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11418	96.6 %
	Total	11,430	96.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7449-7456 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0301: Agree/disagree: Considered switching completely from using [other tobacco products used in past 30 days] to using electronic nicotine products

[BOX ID: R03_YXR11 - Youth respondents who have ever used electronic nicotine
products and are past 30 days users of at least one non-electronic tobacco

product, go to R03_YX0301. Else, go to Box R03_YXR10.

IF R03_EVER_NEVER_EPRODS_YOUTH = 1 AND (R03_PAST30DAY_CIGS = 1 OR R03_PAST30DAY_GTRAD = 1 OR R03_PAST30DAY_GRILLO = 1 OR R03_PAST30DAY_GFILTER = 1 OR R03_PAST30DAY_PIPE = 1 OR R03_PAST30DAY_HOOK = 1 OR R03_PAST30DAY_SMKLS = 1 OR R03_PAST30DAY_SNUS = 1 OR R03_PAST30DAY_DISS = 1 OR R03_PAST30DAY_BIDI = 1 OR R03_PAST30DAY_KRETEK = 1), GO TO R03_YX0301. ELSE, GO TO BOX R03_YXR10.]

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1, 3-12)] to using e-cigarettes or other electronic nicotine products.

ASK: Youth respondents who have ever used electronic nicotine products and are past 30 days users of at least one non-electronic tobacco product.

ASK Specification: IF R03_EVER_NEVER_EPRODS_YOUTH = 1 AND (R03_PAST30DAY_CIGS = 1 OR R03_PAST30DAY_GTRAD = 1 OR R03_PAST30DAY_GRILLO = 1 OR R03_PAST30DAY_GFILTER = 1 OR R03_PAST30DAY_PIPE = 1 OR R03_PAST30DAY_HOOK = 1 OR R03_PAST30DAY_SMKLS = 1 OR R03_PAST30DAY_SNUS = 1 OR R03_PAST30DAY_DISS = 1 OR R03_PAST30DAY_BIDI = 1 OR R03_PAST30DAY_KRETEK = 1).

[PROGRAM NOTE: EXCLUDE USEPROD(2)=E-CIGARETTES from USEPROD list for this question. Ask the question one time and list all product(s) the respondent has used in the past 30 days, excluding e-cigarettes, in [USEPROD(1, 3-12)].]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	32	0.3 %
2	2 = Agree	44	0.4 %
3	3 = Neither agree nor disagree	163	1.4 %
4	4 = Disagree	61	0.5 %
5	5 = Strongly disagree	99	0.8 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11408	96.6 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7457-7464 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_01: Have not considered switching from cigarettes to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from cigarettes to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	245	2.1 %
2	2 = Not Marked	83	0.7 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7465-7472 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_03: Considered switching from cigarettes to e-cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes to Electronic cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	38	0.3 %
2	2 = Not Marked	290	2.5 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7473-7480 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_04: Considered switching from cigarettes to traditional cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes to Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	319	2.7 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7481-7488 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_05: Considered switching from cigarettes to cigarillos

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes to Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	314	2.7 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7489-7496 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_06: Considered switching from cigarettes to filtered cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes to Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	318	2.7 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7497-7504 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_07: Considered switching from cigarettes to pipes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes to Pipe tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	319	2.7 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7505-7512 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_08: Considered switching from cigarettes to hookahs

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes to Hookah

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.2 %
2	2 = Not Marked	301	2.5 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7513-7520 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_09: Considered switching from cigarettes to snus pouches

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes to Snus pouches

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	323	2.7 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7521-7528 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_10: Considered switching from cigarettes to other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes to Smokeless tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	323	2.7 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7529-7536 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_11: Considered switching from cigarettes to dissolvable tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes to Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	323	2.7 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7537-7544 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_12: Considered switching from cigarettes to bidis

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes to Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	326	2.8 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7545-7552 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307C_13: Considered switching from cigarettes to kreteks

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes to Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	327	2.8 %
	Total	328	2.8%

This variable has 328 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11448	96.9 %
	Total	11,486	97.2%

Percentages for both tables are based on 11,814 total cases.

Location: 7553-7560 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_01: Have not considered switching from e-cigarettes to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from electronic cigarettes to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	356	3.0 %
2	2 = Not Marked	43	0.4 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7561-7568 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_02: Considered switching from e-cigarettes to cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Electronic cigarettes to Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	394	3.3 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7569-7576 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_04: Considered switching from e-cigarettes to traditional cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Electronic cigarettes to Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1 %
2	2 = Not Marked	393	3.3 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7577-7584 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_05: Considered switching from e-cigarettes to cigarillos

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Electronic cigarettes to Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	389	3.3 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7585-7592 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_06: Considered switching from e-cigarettes to filtered cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Electronic cigarettes to Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	392	3.3 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7593-7600 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_07: Considered switching from e-cigarettes to pipes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Electronic cigarettes to Pipe tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	390	3.3 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7601-7608 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_08: Considered switching from e-cigarettes to hookahs

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Electronic cigarettes to Hookah

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %
2	2 = Not Marked	382	3.2 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7609-7616 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_09: Considered switching from e-cigarettes to snus pouches

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Electronic cigarettes to Snus pouches

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	391	3.3 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7617-7624 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_10: Considered switching from e-cigarettes to other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Electronic cigarettes to Smokeless tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	397	3.4 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7625-7632 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_11: Considered switching from e-cigarettes to dissolvable tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Electronic cigarettes to Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	397	3.4 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7633-7640 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_12: Considered switching from e-cigarettes to bidis

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Electronic cigarettes to Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	397	3.4 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7641-7648 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307E_13: Considered switching from e-cigarettes to kreteks

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Electronic cigarettes to Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	399	3.4 %
	Total	399	3.4%

This variable has 399 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	11374	96.3 %
	Total	11,415	96.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7649-7656 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_01: Have not considered switching from traditional cigars to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from traditional cigars to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2 %
2	2 = Not Marked	8	0.1 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7657-7664 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_02: Considered switching from traditional cigars to cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars to Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7665-7672 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_03: Considered switching from traditional cigars to e-cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars to Electronic cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	28	0.2 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7673-7680 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_05: Considered switching from traditional cigars to cigarillos

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars to Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	28	0.2 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7681-7688 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_06: Considered switching from traditional cigars to filtered cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars to Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7689-7696 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_07: Considered switching from traditional cigars to pipes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars to Pipe tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7697-7704 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_08: Considered switching from traditional cigars to hookahs

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars to Hookah

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	30	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7705-7712 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_09: Considered switching from traditional cigars to snus pouches

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars to Snus pouches

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7713-7720 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_10: Considered switching from traditional cigars to other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars to Smokeless tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	30	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7721-7728 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_11: Considered switching from traditional cigars to dissolvable tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars to Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7729-7736 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_12: Considered switching from traditional cigars to bidis

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars to Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7737-7744 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307T_13: Considered switching from traditional cigars to kreteks

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars to Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11781	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 7745-7752 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_01: Have not considered switching from cigarillos to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from cigarillos to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	64	0.5 %
2	2 = Not Marked	19	0.2 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7753-7760 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_02: Considered switching from cigarillos to cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos to Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	82	0.7 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7761-7768 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_03: Considered switching from cigarillos to e-cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos to Electronic cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	73	0.6 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7769-7776 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_04: Considered switching from cigarillos to traditional cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos to Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	79	0.7 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7777-7784 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_06: Considered switching from cigarillos to filtered cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos to Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	80	0.7 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7785-7792 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_07: Considered switching from cigarillos to pipes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos to Pipe tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	81	0.7 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7793-7800 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_08: Considered switching from cigarillos to hookahs

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos to Hookah

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	78	0.7 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7801-7808 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_09: Considered switching from cigarillos to snus pouches

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos to Snus pouches

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	81	0.7 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7809-7816 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_10: Considered switching from cigarillos to other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos to Smokeless tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND (R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	82	0.7 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7817-7824 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_11: Considered switching from cigarillos to dissolvable tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos to Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	83	0.7 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7825-7832 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_12: Considered switching from cigarillos to bidis

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos to Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	83	0.7 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7833-7840 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307G_13: Considered switching from cigarillos to kreteks

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos to Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	82	0.7 %
	Total	83	0.7%

This variable has 83 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11722	99.2 %
	Total	11,731	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 7841-7848 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_01: Have not considered switching from filtered cigars to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from filtered cigars to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.3 %
2	2 = Not Marked	12	0.1 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7849-7856 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_02: Considered switching from filtered cigars to cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars to Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	42	0.4 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7857-7864 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_03: Considered switching from filtered cigars to e-cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars to Electronic cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1 %
2	2 = Not Marked	36	0.3 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7865-7872 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_04: Considered switching from filtered cigars to traditional cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars to Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	41	0.3 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7873-7880 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_05: Considered switching from filtered cigars to cigarillos

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars to Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	41	0.3 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7881-7888 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_07: Considered switching from filtered cigars to pipes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars to Pipe tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	41	0.3 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7889-7896 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_08: Considered switching from filtered cigars to hookahs

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars to Hookah

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	39	0.3 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7897-7904 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_09: Considered switching from filtered cigars to snus pouches

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars to Snus pouches

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	39	0.3 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7905-7912 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_10: Considered switching from filtered cigars to other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars to Smokeless tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	42	0.4 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7913-7920 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_11: Considered switching from filtered cigars to dissolvable tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars to Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	42	0.4 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7921-7928 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_12: Considered switching from filtered cigars to bidis

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars to Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
 (R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
 R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
 R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
 R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
 R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
 R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	42	0.4 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7929-7936 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307F_13: Considered switching from filtered cigars to kreteks

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars to Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	42	0.4 %
	Total	42	0.4%

This variable has 42 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11769	99.6 %
	Total	11,772	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 7937-7944 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_01: Have not considered switching from pipes to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from pipe tobacco to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	11	0.1 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 7945-7952 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_02: Considered switching from pipes to cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipe tobacco to Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	24	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 7953-7960 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_03: Considered switching from pipes to e-cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipe tobacco to Electronic cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 7961-7968 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_04: Considered switching from pipes to traditional cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipe tobacco to Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 7969-7976 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_05: Considered switching from pipes to cigarillos

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipe tobacco to Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 7977-7984 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_06: Considered switching from pipes to filtered cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipe tobacco to Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 7985-7992 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_08: Considered switching from pipes to hookahs

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipe tobacco to Hookah

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 7993-8000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_09: Considered switching from pipes to snus pouches

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipe tobacco to Snus pouches

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	23	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 8001-8008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_10: Considered switching from pipes to other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipe tobacco to Smokeless tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND (R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	23	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 8009-8016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_11: Considered switching from pipes to dissolvable tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipe tobacco to Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	23	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 8017-8024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_12: Considered switching from pipes to bidis

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipe tobacco to Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	24	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 8025-8032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307P_13: Considered switching from pipes to kreteks

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipe tobacco to Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	23	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11787	99.8 %
	Total	11,790	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 8033-8040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_01: Have not considered switching from hookahs to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from hookah to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	54	0.5 %
2	2 = Not Marked	11	0.1 %
	Total	65	0.6%

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8041-8048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_02: Considered switching from hookahs to cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookah to Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	63	0.5 %
	Total	65	0.6%

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8049-8056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_03: Considered switching from hookahs to e-cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookah to Electronic cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1 %
2	2 = Not Marked	59	0.5 %
	Total	65	0.6%

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8057-8064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_04: Considered switching from hookahs to traditional cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookah to Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	62	0.5 %
	Total	65	0.6%

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8065-8072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_05: Considered switching from hookahs to cigarillos

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookah to Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.1 %
2	2 = Not Marked	59	0.5 %
	Total	65	0.6%

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8073-8080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_06: Considered switching from hookahs to filtered cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookah to Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	62	0.5 %
	Total	65	0.6%

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8081-8088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_07: Considered switching from hookahs to pipes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookah to Pipe tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	62	0.5 %
	Total	65	0.6%

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8089-8096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_09: Considered switching from hookahs to snus pouches

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookah to Snus pouches

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	62	0.5 %
	Total	65	0.6%

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8097-8104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_10: Considered switching from hookahs to other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookah to Smokeless tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	61	0.5 %
	Total	65	0.6%

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8105-8112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_11: Considered switching from hookahs to dissolvable tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookah to Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	63	0.5 %
	Total	65	0.6 %

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4 %

Percentages for both tables are based on 11,814 total cases.

Location: 8113-8120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_12: Considered switching from hookahs to bidis

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookah to Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	62	0.5 %
	Total	65	0.6%

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8121-8128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307H_13: Considered switching from hookahs to kreteks

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookah to Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	63	0.5 %
	Total	65	0.6%

This variable has 65 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11742	99.4 %
	Total	11,749	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8129-8136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_01: Have not considered switching from snus pouches to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from snus pouches to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.2 %
2	2 = Not Marked	10	0.1 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8137-8144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_02: Considered switching from snus pouches to cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus pouches to Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8145-8152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_03: Considered switching from snus pouches to e-cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus pouches to Electronic cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	28	0.2 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8153-8160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_04: Considered switching from snus pouches to traditional cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus pouches to Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	30	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8161-8168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_05: Considered switching from snus pouches to cigarillos

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus pouches to Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8169-8176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_06: Considered switching from snus pouches to filtered cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus pouches to Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8177-8184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_07: Considered switching from snus pouches to pipes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus pouches to Pipe tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8185-8192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_08: Considered switching from snus pouches to hookahs

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus pouches to Hookah

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	30	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8193-8200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_10: Considered switching from snus pouches to other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus pouches to Smokeless tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND (R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	28	0.2 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8201-8208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_11: Considered switching from snus pouches to dissolvable tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus pouches to Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	30	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8209-8216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_12: Considered switching from snus pouches to bidis

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus pouches to Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8217-8224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307U_13: Considered switching from snus pouches to kreteks

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus pouches to Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	30	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11778	99.7 %
	Total	11,782	99.7%

Percentages for both tables are based on 11,814 total cases.

Location: 8225-8232 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_01: Have not considered switching from smokeless tobacco to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from smokeless tobacco to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	86	0.7 %
2	2 = Not Marked	19	0.2 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8233-8240 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_02: Considered switching from smokeless tobacco to cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Smokeless tobacco to Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	103	0.9 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8241-8248 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_03: Considered switching from smokeless tobacco to e-cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Smokeless tobacco to Electronic cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	102	0.9 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8249-8256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_04: Considered switching from smokeless tobacco to traditional cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Smokeless tobacco to Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	102	0.9 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8257-8264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_05: Considered switching from smokeless tobacco to cigarillos

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Smokeless tobacco to Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	100	0.8 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8265-8272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_06: Considered switching from smokeless tobacco to filtered cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Smokeless tobacco to Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	100	0.8 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8273-8280 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_07: Considered switching from smokeless tobacco to pipes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Smokeless tobacco to Pipe tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	103	0.9 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8281-8288 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_08: Considered switching from smokeless tobacco to hookahs

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Smokeless tobacco to Hookah

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	100	0.8 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8289-8296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_09: Considered switching from smokeless tobacco to snus pouches

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Smokeless tobacco to Snus pouches

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	101	0.9 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8297-8304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_11: Considered switching from smokeless tobacco to dissolvable tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Smokeless tobacco to Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	103	0.9 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8305-8312 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_12: Considered switching from smokeless tobacco to bidis

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Smokeless tobacco to Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	102	0.9 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8313-8320 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307S_13: Considered switching from smokeless tobacco to kreteks

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Smokeless tobacco to Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	103	0.9 %
	Total	105	0.9%

This variable has 105 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11701	99.0 %
	Total	11,709	99.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8321-8328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_01: Have not considered switching from dissolvable tobacco to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from dissolvable tobacco to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8329-8336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_02: Considered switching from dissolvable tobacco to cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco to Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8337-8344 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_03: Considered switching from dissolvable tobacco to e-cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco to Electronic cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8345-8352 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_04: Considered switching from dissolvable tobacco to traditional cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco to Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8353-8360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_05: Considered switching from dissolvable tobacco to cigarillos

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco to Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	2	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8361-8368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_06: Considered switching from dissolvable tobacco to filtered cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco to Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8369-8376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_07: Considered switching from dissolvable tobacco to pipes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco to Pipe tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8377-8384 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_08: Considered switching from dissolvable tobacco to hookahs

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco to Hookah

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8385-8392 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_09: Considered switching from dissolvable tobacco to snus pouches

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco to Snus pouches

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8393-8400 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_10: Considered switching from dissolvable tobacco to other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco to Smokeless tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8401-8408 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_12: Considered switching from dissolvable tobacco to bidis

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco to Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8409-8416 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307D_13: Considered switching from dissolvable tobacco to kreteks

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco to Kreteks

ASK: Youth respondents who are past 30 day tobacco users and

are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
 (R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
 R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
 R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
 R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
 R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
 R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11810	100.0 %
	Total	11,810	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8417-8424 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_01: Have not considered switching from bidis to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from bidis to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	6	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8425-8432 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_02: Considered switching from bidis to cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis to Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8433-8440 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_03: Considered switching from bidis to e-cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis to Electronic cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8441-8448 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_04: Considered switching from bidis to traditional cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis to Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8449-8456 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_05: Considered switching from bidis to cigarillos

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis to Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND (R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8457-8464 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_06: Considered switching from bidis to filtered cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis to Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8465-8472 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_07: Considered switching from bidis to pipes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis to Pipe tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8473-8480 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_08: Considered switching from bidis to hookahs

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis to Hookah

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8481-8488 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_09: Considered switching from bidis to snus pouches

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis to Snus pouches

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND (R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8489-8496 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_10: Considered switching from bidis to other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis to Smokeless tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8497-8504 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_11: Considered switching from bidis to dissolvable tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis to Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8505-8512 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307B_13: Considered switching from bidis to kreteks

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis to Kreteks

ASK: Youth respondents who are past 30 day tobacco users and

are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11804	99.9 %
	Total	11,805	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8513-8520 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_01: Have not considered switching from kreteks to another product

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Have not considered switching from kreteks to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8521-8528 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_02: Considered switching from kreteks to cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks to Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.1 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8529-8536 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_03: Considered switching from kreteks to e-cigarettes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks to Electronic cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.1 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8537-8544 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_04: Considered switching from kreteks to traditional cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks to Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.1 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8545-8552 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_05: Considered switching from kreteks to cigarillos

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks to Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND (R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8553-8560 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_06: Considered switching from kreteks to filtered cigars

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks to Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching

between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.1 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8561-8568 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_07: Considered switching from kreteks to pipes

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks to Pipe tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8569-8576 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_08: Considered switching from kreteks to hookahs

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks to Hookah

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8577-8584 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_09: Considered switching from kreteks to snus pouches

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks to Snus pouches

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.1 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8585-8592 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_10: Considered switching from kreteks to other smokeless tobacco such as loose snus, moist snuff, dip, spit, or chewing tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks to Smokeless tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.1 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8593-8600 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_11: Considered switching from kreteks to dissolvable tobacco

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks to Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
 Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
 Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
 Suppress option 7 if R03_PAST30DAY_PIPE = 1.
 Suppress option 8 if R03_PAST30DAY_HOOK = 1.
 Suppress option 9 if R03_PAST30DAY_SNUS = 1.
 Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
 Suppress option 11 if R03_PAST30DAY_DISS = 1.
 Suppress option 12 if R03_PAST30DAY_BIDI = 1.
 Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.1 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8601-8608 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0307K_12: Considered switching from kreteks to bidis

[PROGRAM NOTE: See Box R03_YXR10 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks to Bidis

ASK: Youth respondents who are past 30 day tobacco users and

are not past 30 day users of every tobacco product.

ASK Specification: IF R03_PAST30DAY_TOB = 1 AND
(R03_PAST30DAY_CIG != 1 OR R03_PAST30DAY_EPRODS != 1 OR
R03_PAST30DAY_GTRAD != 1 OR R03_PAST30DAY_GRILLO != 1 OR
R03_PAST30DAY_GFILTR != 1 OR R03_PAST30DAY_PIPE != 1 OR
R03_PAST30DAY_HOOK != 1 OR R03_PAST30DAY_SMKLS != 1 OR
R03_PAST30DAY_SNUS != 1 OR R03_PAST30DAY_DISS != 1 OR
R03_PAST30DAY_BIDI != 1 OR R03_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R03_PAST30DAY_CIGS = 1.
Suppress option 3 if R03_PAST30DAY_EPRODS = 1.
Suppress option 4 if R03_PAST30DAY_GTRAD = 1.
Suppress option 5 if R03_PAST30DAY_GRILLO = 1.
Suppress option 6 if R03_PAST30DAY_GFILTR = 1.
Suppress option 7 if R03_PAST30DAY_PIPE = 1.
Suppress option 8 if R03_PAST30DAY_HOOK = 1.
Suppress option 9 if R03_PAST30DAY_SNUS = 1.
Suppress option 10 if R03_PAST30DAY_SMKLS = 1.
Suppress option 11 if R03_PAST30DAY_DISS = 1.
Suppress option 12 if R03_PAST30DAY_BIDI = 1.
Suppress option 13 if R03_PAST30DAY_KRETEK = 1.]

[NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R03_YX0307#_01 through R03_YX0307#_13, one variable that corresponds to the category of the same tobacco type is omitted from the data file.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.1 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11807	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8609-8616 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0494: Hours spent watching TV or videos on a television, computer, tablet or smartphone on a typical day

[Box ID R03_YXT05: The next questions ask about your TV, radio, internet and cell phone use.]

On an average day, how much time do you spend watching TV or videos on a television, computer, tablet, or smartphone?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	309	2.6 %
2	2 = Less than 1 hour	1916	16.2 %
3	3 = 1 to 3 hours	4953	41.9 %
4	4 = More than 3 hours	4602	39.0 %
	Total	11,780	99.7%

This variable has 11,780 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	34	0.3%

Percentages for both tables are based on 11,814 total cases.

Location: 8617-8624 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0060: Number of hours spent listening to the radio or online radio stations on a typical day

On an average day, how much time do you spend listening to the radio or online radio stations?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	1844	15.6 %
2	2 = Less than 1 hour	5083	43.0 %
3	3 = 1 to 3 hours	3026	25.6 %
4	4 = More than 3 hours	1820	15.4 %

Value	Label	Unweighted Frequency	%
	Total	11,773	99.7%

This variable has 11,773 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.3 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	41	0.3%

Percentages for both tables are based on 11,814 total cases.

Location: 8625-8632 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0315: Ever go online to access the Internet

Do you ever go online or access the internet?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YX0498.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11383	96.4 %
2	2 = No	414	3.5 %
	Total	11,797	99.9%

This variable has 11,797 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	17	0.1%

Percentages for both tables are based on 11,814 total cases.

Location: 8633-8640 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0062: Has a social media account

Sometimes people use the internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called social media.

Do you have a social media account?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YX0498.]

ASK: Youth respondents who ever go online.

ASK Specification: IF R03_YX0315 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10084	85.4 %
2	2 = No	1269	10.7 %
	Total	11,353	96.1%

This variable has 11,353 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	431	3.6 %
	Total	461	3.9%

Percentages for both tables are based on 11,814 total cases.

Location: 8641-8648 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0317: How often you visit your social media accounts

About how often do you visit your social media accounts?

[If Never (7), Go to R03_YX0498.]

ASK: Youth respondents who ever go online and have a social media account.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	6537	55.3 %
2	2 = About once a day	1593	13.5 %

Value	Label	Unweighted Frequency	%
3	3 = 3 - 5 days a week	691	5.8 %
4	4 = 1 - 2 days a week	437	3.7 %
5	5 = Every few weeks	289	2.4 %
6	6 = Less often	397	3.4 %
7	7 = Never	121	1.0 %
	Total	10,065	85.2%

This variable has 10,065 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	1730	14.6 %
	Total	1,749	14.8%

Percentages for both tables are based on 11,814 total cases.

Location: 8649-8656 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_00: In past 12 months, liked or followed brand on social media sites: Have not liked or followed any brands on social media sites

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

I have not liked or followed any brands on social media sites

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

[PROGRAM: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9041	76.5 %
2	2 = Not Marked	524	4.4 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8657-8664 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_01: In past 12 months, liked or followed brand on social media sites: Camel

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Camel

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	136	1.2 %
2	2 = Not Marked	9429	79.8 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8665-8672 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_02: In past 12 months, liked or followed brand on social media sites: Marlboro

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Marlboro

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	144	1.2 %
2	2 = Not Marked	9421	79.7 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8673-8680 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_03: In past 12 months, liked or followed brand on social media sites: Newport

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Newport

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	128	1.1 %
2	2 = Not Marked	9437	79.9 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8681-8688 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_04: In past 12 months, liked or followed brand on social media sites: American Spirit

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

American Spirit

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	36	0.3 %
2	2 = Not Marked	9529	80.7 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8689-8696 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_05: In past 12 months, liked or followed brand on social media sites: Vuse

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Vuse

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	46	0.4 %
2	2 = Not Marked	9519	80.6 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8697-8704 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_06: In past 12 months, liked or followed brand on social media sites: Blu

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Blu

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	162	1.4 %
2	2 = Not Marked	9403	79.6 %

Value	Label	Unweighted Frequency	%
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8705-8712 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_07: In past 12 months, liked or followed brand on social media sites: Logic

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Logic

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	37	0.3 %
2	2 = Not Marked	9528	80.7 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8713-8720 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_08: In past 12 months, liked or followed brand on social media sites: Mark Ten

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

MarkTen

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	9553	80.9 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8721-8728 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_09: In past 12 months, liked or followed brand on social media sites: NJOY

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

NJOY

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.3 %
2	2 = Not Marked	9535	80.7 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8729-8736 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_10: In past 12 months, liked or followed brand on social media sites: EGo?

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

eGo

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	41	0.3 %
2	2 = Not Marked	9524	80.6 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8737-8744 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_11: In past 12 months, liked or followed brand on social media sites: Black & Mild

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Black & Mild

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	110	0.9 %
2	2 = Not Marked	9455	80.0 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8745-8752 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_12: In past 12 months, liked or followed brand on social media sites: Swisher Sweets

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Swisher Sweets

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	136	1.2 %
2	2 = Not Marked	9429	79.8 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8753-8760 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_13: In past 12 months, liked or followed brand on social media sites: Dutch Masters

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Dutch Masters

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	36	0.3 %
2	2 = Not Marked	9529	80.7 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %

	Missing Data		
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8761-8768 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_14: In past 12 months, liked or followed brand on social media sites: Phillies Blunts

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Phillies Blunts

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.2 %
2	2 = Not Marked	9538	80.7 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8769-8776 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_15: In past 12 months, liked or followed brand on social media sites: Zig Zag

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Zig Zag

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	84	0.7 %
2	2 = Not Marked	9481	80.3 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8777-8784 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_16: In past 12 months, liked or followed brand on social media sites: Skoal

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Skoal

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	38	0.3 %
2	2 = Not Marked	9527	80.6 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8785-8792 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_17: In past 12 months, liked or followed brand on social media sites: Redman

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Redman

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.2 %
2	2 = Not Marked	9537	80.7 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8793-8800 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_18: In past 12 months, liked or followed brand on social media sites: Grizzly

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Grizzly

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	97	0.8 %
2	2 = Not Marked	9468	80.1 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8801-8808 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_19: In past 12 months, liked or followed brand on social media sites: Copenhagen

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Copenhagen

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	63	0.5 %
2	2 = Not Marked	9502	80.4 %

Value	Label	Unweighted Frequency	%
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8809-8816 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0686_20: In past 12 months, liked or followed brand on social media sites: Some other brand

In the past 12 months, have you liked or followed any of the following brands on Facebook, Twitter or other social media sites? Choose all that apply.

Some other brand (SPECIFY)

ASK: Youth respondents who ever go online and have a social media account and visit their social media accounts.

ASK Specification: IF R03_YX0315 = 1 AND R03_YX0062 = 1 AND R03_YX0317 != 7.

Value	Label	Unweighted Frequency	%
1	1 = Marked	100	0.8 %
2	2 = Not Marked	9465	80.1 %
	Total	9,565	81.0%

This variable has 9,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	19	0.2 %
-8	-8 = Don't know	294	2.5 %
-7	-7 = Refused	85	0.7 %
-1	-1 = Inapplicable	1851	15.7 %
	Total	2,249	19.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8817-8824 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0498_01_MOVIE: MOVIE1: Movie ID

[DISPLAY MOVIE TITLE (DRAWN FROM A POOL OF RECENTLY RELEASED MOVIES)]

Value	Label	Unweighted Frequency	%
6001	6001 = Get on Up	1197	10.1 %
6002	6002 = Deliver Us from Evil	1176	10.0 %
6003	6003 = Sabotage	1159	9.8 %
6004	6004 = A Million Ways to Die in the West	1131	9.6 %
6005	6005 = The Fault in Our Stars	1194	10.1 %
6006	6006 = Transformers: Age of Extinction	1220	10.3 %
6007	6007 = Jersey Boys	1176	10.0 %
6008	6008 = The Monuments Men	1154	9.8 %
6009	6009 = Chef	1171	9.9 %
6010	6010 = Birdman: Or (The Unexpected Virtue of Ignorance)	1236	10.5 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8825-8832 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -1

R03_YX0498_01: Number of times seen Movie 1

How many times have you seen this movie?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9655	81.7 %
2	2 = Once	1119	9.5 %
3	3 = Twice	492	4.2 %

Value	Label	Unweighted Frequency	%
4	4 = 3 or more times	489	4.1 %
	Total	11,755	99.5%

This variable has 11,755 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	49	0.4 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	59	0.5%

Percentages for both tables are based on 11,814 total cases.

Location: 8833-8840 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0498_02_MOVIE: MOVIE2: Movie ID

[DISPLAY MOVIE TITLE (DRAWN FROM A POOL OF RECENTLY RELEASED MOVIES)]

Value	Label	Unweighted Frequency	%
6001	6001 = Get on Up	1148	9.7 %
6002	6002 = Deliver Us from Evil	1180	10.0 %
6003	6003 = Sabotage	1217	10.3 %
6004	6004 = A Million Ways to Die in the West	1256	10.6 %
6005	6005 = The Fault in Our Stars	1160	9.8 %
6006	6006 = Transformers: Age of Extinction	1196	10.1 %
6007	6007 = Jersey Boys	1190	10.1 %
6008	6008 = The Monuments Men	1196	10.1 %
6009	6009 = Chef	1145	9.7 %
6010	6010 = Birdman: Or (The Unexpected Virtue of Ignorance)	1126	9.5 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8841-8848 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -1

R03_YX0498_02: Number of times seen Movie 2

How many times have you seen this movie?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9429	79.8 %
2	2 = Once	1312	11.1 %
3	3 = Twice	505	4.3 %
4	4 = 3 or more times	517	4.4 %
	Total	11,763	99.6%

This variable has 11,763 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.4 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	51	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8849-8856 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0498_03_MOVIE: MOVIE3: Movie ID

[DISPLAY MOVIE TITLE (DRAWN FROM A POOL OF RECENTLY RELEASED MOVIES)]

Value	Label	Unweighted Frequency	%
6001	6001 = Get on Up	1194	10.1 %
6002	6002 = Deliver Us from Evil	1149	9.7 %
6003	6003 = Sabotage	1175	9.9 %
6004	6004 = A Million Ways to Die in the West	1154	9.8 %
6005	6005 = The Fault in Our Stars	1208	10.2 %
6006	6006 = Transformers: Age of Extinction	1139	9.6 %
6007	6007 = Jersey Boys	1209	10.2 %
6008	6008 = The Monuments Men	1219	10.3 %

Value	Label	Unweighted Frequency	%
6009	6009 = Chef	1221	10.3 %
6010	6010 = Birdman: Or (The Unexpected Virtue of Ignorance)	1146	9.7 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8857-8864 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -1

R03_YX0498_03: Number of times seen Movie 3

How many times have you seen this movie?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9397	79.5 %
2	2 = Once	1328	11.2 %
3	3 = Twice	495	4.2 %
4	4 = 3 or more times	552	4.7 %
	Total	11,772	99.6%

This variable has 11,772 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.3 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	42	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8865-8872 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0498_04_MOVIE: MOVIE4: Movie ID

[DISPLAY MOVIE TITLE (DRAWN FROM A POOL OF RECENTLY RELEASED MOVIES)]

Value	Label	Unweighted Frequency	%
6001	6001 = Get on Up	1175	9.9 %
6002	6002 = Deliver Us from Evil	1205	10.2 %
6003	6003 = Sabotage	1202	10.2 %
6004	6004 = A Million Ways to Die in the West	1184	10.0 %
6005	6005 = The Fault in Our Stars	1170	9.9 %
6006	6006 = Transformers: Age of Extinction	1156	9.8 %
6007	6007 = Jersey Boys	1215	10.3 %
6008	6008 = The Monuments Men	1162	9.8 %
6009	6009 = Chef	1190	10.1 %
6010	6010 = Birdman: Or (The Unexpected Virtue of Ignorance)	1155	9.8 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8873-8880 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -1

R03_YX0498_04: Number of times seen Movie 4

How many times have you seen this movie?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9358	79.2 %
2	2 = Once	1346	11.4 %
3	3 = Twice	528	4.5 %
4	4 = 3 or more times	550	4.7 %
	Total	11,782	99.7%

This variable has 11,782 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	32	0.3%

Percentages for both tables are based on 11,814 total cases.

Location: 8881-8888 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0498_05_MOVIE: MOVIE5: Movie ID

[DISPLAY MOVIE TITLE (DRAWN FROM A POOL OF RECENTLY RELEASED MOVIES)]

Value	Label	Unweighted Frequency	%
6001	6001 = Get on Up	1170	9.9 %
6002	6002 = Deliver Us from Evil	1209	10.2 %
6003	6003 = Sabotage	1185	10.0 %
6004	6004 = A Million Ways to Die in the West	1149	9.7 %
6005	6005 = The Fault in Our Stars	1176	10.0 %
6006	6006 = Transformers: Age of Extinction	1160	9.8 %
6007	6007 = Jersey Boys	1194	10.1 %
6008	6008 = The Monuments Men	1171	9.9 %
6009	6009 = Chef	1218	10.3 %
6010	6010 = Birdman: Or (The Unexpected Virtue of Ignorance)	1182	10.0 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8889-8896 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -1

R03_YX0498_05: Number of times seen Movie 5

How many times have you seen this movie?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9406	79.6 %
2	2 = Once	1317	11.1 %
3	3 = Twice	511	4.3 %
4	4 = 3 or more times	540	4.6 %
	Total	11,774	99.7%

This variable has 11,774 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	32	0.3 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	40	0.3%

Percentages for both tables are based on 11,814 total cases.

Location: 8897-8904 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0503_01: Electronic mobile device possession: Has a tablet computer

Please indicate if you have any of the following. Choose all that apply.

Tablet computer, such as an iPad, Samsung Galaxy, Motorola Xoom, or Kindle Fire

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	6847	58.0 %
2	2 = Not Marked	4924	41.7 %
	Total	11,771	99.6%

This variable has 11,771 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	18	0.2 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	43	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8905-8912 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0503_02: Electronic mobile device possession: Has a smartphone

Please indicate if you have any of the following. Choose all that apply.

Smartphone, such as an iPhone, Android, Blackberry, or Windows phone

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	9196	77.8 %
2	2 = Not Marked	2575	21.8 %
	Total	11,771	99.6%

This variable has 11,771 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	18	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	43	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8913-8920 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0503_03: Electronic mobile device possession: Has a cell phone

Please indicate if you have any of the following. Choose all that apply.

Cell phone without internet

[If Marked or Don't Know (-8) or Refused (-7), Go to Box R03_YXT02.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1194	10.1 %
2	2 = Not Marked	10577	89.5 %
	Total	11,771	99.6%

This variable has 11,771 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	18	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	43	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8921-8928 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0503_04: Electronic mobile device possession: None of the above

Please indicate if you have any of the following. Choose all that apply.

I do not have any of the above

[If Marked or Don't Know (-8) or Refused (-7), Go to Box R03_YXT02.]

ASK: All youth respondents.

[PROGRAM: Allow respondent to choose all that apply. If option 4 is selected, options 1 - 3 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	661	5.6 %
2	2 = Not Marked	11110	94.0 %
	Total	11,771	99.6%

This variable has 11,771 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	18	0.2 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	43	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 8929-8936 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0504: Ever used a tobacco, e-cigarette or other electronic nicotine product related application on tablet computer or smartphone

Have you ever used an application (or app) on your tablet computer or smartphone related to tobacco products, e-cigarettes or other electronic nicotine products?

ASK: Youth respondents who have a tablet or smartphone.

ASK Specification: IF R03_YX0503_01 = 1 OR R03_YX0503_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	506	4.3 %
2	2 = No	10244	86.7 %
	Total	10,750	91.0%

This variable has 10,750 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1041	8.8 %
	Total	1,064	9.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8937-8944 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0505: Ever used an application on tablet computer or smartphone to help quit using tobacco, e-cigarettes, or other electronic nicotine products

[Box ID R03_YXR12: Youth respondents who have ever used any tobacco product and have a tablet or smartphone, go to R03_YX0505. Else, new baseline youth respondents who have a tablet or smartphone, go to R03_YX0496_NB. Else, go to Box R03_YXT02.]

IF R03_EVER_USE_TOB = 1 AND (R03_YX0503_01 = 1 OR R03_YX0503_02 = 1), GO TO R03_YX0505.
ELSE, IF R03_YOUTHTYPE = 2 AND (R03_YX0503_01 = 1 OR R03_YX0503_02 = 1), GO TO R03_YX0496_NB.
ELSE, GO TO BOX R03_YXT02.]

Have you ever used an app on your tablet computer or smartphone to help you quit using tobacco products, e-cigarettes or other electronic nicotine products?

ASK: Youth respondents who have ever used any tobacco product and have a tablet or smartphone.

ASK Specification: IF R03_EVER_USE_TOB = 1 AND (R03_YX0503_01 = 1 OR R03_YX0503_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	89	0.8 %
2	2 = No	2202	18.6 %
	Total	2,291	19.4%

This variable has 2,291 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	9506	80.5 %
	Total	9,523	80.6%

Percentages for both tables are based on 11,814 total cases.

Location: 8945-8952 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0496_NB: Ever used a smart phone to scan a QR code for a tobacco product or to enter a sweepstakes or drawing from a tobacco company

[Box ID R03_YXR13: New baseline youth respondents who have a tablet or smartphone, go to R03_YX0496_NB.
Else, go to Box R03_YXT02.]

IF R03_YOUTHTYPE = 2 AND (R03_YX0503_01 = 1 OR R03_YX0503_02 = 1), GO TO R03_YX0496_NB.
ELSE, GO TO BOX R03_YXT02.]

A Quick Response code is a white square with black dots in it, sometimes called a QR code.

[INSERT GENERIC IMAGE OF QR CODE FOR PATH WEBSITE]

Have you ever used a tablet or a smartphone to scan a QR code for a tobacco product or to enter a sweepstakes or drawing from a tobacco company?

ASK: New baseline youth respondents who have a tablet or smartphone.

ASK Specification: IF R03_YOUTHTYPE = 2 AND (R03_YX0503_01 = 1 OR R03_YX0503_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.3 %
2	2 = No	1710	14.5 %
	Total	1,747	14.8%

This variable has 1,747 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10061	85.2 %
	Total	10,067	85.2%

Percentages for both tables are based on 11,814 total cases.

Location: 8953-8960 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YX0671: DERIVED - Recoded anyone who lives with you now use tobacco (4 levels)

Long Description: Does anyone who lives with you now do any of the following: Smoke cigarettes, use smokeless tobacco, smoke cigars, cigarillos or filtered cigars or use any other form of tobacco?

Algorithm: IF R03_YX0671_01 = 1 OR R03_YX0671_05 = 1 THEN R03R_Y_YX0671 = 1; ELSE IF R03_YX0671_03 = 1 OR R03_YX0671_04 = 1 OR R03_YX0671_06 = 1 OR R03_YX0671_07 = 1 THEN R03R_Y_YX0671 = 3; ELSE IF R03_YX0671_02 = 1 THEN R03R_Y_YX0671 = 2; ELSE IF R03_YX0671_08 = 1 THEN R03R_Y_YX0671 = 4; ELSE IF (R03_YX0671_01 = -9 OR R03_YX0671_02 = -9 OR R03_YX0671_03 = -9 OR R03_YX0671_04 = -9 OR R03_YX0671_05 = -9 OR R03_YX0671_06 = -9 OR R03_YX0671_07 = -9 OR R03_YX0671_08 = -9) THEN R03R_Y_YX0671 = -99999; ELSE IF (R03_YX0671_01 = -8 OR R03_YX0671_02 = -8 OR R03_YX0671_03 = -8 OR R03_YX0671_04 = -8 OR R03_YX0671_05 = -8 OR R03_YX0671_06 = -8 OR R03_YX0671_07 = -8 OR R03_YX0671_08 = -8) THEN R03R_Y_YX0671 = -99988; ELSE IF (R03_YX0671_01 = -7 OR R03_YX0671_02 = -7 OR R03_YX0671_03 = -7 OR R03_YX0671_04 = -7 OR R03_YX0671_05 = -7 OR R03_YX0671_06 = -7 OR R03_YX0671_07 = -7 OR R03_YX0671_08 = -7) THEN R03R_Y_YX0671 = -99977; ELSE IF (R03_YX0671_01 = -1 OR R03_YX0671_02 = -1 OR R03_YX0671_03 = -1 OR R03_YX0671_04 = -1 OR R03_YX0671_05 = -1 OR R03_YX0671_06 = -1 OR R03_YX0671_07 = -1 OR R03_YX0671_08 = -1) THEN R03R_Y_YX0671 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes, cigars, cigarillos or filtered cigars	3115	26.4 %
2	2 = E-products exclusively	208	1.8 %
3	3 = Other tobacco products, including smokeless, snus and hookah	465	3.9 %
4	4 = No one living in the home uses tobacco	7844	66.4 %

Value	Label	Unweighted Frequency	%
	Total	11,632	98.5%

This variable has 11,632 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	115	1.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	67	0.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	182	1.5%

Percentages for both tables are based on 11,814 total cases.

Location: 8961-8968 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03_YR1045: Statement that best describes the rules about using combustible tobacco products inside your home

Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah, which statement best describes the rules about smoking a tobacco product inside your home?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9632	81.5 %
2	2 = It is allowed in some places or at some times inside my home	1210	10.2 %
3	3 = It is allowed anywhere and at any time inside my home	790	6.7 %
	Total	11,632	98.5%

This variable has 11,632 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	133	1.1 %
-7	-7 = Refused	49	0.4 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	182	1.5%

Percentages for both tables are based on 11,814 total cases.

Location: 8969-8976 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR1051: Statement that best describes rules about using e-cigarettes and other electronic nicotine products inside your home

Now think about e-cigarettes and other electronic nicotine products.

Which statement best describes the rules about using these products inside your home?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9647	81.7 %
2	2 = It is allowed in some places or at some times inside my home	1111	9.4 %
3	3 = It is allowed anywhere and at any time inside my home	869	7.4 %
	Total	11,627	98.4%

This variable has 11,627 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	147	1.2 %
-7	-7 = Refused	40	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	187	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 8977-8984 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YR1050: Statement that best describes rules about using non-combustible tobacco products inside your home

Now think about other tobacco products that are not burned, like snus pouches and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9854	83.4 %
2	2 = It is allowed in some places or at some times inside my home	884	7.5 %
3	3 = It is allowed anywhere and at any time inside my home	837	7.1 %
	Total	11,575	98.0%

This variable has 11,575 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	195	1.7 %
-7	-7 = Refused	44	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	239	2.0%

Percentages for both tables are based on 11,814 total cases.

Location: 8985-8992 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0068: In past seven days, number of hours that you were in close contact with others when they were smoking

During the past seven days, about how many hours were you around others who were smoking, [whether or not you were smoking yourself]? Include time in your home, in a car, at school, or outdoors.

ASK: All youth respondents.

[DISPLAY: IF R03_PAST30DAY_CIGS = 1 OR R03_PAST30DAY_GTRAD = 1
OR R03_PAST30DAY_GRILLO = 1 OR R03_PAST30DAY_GFILTR = 1 OR
R03_PAST30DAY_PIPE = 1 OR R03_PAST30DAY_HOOK = 1 OR
R03_PAST30DAY_BIDI = 1 OR R03_PAST30DAY_KRETEK = 1, DISPLAY
"whether or not you were smoking yourself".]
ELSE, DO NOT DISPLAY THIS TEXT.]

[CHECK ID: R03_YX0068_LC1 - The computer recorded that, during the last seven days, you were in close contact with others while they were smoking for [R03_YX0068] hours. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF (1 BACK) GO TO R03_YX0068. IF (2 NEXT) GO TO R03_YX0090.

ASK: IF R03_YX0068 > 120 OR R03_YX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999.

[PROGRAM: TRIGGER CHECK IF R03_YX0068 > 120 OR R03_YX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999. ELSE, GO TO R03_YX0090 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 11,488 valid cases out of 11,814 total cases.

- Mean: 2.52
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 11.12

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	260	2.2 %
-7	-7 = Refused	44	0.4 %
-5	-5 = Improbable response removed	22	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	326	2.8%

Percentages for both tables are based on 11,814 total cases.

Location: 8993-9000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YX0090: Self perception of physical health

The next questions ask about some basic medical information that is important for the study.

In general, how would you rate your physical health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	4892	41.4 %
2	2 = Very good	3968	33.6 %
3	3 = Good	2219	18.8 %
4	4 = Fair	563	4.8 %
5	5 = Poor	129	1.1 %
	Total	11,771	99.6%

This variable has 11,771 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	18	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	43	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9001-9008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0090_12M: Self perception of physical health compared to 12 months ago

Compared with 12 months ago, would you say your physical health is now . . .

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	5401	45.7 %
2	2 = Worse	539	4.6 %
3	3 = About the same	5806	49.1 %
	Total	11,746	99.4%

This variable has 11,746 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.4 %
-7	-7 = Refused	18	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	68	0.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9009-9016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0091: Self perception of mental health, including mood and ability to think

In general, how would you rate your mental health, which

includes stress, depression, and problems with emotions?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	3537	29.9 %
2	2 = Very good	3144	26.6 %
3	3 = Good	2730	23.1 %
4	4 = Fair	1595	13.5 %
5	5 = Poor	663	5.6 %
	Total	11,669	98.8%

This variable has 11,669 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	88	0.7 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	145	1.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9017-9024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0091_12M: Self perception of mental health compared to 12 months ago

Compared with 12 months ago, would you say your mental health is now . . .

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	4543	38.5 %
2	2 = Worse	1356	11.5 %
3	3 = About the same	5801	49.1 %
	Total	11,700	99.0%

This variable has 11,700 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	75	0.6 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	114	1.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9025-9032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0088: Self perception of overall health

In general, would you say your overall health is . . .

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	4854	41.1 %
2	2 = Very good	3862	32.7 %
3	3 = Good	2389	20.2 %
4	4 = Fair	551	4.7 %
5	5 = Poor	96	0.8 %
	Total	11,752	99.5%

This variable has 11,752 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.4 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	62	0.5%

Percentages for both tables are based on 11,814 total cases.

Location: 9033-9040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0088_12M: Self perception of overall health compared to health 12 months ago

Compared with 12 months ago, would you say your overall health is now . . .

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	5281	44.7 %
2	2 = Worse	472	4.0 %
3	3 = About the same	5972	50.6 %
	Total	11,725	99.2%

This variable has 11,725 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	62	0.5 %
-7	-7 = Refused	27	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	89	0.8%

Percentages for both tables are based on 11,814 total cases.

Location: 9041-9048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0726: Self perception of overall health of teeth and gums

Overall, how would you rate the health of your teeth and gums?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	3571	30.2 %
2	2 = Very good	4176	35.3 %
3	3 = Good	3012	25.5 %
4	4 = Fair	837	7.1 %
5	5 = Poor	169	1.4 %
	Total	11,765	99.6%

This variable has 11,765 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.3 %
-7	-7 = Refused	18	0.2 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	49	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9049-9056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0241: In past 7 days, number of days physically active for at least 60 minutes per day

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	981	8.3 %
2	2 = 1 day	859	7.3 %
3	3 = 2 days	1153	9.8 %
4	4 = 3 days	1526	12.9 %
5	5 = 4 days	1396	11.8 %
6	6 = 5 days	2077	17.6 %
7	7 = 6 days	975	8.3 %
8	8 = 7 days	2690	22.8 %
	Total	11,657	98.7%

This variable has 11,657 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	114	1.0 %
-7	-7 = Refused	43	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	157	1.3%

Percentages for both tables are based on 11,814 total cases.

Location: 9057-9064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0242: In past 7 days, number of days exercised or participated in physical activity for at least 20 minutes that made you sweat and breathe hard

On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	1333	11.3 %
2	2 = 1 day	1044	8.8 %
3	3 = 2 days	1260	10.7 %
4	4 = 3 days	1457	12.3 %
5	5 = 4 days	1251	10.6 %
6	6 = 5 days	1974	16.7 %
7	7 = 6 days	842	7.1 %
8	8 = 7 days	2515	21.3 %
	Total	11,676	98.8%

This variable has 11,676 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	95	0.8 %
-7	-7 = Refused	43	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	138	1.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9065-9072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0243: In past 7 days, number of days did exercises to strengthen or tone your muscles

On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	2936	24.9 %
2	2 = 1 day	1376	11.6 %
3	3 = 2 days	1436	12.2 %
4	4 = 3 days	1471	12.5 %
5	5 = 4 days	989	8.4 %
6	6 = 5 days	1535	13.0 %
7	7 = 6 days	479	4.1 %
8	8 = 7 days	1490	12.6 %
	Total	11,712	99.1%

This variable has 11,712 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.7 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	102	0.9%

Percentages for both tables are based on 11,814 total cases.

Location: 9073-9080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0046: Ever had wheezing or whistling in chest at any time in past

Have you ever had wheezing or whistling in the chest at any time in the past?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YX0052.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3076	26.0 %
2	2 = No	8576	72.6 %
	Total	11,652	98.6%

This variable has 11,652 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	148	1.3 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	162	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9081-9088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0047: In past 12 months, had wheezing or whistling in chest

Have you had wheezing or whistling in the chest in the past 12 months?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YX0052.]

ASK: Youth respondents who had wheezing or whistling in the chest at any time in the past.

ASK Specification: IF R03_YX0046 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1779	15.1 %
2	2 = No	1275	10.8 %
	Total	3,054	25.9%

This variable has 3,054 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.2 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	8738	74.0 %
	Total	8,760	74.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9089-9096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0048: In past 12 months, number of times had wheezing in chest

How many attacks of wheezing have you had in the past 12 months?

ASK: Youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF R03_YX0046 = 1 AND R03_YX0047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = None	444	3.8 %
2	2 = 1 to 3	1041	8.8 %
3	3 = 4 to 12	203	1.7 %
4	4 = More than 12	73	0.6 %
	Total	1,761	14.9%

This variable has 1,761 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10035	84.9 %
	Total	10,053	85.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9097-9104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0049: In past 12 months, how often had sleep disturbed due to wheezing

In the past 12 months, how often, on average has your sleep been disturbed due to wheezing?

ASK: Youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF R03_YX0046 = 1 AND R03_YX0047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never woken with wheezing	1405	11.9 %
2	2 = Less than one night per week	278	2.4 %
3	3 = One or more nights per week	87	0.7 %
	Total	1,770	15.0%

This variable has 1,770 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10035	84.9 %
	Total	10,044	85.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9105-9112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0050: In past 12 months, had speech limited to only one or two words between breaths due to wheezing

In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?

ASK: Youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF R03_YX0046 = 1 AND R03_YX0047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	405	3.4 %
2	2 = No	1362	11.5 %
	Total	1,767	15.0%

This variable has 1,767 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	10035	84.9 %
	Total	10,047	85.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9113-9120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0052: In past 12 months, chest has sounded wheezy during or after exercise

In the past 12 months, has your chest sounded wheezy during or after exercise?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1947	16.5 %
2	2 = No	9714	82.2 %
	Total	11,661	98.7%

This variable has 11,661 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	1.1 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	153	1.3%

Percentages for both tables are based on 11,814 total cases.

Location: 9121-9128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0053: In past 12 months, had a dry cough at night

A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2594	22.0 %
2	2 = No	9069	76.8 %
	Total	11,663	98.7%

This variable has 11,663 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	1.1 %

	Missing Data		
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	151	1.3%

Percentages for both tables are based on 11,814 total cases.

Location: 9129-9136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YT0031_12M: In past 12 months, been told by a doctor, nurse or other health professional that you have asthma

[BOX ID: R03_YXR18 - Continuing youth respondents, go to R03_YT0031_12M.

Else, go to R03_YT0031_NB.

IF R03_YOUTHTYPE = 1, GO TO R03_YT0031_12M. ELSE, GO TO R03_YT0031_NB.]

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have asthma?

[Go to Box R03_YXV03.]

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	967	8.2 %
2	2 = No	8750	74.1 %
	Total	9,717	82.2%

This variable has 9,717 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,097	17.8%

Percentages for both tables are based on 11,814 total cases.

Location: 9137-9144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YT0031_NB: Ever been told by a doctor, nurse or other health professional that you have asthma

Have you ever been told by a doctor, nurse or other health professional that you have asthma?

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	356	3.0 %
2	2 = No	1669	14.1 %
	Total	2,025	17.1%

This variable has 2,025 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,789	82.9%

Percentages for both tables are based on 11,814 total cases.

Location: 9145-9152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YT0038_NB: DERIVED - Age range when you were first told you had asthma (3 levels)

Long Description: How old were you when you were first told you had asthma?

Algorithm: IF R03_YT0260_NB = 1 OR (0<=R03_YT0038_NB<=11) THEN R03R_Y_YT0038_NB = 1; ELSE IF R03_YT0260_NB = 2 OR (12<=R03_YT0038_NB<=14) THEN R03R_Y_YT0038_NB = 2; ELSE IF R03_YT0260_NB = 3 OR (15<=R03_YT0038_NB<=17) THEN R03R_Y_YT0038_NB = 3; ELSE IF R03_YT0038_NB = -9 OR R03_YT0260_NB = -9 THEN R03R_Y_YT0038_NB = -99999; ELSE IF R03_YT0038_NB = -8 OR R03_YT0260_NB = -8 THEN R03R_Y_YT0038_NB = -99988; ELSE IF R03_YT0038_NB = -7 OR R03_YT0260_NB = -7 THEN R03R_Y_YT0038_NB = -99977; ELSE IF R03_YT0038_NB = -5 THEN R03R_Y_YT0038_NB = -99955; ELSE IF R03_YT0038_NB = -1 OR R03_YT0260_NB = -1 THEN R03R_Y_YT0038_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	340	2.9 %
2	2 = 12 to 14 years old	13	0.1 %

Value	Label	Unweighted Frequency	%
3	3 = 15 to 17 years old	0	0.0 %
	Total	353	3.0%

This variable has 353 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11458	97.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,461	97.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9153-9160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YX0227: In past 30 days, amount of time your asthma kept you from getting as much done at work, school, or home

In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school or at home?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R03_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	40	0.3 %
2	2 = Most of the time	55	0.5 %
3	3 = Some of the time	155	1.3 %
4	4 = A little of the time	381	3.2 %
5	5 = None of the time	1613	13.7 %
	Total	2,244	19.0%

This variable has 2,244 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	9541	80.8 %
	Total	9,570	81.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9161-9168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0228: In past 30 days, how often had shortness of breath

In the past 30 days, how often have you had shortness of breath?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R03_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	70	0.6 %
2	2 = Once a day	125	1.1 %
3	3 = 3 - 6 times a week	146	1.2 %
4	4 = Once or twice a week	546	4.6 %
5	5 = None at all	1360	11.5 %
	Total	2,247	19.0%

This variable has 2,247 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	9541	80.8 %
	Total	9,567	81.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9169-9176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0229: In past 30 days, how often asthma symptoms woke you up at night or earlier than usual in the morning

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness or pain) wake you up at night or earlier than usual in the morning?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R03_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 4 or more nights a week	34	0.3 %
2	2 = 2 or 3 nights	66	0.6 %
3	3 = Once a week	76	0.6 %
4	4 = Once or twice	292	2.5 %
5	5 = None at all	1789	15.1 %
	Total	2,257	19.1%

This variable has 2,257 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	9541	80.8 %
	Total	9,557	80.9%

Percentages for both tables are based on 11,814 total cases.

Location: 9177-9184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YT0022: In past 12 months, took medications for asthma regularly

In the past 12 months, have you taken medications regularly for asthma?

(Taken regularly means according to a health care provider's instructions.)

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YT0127.]

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R03_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	672	5.7 %
2	2 = No	1580	13.4 %
	Total	2,252	19.1%

This variable has 2,252 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	9541	80.8 %
	Total	9,562	80.9%

Percentages for both tables are based on 11,814 total cases.

Location: 9185-9192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YT0036_01: In past 12 months, medications taken for asthma: Quick-relief inhaler

In the past 12 months, which of the following medications did you regularly take for asthma?

Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months.

ASK Specification: IF R03_YOUTH_ASTHMA = 1 AND R03_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	569	4.8 %
2	2 = No	88	0.7 %
	Total	657	5.6%

This variable has 657 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11142	94.3 %
	Total	11,157	94.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9193-9200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YT0036_02: In past 12 months, medications taken for asthma: Controller/long-acting inhaler

In the past 12 months, which of the following medications did you regularly take for asthma?

Controller or long-acting inhaler including steroid inhaler - for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months.

ASK Specification: IF R03_YOUTH_ASTHMA = 1 AND R03_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	312	2.6 %
2	2 = No	341	2.9 %
	Total	653	5.5%

This variable has 653 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11142	94.3 %
	Total	11,161	94.5%

Percentages for both tables are based on 11,814 total cases.

Location: 9201-9208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YT0036_03: In past 12 months, medications taken for asthma: Other controlling medication

In the past 12 months, which of the following medications did you regularly take for asthma?

Other controlling medication - for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months.

ASK Specification: IF R03_YOUTH_ASTHMA = 1 AND R03_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	177	1.5 %
2	2 = No	481	4.1 %
	Total	658	5.6%

This variable has 658 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11142	94.3 %
	Total	11,156	94.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9209-9216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YT0036_04: In past 12 months, medications taken for asthma: Other asthma medication

In the past 12 months, which of the following medications did you regularly take for asthma?

Other asthma medication

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months.

ASK Specification: IF R03_YOUTH_ASTHMA = 1 AND R03_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	166	1.4 %
2	2 = No	490	4.1 %
	Total	656	5.6%

This variable has 656 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11142	94.3 %
	Total	11,158	94.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9217-9224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YT0125: In past 12 months, had an asthma attack that required use of an oral or injected steroid medication at the time of the attack

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack? Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YT0127.]

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months.

ASK Specification: IF R03_YOUTH_ASTHMA = 1 AND R03_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	102	0.9 %
2	2 = No	563	4.8 %
	Total	665	5.6%

This variable has 665 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11142	94.3 %
	Total	11,149	94.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9225-9232 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YT0039: In past 12 months, number of asthma attacks that required use of an oral or injected steroid medication

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months and had an asthma attack in the past 12 months that required use of an oral or injected steroid medication.

ASK Specification: IF R03_YOUTH_ASTHMA = 1 AND R03_YT0022 = 1 AND R03_YT0125 = 1.

This variable has 97 valid cases out of 11,814 total cases.

- Mean: 32.37
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 880.00
- Standard Deviation: 143.81

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11712	99.1 %
	Total	11,717	99.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9233-9240 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YT0127: In past 12 months, visited an emergency room or urgent care center because of asthma

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

[If No (2), Don't Know (-8), or Refused (-7), Go to R03_YX0230.]

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R03_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	177	1.5 %
2	2 = No	2082	17.6 %
	Total	2,259	19.1%

This variable has 2,259 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	6	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	9541	80.8 %
	Total	9,555	80.9%

Percentages for both tables are based on 11,814 total cases.

Location: 9241-9248 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YT0282: In past 12 months, number of times you visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

[If Don't Know (-8) or Refused (-7), Go to Box R03_YXR42.]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R03_YOUTH_ASTHMA = 1 AND R03_YT0127 = 1.

[CHECK ID: R03_YT0282_LC1 - The computer recorded that you have visited an emergency room or urgent care center [R03_YT0282] times in the past 12 months because of asthma. Is that correct?

If this is correct, please press the NEXT button to continue.

If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YT0282. IF 2 NEXT, GO TO BOX R03_YXR42.

ASK: IF R03_YOUTH_ASTHMA = 1 AND R03_YT0127 = 1 AND R03_YT0282 != -8, -7 AND R03_YT0282 > 20.

PROGRAM: TRIGGER CHECK IF R03_YT0282 > 20. ELSE, GO TO BOX R03_YXR42 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 177 valid cases out of 11,814 total cases.

- Mean: 2.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 65.00
- Standard Deviation: 5.55

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11637	98.5 %
	Total	11,637	98.5%

Percentages for both tables are based on 11,814 total cases.

Location: 9249-9256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YX0695: In past 12 months, single visit to emergency room or urgent care center was due to an asthma attack

[BOX ID: R03_YXR42 - Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months, go to R03_YX0695. Else, youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months, go to R03_YX0720. Else, go to R03_YX0230.

IF R03_YOUTH_ASTHMA = 1 AND R03_YT0127 = 1 AND R03_YT0282 = 1, GO TO R03_YX0695. ELSE, IF R03_YOUTH_ASTHMA = 1 AND R03_YT0127 = 1 AND R03_YT0282 > 1, GO TO R03_YX0720. ELSE, GO TO R03_YX0230.]

Was that visit due to an asthma attack?

[Go to R03_YX0230.]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months.

ASK Specification: IF R03_YOUTH_ASTHMA = 1 AND R03_YT0127 = 1 AND R03_YT0282 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	48	0.4 %
2	2 = No	26	0.2 %
	Total	74	0.6%

This variable has 74 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11740	99.4 %
	Total	11,740	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9257-9264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0720: Number of visits to emergency room due to asthma attack

How many of those visits were due to an asthma attack?

[If Don't Know (-8) or Refused (-7), Go to R03_YX0230.]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months.

ASK Specification: IF R03_YOUTH_ASTHMA = 1 AND R03_YT0127 = 1 AND R03_YT0282 > 1.

[CHECK ID: R03_YX0720_LC1 - The computer recorded that you have visited an emergency room or urgent care center [R03_YX0720] times in the past 12 months because of an asthma attack. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YX0720. IF 2 NEXT, GO TO R03_YX0230.

ASK: IF R03_YOUTH_ASTHMA = 1 AND R03_YT0127 = 1 AND R03_YT0282 > 1 AND R03_YX0720 != -8, -7 AND R03_YX0720 > R03_YT0282.

PROGRAM: TRIGGER CHECK IF R03_YX0720 > R03_YT0282. ELSE, GO TO R03_YX0230 AND DO NOT DISPLAY THIS SCREEN.]

This variable has 87 valid cases out of 11,814 total cases.

- Mean: 3.02
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 4.03

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11727	99.3 %
	Total	11,727	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 9265-9272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YX0230: In past 30 days, how often used a rescue inhaler, nebulizer treatment, or other controlling medication

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R03_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 3 or more times per day	41	0.3 %
2	2 = 1 or 2 times per day	103	0.9 %
3	3 = 2 or 3 times per week	118	1.0 %

Value	Label	Unweighted Frequency	%
4	4 = Once a week or less	361	3.1 %
5	5 = Not at all	1620	13.7 %
	Total	2,243	19.0%

This variable has 2,243 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	9541	80.8 %
	Total	9,571	81.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9273-9280 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0231: In past 30 days, how would you rate your asthma control

How would you rate your asthma control during the past 30 days?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R03_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not controlled at all	40	0.3 %
2	2 = Poorly controlled	22	0.2 %
3	3 = Somewhat controlled	170	1.4 %
4	4 = Well controlled	645	5.5 %
5	5 = Completely controlled	1356	11.5 %
	Total	2,233	18.9%

This variable has 2,233 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	28	0.2 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	9541	80.8 %

	Missing Data		
	Total	9,581	81.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9281-9288 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0708_01: In past 12 months received discounts or coupons: Cigarettes

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Cigarettes

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	594	5.0 %
2	2 = Not Marked	11050	93.5 %
	Total	11,644	98.6%

This variable has 11,644 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	122	1.0 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	170	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9289-9296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0708_02: In past 12 months received discounts or coupons: E-cigarettes or other electronic nicotine products

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products (including e-liquid)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	356	3.0 %
2	2 = Not Marked	11288	95.5 %
	Total	11,644	98.6%

This variable has 11,644 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	122	1.0 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	170	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9297-9304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0708_03: In past 12 months received discounts or coupons: Cigars

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Cigars

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	165	1.4 %
2	2 = Not Marked	11479	97.2 %
	Total	11,644	98.6%

This variable has 11,644 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	122	1.0 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	170	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9305-9312 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0708_08: In past 12 months received discounts or coupons: Shisha or hookah tobacco

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Shisha or hookah tobacco

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	76	0.6 %
2	2 = Not Marked	11568	97.9 %
	Total	11,644	98.6%

This variable has 11,644 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	122	1.0 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	170	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9313-9320 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0708_04: In past 12 months received discounts or coupons: Snus pouches

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Snus pouches

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	75	0.6 %
2	2 = Not Marked	11569	97.9 %
	Total	11,644	98.6%

This variable has 11,644 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	122	1.0 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	170	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9321-9328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0708_05: In past 12 months received discounts or coupons: Other types of smokeless tobacco

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Other types of smokeless tobacco (such as dip, spit or chew)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	173	1.5 %
2	2 = Not Marked	11471	97.1 %
	Total	11,644	98.6%

This variable has 11,644 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	122	1.0 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	170	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9329-9336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0708_06: In past 12 months received discounts or coupons: Some other tobacco product

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Some other type of tobacco product

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	98	0.8 %
2	2 = Not Marked	11546	97.7 %
	Total	11,644	98.6%

This variable has 11,644 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	122	1.0 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	170	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9337-9344 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0708_07: In past 12 months received discounts or coupons: None of the above

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

None of the above

ASK: All youth respondents.

[PROGRAM NOTE: If option 7 is selected, options 1-6 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10839	91.7 %
2	2 = Not Marked	805	6.8 %
	Total	11,644	98.6%

This variable has 11,644 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	122	1.0 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	170	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9345-9352 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0479: In past 30 days, used a discount coupon to purchase a tobacco product including e-cigarettes or electronic nicotine products

[PROGRAM NOTE: See Box R03_YXR36 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 30 days, have you used a discount coupon or promotion to purchase a tobacco product, including e-cigarettes or other electronic nicotine products?

ASK: Youth respondents who have received discounts or coupons for a tobacco product.

ASK Specification: IF R03_YX0708_01 = 1 OR R03_YX0708_02 = 1
OR R03_YX0708_03 = 1 OR R03_YX0708_04 = 1 OR R03_YX0708_05 = 1 OR R03_YX0708_06 = 1 OR R03_YX0708_08 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	69	0.6 %
2	2 = No	736	6.2 %
	Total	805	6.8%

This variable has 805 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11009	93.2 %
	Total	11,009	93.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9353-9360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0209: In past 30 days, bought a brand of tobacco product because you noticed a promotion for it

In the past 30 days, have you bought a brand of tobacco product because you noticed a promotion for it?

ASK: Youth respondents who are past 30 day "not light" cigarette smokers, past 30 day "not light" electronic nicotine product users, past 30 day "not light" traditional cigar smokers, past 30 day "not light" cigarillo smokers, past 30 day "not light" filtered cigar smokers, past 30 day pipe smokers, past 30 day hookah smokers, past 30 day "not light" snus users, or past 30 day "not light" smokeless tobacco users.

ASK Specification: IF R03_PAST30DAY_CIGS_LEVEL = 2 OR R03_PAST30DAY_EPRODS_LEVEL = 2 OR R03_PAST30DAY_GTRAD_LEVEL = 2 OR R03_PAST30DAY_GRILLO_LEVEL = 2 OR R03_PAST30DAY_GFILTR_LEVEL = 2 OR R03_PAST30DAY_PIPE = 1 OR R03_PAST30DAY_HOOK = 1 OR R03_PAST30DAY_SNUS_LEVEL = 2 OR R03_PAST30DAY_SMKLS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.3 %
2	2 = No	563	4.8 %
	Total	594	5.0%

This variable has 594 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	36	0.3 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	11173	94.6 %
	Total	11,220	95.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9361-9368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0678: In past 30 days, received a free sample of an e-cigarette or other electronic nicotine product

In the past 30 days, have you gotten a free sample of an e-cigarette or other electronic nicotine product (including e-liquid)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	90	0.8 %
2	2 = No	11659	98.7 %
	Total	11,749	99.4%

This variable has 11,749 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	36	0.3 %
-7	-7 = Refused	29	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	65	0.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9369-9376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0182: In past 30 days, how often visited a convenience store, small market, or liquor store

In the past 30 days, how often did you visit a convenience store, small market, or liquor store?

[If Not at all (1), Go to R03_YX0203.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	4395	37.2 %
2	2 = Once in the past 30 days	1501	12.7 %
3	3 = 2-3 times in the past 30 days	2333	19.7 %
4	4 = Once a week	1615	13.7 %
5	5 = 2-3 times per week	1236	10.5 %
6	6 = Almost every day	572	4.8 %
	Total	11,652	98.6%

This variable has 11,652 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	125	1.1 %
-7	-7 = Refused	37	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	162	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9377-9384 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0183: In past 30 days, how often noticed ads for e-cigarettes or other electronic nicotine products when visiting convenience stores, small markets, or liquor stores

In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for e-cigarettes or other electronic nicotine products?

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R03_YX0182 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1131	9.6 %
2	2 = Rarely	1728	14.6 %
3	3 = Sometimes	2379	20.1 %
4	4 = Often	2101	17.8 %
	Total	7,339	62.1%

This variable has 7,339 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	54	0.5 %
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	4395	37.2 %
	Total	4,475	37.9%

Percentages for both tables are based on 11,814 total cases.

Location: 9385-9392 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0203_01: In past 30 days, has noticed e-cigarettes or other electronic nicotine products being advertised: Haven't seen any advertisements

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

I haven't see any advertisements in the past 30 days

ASK: All youth respondents.

[PROGRAM NOTE: If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4325	36.6 %
2	2 = Not Marked	7233	61.2 %
	Total	11,558	97.8%

This variable has 11,558 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	199	1.7 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	256	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9393-9400 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0203_02: In past 30 days, has noticed e-cigarettes or other electronic nicotine products being advertised: At gas stations, convenience stores or other retail stores

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5822	49.3 %
2	2 = Not Marked	5736	48.6 %
	Total	11,558	97.8%

This variable has 11,558 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	199	1.7 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	256	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9401-9408 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0203_03: In past 30 days, has noticed e-cigarettes or other electronic nicotine products being advertised: On billboards

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On billboards

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2435	20.6 %
2	2 = Not Marked	9123	77.2 %
	Total	11,558	97.8%

This variable has 11,558 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	199	1.7 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	256	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9409-9416 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0203_04: In past 30 days, has noticed e-cigarettes or other electronic nicotine products being advertised: In newspapers or magazines

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

In newspapers or magazines

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2028	17.2 %
2	2 = Not Marked	9530	80.7 %
	Total	11,558	97.8%

This variable has 11,558 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	199	1.7 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	256	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9417-9424 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0203_05: In past 30 days, has noticed e-cigarettes or other electronic nicotine products being advertised: On radio

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On radio

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	980	8.3 %
2	2 = Not Marked	10578	89.5 %
	Total	11,558	97.8%

This variable has 11,558 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	199	1.7 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	256	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9425-9432 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0203_06: In past 30 days, has noticed e-cigarettes or other electronic nicotine products being advertised: On television

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On television

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2902	24.6 %
2	2 = Not Marked	8656	73.3 %
	Total	11,558	97.8%

This variable has 11,558 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	199	1.7 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	256	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9433-9440 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0203_07: In past 30 days, has noticed e-cigarettes or other electronic nicotine products being advertised: At events such as fairs, festivals, or sporting events

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At events such as fairs, festivals, or sporting events

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	632	5.3 %
2	2 = Not Marked	10926	92.5 %
	Total	11,558	97.8%

This variable has 11,558 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	199	1.7 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	256	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9441-9448 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0203_08: In past 30 days, has noticed e-cigarettes or other electronic nicotine products being advertised: At nightclubs, bars, or music concerts

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	517	4.4 %
2	2 = Not Marked	11041	93.5 %
	Total	11,558	97.8%

This variable has 11,558 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	199	1.7 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	256	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9449-9456 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0203_09: In past 30 days, has noticed e-cigarettes or other electronic nicotine products being advertised: On websites or social media sites

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On websites or social media sites

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2493	21.1 %
2	2 = Not Marked	9065	76.7 %
	Total	11,558	97.8%

This variable has 11,558 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	199	1.7 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	256	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9457-9464 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0203_10: In past 30 days, has noticed e-cigarettes or other electronic nicotine products being advertised: Somewhere else

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

Somewhere else (SPECIFY)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	164	1.4 %
2	2 = Not Marked	11394	96.4 %
	Total	11,558	97.8%

This variable has 11,558 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	199	1.7 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	256	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9465-9472 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0709: Has a favorite e-cigarette or electronic nicotine product advertisement

Do you have a favorite e-cigarette or electronic nicotine product advertisement?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	210	1.8 %
2	2 = No	11547	97.7 %

Value	Label	Unweighted Frequency	%
	Total	11,757	99.5%

This variable has 11,757 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	32	0.3 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	57	0.5%

Percentages for both tables are based on 11,814 total cases.

Location: 9473-9480 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0481: In past 30 days, obtained a free sample of a tobacco product

In the past 30 days, have you gotten a free sample of a tobacco product (not including e-cigarettes or electronic nicotine products)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	57	0.5 %
2	2 = No	11705	99.1 %
	Total	11,762	99.6%

This variable has 11,762 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	18	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	52	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9481-9488 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0178: In past 30 days, how often noticed tobacco ads when visiting convenience stores, small markets, or liquor stores

[BOX ID: R03_YXR24 - Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days, go to R03_YX0178. Else, go to R03_YX0677.

IF R03_YX0182 != 1, GO TO R03_YX0178. ELSE, GO TO R03_YX0677.]

In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products)?

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R03_YX0182 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1425	12.1 %
2	2 = Rarely	1751	14.8 %
3	3 = Sometimes	2324	19.7 %
4	4 = Often	1856	15.7 %
	Total	7,356	62.3%

This variable has 7,356 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	45	0.4 %
-7	-7 = Refused	18	0.2 %
-1	-1 = Inapplicable	4395	37.2 %
	Total	4,458	37.7%

Percentages for both tables are based on 11,814 total cases.

Location: 9489-9496 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0677_01: In past 30 days, noticed cigarettes or other tobacco products being advertised: Haven't seen any advertisements

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

I haven't seen any advertisements in the past 30 days

ASK: All youth respondents.

[PROGRAM NOTE: If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4651	39.4 %
2	2 = Not Marked	6914	58.5 %
	Total	11,565	97.9%

This variable has 11,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9497-9504 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0677_02: In past 30 days, noticed cigarettes or other tobacco products being advertised: At gas stations, convenience stores, or other retail stores

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	5720	48.4 %
2	2 = Not Marked	5845	49.5 %

Value	Label	Unweighted Frequency	%
	Total	11,565	97.9%

This variable has 11,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9505-9512 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0677_03: In past 30 days, noticed cigarettes or other tobacco products being advertised: On billboards

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On billboards

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2218	18.8 %
2	2 = Not Marked	9347	79.1 %
	Total	11,565	97.9%

This variable has 11,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9513-9520 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0677_04: In past 30 days, noticed cigarettes or other tobacco products being advertised: In newspapers or magazines

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

In newspapers or magazines

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1821	15.4 %
2	2 = Not Marked	9744	82.5 %
	Total	11,565	97.9%

This variable has 11,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9521-9528 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0677_05: In past 30 days, noticed cigarettes or other tobacco products being advertised: On radio

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On radio

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	865	7.3 %
2	2 = Not Marked	10700	90.6 %
	Total	11,565	97.9%

This variable has 11,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9529-9536 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0677_06: In past 30 days, noticed cigarettes or other tobacco products being advertised: On television

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On television

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2465	20.9 %
2	2 = Not Marked	9100	77.0 %
	Total	11,565	97.9%

This variable has 11,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9537-9544 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0677_07: In past 30 days, noticed cigarettes or other tobacco products being advertised: At events such as fairs, festivals, or sporting events

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

At events such as fairs, festivals, or sporting events

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	542	4.6 %
2	2 = Not Marked	11023	93.3 %
	Total	11,565	97.9%

This variable has 11,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9545-9552 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0677_08: In past 30 days, noticed cigarettes or other tobacco products being advertised: At nightclubs, bars, or music concerts

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	410	3.5 %
2	2 = Not Marked	11155	94.4 %
	Total	11,565	97.9%

This variable has 11,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9553-9560 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0677_09: In past 30 days, noticed cigarettes or other tobacco products being advertised: On websites or social media sites

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On websites or social media sites

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1971	16.7 %
2	2 = Not Marked	9594	81.2 %
	Total	11,565	97.9%

This variable has 11,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9561-9568 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0677_10: In past 30 days, noticed cigarettes or other tobacco products being advertised: Somewhere else

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

Somewhere else (SPECIFY)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	105	0.9 %
2	2 = Not Marked	11460	97.0 %
	Total	11,565	97.9%

This variable has 11,565 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9569-9576 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0710: Have a favorite tobacco advertisement

Do you have a favorite tobacco advertisement?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	215	1.8 %
2	2 = No	11552	97.8 %

Value	Label	Unweighted Frequency	%
	Total	11,767	99.6%

This variable has 11,767 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.3 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	47	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9577-9584 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0234: In past 12 months, seen or heard ads on television, the internet, or radio with the following slogan: A Tip From a Former Smoker

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"A Tip From a Former Smoker"

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5089	43.1 %
2	2 = No	4959	42.0 %
3	3 = I don't know	1742	14.7 %
	Total	11,790	99.8%

This variable has 11,790 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	24	0.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9585-9592 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0235: In past 12 months, seen or heard ads on television, the internet, or radio with the following slogan: Truth 'Finish It'

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

[DISPLAY IMAGE OF TRUTH 'FINISH IT' CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5618	47.6 %
2	2 = No	4818	40.8 %
3	3 = I don't know	1347	11.4 %
	Total	11,783	99.7%

This variable has 11,783 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	31	0.3%

Percentages for both tables are based on 11,814 total cases.

Location: 9593-9600 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0728: In past 12 months, seen or heard ads on television, the internet, or radio with the following slogan: Know the real costs (Real Cost)

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Know the real costs."

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8894	75.3 %
2	2 = No	2209	18.7 %
3	3 = I don't know	693	5.9 %
	Total	11,796	99.8%

This variable has 11,796 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	18	0.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9601-9608 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0674: In past 12 months, seen or heard ads on television, the internet, or radio with the following slogan: Cigarettes are Bullies, Don't let tobacco control you (Real Cost Campaign)

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Cigarettes are Bullies. Don't let tobacco control you."

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9103	77.1 %
2	2 = No	2060	17.4 %
3	3 = I don't know	627	5.3 %
	Total	11,790	99.8%

This variable has 11,790 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	24	0.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9609-9616 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0713: In past 12 months, seen or heard ads on television, the internet, or radio with the following slogan: Keep it Fresh. Live Tobacco-Free (Fresh Empire)

In the past 12 months, have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Keep it Fresh. Live Tobacco-Free."

[DISPLAY IMAGE OF FRESH EMPIRE LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1451	12.3 %
2	2 = No	9008	76.2 %
3	3 = I don't know	1331	11.3 %
	Total	11,790	99.8%

This variable has 11,790 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	24	0.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9617-9624 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0008: General perception: Most people disapprove of smoking cigarettes

In general, do you think most people disapprove of smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2559	21.7 %
2	2 = Probably yes	5885	49.8 %
3	3 = Probably not	2364	20.0 %
4	4 = Definitely not	727	6.2 %
	Total	11,535	97.6%

This variable has 11,535 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	257	2.2 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	279	2.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9625-9632 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0012: General perception: Most people disapprove of e-cigarettes or electronic nicotine products

In general, do you think most people disapprove of using e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	1596	13.5 %
2	2 = Probably yes	5090	43.1 %
3	3 = Probably not	3892	32.9 %
4	4 = Definitely not	905	7.7 %
	Total	11,483	97.2%

This variable has 11,483 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	307	2.6 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	331	2.8%

Percentages for both tables are based on 11,814 total cases.

Location: 9633-9640 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0071: People who are important to you: Their views on tobacco use in general

[BOX ID: R03_YXR37 - Youth respondents who are past year tobacco users, go to R03_YX0071. Else, go to Box R03_YXD89.]

IF R03_PASTYEAR_TOB_USE = 1, 2, 3, GO TO R03_YX0071.
ELSE, GO TO BOX R03_YXD89.]

Thinking about the people who are important to you, how would you describe their views on using tobacco in general?

ASK: Youth respondents who are past year tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	51	0.4 %
2	2 = Positive	135	1.1 %
3	3 = Neither positive nor negative	590	5.0 %
4	4 = Negative	550	4.7 %
5	5 = Very negative	402	3.4 %
	Total	1,728	14.6%

This variable has 1,728 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	10058	85.1 %
	Total	10,086	85.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9641-9648 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YC1143: People who are important to you: Their views on smoking cigarettes

Thinking about the people who are important to you, how would you describe their views on the following?

Smoking cigarettes

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	363	3.1 %
2	2 = Positive	583	4.9 %
3	3 = Neither positive nor negative	1684	14.3 %
4	4 = Negative	2436	20.6 %
5	5 = Very negative	6534	55.3 %
	Total	11,600	98.2%

This variable has 11,600 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	158	1.3 %
-7	-7 = Refused	56	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	214	1.8%

Percentages for both tables are based on 11,814 total cases.

Location: 9649-9656 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YV1143: People who are important to you: Their views on using e-cigarettes or other electronic nicotine products

Thinking about the people who are important to you, how would you describe their views on the following?

Using e-cigarettes or other electronic nicotine products

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	255	2.2 %
2	2 = Positive	534	4.5 %
3	3 = Neither positive nor negative	2128	18.0 %
4	4 = Negative	2568	21.7 %
5	5 = Very negative	6126	51.9 %
	Total	11,611	98.3%

This variable has 11,611 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	156	1.3 %
-7	-7 = Refused	47	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	203	1.7%

Percentages for both tables are based on 11,814 total cases.

Location: 9657-9664 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YG1143: People who are important to you: Their views on smoking traditional cigars, cigarillos, or filtered cigars

Thinking about the people who are important to you, how would you describe their views on the following?

Smoking traditional cigars, cigarillos, or filtered cigars

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	203	1.7 %
2	2 = Positive	320	2.7 %
3	3 = Neither positive nor negative	1735	14.7 %
4	4 = Negative	2562	21.7 %
5	5 = Very negative	6787	57.4 %
	Total	11,607	98.2%

This variable has 11,607 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	159	1.3 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	207	1.8%

Percentages for both tables are based on 11,814 total cases.

Location: 9665-9672 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YH1143: People who are important to you: Their views on smoking shisha or hookah tobacco

Thinking about the people who are important to you, how would you describe their views on the following?

Smoking shisha or hookah tobacco

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	181	1.5 %
2	2 = Positive	231	2.0 %
3	3 = Neither positive nor negative	1578	13.4 %
4	4 = Negative	2477	21.0 %
5	5 = Very negative	7117	60.2 %
	Total	11,584	98.1%

This variable has 11,584 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	167	1.4 %
-7	-7 = Refused	63	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	230	1.9%

Percentages for both tables are based on 11,814 total cases.

Location: 9673-9680 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YU1143: People who are important to you: Their views on using snus pouches

Thinking about the people who are important to you, how would you describe their views on the following?

Using snus pouches

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	175	1.5 %
2	2 = Positive	133	1.1 %
3	3 = Neither positive nor negative	1337	11.3 %
4	4 = Negative	2402	20.3 %
5	5 = Very negative	7546	63.9 %
	Total	11,593	98.1%

This variable has 11,593 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	163	1.4 %
-7	-7 = Refused	58	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	221	1.9%

Percentages for both tables are based on 11,814 total cases.

Location: 9681-9688 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YS1143: People who are important to you: Their views on other types of smokeless tobacco

Thinking about the people who are important to you, how would you describe their views on the following?

Using other types of smokeless tobacco (such as dip, spit, or chew)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	219	1.9 %

Value	Label	Unweighted Frequency	%
2	2 = Positive	273	2.3 %
3	3 = Neither positive nor negative	1477	12.5 %
4	4 = Negative	2359	20.0 %
5	5 = Very negative	7293	61.7 %
	Total	11,621	98.4%

This variable has 11,621 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	142	1.2 %
-7	-7 = Refused	51	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	193	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9689-9696 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0741_01: People who are important to you use: Cigarettes

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Cigarettes

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	4033	34.1 %
2	2 = Not Marked	7597	64.3 %
	Total	11,630	98.4%

This variable has 11,630 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9697-9704 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0741_02: People who are important to you use: E-cigarettes or other electronic nicotine products

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1610	13.6 %
2	2 = Not Marked	10020	84.8 %
	Total	11,630	98.4%

This variable has 11,630 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9705-9712 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0741_03: People who are important to you use: Traditional Cigars

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Traditional cigars

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	550	4.7 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	11080	93.8 %
	Total	11,630	98.4%

This variable has 11,630 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9713-9720 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0741_04: People who are important to you use: Cigarillos

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Cigarillos

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	408	3.5 %
2	2 = Not Marked	11222	95.0 %
	Total	11,630	98.4%

This variable has 11,630 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9721-9728 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0741_05: People who are important to you use: Filtered Cigars

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Filtered cigars

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	204	1.7 %
2	2 = Not Marked	11426	96.7 %
	Total	11,630	98.4%

This variable has 11,630 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9729-9736 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0741_06: People who are important to you use: Pipe tobacco

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Pipe tobacco

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	196	1.7 %
2	2 = Not Marked	11434	96.8 %
	Total	11,630	98.4%

This variable has 11,630 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9737-9744 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0741_07: People who are important to you use: Shisha or hookah tobacco

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Shisha or hookah tobacco

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	373	3.2 %
2	2 = Not Marked	11257	95.3 %
	Total	11,630	98.4%

This variable has 11,630 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9745-9752 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0741_08: People who are important to you use: Snus pouches

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Snus pouches

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	188	1.6 %
2	2 = Not Marked	11442	96.9 %
	Total	11,630	98.4%

This variable has 11,630 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9753-9760 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0741_09: People who are important to you use: Other types of smokeless tobacco

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Other types of smokeless tobacco (such as dip, spit or chew)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1033	8.7 %
2	2 = Not Marked	10597	89.7 %
	Total	11,630	98.4%

This variable has 11,630 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	1.1 %
-7	-7 = Refused	52	0.4 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9761-9768 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0741_10: People who are important to you use: None of the above

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

None of the above

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6535	55.3 %
2	2 = Not Marked	5095	43.1 %
	Total	11,630	98.4%

This variable has 11,630 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9769-9776 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0680: How many of your best friends smoke cigarettes

How many of your best friends smoke cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	9307	78.8 %
2	2 = A few	1728	14.6 %
3	3 = Some	468	4.0 %
4	4 = Most	162	1.4 %
5	5 = All	76	0.6 %
	Total	11,741	99.4%

This variable has 11,741 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	61	0.5 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	73	0.6%

Percentages for both tables are based on 11,814 total cases.

Location: 9777-9784 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0681: How many of your best friends use e-cigarettes

How many of your best friends use e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	9164	77.6 %
2	2 = A few	1757	14.9 %
3	3 = Some	533	4.5 %
4	4 = Most	206	1.7 %
5	5 = All	73	0.6 %
	Total	11,733	99.3%

This variable has 11,733 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	68	0.6 %

	Missing Data		
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	81	0.7%

Percentages for both tables are based on 11,814 total cases.

Location: 9785-9792 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0682: How many of your best friends smoke traditional cigars

How many of your best friends smoke traditional cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10899	92.3 %
2	2 = A few	574	4.9 %
3	3 = Some	155	1.3 %
4	4 = Most	57	0.5 %
5	5 = All	41	0.3 %
	Total	11,726	99.3%

This variable has 11,726 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	70	0.6 %
-7	-7 = Refused	18	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	88	0.7%

Percentages for both tables are based on 11,814 total cases.

Location: 9793-9800 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0683: How many of your best friends smoke cigarillos

How many of your best friends smoke cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10849	91.8 %
2	2 = A few	521	4.4 %
3	3 = Some	191	1.6 %
4	4 = Most	94	0.8 %
5	5 = All	58	0.5 %
	Total	11,713	99.1%

This variable has 11,713 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	84	0.7 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	101	0.9%

Percentages for both tables are based on 11,814 total cases.

Location: 9801-9808 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0684: How many of your best friends smoke filtered cigars

How many of your best friends smoke filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11079	93.8 %
2	2 = A few	412	3.5 %
3	3 = Some	126	1.1 %
4	4 = Most	62	0.5 %
5	5 = All	38	0.3 %
	Total	11,717	99.2%

This variable has 11,717 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	80	0.7 %
-7	-7 = Refused	17	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	97	0.8%

Percentages for both tables are based on 11,814 total cases.

Location: 9809-9816 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0693: How many best friends use snus pouches

How many of your best friends use snus pouches?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11158	94.4 %
2	2 = A few	353	3.0 %
3	3 = Some	129	1.1 %
4	4 = Most	41	0.3 %
5	5 = All	40	0.3 %
	Total	11,721	99.2%

This variable has 11,721 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	71	0.6 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	93	0.8%

Percentages for both tables are based on 11,814 total cases.

Location: 9817-9824 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0685: How many of your best friends use smokeless tobacco

How many of your best friends use other types of smokeless tobacco (such as dip, spit, or chew)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10322	87.4 %
2	2 = A few	925	7.8 %
3	3 = Some	277	2.3 %
4	4 = Most	140	1.2 %
5	5 = All	59	0.5 %
	Total	11,723	99.2%

This variable has 11,723 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	72	0.6 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	91	0.8%

Percentages for both tables are based on 11,814 total cases.

Location: 9825-9832 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0742: In past 12 months, disapproval of close friends and family led to thoughts about quitting

[PROGRAM NOTE: See Box R03_YXV04 and R03_YXR40 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

In the past 12 months, to what extent, if at all, has the disapproval of close friends and family led you to think about quitting?

[Go to R03_YX0714.]

ASK: Youth respondents who are past year "not light" tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	537	4.5 %
2	2 = Somewhat	267	2.3 %
3	3 = Very much	196	1.7 %
	Total	1,000	8.5%

This variable has 1,000 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	7	0.1 %
-8	-8 = Don't know	88	0.7 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	10699	90.6 %
	Total	10,814	91.5%

Percentages for both tables are based on 11,814 total cases.

Location: 9833-9840 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0743: In past 12 months, disapproval of close friends and family led to thoughts about not using

In the past 12 months, to what extent, if at all, has the disapproval of close friends and family led you to think about not using?

ASK: Youth respondents who are past year "very light" tobacco users.

ASK Specification: IF R03_PASTYEAR_TOB_USE_LEVEL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	281	2.4 %
2	2 = Somewhat	165	1.4 %
3	3 = Very much	171	1.4 %
	Total	617	5.2%

This variable has 617 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11173	94.6 %
	Total	11,197	94.8%

Percentages for both tables are based on 11,814 total cases.

Location: 9841-9848 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0714: In past 12 months, parents talked with you about not using e-cigarettes or other electronic nicotine products

In the past 12 months, have your parents or guardians talked with you, even once, about not using e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4527	38.3 %
2	2 = No	7121	60.3 %
	Total	11,648	98.6%

This variable has 11,648 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	130	1.1 %
-7	-7 = Refused	36	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	166	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 9849-9856 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0694: Parents reaction if they found out you used e-cigarettes or other electronic nicotine products

If your parents or guardians found you using e-cigarettes or other electronic nicotine products, how do you think they would react? Would they . . . ?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Be very upset	10464	88.6 %
2	2 = Not be too upset	800	6.8 %
3	3 = Have no reaction	421	3.6 %
	Total	11,685	98.9%

This variable has 11,685 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	98	0.8 %
-7	-7 = Refused	31	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	129	1.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9857-9864 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0500: In past 12 months, parents or guardians talked with you, even once, about not using any type of tobacco product

In the past 12 months, have your parents or guardians talked with you, even once, about not using any other type of tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4900	41.5 %
2	2 = No	6762	57.2 %
	Total	11,662	98.7%

This variable has 11,662 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	121	1.0 %
-7	-7 = Refused	31	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	152	1.3%

Percentages for both tables are based on 11,814 total cases.

Location: 9865-9872 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0200: Reaction if parent/guardian found you using tobacco

If your parents or guardians found you using tobacco, how do you think they would react? Would they . . . ?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Be very upset	10830	91.7 %
2	2 = Not be too upset	501	4.2 %
3	3 = Have no reaction	371	3.1 %
	Total	11,702	99.1%

This variable has 11,702 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	84	0.7 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	112	0.9%

Percentages for both tables are based on 11,814 total cases.

Location: 9873-9880 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0715: Level of ease for youth to buy e-cigarettes or other electronic nicotine products

How easy do you think it is for people your age to buy e-cigarettes or other electronic nicotine products in a store?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very easy	1519	12.9 %
2	2 = Somewhat easy	3231	27.3 %
3	3 = Somewhat difficult	3316	28.1 %
4	4 = Very difficult	3417	28.9 %
	Total	11,483	97.2%

This variable has 11,483 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	292	2.5 %

	Missing Data		
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	331	2.8%

Percentages for both tables are based on 11,814 total cases.

Location: 9881-9888 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0716: In next 30 days, likely to purchase e-cigarettes or electronic nicotine products

How likely is it that you will try to purchase an e-cigarette or other electronic nicotine products within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	10114	85.6 %
2	2 = Somewhat unlikely	405	3.4 %
3	3 = Neither likely nor unlikely	613	5.2 %
4	4 = Somewhat likely	220	1.9 %
5	5 = Very likely	317	2.7 %
	Total	11,669	98.8%

This variable has 11,669 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	106	0.9 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	145	1.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9889-9896 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0499: How easy you think it is for people your age to buy tobacco products in a store

How easy do you think it is for people your age to buy tobacco products in a store?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very easy	1111	9.4 %
2	2 = Somewhat easy	2441	20.7 %
3	3 = Somewhat difficult	3463	29.3 %
4	4 = Very difficult	4516	38.2 %
	Total	11,531	97.6 %

This variable has 11,531 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	247	2.1 %
-7	-7 = Refused	36	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	283	2.4 %

Percentages for both tables are based on 11,814 total cases.

Location: 9897-9904 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0501: In next 30 days, likeliness that you will try to purchase cigarettes

How likely is it that you will try to purchase cigarettes within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	10531	89.1 %
2	2 = Somewhat unlikely	234	2.0 %
3	3 = Neither likely nor unlikely	475	4.0 %
4	4 = Somewhat likely	155	1.3 %
5	5 = Very likely	293	2.5 %
	Total	11,688	98.9 %

This variable has 11,688 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	86	0.7 %
-7	-7 = Refused	40	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	126	1.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9905-9912 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0502: In next 30 days, likeliness that you will try to purchase tobacco products other than cigarettes

How likely is it that you will try to purchase tobacco products other than cigarettes within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	10564	89.4 %
2	2 = Somewhat unlikely	260	2.2 %
3	3 = Neither likely nor unlikely	470	4.0 %
4	4 = Somewhat likely	166	1.4 %
5	5 = Very likely	221	1.9 %
	Total	11,681	98.9%

This variable has 11,681 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	93	0.8 %
-7	-7 = Refused	40	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	133	1.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9913-9920 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0161: Last time you had significant problems with: Feeling very trapped, lonely, sad, blue, depressed or hopeless about the future

[Box ID R03_YX0488 - The next questions are about common

psychological, behavioral, and personal problems. These problems are considered significant when you have them for two or more weeks, when they keep coming back, when they keep you from meeting your responsibilities, or when they make you feel like you can't go on.

After each of the following questions, please tell us the last time, if ever, you had the problem, by answering whether it was in the past month, 2-12 months ago, over a year ago, or never.]

When was the last time that you had significant problems with . . .

Feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3128	26.5 %
2	2 = 2 to 12 months ago	1643	13.9 %
3	3 = Over a year ago	1238	10.5 %
4	4 = Never	5651	47.8 %
	Total	11,660	98.7%

This variable has 11,660 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	93	0.8 %
-7	-7 = Refused	61	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	154	1.3%

Percentages for both tables are based on 11,814 total cases.

Location: 9921-9928 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0162: Last time you had significant problems with: Sleep trouble - such as bad dreams, sleeping restlessly or falling asleep during the day

When was the last time that you had significant problems with . . .

Sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3988	33.8 %
2	2 = 2 to 12 months ago	1483	12.6 %
3	3 = Over a year ago	1052	8.9 %
4	4 = Never	5173	43.8 %
	Total	11,696	99.0%

This variable has 11,696 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	77	0.7 %
-7	-7 = Refused	41	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	118	1.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9929-9936 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0163: Last time you had significant problems with: Feeling very anxious, nervous, tense, scared, panicked or like something bad was going to happen

When was the last time that you had significant problems with . . .

Feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4027	34.1 %
2	2 = 2 to 12 months ago	1595	13.5 %
3	3 = Over a year ago	980	8.3 %
4	4 = Never	5099	43.2 %
	Total	11,701	99.0%

This variable has 11,701 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.6 %
-7	-7 = Refused	46	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	113	1.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9937-9944 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0164: Last time you had significant problems with: Becoming very distressed and upset when something reminded you of the past

When was the last time that you had significant problems with . . .

Becoming very distressed and upset when something reminded you of the past?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3148	26.6 %
2	2 = 2 to 12 months ago	1546	13.1 %
3	3 = Over a year ago	1070	9.1 %
4	4 = Never	5912	50.0 %
	Total	11,676	98.8%

This variable has 11,676 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	87	0.7 %
-7	-7 = Refused	51	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	138	1.2%

Percentages for both tables are based on 11,814 total cases.

Location: 9945-9952 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0165: Last time you did the following two or more times: Lied or conned to get things you wanted or to avoid having to do something

When was the last time that you did any of the following things two or more times . . .

Lied or conned to get things you wanted or to avoid having to do something?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	2924	24.8 %
2	2 = 2 to 12 months ago	1961	16.6 %
3	3 = Over a year ago	1456	12.3 %
4	4 = Never	5264	44.6 %
	Total	11,605	98.2%

This variable has 11,605 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	134	1.1 %
-7	-7 = Refused	75	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	Total	209	1.8%

Percentages for both tables are based on 11,814 total cases.

Location: 9953-9960 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0166: Last time you did the following two or more times: Had a hard time paying attention at school, work or home

When was the last time that you did any of the following things two or more times . . .

Had a hard time paying attention at school, work, or home?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3700	31.3 %

Value	Label	Unweighted Frequency	%
2	2 = 2 to 12 months ago	1908	16.2 %
3	3 = Over a year ago	1000	8.5 %
4	4 = Never	5085	43.0 %
	Total	11,693	99.0%

This variable has 11,693 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.7 %
-7	-7 = Refused	43	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	121	1.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9961-9968 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0167: Last time you did the following two or more times: Had a hard time listening to instructions at school, work or home

When was the last time that you did any of the following things two or more times . . .

Had a hard time listening to instructions at school, work, or home?

ASK Specification:

Value	Label	Unweighted Frequency	%
1	1 = Past month	2977	25.2 %
2	2 = 2 to 12 months ago	1631	13.8 %
3	3 = Over a year ago	1063	9.0 %
4	4 = Never	6016	50.9 %
	Total	11,687	98.9%

This variable has 11,687 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	87	0.7 %

	Missing Data		
-7	-7 = Refused	40	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	127	1.1%

Percentages for both tables are based on 11,814 total cases.

Location: 9969-9976 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0168: Last time you did the following two or more times: Were a bully or threatened other people

When was the last time that you did any of the following things two or more times . . .

Were a bully or threatened other people?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	567	4.8 %
2	2 = 2 to 12 months ago	558	4.7 %
3	3 = Over a year ago	1125	9.5 %
4	4 = Never	9441	79.9 %
	Total	11,691	99.0%

This variable has 11,691 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	76	0.6 %
-7	-7 = Refused	47	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	123	1.0%

Percentages for both tables are based on 11,814 total cases.

Location: 9977-9984 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0169: Last time you did the following two or more times: Started physical fights with other people

When was the last time that you did any of the following

things two or more times . . .

Started physical fights with other people?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	433	3.7 %
2	2 = 2 to 12 months ago	610	5.2 %
3	3 = Over a year ago	1082	9.2 %
4	4 = Never	9603	81.3 %
	Total	11,728	99.3%

This variable has 11,728 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	45	0.4 %
-7	-7 = Refused	41	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	86	0.7%

Percentages for both tables are based on 11,814 total cases.

Location: 9985-9992 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0250: Last time you did the following two or more times: Felt restless or the need to run around or climb on things

When was the last time that you did any of the following things two or more times . . .

Felt restless or the need to run around or climb on things?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	2391	20.2 %
2	2 = 2 to 12 months ago	1187	10.0 %
3	3 = Over a year ago	867	7.3 %
4	4 = Never	7262	61.5 %
	Total	11,707	99.1%

This variable has 11,707 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	75	0.6 %
-7	-7 = Refused	32	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	107	0.9%

Percentages for both tables are based on 11,814 total cases.

Location: 9993-10000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0251: Last time you did the following two or more times: Gave answers before the other person finished asking the question

When was the last time that you did any of the following things two or more times . . .

Gave answers before the other person finished asking the question?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3957	33.5 %
2	2 = 2 to 12 months ago	1496	12.7 %
3	3 = Over a year ago	747	6.3 %
4	4 = Never	5423	45.9 %
	Total	11,623	98.4%

This variable has 11,623 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	154	1.3 %
-7	-7 = Refused	37	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	191	1.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10001-10008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0510_NB: Agree/disagree: Like to do frightening things

[Box ID: R03_YXR34 - New baseline youth respondents, go to R03_YX0510_NB. Else, go to Box R03_YXR05.

IF R03_YOUTHTYPE = 2, GO TO R03_YX0510_NB. ELSE, GO TO BOX R03_YXR05]

Please answer how much you agree or disagree with each of the following statements:

I like to do frightening things.

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	89	0.8 %
2	2 = Agree	245	2.1 %
3	3 = Neither agree nor disagree	457	3.9 %
4	4 = Disagree	442	3.7 %
5	5 = Strongly disagree	767	6.5 %
	Total	2,000	16.9%

This variable has 2,000 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,814	83.1%

Percentages for both tables are based on 11,814 total cases.

Location: 10009-10016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0515_NB: Agree/disagree: Like new and exciting experiences, even if I have to break the rules

I like new and exciting experiences, even if I have to break the rules. Do you . . .

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	100	0.8 %
2	2 = Agree	222	1.9 %
3	3 = Neither agree nor disagree	497	4.2 %
4	4 = Disagree	545	4.6 %
5	5 = Strongly disagree	646	5.5 %
	Total	2,010	17.0%

This variable has 2,010 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,804	83.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10017-10024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0520_NB: Agree/disagree: Prefer friends who are exciting and unpredictable

I prefer friends who are exciting and unpredictable. Do you . . .

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	233	2.0 %
2	2 = Agree	444	3.8 %
3	3 = Neither agree nor disagree	711	6.0 %
4	4 = Disagree	322	2.7 %
5	5 = Strongly disagree	283	2.4 %
	Total	1,993	16.9%

This variable has 1,993 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	41	0.3 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,821	83.1%

Percentages for both tables are based on 11,814 total cases.

Location: 10025-10032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0084_NB: Ever used alcohol at all

[BOX ID: R03_YXR05 - New baseline youth respondents, go to R03_YX0084_NB.

Continuing youth respondents, go to R03_YX0084_12M.

IF R03_YOUTHTYPE = 2, GO TO R03_YX0084_NB. ELSE, GO TO R03_YX0084_12M.]

The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

Have you ever used alcohol at all, including sips of someone's drink or your own drink?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YXR06.]

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	269	2.3 %
2	2 = No	1741	14.7 %
	Total	2,010	17.0%

This variable has 2,010 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,804	83.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10033-10040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YX0086_NB: DERIVED - Age range when first drank alcohol at all (3 levels)

Long Description: About how old were you when you first drank alcohol at all, counting small tastes or sips?

Algorithm: IF R03_YX0087_NB = 1 OR (0 <= R03_YX0086_NB <= 11) THEN
R03R_Y_YX0086_NB = 1 ; ELSE IF R03_YX0087_NB = 2 OR (12 <= R03_YX0086_NB <= 14) THEN
R03R_Y_YX0086_NB = 2 ; ELSE IF R03_YX0087_NB = 3 OR (15 <= R03_YX0086_NB <= 17) THEN
R03R_Y_YX0086_NB = 3 ; ELSE IF R03_YX0087_NB = -9 OR R03_YX0086_NB = -9 THEN
R03R_Y_YX0086_NB = -99999; ELSE IF R03_YX0087_NB = -8 OR R03_YX0086_NB = -8 THEN
R03R_Y_YX0086_NB = -99988; ELSE IF R03_YX0087_NB = -7 OR R03_YX0086_NB = -7 THEN
R03R_Y_YX0086_NB = -99977; ELSE IF R03_YX0086_NB = -5 THEN R03R_Y_YX0086_NB = -99955;
ELSE IF R03_YX0087_NB = -1 OR R03_YX0086_NB = -1 THEN R03R_Y_YX0086_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	219	1.9 %
2	2 = 12 to 14 years old	48	0.4 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	267	2.3%

This variable has 267 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11545	97.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,547	97.7%

Percentages for both tables are based on 11,814 total cases.

Location: 10041-10048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03R_Y_YX0074_NB: DERIVED - Age range when had first alcoholic drink, other than small tastes or sips (3 levels)

Long Description: About how old were you when you had your first alcoholic drink, other than small tastes or sips?

Algorithm: IF R03_YX0270_NB = 1 OR (0 <= R03_YX0074_NB <= 11) THEN R03R_Y_YX0074_NB = 1; ELSE IF R03_YX0270_NB = 2 OR (12 <= R03_YX0074_NB <= 14) THEN R03R_Y_YX0074_NB = 2; ELSE IF R03_YX0270_NB = 3 OR (15 <= R03_YX0074_NB <= 17) THEN R03R_Y_YX0074_NB = 3; ELSE IF R03_YX0074_NB = -2 THEN R03R_Y_YX0074_NB = -2; ELSE IF R03_YX0270_NB = -9 OR R03_YX0074_NB = -9 THEN R03R_Y_YX0074_NB = -99999; ELSE IF R03_YX0270_NB = -8 OR R03_YX0074_NB = -8 THEN R03R_Y_YX0074_NB = -99988; ELSE IF R03_YX0270_NB = -7 OR R03_YX0074_NB = -7 THEN R03R_Y_YX0074_NB = -99977; ELSE IF R03_YX0074_NB = -5 THEN R03R_Y_YX0074_NB = -99955; ELSE IF R03_YX0270_NB = -1 OR R03_YX0074_NB = -1 THEN R03R_Y_YX0074_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	47	0.4 %
2	2 = 12 to 14 years old	20	0.2 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	67	0.6%

This variable has 67 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11545	97.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-2	-2 = I have never had an alcoholic drink other than small tastes or sips	202	1.7 %
	Total	11,747	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10049-10056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777 , -2

R03_YX0077_NB: At the age you first started drinking, did you also smoke cigarettes or use any other tobacco products

[BOX ID: R03_YXR26 - New baseline youth respondents who have ever used alcohol and have ever used tobacco, and whose age of first tobacco use precedes age of first alcohol use, go to R03_YX0077_NB. Else, go to R03_YX0673.

IF R03_YOUTHTYPE = 2 AND R03_YX0084_NB = 1 AND R03_EVER_USE_TOB = 1
AND R03_YX0074_NB > MIN VALID AGE IN (R03_YC1006_NB OR R03_YV1006_NB
OR R03_YG1006TC_NB OR R03_YG1006CL_NB OR R03_YG1006FC_NB OR
R03_YH1006_NB OR R03_YU1006_NB OR R03_YS1006_NB), GO TO R03_YX0077_NB.
ELSE, GO TO R03_YX0673]

When you first used alcohol when you were {AGE OF FIRST
ALCOHOL USE} years old, did you also [smoke cigarettes/use
tobacco products/smoke cigarettes or use other tobacco
products]?

ASK: New baseline youth respondents who have ever used alcohol
and have ever used tobacco, and whose age of first tobacco use
precedes age of first alcohol use.

[Go to R03_YX0673.]

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YX0084_NB = 1
AND R03_EVER_USE_TOB = 1 AND R03_YX0074_NB > MIN VALID AGE IN
(R03_YC1006_NB OR R03_YV1006_NB OR R03_YG1006TC_NB OR
R03_YG1006CL_NB OR R03_YG1006FC_NB OR R03_YH1006_NB OR
R03_YU1006_NB OR R03_YS1006_NB).

[DISPLAY: FILL {AGE OF ALCOHOL USE} WITH AGE REPORTED IN R03_YX0074_NB.
IF CIGARETTE-ONLY USER (R03_EVER_USE_CIGSONLY = 1), DISPLAY "smoke
cigarettes". ELSE, IF NON-CIGARETTE TOBACCO USER (R03_EVER_USE_TOBXCIGS = 1),
DISPLAY "use tobacco products". ELSE, IF CIGARETTE AND TOBACCO USER
(R03_EVER_USE_DUAL = 1), DISPLAY "smoke cigarettes or use other tobacco
products".]

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	5	0.0 %
	Total	6	0.1%

This variable has 6 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11808	99.9 %
	Total	11,808	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 10057-10064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0084_12M: In past 12 months, used alcohol at all

The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

In the past 12 months, have you used any alcohol, including small sips or tastes?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YXR06.]

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2428	20.6 %
2	2 = No	7289	61.7 %
	Total	9,717	82.2%

This variable has 9,717 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	30	0.3 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,097	17.8%

Percentages for both tables are based on 11,814 total cases.

Location: 10065-10072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0673: In past 30 days, used alcohol

Have you used alcohol in the past 30 days?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YXR06.]

ASK: New baseline youth respondents who have ever used alcohol, or continuing youth respondents who have used alcohol in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YX0084_NB = 1) OR (R03_YOUTHTYPE = 1 AND R03_YX0084_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1024	8.7 %
2	2 = No	1668	14.1 %
	Total	2,692	22.8%

This variable has 2,692 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9117	77.2 %
	Total	9,122	77.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10073-10080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0075: In past 30 days, number of days drank one or more alcoholic beverages

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

[If Don't Know (-8) or Refused (-7), Go to Box R03_YXR06.]

ASK: New baseline youth respondents who have ever used alcohol and have used alcohol in the past 30 days, or continuing youth respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YX0084_NB = 1 AND R03_YX0673 = 1) OR (R03_YOUTHTYPE = 1 AND R03_YX0084_12M = 1 AND R03_YX0673 = 1).

[Range: 1-30]

This variable has 997 valid cases out of 11,814 total cases.

- Mean: 3.57
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 4.85

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.2 %
-7	-7 = Refused	8	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	10790	91.3 %
	Total	10,817	91.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10081-10088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YX0076: In past 30 days, number of drinks usually consumed on days drank

On average, on those days that you drank in the past 30 days, how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

[If Don't Know (-8) or Refused (-7), Go to Box R03_YXR06.]

ASK: New baseline youth respondents who have ever used alcohol and have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days, or continuing youth respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YX0084_NB = 1 AND R03_YX0673 = 1 AND R03_YX0075 > 0) OR (R03_YOUTHTYPE = 1 AND R03_YX0084_12M = 1 AND R03_YX0673 = 1 AND R03_YX0075 > 0).

[Range: 0-90]

[CHECK ID: R03_YX0076_LC1 - The computer recorded that you usually drank [R03_YX0076] alcoholic beverages on the days that you drank during the last 30 days. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

IF 1 BACK, GO TO R03_YX0076. IF 2 NEXT, GO TO BOX R03_YXR06.

ASK: IF ((R03_YOUTHTYPE = 2 AND R03_YX0084_NB = 1 AND R03_YX0673 = 1 AND R03_YX0075 > 0) OR (R03_YOUTHTYPE = 1 AND R03_YX0084_12M = 1 AND R03_YX0673 = 1 AND R03_YX0075 > 0)) AND R03_YX0076 != -8, -7 AND R03_YX0076 > 30.

PROGRAM: TRIGGER CHECK IF R03_YX0076 > 30. ELSE, GO TO BOX R03_YXR06

AND DO NOT DISPLAY THIS SCREEN.]

This variable has 986 valid cases out of 11,814 total cases.

- Mean: 2.40
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 3.10

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	3	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	10817	91.6 %
	Total	10,828	91.7%

Percentages for both tables are based on 11,814 total cases.

Location: 10089-10096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R03_YX0085_NB: Ever used marijuana, hash, THC or grass

[BOX ID: R03_YXR06 - New baseline youth respondents who have not ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or did not know or refused to report if they had ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it, and who have not ever smoked marijuana from a hookah or did not know or refused to report if they had ever smoked marijuana from a hookah and who have not ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product or did not know or refused to report if they had ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product, go to R03_YX0085_NB. Else, new baseline youth respondents who have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product, go to R03_YX0079_NB. Else, continuing youth respondents who did not smoke part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report if they smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months, go to R03_YX0085_12M. Else, continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months, and are not past 30 day blunt-only traditional cigar, cigarillo or filtered cigar smokers, go to R03_YX0675. Else, go to Box R03_YXR28.

IF R03_YOUTHTYPE = 2 AND R03_YG9105_NB != 1 AND R03_YH9031 != 1 AND R03_YV9042 != 1, GO TO R03_YX0085_NB. ELSE, IF R03_YOUTHTYPE = 2 AND (R03_YG9105_NB = 1 OR R03_YH9031 = 1 OR R03_YV9042 = 1), GO TO R03_YX0079_NB. ELSE, IF R03_YOUTHTYPE = 1 AND R03_YG9107 != 1, GO TO R03_YX0085_12M. ELSE, IF R03_YOUTHTYPE = 1 AND R03_YG9107 = 1 AND R03_30DBLUNT_ONLY_BTRAD != 1 AND R03_30DBLUNT_ONLY_BRILLO != 1 AND R03_30DBLUNT_ONLY_BFILTR != 1, GO TO R03_YX0675. ELSE, GO TO BOX R03_YXR28.]

Have you ever used marijuana, hash, THC, grass, pot or weed?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YXD02.]

ASK: New baseline youth respondents who have not ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or did not know or refused to report if they had ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it, and who have not ever smoked marijuana from a hookah or did not know or refused to report if they had ever smoked marijuana from a hookah and who have not ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product or did not know or refused to report if they had ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YG9105_NB != 1 AND R03_YH9031 != 1 AND R03_YV9042 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	2004	17.0 %
	Total	2,006	17.0%

This variable has 2,006 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	6	0.1 %
-1	-1 = Inapplicable	9790	82.9 %
	Total	9,808	83.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10097-10104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YX0079_NB: DERIVED - Age range when first used marijuana, hash, THC or grass (3 levels)

Long Description: How old were you when you first used marijuana, hash, THC, grass, pot or weed?

Algorithm: IF R03_YX0271_NB = 1 OR (0 <= R03_YX0079_NB <= 11) THEN
R03R_Y_YX0079_NB = 1; ELSE IF R03_YX0271_NB = 2 OR (12 <= R03_YX0079_NB <= 14) THEN
R03R_Y_YX0079_NB = 2; ELSE IF R03_YX0271_NB = 3 OR (15 <= R03_YX0079_NB <= 17) THEN
R03R_Y_YX0079_NB = 3; ELSE IF R03_YX0271_NB = -9 OR R03_YX0079_NB = -9 THEN
R03R_Y_YX0079_NB = -99999; ELSE IF R03_YX0271_NB = -8 OR R03_YX0079_NB = -8 THEN
R03R_Y_YX0079_NB = -99988; ELSE IF R03_YX0271_NB = -7 OR R03_YX0079_NB = -7 THEN
R03R_Y_YX0079_NB = -99977; ELSE IF R03_YX0079_NB = -5 THEN R03R_Y_YX0079_NB = -99955;
ELSE IF R03_YX0271_NB = -1 OR R03_YX0079_NB = -1 THEN R03R_Y_YX0079_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	17	0.1 %
2	2 = 12 to 14 years old	5	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	22	0.2%

This variable has 22 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11791	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,792	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 10105-10112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YX0080_NB: At the age you first started using marijuana, hash, THC or grass, did you also smoke cigarettes or use any other tobacco products

[BOX ID: R0S_YXR27 - New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot or weed or have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product and have ever used tobacco, and whose age of first tobacco use precedes age of first

marijuana use, go to R03_YX0080_NB. Else, new baseline youth respondents who have ever used marijuana, hash, THC, grass, pot or weed or have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product, and are not past 30 day blunt-only traditional cigar, cigarillo or filtered cigar smokers, or continuing youth respondents who have used marijuana, hash, THS, grass, pot or weed in the past 12 months or have smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months, and are not past 30 day blunt-only traditional cigar, cigarillo or filtered cigar smokers, go to R03_YX0675. Else, go to Box R03_YXR28.

IF R03_YOUTHTYPE = 2 AND (R03_YX0085_NB = 1 OR R03_YG9105_NB = 1 OR R03_YH9031 = 1 OR R03_YV9042 = 1) AND R03_EVER_USE_TOB = 1 AND R03_YX0079_NB > MIN VALID AGE IN (R03_YC1006_NB OR R03_YV1006_NB OR R03_YG1006TC_NB OR R03_YG1006CL_NB OR R03_YG1006FC_NB OR R03_YH1006_NB OR R03_YU1006_NB OR R03_YS1006_NB), GO TO R03_YX0080_NB. IF (R03_YOUTHTYPE = 2 AND (R03_YX0085_NB = 1 OR R03_YG9105_NB = 1 OR R03_YH9031 = 1 OR R03_YV9042 = 1) AND R03_30DBLUNT_ONLY_BTRAD != 1 AND R03_30DBLUNT_ONLY_BRILLO != 1 AND R03_30DBLUNT_ONLY_BFILTR != 1) OR (R03_YOUTHTYPE = 1 AND (R03_YX0085_12M = 1 OR R03_YG9107 = 1) AND R03_30DBLUNT_ONLY_BTRAD != 1 AND R03_30DBLUNT_ONLY_BRILLO != 1 AND R03_30DBLUNT_ONLY_BFILTR != 1), GO TO R03_YX0675. ELSE, GO TO BOX R03_YXR28.]

When you first used marijuana when you were {AGE OF FIRST MARIJUANA USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot or weed or have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product and have ever used tobacco, and whose age of first tobacco use precedes age of first marijuana use.

ASK Specification: IF R03_YOUTHTYPE = 2 AND (R03_YX0085_NB = 1 OR R03_YG9105_NB = 1 OR R03_YH9031 = 1 OR R03_YV9042 = 1) AND R03_EVER_USE_TOB = 1 AND R03_YX0079_NB > MIN VALID AGE IN (R03_YC1006_NB OR R03_YV1006_NB OR R03_YG1006TC_NB OR R03_YG1006CL_NB OR R03_YG1006FC_NB OR R03_YH1006_NB OR R03_YU1006_NB OR R03_YS1006_NB).

[DISPLAY: FILL {AGE OF FIRST MARIJUANA USE} WITH AGE REPORTED IN R03_YX0079_NB. IF CIGARETTE-ONLY USER (R03_EVER_USE_CIGSONLY = 1), DISPLAY "smoke cigarettes". ELSE, IF NON-CIGARETTE TOBACCO USER (R03_EVER_USE_TOBXCIGS = 1), DISPLAY "use tobacco products". ELSE, IF CIGARETTE AND TOBACCO USER (R03_EVER_USE_DUAL = 1), DISPLAY "smoke cigarettes or use other tobacco products".]

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	2	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11809	100.0 %
	Total	11,809	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10113-10120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0085_12M: In past 12 months, used marijuana, hash, THC or grass

[BOX ID: R03_YX0080_NB - New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot or weed or have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product, and are not past 30 day blunt-only traditional cigar, cigarillo or filtered cigar smokers, or continuing youth respondents who have used marijuana, hash, THS, grass, pot or weed in the past 12 months or have smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months, and are not past 30 day blunt-only traditional cigar, cigarillo or filtered cigar smokers, go to R03_YX0675. Else, go to Box R03_YXR28.]

IF (R03_YOUTHTYPE = 2 AND (R03_YX0085_NB = 1 OR R03_YG9105_NB = 1 OR R03_YH9031 = 1 OR R03_YV9042 = 1) AND R03_30DBLUNT_ONLY_BTRAD != 1 AND R03_30DBLUNT_ONLY_BRILLO != 1 AND R03_30DBLUNT_ONLY_BFILTR != 1) OR (R03_YOUTHTYPE = 1 AND (R03_YX0085_12M = 1 OR R03_YG9107 = 1) AND R03_30DBLUNT_ONLY_BTRAD != 1 AND R03_30DBLUNT_ONLY_BRILLO != 1 AND R03_30DBLUNT_ONLY_BFILTR != 1), GO TO R03_YX0675. ELSE, GO TO BOX R03_YXR28.]

In the past 12 months, have you used marijuana, hash, THC, grass, pot or weed?

[If No (2), Don't Know (-8), or Refused (-7), Go to Box R03_YXD03.]

ASK: Continuing youth respondents who did not smoke part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months or did not know or

refused to report if they smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF R03_YOUTHTYPE = 1 AND R03_YG9107 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	444	3.8 %
2	2 = No	8579	72.6 %
	Total	9,023	76.4%

This variable has 9,023 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	19	0.2 %
-7	-7 = Refused	21	0.2 %
-1	-1 = Inapplicable	2750	23.3 %
	Total	2,791	23.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10121-10128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0675: In past 30 days, used marijuana

Have you used marijuana, hash, THC, grass, pot or weed in the past 30 days?

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot or weed or have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product, and are not past 30 day blunt-only traditional cigar, cigarillo or filtered cigar smokers, or continuing youth respondents who have used marijuana, hash, THS, grass, pot or weed in the past 12 months or have smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months, and are not past 30 day blunt-only traditional cigar, cigarillo or filtered cigar smokers.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND (R03_YX0085_NB = 1 OR R03_YG9105_NB = 1 OR R03_YH9031 = 1 OR R03_YV9042 = 1) AND R03_30DBLUNT_ONLY_BTRAD != 1 AND R03_30DBLUNT_ONLY_BRILLO != 1 AND R03_30DBLUNT_ONLY_BFILTR != 1) OR (R03_YOUTHTYPE = 1 AND (R03_YX0085_12M = 1 OR R03_YG9107 = 1) AND R03_30DBLUNT_ONLY_BTRAD != 1 AND R03_30DBLUNT_ONLY_BRILLO != 1

AND R03_30DBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	467	4.0 %
2	2 = No	490	4.1 %
	Total	957	8.1%

This variable has 957 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10850	91.8 %
	Total	10,857	91.9%

Percentages for both tables are based on 11,814 total cases.

Location: 10129-10136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0089_NB_01: Ever used prescription drug not prescribed to you: Ritalin® or Adderall®

[BOX ID: R03_YXR28 - New baseline youth respondents, go to Box R03_YXD02. Else, go to Box R03_YXD03.

IF R03_YOUTHTYPE = 2, GO TO BOX R03_YXD02. ELSE, GO TO BOX R03_YXD03.]

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

ASK: New baseline youth respondents.

Ritalin® or Adderall®

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	1990	16.8 %
	Total	2,006	17.0%

This variable has 2,006 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	31	0.3 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,808	83.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10137-10144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YX0082_NB_01: DERIVED - Age range when first used: Ritalin® or Adderall® (3 levels)

Long Description: How old were you when you first used Ritalin® or Adderall®?

Algorithm: IF R03_YX0272_NB_01 = 1 OR (0 <= R03_YX0082_NB_01 <= 11) THEN R03R_Y_YX0082_NB_01 = 1 ; ELSE IF R03_YX0272_NB_01 = 2 OR (12 <= R03_YX0082_NB_01 <= 14) THEN R03R_Y_YX0082_NB_01 = 2 ; ELSE IF R03_YX0272_NB_01 = 3 OR (15 <= R03_YX0082_NB_01 <= 17) THEN R03R_Y_YX0082_NB_01 = 3; ELSE IF R03_YX0272_NB_01 = -9 OR R03_YX0082_NB_01 = -9 THEN R03R_Y_YX0082_NB_01 = -99999; ELSE IF R03_YX0272_NB_01 = -8 OR R03_YX0082_NB_01 = -8 THEN R03R_Y_YX0082_NB_01 = -99988; ELSE IF R03_YX0272_NB_01 = -7 OR R03_YX0082_NB_01 = -7 THEN R03R_Y_YX0082_NB_01 = -99977; ELSE IF R03_YX0082_NB_01 = -5 THEN R03R_Y_YX0082_NB_01 = -99955; ELSE IF R03_YX0272_NB_01 = -1 OR R03_YX0082_NB_01 = -1 THEN R03R_Y_YX0082_NB_01 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	10	0.1 %
2	2 = 12 to 14 years old	4	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11798	99.9 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,800	99.9%

Percentages for both tables are based on 11,814 total cases.

Location: 10145-10152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YX0083_NB_01: At the age you first started using Ritalin® or Adderall®, did you also smoke cigarettes or use any other tobacco products

[BOX ID: R03_YXR30 - New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have ever used tobacco, and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use, go to R03_YX0083_NB[_01/ ... /_05]. Else, go to R03_YX0676[_01/ ... /_05].

IF R03_YOUTHTYPE = 2 AND (R03_YX0089_NB[_01/_02] = 1 OR R03_YX0220_NB[_01/_02/_03] = 1) AND R03_EVER_USE_TOB = 1 AND R03_YX0082_NB[_01/_.../_05] > MIN VALID AGE IN (R03_YC1006_NB OR R03_YV1006_NB OR R03_YG1006TC_NB OR R03_YG1006CL_NB OR R03_YG1006FC_NB OR R03_YH1006_NB OR R03_YU1006_NB OR R03_YS1006_NB), GO TO YX0083_NB[_01/ ... /_05]. ELSE, GO TO R03_YX0676[_01/ ... /_05].]

When you first used [SUBSTANCEFILL] when you were [AGE OF FIRST SUBSTANCE USE] years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

Ritalin® or Adderall®

[Go to R03_YX0676_01.]

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have ever used tobacco, and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YX0089_NB_01 = 1 AND R03_EVER_USE_TOB = 1 AND R03_YX0082_NB_01 > MIN VALID AGE IN (R03_YC1006_NB OR R03_YV1006_NB OR R03_YG1006TC_NB OR R03_YG1006CL_NB OR R03_YG1006FC_NB OR R03_YH1006_NB OR R03_YU1006_NB OR R03_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10153-10160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0089_NB_02: Ever used prescription drug not prescribed to you: Painkillers, sedatives or tranquilizers

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Painkillers, sedatives, or tranquilizers

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	76	0.6 %
2	2 = No	1904	16.1 %
	Total	1,980	16.8%

This variable has 1,980 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	47	0.4 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	9769	82.7 %

	Missing Data		
	Total	9,834	83.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10161-10168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YX0082_NB_02: DERIVED - Age range when first used: Painkillers, sedatives or tranquilizers (3 levels)

Long Description: How old were you when you first used painkillers, sedatives or tranquilizers?

Algorithm: IF R03_YX0272_NB_02 = 1 OR (0 <= R03_YX0082_NB_02 <= 11) THEN R03R_Y_YX0082_NB_02 = 1 ; ELSE IF R03_YX0272_NB_02 = 2 OR (12 <= R03_YX0082_NB_02 <= 14) THEN R03R_Y_YX0082_NB_02 = 2 ; ELSE IF R03_YX0272_NB_02 = 3 OR (15 <= R03_YX0082_NB_02 <= 17) THEN R03R_Y_YX0082_NB_02 = 3; ELSE IF R03_YX0272_NB_02 = -9 OR R03_YX0082_NB_02 = -9 THEN R03R_Y_YX0082_NB_02 = -99999; ELSE IF R03_YX0272_NB_02 = -8 OR R03_YX0082_NB_02 = -8 THEN R03R_Y_YX0082_NB_02 = -99988; ELSE IF R03_YX0272_NB_02 = -7 OR R03_YX0082_NB_02 = -7 THEN R03R_Y_YX0082_NB_02 = -99977; ELSE IF R03_YX0082_NB_02 = -5 THEN R03R_Y_YX0082_NB_02 = -99955; ELSE IF R03_YX0272_NB_02 = -1 OR R03_YX0082_NB_02 = -1 THEN R03R_Y_YX0082_NB_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	54	0.5 %
2	2 = 12 to 14 years old	19	0.2 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	73	0.6%

This variable has 73 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11738	99.4 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,741	99.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10169-10176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YX0083_NB_02: At the age you first started using painkillers, sedatives or tranquilizers, did you also smoke cigarettes or use any other tobacco products

When you first used [SUBSTANCEFILL] when you were [AGE OF FIRST SUBSTANCE USE] years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

Painkillers, sedatives, or tranquilizers

[Go to R03_YX0676_02.]

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have ever used tobacco, and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YX0089_NB_02 = 1 AND R03_EVER_USE_TOB = 1 AND R03_YX0082_NB_02 > MIN VALID AGE IN (R03_YC1006_NB OR R03_YV1006_NB OR R03_YG1006TC_NB OR R03_YG1006CL_NB OR R03_YG1006FC_NB OR R03_YH1006_NB OR R03_YU1006_NB OR R03_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	1	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11813	100.0 %
	Total	11,813	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10177-10184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0220_NB_01: Ever used substance: Cocaine or crack

Have you ever used any of the following substances?

Cocaine or crack

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	2022	17.1 %
	Total	2,025	17.1%

This variable has 2,025 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,789	82.9%

Percentages for both tables are based on 11,814 total cases.

Location: 10185-10192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YX0082_NB_03: DERIVED - Age range when first used: Cocaine or crack (3 levels)

Long Description: How old were you when you first used cocaine or crack?

Algorithm: IF R03_YX0272_NB_03 = 1 OR (0 <= R03_YX0082_NB_03 <= 11) THEN
R03R_Y_YX0082_NB_03 = 1 ; ELSE IF R03_YX0272_NB_03 = 2 OR
(12 <= R03_YX0082_NB_03 <= 14) THEN R03R_Y_YX0082_NB_03 = 2 ; ELSE IF
R03_YX0272_NB_03 = 3 OR (15 <= R03_YX0082_NB_03 <= 17) THEN R03R_Y_YX0082_NB_03 = 3;
ELSE IF R03_YX0272_NB_03 = -9 OR R03_YX0082_NB_03 = -9 THEN
R03R_Y_YX0082_NB_03 = -99999; ELSE IF R03_YX0272_NB_03 = -8 OR R03_YX0082_NB_03 = -8
THEN R03R_Y_YX0082_NB_03 = -99988; ELSE IF R03_YX0272_NB_03 = -7 OR
R03_YX0082_NB_03 = -7 THEN R03R_Y_YX0082_NB_03 = -99977; ELSE IF
R03_YX0082_NB_03 = -5 THEN R03R_Y_YX0082_NB_03 = -99955; ELSE IF
R03_YX0272_NB_03 = -1 OR R03_YX0082_NB_03 = -1 THEN R03R_Y_YX0082_NB_03 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = 12 to 14 years old	0	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11811	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,812	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10193-10200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YX0083_NB_03: At the age you first started using cocaine or crack, did you also smoke cigarettes or use any other tobacco products

When you first used [SUBSTANCEFILL] when you were [AGE OF FIRST SUBSTANCE USE] years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

Cocaine or crack

[Go to R03_YX0676_03.]

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have ever used tobacco, and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R03_YOUTHTYPE = 2 AND
R03_YX0220_NB_01 = 1 AND R03_EVER_USE_TOB = 1 AND
R03_YX0082_NB_03 > MIN VALID AGE IN (R03_YC1006_NB OR

R03_YV1006_NB OR R03_YG1006TC_NB OR R03_YG1006CL_NB OR
R03_YG1006FC_NB OR R03_YH1006_NB OR R03_YU1006_NB OR
R03_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10201-10208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0220_NB_02: Ever used substance: Stimulants like methamphetamine or speed

Have you ever used any of the following substances?

Stimulants like methamphetamine or speed

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	2013	17.0 %
	Total	2,013	17.0%

This variable has 2,013 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	5	0.0 %

	Missing Data		
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,801	83.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10209-10216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YX0082_NB_04: DERIVED - Age range when first used: Stimulants like methamphetamine or speed (3 levels)

Long Description: How old were you when you first used stimulants like methamphetamine or speed?

Algorithm: IF R03_YX0272_NB_04 = 1 OR (0 <= R03_YX0082_NB_04 <= 11) THEN R03R_Y_YX0082_NB_04 = 1 ; ELSE IF R03_YX0272_NB_04 = 2 OR (12 <= R03_YX0082_NB_04 <= 14) THEN R03R_Y_YX0082_NB_04 = 2 ; ELSE IF R03_YX0272_NB_04 = 3 OR (15 <= R03_YX0082_NB_04 <= 17) THEN R03R_Y_YX0082_NB_04 = 3; ELSE IF R03_YX0272_NB_04 = -9 OR R03_YX0082_NB_04 = -9 THEN R03R_Y_YX0082_NB_04 = -99999; ELSE IF R03_YX0272_NB_04 = -8 OR R03_YX0082_NB_04 = -8 THEN R03R_Y_YX0082_NB_04 = -99988; ELSE IF R03_YX0272_NB_04 = -7 OR R03_YX0082_NB_04 = -7 THEN R03R_Y_YX0082_NB_04 = -99977; ELSE IF R03_YX0082_NB_04 = -5 THEN R03R_Y_YX0082_NB_04 = -99955; ELSE IF R03_YX0272_NB_04 = -1 OR R03_YX0082_NB_04 = -1 THEN R03R_Y_YX0082_NB_04 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	0	0.0 %
2	2 = 12 to 14 years old	0	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11814	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10217-10224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YX0083_NB_04: At the age you first started using stimulants such as, methamphetamine or speed, did you also smoke cigarettes or use any other tobacco products

When you first used [SUBSTANCEFILL] when you were [AGE OF FIRST SUBSTANCE USE] years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

Stimulants like methamphetamine or speed

[Go to R03_YX0676_04.]

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have ever used tobacco, and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R03_YOUTHTYPE = 2 AND R03_YX0220_NB_02 = 1 AND R03_EVER_USE_TOB = 1 AND R03_YX0082_NB_04 > MIN VALID AGE IN (R03_YC1006_NB OR R03_YV1006_NB OR R03_YG1006TC_NB OR R03_YG1006CL_NB OR R03_YG1006FC_NB OR R03_YH1006_NB OR R03_YU1006_NB OR R03_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10225-10232 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0220_NB_03: Ever used substance: Any other drugs like heroin, inhalants, solvents or hallucinogens

Have you ever used any of the following substances?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: New baseline youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	2019	17.1 %
	Total	2,023	17.1%

This variable has 2,023 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	9769	82.7 %
	Total	9,791	82.9%

Percentages for both tables are based on 11,814 total cases.

Location: 10233-10240 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YX0082_NB_05: DERIVED - Age range when first used: Any other drugs like heroin, inhalants, solvents or hallucinogens (3 levels)

Long Description: How old were you when you first used any other drugs like heroin, inhalants, solvents or hallucinogens?

Algorithm: IF R03_YX0272_NB_05 = 1 OR (0 <= R03_YX0082_NB_05 <= 11) THEN
R03R_Y_YX0082_NB_05 = 1; ELSE IF R03_YX0272_NB_05 = 2 OR
(12 <= R03_YX0082_NB_05 <= 14) THEN R03R_Y_YX0082_NB_05 = 2; ELSE IF
R03_YX0272_NB_05 = 3 OR (15 <= R03_YX0082_NB_05 <= 17) THEN R03R_Y_YX0082_NB_05 = 3;
ELSE IF R03_YX0272_NB_05 = -9 OR R03_YX0082_NB_05 = -9 THEN
R03R_Y_YX0082_NB_05 = -99999; ELSE IF R03_YX0272_NB_05 = -8 OR R03_YX0082_NB_05 = -8
THEN R03R_Y_YX0082_NB_05 = -99988; ELSE IF R03_YX0272_NB_05 = -7 OR
R03_YX0082_NB_05 = -7 THEN R03R_Y_YX0082_NB_05 = -99977; ELSE IF
R03_YX0082_NB_05 = -5 THEN R03R_Y_YX0082_NB_05 = -99955; ELSE IF

R03_YX0272_NB_05 = -1 OR R03_YX0082_NB_05 = -1 THEN R03R_Y_YX0082_NB_05 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	0	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11810	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,813	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10241-10248 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03_YX0083_NB_05: At the age you first started using any other drugs such as, heroin, inhalants, solvents or hallucinogens, methamphetamine or speed, did you also smoke cigarettes or use any other tobacco products

When you first used [SUBSTANCEFILL] when you were [AGE OF FIRST SUBSTANCE USE] years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

[Go to R03_YX0676_05.]

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have ever used tobacco, and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs

use.

ASK Specification: IF R03_YOUTHTYPE = 2 AND
R03_YX0220_NB_03 = 1 AND R03_EVER_USE_TOB = 1 AND
R03_YX0082_NB_05 > MIN VALID AGE IN (R03_YC1006_NB OR
R03_YV1006_NB OR R03_YG1006TC_NB OR R03_YG1006CL_NB OR
R03_YG1006FC_NB OR R03_YH1006_NB OR R03_YU1006_NB OR
R03_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11814	100.0 %
	Total	11,814	100.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10249-10256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0089_12M_01: In past 12 months, used prescription drug not prescribed to you: Ritalin® or Adderall®

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Ritalin® or Adderall®

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	211	1.8 %
2	2 = No	9494	80.4 %
	Total	9,705	82.1%

This variable has 9,705 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.4 %
-7	-7 = Refused	21	0.2 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,109	17.9%

Percentages for both tables are based on 11,814 total cases.

Location: 10257-10264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0676_01: In past 30 days, used: Ritalin® or Adderall®

[BOX ID: R03_YXR08 - Repeat R03_YX0676[_01/ ... /_05] up to five times for each substance reported in R03_YX0089_NB[_01/_02] and R03_YX0220_NB[_01/_02/_03] or in R03_YX0089_12M[_01/_02] and R03_YX0220_12M[_01/_02/_03]. If no substances reported, go to Box R03_YXV02.

REPEAT R03_YX0676 UP TO 5 TIMES FOR EACH SUBSTANCE REPORTED IN (R03_YX0089_NB AND R03_YX0220_NB) OR (R03_YX0089_12M AND R03_YX0220_12M). IF R03_YX0089[_NB/_12M]_01 = 1, ASK R03_YX0676_01 ABOUT "Ritalin® or Adderall®". IF R03_YX0089[_NB/_12M]_02 = 1, ASK R03_YX0676_02 ABOUT "painkillers, sedatives, or tranquilizers". IF R03_YX0220[_NB/_12M]_01 = 1, ASK R03_YX0676_03 ABOUT "cocaine or crack". IF R03_YX0220[_NB/_12M]_02 = 1, ASK R03_YX0676_04 ABOUT "stimulants like methamphetamine or speed". IF R03_YX0220[_NB/_12M]_03 = 1, ASK R03_YX0676_05 ABOUT "other drugs like heroin, inhalants, solvents, or hallucinogens".

WHEN ALL R03_YX0676[_01/ ... /_05] HAS BEEN ASKED ABOUT ALL SELECTED SUBSTANCES, GO TO BOX R03_YXR02.

IF R03_YX0089_NB_01 != 1 AND R03_YX0089_NB_02 != 1 AND R03_YX0220_NB_01 != 1 AND R03_YX0220_NB_02 != 1 AND R03_YX0220_NB_03 != 1 AND R03_YX0089_12M_01 != 1 AND R03_YX0089_12M_02 != 1 AND R03_YX0220_12M_01 != 1 AND R03_YX0220_12M_02 != 1 AND R03_YX0220_12M_03 != 1, GO TO BOX R03_YXR02.]

Have you used [SUBSTANCEFILL] in the past 30 days?

Ritalin® or Adderall®

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in

the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YX0089_NB_01 = 1)
OR (R03_YOUTHTYPE = 1 AND R03_YX0089_12M_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	69	0.6 %
2	2 = No	141	1.2 %
	Total	210	1.8%

This variable has 210 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	16	0.1 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11587	98.1 %
	Total	11,604	98.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10265-10272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0089_12M_02: In past 12 months, used prescription drug not prescribed to you: Painkillers, sedatives or tranquilizers

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Painkillers, sedatives, or tranquilizers

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	890	7.5 %
2	2 = No	8758	74.1 %
	Total	9,648	81.7%

This variable has 9,648 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	75	0.6 %
-7	-7 = Refused	45	0.4 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,166	18.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10273-10280 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0676_02: In past 30 days, used: Painkillers, sedatives or tranquilizers

Have you used [SUBSTANCEFILL] in the past 30 days?

Painkillers, sedatives, or tranquilizers

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YX0089_NB_02 = 1) OR (R03_YOUTHTYPE = 1 AND R03_YX0089_12M_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	583	4.9 %
2	2 = No	305	2.6 %
	Total	888	7.5%

This variable has 888 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	76	0.6 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10848	91.8 %
	Total	10,926	92.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10281-10288 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0220_12M_01: In past 12 months, used substance: Cocaine or crack

In the past 12 months, have you used any of the following substances?

Cocaine or crack

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	60	0.5 %
2	2 = No	9663	81.8 %
	Total	9,723	82.3%

This variable has 9,723 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	21	0.2 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,091	17.7%

Percentages for both tables are based on 11,814 total cases.

Location: 10289-10296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0676_03: In past 30 days, used: Cocaine or crack

Have you used [SUBSTANCEFILL] in the past 30 days?

Cocaine or crack

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YX0220_NB_01

= 1) OR (R03_YOUTHTYPE = 1 AND R03_YX0220_12M_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	23	0.2 %
2	2 = No	37	0.3 %
	Total	60	0.5%

This variable has 60 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11751	99.5 %
	Total	11,754	99.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10297-10304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0220_12M_02: In past 12 months, used substance: Stimulants like methamphetamine or speed

In the past 12 months, have you used any of the following substances?

Stimulants like methamphetamine or speed

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.4 %
2	2 = No	9664	81.8 %
	Total	9,711	82.2%

This variable has 9,711 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	37	0.3 %
-7	-7 = Refused	21	0.2 %

	Missing Data		
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,103	17.8%

Percentages for both tables are based on 11,814 total cases.

Location: 10305-10312 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0676_04: In past 30 days, used: Stimulants like methamphetamine or speed

Have you used [SUBSTANCEFILL] in the past 30 days?

Stimulants like methamphetamine or speed

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YX0220_NB_02 = 1) OR (R03_YOUTHTYPE = 1 AND R03_YX0220_12M_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.1 %
2	2 = No	30	0.3 %
	Total	45	0.4%

This variable has 45 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11767	99.6 %
	Total	11,769	99.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10313-10320 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0220_12M_03: In past 12 months, used substance: Any other drugs like heroin, inhalants, solvents or hallucinogens

In the past 12 months, have you used any of the following substances?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Continuing youth respondents.

ASK Specification: IF R03_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	85	0.7 %
2	2 = No	9649	81.7 %
	Total	9,734	82.4%

This variable has 9,734 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	2045	17.3 %
	Total	2,080	17.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10321-10328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0676_05: In past 30 days, used: Any other drugs like heroin, inhalants, solvents or hallucinogens

Have you used [SUBSTANCEFILL] in the past 30 days?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: IF (R03_YOUTHTYPE = 2 AND R03_YX0220_NB_03

= 1) OR (R03_YOUTHTYPE = 1 AND R03_YX0220_12M_03 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.3 %
2	2 = No	48	0.4 %
	Total	85	0.7%

This variable has 85 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11725	99.2 %
	Total	11,729	99.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10329-10336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0170: Last time that you used alcohol or other drugs weekly or more often

[PROGRAM NOTE: See Box R03_YXR01, R03_YXV02, and R03_YXR02 in the questionnaire for important information about temporary variables and navigation that will be referenced in this section.]

When was the last time that . . .

You used alcohol or other drugs weekly or more often?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	425	3.6 %
2	2 = 2 to 12 months ago	419	3.5 %
3	3 = Over a year ago	280	2.4 %
4	4 = Never	4000	33.9 %
	Total	5,124	43.4%

This variable has 5,124 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	110	0.9 %
-8	-8 = Don't know	19	0.2 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	6536	55.3 %
	Total	6,690	56.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10337-10344 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0175_01: Substance used weekly or more often: Alcohol

[BOX ID: R0X_YXR03 - Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R03_YX0175. Else, go to R03_YX0171.]

IF R03_YX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2, GO TO R03_YX0175. ELSE, GO TO R03_YX0171.]

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R03_YX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 1 if R03_EVER_USER_ALC = 1; display option 2 if R03_EVER_USER_MJ = 1; display option 3 if R03_EVER_USER_RIT = 1; display option 4 if R03_EVER_USER_PK = 1; display option 5 if R03_EVER_USER_COC = 1; display option 6 if R03_EVER_USER_STIM = 1; display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	385	3.3 %
2	2 = Not Marked	383	3.2 %
	Total	768	6.5%

This variable has 768 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	11006	93.2 %
	Total	11,046	93.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10345-10352 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0175_02: Substance used weekly or more often: Marijuana, hash, THC, grass, pot, or weed

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana, hash, THC, grass, pot, or weed

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R03_YX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 1 if R03_EVER_USER_ALC = 1; display option 2 if R03_EVER_USER_MJ = 1; display option 3 if R03_EVER_USER_RIT = 1; display option 4 if R03_EVER_USER_PK = 1; display option 5 if R03_EVER_USER_COC = 1; display option 6 if R03_EVER_USER_STIM = 1; display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	479	4.1 %
2	2 = Not Marked	289	2.4 %
	Total	768	6.5%

This variable has 768 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	11006	93.2 %
	Total	11,046	93.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10353-10360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0175_03: Substance used weekly or more often: Ritalin® or Adderall®

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin® or Adderall®

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R03_YX0170 = 1, 2, 3 AND
R03_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 1 if R03_EVER_USER_ALC = 1; display option 2 if R03_EVER_USER_MJ = 1; display option 3 if R03_EVER_USER_RIT= 1; display option 4 if R03_EVER_USER_PK = 1; display option 5 if R03_EVER_USER_COC = 1; display option 6 if R03_EVER_USER_STIM = 1; display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.3 %
2	2 = Not Marked	735	6.2 %
	Total	768	6.5%

This variable has 768 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	19	0.2 %

	Missing Data		
-1	-1 = Inapplicable	11006	93.2 %
	Total	11,046	93.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10361-10368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0175_04: Substance used weekly or more often: Painkillers, sedatives or tranquilizers

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R03_YX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 1 if R03_EVER_USER_ALC = 1; display option 2 if R03_EVER_USER_MJ = 1; display option 3 if R03_EVER_USER_RIT = 1; display option 4 if R03_EVER_USER_PK = 1; display option 5 if R03_EVER_USER_COC = 1; display option 6 if R03_EVER_USER_STIM = 1; display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	115	1.0 %
2	2 = Not Marked	653	5.5 %
	Total	768	6.5%

This variable has 768 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	11006	93.2 %
	Total	11,046	93.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10369-10376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0175_05: Substance used weekly or more often: Cocaine or crack

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R03_YX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 1 if R03_EVER_USER_ALC = 1; display option 2 if R03_EVER_USER_MJ = 1; display option 3 if R03_EVER_USER_RIT = 1; display option 4 if R03_EVER_USER_PK = 1; display option 5 if R03_EVER_USER_COC = 1; display option 6 if R03_EVER_USER_STIM = 1; display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	752	6.4 %
	Total	768	6.5%

This variable has 768 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	11006	93.2 %
	Total	11,046	93.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10377-10384 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0175_06: Substance used weekly or more often: Stimulants like methamphetamine or speed

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R03_YX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 1 if R03_EVER_USER_ALC = 1; display option 2 if R03_EVER_USER_MJ = 1; display option 3 if R03_EVER_USER_RIT = 1; display option 4 if R03_EVER_USER_PK = 1; display option 5 if R03_EVER_USER_COC = 1; display option 6 if R03_EVER_USER_STIM = 1; display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	757	6.4 %
	Total	768	6.5%

This variable has 768 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	11006	93.2 %
	Total	11,046	93.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10385-10392 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0175_07: Substance used weekly or more often: Any other drugs like heroin, inhalants, solvents or hallucinogens

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R03_YX0170 = 1, 2, 3 AND R03_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. Display option 1 if R03_EVER_USER_ALC = 1; display option 2 if R03_EVER_USER_MJ = 1; display option 3 if R03_EVER_USER_RIT = 1; display option 4 if R03_EVER_USER_PK = 1; display option 5 if R03_EVER_USER_COC = 1; display option 6 if R03_EVER_USER_STIM = 1; display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.2 %
2	2 = Not Marked	749	6.3 %
	Total	768	6.5%

This variable has 768 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	11006	93.2 %
	Total	11,046	93.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10393-10400 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0171: Last time that you spent a lot of time either getting alcohol or other drugs

When was the last time that . . .

You spent a lot of time getting alcohol or other drugs?

ASK: Youth respondents who report ever using alcohol or ever

using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	209	1.8 %
2	2 = 2 to 12 months ago	269	2.3 %
3	3 = Over a year ago	204	1.7 %
4	4 = Never	4461	37.8 %
	Total	5,143	43.5%

This variable has 5,143 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	110	0.9 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	6536	55.3 %
	Total	6,671	56.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10401-10408 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0172: Last time that you kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people

When was the last time that . . .

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	81	0.7 %
2	2 = 2 to 12 months ago	124	1.0 %
3	3 = Over a year ago	142	1.2 %
4	4 = Never	4797	40.6 %
	Total	5,144	43.5%

This variable has 5,144 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	110	0.9 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	6536	55.3 %
	Total	6,670	56.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10409-10416 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0173: Last time that your use of alcohol or other drugs caused you to reduce your involvement in activities at work, school, home or social events

When was the last time that . . .

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	83	0.7 %
2	2 = 2 to 12 months ago	96	0.8 %
3	3 = Over a year ago	131	1.1 %
4	4 = Never	4833	40.9 %
	Total	5,143	43.5%

This variable has 5,143 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	110	0.9 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	6536	55.3 %
	Total	6,671	56.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10417-10424 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0193: Last time that you spent a lot of time using or recovering from alcohol or other drugs

When was the last time that . . .

You spent a lot of time using or recovering from alcohol or other drugs?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	73	0.6 %
2	2 = 2 to 12 months ago	93	0.8 %
3	3 = Over a year ago	96	0.8 %
4	4 = Never	4875	41.3 %
	Total	5,137	43.5%

This variable has 5,137 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	110	0.9 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	6536	55.3 %
	Total	6,677	56.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10425-10432 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0174: Last time that you had withdrawal problems

When was the last time that . . .

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	256	2.2 %
2	2 = 2 to 12 months ago	184	1.6 %
3	3 = Over a year ago	119	1.0 %
4	4 = Never	4577	38.7 %
	Total	5,136	43.5%

This variable has 5,136 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	110	0.9 %
-8	-8 = Don't know	22	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	6536	55.3 %
	Total	6,678	56.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10433-10440 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0194: Last time that you used alcohol or other drugs to stop being sick or avoid withdrawal problems

When was the last time that . . .

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	72	0.6 %
2	2 = 2 to 12 months ago	85	0.7 %
3	3 = Over a year ago	72	0.6 %
4	4 = Never	4914	41.6 %
	Total	5,143	43.5%

This variable has 5,143 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	110	0.9 %
-8	-8 = Don't know	18	0.2 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	6536	55.3 %
	Total	6,671	56.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10441-10448 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0176_01: Substance that caused some problems for you: Alcohol

[BOX ID: R03_YXR31 - Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, go to R03_YX0176. Else, go to Box R03_YMT01.

IF R03_SUBSTANCE_COUNT >= 2 AND (R03_YX0172 = 1, 2, 3 OR R03_YX0173 = 1, 2, 3 OR R03_YX0193 = 1, 2, 3 OR R03_YX0174 = 1, 2, 3 OR R03_YX0194 = 1, 2, 3), GO TO R03_YX0176. ELSE, GO TO BOX R03_YMT01.]

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months

ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 2 AND (R03_YX0172 = 1, 2, 3 OR R03_YX0173 = 1, 2, 3 OR R03_YX0193 = 1, 2, 3 OR R03_YX0174 = 1, 2, 3 OR R03_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

Display option 1 if R03_EVER_USER_ALC = 1;
 Display option 2 if R03_EVER_USER_MJ = 1;
 Display option 3 if R03_EVER_USER_RIT= 1;
 Display option 4 if R03_EVER_USER_PK= 1;
 Display option 5 if R03_EVER_USER_COC = 1;
 Display option 6 if R03_EVER_USER_STIM = 1;
 Display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	211	1.8 %
2	2 = Not Marked	226	1.9 %
	Total	437	3.7%

This variable has 437 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.5 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	11282	95.5 %
	Total	11,377	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10449-10456 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0176_02: Substance that caused some problems for you: Marijuana, hash, THC, grass, pot or weed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana, hash, THC, grass, pot, or weed

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was

causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 2 AND (R03_YX0172 = 1, 2, 3 OR R03_YX0173 = 1, 2, 3 OR R03_YX0193 = 1, 2, 3 OR R03_YX0174 = 1, 2, 3 OR R03_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

Display option 1 if R03_EVER_USER_ALC = 1;
 Display option 2 if R03_EVER_USER_MJ = 1;
 Display option 3 if R03_EVER_USER_RIT= 1;
 Display option 4 if R03_EVER_USER_PK= 1;
 Display option 5 if R03_EVER_USER_COC = 1;
 Display option 6 if R03_EVER_USER_STIM = 1;
 Display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	191	1.6 %
2	2 = Not Marked	246	2.1 %
	Total	437	3.7%

This variable has 437 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.5 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	11282	95.5 %
	Total	11,377	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10457-10464 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0176_03: Substance that caused some problems for you: Ritalin® or Adderall®

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin® or Adderall®

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 2 AND (R03_YX0172 = 1, 2, 3 OR R03_YX0173 = 1, 2, 3 OR R03_YX0193 = 1, 2, 3 OR R03_YX0174 = 1, 2, 3 OR R03_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

Display option 1 if R03_EVER_USER_ALC = 1;
 Display option 2 if R03_EVER_USER_MJ = 1;
 Display option 3 if R03_EVER_USER_RIT = 1;
 Display option 4 if R03_EVER_USER_PK = 1;
 Display option 5 if R03_EVER_USER_COC = 1;
 Display option 6 if R03_EVER_USER_STIM = 1;
 Display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2 %
2	2 = Not Marked	413	3.5 %
	Total	437	3.7%

This variable has 437 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.5 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	11282	95.5 %
	Total	11,377	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10465-10472 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0176_04: Substance that caused some problems for you: Painkillers, sedatives or tranquilizers

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 2 AND (R03_YX0172 = 1, 2, 3 OR R03_YX0173 = 1, 2, 3 OR R03_YX0193 = 1, 2, 3 OR R03_YX0174 = 1, 2, 3 OR R03_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

Display option 1 if R03_EVER_USER_ALC = 1;
Display option 2 if R03_EVER_USER_MJ = 1;
Display option 3 if R03_EVER_USER_RIT = 1;
Display option 4 if R03_EVER_USER_PK = 1;
Display option 5 if R03_EVER_USER_COC = 1;
Display option 6 if R03_EVER_USER_STIM = 1;
Display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	73	0.6 %
2	2 = Not Marked	364	3.1 %
	Total	437	3.7%

This variable has 437 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.5 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	11282	95.5 %
	Total	11,377	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10473-10480 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0176_05: Substance that caused some problems for you: Cocaine or crack

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 2 AND (R03_YX0172 = 1, 2, 3 OR R03_YX0173 = 1, 2, 3 OR R03_YX0193 = 1, 2, 3 OR R03_YX0174 = 1, 2, 3 OR R03_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

Display option 1 if R03_EVER_USER_ALC = 1;

Display option 2 if R03_EVER_USER_MJ = 1;

Display option 3 if R03_EVER_USER_RIT= 1;

Display option 4 if R03_EVER_USER_PK= 1;

Display option 5 if R03_EVER_USER_COC = 1;

Display option 6 if R03_EVER_USER_STIM = 1;

Display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.2 %
2	2 = Not Marked	419	3.5 %
	Total	437	3.7%

This variable has 437 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.5 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	11282	95.5 %
	Total	11,377	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10481-10488 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0176_06: Substance that caused some problems for you: Stimulants like methamphetamine or speed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 2 AND (R03_YX0172 = 1, 2, 3 OR R03_YX0173 = 1, 2, 3 OR R03_YX0193 = 1, 2, 3 OR R03_YX0174 = 1, 2, 3 OR R03_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply.
List only those substances a respondent previously indicated

he/she used.

Display option 1 if R03_EVER_USER_ALC = 1;
 Display option 2 if R03_EVER_USER_MJ = 1;
 Display option 3 if R03_EVER_USER_RIT= 1;
 Display option 4 if R03_EVER_USER_PK= 1;
 Display option 5 if R03_EVER_USER_COC = 1;
 Display option 6 if R03_EVER_USER_STIM = 1;
 Display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	425	3.6 %
	Total	437	3.7%

This variable has 437 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.5 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	11282	95.5 %
	Total	11,377	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10489-10496 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YX0176_07: Substance that caused some problems for you: Any other drugs like heroin, inhalants, solvents or hallucinogens

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months

ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R03_SUBSTANCE_COUNT >= 2 AND (R03_YX0172 = 1, 2, 3 OR R03_YX0173 = 1, 2, 3 OR R03_YX0193 = 1, 2, 3 OR R03_YX0174 = 1, 2, 3 OR R03_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

Display option 1 if R03_EVER_USER_ALC = 1;
 Display option 2 if R03_EVER_USER_MJ = 1;
 Display option 3 if R03_EVER_USER_RIT = 1;
 Display option 4 if R03_EVER_USER_PK = 1;
 Display option 5 if R03_EVER_USER_COC = 1;
 Display option 6 if R03_EVER_USER_STIM = 1;
 Display option 7 if R03_EVER_USER_OTH = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1 %
2	2 = Not Marked	422	3.6 %
	Total	437	3.7%

This variable has 437 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.5 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	11282	95.5 %
	Total	11,377	96.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10497-10504 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_Y_YM0018: DERIVED - Recoded grade level (If on holiday or break - grade level entering when returning to school) (7 levels)

Long Description: What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.

Algorithm: IF (1 <= R03_YM0018 <= 3) THEN R03R_Y_YM0018 = 1; ELSE IF R03_YM0018 = 4 THEN R03R_Y_YM0018 = 2; ELSE IF R03_YM0018 = 5 THEN R03R_Y_YM0018 = 3; ELSE IF R03_YM0018 = 6 THEN R03R_Y_YM0018 = 4; ELSE IF R03_YM0018 = 7 THEN R03R_Y_YM0018 = 5; ELSE IF R03_YM0018 = 8 THEN R03R_Y_YM0018 = 6; ELSE IF (9 <= R03_YM0018 <= 13) OR (R03_YM0019=2) THEN R03R_Y_YM0018 = 7; ELSE IF R03_YM0018 = -9 OR R03_YM0019 = -9 THEN R03R_Y_YM0018 = -99999; ELSE IF R03_YM0018 = -8 OR R03_YM0019 = -8 THEN

R03R_Y_YM0018 = -99988; ELSE IF R03_YM0018 = -7 OR R03_YM0019 = -7 THEN
R03R_Y_YM0018 = -99977; ELSE IF R03_YM0018 = -1 OR R03_YM0019 = -1 THEN
R03R_Y_YM0018 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = 6th grade or below	755	6.4 %
2	2 = 7th grade	1810	15.3 %
3	3 = 8th grade	1879	15.9 %
4	4 = 9th grade	1904	16.1 %
5	5 = 10th grade	1886	16.0 %
6	6 = 11th grade	1788	15.1 %
7	7 = Other (not enrolled this year or last, home schooled, school not graded, 12th grade, college or vocational school)	1735	14.7 %
	Total	11,757	99.5%

This variable has 11,757 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	40	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	57	0.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10505-10512 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03_YM0032: Worked for pay in past 30 days for someone outside home

In the past 30 days, did you work for pay for anyone outside your home? This includes both regular jobs and things like baby-sitting or yard work.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4317	36.5 %
2	2 = No	7453	63.1 %
	Total	11,770	99.6%

This variable has 11,770 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	44	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10513-10520 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03_YM0008: Money received in total during an average week

During an average week, how much money do you receive in total? Please include money from a job, your family, an allowance, or any other sources.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	3681	31.2 %
2	2 = Less than \$1	382	3.2 %
3	3 = \$1 to \$5	1357	11.5 %
4	4 = \$6 to \$10	1263	10.7 %
5	5 = \$11 to \$20	1869	15.8 %
6	6 = \$21 to \$50	1358	11.5 %
7	7 = \$51 to \$100	762	6.4 %
8	8 = \$101 to \$150	421	3.6 %
9	9 = \$151 or more	551	4.7 %
	Total	11,644	98.6%

This variable has 11,644 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	124	1.0 %
-7	-7 = Refused	46	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	170	1.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10521-10528 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R03R_YV9035_01: DERIVED - Respondent reported using e-cigarettes in other-specify text response

Long Description: Respondent reported using ecigarettes in other-specify text response for R03_YV9035.

Algorithm: IF (R03_YV9035_05 = 1 AND R03_YV9035_OS TEXT ANSWER INDICATES E-CIGARETTE USE) THEN R03R_YV9035_01 = 1; ELSE IF (R03_YV9035_05 = 1 AND R03_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-CIGARETTE USE) THEN R03R_YV9035_01 = 2; ELSE R03R_YV9035_01 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	11	0.1 %
	Total	28	0.2%

This variable has 28 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11786	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,786	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 10529-10536 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_YV9035_02: DERIVED - Respondent reported using e-cigars in other-specify text response

Long Description: Respondent reported using e-cigars in other-specify text response for R03_YV9035.

Algorithm: IF (R03_YV9035_05 = 1 AND R03_YV9035_OS TEXT ANSWER INDICATES E-CIGAR USE) THEN R03R_YV9035_02 = 1; ELSE IF (R03_YV9035_05 = 1 AND R03_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-CIGAR USE) THEN R03R_YV9035_02 = 2; ELSE R03R_YV9035_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	27	0.2 %
	Total	28	0.2%

This variable has 28 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11786	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,786	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 10537-10544 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_YV9035_03: DERIVED - Respondent reported using e-pipes in other-specify text response

Long Description: Respondent reported using e-pipes in other-specify text response for R03_YV9035.

Algorithm: IF (R03_YV9035_05 = 1 AND R03_YV9035_OS TEXT ANSWER INDICATES E-PIPE USE) THEN R03R_YV9035_03 = 1; ELSE IF (R03_YV9035_05 = 1 AND R03_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-PIPE USE) THEN R03R_YV9035_03 = 2; ELSE R03R_YV9035_03 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	26	0.2 %
	Total	28	0.2%

This variable has 28 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11786	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,786	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 10545-10552 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_YV9035_04: DERIVED - Respondent reported using e-hookah in other-specify text response

Long Description: Respondent reported using e-hookah in other-specify text response for R03_YV9035.

Algorithm: IF (R03_YV9035_05 = 1 AND R03_YV9035_OS TEXT ANSWER INDICATES E-HOOKAH USE) THEN R03R_YV9035_04 = 1; ELSE IF (R03_YV9035_05 = 1 AND R03_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-HOOKAH USE) THEN R03R_YV9035_04 = 2; ELSE R03R_YV9035_04 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	25	0.2 %
	Total	28	0.2%

This variable has 28 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11786	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,786	99.8%

Percentages for both tables are based on 11,814 total cases.

Location: 10553-10560 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_YX0203_OS_01: DERIVED - Respondent reported noticing e-cigarette or other electronic nicotine products being advertised in a mall in past 30 days (recoded from other-specify text response)

Long Description: Respondent reported noticing ecigarette or other electronic nicotine products being advertised in a mall in the past 30 days (recoded from other specify text response for R03_YX203).

Algorithm: IF (R03_YX0203_10 = 1 AND R03_YX0203_OS TEXT ANSWER INDICATES MALL) THEN R03R_YX0203_OS_01 = 1; ELSE IF (R03_YX0203_10 = 1 AND R03_YX0203_OS TEXT ANSWER DOES NOT INDICATE MALL) THEN R03R_YX0203_OS_01 = ; ELSE R03R_YX0203_OS_01 = -99911.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	152	1.3 %
	Total	164	1.4%

This variable has 164 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11650	98.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,650	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10561-10568 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_Y_AGE CAT2: DERIVED - Age range when interviewed (2 levels)

Long Description: Age (in years) at the time of interview.

Algorithm: [STEP1: Create intermediate variable R03R_Y_AGE: JIF (R03_CPT07 (Corrected Date of Birth) != .) THEN R03R_Y_AGE = R03_YouthInterviewDT (Youth Interview Date) - R03_CPT07; ELSE IF (R02_CPT07 (Wave 2 Corrected Date of Birth) != .) THEN R03R_Y_AGE = R03_YouthInterviewDT (Youth Interview Date) - R02_CPT07; ELSE IF R01_CPT07 (Wave 1 Youth Date of Birth) != . THEN R03R_Y_AGE = R03_YouthInterviewDT - R01_CPT07; [STEP2: Create R03R_Y_AGE CAT2: JIF (12 <= R03R_Y_AGE <= 14) THEN R03R_Y_AGE CAT2 = 1; ELSE IF (15 <= R03R_Y_AGE <= 17) THEN R03R_Y_AGE CAT2 = 2; ELSE IF R03_CPT07 = . AND R02_CPT07 = . AND R01_CPT07 = . THEN R03R_Y_AGE CAT2 = -99999;

Value	Label	Unweighted Frequency	%
1	1 = 12 to 14 years old	6002	50.8 %
2	2 = 15 to 17 years old	5812	49.2 %

Value	Label	Unweighted Frequency	%
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10569-10576 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -97777

R03R_Y_AGE_CHECK: DERIVED - Youth respondent's age (in years) at Wave 3 is within the expected range

Long Description: Youth respondent's age (in years) at the time of the Wave 3 interview is within the expected range.

Algorithm: IF (WAVE2_INTERVIEW = 2 AND R02R_Y_AGE >= 0) THEN DO; IF (R03R_Y_AGE >= 0) THEN DO; IF ((R03R_Y_AGE - R02R_Y_AGE) >= 0 AND (R03R_Y_AGE - R02R_Y_AGE) <= 2) THEN R03R_Y_AGE_CHECK = 1; ELSE R03R_Y_AGE_CHECK = 2; END; END; ELSE IF (WAVE2_INTERVIEW = 9 AND WAVE1_INTERVIEW = 2) THEN DO; IF (R03R_Y_AGE >= 0 AND R01R_Y_AGE >= 0) THEN DO; IF ((R03R_Y_AGE - R01R_Y_AGE) >= 0 AND (R03R_Y_AGE - R01R_Y_AGE) <= 4) THEN R03R_Y_AGE_CHECK = 1; ELSE R03R_Y_AGE_CHECK = 2; END; END; ELSE IF (WAVE2_INTERVIEW In (3, 9) AND WAVE1_INTERVIEW = 3) THEN DO; IF (R03R_Y_AGE In (12, 13)) THEN R03R_Y_AGE_CHECK = 1; ELSE R03R_Y_AGE_CHECK = 2; END;

Notes: All shadow youth were between ages 9 and 11 at Wave 1. Wave 3 new baseline youth are assumed to be between 12 and 13 years old.

Value	Label	Unweighted Frequency	%
1	1 = Age is within expected range	11794	99.8 %
2	2 = Age is not within expected range	20	0.2 %
	Total	11,814	100.0%

This variable has 11,814 valid cases out of 11,814 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10577-10584 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R03R_Y_SEX: DERIVED - Wave 3 Youth Gender

Long Description: Wave 3 Youth gender from the interview.

Algorithm: IF WAVE2_INTERVIEW = 2 THEN R03R_Y_SEX = R02R_Y_SEX; ELSE IF WAVE2_INTERVIEW = 9 AND WAVE1_INTERVIEW = 2 THEN R03R_Y_SEX = R01R_Y_SEX; ELSE IF WAVE3_INTERVIEW = 2 AND R03_YM0004_NB >= 1 THEN R03R_Y_SEX = R03_YM0004_NB; ELSE IF R03_YM0004_NB = -9 THEN R03R_Y_SEX = -99999; ELSE IF R03_YM0004_NB = -8 THEN R03R_Y_SEX = -99988; ELSE IF R03_YM0004_NB = -7 THEN R03R_Y_SEX = -99977;

Value	Label	Unweighted Frequency	%
1	1 = Male	6104	51.7 %
2	2 = Female	5677	48.1 %
	Total	11,781	99.7%

This variable has 11,781 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	33	0.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10585-10592 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -97777

R03R_Y_HISP: DERIVED - Hispanic origin from the interview (2 levels)

Long Description: Hispanic origin (2 levels).

Algorithm: IF WAVE1_INTERVIEW = 2 THEN R03R_Y_HISP = R01R_Y_HISP; ELSE IF WAVE2_INTERVIEW = 2 THEN R03R_Y_HISP = R02R_Y_HISP; ELSE IF R03_YOUTHTYPE = 2 AND R03_YM0005_NB_01 = 1 (Youth Ethnic origin Not Hispanic, Latino or Spanish) THEN R03R_Y_HISP = 2; ELSE IF R03_YOUTHTYPE = 2 AND R03_YM0005_NB_01 = 2 THEN R03R_Y_HISP = 1; ELSE IF R03_YM0005_NB_01 = -8 THEN R03R_Y_HISP = -99988; ELSE IF R03_YM0005_NB_01 = -7 THEN R03R_Y_HISP = -99977.

Value	Label	Unweighted Frequency	%
1	1 = Hispanic	3444	29.2 %
2	2 = Not Hispanic	7989	67.6 %
	Total	11,433	96.8%

This variable has 11,433 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	310	2.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	68	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	381	3.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10593-10600 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -97777

R03R_Y_RACECAT3: DERIVED - Recoded race from the interview (3 levels)

Long Description: Race (3 levels).

Algorithm: IF WAVE1_INTERVIEW = 2 THEN R03R_Y_RACECAT3 = R01R_Y_RACECAT3; ELSE IF WAVE2_INTERVIEW = 2 THEN R03R_Y_RACECAT3 = R02R_Y_RACECAT3; ELSE IF R03_YOUTHTYPE = 2 THEN IF ALL R03_YM0006_NB_xx variables (Youth Race Categories) have values (1,2) THEN do the following:[STEP 1: Create intermediate variable MULT_RACE: JIF any combination of (R03_YM0006_NB_04, R03_YM0006_NB_05, R03_YM0006_NB_06, R03_YM0006_NB_07, R03_YM0006_NB_08, R03_YM0006_NB_09, R03_YM0006_NB_10) (Youth Asian Race Categories) = 1 AND all other R03_YM0006_NB_xx variables = 2 THEN MULT_RACE = 2; ELSE IF more than one of the variables in the list = 1 THEN MULT_RACE = 1; ELSE MULT_RACE = 2; [STEP 2: Assign R03R_Y_RACECAT3:] IF R03_YM0006_NB_01 = 1 (Youth Race is White)AND MULT_RACE = 2 THEN R03R_Y_RACECAT3 = 1; ELSE IF R03_YM0006_NB_02 = 1 (Youth Race is African American) AND MULT_RACE = 2 THEN R03R_Y_RACECAT3 = 2; ELSE R03R_Y_RACECAT3 = 3; [STEP 3: Handle missing values: JIF ALL R03_YM0006_NB_xx variables (Youth Race Categories) have values = -9 THEN R03R_Y_RACECAT3 = -99999; ELSE IF ALL R03_YM0006_NB_xx variables (Youth Race Categories) have values = -8 THEN R03R_Y_RACECAT3 = -99988; ELSE IF ALL R03_YM0006_NB_xx variables (Youth Race Categories) have values = -7 THEN R03R_Y_RACECAT3 = -99977.

Value	Label	Unweighted Frequency	%
1	1 = White alone	7534	63.8 %
2	2 = Black alone	1783	15.1 %
3	3 = Other	1817	15.4 %
	Total	11,134	94.2%

This variable has 11,134 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	539	4.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	138	1.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	680	5.8%

Percentages for both tables are based on 11,814 total cases.

Location: 10601-10608 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R03R_Y_BMI: DERIVED - Body mass index

Long Description: Body mass index.

Algorithm: [STEP 1: Create intermediate variable R03R_P_HTINCH:] IF (R03_PT0007_FT <= 0 AND R03_PT0007_IN<= 0 AND R03_PT0007_MT>=0) THEN R03R_P_HTINCH = R03_PT0007_MT*39.3701; ELSE IF (R03_PT0007_FT>= 0 AND R03_PT0007_IN>=0) THEN R03R_P_HTINCH = R03_PT0007_FT*12 + R03_PT0007_IN; ELSE IF (R03_PT0007_FT>=0 AND R03_PT0007_IN<0 AND R03_PT0007_MT<=0) THEN R03R_P_HTINCH=R03_PT0007_FT*12; ELSE IF (R03_PT0007_FT<0 AND R03_PT0007_IN >= 0 AND R03_PT0007_MT<=0) THEN R03R_P_HTINCH = R03_PT0007_IN; [STEP 2: Create intermediate variable R03R_P_WTPNDS:]IF R03_PT0008_LB>= 0 THEN R03R_P_WTPNDS=R03_PT0008_LB; ELSE IF R03_PT0008_KG>= 0 THEN R03R_P_WTPNDS=R03_PT0008_KG*2.20462; [STEP 3: Create intermediate variable R03R_Y_HTINCH:] IF (R03_YX0310 IN (1, -7, -8) AND (R03_YT0007_FT >= 0 AND R03_YT0007_IN >= 0)) THEN R03R_Y_HTINCH = R03_YT0007_FT*12 + R03_YT0007_IN; ELSE IF (R03_YX0310 IN (1,-7,-8) AND R03_YT0007_FT >= 0 AND R03_YT0007_IN < 0) THEN R03R_Y_HTINCH = R03_YT0007_FT*12; ELSE IF (R03_YX0310 IN (1,-7,-8) AND R03_YT0007_FT < 0 AND R03_YT0007_IN >= 0) THEN R03R_Y_HTINCH = R03_YT0007_IN; ELSE IF (R03_YX0310 = 2 AND R03_YX0311 >= 0) THEN R03R_Y_HTINCH = R03_YX0311*39.3701; [STEP 4: Create intermediate variable R03R_Y_WTPNDS:]IF (R03_YX0310=1 OR R03_YX0310<0) AND R03_YT0008>=0 THEN R03R_Y_WTPNDS=R03_YT0008; ELSE IF R03_YX0310=2 AND R03_YX0312>=0 THEN R03R_Y_WTPNDS=R03_YX0312*2.20462; [STEP 5: Create R03R_Y_BMI:] IF not missing(R03R_P_HTINCH) and not missing(R03R_P_WTPNDS) THEN R03R_Y_BMI = 703 * (R03R_P_WTPNDS / (R03R_P_HTINCH * R03R_P_HTINCH)); ELSE IF not missing(R03R_P_HTINCH) and not missing(R03R_Y_WTPNDS) THEN R03R_Y_BMI = 703 * (R03R_Y_WTPNDS /(R03R_P_HTINCH * R03R_P_HTINCH)); ELSE IF not missing(R03R_Y_HTINCH) and not missing(R03R_P_WTPNDS) THEN R03R_Y_BMI = 703 * (R03R_P_WTPNDS / (R03R_Y_HTINCH * R03R_Y_HTINCH)); ELSE IF not missing(R03R_Y_HTINCH) and not missing(R03R_Y_WTPNDS) THEN R03R_Y_BMI = 703 * (R03R_Y_WTPNDS / (R03R_Y_HTINCH* R03R_Y_HTINCH)); ELSE IF (R03_PT0007_FT = -9 OR R03_PT0007_IN = -9 OR R03_PT0007_MT = -9 OR R03_PT0008_LB = -9 OR R03_PT0008_KG = -9 OR R03_YT0007_FT = -9 OR R03_YT0007_IN = -9 OR R03_YT0008 = -9 OR R03_YX0311 = -9 OR R03_YX0312 = -9) THEN R03R_Y_BMI = -99999; ELSE IF (R03_PT0007_FT = -8 OR R03_PT0007_IN = -8 OR R03_PT0007_MT = -8 OR R03_PT0008_LB = -8 OR R03_PT0008_KG = -8 OR R03_YT0007_FT = -8 OR R03_YT0007_IN = -8 OR R03_YT0008 = -8 OR R03_YX0311 = -8 OR R03_YX0312 = -8) THEN R03R_Y_BMI = -99988; ELSE IF (R03_PT0007_FT = -7 OR R03_PT0007_IN = -7 OR R03_PT0007_MT = -7 OR R03_PT0008_LB = -7 OR R03_PT0008_KG = -7 OR R03_YT0007_FT = -7 OR R03_YT0007_IN = -7 OR R03_YT0008 = -7 OR R03_YX0311 = -7 OR R03_YX0312 = -7) THEN

R03R_Y_BMI = -99977; ELSE IF (R03_PT0007_FT = -5 OR R03_PT0007_IN = -5 OR R03_PT0007_MT = -5 OR R03_PT0008_LB = -5 OR R03_PT0008_KG = -5 OR R03_YT0007_FT = -5 OR R03_YT0007_IN = -5 OR R03_YT0008 = -5 OR R03_YX0311 = -5 OR R03_YX0312 = -5) THEN R03R_Y_BMI = -99955; ELSE IF (R03_PT0007_FT = -1 OR R03_PT0007_IN = -1 OR R03_PT0007_MT = -1 OR R03_PT0008_LB = -1 OR R03_PT0008_KG = -1 OR R03_YT0007_FT = -1 OR R03_YT0007_IN = -1 OR R03_YT0008 = -1 OR R03_YX0311 = -1 OR R03_YX0312 = -1) THEN R03R_Y_BMI = -99911; IF R03R_Y_BMI > 60 THEN R03R_Y_BMI = 60;

This variable has 11,770 valid cases out of 11,814 total cases.

- Mean: 22.76644955
- Minimum: 8.57951183
- Maximum: 60.00000000
- Standard Deviation: 5.32203548

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	43	0.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	44	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10609-10623 (width: 15; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03R_Y_EVR_CIGS: DERIVED - Wave 3 Youth Ever Cigarette Smoker

Long Description: Wave 3 Youth respondents who have ever smoked a cigarette.

Algorithm: IF R03_YC1002_NB=1 OR R03_YC1002_12M=1 OR R02R_Y_EVR_CIGS=1 OR R01R_Y_EVR_CIGS=1, THEN R03R_Y_EVR_CIGS=1; ELSE IF R03_YC1002_NB=2 OR (R01R_Y_EVR_CIGS=2 AND R02R_Y_EVR_CIGS=2 AND R03_YC1002_12M=2) OR (R02R_Y_EVR_CIGS=2 AND R03_YC1002_12M=2 AND WAVE1_INTERVIEW=3), THEN R03R_Y_EVR_CIGS=2; ELSE IF R03_YC1002_12M=-9 OR R03_YC1002_NB=-9, THEN R03R_Y_EVR_CIGS=-99999; ELSE IF R03_YC1002_12M=-8 OR R03_YC1002_NB=-9, THEN R03R_Y_EVR_CIGS=-99988; ELSE IF R03_YC1002_12M=-7 OR R03_YC1002_NB=-9, THEN R03R_Y_EVR_CIGS=-99977; ELSE IF R02R_Y_EVR_CIGS in (-99999,-99988,-99977,-99966,-99911,) OR R01R_Y_EVR_CIGS in (-99999,-99988,-99977, -99955, -99911) OR WAVE2_INTERVIEW=9, THEN R03R_Y_EVR_CIGS=-99966; ELSE IF R03_YC1002_12M=-1 OR R03_YC1002_NB=-9, THEN R03R_Y_EVR_CIGS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1220	10.3 %
2	2 = No	10371	87.8 %

Value	Label	Unweighted Frequency	%
	Total	11,591	98.1%

This variable has 11,591 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	210	1.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	223	1.9%

Percentages for both tables are based on 11,814 total cases.

Location: 10624-10631 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_CIGS: DERIVED - Wave 3 Youth Never to Ever Cigarette Smoker

Long Description: Wave 3 Youth respondents who started smoking cigarettes between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_CIGS=2 AND R03_YC1002_12M=1 THEN R03R_Y_NEW_CIGS=1; ELSE IF R02R_Y_EVR_CIGS=1 OR (R03_YC1002_12M=2 AND WAVE2_INTERVIEW != 9) THEN R03R_Y_NEW_CIGS=2; ELSE IF R03_YC1002_12M=-1 THEN R03R_Y_NEW_CIGS = -99933; ELSE IF R03_YC1002_12M=-9 THEN R03R_Y_NEW_CIGS = -99999; ELSE IF R03_YC1002_12M=-8 THEN R03R_Y_NEW_CIGS = -99988; ELSE IF R03_YC1002_12M=-7 THEN R03R_Y_NEW_CIGS = -99977; ELSE IF R02R_Y_EVR_CIGS in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_CIGS = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	276	2.3 %
2	2 = No	9256	78.3 %
	Total	9,532	80.7%

This variable has 9,532 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	230	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,282	19.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10632-10639 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R03R_Y_EVR_THRSH_CIGS: DERIVED - Wave 3 Youth Cigarette Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 3 Youth respondents who have smoked 100 or more cigarettes in their lifetime.

Algorithm: IF R03R_Y_EVR_CIGS=1 AND (R01_YC1005=7 OR R02R_Y_EVR_THRSH_CIGS=1 OR R03_YC1005=7) THEN R03R_Y_EVR_THRSH_CIGS=1; ELSE IF R03R_Y_EVR_CIGS=2 OR (R03R_Y_EVR_CIGS=1 AND R03_YC1005 in (1,2,3,4,5,6)) THEN R03R_Y_EVR_THRSH_CIGS=2; ELSE IF R03R_Y_EVR_CIGS=-99999 OR R03_YC1005=-9 THEN R03R_Y_EVR_THRSH_CIGS=-99999; ELSE IF R03R_Y_EVR_CIGS=-99988 OR R03_YC1005=-8 THEN R03R_Y_EVR_THRSH_CIGS=-99988; ELSE IF R03R_Y_EVR_CIGS=-99977 OR R03_YC1005=-7 THEN R03R_Y_EVR_THRSH_CIGS=-99977; ELSE IF R03R_Y_EVR_CIGS=-99966 OR R02R_Y_EVR_THRSH_CIGS in (-99999,-99988,-99977,-99966,-99911) OR R01_YC1005 in (-9,-8,-7,-1) THEN R03R_Y_EVR_THRSH_CIGS = -99966; ELSE IF R03R_Y_EVR_CIGS=-99911 OR R03_YC1005=-1 THEN R03R_Y_EVR_THRSH_CIGS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	209	1.8 %
2	2 = No	11296	95.6 %
	Total	11,505	97.4%

This variable has 11,505 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	57	0.5 %
-99977	-99977 = Missing due to a refused response on one or more component variables	39	0.3 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	210	1.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	309	2.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10640-10647 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_CUR_CIGS: DERIVED - Wave 3 Youth Current Cigarette Smoker

Long Description: Wave 3 Youth respondents who have smoked cigarettes within the past 30 days.

Algorithm: IF R03R_Y_EVR_CIGS=1 AND R03_YC1112 in (1,2,3), THEN R03R_Y_CUR_CIGS=1; ELSE IF R03R_Y_EVR_CIGS=2 OR (R03R_Y_EVR_CIGS=1 AND R03_YC1112 in (4,5,6,7)) OR R03_YC1002_12M=2, THEN R03R_Y_CUR_CIGS=2; ELSE IF R03R_Y_EVR_CIGS=-99999 OR R03_YC1112=-9 OR R03_YC1002_12M=-9, THEN R03R_Y_CUR_CIGS = -99999; ELSE IF R03R_Y_EVR_CIGS=-99988 OR R03_YC1112=-8 OR R03_YC1002_12M=-8, THEN R03R_Y_CUR_CIGS = -99988; ELSE IF R03R_Y_EVR_CIGS=-99977 OR R03_YC1112=-7 OR R03_YC1002_12M=-7, THEN R03R_Y_CUR_CIGS = -99977; ELSE IF R03R_Y_EVR_CIGS=-99966, THEN R03R_Y_CUR_CIGS = -99966; ELSE IF R03R_Y_EVR_CIGS=-99911 OR R03_YC1112=-1 OR R03_YC1002_12M=-1, THEN R03R_Y_CUR_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	366	3.1 %
2	2 = No	11431	96.8 %
	Total	11,797	99.9%

This variable has 11,797 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	17	0.1%

Percentages for both tables are based on 11,814 total cases.

Location: 10648-10655 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_EVR_EPRODS: DERIVED - Wave 3 Youth Ever Electronic Nicotine Product User

Long Description: Wave 3 Youth respondents who have ever used any electronic nicotine products.

Algorithm: IF R03_YV1002_12M=1 OR R03_YV1002_NB=1 OR R02R_Y_EVR_EPRODS= in (1,3) OR R01R_Y_EVR_ECIG=1, THEN R03R_Y_EVR_EPRODS=1; ELSE IF (R02R_Y_EVR_EPRODS=2 AND R03_YV1002_12M=2 AND R01R_Y_EVR_ECIG=2) OR R03_YV1001_NB=2 OR R03_YV1002_NB=2 OR (R02R_Y_EVR_EPRODS=2 AND R03_YV1002_12M=2 AND WAVE1_INTERVIEW=3), THEN R03R_Y_EVR_EPRODS=2; ELSE IF R03_YV1002_NB=-9 OR R03_YV1001_NB=-9 OR R03_YV1002_12M=-9, THEN R03R_Y_EVR_EPRODS = -99999; ELSE IF R03_YV1002_NB=-8 OR R03_YV1001_NB=-8 OR R03_YV1002_12M=-8, THEN R03R_Y_EVR_EPRODS = -99988; ELSE IF R03_YV1002_NB=-7 OR R03_YV1001_NB=-7 OR R03_YV1002_12M=-7, THEN R03R_Y_EVR_EPRODS = -99977; ELSE IF R01R_Y_EVR_ECIG in (-99999,-99988,-99977,-99955,-99911) OR R02R_Y_EVR_EPRODS in (-99999,-99988,-99977, -99966,-99911) OR WAVE2_INTERVIEW=9, THEN R03R_Y_EVR_EPRODS = -99966; ELSE IF R03_YV1002_NB=-1 OR R03_YV1001_NB=-1 OR R03_YV1002_12M=-1, THEN R03R_Y_EVR_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1930	16.3 %
2	2 = No	9630	81.5 %
	Total	11,560	97.9%

This variable has 11,560 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	230	1.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	254	2.1%

Percentages for both tables are based on 11,814 total cases.

Location: 10656-10663 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_EPRODS: DERIVED - Wave 3 Youth Never to Ever Electronic Nicotine Product User

Long Description: Wave 3 Youth respondents who started using an electronic nicotine product between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_EPRODS=2 AND R03_YV1002_12M=1 THEN R03R_Y_NEW_EPRODS=1;
ELSE IF R02R_Y_EVR_EPRODS in (1,3) OR (R03_YV1002_12M=2 AND WAVE2_INTERVIEW != 9)
THEN R03R_Y_NEW_EPRODS=2; ELSE IF R03_YV1002_12M =-1 THEN R03R_Y_NEW_EPRODS = -99933;
ELSE IF R03_YV1002_12M=-9 THEN R03R_Y_NEW_EPRODS = -99999; ELSE IF R03_YV1002_12M=-8
THEN R03R_Y_NEW_EPRODS = -99988; ELSE IF R03_YV1002_12M=-7 THEN R03R_Y_NEW_EPRODS
= -99977; ELSE IF R02R_Y_EVR_EPRODS in (-99999,-99988,-99977,-99966,-99911) OR
WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_EPRODS = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	460	3.9 %
2	2 = No	9062	76.7 %
	Total	9,522	80.6%

This variable has 9,522 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	233	2.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,292	19.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10664-10671 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R03R_Y_EVR_THRSH_EPRODS: DERIVED - Wave 3 Youth Electronic Nicotine Product Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 3 Youth respondents who have used electronic nicotine products fairly regularly in their lifetime.

Algorithm: IF R03R_Y_EVR_EPRODS = 1 AND (R02R_Y_EVR_THRSH_ECIG = 1 OR R03_YV1100 = 1 OR R03_YV2100 = 1) THEN
R03R_Y_EVR_THRSH_EPRODS = 1; ELSE IF R03R_Y_EVR_EPRODS = 2 OR
(R03R_Y_EVR_EPRODS = 1 AND R03_YV1100 = 2 AND
R03_YV2100 IN (-1,2)) THEN R03R_Y_EVR_THRSH_EPRODS = 2; ELSE IF
R03R_Y_EVR_EPRODS = -99999 OR R03_YV1100 = -9 OR
R03_YV2100 = -9 THEN R03R_Y_EVR_THRSH_EPRODS = -99999; ELSE IF
R03R_Y_EVR_EPRODS = -99988 OR R03_YV1100 = -8 OR
R03_YV2100 = -8 THEN R03R_Y_EVR_THRSH_EPRODS = -99988; ELSE IF
R03R_Y_EVR_EPRODS = -99977 OR R03_YV1100 = -7 OR

R03_YV2100 = -7 THEN R03R_Y_EVR_THRSH_EPRODS = -99977; ELSE IF
R03R_Y_EVR_EPRODS = -99966 OR R02R_Y_EVR_THRSH_ECIG
IN (-99999,-99988,-99977,-99966,-99911) THEN R03R_Y_EVR_THRSH_EPRODS
= -99966; ELSE IF R03R_Y_EVR_EPRODS = -99911 OR
R03_YV1100 = -1 OR R03_YV2100 = -1 THEN R03R_Y_EVR_THRSH_EPRODS
= -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	394	3.3 %
2	2 = No	11066	93.7 %
	Total	11,460	97.0%

This variable has 11,460 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	231	2.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	93	0.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	354	3.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10672-10679 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_CUR_EPRODS: DERIVED - Wave 3 Youth Current Electronic Nicotine Product User

Long Description: Wave 3 Youth respondents who have used any electronic nicotine product within the past 30 days.

Algorithm: IF R03R_Y_EVR_EPRODS=1 AND (R03_YV1112 in (1,2,3) OR (R03_YV2029_UN=1 AND R03_YV2029_NN<=30) OR (R03_YV2029_UN=2 AND R03_YV2029_NN=1)), THEN R03R_Y_CUR_EPRODS=1; ELSE IF R03R_Y_EVR_EPRODS=2 OR (R03_YV1112 in (4,5,6,7) AND R03_YV2029_NN ! in (-7,-8,-9)) OR (R03_YV2029_UN=3 OR (R03_YV2029_UN=2 AND R03_YV2029_NN>=2) OR (R03_YV2029_UN=1 AND R03_YV2029_NN>30) AND R03_YV1112 ! in (-7,-8,-9)) OR R03_YV1002_12M=2, THEN R03R_Y_CUR_EPRODS=2; ELSE IF R03R_Y_EVR_EPRODS=-99999 OR R03_YV1112=-9 OR R03_YV1002_12M=-9, THEN R03R_Y_CUR_EPRODS = -99999; ELSE IF R03R_Y_EVR_EPRODS=-99988 OR R03_YV1112=-8 OR R03_YV1002_12M=-8, THEN R03R_Y_CUR_EPRODS = -99988; ELSE IF R03R_Y_EVR_EPRODS=-99977 OR R03_YV1112=-7 OR R03_YV1002_12M=-7, THEN R03R_Y_CUR_EPRODS = -99977; ELSE IF R03_YV2029_NN=-5, THEN R03R_Y_CUR_EPRODS = -99955; ELSE IF R03R_Y_EVR_EPRODS=-99966, THEN R03R_Y_CUR_EPRODS = -99966; ELSE IF R03R_Y_EVR_EPRODS=-99911 OR R03_YV1112=-1

OR R03_YV1002_12M=-1, THEN R03R_Y_CUR_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	454	3.8 %
2	2 = No	11310	95.7 %
	Total	11,764	99.6%

This variable has 11,764 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	50	0.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10680-10687 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99955 , -99911 , -97777

R03R_Y_EVR_GTRAD: DERIVED - Wave 3 Youth Ever Traditional Cigar Smoker

Long Description: Wave 3 Youth respondents who have ever smoked a traditional cigar.

Algorithm: IF R01R_Y_EVR_GTRAD=1 OR R02R_Y_EVR_GTRAD=1 OR (R03_YG1002_NB=1 AND R03_YG9104_NB_01=1) OR (R03_YG1002_12M=1 AND R03_YG9104_12M_01=1), THEN R03R_Y_EVR_GTRAD=1; ELSE IF R03_YG9101_NB=2 OR R03_YG1002_NB=2 OR R03_YG9104_NB_01=2 OR (R01R_Y_EVR_GTRAD=2 AND R02R_Y_EVR_GTRAD=2 AND (R03_YG1002_12M=2 OR R03_YG9104_12M_01=2)) OR (R02R_Y_EVR_GTRAD=2 AND (R03_YG1002_12M=2 OR R03_YG9104_12M_01=2) AND WAVE1_INTERVIEW=3), THEN R03R_Y_EVR_GTRAD=2; ELSE IF R03_YG1002_NB=-9 OR R03_YG9104_NB_01=-9 OR R03_YG1002_12M=-9 OR R03_YG9104_12M_01=-9 OR R03_YG9101_NB=-9, THEN R03R_Y_EVR_GTRAD = -99999; ELSE IF R03_YG1002_NB=-8 OR R03_YG9104_NB_01=-8 OR R03_YG1002_12M=-8 OR R03_YG9104_12M_01=-8 OR R03_YG9101_NB=-8, THEN R03R_Y_EVR_GTRAD = -99988; ELSE IF R03_YG1002_NB=-7 OR R03_YG9104_NB_01=-7 OR R03_YG1002_12M=-7 OR R03_YG9104_12M_01=-7 OR R03_YG9101_NB=-7, THEN R03R_Y_EVR_GTRAD = -99977; ELSE IF R01R_Y_EVR_GTRAD in (-99999,-99988,-99977,-99955,-99911) OR R02R_Y_EVR_GTRAD in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9, THEN R03R_Y_EVR_GTRAD = -99966; ELSE IF R03_YG1002_NB=-1 OR R03_YG9104_NB_01=-1 OR R03_YG1002_12M=-1 OR R03_YG9104_12M_01=-1 OR R03_YG9101_NB=-1, THEN R03R_Y_EVR_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	198	1.7 %
2	2 = No	11146	94.3 %
	Total	11,344	96.0%

This variable has 11,344 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	35	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	417	3.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	470	4.0%

Percentages for both tables are based on 11,814 total cases.

Location: 10688-10695 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_GTRAD: DERIVED - Wave 3 Youth Never to Ever Traditional Cigar Smoker

Long Description: Wave 3 Youth respondents who started smoking traditional cigars between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_GTRAD=2 AND (R03_YG1002_12M=1 AND R03_YG9104_12M_01=1) THEN R03R_Y_NEW_GTRAD=1; ELSE IF R02R_Y_EVR_GTRAD=1 OR ((R03_YG1002_12M=2 OR R03_YG9104_12M_01=2) AND WAVE2_INTERVIEW != 9) THEN R03R_Y_NEW_GTRAD=2; ELSE IF R03_YG1002_12M=-1 THEN R03R_Y_NEW_GTRAD = -99933; ELSE IF R03_YG1002_12M=-9 OR R03_YG9104_12M_01=-9 THEN R03R_Y_NEW_GTRAD = -99999; ELSE IF R03_YG1002_12M=-8 OR R03_YG9104_12M_01=-8 THEN R03R_Y_NEW_GTRAD = -99988; ELSE IF R03_YG1002_12M=-7 OR R03_YG9104_12M_01=-7 THEN R03R_Y_NEW_GTRAD = -99977; ELSE IF R02R_Y_EVR_GTRAD in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_GTRAD = -99966; ELSE IF R03_YG9104_12M_01=-1 THEN R03R_Y_NEW_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	51	0.4 %
2	2 = No	9456	80.0 %
	Total	9,507	80.5%

This variable has 9,507 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	225	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,307	19.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10696-10703 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R03R_Y_EVR_THRSH_GTRAD: DERIVED - Wave 3 Youth Traditional Cigar Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 3 Youth respondents who have used traditional cigars fairly regularly in their lifetime.

Algorithm: IF R03R_Y_EVR_GTRAD=1 AND (R02R_Y_EVR_THRSH_GTRAD=1 OR R03_YG1100TC=1) THEN R03R_Y_EVR_THRSH_GTRAD=1;
ELSE IF R03R_Y_EVR_GTRAD=2 OR (R03R_Y_EVR_GTRAD=1 AND R03_YG1100TC=2) THEN R03R_Y_EVR_THRSH_GTRAD=2; ELSE IF
R03R_Y_EVR_GTRAD=-99999 OR R03_YG1100TC=-9 THEN R03R_Y_EVR_THRSH_GTRAD=-99999;
ELSE IF R03R_Y_EVR_GTRAD=-99988
OR R03_YG1100TC=-8 THEN R03R_Y_EVR_THRSH_GTRAD=-99988; ELSE IF
R03R_Y_EVR_GTRAD=-99977 OR R03_YG1100TC=-7
THEN R03R_Y_EVR_THRSH_GTRAD=-99977; ELSE IF R03R_Y_EVR_GTRAD= -99966
OR R02R_Y_EVR_THRSH_GTRAD in
(-99999,-99988,-99977,-99966,-99911) THEN R03R_Y_EVR_THRSH_GTRAD =
-99966; ELSE IF R03R_Y_EVR_GTRAD=-99911 OR
R03_YG1100TC=-1 THEN R03R_Y_EVR_THRSH_GTRAD=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	11305	95.7 %
	Total	11,334	95.9%

This variable has 11,334 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	36	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	419	3.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	7	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	480	4.1%

Percentages for both tables are based on 11,814 total cases.

Location: 10704-10711 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_CUR_GTRAD: DERIVED - Wave 3 Youth Current Traditional Cigar Smoker

Long Description: Wave 3 Youth respondents who have smoked traditional cigars within the past 30 days.

Algorithm: IF R03R_Y_EVR_GTRAD=1 AND R03_YG1112TC in (1,2,3), THEN R03R_Y_CUR_GTRAD=1; ELSE IF R03R_Y_EVR_GTRAD=2 OR (R03R_Y_EVR_GTRAD=1 AND R03_YG1112TC in (4,5,6,7)) OR (R03R_Y_EVR_GTRAD=1 AND R03_YG1095_01=1 AND R03_YG9106_01=1 AND R03_YG1112TC=-1) OR R03_YG9104_12M_01=2 OR R03_YG1002_12M=2, THEN R03R_Y_CUR_GTRAD=2; ELSE IF R03R_Y_EVR_GTRAD=-99999 OR R03_YG1112TC=-9 OR R03_YG9106_01=-9 OR R03_YG1002_12M=-9 OR R03_YG9104_12M_01=-9 OR R03_YG1095_01=-9, THEN R03R_Y_CUR_GTRAD = -99999; ELSE IF R03R_Y_EVR_GTRAD=-99988 OR R03_YG1112TC=-8 OR R03_YG9106_01=-8 OR R03_YG1002_12M=-8 OR R03_YG9104_12M_01=-8 OR R03_YG1095_01=-8, THEN R03R_Y_CUR_GTRAD = -99988; ELSE IF R03R_Y_EVR_GTRAD=-99977 OR R03_YG1112TC=-7 OR R03_YG9106_01=-7 OR R03_YG1002_12M=-7 OR R03_YG9104_12M_01=-7 OR R03_YG1095_01=-7, THEN R03R_Y_CUR_GTRAD = -99977; ELSE IF R03R_Y_EVR_GTRAD=-99966, THEN R03R_Y_CUR_GTRAD = -99966; ELSE IF R03R_Y_EVR_GTRAD=-99911 OR R03_YG1112TC=-1 OR R03_YG9106_01=-1 OR R03_YG1002_12M=-1 OR R03_YG9104_12M_01=-1 OR R03_YG1095_01=-1, THEN R03R_Y_CUR_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.3 %
2	2 = No	11727	99.3 %
	Total	11,760	99.5%

This variable has 11,760 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	35	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	54	0.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10712-10719 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_EVR_GRILLO: DERIVED - Wave 3 Youth Ever Cigarillo Smoker

Long Description: Wave 3 Youth respondents who have ever smoked a cigarillo.

Algorithm: IF R01R_Y_EVR_GRILLO=1 OR R02R_Y_EVR_GRILLO=1 OR (R03_YG9104_NB_02=1 AND (R03_YG9009_NB_01=1 OR R03_YG9009_NB_03=1)) OR (R03_YG9104_12M_02=1 AND (R03_YG9009_12M_01=1 OR R03_YG9009_12M_03=1)) THEN R03R_Y_EVR_GRILLO=1; ELSE IF R03_YG9101_NB=2 OR R03_YG1002_NB=2 OR R03_YG9104_NB_02=2 OR (R03_YG9009_NB_01 = 2 AND R03_YG9009_NB_03 = 2) OR (R01R_Y_EVR_GRILLO=2 AND R02R_Y_EVR_GRILLO=2 AND (R03_YG1002_12M=2 OR R03_YG9104_12M_02=2 OR (R03_YG9009_12M_01=2 AND R03_YG9009_12M_03=2))) OR (R02R_Y_EVR_GRILLO=2 AND (R03_YG1002_12M=2 OR R03_YG9104_12M_02=2 OR (R03_YG9009_12M_01=2 AND R03_YG9009_12M_03=2)) AND WAVE1_INTERVIEW=3) THEN R03R_Y_EVR_GRILLO=2; ELSE IF R03_YG9104_NB_02=-9 OR R03_YG9009_NB_01=-9 OR R03_YG9009_NB_03=-9 OR R03_YG9104_12M_02=-9 OR R03_YG9009_12M_01=-9 OR R03_YG9009_12M_03=-9 OR R03_YG9101_NB=-9 OR R03_YG1002_NB=-9 OR R03_YG1002_12M=-9 THEN R03R_Y_EVR_GRILLO = -99999; ELSE IF R03_YG9104_NB_02=-8 OR R03_YG9009_NB_01=-8 OR R03_YG9009_NB_03=-8 OR R03_YG9104_12M_02=-8 OR R03_YG9009_12M_01=-8 OR R03_YG9009_12M_03=-8 OR R03_YG9101_NB=-8 OR R03_YG1002_NB=-8 OR R03_YG1002_12M=-8 THEN R03R_Y_EVR_GRILLO = -99988; ELSE IF R03_YG9104_NB_02=-7 OR R03_YG9009_NB_01=-7 OR R03_YG9009_NB_03=-7 OR R03_YG9104_12M_02=-7 OR R03_YG9009_12M_01=-7 OR R03_YG9009_12M_03=-7 OR R03_YG9101_NB=-7 OR R03_YG1002_NB=-7 OR R03_YG1002_12M=-7 THEN R03R_Y_EVR_GRILLO = -99977; ELSE IF R01R_Y_EVR_GRILLO in (-99999,-99988,-99977,-99955,-99911) OR R02R_Y_EVR_GRILLO in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_EVR_GRILLO = -99966; ELSE IF R03_YG9104_NB_02=-1 OR R03_YG9009_NB_01=-1 OR R03_YG9009_NB_03=-1 OR R03_YG9104_12M_02=-1 OR R03_YG9009_12M_01=-1 OR R03_YG9009_12M_03=-1 OR R03_YG9101_NB=-1 OR R03_YG1002_NB=-1 OR R03_YG1002_12M=-1 THEN R03R_Y_EVR_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	481	4.1 %
2	2 = No	10831	91.7 %

Value	Label	Unweighted Frequency	%
	Total	11,312	95.8%

This variable has 11,312 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	34	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	449	3.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	502	4.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10720-10727 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_GRILLO: DERIVED - Wave 3 Youth Never to Ever Cigarillo Smoker

Long Description: Wave 3 Youth respondents who started smoking cigarillos between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_GRILLO=2 AND (R03_YG9104_12M_02=1 AND (R03_YG9009_12M_01=1 OR R03_YG9009_12M_03=1)) THEN R03R_Y_NEW_GRILLO=1; ELSE IF R02R_Y_EVR_GRILLO=1 OR ((R03_YG1002_12M=2 OR R03_YG9104_12M_02=2 OR (R03_YG9009_12M_01=2 AND R03_YG9009_12M_03=2)) AND WAVE2_INTERVIEW != 9) THEN R03R_Y_NEW_GRILLO=2; ELSE IF R03_YG1002_12M=-1 THEN R03R_Y_NEW_GRILLO = -99933; ELSE IF R03_YG9104_12M_02=-9 OR R03_YG9009_12M_01=-9 OR R03_YG9009_12M_03=-9 OR R03_YG1002_12M=-9 THEN R03R_Y_NEW_GRILLO = -99999; ELSE IF R03_YG9104_12M_02=-8 OR R03_YG9009_12M_01=-8 OR R03_YG9009_12M_03=-8 OR R03_YG1002_12M=-8 THEN R03R_Y_NEW_GRILLO = -99988; ELSE IF R03_YG9104_12M_02=-7 OR R03_YG9009_12M_01=-7 OR R03_YG9009_12M_03=-7 OR R03_YG1002_12M=-7 THEN R03R_Y_NEW_GRILLO = -99977; ELSE IF R02R_Y_EVR_GRILLO in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_GRILLO = -99966; ELSE IF R03_YG9104_12M_02=-1 OR R03_YG9009_12M_01=-1 OR R03_YG9009_12M_03=-1 THEN R03R_Y_NEW_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	138	1.2 %
2	2 = No	9365	79.3 %
	Total	9,503	80.4%

This variable has 9,503 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	229	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,311	19.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10728-10735 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R03R_Y_EVR_THRSH_GRILLO: DERIVED - Wave 3 Youth Cigarillo Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 3 Youth respondents who have used cigarillos fairly regularly in their lifetime.

Algorithm: IF R03R_Y_EVR_GRILLO=1 AND (R02R_Y_EVR_THRSH_GRILLO=1 OR R03_YG1100CL=1) THEN R03R_Y_EVR_THRSH_GRILLO=1;
ELSE IF R03R_Y_EVR_GRILLO=2 OR (R03R_Y_EVR_GRILLO=1 AND R03_YG1100CL=2) THEN R03R_Y_EVR_THRSH_GRILLO=2; ELSE IF
R03R_Y_EVR_GRILLO=-99999 OR R03_YG1100CL=-9 THEN R03R_Y_EVR_THRSH_GRILLO=-99999;
ELSE IF R03R_Y_EVR_GRILLO=-99988
OR R03_YG1100CL=-8 THEN R03R_Y_EVR_THRSH_GRILLO=-99988; ELSE IF
R03R_Y_EVR_GRILLO=-99977 OR R03_YG1100CL=-7
THEN R03R_Y_EVR_THRSH_GRILLO=-99977; ELSE IF R03R_Y_EVR_GRILLO=
-99966 OR R02R_Y_EVR_THRSH_GRILLO in
(-99999,-99988,-99977,-99966,-99911) THEN R03R_Y_EVR_THRSH_GRILLO
= -99966; ELSE IF R03R_Y_EVR_GRILLO=-99911 OR
R03_YG1100CL=-1 THEN R03R_Y_EVR_THRSH_GRILLO=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.5 %
2	2 = No	11140	94.3 %
	Total	11,196	94.8%

This variable has 11,196 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	35	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	488	4.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	74	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	618	5.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10736-10743 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_CUR_GRILLO: DERIVED - Wave 3 Youth Current Cigarillo Smoker

Long Description: Wave 3 Youth respondents who have ever smoked a cigarillo and have smoked in the past 30 days. Does not include respondents who smoked cigarillos only as blunts.

Algorithm: IF R03R_Y_EVR_GRILLO=1 AND R03_YG1112CL in (1,2,3) THEN R03R_Y_CUR_GRILLO=1; ELSE IF R03R_Y_EVR_GRILLO=2 OR (R03R_Y_EVR_GRILLO=1 AND R03_YG1112CL in (4,5,6,7) AND R03_YG9106_03 ! in (-7,-8,-9) AND R03_YG9106_02 ! in (-7,-8,-9)) OR (R03R_Y_EVR_GRILLO=1 AND (R02_YG9009_12M_01=1 AND R02_YG9009_12M_03=2 AND R03_YG9106_02=1) OR (R03_YG9009_12M_01=2 AND R03_YG9009_12M_03=1 AND R03_YG9106_03=1) OR (R03_YG9106_02=1 AND R03_YG9106_03=1) OR (R03_YG9009_NB_01=1 AND R03_YG9009_NB_03=2 AND R03_YG9106_02=1) OR (R03_YG9009_NB_01=2 AND R03_YG9009_NB_03=1 AND R03_YG9106_03=1)) OR ((R03_YG9104_NB_02=2 OR R03_YG1002_NB=2 OR (R03_YG9009_NB_01=2 AND R03_YG9009_NB_03=2)) AND (R03_YG9106_02=1 OR R03_YG9106_03=1)) OR ((R03_YG9009_12M_01=2 AND R03_YG9009_12M_03=2) OR R03_YG1002_12M=2 OR R03_YG9104_12M_02=2 AND (R03_YG9106_03=1 OR R03_YG9106_02=1)) OR R03_YG9104_NB_02=2 OR R03_YG9104_12M_02=2 THEN R03R_Y_CUR_GRILLO=2; ELSE IF R03R_Y_EVR_GRILLO=-99999 OR R03_YG1112CL=-9 OR R03_YG9106_03=-9 OR R03_YG9106_02=-9 OR R03_YG9009_12M_01=-9 OR R03_YG9009_12M_03=-9 OR R03_YG9009_NB_01=-9 OR R03_YG9009_NB_03=-9 OR R03_YG1095_02=-9 OR R03_YG1095_03=-9 OR R03_YG1002_NB=-9 OR R03_YG9104_NB_02=-9 OR R03_YG1002_12M=-9 OR R03_YG9104_12M_02=-9 THEN R03R_Y_CUR_GRILLO = -99999; ELSE IF R03R_Y_EVR_GRILLO=-99988 OR R03_YG1112CL=-8 OR R03_YG9106_03=-8 OR R03_YG9106_02=-8 OR R03_YG9009_12M_01=-8 OR R03_YG9009_12M_03=-8 OR R03_YG9009_NB_01=-8 OR R03_YG9009_NB_03=-8 OR R03_YG1095_02=-8 OR R03_YG1095_03=-8 OR R03_YG1002_NB=-8 OR R03_YG9104_NB_02=-8 OR R03_YG1002_12M=-8 OR R03_YG9104_12M_02=-8 THEN R03R_Y_CUR_GRILLO = -99988; ELSE IF R03R_Y_EVR_GRILLO=-99977 OR R03_YG1112CL=-7 OR R03_YG9106_03=-7 OR R03_YG9106_02=-7 OR R03_YG9009_12M_01=-7 OR R03_YG9009_12M_03=-7 OR R03_YG9009_NB_01=-7 OR R03_YG9009_NB_03=-7 OR R03_YG1095_02=-7 OR R03_YG1095_03=-7 OR R03_YG1002_NB=-7 OR R03_YG9104_NB_02=-7 OR R03_YG1002_12M=-7 OR R03_YG9104_12M_02=-7 THEN R03R_Y_CUR_GRILLO = -99977; ELSE IF R03R_Y_EVR_GRILLO=-99966 THEN R03R_Y_CUR_GRILLO = -99966; ELSE IF R03R_Y_EVR_GRILLO=-99911 OR R03_YG1112CL=-1 OR R03_YG9106_03=-1 OR R03_YG9106_02=-1 OR R03_YG9009_12M_01=-1 OR R03_YG9009_12M_03=-1 OR R03_YG9009_NB_01=-1 OR R03_YG9009_NB_03=-1 OR R03_YG1095_02=-1 OR R03_YG1095_03=-1 OR R03_YG1002_NB=-1 OR R03_YG9104_NB_02=-1 OR R03_YG1002_12M=-1 OR R03_YG9104_12M_02=-1 THEN R03R_Y_CUR_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	91	0.8 %
2	2 = No	11631	98.5 %
	Total	11,722	99.2%

This variable has 11,722 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	36	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	37	0.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	92	0.8%

Percentages for both tables are based on 11,814 total cases.

Location: 10744-10751 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_EVR_GFILTR: DERIVED - Wave 3 Youth Ever Filtered Cigar Smoker

Long Description: Wave 3 Youth respondents who have ever smoked a filtered cigar.

Algorithm: IF R01R_Y_EVR_GFILTR=1 OR R02R_Y_EVR_GFILTR=1 OR R03_YG9009_NB_02=1 OR R03_YG9009_12M_02=1, THEN R03R_Y_EVR_GFILTR=1; ELSE IF R03_YG9101_NB=2 OR R03_YG1002_NB=2 OR R03_YG9104_NB_02=2 OR R03_YG9009_NB_02=2 OR (R01R_Y_EVR_GFILTR=2 AND R02R_Y_EVR_GFILTR=2 AND (R03_YG1002_12M=2 OR R03_YG9104_12M_02=2 OR R03_YG9009_12M_02=2)) OR (R02R_Y_EVR_GFILTR=2 AND (R03_YG1002_12M=2 OR R03_YG9104_12M_02=2 OR R03_YG9009_12M_02=2) AND WAVE1_INTERVIEW=3), THEN R03R_Y_EVR_GFILTR=2; ELSE IF R03_YG9009_NB_02=-9 OR R03_YG9009_12M_02=-9 OR R03_YG9101_NB=-9 OR R03_YG1002_NB=-9 OR R03_YG9104_NB_02=-9 OR R03_YG1002_12M=-9 OR R03_YG9104_12M_02=-9, THEN R03R_Y_EVR_GFILTR = -99999; ELSE IF R03_YG9009_NB_02=-8 OR R03_YG9009_12M_02=-8 OR R03_YG9101_NB=-8 OR R03_YG1002_NB=-8 OR R03_YG9104_NB_02=-8 OR R03_YG1002_12M=-8 OR R03_YG9104_12M_02=-8, THEN R03R_Y_EVR_GFILTR = -99988; ELSE IF R03_YG9009_NB_02=-7 OR R03_YG9009_12M_02=-7 OR R03_YG9101_NB=-7 OR R03_YG1002_NB=-7 OR R03_YG9104_NB_02=-7 OR R03_YG1002_12M=-7 OR R03_YG9104_12M_02=-7, THEN R03R_Y_EVR_GFILTR = -99977; ELSE IF R01R_Y_EVR_GFILTR in (-99999,-99988,-99977,-99955,-99911) OR R02R_Y_EVR_GFILTR in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9, THEN R03R_Y_EVR_GFILTR = -99966; ELSE IF R03_YG9009_NB_02=-1 OR R03_YG9009_12M_02=-1 OR R03_YG9101_NB=-1 OR R03_YG1002_NB=-1 OR R03_YG9104_NB_02=-1 OR R03_YG1002_12M=-1 OR R03_YG9104_12M_02=-1, THEN R03R_Y_EVR_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	173	1.5 %
2	2 = No	11118	94.1 %
	Total	11,291	95.6%

This variable has 11,291 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	34	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	467	4.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	523	4.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10752-10759 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_GFILTR: DERIVED - Wave 3 Youth Never to Ever Filtered Cigar Smoker

Long Description: Wave 3 Youth respondents who started smoking filtered cigars between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_GFILTR=2 AND R03_YG9009_12M_02=1 THEN R03R_Y_NEW_GFILTR=1; ELSE IF R02R_Y_EVR_GFILTR=1 OR ((R03_YG1002_12M=2 OR R03_YG9104_12M_02=2 OR R03_YG9009_12M_02=2) AND WAVE2_INTERVIEW != 9) THEN R03R_Y_NEW_GFILTR=2; ELSE IF R03_YG1002_12M=-1 THEN R03R_Y_NEW_GFILTR = -99933; ELSE IF R03_YG9009_12M_02=-9 OR R03_YG1002_12M=-9 OR R03_YG9104_12M_02=-9 THEN R03R_Y_NEW_GFILTR = -99999; ELSE IF R03_YG9009_12M_02=-8 OR R03_YG1002_12M=-8 OR R03_YG9104_12M_02=-8 THEN R03R_Y_NEW_GFILTR = -99988; ELSE IF R03_YG9009_12M_02=-7 OR R03_YG1002_12M=-7 OR R03_YG9104_12M_02=-7 THEN R03R_Y_NEW_GFILTR = -99977; ELSE IF R02R_Y_EVR_GFILTR in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_GFILTR = -99966; ELSE IF R03_YG9009_12M_02=-1 OR R03_YG9104_12M_02=-1 THEN R03R_Y_NEW_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	53	0.4 %
2	2 = No	9451	80.0 %
	Total	9,504	80.4%

This variable has 9,504 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	226	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,310	19.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10760-10767 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R03R_Y_EVR_THRSH_GFILTR: DERIVED - Wave 3 Youth Filtered Cigar Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 3 Youth respondents who have used filtered cigars fairly regularly in their lifetime.

Algorithm: IF R03R_Y_EVR_GFILTR=1 AND (R02R_Y_EVR_THRSH_GFILTR=1 OR R03_YG1100FC=1) THEN R03R_Y_EVR_THRSH_GFILTR=1;
ELSE IF R03R_Y_EVR_GFILTR=2 OR (R03R_Y_EVR_GFILTR=1 AND R03_YG1100FC=2) THEN R03R_Y_EVR_THRSH_GFILTR=2; ELSE IF
R03R_Y_EVR_GFILTR=-99999 OR R03_YG1100FC=-9 THEN
R03R_Y_EVR_THRSH_GFILTR=-99999; ELSE IF R03R_Y_EVR_GFILTR=-99988
OR R03_YG1100FC=-8 THEN R03R_Y_EVR_THRSH_GFILTR=-99988;
ELSE IF R03R_Y_EVR_GFILTR=-99977 OR R03_YG1100FC=-7
THEN R03R_Y_EVR_THRSH_GFILTR=-99977; ELSE IF R03R_Y_EVR_GFILTR=
-99966 OR R02R_Y_EVR_THRSH_GFILTR in
(-99999,-99988,-99977,-99966,-99911) THEN R03R_Y_EVR_THRSH_GFILTR
= -99966; ELSE IF R03R_Y_EVR_GFILTR=-99911 OR
R03_YG1100FC=-1 THEN R03R_Y_EVR_THRSH_GFILTR=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	41	0.3 %
2	2 = No	11250	95.2 %
	Total	11,291	95.6%

This variable has 11,291 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	34	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	467	4.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	523	4.4 %

Percentages for both tables are based on 11,814 total cases.

Location: 10768-10775 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_CUR_GFILTR: DERIVED - Wave 3 Youth Current Filtered Cigar Smoker

Long Description: Wave 3 Youth respondents who have smoked filtered cigars within the past 30 days.

Algorithm: IF R03R_Y_EVR_GFILTR=1 AND R03_YG1112FC in (1,2,3), THEN R03R_Y_CUR_GFILTR=1; ELSE IF R03R_Y_EVR_GFILTR=2 OR (R03R_Y_EVR_GFILTR=1 AND R03_YG1112FC in (4,5,6,7)) OR (R03R_Y_EVR_GFILTR=1 AND R03_YG1095_04=1 AND R03_YG9106_04=1 AND R03_YG1112FC=-1) OR R03_YG9009_12M_02=2 OR R03_YG9104_12M_02=2 OR R03_YG1002_12M=2, THEN R03R_Y_CUR_GFILTR=2; ELSE IF R03R_Y_EVR_GFILTR=-99999 OR R03_YG1112FC=-9 OR R03_YG9106_04=-9 OR R03_YG1095_04=-9 OR R03_YG1002_12M=-9 OR R03_YG9104_12M_02=-9 OR R03_YG9009_12M_02=-9, THEN R03R_Y_CUR_GFILTR = -99999; ELSE IF R03R_Y_EVR_GFILTR=-99988 OR R03_YG1112FC=-8 OR R03_YG9106_04=-8 OR R03_YG1095_04=-8 OR R03_YG1002_12M=-8 OR R03_YG9104_12M_02=-8 OR R03_YG9009_12M_02=-8, THEN R03R_Y_CUR_GFILTR = -99988; ELSE IF R03R_Y_EVR_GFILTR=-99977 OR R03_YG1112FC=-7 OR R03_YG9106_04=-7 OR R03_YG1095_04=-7 OR R03_YG1002_12M=-7 OR R03_YG9104_12M_02=-7 OR R03_YG9009_12M_02=-7, THEN R03R_Y_CUR_GFILTR = -99977; ELSE IF R03R_Y_EVR_GFILTR=-99966, THEN R03R_Y_CUR_GFILTR = -99966; ELSE IF R03R_Y_EVR_GFILTR=-99911 OR R03_YG1112FC=-1 OR R03_YG9106_04=-1 OR R03_YG1095_04=-1 OR R03_YG1002_12M=-1 OR R03_YG9104_12M_02=-1 OR R03_YG9009_12M_02=-1, THEN R03R_Y_CUR_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	45	0.4 %
2	2 = No	11712	99.1 %
	Total	11,757	99.5 %

This variable has 11,757 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	35	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	57	0.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10776-10783 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_EVR_PIPE: DERIVED - Wave 3 Youth Ever Pipe Smoker

Long Description: Wave 3 Youth respondents who have ever smoked a pipe.

Algorithm: IF R01R_Y_EVR_PIPE=1 OR R02R_Y_EVR_PIPE=1 OR R03_YP1002_NB=1 OR R03_YP1002_12M=1, THEN R03R_Y_EVR_PIPE=1; ELSE IF R03_YP1001_NB=2 OR R03_YP1002_NB=2 OR (R01R_Y_EVR_PIPE=2 AND R02R_Y_EVR_PIPE=2 AND R03_YP1002_12M=2) OR (R02R_Y_EVR_PIPE=2 AND R03_YP1002_12M=2 AND WAVE1_INTERVIEW=3), THEN R03R_Y_EVR_PIPE=2; ELSE IF R03_YP1002_NB=-9 OR R03_YP1002_12M=-9 OR R03_YP1001_NB=-9, THEN R03R_Y_EVR_PIPE = -99999; ELSE IF R03_YP1002_NB=-8 OR R03_YP1002_12M=-8 OR R03_YP1001_NB=-8, THEN R03R_Y_EVR_PIPE = -99988; ELSE IF R03_YP1002_NB=-7 OR R03_YP1002_12M=-7 OR R03_YP1001_NB=-7, THEN R03R_Y_EVR_PIPE = -99977; ELSE IF R01R_Y_EVR_PIPE in (-99999,-99988,-99977,-99955,-99911) OR R02R_Y_EVR_PIPE in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9, THEN R03R_Y_EVR_PIPE = -99966; ELSE IF R03_YP1002_NB=-1 OR R03_YP1002_12M=-1 OR R03_YP1001_NB=-1, THEN R03R_Y_EVR_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	173	1.5 %
2	2 = No	11337	96.0 %
	Total	11,510	97.4%

This variable has 11,510 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	276	2.3 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	304	2.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10784-10791 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_PIPE: DERIVED - Wave 3 Youth Never to Ever Pipe Smoker

Long Description: Wave 3 Youth respondents who started smoking pipe between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_PIPE=2 AND R03_YP1002_12M=1 THEN R03R_Y_NEW_PIPE=1; ELSE IF R02R_Y_EVR_PIPE=1 OR (R03_YP1002_12M=2 AND WAVE2_INTERVIEW != 9) THEN R03R_Y_NEW_PIPE=2; ELSE IF R03_YP1002_12M=-1 THEN R03R_Y_NEW_PIPE = -99933; ELSE IF R03_YP1002_12M=-9 THEN R03R_Y_NEW_PIPE = -99999; ELSE IF R03_YP1002_12M=-8 THEN R03R_Y_NEW_PIPE = -99988; ELSE IF R03_YP1002_12M=-7 THEN R03R_Y_NEW_PIPE = -99977; ELSE IF R02R_Y_EVR_PIPE in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_PIPE = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.3 %
2	2 = No	9490	80.3 %
	Total	9,524	80.6%

This variable has 9,524 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	227	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,290	19.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10792-10799 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R03R_Y_CUR_PIPE: DERIVED - Wave 3 Youth Current Pipe Smoker

Long Description: Wave 3 Youth respondents who have smoked a pipe within the past 30 days.

Algorithm: IF R03R_Y_EVR_PIPE=1 AND R03_YP1112 in (1,2,3), THEN R03R_Y_CUR_PIPE=1; ELSE IF R03R_Y_EVR_PIPE=2 OR (R03R_Y_EVR_PIPE=1 AND R03_YP1112 in (4,5,6,7)) OR R03_YP1002_12M=2, THEN R03R_Y_CUR_PIPE=2; ELSE IF R03R_Y_EVR_PIPE=-99999 OR R03_YP1112=-9 OR R03_YP1002_12M=-9, THEN R03R_Y_CUR_PIPE = -99999; ELSE IF R03R_Y_EVR_PIPE=-99988 OR R03_YP1112=-8 OR R03_YP1002_12M=-8, THEN R03R_Y_CUR_PIPE = -99988; ELSE IF R03R_Y_EVR_PIPE=-99977 OR R03_YP1112=-7 OR R03_YP1002_12M=-7, THEN R03R_Y_CUR_PIPE = -99977; ELSE IF R03R_Y_EVR_PIPE=-99966, THEN R03R_Y_CUR_PIPE = -99966; ELSE IF R03R_Y_EVR_PIPE=-99911 OR R03_YP1112=-1 OR R03_YP1002_12M=-1, THEN R03R_Y_CUR_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	27	0.2 %
2	2 = No	11752	99.5 %
	Total	11,779	99.7%

This variable has 11,779 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	35	0.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10800-10807 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_EVR_HOOK: DERIVED - Wave 3 Youth Ever Hookah Smoker

Long Description: Wave 3 Youth respondents who have ever smoked a hookah.

Algorithm: IF R01R_Y_EVR_HOOK=1 OR R02R_Y_EVR_HOOK=1 OR R03_YH1002_NB=1 OR R03_YH1002_12M=1, THEN R03R_Y_EVR_HOOK=1; ELSE IF R03_YH1001_NB=2 OR R03_YH1002_NB=2 OR (R01R_Y_EVR_HOOK=2 AND R02R_Y_EVR_HOOK=2 AND R03_YH1002_12M=2) OR (R02R_Y_EVR_HOOK=2 AND R03_YH1002_12M=2 AND WAVE1_INTERVIEW=3), THEN R03R_Y_EVR_HOOK=2; ELSE IF R03_YH1002_NB=-9 OR R03_YH1002_12M=-9 OR R03_YH1001_NB=-9, THEN R03R_Y_EVR_HOOK=-99999; ELSE IF R03_YH1002_NB=-8 OR

R03_YH1002_12M=-8 OR R03_YH1001_NB=-8, THEN R03R_Y_EVR_HOOK=-99988; ELSE IF R03_YH1002_NB=-7 OR R03_YH1002_12M=-7 OR R03_YH1001_NB=-7, THEN R03R_Y_EVR_HOOK=-99977; ELSE IF R02R_Y_EVR_HOOK in (-99999,-99988,-99977,-99966,-99911) OR R01R_Y_EVR_HOOK in (-99999,-99988,-99977,-99955,-99911) OR WAVE2_INTERVIEW=9, THEN R03R_Y_EVR_HOOK=-99966; ELSE IF R03_YH1002_NB=-1 OR R03_YH1002_12M=-1 OR R03_YH1001_NB=-1, THEN R03R_Y_EVR_HOOK=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	597	5.1 %
2	2 = No	10953	92.7 %
	Total	11,550	97.8%

This variable has 11,550 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	243	2.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	264	2.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10808-10815 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_HOOK: DERIVED - Wave 3 Youth Never to Ever Hookah Smoker

Long Description: Wave 3 Youth respondents who started smoking hookah between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_HOOK=2 AND R03_YH1002_12M=1 THEN R03R_Y_NEW_HOOK=1; ELSE IF R02R_Y_EVR_HOOK=1 OR (R03_YH1002_12M=2 AND WAVE2_INTERVIEW != 9) THEN R03R_Y_NEW_HOOK=2; ELSE IF R03_YH1002_12M = -1 THEN R03R_Y_NEW_HOOK = -99933; ELSE IF R03_YH1002_12M=-9 THEN R03R_Y_NEW_HOOK=-99999; ELSE IF R03_YH1002_12M=-8 THEN R03R_Y_NEW_HOOK=-99988; ELSE IF R03_YH1002_12M=-7 THEN R03R_Y_NEW_HOOK=-99977; ELSE IF R02R_Y_EVR_HOOK in (-99999, -99988, -99977, -99966, -99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_HOOK=-99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	146	1.2 %

Value	Label	Unweighted Frequency	%
2	2 = No	9381	79.4 %
	Total	9,527	80.6%

This variable has 9,527 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	228	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,287	19.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10816-10823 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R03R_Y_EVR_THRSH_HOOK: DERIVED - Wave 3 Youth Hookah Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 3 Youth respondents who have used hookah fairly regularly in their lifetime.

Algorithm: IF R03R_Y_EVR_HOOK=1 AND (R02R_Y_EVR_THRSH_HOOK=1 OR R03_YH1100=1) THEN R03R_Y_EVR_THRSH_HOOK=1;
ELSE IF R03R_Y_EVR_HOOK=2 OR (R03R_Y_EVR_HOOK=1 AND R03_YH1100=2) THEN R03R_Y_EVR_THRSH_HOOK=2; ELSE IF R03R_Y_EVR_HOOK=-99999 OR R03_YH1100=-9 THEN R03R_Y_EVR_THRSH_HOOK=-99999; ELSE IF R03R_Y_EVR_HOOK=-99988 OR R03_YH1100=-8 THEN R03R_Y_EVR_THRSH_HOOK=-99988; ELSE IF R03R_Y_EVR_HOOK=-99977 OR R03_YH1100=-7 THEN R03R_Y_EVR_THRSH_HOOK=-99977; ELSE IF R03R_Y_EVR_HOOK=-99966 OR R02R_Y_EVR_THRSH_HOOK in (-99999,-99988,-99977,-99966,-99911) THEN R03R_Y_EVR_THRSH_HOOK = -99966; ELSE IF R03R_Y_EVR_HOOK=-99911 OR R03_YH1100=-1 THEN R03R_Y_EVR_THRSH_HOOK=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	94	0.8 %
2	2 = No	11452	96.9 %

Value	Label	Unweighted Frequency	%
	Total	11,546	97.7%

This variable has 11,546 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	243	2.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	268	2.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10824-10831 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_CUR_HOOK: DERIVED - Wave 3 Youth Current Hookah Smoker

Long Description: Wave 3 Youth respondents who have smoked hookah within the past 30 days.

Algorithm: IF R03R_Y_EVR_HOOK=1 AND R03_YH1112 in (1,2,3), THEN R03R_Y_CUR_HOOK=1; ELSE IF R03R_Y_EVR_HOOK=2 OR (R03R_Y_EVR_HOOK=1 AND R03_YH1112 in (4,5,6,7)) OR R03_YH1002_12M=2, THEN R03R_Y_CUR_HOOK=2; ELSE IF R03R_Y_EVR_HOOK=-99999 OR R03_YH1112=-9 OR R03_YH1002_12M=-9, THEN R03R_Y_CUR_HOOK=-99999; ELSE IF R03R_Y_EVR_HOOK=-99988 OR R03_YH1112=-8 OR R03_YH1002_12M=-8, THEN R03R_Y_CUR_HOOK=-99988; ELSE IF R03R_Y_EVR_HOOK=-99977 OR R03_YH1112=-7 OR R03_YH1002_12M=-7, THEN R03R_Y_CUR_HOOK=-99977; ELSE IF R03R_Y_EVR_HOOK=-99966, THEN R03R_Y_CUR_HOOK = -99966; ELSE IF R03R_Y_EVR_HOOK=-99911 OR R03_YH1112=-1 OR R03_YH1002_12M=-1, THEN R03R_Y_CUR_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	72	0.6 %
2	2 = No	11716	99.2 %
	Total	11,788	99.8%

This variable has 11,788 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	26	0.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10832-10839 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_EVR_SNUS: DERIVED - Wave 3 Youth Ever Snus Pouch User

Long Description: Wave 3 Youth respondents who have ever used snus pouches.

Algorithm: IF R01R_Y_EVR_SNUS=1 OR R02R_Y_EVR_SNUS=1 OR (R03_YU1002_NB=1 AND R03_YU1003_NB in (2,3)) OR (R03_YU1002_12M=1 AND R03_YU1003_12M in (2,3)), THEN R03R_Y_EVR_SNUS=1; ELSE IF R03_YU1001_NB=2 OR R03_YU1002_NB=2 OR (R03_YU1002_NB=1 AND R03_YU1003_NB=1) OR (R03_YU1002_12M=2 AND R02R_Y_EVR_SNUS=2 AND R01R_Y_EVR_SNUS=2) OR (R03_YU1003_12M=1 AND R03_YU1002_12M=1 AND R02R_Y_EVR_SNUS=2 AND R01R_Y_EVR_SNUS=2) OR (R03_YU1002_12M=2 AND R02R_Y_EVR_SNUS=2 AND WAVE1_INTERVIEW=3) OR (R03_YU1003_12M=1 AND R03_YU1002_12M=1 AND R02R_Y_EVR_SNUS=2 AND WAVE1_INTERVIEW=3), THEN R03R_Y_EVR_SNUS=2; ELSE IF R03_YU1002_NB=-9 OR R03_YU1002_12M=-9 OR R03_YU1003_NB=-9 OR R03_YU1001_NB=-9 OR R03_YU1003_12M=-9, THEN R03R_Y_EVR_SNUS = -99999; ELSE IF R03_YU1002_NB=-8 OR R03_YU1002_12M=-8 OR R03_YU1003_NB=-8 OR R03_YU1001_NB=-8 OR R03_YU1003_12M=-8, THEN R03R_Y_EVR_SNUS = -99988; ELSE IF R03_YU1002_NB=-7 OR R03_YU1002_12M=-7 OR R03_YU1003_NB=-7 OR R03_YU1001_NB=-7 OR R03_YU1003_12M=-7, THEN R03R_Y_EVR_SNUS = -99977; ELSE IF R01R_Y_EVR_SNUS in (-99999,-99988,-99977,-99955,-99911) OR R02R_Y_EVR_SNUS in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9, THEN R03R_Y_EVR_SNUS = -99966; ELSE IF R03_YU1002_NB=-1 OR R03_YU1002_12M=-1 OR R03_YU1003_NB=-1 OR R03_YU1001_NB=-1 OR R03_YU1003_12M=-1, THEN R03R_Y_EVR_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	183	1.5 %
2	2 = No	11132	94.2 %
	Total	11,315	95.8%

This variable has 11,315 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.1 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	469	4.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	499	4.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10840-10847 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_SNUS: DERIVED - Wave 3 Youth Never to Ever Snus Pouch User

Long Description: Wave 3 Youth respondents who started using snus pouches between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_SNUS=2 AND (R03_YU1002_12M=1 AND R03_YU1003_12M IN (2,3)) THEN R03R_Y_NEW_SNUS=1; ELSE IF R02R_Y_EVR_SNUS=1 OR ((R03_YU1002_12M=2 OR R03_YU1003_12M=1) AND WAVE2_INTERVIEW != 9) THEN R03R_Y_NEW_SNUS=2; ELSE IF R03_YU1002_12M =-1 THEN R03R_Y_NEW_SNUS = -99933; ELSE IF R03_YU1002_12M=-9 OR R03_YU1003_12M=-9 THEN R03R_Y_NEW_SNUS = -99999; ELSE IF R03_YU1002_12M=-8 OR R03_YU1003_12M=-8 THEN R03R_Y_NEW_SNUS = -99988; ELSE IF R03_YU1002_12M=-7 OR R03_YU1003_12M=-7 THEN R03R_Y_NEW_SNUS = -99977; ELSE IF R02R_Y_EVR_SNUS in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_SNUS = -99966; ELSE IF R03_YU1003_12M=-1 THEN R03R_Y_NEW_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	74	0.6 %
2	2 = No	9442	79.9 %
	Total	9,516	80.5%

This variable has 9,516 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	228	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,298	19.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10848-10855 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R03R_Y_EVR_THRSH_SNUS: DERIVED - Wave 3 Youth Snus Pouch Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 3 Youth respondents who have used snus pouches fairly regularly in their lifetime.

Algorithm: IF R03R_Y_EVR_SNUS=1 AND (R02R_Y_EVR_THRSH_SNUS=1 OR R03_YU1100=1) THEN R03R_Y_EVR_THRSH_SNUS=1;
ELSE IF R03R_Y_EVR_SNUS=2 OR (R03R_Y_EVR_SNUS=1 AND R03_YU1100=2) THEN R03R_Y_EVR_THRSH_SNUS=2; ELSE IF
R03R_Y_EVR_SNUS=-99999 OR R03_YU1100=-9 THEN
R03R_Y_EVR_THRSH_SNUS=-99999; ELSE IF R03R_Y_EVR_SNUS=-99988
OR R03_YU1100=-8 THEN R03R_Y_EVR_THRSH_SNUS=-99988; ELSE IF
R03R_Y_EVR_SNUS=-99977 OR R03_YU1100=-7
THEN R03R_Y_EVR_THRSH_SNUS=-99977; ELSE IF R03R_Y_EVR_SNUS=
-99966 OR R02R_Y_EVR_THRSH_SNUS in
(-99999,-99988,-99977,-99966,-99911) THEN R03R_Y_EVR_THRSH_SNUS
= -99966; ELSE IF R03R_Y_EVR_SNUS=-99911 OR R03_YU1100=-1
THEN R03R_Y_EVR_THRSH_SNUS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	48	0.4 %
2	2 = No	11265	95.4 %
	Total	11,313	95.8%

This variable has 11,313 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	469	4.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	501	4.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10856-10863 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_CUR_SNUS: DERIVED - Wave 3 Youth Current Snus Pouch User

Long Description: Wave 3 Youth respondents who have used snus pouches within the past 30 days.

Algorithm: IF R03R_Y_EVR_SNUS=1 AND R03_YU1112 in (1,2,3), THEN R03R_Y_CUR_SNUS=1; ELSE IF R03R_Y_EVR_SNUS=2 OR (R03R_Y_EVR_SNUS=1 AND R03_YU1112 in (4,5,6,7)) OR R03_YU1002_12M=2 OR R03_YU1002_NB=2 OR R03_YU1003_12M=1 OR R03_YU1003_NB=1, THEN R03R_Y_CUR_SNUS=2; ELSE IF R03R_Y_EVR_SNUS=-99999 OR R03_YU1112=-9 OR R03_YU1002_12M=-9 OR R03_YU1003_12M=-9 OR R03_YU1002_NB=-9 OR R03_YU1003_NB=-9, THEN R03R_Y_CUR_SNUS = -99999; ELSE IF R03R_Y_EVR_SNUS=-99988 OR R03_YU1112=-8 OR R03_YU1002_12M=-8 OR R03_YU1003_12M=-8 OR R03_YU1002_NB=-8 OR R03_YU1003_NB=-8, THEN R03R_Y_CUR_SNUS = -99988; ELSE IF R03R_Y_EVR_SNUS=-99977 OR R03_YU1112=-7 OR R03_YU1002_12M=-7 OR R03_YU1003_12M=-7 OR R03_YU1002_NB=-7 OR R03_YU1003_NB=-7, THEN R03R_Y_CUR_SNUS = -99977; ELSE IF R03R_Y_EVR_SNUS=-99966, THEN R03R_Y_CUR_SNUS = -99966; ELSE IF R03R_Y_EVR_SNUS=-99911 OR R03_YU1112=-1 OR R03_YU1002_12M=-1 OR R03_YU1003_12M=-1 OR R03_YU1002_NB=-1 OR R03_YU1003_NB=-1, THEN R03R_Y_CUR_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	36	0.3 %
2	2 = No	11745	99.4 %
	Total	11,781	99.7%

This variable has 11,781 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	33	0.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10864-10871 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_EVR_SMKLS: DERIVED - Wave 3 Youth Ever Smokeless Tobacco User

Long Description: Wave 3 Youth respondents who have ever used smokeless tobacco.

Algorithm: IF R01R_Y_EVR_SMKLS=1 OR R02R_Y_EVR_SMKLS=1 OR R03_YS1002_NB=1 OR R03_YS1002_12M=1 OR R03_YU1003_NB in (1,2) OR R03_YU1003_12M in (1,2), THEN R03R_Y_EVR_SMKLS=1; ELSE IF (R03_YS1001_NB=2 OR (R03_YS1002_NB=2 AND R03_YU1003_NB in (-1,3))) OR (R01R_Y_EVR_SMKLS=2 AND R02R_Y_EVR_SMKLS=2 AND R03_YS1002_12M=2 AND R03_YU1003_12M in (-1,3)) OR (R02R_Y_EVR_SMKLS=2 AND R03_YS1002_12M=2 AND R03_YU1003_12M in (-1,3) AND WAVE1_INTERVIEW=3), THEN R03R_Y_EVR_SMKLS=2; ELSE IF R03_YS1001_NB=-9 OR R03_YS1002_NB=-9 OR R03_YS1002_12M=-9 OR R03_YU1003_NB=-9 OR R03_YU1003_12M=-9, THEN R03R_Y_EVR_SMKLS = -99999; ELSE IF R03_YS1001_NB=-8 OR R03_YS1002_NB=-8 OR R03_YS1002_12M=-8 OR R03_YU1003_NB=-8 OR R03_YU1003_12M=-8, THEN R03R_Y_EVR_SMKLS = -99988; ELSE IF R03_YS1001_NB=-7 OR R03_YS1002_NB=-7 OR R03_YS1002_12M=-7 OR R03_YU1003_NB=-7 OR R03_YU1003_12M=-7, THEN R03R_Y_EVR_SMKLS = -99977; ELSE IF R01R_Y_EVR_SMKLS in (-99999,-99988,-99977,-99955,-99911) OR R02R_Y_EVR_SMKLS in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9, THEN R03R_Y_EVR_SMKLS = -99966; ELSE IF R03_YS1001_NB=-1 OR R03_YS1002_NB=-1 OR R03_YS1002_12M=-1 OR R03_YU1003_NB=-1 OR R03_YU1003_12M=-1, THEN R03R_Y_EVR_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	427	3.6 %
2	2 = No	10896	92.2 %
	Total	11,323	95.8%

This variable has 11,323 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	459	3.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	491	4.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10872-10879 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_SMKLS: DERIVED - Wave 3 Youth Never to Ever Smokeless Tobacco User

Long Description: Wave 3 Youth respondents who started using smokeless tobacco between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_SMKLS=2 AND (R03_YS1002_12M=1 OR R03_YU1003_12M in (1,2)) THEN R03R_Y_NEW_SMKLS=1; ELSE IF R02R_Y_EVR_SMKLS=1 OR (R03_YS1002_12M=2 AND R03_YU1003_12M in (-1,3) AND WAVE2_INTERVIEW != 9) THEN R03R_Y_NEW_SMKLS=2; ELSE IF R03_YS1002_12M=-1 THEN R03R_Y_NEW_SMKLS = -99933; ELSE IF R03_YS1002_12M=-9 OR R03_YU1003_12M=-9 THEN R03R_Y_NEW_SMKLS = -99999; ELSE IF R03_YS1002_12M=-8 OR R03_YU1003_12M=-8 THEN R03R_Y_NEW_SMKLS = -99988; ELSE IF R03_YS1002_12M=-7 OR R03_YU1003_12M=-7 THEN R03R_Y_NEW_SMKLS = -99977; ELSE IF R02R_Y_EVR_SMKLS in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_SMKLS = -99966; ELSE IF R03_YU1003_12M=-1 THEN R03R_Y_NEW_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	114	1.0 %
2	2 = No	9400	79.6 %
	Total	9,514	80.5%

This variable has 9,514 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	232	2.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,300	19.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10880-10887 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R03R_Y_EVR_THRSH_SMKLS: DERIVED - Wave 3 Youth Smokeless Tobacco Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 3 Youth respondents who have used smokeless tobacco fairly regularly in their lifetime.

Algorithm: IF R03R_Y_EVR_SMKLS=1 AND (R02R_Y_EVR_THRSH_SMKLS=1 OR R03_YS1100=1) THEN R03R_Y_EVR_THRSH_SMKLS=1; ELSE IF R03R_Y_EVR_SMKLS=2 OR (R03R_Y_EVR_SMKLS=1 AND R03_YS1100=2)

```

THEN R03R_Y_EVR_THRSH_SMKLS=2; ELSE IF
R03R_Y_EVR_SMKLS=-99999 OR R03_YS1100=-9 THEN
R03R_Y_EVR_THRSH_SMKLS=-99999; ELSE IF R03R_Y_EVR_SMKLS=-99988
OR R03_YS1100=-8 THEN R03R_Y_EVR_THRSH_SMKLS=-99988; ELSE IF
R03R_Y_EVR_SMKLS=-99977 OR R03_YS1100=-7
THEN R03R_Y_EVR_THRSH_SMKLS=-99977; ELSE IF R03R_Y_EVR_SMKLS=
-99966 OR R02R_Y_EVR_THRSH_SMKLS in
(-99999,-99988,-99977,-99966,-99911) THEN R03R_Y_EVR_THRSH_SMKLS
= -99966; ELSE IF R03R_Y_EVR_SMKLS=-99911 OR
R03_YS1100=-1 THEN R03R_Y_EVR_THRSH_SMKLS=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	121	1.0 %
2	2 = No	11195	94.8 %
	Total	11,316	95.8%

This variable has 11,316 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	463	3.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	498	4.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10888-10895 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_CUR_SMKLS: DERIVED - Wave 3 Youth Current Smokeless Tobacco User

Long Description: Wave 3 Youth respondents who have used smokeless tobacco within the past 30 days.

```

Algorithm: IF R03R_Y_EVR_SMKLS=1 AND R03_YS1112 in (1,2,3), THEN R03R_Y_CUR_SMKLS=1; ELSE
IF R03R_Y_EVR_SMKLS=2 OR (R03R_Y_EVR_SMKLS=1 AND R03_YS1112 in (4,5,6,7)) OR (R03_YS1002_12M=2
AND R03_YU1003_12M in (-1,3)), THEN R03R_Y_CUR_SMKLS=2; ELSE IF R03R_Y_EVR_SMKLS=-99999 OR
R03_YS1112=-9 OR R03_YS1002_12M=-9 OR R03_YU1003_12M=-9, THEN R03R_Y_CUR_SMKLS = -99999; ELSE
IF R03R_Y_EVR_SMKLS=-99988 OR R03_YS1112=-8 OR R03_YS1002_12M=-8 OR R03_YU1003_12M=-8, THEN
R03R_Y_CUR_SMKLS = -99988; ELSE IF R03R_Y_EVR_SMKLS=-99977 OR R03_YS1112=-7 OR R03_YS1002_12M=-7
OR R03_YU1003_12M=-7, THEN R03R_Y_CUR_SMKLS = -99977; ELSE IF R03R_Y_EVR_SMKLS=-99966, THEN
R03R_Y_CUR_SMKLS = -99966; ELSE IF R03R_Y_EVR_SMKLS=-99911 OR R03_YS1112=-1 OR R03_YS1002_12M=-1

```

OR R03_YU1003_12M=-1, THEN R03R_Y_CUR_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	113	1.0 %
2	2 = No	11661	98.7 %
	Total	11,774	99.7%

This variable has 11,774 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	21	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	40	0.3%

Percentages for both tables are based on 11,814 total cases.

Location: 10896-10903 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_EVR_DISSBL: DERIVED - Wave 3 Youth Ever Dissolvable Tobacco User

Long Description: Wave 3 Youth respondents who have ever used dissolvable tobacco.

Algorithm: IF R01R_Y_EVR_DISSBL=1 OR R02R_Y_EVR_DISSBL=1 OR R03_YD1002_NB=1 OR R03_YD1002_12M=1, THEN R03R_Y_EVR_DISSBL=1; ELSE IF R03_YD1001_NB=2 OR R03_YD1002_NB=2 OR (R03_YD1002_12M=2 AND R02R_Y_EVR_DISSBL=2 AND R01R_Y_EVR_DISSBL=2) OR (R03_YD1002_12M=2 AND R02R_Y_EVR_DISSBL=2 AND WAVE1_INTERVIEW=3), THEN R03R_Y_EVR_DISSBL=2; ELSE IF R03_YD1002_NB=-9 OR R03_YD1002_12M=-9 OR R03_YD1001_NB=-9, THEN R03R_Y_EVR_DISSBL = -99999; ELSE IF R03_YD1002_NB=-8 OR R03_YD1002_12M=-8 OR R03_YD1001_NB=-8, THEN R03R_Y_EVR_DISSBL = -99988; ELSE IF R03_YD1002_NB=-7 OR R03_YD1002_12M=-7 OR R03_YD1001_NB=-7, THEN R03R_Y_EVR_DISSBL = -99977; ELSE IF R02R_Y_EVR_DISSBL in (-99999,-99988,-99977,-99966,-99911) OR R01R_Y_EVR_DISSBL in (-99999,-99988,-99977,-99955,-99911) OR WAVE2_INTERVIEW=9, THEN R03R_Y_EVR_DISSBL = -99966; ELSE IF R03_YD1002_NB=-1 OR R03_YD1002_12M=-1 OR R03_YD1001_NB=-1, THEN R03R_Y_EVR_DISSBL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.3 %
2	2 = No	11494	97.3 %
	Total	11,526	97.6%

This variable has 11,526 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	261	2.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	288	2.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10904-10911 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_DISSBL: DERIVED - Wave 3 Youth Never to Ever Dissolvable Tobacco User

Long Description: Wave 3 Youth respondents who started using dissolvable tobacco between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_DISSBL=2 AND R03_YD1002_12M=1 THEN R03R_Y_NEW_DISSBL=1; ELSE IF R02R_Y_EVR_DISSBL=1 OR (R03_YD1002_12M=2 AND WAVE2_INTERVIEW != 9) THEN R03R_Y_NEW_DISSBL=2; ELSE IF R03_YD1002_12M=-1 THEN R03R_Y_NEW_DISSBL = -99933; ELSE IF R03_YD1002_12M=-9 THEN R03R_Y_NEW_DISSBL = -99999; ELSE IF R03_YD1002_12M=-8 THEN R03R_Y_NEW_DISSBL = -99988; ELSE IF R03_YD1002_12M=-7 THEN R03R_Y_NEW_DISSBL = -99977; ELSE IF R02R_Y_EVR_DISSBL in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_DISSBL = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	9514	80.5 %
	Total	9,524	80.6%

This variable has 9,524 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.1 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	227	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,290	19.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10912-10919 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R03R_Y_CUR_DISSBL: DERIVED - Wave 3 Youth Current Dissolvable Tobacco User

Long Description: Wave 3 Youth respondents who have used dissolvable tobacco within the past 30 days.

Algorithm: IF R03R_Y_EVR_DISSBL=1 AND R03_YD1002_30D=1, THEN R03R_Y_CUR_DISSBL=1; ELSE IF R03R_Y_EVR_DISSBL=2 OR (R03R_Y_EVR_DISSBL=1 AND R03_YD1002_30D=2) OR R03_YD1002_12M=2, THEN R03R_Y_CUR_DISSBL=2; ELSE IF R03R_Y_EVR_DISSBL=-99999 OR R03_YD1002_30D=-9 OR R03_YD1002_12M=-9, THEN R03R_Y_CUR_DISSBL=-99999; ELSE IF R03R_Y_EVR_DISSBL=-99988 OR R03_YD1002_30D=-8 OR R03_YD1002_12M=-8, THEN R03R_Y_CUR_DISSBL=-99988; ELSE IF R03R_Y_EVR_DISSBL=-99977 OR R03_YD1002_30D=-7 OR R03_YD1002_12M=-7, THEN R03R_Y_CUR_DISSBL=-99977; ELSE IF R03R_Y_EVR_DISSBL=-99966, THEN R03R_Y_CUR_DISSBL=-99966; ELSE IF R03R_Y_EVR_DISSBL=-99911 OR R03_YD1002_30D=-1 OR R03_YD1002_12M=-1, THEN R03R_Y_CUR_DISSBL=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	11783	99.7 %
	Total	11,787	99.8%

This variable has 11,787 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	27	0.2%

Percentages for both tables are based on 11,814 total cases.

Location: 10920-10927 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_EVR_BIDI: DERIVED - Wave 3 Youth Ever Bidi Smoker

Long Description: Wave 3 Youth respondents who have ever smoked a bidi.

Algorithm: IF R01R_Y_EVR_BIDI=1 OR R02R_Y_EVR_BIDI=1 OR R03_YB9102_NB_01=1 OR R03_YB9102_12M_01=1 OR R03_YB9102_30D_01=1, THEN R03R_Y_EVR_BIDI=1; ELSE IF R03_YB9101_NB_01=2 OR R03_YB9102_NB_01=2 OR (R02R_Y_EVR_BIDI=2 AND (R03_YB9102_30D_01=2 OR R03_YB9102_12M_01=2) AND R01R_Y_EVR_BIDI=2) OR (R02R_Y_EVR_BIDI=2 AND (R03_YB9102_30D_01=2 OR R03_YB9102_12M_01=2) AND WAVE1_INTERVIEW=3), THEN R03R_Y_EVR_BIDI=2; ELSE IF R03_YB9102_NB_01=-9 OR R03_YB9102_12M_01=-9 OR R03_YB9101_NB_01=-9 OR R03_YB9102_30D_01=-9, THEN R03R_Y_EVR_BIDI = -99999; ELSE IF R03_YB9102_NB_01=-8 OR R03_YB9102_12M_01=-8 OR R03_YB9101_NB_01=-8 OR R03_YB9102_30D_01=-8, THEN R03R_Y_EVR_BIDI = -99988; ELSE IF R03_YB9102_NB_01=-7 OR R03_YB9102_12M_01=-7 OR R03_YB9101_NB_01=-7 OR R03_YB9102_30D_01=-7, THEN R03R_Y_EVR_BIDI = -99977; ELSE IF R02R_Y_EVR_BIDI in (-99999,-99988,-99977,-99966,-99911) OR R01R_Y_EVR_BIDI in (-99999,-99988,-99977,-99955,-99911) OR WAVE2_INTERVIEW=9, THEN R03R_Y_EVR_BIDI = -99966; ELSE IF R03_YB9102_NB_01=-1 OR R03_YB9102_12M_01=-1 OR R03_YB9101_NB_01=-1 OR R03_YB9102_30D_01=-1, THEN R03R_Y_EVR_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	11376	96.3 %
	Total	11,414	96.6%

This variable has 11,414 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	35	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	338	2.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	400	3.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10928-10935 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_BIDI: DERIVED - Wave 3 Youth Never to Ever Bidi Smoker

Long Description: Wave 3 Youth respondents who started smoking bidis between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_BIDI=2 AND (R03_YB9102_12M_01=1 OR R03_YB9102_30D_01=1) THEN R03R_Y_NEW_BIDI=1; ELSE IF R02R_Y_EVR_BIDI=1 OR (R03_YB9102_12M_01=2 AND WAVE2_INTERVIEW ! in (3,9)) THEN R03R_Y_NEW_BIDI=2; ELSE IF R03_YB9101_NB_01 != -1 THEN R03R_Y_NEW_BIDI = -99933; ELSE IF R03_YB9102_12M_01=-9 OR R03_YB9102_30D_01=-9 THEN R03R_Y_NEW_BIDI = -99999; ELSE IF R03_YB9102_12M_01=-8 OR R03_YB9102_30D_01=-8 THEN R03R_Y_NEW_BIDI = -99988; ELSE IF R03_YB9102_12M_01=-7 OR R03_YB9102_30D_01=-7 THEN R03R_Y_NEW_BIDI = -99977; ELSE IF R02R_Y_EVR_BIDI in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_BIDI = -99966; ELSE IF R03_YB9102_12M_01=-1 OR R03_YB9102_30D_01=-1 THEN R03R_Y_NEW_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	9479	80.2 %
	Total	9,491	80.3%

This variable has 9,491 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	31	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	225	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,323	19.7%

Percentages for both tables are based on 11,814 total cases.

Location: 10936-10943 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R03R_Y_CUR_BIDI: DERIVED - Wave 3 Youth Current Bidi Smoker

Long Description: Wave 3 Youth respondents who have smoked bidis within the past 30 days.

Algorithm: IF R03R_Y_EVR_BIDI=1 AND R03_YB9102_30D_01=1, THEN R03R_Y_CUR_BIDI=1; ELSE IF R03R_Y_EVR_BIDI=2 OR (R03R_Y_EVR_BIDI=1 AND R03_YB9102_30D_01=2) OR R03_YB9102_12M_01=2, THEN R03R_Y_CUR_BIDI=2; ELSE IF R03R_Y_EVR_BIDI=-99999 OR R03_YB9102_30D_01=-9 OR R03_YB9102_12M_01 =-9, THEN R03R_Y_CUR_BIDI = -99999; ELSE IF R03R_Y_EVR_BIDI=-99988 OR R03_YB9102_30D_01=-8 OR R03_YB9102_12M_01 =-8, THEN R03R_Y_CUR_BIDI = -99988; ELSE IF R03R_Y_EVR_BIDI=-99977 OR R03_YB9102_30D_01=-7 OR R03_YB9102_12M_01=-7, THEN R03R_Y_CUR_BIDI = -99977; ELSE IF R03R_Y_EVR_BIDI=-99966, THEN R03R_Y_CUR_BIDI = -99966; ELSE IF R03R_Y_EVR_BIDI=-99911 OR R03_YB9102_30D_01=-1 OR R03_YB9102_12M_01 =-1, THEN

R03R_Y_CUR_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	11741	99.4 %
	Total	11,751	99.5 %

This variable has 11,751 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	36	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	63	0.5 %

Percentages for both tables are based on 11,814 total cases.

Location: 10944-10951 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_EVR_KRETEK: DERIVED - Wave 3 Youth Ever Kretek Smoker

Long Description: Wave 3 Youth respondents who have ever smoked a kretek.

Algorithm: IF R01R_Y_EVR_KRETEK=1 OR R02R_Y_EVR_KRETEK=1 OR R03_YB9102_NB_02=1 OR R03_YB9102_12M_02=1 OR R03_YB9102_30D_02=1, THEN R03R_Y_EVR_KRETEK=1; ELSE IF R03_YB9101_NB_02 = 2 OR R03_YB9102_NB_02=2 OR (R02R_Y_EVR_KRETEK=2 AND (R03_YB9102_30D_02=2 OR R03_YB9102_12M_02=2) AND R01R_Y_EVR_KRETEK=2) OR (R02R_Y_EVR_KRETEK=2 AND (R03_YB9102_30D_02=2 OR R03_YB9102_12M_02=2) AND WAVE1_INTERVIEW=3), THEN R03R_Y_EVR_KRETEK=2; ELSE IF R03_YB9102_NB_02=-9 OR R03_YB9102_12M_02=-9 OR R03_YB9101_NB_02=-9 OR R03_YB9102_30D_02=-9, THEN R03R_Y_EVR_KRETEK = -99999; ELSE IF R03_YB9102_NB_02=-8 OR R03_YB9102_12M_02=-8 OR R03_YB9101_NB_02=-8 OR R03_YB9102_30D_02=-8, THEN R03R_Y_EVR_KRETEK = -99988; ELSE IF R03_YB9102_NB_02=-7 OR R03_YB9102_12M_02=-7 OR R03_YB9101_NB_02=-7 OR R03_YB9102_30D_02=-7, THEN R03R_Y_EVR_KRETEK = -99977; ELSE IF R02R_Y_EVR_KRETEK in (-99999,-99988,-99977,-99966,-99911) OR R01R_Y_EVR_KRETEK in (-99999,-99988,-99977,-99955,-99911) OR WAVE2_INTERVIEW=9, THEN R03R_Y_EVR_KRETEK = -99966; ELSE IF R03_YB9102_NB_02=-1 OR R03_YB9102_12M_02=-1 OR R03_YB9101_NB_02=-1 OR R03_YB9102_30D_02=-1, THEN R03R_Y_EVR_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	48	0.4 %
2	2 = No	11365	96.2 %
	Total	11,413	96.6%

This variable has 11,413 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	36	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	23	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	339	2.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	401	3.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10952-10959 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_KRETEK: DERIVED - Wave 3 Youth Never to Ever Kretek Smoker

Long Description: Wave 3 Youth respondents who started smoking kreteks between Wave 2 and Wave 3.

Algorithm: IF R02R_Y_EVR_KRETEK=2 AND (R03_YB9102_12M_02=1 OR R03_YB9102_30D_02=1) THEN R03R_Y_NEW_KRETEK=1; ELSE IF R02R_Y_EVR_KRETEK=1 OR (R03_YB9102_12M_02=2 AND WAVE2_INTERVIEW ! in (3,9)) THEN R03R_Y_NEW_KRETEK=2; ELSE IF R03_YB9101_NB_02 != -1 THEN R03R_Y_NEW_KRETEK = -99933; ELSE IF R03_YB9102_12M_02=-9 OR R03_YB9102_30D_02=-9 THEN R03R_Y_NEW_KRETEK = -99999; ELSE IF R03_YB9102_12M_02=-8 OR R03_YB9102_30D_02=-8 THEN R03R_Y_NEW_KRETEK = -99988; ELSE IF R03_YB9102_12M_02=-7 OR R03_YB9102_30D_02=-7 THEN R03R_Y_NEW_KRETEK = -99977; ELSE IF R02R_Y_EVR_KRETEK in (-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_KRETEK = -99966; ELSE IF R03_YB9102_12M_02=-1 OR R03_YB9102_30D_02=-1 THEN R03R_Y_NEW_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	9478	80.2 %
	Total	9,491	80.3%

This variable has 9,491 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	31	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	21	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	226	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,323	19.7 %

Percentages for both tables are based on 11,814 total cases.

Location: 10960-10967 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R03R_Y_CUR_KRETEK: DERIVED - Wave 3 Youth Current Kretek Smoker

Long Description: Wave 3 Youth respondents who have smoked kreteks within the past 30 days.

Algorithm: IF R03R_Y_EVR_KRETEK=1 AND R03_YB9102_30D_02=1, THEN R03R_Y_CUR_KRETEK=1; ELSE IF R03R_Y_EVR_KRETEK=2 OR (R03R_Y_EVR_KRETEK=1 AND R03_YB9102_30D_02=2) OR R03_YB9102_12M_02=2, THEN R03R_Y_CUR_KRETEK=2; ELSE IF R03R_Y_EVR_KRETEK=-99999 OR R03_YB9102_30D_02=-9 OR R03_YB9102_12M_02=-9, THEN R03R_Y_CUR_KRETEK = -99999; ELSE IF R03R_Y_EVR_KRETEK=-99988 OR R03_YB9102_30D_02=-8 OR R03_YB9102_12M_02=-8, THEN R03R_Y_CUR_KRETEK = -99988; ELSE IF R03R_Y_EVR_KRETEK=-99977 OR R03_YB9102_30D_02=-7 OR R03_YB9102_12M_02=-7, THEN R03R_Y_CUR_KRETEK = -99977; ELSE IF R03R_Y_EVR_KRETEK=-99966, THEN R03R_Y_CUR_KRETEK = -99966; ELSE IF R03R_Y_EVR_KRETEK=-99911 OR R03_YB9102_30D_02=-1 OR R03_YB9102_12M_02=-1, THEN R03R_Y_CUR_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	11743	99.4 %
	Total	11,750	99.5 %

This variable has 11,750 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	37	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.2 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	64	0.5%

Percentages for both tables are based on 11,814 total cases.

Location: 10968-10975 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_DAYSREG_CIGS: DERIVED - Wave 3 Youth Number of Days Smoking Regular Brand of Cigarettes

Long Description: Wave 3 Youth Recode of length of time smoking regular brand of cigarettes into days.

Algorithm: IF R03_YC1051_UN = 1 AND R03_YC1051_NN => 0 THEN R03R_Y_DAYSREG_CIGS = R03_YC1051_NN;
ELSE IF R03_YC1051_UN = 2 AND R03_YC1051_NN => 0 THEN R03R_Y_DAYSREG_CIGS = R03_YC1051_NN * 30.4375;
ELSE IF R03_YC1051_UN = 3 AND R03_YC1051_NN => 0 THEN R03R_Y_DAYSREG_CIGS = R03_YC1051_NN * 365.25;
ELSE IF R03_YC1051_NN = -9 THEN R03R_Y_DAYSREG_CIGS = -99999; ELSE IF R03_YC1051_NN = -8 THEN
R03R_Y_DAYSREG_CIGS = -99988; ELSE IF R03_YC1051_NN = -7 THEN R03R_Y_DAYSREG_CIGS = -99977; ELSE IF
R03_YC1051_NN = -5 THEN R03R_Y_DAYSREG_CIGS = -99955; ELSE IF R03_YC1051_NN = -1 THEN
R03R_Y_DAYSREG_CIGS = -99911;

This variable has 170 valid cases out of 11,814 total cases.

- Mean: 639.3191
- Median: 365.2500
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 4748.2500
- Standard Deviation: 755.9415

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11641	98.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,644	98.6%

Percentages for both tables are based on 11,814 total cases.

Location: 10976-10986 (width: 11; decimal: 4)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03R_Y_DAYSLASTUSED_EPRODS2: DERIVED - Wave 3 Youth Number of Days Since Last Used Secondary E-Product

Long Description: Wave 3 Youth Recode of length of time since last used secondary electronic nicotine product into days.

Algorithm: IF R03_YV2029_UN = 1 AND R03_YV2029_NN => 0 THEN R03R_Y_DAYSLASTUSED_EPRODS2 = R03_YV2029_NN; ELSE IF R03_YV2029_UN = 2 AND R03_YV2029_NN => 0 THEN R03R_Y_DAYSLASTUSED_EPRODS2 = R03_YV2029_NN * 30.4375; ELSE IF R03_YV2029_UN = 3 AND R03_YV2029_NN => 0 THEN R03R_Y_DAYSLASTUSED_EPRODS2 = R03_YV2029_NN * 365.25; ELSE IF R03_YV2029_NN = -9 THEN R03R_Y_DAYSLASTUSED_EPRODS2 = -99999; ELSE IF R03_YV2029_NN = -8 THEN R03R_Y_DAYSLASTUSED_EPRODS2 = -99988; ELSE IF R03_YV2029_NN = -7 THEN R03R_Y_DAYSLASTUSED_EPRODS2 = -99977; ELSE IF R03_YV2029_NN = -5 THEN R03R_Y_DAYSLASTUSED_EPRODS2 = -99955; ELSE IF R03_YV2029_NN = -1 THEN R03R_Y_DAYSLASTUSED_EPRODS2 = -99911;

This variable has 155 valid cases out of 11,814 total cases.

- Mean: 250.9790
- Median: 152.1875
- Mode: 365.2500
- Minimum: 0.0000
- Maximum: 4383.0000
- Standard Deviation: 447.3586

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11653	98.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,659	98.7 %

Percentages for both tables are based on 11,814 total cases.

Location: 10987-10997 (width: 11; decimal: 4)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R03R_Y_EVR_CIGAR: DERIVED - Wave 3 Youth Ever Cigar Smoker

Long Description: Wave 3 Youth respondents who have ever smoked any cigar product.

Algorithm: IF (R03R_Y_EVR_GTRAD = 1 OR R03R_Y_EVR_GRILLO = 1 OR R03R_Y_EVR_GFILTR = 1) THEN R03R_Y_EVR_CIGAR = 1; ELSE IF (R03R_Y_EVR_GTRAD = 2 AND R03R_Y_EVR_GRILLO = 2 AND R03R_Y_EVR_GFILTR = 2) THEN R03R_Y_EVR_CIGAR = 2; ELSE IF R03R_Y_EVR_GTRAD=-99999 OR R03R_Y_EVR_GRILLO=-99999 OR R03R_Y_EVR_GFILTR=-99999 THEN R03R_Y_EVR_CIGAR = -99999; ELSE IF R03R_Y_EVR_GTRAD=-99988 OR R03R_Y_EVR_GRILLO=-99988 OR R03R_Y_EVR_GFILTR=-99988 THEN R03R_Y_EVR_CIGAR = -99988; ELSE IF R03R_Y_EVR_GTRAD=-99977 OR R03R_Y_EVR_GRILLO=-99977 OR R03R_Y_EVR_GFILTR=-99977 THEN R03R_Y_EVR_CIGAR = -99977; ELSE IF R03R_Y_EVR_GTRAD=-99966 OR R03R_Y_EVR_GRILLO=-99966 OR R03R_Y_EVR_GFILTR=-99966 THEN R03R_Y_EVR_CIGAR = -99966; ELSE IF R03R_Y_EVR_GTRAD=-99911 OR R03R_Y_EVR_GRILLO=-99911 OR R03R_Y_EVR_GFILTR=-99911 THEN R03R_Y_EVR_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	586	5.0 %
2	2 = No	10704	90.6 %
	Total	11,290	95.6%

This variable has 11,290 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	34	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	473	4.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	524	4.4%

Percentages for both tables are based on 11,814 total cases.

Location: 10998-11005 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_CUR_CIGAR: DERIVED - Wave 3 Youth Current Cigar Smoker

Long Description: Wave 3 Youth respondents who have ever smoked a traditional cigar and have smoked in the past 30 days. Does not include respondents who smoked traditional cigars only as blunts.

Algorithm: IF (R03R_Y_CUR_GTRAD = 1 OR R03R_Y_CUR_GRILLO = 1 OR R03R_Y_CUR_GFILTR = 1) THEN R03R_Y_CUR_CIGAR = 1; ELSE IF (R03R_Y_CUR_GTRAD = 2 AND R03R_Y_CUR_GRILLO = 2 AND R03R_Y_CUR_GFILTR = 2) THEN R03R_Y_CUR_CIGAR = 2; ELSE IF R03R_Y_CUR_GTRAD=-99999 OR R03R_Y_CUR_GRILLO=-99999 OR R03R_Y_CUR_GFILTR=-99999 THEN R03R_Y_CUR_CIGAR = -99999; ELSE IF R03R_Y_CUR_GTRAD=-99988 OR R03R_Y_CUR_GRILLO=-99988 OR R03R_Y_CUR_GFILTR=-99988 THEN R03R_Y_CUR_CIGAR = -99988; ELSE IF R03R_Y_CUR_GTRAD=-99977 OR R03R_Y_CUR_GRILLO=-99977 OR R03R_Y_CUR_GFILTR=-99977 THEN R03R_Y_CUR_CIGAR = -99977; ELSE IF R03R_Y_CUR_GTRAD=-99966 OR R03R_Y_CUR_GRILLO=-99966 OR R03R_Y_CUR_GFILTR=-99966 THEN R03R_Y_CUR_CIGAR = -99966;

ELSE IF R03R_Y_CUR_GTRAD=-99911 OR R03R_Y_CUR_GRILLO=-99911 OR R03R_Y_CUR_GFILTR=-99911
 THEN R03R_Y_CUR_CIGAR= -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	136	1.2 %
2	2 = No	11592	98.1 %
	Total	11,728	99.3%

This variable has 11,728 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	37	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	26	0.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	86	0.7%

Percentages for both tables are based on 11,814 total cases.

Location: 11006-11013 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R03R_Y_NEW_CIGAR: DERIVED - Wave 3 Youth Never to Ever Cigar Smoker

Long Description: Wave 3 Youth respondents who were never smokers of all cigar products at Wave 2 and started smoking at least one product at Wave 3.

Algorithm: IF (R03R_Y_NEW_GTRAD = 1 AND (R02R_Y_EVR_GRILLO = 2 AND R02R_Y_EVR_GFILTR = 2)) OR (R03R_Y_NEW_GRILLO = 1 AND (R02R_Y_EVR_GTRAD = 2 AND R02R_Y_EVR_GFILTR = 2)) OR (R03R_Y_NEW_GFILTR = 1 AND (R02R_Y_EVR_GRILLO = 2 AND R02R_Y_EVR_GTRAD = 2)) THEN R03R_Y_NEW_CIGAR = 1; ELSE IF (R03R_Y_NEW_GTRAD = 2 AND R03R_Y_NEW_GRILLO = 2 AND R03R_Y_NEW_GFILTR = 2) OR R02R_Y_EVR_GRILLO = 1 OR R02R_Y_EVR_GFILTR = 1 OR R02R_Y_EVR_GTRAD = 1 THEN R03R_Y_NEW_CIGAR = 2; ELSE IF R03R_Y_NEW_GTRAD=-99933 OR R03R_Y_NEW_GRILLO=-99933 OR R03R_Y_NEW_GFILTR=-99933 OR WAVE2_INTERVIEW=3 THEN R03R_Y_NEW_CIGAR= -99933; ELSE IF R03R_Y_NEW_GTRAD=-99999 OR R03R_Y_NEW_GRILLO=-99999 OR R03R_Y_NEW_GFILTR=-99999 THEN R03R_Y_NEW_CIGAR = -99999; ELSE IF R03R_Y_NEW_GTRAD=-99988 OR R03R_Y_NEW_GRILLO=-99988 OR R03R_Y_NEW_GFILTR=-99988 THEN R03R_Y_NEW_CIGAR = -99988; ELSE IF R03R_Y_NEW_GTRAD=-99977 OR R03R_Y_NEW_GRILLO=-99977 OR R03R_Y_NEW_GFILTR=-99977 THEN R03R_Y_NEW_CIGAR = -99977; ELSE IF R03R_Y_NEW_GTRAD=-99966 OR R03R_Y_NEW_GRILLO=-99966 OR R03R_Y_NEW_GFILTR=-99966 OR R02R_Y_EVR_GFILTR in (-99933,-99999,-99988,-99977,-99966,-99911) OR R02R_Y_EVR_GRILLO in (-99933,-99999,-99988,-99977,-99966,-99911) OR R02R_Y_EVR_GTRAD in (-99933,-99999,-99988,-99977,-99966,-99911) OR WAVE2_INTERVIEW=9 THEN R03R_Y_NEW_CIGAR = -99966; ELSE IF R03R_Y_NEW_GTRAD=-99911 OR R03R_Y_NEW_GRILLO=-99911 OR R03R_Y_NEW_GFILTR=-99911 THEN

R03R_Y_NEW_CIGAR= -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	166	1.4 %
2	2 = No	9338	79.0 %
	Total	9,504	80.4%

This variable has 9,504 valid cases out of 11,814 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	228	1.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	2045	17.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,310	19.6%

Percentages for both tables are based on 11,814 total cases.

Location: 11014-11021 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

APPENDIX

**Top Response Options for
Tobacco Brand / Product Variables**

Total tables = 21

Table Name	Variable Name	Top Ranked Response
R03_YC1048_BRAND	R03_YC1048_BRAND	1125 = Marlboro
R03_YC1070_PRODUCT	R03_YC1070_PRODUCT	11031 = Marlboro Red non-menthol kings
R03_YV1048_BRAND	R03_YV1048_BRAND	1028 = Blu Cigs
R03_YJ1048TC_BRAND	R03_YJ1048TC_BRAND	1019 = Backwoods
R03_YJ1070TC_PRODUCT	R03_YJ1070TC_PRODUCT	10212 = Backwoods Honey Berry
R03_YJ1048CG_BRAND	R03_YJ1048CG_BRAND	1204 = Swisher Sweets
R03_YJ1070CG_PRODUCT	R03_YJ1070CG_PRODUCT	11707 = Swisher Sweets Cigarillos
R03_YJ1048FC_BRAND	R03_YJ1048FC_BRAND	1204 = Swisher Sweets
R03_YJ1070FC_PRODUCT	R03_YJ1070FC_PRODUCT	11718 = Swisher Sweets Peach 100s
R03_YG1048TC_BRAND	R03_YG1048TC_BRAND	1019 = Backwoods
R03_YG1070TC_PRODUCT	R03_YG1070TC_PRODUCT	10211 = Backwoods Honey
R03_YG1048CL_BRAND	R03_YG1048CL_BRAND	1204 = Swisher Sweets
R03_YG1070CL_PRODUCT	R03_YG1070CL_PRODUCT	11707 = Swisher Sweets Cigarillos
R03_YG1048FC_BRAND	R03_YG1048FC_BRAND	1204 = Swisher Sweets
R03_YG1070FC_PRODUCT	R03_YG1070FC_PRODUCT	11711 = Swisher Sweets Grape 100s
R03_YH1048_BRAND	R03_YH1048_BRAND	1073 = Fantasia
R03_YH1070_PRODUCT	R03_YH1070_PRODUCT	10055 = Al Amir Apple
R03_YU1048_BRAND	R03_YU1048_BRAND	1033 = Camel
R03_YU1070_PRODUCT	R03_YU1070_PRODUCT	10289 = Camel Snus Frost
R03_YS1048_BRAND	R03_YS1048_BRAND	1049 = Copenhagen
R03_YS1070_PRODUCT	R03_YS1070_PRODUCT	10719 = Grizzly Long Cut Wintergreen

The SAS System

Obs	R03_YC1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1125 = Marlboro	94	0.7960
2	1033 = Camel	44	0.3720
3	1144 = Newport	31	0.2620
4	1012 = American Spirit	9	0.0760
5	1115 = L & M	5	0.0420
6	1152 = Pall Mall	5	0.0420
7	1021 = Basic	2	0.0170
8	1042 = Cheyenne	2	0.0170
9	1113 = Kool	2	0.0170
10	1126 = Maverick	2	0.0170
11	1184 = Seneca	2	0.0170
12	1023 = Benson & Hedges	1	0.0080
13	1123 = Lucky Strike	1	0.0080
14	1132 = Misty	1	0.0080
15	1135 = Montclair	1	0.0080
16	1153 = Parliament	1	0.0080
17	1166 = Pyramid	1	0.0080
18	1237 = Winston	1	0.0080
19	1265 = RECODE: Eagle	1	0.0080
20	1285 = RECODE: Edgefield	1	0.0080
21	9995 = Some other brand	1	0.0080
22	-7 = Refused	1	0.0080
23	-1 = Inapplicable	11,605	98.2310
24			
25	Total	11,814	100.0

Obs	R03_YC1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	11031 = Marlboro Red non-menthol kings	49	0.4150
2	11218 = Newport Full Flavor menthol kings	22	0.1860
3	10275 = Camel Filters menthol kings	15	0.1270
4	11005 = Marlboro Black non-menthol kings	13	0.1100
5	10268 = Camel Blue non-menthol kings	10	0.0850
6	10273 = Camel Filters non-menthol kings	9	0.0760
7	11026 = Marlboro Full Flavor menthol kings	8	0.0680
8	10169 = American Spirit Full-bodied non-menthol kings	7	0.0590
9	11219 = Newport Full Flavor menthol 100s	7	0.0590
10	11008 = Marlboro Black menthol 100s	5	0.0420
11	10288 = Camel Silver menthol kings	4	0.0340
12	11032 = Marlboro Red non-menthol 100s	4	0.0340
13	11025 = Marlboro Gold menthol kings	3	0.0250
14	12036 = Marlboro NXT	3	0.0250
15	10271 = Camel Crush non-menthol and menthol kings	2	0.0170
16	10928 = L & M Filter non-menthol 100s	2	0.0170
17	11020 = Marlboro Gold non-menthol kings	2	0.0170
18	11046 = Marlboro Smooth Menthol kings	2	0.0170
19	11072 = Maverick Full Flavor menthol 100s	2	0.0170
20	11264 = Pall Mall Red non-menthol 100s	2	0.0170
21	All other coded responses	30	0.2540
22	99995 = Some other product	5	0.0420
23	-8 = Don't know	1	0.0080
24	-1 = Inapplicable	11,607	98.2480
25			
26	Total	11,814	100.0

The SAS System

Obs	R03_YV1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1028 = Blu Cigs	15	0.1270
2	1146 = NJOY	8	0.0680
3	1221 = Vapor King	6	0.0510
4	1255 = Kangertech	6	0.0510
5	1258 = Vuse	4	0.0340
6	1245 = E-Swisher	3	0.0250
7	1248 = Logic	3	0.0250
8	1068 = eSmoke	2	0.0170
9	1114 = KRAVE	2	0.0170
10	1133 = Modern Vapor	2	0.0170
11	1226 = Volcano	2	0.0170
12	1249 = Mystic	2	0.0170
13	1252 = X Hale O2	2	0.0170
14	1259 = RECODE: Eleaf	2	0.0170
15	1015 = Apollo	1	0.0080
16	1073 = Fantasia	1	0.0080
17	1163 = ProVape	1	0.0080
18	1169 = Red Dragon	1	0.0080
19	1216 = Totally Wicked	1	0.0080
20	1227 = Volt	1	0.0080
21	All other coded responses	5	0.0420
22	9995 = Some other brand	13	0.1100
23	-8 = Don't know	12	0.1020
24	-7 = Refused	3	0.0250
25	-1 = Inapplicable	11,716	99.1700
26			
27	Total	11,814	100.0

The SAS System

Obs	R03_YJ1048TC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1019 = Backwoods	6	0.0510
2	1204 = Swisher Sweets	5	0.0420
3	1061 = Dutch Masters	4	0.0340
4	1231 = White Owl	2	0.0170
5	1017 = Arturo Fuente	1	0.0080
6	1116 = La Corona	1	0.0080
7	-7 = Refused	1	0.0080
8	-1 = Inapplicable	11,794	99.8310
9			
10	Total	11,814	100.0

Obs	R03_YJ1070TC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10212 = Backwoods Honey Berry	5	0.0420
2	11703 = Swisher Sweets Blunt XL Strawberry	3	0.0250
3	10197 = Arturo Fuente Anejo	1	0.0080
4	10507 = Dutch Masters Corona Grape	1	0.0080
5	10511 = Dutch Masters Corona Vanilla	1	0.0080
6	10517 = Dutch Masters Palma Wine Fresh Loc Foil Pouch	1	0.0080
7	10945 = La Corona Perfecto	1	0.0080
8	11701 = Swisher Sweets Blunt XL Grape	1	0.0080
9	11702 = Swisher Sweets Blunt XL Peach	1	0.0080
10	11927 = White Owl Blunt Grape	1	0.0080
11	11937 = White Owl Blunts	1	0.0080
12	99995 = Some other product	1	0.0080
13	99990 = No data (Brand text response up-coded)	1	0.0080
14	-1 = Inapplicable	11,795	99.8390
15			
16	Total	11,814	100.0

Obs	R03_YJ1048CG_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1204 = Swisher Sweets	114	0.9650
2	1231 = White Owl	34	0.2880
3	1061 = Dutch Masters	17	0.1440
4	1024 = Black & Mild	13	0.1100
5	1239 = Zig Zag	10	0.0850
6	1082 = Game (Garcia y Vega)	3	0.0250
7	1019 = Backwoods	1	0.0080
8	1088 = Goodies	1	0.0080
9	1109 = King Edward	1	0.0080
10	9995 = Some other brand	3	0.0250
11	-7 = Refused	1	0.0080
12	-1 = Inapplicable	11,616	98.3240
13			
14	Total	11,814	100.0

Obs	R03_YJ1070CG_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	11707 = Swisher Sweets Cigarillos	27	0.2290
2	11712 = Swisher Sweets Grape Mini Cigarillos	19	0.1610
3	11723 = Swisher Sweets Strawberry Cigarillos	15	0.1270
4	11943 = White Owl Cigarillos White Grape	14	0.1190
5	11713 = Swisher Sweets Grape Tip Cigarillos	12	0.1020
6	11729 = Swisher Sweets White Grape Cigarillos	12	0.1020
7	11699 = Swisher Sweets Blueberry Mini Cigarillos	8	0.0680
8	10244 = Black & Mild Sweets	7	0.0590
9	11939 = White Owl Cigarillos Grape	6	0.0510
10	10496 = Dutch Masters Cigarillos Chocolate	5	0.0420
11	12009 = Zig-Zag Cigarillos Grape	5	0.0420
12	10502 = Dutch Masters Cigarillos Strawberry	4	0.0340
13	11719 = Swisher Sweets Peach Mini Cigarillos	4	0.0340
14	10243 = Black & Mild Classic	3	0.0250
15	11940 = White Owl Cigarillos Green Sweets	3	0.0250
16	12015 = Zig-Zag Cigarillos White Grape	3	0.0250
17	10245 = Black & Mild Wine	2	0.0170
18	10501 = Dutch Masters Cigarillos Palma	2	0.0170
19	11938 = White Owl Cigarillos	2	0.0170
20	11942 = White Owl Cigarillos Strawberry	2	0.0170
21	All other coded responses	23	0.1950
22	99995 = Some other product	9	0.0760
23	99990 = No data (Brand text response up-coded)	2	0.0170
24	-8 = Don't know	4	0.0340
25	-7 = Refused	1	0.0080
26	-1 = Inapplicable	11,620	98.3580
27			
28	Total	11,814	100.0

Obs	R03_YJ1048FC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1204 = Swisher Sweets	1	0.0080
2	1242 = Prime Time	1	0.0080
3	-7 = Refused	1	0.0080
4	-1 = Inapplicable	11,811	99.9750
5			
6	Total	11,814	100.0

Obs	R03_YJ1070FC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	11718 = Swisher Sweets Peach 100s	1	0.0080
2	12031 = Prime Time Little Cigar Peach	1	0.0080
3	-1 = Inapplicable	11,812	99.9830
4			
5	Total	11,814	100.0

The SAS System

Obs	R03_YG1048TC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1019 = Backwoods	2	0.0170
2	1024 = Black & Mild	2	0.0170
3	1061 = Dutch Masters	2	0.0170
4	1047 = Cohiba	1	0.0080
5	1204 = Swisher Sweets	1	0.0080
6	-1 = Inapplicable	11,806	99.9320
7			
8	Total	11,814	100.0

Obs	R03_YG1070TC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10211 = Backwoods Honey	1	0.0080
2	10213 = Backwoods Original	1	0.0080
3	10398 = Cohiba Cohiba	1	0.0080
4	10512 = Dutch Masters Palma	1	0.0080
5	10516 = Dutch Masters Palma Green Fresh Loc Foil Pouch	1	0.0080
6	11704 = Swisher Sweets Blunts	1	0.0080
7	99990 = No data (Brand text response up-coded)	2	0.0170
8	-1 = Inapplicable	11,806	99.9320
9			
10	Total	11,814	100.0

Obs	R03_YG1048CL_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1204 = Swisher Sweets	14	0.1190
2	1024 = Black & Mild	10	0.0850
3	1231 = White Owl	3	0.0250
4	1239 = Zig Zag	2	0.0170
5	1002 = 305's	1	0.0080
6	1055 = Djarum	1	0.0080
7	1061 = Dutch Masters	1	0.0080
8	1276 = RECODE: Smoker's Choice	1	0.0080
9	9995 = Some other brand	1	0.0080
10	-1 = Inapplicable	11,780	99.7120
11			
12	Total	11,814	100.0

Obs	R03_YG1070CL_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	11707 = Swisher Sweets Cigarillos	6	0.0510
2	10243 = Black & Mild Classic	3	0.0250
3	10245 = Black & Mild Wine	3	0.0250
4	10244 = Black & Mild Sweets	2	0.0170
5	11719 = Swisher Sweets Peach Mini Cigarillos	2	0.0170
6	11723 = Swisher Sweets Strawberry Cigarillos	2	0.0170
7	11942 = White Owl Cigarillos Strawberry	2	0.0170
8	12115 = RECODE: Black & Mild Jazz	2	0.0170
9	10496 = Dutch Masters Cigarillos Chocolate	1	0.0080
10	11699 = Swisher Sweets Blueberry Mini Cigarillos	1	0.0080
11	11706 = Swisher Sweets Chocolate Cigarillos	1	0.0080
12	11713 = Swisher Sweets Grape Tip Cigarillos	1	0.0080
13	11731 = Swisher Sweets Wine Cigarillos	1	0.0080
14	11943 = White Owl Cigarillos White Grape	1	0.0080
15	12012 = Zig-Zag Cigarillos Straight Up	1	0.0080
16	12015 = Zig-Zag Cigarillos White Grape	1	0.0080
17	99995 = Some other product	2	0.0170
18	99990 = No data (Brand text response up-coded)	1	0.0080
19	-1 = Inapplicable	11,781	99.7210
20			
21	Total	11,814	100.0

The SAS System

Obs	R03_YG1048FC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1204 = Swisher Sweets	5	0.0420
2	1242 = Prime Time	5	0.0420
3	1042 = Cheyenne	3	0.0250
4	1002 = 305's	1	0.0080
5	1024 = Black & Mild	1	0.0080
6	9995 = Some other brand	1	0.0080
7	-1 = Inapplicable	11,798	99.8650
8			
9	Total	11,814	100.0

Obs	R03_YG1070FC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	11711 = Swisher Sweets Grape 100s	2	0.0170
2	12030 = Prime Time Little Cigar Grape	2	0.0170
3	12033 = Prime Time Little Cigar Strawberry	2	0.0170
4	10022 = 305's Full Flavor non-menthol kings	1	0.0080
5	10361 = Cheyenne Classic 100s	1	0.0080
6	10367 = Cheyenne Grape 100s	1	0.0080
7	10374 = Cheyenne Vanilla 100s	1	0.0080
8	11725 = Swisher Sweets Sweet Cherry 100s	1	0.0080
9	12035 = Prime Time Little Cigar Watermelon	1	0.0080
10	99995 = Some other product	1	0.0080
11	99990 = No data (Brand text response up-coded)	1	0.0080
12	-8 = Don't know	1	0.0080
13	-1 = Inapplicable	11,799	99.8730
14			
15	Total	11,814	100.0

Obs	R03_YH1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1073 = Fantasia	2	0.0170
2	1080 = Fumari	2	0.0170
3	1098 = HookahFina	2	0.0170
4	1175 = Romman	2	0.0170
5	1007 = Al Amir	1	0.0080
6	1058 = Double Diamond	1	0.0080
7	1119 = Layalina	1	0.0080
8	1198 = Starbuzz	1	0.0080
9	1253 = Al Fakher	1	0.0080
10	1296 = RECODE: Voodoo	1	0.0080
11	-1 = Inapplicable	11,800	99.8810
12			
13	Total	11,814	100.0

Obs	R03_YH1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10055 = Al Amir Apple	1	0.0080
2	10558 = Fantasia Firecracker	1	0.0080
3	10581 = Fantasia Strawberry Lemonade	1	0.0080
4	10765 = Hookahfina Blueberry	1	0.0080
5	10798 = Hookahfina Watermelon	1	0.0080
6	10958 = Laylalina Fruit Special	1	0.0080
7	11419 = Romman Double Apple	1	0.0080
8	11437 = Romman Piña Colada	1	0.0080
9	11637 = Starbuzz Double Apple	1	0.0080
10	12084 = Al Fakher Vanilla	1	0.0080
11	99995 = Some other product	1	0.0080
12	99990 = No data (Brand text response up-coded)	2	0.0170
13	-7 = Refused	1	0.0080
14	-1 = Inapplicable	11,800	99.8810
15			
16	Total	11,814	100.0

The SAS System

Obs	R03_YU1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1033 = Camel	8	0.0680
2	1092 = Grizzly	4	0.0340
3	1190 = Skoal	2	0.0170
4	1049 = Copenhagen	1	0.0080
5	9995 = Some other brand	3	0.0250
6	-1 = Inapplicable	11,796	99.8480
7			
8	Total	11,814	100.0

Obs	R03_YU1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10289 = Camel Snus Frost	4	0.0340
2	10293 = Camel Snus Winterchill	2	0.0170
3	10290 = Camel Snus Mellow	1	0.0080
4	10291 = Camel Snus Mint	1	0.0080
5	10719 = Grizzly Long Cut Wintergreen	1	0.0080
6	11523 = Skoal Smooth Mint	1	0.0080
7	11977 = Skoal snus Mint	1	0.0080
8	99995 = Some other product	1	0.0080
9	99990 = No data (Brand text response up-coded)	3	0.0250
10	-1 = Inapplicable	11,799	99.8730
11			
12	Total	11,814	100.0

The SAS System

Obs	R03_YS1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1049 = Copenhagen	41	0.3470
2	1092 = Grizzly	22	0.1860
3	1099 = Husky	2	0.0170
4	1112 = Kodiak	1	0.0080
5	1170 = Red Man	1	0.0080
6	1171 = Red Seal	1	0.0080
7	1240 = Beechnut	1	0.0080
8	1257 = Stoker's	1	0.0080
9	-1 = Inapplicable	11,744	99.4070
10			
11	Total	11,814	100.0

Obs	R03_YS1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10719 = Grizzly Long Cut Wintergreen	16	0.1350
2	10407 = Copenhagen Long Cut Wintergreen	13	0.1100
3	10403 = Copenhagen Long Cut	9	0.0760
4	10405 = Copenhagen Long Cut Straight	7	0.0590
5	12117 = RECODE: Copenhagen Long Cut Mint	6	0.0510
6	10715 = Grizzly Long Cut	3	0.0250
7	10409 = Copenhagen Snuff	2	0.0170
8	10800 = Husky Mint	2	0.0170
9	10406 = Copenhagen Long Cut Whiskey Blend	1	0.0080
10	10408 = Copenhagen Pouches	1	0.0080
11	10410 = Copenhagen Wintergreen Pouches	1	0.0080
12	10713 = Grizzly Fine Cut Premium Natural	1	0.0080
13	10716 = Grizzly Long Cut Mint	1	0.0080
14	10718 = Grizzly Long Cut Straight	1	0.0080
15	10915 = Kodiak Mint	1	0.0080
16	11386 = Red Seal Natural	1	0.0080
17	11978 = Beechnut Chewing Tobacco	1	0.0080
18	11984 = Red Man Golden Blend Chewing Tobacco	1	0.0080
19	11996 = Copenhagen Long Cut Southern Blend	1	0.0080
20	12045 = Stoker's Mint Long Cut Moist Snuff	1	0.0080
21	-1 = Inapplicable	11,744	99.4070
22			
23	Total	11,814	100.0