

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

ICPSR Codebook for Wave 3: Adult - All-Waves Weights

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

CODEBOOK DISPLAY NOTES

PATH STUDY

WEIGHTS FILE

ICPSR #36498

1. ICPSR customized the display of variables in this codebook. There are no variables that contain a frequency table displaying value labels and unweighted counts. This is because all of the variables in this file are identification, sample design, or sampling weight variables for which univariate statistics are not meaningful.
2. Each variable contains the following statement:

“This variable has XXXXX valid cases out of XXXXX total cases.”

This statement describes the number of valid cases for a variable that would be used in the calculation of percentages in the frequency tables.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 3: Adult - All-Waves Weights

CASEID: Case Identification Number

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

PERSONID: Participant ID

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 6-15 (width: 10; decimal: 0)

Variable Type: character

VARPSU: PSU Indicator for Variance Estimation

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

VARSTRAT: Stratum Indicator for Variance Estimation

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 17-18 (width: 2; decimal: 0)

Variable Type: numeric

R03_A_AWGT: Wave 3 Adult All-waves Longitudinal Weight

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 19-33 (width: 15; decimal: 9)

Variable Type: numeric

R03_A_AWGT1: Wave 3 Adult All-waves Longitudinal Replicate Weight 1

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 34-48 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT2: Wave 3 Adult All-waves Longitudinal Replicate Weight 2

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 49-63 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT3: Wave 3 Adult All-waves Longitudinal Replicate Weight 3

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 64-78 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT4: Wave 3 Adult All-waves Longitudinal Replicate Weight 4

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 79-93 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT5: Wave 3 Adult All-waves Longitudinal Replicate Weight 5

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 94-108 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT6: Wave 3 Adult All-waves Longitudinal Replicate Weight 6

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 109-123 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT7: Wave 3 Adult All-waves Longitudinal Replicate Weight 7

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 124-138 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT8: Wave 3 Adult All-waves Longitudinal Replicate Weight 8

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 139-153 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT9: Wave 3 Adult All-waves Longitudinal Replicate Weight 9

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 154-168 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT10: Wave 3 Adult All-waves Longitudinal Replicate Weight 10

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 169-183 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT11: Wave 3 Adult All-waves Longitudinal Replicate Weight 11

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 184-198 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT12: Wave 3 Adult All-waves Longitudinal Replicate Weight 12

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 199-213 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT13: Wave 3 Adult All-waves Longitudinal Replicate Weight 13

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 214-228 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT14: Wave 3 Adult All-waves Longitudinal Replicate Weight 14

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 229-243 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT15: Wave 3 Adult All-waves Longitudinal Replicate Weight 15

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 244-258 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT16: Wave 3 Adult All-waves Longitudinal Replicate Weight 16

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 259-273 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT17: Wave 3 Adult All-waves Longitudinal Replicate Weight 17

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 274-288 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT18: Wave 3 Adult All-waves Longitudinal Replicate Weight 18

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 289-303 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT19: Wave 3 Adult All-waves Longitudinal Replicate Weight 19

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 304-318 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT20: Wave 3 Adult All-waves Longitudinal Replicate Weight 20

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 319-333 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT21: Wave 3 Adult All-waves Longitudinal Replicate Weight 21

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 334-348 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT22: Wave 3 Adult All-waves Longitudinal Replicate Weight 22

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 349-363 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT23: Wave 3 Adult All-waves Longitudinal Replicate Weight 23

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 364-378 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT24: Wave 3 Adult All-waves Longitudinal Replicate Weight 24

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 379-393 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT25: Wave 3 Adult All-waves Longitudinal Replicate Weight 25

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 394-408 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT26: Wave 3 Adult All-waves Longitudinal Replicate Weight 26

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 409-423 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT27: Wave 3 Adult All-waves Longitudinal Replicate Weight 27

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 424-438 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT28: Wave 3 Adult All-waves Longitudinal Replicate Weight 28

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 439-453 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT29: Wave 3 Adult All-waves Longitudinal Replicate Weight 29

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 454-468 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT30: Wave 3 Adult All-waves Longitudinal Replicate Weight 30

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 469-483 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT31: Wave 3 Adult All-waves Longitudinal Replicate Weight 31

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 484-498 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT32: Wave 3 Adult All-waves Longitudinal Replicate Weight 32

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 499-513 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT33: Wave 3 Adult All-waves Longitudinal Replicate Weight 33

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 514-528 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT34: Wave 3 Adult All-waves Longitudinal Replicate Weight 34

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 529-543 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT35: Wave 3 Adult All-waves Longitudinal Replicate Weight 35

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 544-558 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT36: Wave 3 Adult All-waves Longitudinal Replicate Weight 36

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 559-573 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT37: Wave 3 Adult All-waves Longitudinal Replicate Weight 37

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 574-588 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT38: Wave 3 Adult All-waves Longitudinal Replicate Weight 38

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 589-603 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT39: Wave 3 Adult All-waves Longitudinal Replicate Weight 39

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 604-618 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT40: Wave 3 Adult All-waves Longitudinal Replicate Weight 40

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 619-633 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT41: Wave 3 Adult All-waves Longitudinal Replicate Weight 41

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 634-648 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT42: Wave 3 Adult All-waves Longitudinal Replicate Weight 42

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 649-663 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT43: Wave 3 Adult All-waves Longitudinal Replicate Weight 43

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 664-678 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT44: Wave 3 Adult All-waves Longitudinal Replicate Weight 44

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 679-693 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT45: Wave 3 Adult All-waves Longitudinal Replicate Weight 45

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 694-708 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT46: Wave 3 Adult All-waves Longitudinal Replicate Weight 46

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 709-723 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT47: Wave 3 Adult All-waves Longitudinal Replicate Weight 47

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 724-738 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT48: Wave 3 Adult All-waves Longitudinal Replicate Weight 48

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 739-753 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT49: Wave 3 Adult All-waves Longitudinal Replicate Weight 49

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 754-768 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT50: Wave 3 Adult All-waves Longitudinal Replicate Weight 50

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 769-783 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT51: Wave 3 Adult All-waves Longitudinal Replicate Weight 51

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 784-798 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT52: Wave 3 Adult All-waves Longitudinal Replicate Weight 52

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 799-813 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT53: Wave 3 Adult All-waves Longitudinal Replicate Weight 53

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 814-828 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT54: Wave 3 Adult All-waves Longitudinal Replicate Weight 54

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 829-843 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT55: Wave 3 Adult All-waves Longitudinal Replicate Weight 55

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 844-858 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT56: Wave 3 Adult All-waves Longitudinal Replicate Weight 56

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 859-873 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT57: Wave 3 Adult All-waves Longitudinal Replicate Weight 57

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 874-888 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT58: Wave 3 Adult All-waves Longitudinal Replicate Weight 58

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 889-903 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT59: Wave 3 Adult All-waves Longitudinal Replicate Weight 59

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 904-918 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT60: Wave 3 Adult All-waves Longitudinal Replicate Weight 60

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 919-933 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT61: Wave 3 Adult All-waves Longitudinal Replicate Weight 61

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 934-948 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT62: Wave 3 Adult All-waves Longitudinal Replicate Weight 62

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 949-963 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT63: Wave 3 Adult All-waves Longitudinal Replicate Weight 63

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 964-978 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT64: Wave 3 Adult All-waves Longitudinal Replicate Weight 64

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 979-993 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT65: Wave 3 Adult All-waves Longitudinal Replicate Weight 65

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 994-1008 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT66: Wave 3 Adult All-waves Longitudinal Replicate Weight 66

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1009-1023 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT67: Wave 3 Adult All-waves Longitudinal Replicate Weight 67

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1024-1038 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT68: Wave 3 Adult All-waves Longitudinal Replicate Weight 68

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1039-1053 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT69: Wave 3 Adult All-waves Longitudinal Replicate Weight 69

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1054-1068 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT70: Wave 3 Adult All-waves Longitudinal Replicate Weight 70

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1069-1083 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT71: Wave 3 Adult All-waves Longitudinal Replicate Weight 71

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1084-1098 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT72: Wave 3 Adult All-waves Longitudinal Replicate Weight 72

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1099-1113 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT73: Wave 3 Adult All-waves Longitudinal Replicate Weight 73

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1114-1128 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT74: Wave 3 Adult All-waves Longitudinal Replicate Weight 74

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1129-1143 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT75: Wave 3 Adult All-waves Longitudinal Replicate Weight 75

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1144-1158 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT76: Wave 3 Adult All-waves Longitudinal Replicate Weight 76

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1159-1173 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT77: Wave 3 Adult All-waves Longitudinal Replicate Weight 77

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1174-1188 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT78: Wave 3 Adult All-waves Longitudinal Replicate Weight 78

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1189-1203 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT79: Wave 3 Adult All-waves Longitudinal Replicate Weight 79

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1204-1218 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT80: Wave 3 Adult All-waves Longitudinal Replicate Weight 80

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1219-1233 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT81: Wave 3 Adult All-waves Longitudinal Replicate Weight 81

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1234-1248 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT82: Wave 3 Adult All-waves Longitudinal Replicate Weight 82

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1249-1263 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT83: Wave 3 Adult All-waves Longitudinal Replicate Weight 83

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1264-1278 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT84: Wave 3 Adult All-waves Longitudinal Replicate Weight 84

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1279-1293 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT85: Wave 3 Adult All-waves Longitudinal Replicate Weight 85

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1294-1308 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT86: Wave 3 Adult All-waves Longitudinal Replicate Weight 86

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1309-1323 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT87: Wave 3 Adult All-waves Longitudinal Replicate Weight 87

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1324-1338 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT88: Wave 3 Adult All-waves Longitudinal Replicate Weight 88

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1339-1353 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT89: Wave 3 Adult All-waves Longitudinal Replicate Weight 89

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1354-1368 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT90: Wave 3 Adult All-waves Longitudinal Replicate Weight 90

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1369-1383 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT91: Wave 3 Adult All-waves Longitudinal Replicate Weight 91

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1384-1398 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT92: Wave 3 Adult All-waves Longitudinal Replicate Weight 92

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1399-1413 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT93: Wave 3 Adult All-waves Longitudinal Replicate Weight 93

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1414-1428 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT94: Wave 3 Adult All-waves Longitudinal Replicate Weight 94

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1429-1443 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT95: Wave 3 Adult All-waves Longitudinal Replicate Weight 95

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1444-1458 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT96: Wave 3 Adult All-waves Longitudinal Replicate Weight 96

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1459-1473 (width: 15; decimal: 8)

Variable Type: numeric

R03_A_AWGT97: Wave 3 Adult All-waves Longitudinal Replicate Weight 97

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1474-1488 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT98: Wave 3 Adult All-waves Longitudinal Replicate Weight 98

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1489-1503 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT99: Wave 3 Adult All-waves Longitudinal Replicate Weight 99

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1504-1518 (width: 15; decimal: 8)
Variable Type: numeric

R03_A_AWGT100: Wave 3 Adult All-waves Longitudinal Replicate Weight 100

This variable has 27,121 valid cases out of 27,121 total cases.

Location: 1519-1533 (width: 15; decimal: 8)
Variable Type: numeric