

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

Questionnaire for Wave 4: Adult Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.



PATH

Population Assessment
of Tobacco and Health

A collaboration between the NIH and FDA

Contract #: HHSN271201600001C

PATH Study Wave 4 Adult Public Use File Annotated Instrument



Updated: August 29, 2019

Date: July 03, 2019

Prepared by:

Westat

An Employee-Owned Research Corporation

1600 Research Boulevard

Rockville, Maryland 20850-3129

(301) 251-1500

Table of Contents

PATH Study Wave 4 Annotated Instrument – Explanatory Notes	iii
ADULT AGE CONFIRMATION	1
INITIAL ADMINISTRATIVE DATA	4
INTRODUCTORY DEMOGRAPHICS	5
TOBACCO USE	19
CIGARETTE	122
ELECTRONIC NICOTINE PRODUCTS	187
CIGAR	255
PIPE	387
HOOKAH	427
SNUS	468
SMOKELESS TOBACCO	511
POLYUSE	556
NICOTINE DEPENDENCE	564
PACKAGING AND HEALTH WARNINGS	696
RISK PERCEPTIONS AND ATTITUDES	718
MEDIA USE	744
SECONDHAND SMOKE EXPOSURE	750
SOCIAL NORMS, PEER AND FAMILY INFLUENCES	758
HEALTH	765
MARKETING, ADVERTISING AND PROMOTION	958
ADDITIONAL DEMOGRAPHICS	966
PRODUCT BARCODE SCANNING MODULE	983
CLOSING ADMINISTRATIVE DATA	1001
APPENDIX – ADULT GENERIC IMAGES	1002
APPENDIX – ADULT USER GROUP DEFINITIONS	1011
APPENDIX – ADULT INSTRUMENT SKIP ERROR SUMMARY	1068
APPENDIX – ADULT INSTRUMENT DATA ERROR SUMMARY	1077

08292019

PATH Study Wave 4 Annotated Instrument – Explanatory Notes

BOX ID: R04_AMD07

(1) Structure of Question Boxes. Each question in the annotated instrument is presented in a box. Within the box, the top row usually indicates the name of the variable(s) in which data collected by that question are stored. However, for questions with a “choose all that apply” structure, the top row states “SEE BELOW:” and the variable names are displayed next to the corresponding response options. All variable names are displayed in bolded red font. The second row includes the question text, including any instructions for the respondent (for example, “Choose all that apply”). The next several rows display the response options. The last rows specify which respondents were asked the question, followed in many instances by special instructions used in programming. The rows that specify which respondents were asked the question are split into two parts: The first part (the “ASK Description”) provides a general description of which respondents were asked; the second part (the “ASK Specification”) identifies which respondents were asked as a logic statement using specific variables.

(2) Non-Question Boxes. Some boxes in the instrument do not include questions. These boxes include introductory text, display instructions, or more complex programming instructions, such as those used to create derived variables.

(3) Question Routing. The instrument was designed with the assumption that all respondents to a question would be asked the next question, unless there are specific instructions routing a subgroup of respondents to a different question. The phrase “GO TO” precedes such routing instructions. Complex routing instructions are split into two parts: The first part (the “GO TO Description”) provides a general description of the routing instructions; the second part (the “GO TO Specification”) reiterates the instructions as a set of logic statements, using specific variables. Non-response values (“DON’T KNOW” and “REFUSED”) are treated the same as response values for routing; if they are not mentioned in specific routing instructions, then the routing follows other criteria. Many routing instructions consist of multiple statements. The first statement describes a set of conditions and indicates the next question to be asked if those conditions are met. (“IF ____, GO TO ____.”) Subsequent statements use the word “else” to indicate that the conditions given in previous statements have not been met. (“ELSE, IF ____, GO TO ____.”) This means that the first statement fulfilled by the respondent always indicates the next question asked.

(4) Randomized Question Order. Some series of questions were presented to respondents in a randomized order. In such instances, a non-question box precedes the series and specifies which questions are part of the randomized series. Routing within these series indicates which questions were asked of different respondents and reflects the static order of the questions in this document. It does not reflect the actual order in which the questions were displayed for respondents.

(5) Iterative Loops. There are several questions, series of questions, and entire sections that are specified as being asked in a loop. In such instances, questions were iteratively asked of the respondent to collect similar information on two or more topics. For example, the questions about cigars are asked iteratively regarding traditional cigars, cigarillos, and filtered cigars. These items are specified a single time, with programming instructions identifying the beginning and ending of the loop, how it is to be changed for each iteration, and the order in which each iteration should be presented. Looped items utilize iteration indicators to provide precise ASK Specifications and GO TO Specifications for each iteration of the item. The responses for each iteration are captured in different variables, which have different suffixes to indicate which iteration each variable applies to. For example, the variables for traditional cigars end in TC, the variables for cigarillos end in CG, and the variables for filtered cigars end in FC. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) ASK Specifications and GO TO Specifications address each iteration separately, with the particular variable identified at the start of the specification. (For example, “FOR R04_AG1005TC:”

precedes the ASK specification that applies to the traditional cigar iteration of R04_AG1005; “IF LOOP = GTRAD” precedes the GO TO Specifications that apply to the traditional cigar iteration of routing instructions.) However, the ASK Descriptions and GO TO Descriptions do not address the iterations separately. Instead, the overall description is given a single time and the iterated products are combined by slashes. (For example, “respondents who have ever smoked traditional cigars/cigarillos/filtered cigars” indicates that one iteration of the question applies to respondents who have ever smoked traditional cigars, another applies to those who ever smoked cigarillos, and another to those who ever smoked filtered cigars.) When GO TO Descriptions and response-level GO TO statements indicate routing to a variable within a loop, the root variable is referenced a single time and the iteration indicator suffixes are combined in brackets. (For example, “go to R04_AG1005[TC/CG/FC].”) This is done to simplify the presentation. Unless explicitly stated otherwise, variables for one iteration have no impact on a different iteration. For example, if a question about cigars refers to a variable that ends in [TC/CG/FC], only the TC variable applies to the traditional cigar iteration, only the CG variable applies to the cigarillo iteration, and only the FC variable applies to the filtered cigar iteration.

(6) Variables For Multiple Components. Some questions contain separate variables for multiple components. Examples of such items include “choose all that apply” questions, where there is a separate variable for each response category; questions that ask about duration, where data are recorded in separate variables as number and unit (days, months, years) combinations (number variables are indicated by the suffix _NN and unit variables are indicated by _UN); and questions that ask for a price, where data are recorded in separate variables as dollar (_D) and cent (_C) combinations. (Variables with the suffix _D, _C or _NN are open-field variables that allow respondents to enter any numeric value. As such, no discrete values are indicated for these variables. However, variables with the suffix _UN have values corresponding to set options from which the respondent must choose. Because _NN/_UN questions combine these two variable types, item-level notes are utilized to clarify that the discrete values presented in the instrument refer only to the _UN variable.) Each component variable in such items is differentiated using an appropriate suffix. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) However, when variables with multiple components are referenced in routing instructions that precede the question, the component suffix is omitted. This is done to simplify the presentation, since before the question is asked, the respondent’s answer is not known. Unless explicitly stated otherwise, the reference to the root variable name (without the component suffix) in the logic means that the logic applies to the entire item, not just to a specific component variable. In routing instructions that come after the question, the specific variable with the component suffix is included, so that the routing instructions are clear and specific.

(7) Logic Checks. Some questions include a soft range check for responses. This means that respondents were not prevented from entering responses that were outside of the range. However, if a respondent entered a response that was out of range, they received a prompt noting their answer. They were asked to change their answer if it was incorrect or confirm their answer by proceeding to the next question. These logic checks are presented in the annotated instrument as probe questions, immediately following the question they check. Respondents are routed to the logic check and a program note specifies the conditions that trigger the prompt to be shown. If the respondent did not meet the trigger conditions, they proceeded to the next question without being shown the prompt. Logic checks are identified by the suffix _LC1 (or _LC2, etc.) added to the root variable name of the question they check. Although similar to actual questions, logic checks do not capture data. Logic checks are presented with ASK specifications, but without ASK descriptions to help distinguish them from actual questions.

(8) Section routing. Respondents are assumed to be routed through every section in the instrument in turn, unless otherwise noted. For the sections that ask questions about specific tobacco products (cigarettes, e-cigarettes, cigars, pipe, hookah, smokeless tobacco and dissolvable tobacco), respondents are only routed to the section if they are ever users of the product, then to the Polyuse

section. All respondents are routed to the Packaging and Health Warnings section. This routing is not explicitly defined in each section, but is driven by Box R04_AXR01, which specifies:

(a) For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.

(b) For respondents that have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.

(c) In some cases, a respondent is skipped from the middle of one section to the next section on the route that is applicable to them. This is noted by stating "GO TO THE NEXT SECTION." For simplicity, the specific logic for routing from one section to another is not described in these cases. Rather, it is assumed that respondents are routed through the specific tobacco product sections for every tobacco product they have ever used, and that all respondents are routed to the Packaging and Health Warnings section. After the Packaging and Health Warnings section, all remaining sections are completed in order.

(9) Never Users. The instrument refers to a respondent not reporting use of a product as having never used the product. As such, never usage includes respondents reporting that they have never used a product, or that they don't know whether they have ever used the product, or refusing to answer whether they have ever used the product. This design reflects programming and data collection necessities, rather than an analytic definition.

(10) Images. All generic images used to display examples during interview administration are included in an appendix. Images used to display tobacco brands, products, or advertisements are not included in this instrument.

(11) New Product Placeholder section. In the Wave 4 Adult data collection instrument, a placeholder section was included in the questionnaire to allow the possibility of adding new tobacco products to the survey during the data collection period. No product warranted activation of the section during data collection, so there are no data or variables associated with the section. Given that, the "New Product - Placeholder" section has been excluded from the Wave 4 Adult annotated instrument.

(12) References to Preload Data. As Westat prepares continuing respondent cases for data collection, data from prior waves are preloaded into the instruments for the current wave for longitudinal reference. For example, in the Wave 4 Adult instrument, identification of adults who have ever smoked a cigarette is based on the tobacco users groups and item responses from Waves 1 - 3 as well as responses to the Wave 4 instrument. Variables for this preloaded data are indicated by the prefix "R03_", signifying the most recent data at the close of Wave 3. When referencing data from previous waves, the instrument describes it as the respondents' answers "as of their last completed interview". For example, "continuing adult respondents who have ever smoked a cigarette as of their last completed interview".

(13) **/ Notation.** The **/** notation on some item IDs is indicative of a Wave 4 instrument error. The "****" represents an instrument SKIP ERROR which resulted in missing data for some respondents. See Appendix - Adult Instrument Skip Error Summary for more information. The "****" notation on some item IDs is indicative of a Wave 4 instrument DATA ERROR which are not attributed to any skip errors. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.). See Appendix - Adult Instrument Data Error Summary for more information.

(14) Nicotine Dependence Section. Respondents routed to this section were asked the questions up to two times. There is a sub-section for electronic nicotine products and a sub-section for all other products. For this reason, the nicotine dependence data are stored in two sets of variables: one that ends with an “E” suffix (for example, R04_AN0030E, R04_AN0035E, R04_AN0045E) and one that does not (for example, R04_AN0030, R04_AN0035, R04_AN0045). This note describes the variables in which the data are stored and how use is defined. Compared to Wave 3, the overall design of this section remains unchanged.

Polyuse means use of two or more tobacco products. The variables with the “E” suffix only include data about electronic nicotine products. Data for all other tobacco products are found in the variables without the suffix. Analysts interested in dependence among electronic nicotine product users only need to consider the variables with the “E” suffix.

Variables that store nicotine dependence data

- Data for single product users who use electronic nicotine products are stored in the variables with the “E” suffix.
- Data for single product users or polyusers who do not use electronic nicotine products are stored in the variables without the “E” suffix.
- Data for polyusers who use electronic nicotine products are stored in both sets of variables: those with the “E” suffix (for electronic nicotine product data) and those without the “E” suffix (for other product data).

Description of respondents who are asked questions in the nicotine dependence section.

Respondents were routed to the nicotine dependence section based on the count of tobacco products used, which is itself dependent on how use is defined.

The count of tobacco products used to determine if a respondent was a single product user or a polyuser depended on three types of use: current established use (CS), new former established use (NF) and current experimental use (CX).

The rules for counting products used are shown in the table below.

- To determine the count, the products in the use category(ies) shown in the “basis of product count” column were summed. Each of the three types of cigars (traditional cigars, cigarillos and filtered cigars) were counted separately, as were smokeless tobacco and snus.
- Based on that sum, users were categorized as single product users or polyusers.
- If one of the use categories was missing, it was considered to be no.
- The questions asked in the nicotine dependence section were about the products in the use category(ies) shown in the last column.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Current experimental user (CX)	Current established user (CS)	New former established user (NF)	Basis of product count
YES	NO	NO	CX
NO	YES	NO	CS
NO	NO	YES	NF
NO	YES	YES	CS and NF combined
YES	YES	YES	CS and NF combined
YES	YES	NO	CS
YES	NO	YES	NF
NO	NO	NO	Not applicable

Note that as shown in the table above, the only circumstance where a respondent answered nicotine dependence questions about their current experimental use is when that respondent was neither a current established user nor a new former established user. Current established users or new former established users of a single product who were experimental users of a second product were considered single product users. Once the respondent was categorized as a single product user or a polyuser, their responses to questions were stored in the data file as described in the variables section above.

(15) Questionnaire variables excluded from the data file. Several questionnaire variables are excluded from the PATH Study Wave 4 Public Use File (PUF) in order to protect the identity of the PATH Study participants. Some of the information in these variables will be retained and presented in new derived variables while other information will be entirely excluded from the file. Table 1 below contains a list of variables that are entirely excluded from the data file; Table 2 below contains a list of variables that are replaced with a new derived variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF

Questionnaire Variable	Questionnaire Variable Description
R04_CAD10	Confirm respondent DOB
R04_LAD01	Respondent's preferred language to complete ACASI interview
R04_AM0007	Ever served on active duty in the U.S. Armed Forces, Military Reserves or National Guard
R04_AM0011_NB_01	Branch served when on active duty: Army
R04_AM0011_NB_02	Branch served when on active duty: Navy
R04_AM0011_NB_03	Branch served when on active duty: Air Force
R04_AM0011_NB_04	Branch served when on active duty: Marine Corps
R04_AM0011_NB_05	Branch served when on active duty: Coast Guard
R04_AM0072_OS	Language other than English spoken at home - Specify
R04_AZ1002_OS	Ever used any other tobacco products - Specify
R04_AC1033MC_OS	Retail location where your cigarette is purchased most of the time - Specify
R04_AC1049MC	Brand of cigarettes usually/last smoked - Specify
R04_AC1071MC	Sub-brand of cigarette product usually/last smoked - Specify
R04_AC1033RY_OS	Retail location where your roll-your-own cigarette tobacco is purchased most of the time - Specify
R04_AC1049RY	Brand of roll-your-own cigarette tobacco usually/last smoked - Specify
R04_AC1071RY	Sub-brand of roll-your-own cigarette tobacco product usually/last smoked - Specify
R04_AV9003	Brand of [primary electronic nicotine product] owned - Specify
R04_AV1011_OS	Flavor of [primary electronic nicotine product] when first started using - Specify
R04_AV9035_OS	Electronic nicotine product you have used - specify
R04_AV1131_OS	In past 30 days, [electronic nicotine products/cartridges/e-liquid] flavor used - Specify
R04_AV1033_OS	Retail location where your [electronic nicotine products/cartridges/e-liquid] are bought most of the time - Specify
R04_AV1012_OS	Flavor of regular brand/brand last used - Specify
R04_AV1049	Brand of [electronic nicotine products/cartridges/e-liquid] usually/last used - Specify
R04_AJ1033TC_OS	Retail location where your traditional cigars for blunts is purchased most of the time - Specify
R04_AJ1049TC	Brand of traditional cigars for blunts usually/last smoked - Specify
R04_AJ1071TC	Sub-brand of traditional cigar as a blunt product usually/last smoked - Specify
R04_AJ1033CG_OS	Retail location where your cigarillos for blunts is purchased most of the time - Specify
R04_AJ1049CG	Brand of cigarillos for blunts usually/last smoked - Specify
R04_AJ1071CG	Sub-brand of cigarillo as a blunt product usually/last smoked - Specify
R04_AJ1033FC_OS	Retail location where your filtered cigars for blunts is purchased most of the time - Specify
R04_AJ1049FC	Brand of filtered cigars for blunts usually/last smoked - Specify
R04_AJ1071FC	Sub-brand of filtered cigar as a blunt product usually/last smoked - Specify

Table 1. Questionnaire variables entirely excluded from the PUF (continued)

Questionnaire Variable	Questionnaire Variable Description
R04_AG1033TC_OS	Retail location where your traditional cigars is/were purchased most of the time - Specify
R04_AG1049TC	Brand of traditional cigars usually/last smoked - Specify
R04_AG1071TC	Sub-brand of traditional cigar product usually/last smoked - Specify
R04_AG1033CG_OS	Retail location where your cigarillos is/were purchased most of the time - Specify
R04_AG1049CG	Brand of cigarillos usually/last smoked - Specify
R04_AG1071CG	Sub-brand of cigarillo product usually/last smoked - Specify
R04_AG1033FC_OS	Retail location where your filtered cigars is/were purchased most of the time - Specify
R04_AG1049FC	Brand of filtered cigars usually/last smoked - Specify
R04_AG1071FC	Sub-brand of filtered cigar product usually/last smoked - Specify
R04_AP1033_OS	Retail location where your pipe tobacco is purchased most of the time - Specify
R04_AP1049	Brand of pipe tobacco usually/last smoked - Specify
R04_AP1071	Sub-brand of pipe tobacco product usually/last smoked - Specify
R04_AH9011_OS	Place where usually smoke/smoked a hookah - Specify
R04_AH1033_OS	Retail location where your hookah tobacco is purchased most of the time - Specify
R04_AH1049	Brand of shisha or hookah tobacco usually/last smoked - Specify
R04_AH1071	Sub-brand of hookah tobacco product usually/last smoked - Specify
R04_AU1033_OS	Retail location where your snus pouches is purchased most of the time - Specify
R04_AU1049	Brand of snus pouches usually/last used - Specify
R04_AU1071	Sub-brand of snus pouch product usually/last used - Specify
R04_AS1033_OS	Retail location where your smokeless tobacco is purchased most of the time - Specify
R04_AS1049	Brand of smokeless tobacco usually/last used - Specify
R04_AS1071	Sub-brand of smokeless tobacco product usually/last used - Specify
R04_AX0686_OS	In past 12 months, liked or followed brand on social media sites - Specify
R04_AX0190_NB	Is deaf or has serious difficulty hearing
R04_AX0191_NB	Is blind or has serious difficulty seeing, even when wearing glasses
R04_AX0203_OS	In past 30 days, place where noticed e-cigarettes or other electronic nicotine products being advertised - Specify
R04_AX0677_OS	In past 30 days, noticed cigarettes or other tobacco products being advertised - Specify
R04_AM0067	Enrolled in High School
R04_AM0068	Current grade in school
R04_AM0020_OS	Type of degree program currently enrolled in - Specify
R04_AM0012_12M	Ever been enrolled in VA Health Care
R04_AM0012_NB	Ever been enrolled in VA Health Care
R04_AM0021	Sexual attraction to gender

Table 1. Questionnaire variables entirely excluded from the PUF (continued)

Questionnaire Variable	Questionnaire Variable Description
R04_AM0061	Consider yourself to be transgender
R04_AM0062	Consider self to be male-to-female, female-to-male, or non-conforming
R04_LCAD01	Language in which CAPI portions of adult interview were conducted
R04_AX0217_1A	Tobacco Product 1, bar code scan
R04_AX0217_2A	Tobacco Product 2, bar code scan
R04_AX0217_3A	Tobacco Product 3, bar code scan
R04_AX0217_4A	Tobacco Product 4, bar code scan
R04_AX0217_5A	Tobacco Product 5, bar code scan
R04_AX0217_6A	Tobacco Product 6, bar code scan
R04_AX0217_7A	Tobacco Product 7, bar code scan
R04_AX0217_8A	Tobacco Product 8, bar code scan
R04_AX0217_9A	Tobacco Product 9, bar code scan
R04_AX0217_10A	Tobacco Product 10, bar code scan
R04_AM0001	Date of birth (Corrected)
R04_AM0002	Respondent age
R04_AG1011CG_OS	Flavor of cigarillo when first started smoking: Some other flavor - specify
R04_AG1011FC_OS	Flavor of filtered cigar when first started smoking: Some other flavor - specify
R04_AG1011TC_OS	Flavor of traditional cigar when first started smoking: Some other flavor - specify
R04_AG1012CG_OS	Cigarillo flavor usually/last smoked: Some other flavor - specify
R04_AG1012FC_OS	Filtered cigar flavor usually/last smoked: Some other flavor - specify
R04_AG1012TC_OS	Traditional cigar flavor usually/last smoked: Some other flavor - specify
R04_AG1131CG_OS	In past 30 days, cigarillo flavor smoked: Some other flavor - specify
R04_AG1131FC_OS	In past 30 days, filtered cigar flavor smoked: Some other flavor - specify
R04_AG1131TC_OS	In past 30 days, traditional cigar flavor smoked: Some other flavor - specify
R04_AH1011_OS	Flavor of hookah tobacco when first started smoking: Some other flavor - specify
R04_AH1012_OS	Hookah tobacco flavor usually/last smoked: Some other flavor - specify
R04_AH1131_OS	In past 30 days, hookah tobacco flavor smoked: Some other flavor - specify
R04_AJ1011CG_OS	Flavor of cigarillo used as blunts when first started smoking: Some other flavor - specify
R04_AJ1011FC_OS	Flavor of filtered cigar used as blunts when first started smoking: Some other flavor - specify
R04_AJ1011TC_OS	Flavor of traditional cigar used as blunts when first started smoking: Some other flavor - specify
R04_AJ1012CG_OS	Cigarillo as blunts flavor usually/last smoked: Some other flavor - specify
R04_AJ1012FC_OS	Filtered cigar as blunts flavor usually/last smoked: Some other flavor - specify
R04_AJ1012TC_OS	Traditional cigar as blunts flavor usually/last smoked: Some other flavor - specify
R04_AJ1131CG_OS	In past 30 days, cigarillo as blunts flavor smoked: Some other flavor - specify
R04_AJ1131FC_OS	In past 30 days, filtered cigar as blunts flavor smoked: Some other flavor - specify

Table 1. Questionnaire variables entirely excluded from the PUF (continued)

Questionnaire Variable	Questionnaire Variable Description
R04_AJ1131TC_OS	In past 30 days, traditional cigar as blunts flavor smoked: Some other flavor - specify
R04_AN0336_OS	Main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill: Some other reason - specify (current established, current experimental or recent former established non-electronic tobacco users)
R04_AN0336E_OS	Main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill: Some other reason - specify (current established, recent former established or current experimental electronic nicotine product users)
R04_AP1011_OS	Flavor of pipe tobacco when first started smoking: Some other flavor - specify
R04_AP1012_OS	Pipe tobacco flavor usually/last smoked: Some other flavor - specify
R04_AP1131_OS	In past 30 days, pipe tobacco flavor smoked: Some other flavor - specify
R04_AS1011_OS	Flavor of smokeless tobacco when first started using: Some other flavor - specify
R04_AS1012_OS	Smokeless tobacco flavor usually/last used: Some other flavor - specify
R04_AS1131_OS	In past 30 days, smokeless tobacco flavor used: Some other flavor - specify
R04_AU1011_OS	Flavor of snus when first started using: Some other flavor - specify
R04_AU1012_OS	Snus flavor usually/last used: Some other flavor - specify
R04_AU1131_OS	In past 30 days, snus flavor used: Some other flavor - specify
R04_AM0008_RS	Currently on active duty in the U.S. Armed Forces
R04_AM0050_RS	Ever served on active duty in the U.S. Armed Forces, Military Reserves or National Guard (Confirmation)
R04_AM0074_RS	Was on full-time active duty in the U.S. Armed Forces, Military Reserves or National Guard for the entire year in 2014
R04_AM0075_RS	Lived in the U.S. in any of the 50 states or the District of Columbia during 2014

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R04_AM0001 R04_AM0002 R04_AM0003	R04R_A_AGECA6	Age range when interviewed (6 levels)
R04_AM0069	R04R_A_AM0069	Respondent is a citizen of the United States (2 levels)
R04_AM0065	R04R_A_AM0065_V2	Number of years lived in the United States (2 levels)
R04_AC1007_NB R04_AC1121_NB	R04R_A_AC1007_NB	Age range when first started smoking cigarettes fairly regularly (6 levels)
R04_AC1020_NB R04_AC1122_NB	R04R_A_AC1020_NB	Age range when first started smoking cigarettes every day (6 levels)
R04_AV1007_NB R04_AV1121_NB	R04R_A_AV1007_NB	Age range when first started using [EPRODTYPE1]s fairly regularly (6 levels)
R04_AV1020_NB R04_AV1122_NB	R04R_A_AV1020_NB	Age range when first started using [EPRODTYPE1]s every day (6 levels)
R04_AG1007TC_NB R04_AG1121TC_NB	R04R_A_AG1007TC_NB	Age range when first started smoking traditional cigars fairly regularly (6 levels)
R04_AG1020TC_NB R04_AG1122TC_NB	R04R_A_AG1020TC_NB	Age range when first started smoking cigarillos every day (6 levels)
R04_AG1007CG_NB R04_AG1121CG_NB	R04R_A_AG1007CG_NB	Age range when first started smoking filtered cigars fairly regularly (6 levels)
R04_AG1020CG_NB R04_AG1122CG_NB	R04R_A_AG1020CG_NB	Age range when first started smoking cigarillos every day (6 levels)
R04_AG1007FC_NB R04_AG1121FC_NB	R04R_A_AG1007FC_NB	Age range when first started smoking filtered cigars fairly regularly (6 levels)
R04_AG1020FC_NB R04_AG1122FC_NB	R04R_A_AG1020FC_NB	Age range when first started smoking filtered cigars every day (6 levels)
R04_AP1007_NB R04_AP1121_NB	R04R_A_AP1007_NB	Age range when first started smoking a pipe filled with tobacco fairly regularly (6 levels)
R04_AP1020_NB R04_AP1122_NB	R04R_A_AP1020_NB	Age range when first started smoking a pipe filled with tobacco every day (6 levels)
R04_AH1007_NB R04_AH1121_NB	R04R_A_AH1007_NB	Age range when first started smoking hookah fairly regularly (6 levels)
R04_AH1020_NB R04_AH1122_NB	R04R_A_AH1020_NB	Age range when first started smoking hookah every day (6 levels)
R04_AU1007_NB R04_AU1121_NB	R04R_A_AU1007_NB	Age range when first started smoking snus pouches fairly regularly (6 levels)
R04_AU1020_NB R04_AU1122_NB	R04R_A_AU1020_NB	Age range when first started smoking snus pouches every day (6 levels)

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R04_AS1007_NB R04_AS1121_NB	R04R_A_AS1007_NB	Age range when first started using smokeless tobacco fairly regularly (6 levels)
R04_AS1020_NB R04_AS1122_NB	R04R_A_AS1020_NB	Age range when first started using smokeless tobacco every day (6 levels)
R04_AX0114_NB R04_AX0253_NB	R04R_A_AX0114_NB	Age range when you were first told you had high blood pressure (6 levels)
R04_AX0115_NB R04_AX0254_NB	R04R_A_AX0115_NB	Age range when you were first told you had high cholesterol (6 levels)
R04_AX0116_NB R04_AX0255_NB	R04R_A_AX0116_NB	Age range when you were first told you had congestive heart failure (6 levels)
R04_AX0117_NB R04_AX0256_NB	R04R_A_AX0117_NB	Age range when you were first told you had a stroke (6 levels)
R04_AX0112_NB R04_AX0252_NB	R04R_A_AX0112_NB	Age range when you were first told you had a heart attack (6 levels)
R04_AX0120_NB R04_AX0257_NB	R04R_A_AX0120_NB	Age range when you were first told you had COPD (6 levels)
R04_AX0121_NB R04_AX0258_NB	R04R_A_AX0121_NB	Age range when you were first told you had chronic bronchitis (6 levels)
R04_AX0123_NB R04_AX0259_NB	R04R_A_AX0123_NB	Age range when you were first told you had emphysema (6 levels)
R04_AX0124_NB R04_AX0260_NB	R04R_A_AX0124_NB	Age range when you were first told you had asthma (6 levels)
R04_AX0131_NB R04_AX0261_NB	R04R_A_AX0131_NB	Age range when you were first told you had gum disease (6 levels)
R04_AX0133_NB R04_AX0262_NB	R04R_A_AX0133_NB	Age range when you were first told you had pre-cancerous oral lesions (6 levels)
R04_AX0280_NB R04_AX0263_NB	R04R_A_AX0280_NB	Age range when you were first told you had diabetes, sugar diabetes, high blood sugar or borderline diabetes (6 levels)
R04_AX0143_NB R04_AX0264_NB	R04R_A_AX0143_NB	Age range when you were first told you had an ulcer (6 levels)
R04_AX0148_NB R04_AX0266_NB	R04R_A_AX0148_NB	Age range when you were first told you had stomach or gastro-intestinal bleeding (6 levels)
R04_AX0150_NB R04_AX0267_NB	R04R_A_AX0150_NB	Age range when you were first told you had osteoporosis (6 levels)
R04_AX0198_NB R04_AX0268_NB	R04R_A_AX0198_NB	Age range when you were first told you had a bone fracture because you have fragile bones (6 levels)
R04_AX0152_NB R04_AX0269_NB	R04R_A_AX0152_NB	Age range when you were first told you had a cataract or glaucoma (6 levels)

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R04_AX0703 R04_AX0704	R04R_A_AX0703	Age range when you were first told you had macular degeneration (6 levels)
R04_AX0145_02 R04_AX0145_03 R04_AX0145_04 R04_AX0145_05 R04_AX0145_09 R04_AX0145_12 R04_AX0145_15 R04_AX0145_18 R04_AX0145_19 R04_AX0145_21 R04_AX0145_16 R04_AX0145_23 R04_AX0145_24 R04_AX0145_25 R04_AX0145_27 R04_AX0145_29 R04_AX0145_30 R04_AX0145_31	R04R_A_AX0145_NONTOB	Type of cancer is a non-tobacco related cancer (2 levels)
R04_AX0145_01 R04_AX0145_06 R04_AX0145_07 R04_AX0145_08 R04_AX0145_10 R04_AX0145_11 R04_AX0145_13 R04_AX0145_14 R04_AX0145_17 R04_AX0145_20 R04_AX0145_22 R04_AX0145_26 R04_AX0145_28	R04R_A_AX0145_TOB	Type of cancer is a tobacco related cancer (2 levels)

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R04_AX0146_NB_02	R04R_A_AX0146_NONTOB	Age range when nontobacco related cancer was diagnosed (6 levels)
R04_AX0265_NB_02		
R04_AX0146_NB_03		
R04_AX0265_NB_03		
R04_AX0146_NB_04		
R04_AX0265_NB_04		
R04_AX0146_NB_05		
R04_AX0265_NB_05		
R04_AX0146_NB_09		
R04_AX0265_NB_09		
R04_AX0146_NB_12		
R04_AX0265_NB_12		
R04_AX0146_NB_15		
R04_AX0265_NB_15		
R04_AX0146_NB_18		
R04_AX0265_NB_18		
R04_AX0146_NB_19		
R04_AX0265_NB_19		
R04_AX0146_NB_21		
R04_AX0265_NB_21		
R04_AX0146_NB_16		
R04_AX0265_NB_16		
R04_AX0146_NB_23		
R04_AX0265_NB_23		
R04_AX0146_NB_24		
R04_AX0265_NB_24		
R04_AX0146_NB_25		
R04_AX0265_NB_25		
R04_AX0146_NB_27		
R04_AX0265_NB_27		
R04_AX0146_NB_29		
R04_AX0265_NB_29		
R04_AX0146_NB_30		
R04_AX0265_NB_30		
R04_AX0146_NB_31		
R04_AX0265_NB_31		

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R04_AX0146_NB_01 R04_AX0265_NB_01 R04_AX0146_NB_06 R04_AX0265_NB_06 R04_AX0146_NB_07 R04_AX0265_NB_07 R04_AX0146_NB_08 R04_AX0265_NB_08 R04_AX0146_NB_10 R04_AX0265_NB_10 R04_AX0146_NB_11 R04_AX0265_NB_11 R04_AX0146_NB_13 R04_AX0265_NB_13 R04_AX0146_NB_14 R04_AX0265_NB_14 R04_AX0146_NB_17 R04_AX0265_NB_17 R04_AX0146_NB_20 R04_AX0265_NB_20 R04_AX0146_NB_22 R04_AX0265_NB_22 R04_AX0146_NB_26 R04_AX0265_NB_26 R04_AX0146_NB_28 R04_AX0265_NB_28	R04R_A_AX0146_TOB	Age range when tobacco related cancer was diagnosed (6 levels)
R04_AX0135_12M	R04R_A_AX0135_12M	Outcome of last pregnancy was miscarriage, induced abortion, ectopic or tubal pregnancy or stillbirth (2 levels)
R04_AX0300_12M_01 R04_AX0300_12M_02 R04_AX0300_12M_03 R04_AX0300_12M_04 R04_AX0300_12M_05 R04_AX0300_12M_06 R04_AX0300_12M_07 R04_AX0706	R04R_A_AX0300_12M	Outcome for live birth was preterm birth, low birth weight, birth defects, placenta previa, placenta abruption, preeclampsia, or cleft lip or palate (2 levels)
R04_AM0018	R04R_A_AM0018_V2	Highest grade or level of school completed (5 levels)

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R04_AM0030	R04R_A_AM0030	Total household income in the past 12 months (5 levels)
R04_AM0033	R04R_A_AM0033_V2	Highest grade or year of school completed by mother, step-mother or mother-figure (5 levels)
R04_AM0034	R04R_A_AM0034_V2	Highest grade or year of school completed by father, step-father or father-figure (5 levels)
R04_AM0036	R04R_A_AM0036	In past 12 months, parents' total household income (5 levels)
R04_AM0026_01 R04_AM0026_02 R04_AM0026_03 R04_AM0026_04 R04_AM0026_05 R04_AM0026_06 R04_AM0026_07 R04_AM0026_08	R04R_A_AM0026_V2	Currently covered by health insurance or health coverage plan (2 levels)
R04_AM0063	R04R_A_SEXORIENT2	Adult sexual orientation (2 levels)
R04_AX0313 R04_AX0679_FT R04_AX0679_IN R04_AX0316 R04_AX0109 R04_AX0312	R04R_A_BMI	Body mass index
R04_AT0047	R04R_A_AT0047	Recoded marital status (3 levels)
R04_AL0040	R04R_A_AL0040	Indicator of home ownership (2 levels)
R04_AM0017	R04R_A_AM0017	Recoded reason for not working for pay (5 levels)
R04_AM0042	R04R_A_AM0042	Recoded where you currently live (3 levels)
R04_AM0072_02 R04_AM0072_03 R04_AM0072_04 R04_AM0072_05 R04_AM0072_06 R04_AM0072_07 R04_AM0072_08 R04_AM0072_09 R04_AM0072_10	R04R_A_AM0072_02	Indicator of other language spoken at home (2 levels)

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R04_AX0066_01 R04_AX0066_02 R04_AX0066_03 R04_AX0066_04 R04_AX0066_05 R04_AX0066_06 R04_AX0066_07 R04_AX0066_08 R04_AX0066_09	R04R_A_AX0066	Recoded anyone who lives with you now: Cigarettes, cigars, cigarillos or filtered cigars, pipe tobacco, e-products exclusively, other tobacco products, including smokeless, snus and hookah, or no one living in the home uses tobacco (4 levels)
R04_AX0093	R04R_A_AX0093	Extent to which you are able to carry out your everyday physical activities (2 levels)
R04_AX0691	R04R_A_AX0691	Recoded type of living space currently living in (4 levels)
R04_AX0757 R04_AX0758	R04R_A_AX0757	Age range when you were first told by a doctor, therapist or other mental health professional that you had schizophrenia, schizoaffective disorder or psychosis (6 levels)
R04_AX0762 R04_AX0772	R04R_A_AX0762	Age range when you were first told by a doctor, therapist or other mental health professional that you had a psychotic illness or episode (6 levels)
R04_AM0004_RS	R04R_A_SEX	Gender
R04_AC1006_RS R04_AC1120_RS	R04R_A_AC1006_RS	Age group when first smoked part or all of a cigarette (6 levels)
R04_AG1006TC_RS R04_AG1120TC_RS	R04R_A_AG1006TC_RS	Age group when first smoked part or all of a traditional cigar, even one or two puffs (6 levels)
R04_AG1006CG_RS R04_AG1120CG_RS	R04R_A_AG1006CG_RS	Age group when first smoked part or all of a cigarillo, even one or two puffs (6 levels)
R04_AG1006FC_RS R04_AG1120FC_RS	R04R_A_AG1006FC_RS	Age group when first smoked part or all of a filtered cigar, even one or two puffs (6 levels)
R04_AV1006_RS R04_AV1120_RS	R04R_A_AV1006_RS	Age group when first used an electronic nicotine product, even one or two times (6 levels)
R04_AU1006_RS R04_AU1120_RS	R04R_A_AU1006_RS	Age group when first used snus, even one or two times (6 levels)
R04_AP1006_RS R04_AP1120_RS	R04R_A_AP1006_RS	Age group when first smoked a pipe filled with tobacco, even one or two puffs (6 levels)
R04_AH1006_RS R04_AH1120_RS	R04R_A_AH1006_RS	Age group when first smoked tobacco in a hookah, even one or two puffs (6 levels)
R04_AS1006_RS R04_AS1120_RS	R04R_A_AS1006_RS	Age group when you first used smokeless tobacco, even one or two times (6 levels)

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R04_AX0135_RS_01 R04_AX0135_RS_02 R04_AX0135_RS_03 R04_AX0135_RS_04 R04_AX0135_RS_05	R04R_A_AX0135_RS	Indicator for adverse pregnancy outcomes resulting in no birth (2 levels)
R04_AX0308_RS	R04R_A_AX0308_RS	Indicator for any pregnancies resulting in a live birth (2 levels)
R04_AX0300_RS_01 R04_AX0300_RS_02 R04_AX0300_RS_03 R04_AX0300_RS_04 R04_AX0300_RS_05 R04_AX0300_RS_06 R04_AX0300_RS_07	R04R_A_AX0300_RS	Indicator for adverse pregnancy outcomes resulting in risky birth (2 levels)
R04_AX0086_RS R04_AX0087_RS	R04R_A_AX0086_RS	Age group when you first drank alcohol at all, counting small tastes or sips (6 levels)
R04_AX0074_RS R04_AX0270_RS	R04R_A_AX0074_RS	Age group when first alcoholic drink was consumed, other than small tastes or sips (6 levels)
R04_AX0079_RS R04_AX0271_RS	R04R_A_AX0079_RS	Age group when first used marijuana, hash, THC, grass, pot or weed (6 levels)
R04_AX0082_RS_01 R04_AX0272_RS_01	R04R_A_AX0082_RS_01	Age range when first used: Ritalin or Adderall (6 levels)
R04_AX0082_RS_02 R04_AX0272_RS_02	R04R_A_AX0082_RS_02	Age range when first used: Painkillers, sedatives, or tranquilizers (6 levels)
R04_AX0082_RS_03 R04_AX0272_RS_03	R04R_A_AX0082_RS_03	Age range when first used: Cocaine or crack (6 levels)
R04_AX0082_RS_04 R04_AX0272_RS_04	R04R_A_AX0082_RS_04	Age range when first used: Stimulants like methamphetamine or speed (6 levels)
R04_AX0082_RS_05 R04_AX0272_RS_05	R04R_A_AX0082_RS_05	Age range when first used: Other drugs like heroin, inhalants, solvents, or hallucinogens (6 levels)
R04_AM0005_RS_01 R04_AM0005_RS_02 R04_AM0005_RS_03 R04_AM0005_RS_04 R04_AM0005_RS_05	R04R_A_HISP	Hispanic origin from the interview (2 levels)

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable (continued)

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R04_AM0006_RS_01	R04R_A_RACECAT3	Recoded Race from the interview (3 levels)
R04_AM0006_RS_02		
R04_AM0006_RS_03		
R04_AM0006_RS_04		
R04_AM0006_RS_05		
R04_AM0006_RS_06		
R04_AM0006_RS_07		
R04_AM0006_RS_08		
R04_AM0006_RS_09		
R04_AM0006_RS_10		
R04_AM0006_RS_11		
R04_AM0006_RS_12		
R04_AM0006_RS_13		
R04_AM0006_RS_14		

ADULT AGE CONFIRMATION

BOX ID:	R04_CADBOX2_R
BOX/PROGRAM LOGIC: IF R04_BestDOB AVAILABLE, GO TO R04_CAD10 IF R04_BestDOB NOT AVAILABLE, GO TO R04_AM0001	

PATH ID:	R04_CAD10
I have that your date of birth is {PROGRAM: INSERT DOB}. Is that correct? 1 YES GO TO R04_CADBOX3_VR 2 NO -8 DON'T KNOW GO TO R04_AM0002 -7 REFUSED GO TO R04_AM0002 ASK: R04_BestDOB available. DISPLAY: Fill {DOB} with R04_BestDOB.	

Variable(s):	R04_AM0001 (R04R_A_AGE)
What is your date of birth? MM/DD/YYYY -8 DON'T KNOW GO TO R04_AM0002 -7 REFUSED GO TO R04_AM0002 ASK: Asked of SPs who did not confirm R04_BestDOB in R04_CAD10 (or) asked of SPs who did not have a R04_BestDOB. ASK Specification: IF R04_CAD10 = (2, -8, -7) OR R04_BestDOB = NULL. Note: R04R_A_AGE was created after data collection. It is the age variable that is included in the dataset. The variable R04_AM0001 is not included in the dataset, but the question is included here for reference.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AM0001_LC

I recorded that your date of birth is {PROGRAM: INSERT DOB2}. Is that correct?

PRESS S IF YES.

PRESS G TO GO BACK AND EDIT ENTRY.

1 SUPRESS

GO TO R04_CADBOX3_VR

2 GO BACK

GO TO R04_AM0001

ASK: R04_AM0001 response given.

DISPLAY: Display instructional text in blue. Fill {DOB2} with R04_AM0001 response.

Variable(s): R04_AM0002 (R04R_A_AGE)

What is your age?

I ___ I ___ I ___ Years old

GO TO R04_CADBOX3_VR

-8 DON'T KNOW

-7 REFUSED

ASK: IF R04_AM0001 = (-8 OR -7)

Note: R04R_A_AGE was created after data collection. It is the age variable that is included in the dataset. The variable R04_AM0002 is not included in the dataset, but the question is included here for reference.

PATH ID: R04_AM0003

Are you...

Less than 18 years old,

18 to 24 years old,

25 to 29 years old,

30 to 44 years old,

45 to 64 years old, or

65 years old or older?

1 LESS THAN 18 YEARS OLD

2 18 TO 24 YEARS OLD

3 25 TO 29 YEARS OLD

4 30 TO 44 YEARS OLD

5 45 TO 64 YEARS OLD

6 65 YEARS OLD OR OLDER

-8 DON'T KNOW

GO TO R04_CAD29

-7 REFUSED

GO TO R04_CAD29

ASK: IF R04_AM0002 = (-8 OR -7)

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_CADBOX3_VR
Create a derived variable, called R04_ACHIEVEDAGE, as follows: IF R04_CAD10=1, use a standard algorithm to determine SP year of age on the date that the consent is being administered, using R04_BestDOB. (i.e., If BestDOB confirmed) ELSE IF R04_AM0001 NOT IN (-8,-7), use a standard algorithm to determine SP year of age on the date that the consent is being administered, using DOB entered in R04_AM0001 (i.e., Else if New DOB entered) ELSE IF R04_AM0002 NOT IN (-8, -7), then use age entered in R04_AM0002 (i.e., Else if age entered in years) ELSE IF R04_AM0003 IN (1, 2, 3, 4, 5, 6), THEN SET R04_ACHIEVEDAGE TO (17, 21, 27, 37, 54, 65), respectively. Create a derived variable, called R04_ADULTTYPE as follows: IF R04_ACHIEVEDAGE > 17 AND R04_CaseTYPE = 2, SET R04_ADULTTYPE = 3 (NewCohortAdult) AND GO TO R04_CAD15 ELSE IF R04_ACHIEVEDAGE > 17 AND (Int112_AssignmentStatus !NULL or Int212_AssignmentStatus !NULL or R03_Scrn312_AssignmentStatus !NULL), SET R04_ADULTTYPE = 1 (ContinuingAdult) AND GO TO R04_CAD08 (i.e., if 18+ and completed adult int in Baseline, Wave 2, or Wave 3, set as continuing adult) ELSE IF R04_ACHIEVEDAGE >17 AND (Int333_AssignmentStatus !NULL OR ((Int133_AssignmentStatus !NULL OR Int233_AssignmentStatus !NULL) AND Int212_AssignmentStatus = NULL AND R03_Scrn312_AssignmentStatus = NULL)), SET R04_ADULTTYPE = 2 (Aged-upAdult) AND GO TO R04_CAD15 (i.e., if 18+ and previously completed youth int in BL or W2, set as new adult) ELSE IF R04_ACHIEVEDAGE < 18, GO TO R04_CAD28 (i.e., if under 18, then exit adult consent)	

INITIAL ADMINISTRATIVE DATA

Variable(s): R04_LAD01
I'm going to give you the computer to complete the survey. Do you want to answer questions in English or Spanish?
1 ENGLISH
2 SPANISH
ASK: All adult respondents who signed the consent.
ASK Specification: IF R04_MultLang = 1.

INTRODUCTORY DEMOGRAPHICS

BOX ID: R04_AMV02

PROGRAM: LOAD THE FOLLOWING DERIVED VARIABLES FROM PRELOAD FILE.

R03_CIG_USER_STATUS - Wave 3 cigarette user status (current established, current experimental, former experimental, new former established, still former established)

R03_ECIG_USER_STATUS - Wave 3 e-cigarette user status (current established, current experimental, former experimental, new former established, still former established)

R03_GTRAD_USER_STATUS - Wave 3 traditional cigar user status (current established, current experimental, former experimental, new former established, still former established)

R03_GRILLO_USER_STATUS - Wave 3 cigarillo user status (current established, current experimental, former experimental, new former established, still former established)

R03_GFILTR_USER_STATUS - Wave 3 filtered cigar user status (current established, current experimental, former experimental, new former established, still former established)

R03_PIPE_USER_STATUS - Wave 3 pipe user status (current established, current experimental, former experimental, new former established, still former established)

R03_HOOK_USER_STATUS - Wave 3 hookah user status (current established, current experimental, former experimental, new former established, still former established)

R03_SNUS_USER_STATUS - Wave 3 snus user status (current established, current experimental, former experimental, new former established, still former established)

R03_SMKLS_USER_STATUS - Wave 3 smokeless tobacco user status (current established, current experimental, former experimental, new former established, still former established)

R03_TOBACCO_USER_STATUS - Wave 3 tobacco user status (current established, current experimental, former experimental, new former established, still former established)

R03_EVER_NEVER_CIGS - Wave 3 ever or never user of cigarettes

R03_EVER_NEVER_EPRODS - Wave 3 ever or never user of e-products

R03_EVER_NEVER_GTRAD - Wave 3 ever or never user of traditional cigars

R03_EVER_NEVER_GRILLO - Wave 3 ever or never user of cigarillos

R03_EVER_NEVER_GFILTR - Wave 3 ever or never user of filtered cigars

R03_EVER_NEVER_BTRAD - Wave 3 ever or never user of traditional cigars as blunts

R03_EVER_NEVER_BRILLO - Wave 3 ever or never user of cigarillos as blunts

R03_EVER_NEVER_BFILTR - Wave 3 ever or never user of filtered cigars as blunts

R03_EVER_NEVER_PIPE - Wave 3 ever or never user of pipes

R03_EVER_NEVER_HOOK - Wave 3 ever or never user of hookah

R03_EVER_NEVER_SNUS - Wave 3 ever or never user of snus

R03_EVER_NEVER_SMKLS - Wave 3 ever or never user of smokeless tobacco

R03_EVER_NEVER DISSBL - Wave 3 ever or never user of dissolvable tobacco

R03_NUMLIFE_CIGS - The respondent reported smoking 100+ cigarettes in their lifetime as of their last completed interview.

R03_NUMLIFE_EPROD - The respondent reported using e-cigarettes 100+ times in their lifetime as of their last completed interview.

R03_NUMLIFE_GTRAD - The respondent reported smoking 100+ traditional cigars in their lifetime as of their last completed interview.

R03_NUMLIFE_GRILLO - The respondent reported smoking 100+ cigarillos in their lifetime as of their last completed interview.

R03_NUMLIFE_GFILTR - The respondent reported smoking 100+ filtered cigars in their lifetime as of their last completed interview.

R03_NUMLIFE_PIPE - The respondent reported smoking a pipe 100+ times in their lifetime as of their last completed interview.

R03_NUMLIFE_HOOK - The respondent reported smoking hookah 100+ times in their lifetime as of their last completed interview.

R03_NUMLIFE_SNUS - The respondent reported using 100+ snus pouches in their lifetime as of their last completed interview.

R03_NUMLIFE_SMKLS - The respondent reported using smokeless tobacco 100+ times as of their last completed interview.

R03_REGUSE_CIGS - The respondent reported smoking cigarettes fairly regularly as of their last completed interview.

R03_REGUSE_EPROD - The respondent reported using e-cigarettes fairly regularly as of their last completed interview.

R03_REGUSE_GTRAD - The respondent reported smoking traditional cigars fairly regularly as of their last completed interview.

R03_REGUSE_GRILLO - The respondent reported smoking cigarillos fairly regularly as of their last completed interview.

R03_REGUSE_GFILTR - The respondent reported smoking filtered cigars fairly regularly as of their last completed interview.

R03_REGUSE_PIPE - The respondent reported smoking a pipe fairly regularly as of their last completed interview.

R03_REGUSE_HOOK - The respondent reported smoking hookah fairly regularly as of their last completed interview.

R03_REGUSE_SNUS - The respondent reported using snus fairly regularly as of their last completed interview.

R03_REGUSE_SMKLS - The respondent reported using smokeless tobacco fairly regularly as of their last completed interview.

R03_GENDER - Respondent's reported gender

R03_PREGNANT - Respondent reported being pregnant as of their last completed interview.

R03_VA_HEALTHCARE - Respondent reported being enrolled in VA health care as of their last completed interview.

R03_ASTHMA - Respondent reported being diagnosed with asthma as of their last completed interview.

R03_HIGH_CHOLESTEROL - Respondent reported being diagnosed with high cholesterol as of their last completed interview.

R03_HIGH_BLOOD_PRESSURE - Respondent reported being diagnosed with high blood pressure as of their last completed interview.

R03_STROKE - Respondent reported having had a stroke as of their last completed interview.

R03_ANY_HEART_CONDITION - Respondent reported being diagnosed with any heart condition as of their last completed interview.

R03_CANCER - Respondent reported being diagnosed with cancer as of their last completed interview.

R03_ULCER - Respondent reported being diagnosed with an ulcer as of their last completed interview.

R03_COPD - Respondent reported being diagnosed with COPD as of their last completed interview.

R03_DIABETES - Respondent reported being diagnosed with diabetes as of their last completed interview.

R03_EVER_USER_ALCOHOL - Respondent reported ever using alcohol as of their last completed interview.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

R03_EVER_USER_MARIJUANA - Respondent reported ever using marijuana as of their last completed interview.

R03_EVER_USER_RITALIN - Respondent reported ever using ritalin as of their last completed interview.

R03_EVER_USER_PAINKILLERS - Respondent reported ever using painkillers as of their last completed interview.

R03_EVER_USER_COCAINE - Respondent reported ever using cocaine as of their last completed interview.

R03_EVER_USER_STIMULANTS - Respondent reported ever using stimulants as of their last completed interview.

R03_EVER_USER_OTHERDRUG - Respondent reported ever using other drugs as of their last completed interview.

R03_USCITIZEN – Respondent reported US citizenship as of their last completed interview.

R04_VT_R - Respondent completed the household screener.

R04_CONTACTFLAG_LD - Adult respondent or parent/guardian of youth respondent has provided contact information.

R04_LINKED_ADDRESS - Respondents' best address from IMS.

PHONE1 - Respondents' best phone number from IMS.

PHONE2 - Respondents' second phone number from IMS.

EMAIL - Respondents' email from IMS.

R04_P_COMP_LD - Adult respondent has completed a parent survey about a youth or shadow youth respondent.

BOX ID: R04_AMD04

Note - In the following specifications, "!=" represents "not equal to".

Note - References to the various respondent types are as follows:

"New cohort adult respondents" = Adult respondents who are new to the PATH Study as part of the replenishment sample. This is their first interview in the Adult cohort and in the PATH Study.

"Aged-up adult respondents" = Adult respondents whose last completed interview in a previous wave was in the Youth cohort, and have now aged-up into the Adult cohort. This is their first interview in the Adult cohort, but not their first interview in the PATH Study.

"New baseline adult respondents" = Adult respondents where this is their first interview in the Adult cohort. Includes both the "New cohort adult" AND "Aged-up adult" respondents.

"Continuing adult respondents" = Adult respondent whose last completed interview in a previous wave was in the Adult cohort, and they continue to be in the Adult cohort. This is not their first interview in the Adult cohort or the PATH Study.

"All adult respondents" = All adult respondents in the Adult cohort.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AMR03
New cohort adult respondents, go to R04_AM0004_RS. Else, adult respondents who did not already complete a parent interview, go to R04_AT0047. Else, go to R04_AM0007.	
IF R04_ADULTTYPE = 3, GO TO R04_AM0004_RS. ELSE, IF R04_P_COMP_LD != 1, GO TO R04_AT0047. ELSE, GO TO R04_AM0007.	

Variable(s):	R04_AM0004_RS (R04R_A_SEX)
What is your sex?	
	1 Male
	2 Female
	-8 DON'T KNOW
	-7 REFUSED
ASK: New cohort adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 3.	
Note: R04R_A_SEX was created after data collection. The variable R04_AM0004_RS is not included in the dataset, but the question is included in this questionnaire for reference.	

Variable(s):	SEE BELOW:
Are you Hispanic, [Latino I Latina I Latino or Latina], or of Spanish origin? Choose all that apply.	
R04_AM0005_RS_01	1 No, not of Hispanic, [Latino I Latina I Latino or Latina], or Spanish origin
R04_AM0005_RS_02	2 Yes, Mexican, Mexican American, [Chicano I Chicana I Chicano or Chicana]
R04_AM0005_RS_03	3 Yes, Puerto Rican
R04_AM0005_RS_04	4 Yes, Cuban
R04_AM0005_RS_05	5 Yes, another Hispanic, [Latino I Latina I Latino or Latina], or Spanish origin
	-8 DON'T KNOW
	-7 REFUSED
ASK: New cohort adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 3.	
DISPLAY: IF R04_AM0004 = 1, DISPLAY "Latino" AND "Chicano";	
ELSE, IF R04_AM0004 = 2, DISPLAY "Latina" AND "Chicana";	
ELSE, IF R04_AM0004 = -8, -7, DISPLAY "Latino or Latina" and "Chicano or Chicana".	
PROGRAM: Option 1 cannot be selected if options 2, 3, 4, or 5 are selected.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
What is your race? Choose all that apply.	
R04_AM0006_RS_01	1 White
R04_AM0006_RS_02	2 Black or African American
R04_AM0006_RS_03	3 American Indian or Alaska Native
R04_AM0006_RS_04	4 Asian Indian
R04_AM0006_RS_05	5 Chinese
R04_AM0006_RS_06	6 Filipino
R04_AM0006_RS_07	7 Japanese
R04_AM0006_RS_08	8 Korean
R04_AM0006_RS_09	9 Vietnamese
R04_AM0006_RS_10	10 Other Asian
R04_AM0006_RS_11	11 Native Hawaiian
R04_AM0006_RS_12	12 Guamanian or Chamorro
R04_AM0006_RS_13	13 Samoan
R04_AM0006_RS_14	14 Other Pacific Islander
	-8 DON'T KNOW
	-7 REFUSED
ASK: New cohort adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 3.	
PROGRAM: Allow respondent to choose all that apply.	

BOX ID:	R04_AMR12
Adult respondents who did not already complete a parent interview, go to R04_AT0047. Else, go to R04_AM0007.	
IF R04_P_COMP_LD != 1, GO TO R04_AT0047. ELSE, GO TO R04_AM0007.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AT0047*****

What is your marital status?

- 1 Now married
- 2 Widowed
- 3 Divorced
- 4 Separated
- 5 Never married
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04_P_COMP_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R04_AM0007**

Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?

Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.

- 1 Yes, now on active duty
- 2 Yes, on active duty in the past, but not now
- 3 No, training for Reserves or National Guard only
- 4 No, never served in the military
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: **R04_AMR11**

New cohort adult respondents who are currently on active duty, go to R04_AM0008_RS.

Else, aged-up adult respondents who are currently on active duty or new baseline adult respondents who have been on active duty in the past, go to R04_AM0011_NB.

Else, go to Box R04_AMR08.

IF R04_ADULTTYPE = 3 AND R04_AM0007 = 1, GO TO R04_AM0008_RS.

ELSE, IF (R04_ADULTTYPE = 2 AND R04_AM0007 = 1) OR (R04_ADULTTYPE = 2, 3 AND R04_AM0007 = 2), GO TO R04_AM0011_NB.

ELSE, GO TO BOX R04_AMR08.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AM0008_RS

You said you are currently on active duty in the U.S. Armed Forces. Is that correct?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO R04_AM0011_NB |
| 2 | No | |
| -8 | DON'T KNOW | GO TO R04_AM0011_NB |
| -7 | REFUSED | GO TO R04_AM0011_NB |

ASK: New cohort adult respondents who are currently on active duty.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AM0007 = 1.

Variable(s): R04_AM0050_RS

Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?

Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.

- | | | |
|----|--|---------------------|
| 1 | Yes, now on active duty | |
| 2 | Yes, on active duty in the past, but not now | |
| 3 | No, training for Reserves or National Guard only | GO TO BOX R04_AMR08 |
| 4 | No, never served in the military | GO TO BOX R04_AMR08 |
| -8 | DON'T KNOW | GO TO BOX R04_AMR08 |
| -7 | REFUSED | GO TO BOX R04_AMR08 |

ASK: New cohort adult respondents who recanted their current active duty status.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AM0007 = 1 AND R04_AM0008_RS = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
In which branch or branches [do/did] you serve on active duty? Choose all that apply.	
R04_AM0011_NB_01**/**	1 Army
R04_AM0011_NB_02**/**	2 Navy
R04_AM0011_NB_03**/**	3 Air Force
R04_AM0011_NB_04**/**	4 Marine Corps
R04_AM0011_NB_05**/**	5 Coast Guard
	-8 DON'T KNOW
	-7 REFUSED
ASK: Aged-up adult respondents who are currently on active duty, or new cohort adult respondents who are currently on active duty or have been on active duty in the past, or new baseline adult respondents who have been on active duty in the past.	
ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_AM0007 = 1) OR (R04_ADULTTYPE = 3 AND R04_AM0007 = 1 AND R04_AM0050_RS != 3, 4, -8, -7) OR (R04_ADULTTYPE = 2, 3 AND R04_AM0007 = 2).	
DISPLAY: IF R04_AM0007 = 2 OR R04_AM0050_RS = 2, DISPLAY "did".	
ELSE, DISPLAY "do".	
PROGRAM: Allow respondent to choose all that apply.	
NOTES: **SKIP ERROR: This item was skipped incorrectly by new cohort adult respondents who are currently on active duty or have been on active duty in the past (R04_ADULTTYPE = 3 AND R04_AM0007 = 1 AND R04_AM0050_RS != 3, 4, -8, -7). This issue was fixed in a field update on 01/31/2017.	
***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R04_AMR08
New cohort adult respondents who are currently on active duty, go to R04_AM0009_RS. Else, go to Box R04_AMR09.	
IF R04_ADULTTYPE = 3 AND R04_AM0007 = 1 AND (R04_AM0008_RS = 1, -8, -7 OR (R04_AM0008_RS = 2 AND R04_AM0050_RS = 1)), GO TO R04_AM0009_RS. ELSE, GO TO BOX R04_AMR09.	

Variable(s):	R04_AM0009_RS
People who are currently on active duty in the U.S. Armed Forces are not eligible to be interviewed in this study. We appreciate you taking the time to speak with us. Please give the computer back to the interviewer.	
	1 CONTINUE GO TO R04_AL3002_RS
ASK: New cohort adult respondents who are currently on active duty.	
ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AM0007 = 1 AND (R04_AM0008_RS = 1, -8, -7 OR (R04_AM0008_RS = 2 AND R04_AM0050_RS = 1)).	
NOTES: New PATH Study respondents who are a part of the replenishment cohort are not eligible if currently on active duty at the time of their PATH Study baseline interview.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AMR09

New cohort adult respondents who are 20 to 35 years old and have ever served in the military and are not currently on active duty or did not know or refused to report if they are currently on active duty, go to R04_AM0074_RS.

Else, go to Box R04_AMR13.

IF R04_ADULTTYPE = 3 AND 20 <= R04R_A_AGE <= 35 AND (R04_AM0007 = 2, 3, -8, -7 OR R04_AM0050_RS = 2, 3, -8, -7), GO TO R04_AM0074_RS.

ELSE, GO TO BOX R04_AMR13.

Variable(s): R04_AM0074_RS

During 2014, were you on full-time active duty in the U.S. Armed Forces, Military Reserves, or National Guard for the entire year?

Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: New cohort adult respondents who are 20 to 35 years old and have ever served in the military and are not currently on active duty or did not know or refused to report if they are currently on active duty.

ASK Specification: IF R04_ADULTTYPE = 3 AND 20 <= R04R_A_AGE <= 35 AND (R04_AM0007 = 2, 3, -8, -7 OR R04_AM0050_RS = 2, 3, -8, -7).

DISPLAY: UNDERLINE "for the entire year".

BOX ID: R04_AMR13

New baseline adult respondents who have not already completed a parent interview, or continuing adult respondents who did not report US citizenship as of their last completed interview and have not already completed a parent interview, go to R04_AM0069.

Else, adult respondents who did not already complete a parent interview, go to R04_AM0065.

Else, go to Box R04_AMR10.

IF (R04_ADULTTYPE = 2, 3 AND R04_P_COMP_LD != 1) OR (R04_ADULTTYPE = 1 AND R03_USCITIZEN != 1 AND R04_P_COMP_LD != 1), GO TO R04_AM0069.

ELSE, IF R04_P_COMP_LD != 1, GO TO R04_AM0065.

ELSE, GO TO BOX R04_AMR10.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AM0069***
Are you a citizen of the United States? 1 Yes, born in the United States 2 Yes, born in Puerto Rico, Guam, the U.S. Virgin Islands, or Northern Marianas 3 Yes, born abroad of U.S. citizen parent or parents 4 Yes, U.S. citizen by naturalization 5 No, not a U.S. citizen -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who did not already complete a parent interview, or continuing adult respondents who did not report US citizenship as of their last completed interview and did not already complete a parent interview. ASK Specification: IF (R04_ADULTTYPE = 2, 3 AND R04_P_COMP_LD != 1) OR (R04_ADULTTYPE = 1 AND R03_USCITIZEN != 1 AND R04_P_COMP_LD != 1). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AM0065***
About how many years have you lived in the United States? (If you have lived in the United States for less than a year, enter 1.) -2 I have lived in the United States my whole life GO TO BOX R04_AMR10 I__I__I__I YEARS -8 DON'T KNOW GO TO BOX R04_AMR10 -7 REFUSED GO TO BOX R04_AMR10 ASK: Adult respondents who did not already complete a parent interview. ASK Specification: IF R04_P_COMP_LD != 1. DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "I have lived in the United States my whole life" ON RIGHT. DISPLAY "YEARS" AS TITLE. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AM0065_LC1

The computer recorded that you have lived in the United States for [R04_AM0065] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AM0065

2 NEXT

GO TO BOX R04_AMR10

ASK: IF R04_P_COMP_LD != 1 AND R04_AM0065 != -2, -8, -7 AND R04_AM0065 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AM0065 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO BOX R04_AMR10 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_AMR10

New cohort adult respondents who are not currently on active duty and did not report living in the US their whole life, go to R04_AM0075_RS.

Else, go to Box R04_AMR15.

IF R04_ADULTTYPE = 3 AND R04_AM0007 != 1 AND R04_AM0065 != -2, GO TO R04_AM0075_RS.
ELSE, GO TO BOX R04_AMR15.

Variable(s): R04_AM0075_RS

At any time during 2014 did you live in the U.S., that is, in any of the 50 states or the District of Columbia?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: New cohort adult respondents who are not currently on active duty and did not report living in the US their whole life.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AM0007 != 1 AND R04_AM0065 != -2.

BOX ID: R04_AMR15

Adult respondents who did not already complete a parent interview, go to Box R04_AMD03.

Else, go to Box R04_ACT02.

IF R04_P_COMP_LD != 1, GO TO BOX R04_AMD03.

ELSE, GO TO BOX R04_ACT02.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AMD03

Display questions R04_AM0066 through R04_AM0073 using the expanded WVB stem-leaf screen. The introduction text from R04_AM0066 is the stem. Show all leaves on the screen at once.

Variable(s): R04_AM0066***

How well do you...

speak English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04_P_COMP_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AM0070***

read English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04_P_COMP_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AM0073*****

write in English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04_P_COMP_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R04_AM0071*****

Do you speak a language other than English at home?

- 1 Yes
- 2 No GO TO BOX R04_ACT02
- 8 DON'T KNOW GO TO BOX R04_ACT02
- 7 REFUSED GO TO BOX R04_ACT02

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04_P_COMP_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): SEE BELOW:	
What other languages do you speak at home? Choose all that apply.	
R04_AM0072_01	1 Spanish
R04_AM0072_02	2 Chinese
R04_AM0072_03	3 Tagalog
R04_AM0072_04	4 Vietnamese
R04_AM0072_05	5 French
R04_AM0072_06	6 Korean
R04_AM0072_07	7 German
R04_AM0072_08	8 Arabic
R04_AM0072_09	9 Russian
R04_AM0072_10; R04_AM0072_OS	10 Some other language (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who did not already complete a parent interview and speak a language other than English at home.	
ASK Specification: IF R04_P_COMP_LD != 1 AND R04_AM0071 = 1.	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	

TOBACCO USE

BOX ID:	R04_ACT02
The next questions are about your experience with cigarettes .	
BOLD "cigarettes".	

BOX ID:	R04_ACR50
New cohort adult respondents, go to R04_AC1002_RS. Else, go to R04_AC1004.	
IF R04_ADULTTYPE = 3, GO TO R04_AC1002_RS. ELSE, GO TO R04_AC1004.	

Variable(s):	R04_AC1002_RS
Have you ever smoked a cigarette, even one or two puffs?	
1 Yes	
2 No	GO TO BOX R04_ACV04
-8 DON'T KNOW	GO TO BOX R04_ACV04
-7 REFUSED	GO TO BOX R04_ACV04
ASK: New cohort adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 3.	

Variable(s):	R04_AC1004
In the past 30 days, have you smoked a cigarette, even one or two puffs?	
1 Yes	GO TO BOX R04_ACR14
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever smoked a cigarette.	
ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1).	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AC1002_12M**

In the past 12 months, have you smoked a cigarette, even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days, or new cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AC1004 = 2, -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7).

BOX ID: **R04_ACR14**

Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or new cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and did not know or refused to report whether they have smoked a cigarette in the past 12 months, go to R04_AC1003.

Else, continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental, new former established, or still former established cigarette smokers as of their last completed interview and did not smoke a cigarette in the past 12 months, or new cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and did not smoke a cigarette in the past 12 months, go to R04_AC1009.

Else, continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental cigarette smokers as of their last completed interview and did not smoke a cigarette in the past 12 months, go to R04_AC1010.

Else, go to Box R04_ACV04.

IF R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R04_AC1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7 AND R04_AC1002_12M = -8, -7), GO TO R04_AC1003.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R03_CIG_USER_STATUS != 3, 4, 5 AND R04_AC1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7 AND R04_AC1002_12M = 2), GO TO R04_AC1009.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R03_CIG_USER_STATUS != 3 AND R04_AC1002_12M = 2, GO TO R04_AC1010.

ELSE, GO TO BOX R04_ACV04.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC1003		
Do you now smoke cigarettes...		
1	Every day	GO TO BOX R04_ACV04
2	Some days	GO TO BOX R04_ACV04
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_ACV04
-7	REFUSED	GO TO BOX R04_ACV04
ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or new cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and did not know or refused to report whether they have smoked a cigarette in the past 12 months. ASK Specification: IF R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R04_AC1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7 AND R04_AC1002_12M = -8, -7).		

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC1009_NN; R04_AC1009_UN

About how long has it been since you last smoked a cigarette? (If it was earlier today, enter 1 day)

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R04_AC1010

-7 REFUSED

GO TO R04_AC1010

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or

Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or

New cohort adult respondents who have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or

Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental, new former established, or still former established cigarette smokers as of their last completed interview and did not smoke a cigarette in the past 12 months, or

New cohort adult respondents who have ever smoked a cigarette and did not smoke a cigarette in the past 12 months.

ASK Specification: IF ((R04_AC1004 = 1 OR R04_AC1002_12M = 1) AND R04_AC1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R04_AC1002_12M = -8, -7 AND R04_AC1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7 AND R04_AC1002_12M = -8, -7 AND R04_AC1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R03_CIG_USER_STATUS != 3, 4, 5 AND R04_AC1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7 AND R04_AC1002_12M = 2).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: The value "1" refers to R04_AC1009_UN = Days; the value "2" refers to R04_AC1009_UN = Months; the value "3" refers to R04_AC1009_UN = Years.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AC1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked a cigarette.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AC1009 |
| 2 | NEXT | GO TO R04_AC1009_LC2 |

ASK: IF ((R04_AC1004 = 1 OR R04_AC1002_12M = 1) AND R04_AC1003 = 3 AND R04_AC1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R04_AC1002_12M = -8, -7 AND R04_AC1003 = 3 AND R04_AC1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7 AND R04_AC1002_12M = -8, -7 AND R04_AC1003 = 3 AND R04_AC1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R03_CIG_USER_STATUS != 3, 4, 5 AND R04_AC1002_12M = 2 AND R04_AC1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7 AND R04_AC1002_12M = 2 AND R04_AC1009_NN = 0).

DISPLAY: IF R04_AC1009_UN = 1, DISPLAY "days".

ELSE, IF R04_AC1009_UN = 2, DISPLAY "months".

ELSE, IF R04_AC1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R04_AC1009_NN = 0.

ELSE, GO TO R04_AC1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AC1009_LC2

The computer recorded that it has been [R04_AC1009_NN] years since you last smoked a cigarette. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R04_AC1009 |
| 2 | NEXT | GO TO R04_AC1010 |

ASK: IF ((R04_AC1004 = 1 OR R04_AC1002_12M = 1) AND R04_AC1003 = 3 AND R04_AC1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R04_AC1002_12M = -8, -7 AND R04_AC1003 = 3 AND R04_AC1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7 AND R04_AC1002_12M = -8, -7 AND R04_AC1003 = 3 AND R04_AC1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R03_CIG_USER_STATUS != 3, 4, 5 AND R04_AC1002_12M = 2 AND R04_AC1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7 AND R04_AC1002_12M = 2 AND R04_AC1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC1009_UN = 3).

PROGRAM: TRIGGER CHECK IF R04_AC1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC1009_UN = 3.

ELSE, GO TO R04_AC1010 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AC1010

Have you completely quit smoking cigarettes?

- 1 Yes
- 2 No
- 3 I have never smoked a cigarette in my entire life, not even one or two puffs
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or

Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or

New cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or

Continuing and aged-up adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental cigarette smokers as of their last completed interview and did not smoke a cigarette in the past 12 months, or

New cohort adult respondents who have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and did not smoke a cigarette in the past 12 months.

ASK Specification: IF ((R04_AC1004 = 1 OR R04_AC1002_12M = 1) AND R04_AC1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R04_AC1002_12M = -8, -7 AND R04_AC1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7 AND R04_AC1002_12M = -8, -7 AND R04_AC1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_CIGS = 1 AND R03_CIG_USER_STATUS != 3 AND R04_AC1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AC1002_RS = 1 AND R04_AC1004 = 2, -8, -7 AND R04_AC1002_12M = 2).

DISPLAY: IF R03_CIG_USER_STATUS = 4, 5, DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY OPTION 3.

BOX ID:	R04_ACV04
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R04_EVER_NEVER_CIGS = 1 (Ever user) Adult respondents who have ever smoked a cigarette and did not recant prior use. R04_EVER_NEVER_CIGS = 2 (Never user) Adult respondents who have never smoked a cigarette. R04_INIT_CIGS_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview or new cohort adult respondents who have ever smoked a cigarette.	
R04_EVER_NEVER_CIGS = 1: IF (R03_EVER_NEVER_CIGS = 1 OR R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R04_AC1002_RS = 1 OR R04_AC1003 = 1, 2) AND R04_AC1010 != 3, THEN R04_EVER_NEVER_CIGS = 1. R04_EVER_NEVER_CIGS = 2: ELSE, R04_EVER_NEVER_CIGS = 2. R04_INIT_CIGS_ADULT: IF R03_EVER_NEVER_CIGS != 1 AND R04_EVER_NEVER_CIGS = 1, THEN R04_INIT_CIGS_ADULT = 1. ELSE, R04_INIT_CIGS_ADULT = 2.	

BOX ID:	R04_ACR10
Young adult respondents who have never smoked a cigarette, go to R04_AC1103. Else, young adult respondents who have ever smoked a cigarette and did not smoke a cigarette in the past 12 months or did not know or refused to report whether they have smoked a cigarette in the past 12 months, go to R04_AC1206. Else, go to Box R04_ACR17.	
IF 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_CIGS = 2, GO TO R04_AC1103. ELSE, IF 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1002_12M = 2, -8, -7, GO TO R04_AC1206. ELSE, GO TO BOX R04_ACR17.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AC1103***
Have you ever been curious about smoking a cigarette?	
	1 Very curious 2 Somewhat curious 3 A little curious 4 Not at all curious -8 DON'T KNOW -7 REFUSED
ASK: Young adult respondents who have never smoked a cigarette.	
ASK Specification: IF 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_CIGS = 2.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R04_AC1206***
Do you think you will smoke a cigarette in the next year?	
	1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED
ASK: Young adult respondents who have never smoked a cigarette, or young adult respondents who have ever smoked a cigarette and did not smoke a cigarette in the past 12 months or did not know or refused to report whether they have smoked a cigarette in the past 12 months.	
ASK Specification: IF (18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_CIGS = 2) OR (18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1002_12M = 2, -8, -7).	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R04_ACR17
Adult respondents who have never smoked a cigarette, go to R04_AC1104.	
Else, go to Box R04_ACR48.	
IF R04_EVER_NEVER_CIGS = 2, GO TO R04_AC1104.	
ELSE, GO TO BOX R04_ACR48.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC1104
Do you think that you will try a cigarette soon? 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have never smoked a cigarette. ASK Specification: IF R04_EVER_NEVER_CIGS = 2.

BOX ID: R04_ACR48
Young adult respondents who have never smoked a cigarette, go to R04_AC1205. Else, go to Box R04_AVT01. IF 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_CIGS = 2, GO TO R04_AC1205. ELSE, GO TO BOX R04_AVT01.

Variable(s): R04_AC1205***
If one of your best friends were to offer you a cigarette, would you smoke it? 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who have never smoked a cigarette. ASK Specification: IF 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_CIGS = 2. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AVT01
The next questions are about electronic nicotine products, such as e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens. These products are battery-powered and produce vapor or aerosol instead of smoke. Some electronic nicotine products can be bought as one-time, disposable products, while others can be bought as re-usable kits with cartridges or a tank system. They typically use a nicotine liquid called "e-liquid", although the amount of nicotine can vary and some may not contain any nicotine at all. Some common brands include Vuse, Blu, Logic, MarkTen, NJOY, eGo, and iTaste. [SHOW GENERIC IMAGE OF E-PRODUCTS]	
BOLD "electronic nicotine products".	

BOX ID:	R04_AVR49
New cohort adult respondents, go to R04_AV1001_RS. Else, go to R04_AV1004.	
IF R04_ADULTTYPE = 3, GO TO R04_AV1001_RS. ELSE, GO TO R04_AV1004.	

Variable(s):	R04_AV1001_RS												
Have you ever seen or heard of an e-cigarette or electronic nicotine product before this study? [SHOW GENERIC IMAGE OF E-PRODUCTS] <table> <tr> <td>1</td> <td>Yes</td> <td></td> </tr> <tr> <td>2</td> <td>No</td> <td>GO TO BOX R04_AVV02</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO BOX R04_AVV02</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO BOX R04_AVV02</td> </tr> </table> ASK: New cohort adult respondents. ASK Specification: IF R04_ADULTTYPE = 3. IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS		1	Yes		2	No	GO TO BOX R04_AVV02	-8	DON'T KNOW	GO TO BOX R04_AVV02	-7	REFUSED	GO TO BOX R04_AVV02
1	Yes												
2	No	GO TO BOX R04_AVV02											
-8	DON'T KNOW	GO TO BOX R04_AVV02											
-7	REFUSED	GO TO BOX R04_AVV02											

Variable(s): R04_AV1002_RS

Have you ever used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Yes

2 No

GO TO BOX R04_AVV02

-8 DON'T KNOW

GO TO BOX R04_AVV02

-7 REFUSED

GO TO BOX R04_AVV02

ASK: New cohort adult respondents who have ever seen or heard of electronic nicotine products.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

Variable(s): R04_AV1004

In the past 30 days, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

1 Yes

GO TO BOX R04_AVR04

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of an e-cigarette or electronic nicotine products and have ever used an electronic nicotine product.

ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1).

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

Variable(s):	R04_AV1002_12M
In the past 12 months, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.) [SHOW GENERIC IMAGE OF E-PRODUCTS] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Continuing and aged-up adult respondents who have not used an electronic nicotine product in the past 30 days or did not know or refused to report whether they have used an electronic nicotine product in the past 30 days, or new cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and have not used an electronic nicotine product in the past 30 days or did not know or refused to report whether they have used an electronic nicotine product in the past 30 days. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AV1004 = 2, -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1004 = 2, -8, -7). IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS	

BOX ID: R04_AVR04

Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months, or new cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months, go to R04_AV1003.

Else, continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and were not former experimental, new former established, or still former established electronic nicotine product users as of their last completed interview and did not use an electronic nicotine product in the past 12 months, or new cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not use an electronic nicotine product in the past 12 months, go to R04_AV1009.

Else, continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and were not former experimental electronic nicotine product users as of their last completed interview and did not use an electronic nicotine product in the past 12 months, , go to R04_AV1010.

Else, go to Box R04_AVV02.

IF R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R04_AV1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1002_12M = -8, -7), GO TO R04_AV1003.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R03_EPROD_USER_STATUS != 3, 4, 5 AND R04_AV1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1002_12M = 2), GO TO R04_AV1009.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R03_EPROD_USER_STATUS != 3 AND R04_AV1002_12M = 2, GO TO R04_AV1010.

ELSE, GO TO BOX R04_AVV02.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AV1003		
Do you now use electronic nicotine products...		
1	Every day	GO TO BOX R04_AVV02
2	Some days	GO TO BOX R04_AVV02
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_AVV02
-7	REFUSED	GO TO BOX R04_AVV02
ASK: Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months, or new cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months. ASK Specification: IF R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R04_AV1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1002_12M = -8, -7).		

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AV1009_NN; R04_AV1009_UN

About how long has it been since you last took a puff from an electronic nicotine product? (If it was earlier today, enter 1 day).

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R04_AV1010

-7 REFUSED

GO TO R04_AV1010

ASK: Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months and now use electronic nicotine products not at all, or

Continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months and now use electronic nicotine products not at all, or

New cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months and now use electronic nicotine products not at all, or

Continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and were not former experimental, new former established, or still former established electronic nicotine product users as of their last completed interview and did not use an electronic nicotine product in the past 12 months, or

New cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not use an electronic nicotine product in the past 12 months.

ASK Specification: IF ((R04_AV1004 = 1 OR R04_AV1002_12M = 1) AND R04_AV1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R04_AV1002_12M = -8, -7 AND R04_AV1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1002_12M = -8, -7 AND R04_AV1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R03_EPROD_USER_STATUS != 3, 4, 5 AND R04_AV1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1002_12M = 2).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months and 2 digits for years.

NOTES: The value "1" refers to R04_AV1009_UN = Days; the value "2" refers to R04_AV1009_UN = Months; the value "3" refers to R04_AV1009_UN = Years.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AV1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last took a puff from an electronic nicotine product.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AV1009 |
| 2 | NEXT | GO TO R04_AV1009_LC2 |

ASK: IF ((R04_AV1004 = 1 OR R04_AV1002_12M = 1) AND R04_AV1003 = 3 AND R04_AV1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R04_AV1002_12M = -8, -7 AND R04_AV1003 = 3 AND R04_AV1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1002_12M = -8, -7 AND R04_AV1003 = 3 AND R04_AV1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R03_EPROD_USER_STATUS != 3, 4, 5 AND R04_AV1002_12M = 2 AND R04_AV1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1002_12M = 2 AND R04_AV1009_NN = 0).

DISPLAY: IF R04_AV1009_UN = 1, DISPLAY "days".

ELSE, IF R04_AV1009_UN = 2, DISPLAY "months".

ELSE, IF R04_AV1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R04_AV1009_NN = 0.

ELSE, GO TO R04_AV1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AV1009_LC2

The computer recorded that it has been [R04_AV1009_NN] years since you last took a puff from an electronic nicotine product. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R04_AV1009 |
| 2 | NEXT | GO TO R04_AV1010 |

ASK: IF ((R04_AV1004 = 1 OR R04_AV1002_12M = 1) AND R04_AV1003 = 3 AND R04_AV1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AV1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R04_AV1002_12M = -8, -7 AND R04_AV1003 = 3 AND R04_AV1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AV1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1002_12M = -8, -7 AND R04_AV1003 = 3 AND R04_AV1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AV1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R03_EPROD_USER_STATUS != 3, 4, 5 AND R04_AV1002_12M = 2 AND R04_AV1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AV1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1002_12M = 2 AND R04_AV1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AV1009_UN = 3).

PROGRAM: TRIGGER CHECK IF R04_AV1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AV1009_UN = 3.

ELSE, GO TO R04_AV1010 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AV1010

Have you completely quit using electronic nicotine products?

- 1 Yes
- 2 No
- 3 I have never used an electronic nicotine product in my entire life, not even one or two times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used an electronic nicotine product in the past 30 days or in the past 12 months and now use electronic nicotine products not at all, or

Continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months and now use electronic nicotine products not at all, or

New cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not know or refused to report whether they have used an electronic nicotine product in the past 12 months and now use electronic nicotine products not at all, or

Continuing and aged-up adult respondents who have ever used an electronic nicotine product as of their last completed interview and were not former experimental electronic nicotine product users as of their last completed interview and did not use an electronic nicotine product in the past 12 months, or

New cohort adult respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and did not use an electronic nicotine product in the past 12 months.

ASK Specification: IF ((R04_AV1004 = 1 OR R04_AV1002_12M = 1) AND R04_AV1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R04_AV1002_12M = -8, -7 AND R04_AV1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1002_12M = -8, -7 AND R04_AV1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_EPRODS = 1 AND R03_EPROD_USER_STATUS != 3 AND R04_AV1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_AV1002_RS = 1 AND R04_AV1002_12M = 2).

DISPLAY: IF R03_EPROD_USER_STATUS = 4, 5, DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY OPTION 3.

BOX ID: R04_AW02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R04_EVER_NEVER_EPRODS = 1 (Ever user) Adult respondents who have ever used any electronic nicotine products and did not recant prior use.

R04_EVER_NEVER_EPRODS = 2 (Never user) Adult respondents who have never used any electronic nicotine products.

R04_INIT_EPRODS_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated electronic nicotine product use since their last completed interview or new cohort adult respondents who have ever used an electronic nicotine product.

R04_EVER_NEVER_EPRODS = 1:

IF (R03_EVER_NEVER_EPRODS = 1 OR R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR (R04_AV1001_RS = 1 AND R04_AV1002_RS = 1) OR R04_AV1003 = 1, 2) AND R04_AV1010 != 3, THEN R04_EVER_NEVER_EPRODS = 1.

R04_EVER_NEVER_EPRODS = 2:

ELSE, R04_EVER_NEVER_EPRODS = 2.

R04_INIT_EPRODS_ADULT:

IF R03_EVER_NEVER_EPRODS != 1 AND R04_EVER_NEVER_EPRODS = 1, THEN R04_INIT_EPRODS_ADULT = 1.

ELSE, R04_INIT_EPRODS_ADULT = 2.

BOX ID: R04_AVR18

New cohort young adult respondents who have ever seen or heard of electronic nicotine products and have never used an electronic nicotine product, or continuing and aged-up young adult respondents who have never used an electronic nicotine product, go to R04_AV1103.

Else, young adult respondents who have ever used an electronic nicotine product and did not use an electronic nicotine product in the past 12 months or did not know or refused to report whether they have used an electronic nicotine product in the past 12 months, go to R04_AV1206.

Else, new cohort adult respondents who have ever seen or heard of electronic nicotine products, or continuing and aged-up adult respondents, go to Box R04_AVR16.

Else, go to Box R04_AGR52.

IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AV1001_RS = 1 AND R04_EVER_NEVER_EPRODS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_EPRODS = 2), GO TO R04_AV1103.

ELSE, IF 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV1002_12M = 2, -8, -7, GO TO R04_AV1206.

ELSE, IF (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1) OR R04_ADULTTYPE = 1, 2, GO TO BOX R04_AVR16.

ELSE, GO TO BOX R04_AGR52.

Variable(s): R04_AV1103***

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort young adult respondents who have ever seen or heard of electronic nicotine products and have never used an electronic nicotine product, or continuing and aged-up young adult respondents who have never used an electronic nicotine product.

ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AV1001_RS = 1 AND R04_EVER_NEVER_EPRODS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_EPRODS = 2).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AV1206***

Do you think you will use an electronic nicotine product in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort young adult respondents who have ever seen or heard of electronic nicotine products and have never used an electronic nicotine product, or continuing and aged-up young adult respondents who have never used an electronic nicotine product, or young adult respondents who have ever used an electronic nicotine product and did not use an electronic nicotine product in the past 12 months or did not know or refused to report whether they have used an electronic nicotine product in the past 12 months.

ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AV1001_RS = 1 AND R04_EVER_NEVER_EPRODS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_EPRODS = 2) OR (18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV1002_12M = 2, -8, -7).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AVR16

New cohort adult respondents who have ever seen or heard of electronic nicotine products and have never used an electronic nicotine product, or continuing and aged-up adult respondents who have never used an electronic nicotine product, go to R04_AV1104.

Else, go to Box R04_AVR48.

IF (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_EVER_NEVER_EPRODS = 2) OR (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 2), GO TO R04_AV1104.
ELSE, GO TO BOX R04_AVR48.

Variable(s): R04_AV1104

Do you think that you will try an electronic nicotine product soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever seen or heard of electronic nicotine products and have never used an electronic nicotine product, or continuing and aged-up adult respondents who have never used an electronic nicotine product.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04_AV1001_RS = 1 AND R04_EVER_NEVER_EPRODS = 2) OR (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 2).

BOX ID: R04_AVR48

New cohort young adult respondents who have ever seen or heard of electronic nicotine products and have never used an electronic nicotine product, or continuing and aged-up young adult respondents who have never used an electronic nicotine product, go to R04_AV1105.

Else, go to Box R04_AGR52.

IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AV1001_RS = 1 AND R04_EVER_NEVER_EPRODS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_EPRODS = 2), GO TO R04_AV1105.
ELSE, GO TO BOX R04_AGR52.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AV1105***
If one of your best friends were to offer you an electronic nicotine product, would you try it? 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: New cohort young adult respondents who have ever seen or heard of electronic nicotine products and have never used an electronic nicotine product, or continuing and aged-up young adult respondents who have never used an electronic nicotine product. ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AV1001_RS = 1 AND R04_EVER_NEVER_EPRODS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_EPRODS = 2). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_AGR52
New cohort adult respondents, go to Box R04_AGT06. Else, go to R04_AGT01.
IF R04_ADULTTYPE = 3, GO TO BOX R04_AGT06. ELSE, GO TO BOX R04_AGT01.

BOX ID: R04_AGT06
The next questions are about traditional cigars, cigarillos, and filtered cigars. These products go by lots of different names, so please use these descriptions and photos to understand what they are. Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others. [SHOW GENERIC IMAGE OF TRADITIONAL CIGARS] BOLD "traditional cigars", "cigarillos", "filtered cigars", AND "Traditional cigars". (This screen is only shown to new cohort respondents.)

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AGT05
Cigarillos and filtered cigars are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with tips or filters. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, and Winchester.	
[SHOW GENERIC IMAGES OF CIGARILLOS AND FILTERED CIGARS]	
BOLD "Cigarillos" AND "filtered cigars".	

Variable(s):	R04_AG1001_RS
Have you ever seen or heard of a cigar, cigarillo, or filtered cigar before this study?	
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS]	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
GO TO BOX R04_AGR53	
GO TO BOX R04_AGR53	
GO TO BOX R04_AGR53	
ASK: New cohort adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 3.	
IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS	

BOX ID:	R04_AGD04
For R04_AG9002_RS, display as a stem and leaf question. For each leaf, display a yes/no response.	

Variable(s):	SEE BELOW:
Which type of cigar have you heard of before this study?	
R04_AG9002_RS_01	1 Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others
R04_AG9002_RS_02	2 Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne, or others
-8	DON'T KNOW
-7	REFUSED
ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.	
ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AGR57

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of, go to R04_AG9003_RS.

Else, go to Box R04_AGR56.

IF R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_01 = 1, -8, -7, GO TO R04_AG9003_RS.

ELSE, GO TO BOX R04_AGR56.

Variable(s): R04_AG9003_RS

Have you ever smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_01 = 1, -8, -7.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

BOX ID: R04_AGR56

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of, go to R04_AG9004_RS.

Else, go to Box R04_AGR54.

IF R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7, GO TO R04_AG9004_RS.

ELSE, GO TO BOX R04_AGR54.

Variable(s): R04_AG9004_RS

Have you ever smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R04_AGR54 |
| -8 | DON'T KNOW | GO TO BOX R04_AGR54 |
| -7 | REFUSED | GO TO BOX R04_AGR54 |

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS

Variable(s): SEE BELOW:

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- | | | |
|-------------------------|----|---|
| R04_AG9009_RS_01 | 1 | With a plastic or wooden tip |
| R04_AG9009_RS_02 | 2 | With a filter (like a cigarette filter) |
| R04_AG9009_RS_03 | 3 | Without a tip or filter |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1.

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AGR54

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a traditional cigar, go to R04_AG9030.

Else, new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar, go to R04_AG9031.

Else, go to Box R04_AGR53.

IF R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_01 = 1, -8, -7 AND R04_AG9003_RS = 1, GO TO R04_AG9030.

ELSE, IF R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1, GO TO R04_AG9031.

ELSE, GO TO BOX R04_AGR53.

BOX ID: R04_AGT01

The next questions are about **traditional cigars, cigarillos, and filtered cigars**. These products go by lots of different names, so please use these descriptions and photos to understand what they are.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

Bold "traditional cigars", "cigarillos", "filtered cigars", and "Traditional cigars".
(This screen is only shown to continuing and aged-up respondents.)

Variable(s): R04_AG9030	
In the past 30 days, have you smoked a traditional cigar, even one or two puffs?	
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]	
1 Yes	GO TO BOX R04_AGR55
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a traditional cigar.	
ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_01 = 1, -8, -7 AND R04_AG9003_RS = 1).	
IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS	

Variable(s): R04_AG9003_12M	
In the past 12 months, have you smoked a traditional cigar, even one or two puffs?	
[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]	
1 Yes	
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Continuing and aged-up adult respondents who have not smoked a traditional cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of traditional cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a traditional cigar and have not smoked a traditional cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar in the past 30 days	
ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AG9030 = 2, -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_01 = 1, -8, -7 AND R04_AG9003_RS = 1 AND R04_AG9030 = 2, -8, -7).	
IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AGR55
Continuing and aged-up adult respondents, go to Box R04_AGT02. Else, new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar, go to R04_AG9031. Else, go to Box R04_AGR53.
IF R04_ADULTTYPE = 1, 2, GO TO BOX R04_AGT02. ELSE, IF R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1, GO TO R04_AG9031. ELSE, GO TO BOX R04_AGR53.

BOX ID: R04_AGT02
Cigarillos and filtered cigars are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with filters or with plastic or wooden tips. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, and Cheyenne. [SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS] BOLD "Cigarillos" AND "filtered cigars". (This screen is only shown to continuing and aged-up respondents.)

Variable(s): R04_AG9031												
In the past 30 days, have you smoked a cigarillo or filtered cigar, even one or two puffs? [SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS] <table> <tr> <td>1</td> <td>Yes</td> <td></td> </tr> <tr> <td>2</td> <td>No</td> <td>GO TO R04_AG9004_12M</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO R04_AG9004_12M</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO R04_AG9004_12M</td> </tr> </table> ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar. ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1). IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS	1	Yes		2	No	GO TO R04_AG9004_12M	-8	DON'T KNOW	GO TO R04_AG9004_12M	-7	REFUSED	GO TO R04_AG9004_12M
1	Yes											
2	No	GO TO R04_AG9004_12M										
-8	DON'T KNOW	GO TO R04_AG9004_12M										
-7	REFUSED	GO TO R04_AG9004_12M										

Variable(s): SEE BELOW:
Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days? Choose all that apply. The kind... [SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS] R04_AG9049_01 1 With a plastic or wooden tip R04_AG9049_02 2 With a filter (like a cigarette filter) R04_AG9049_03 3 Without a tip or filter -8 DON'T KNOW -7 REFUSED ASK: Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 1) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1 AND R04_AG9031 = 1). PROGRAM: Allow respondent to choose all that apply. IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS

BOX ID: R04_AGR18

Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R04_AG9051.

Else, continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R04_AG9052.

Else, continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R04_AG9053.

Else, go to Box R04_AGR53.

IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 1 AND R04_AG9049_01 != 1) OR
(R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND
R04_AG9004_RS = 1 AND R04_AG9031 = 1 AND R04_AG9049_01 != 1), GO TO R04_AG9051.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 1 AND R04_AG9049_02 != 1) OR
(R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND
R04_AG9004_RS = 1 AND R04_AG9031 = 1 AND R04_AG9049_02 != 1), GO TO R04_AG9052.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 1 AND R04_AG9049_03 != 1) OR
(R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND
R04_AG9004_RS = 1 AND R04_AG9031 = 1 AND R04_AG9049_03 != 1), GO TO R04_AG9053.

ELSE, GO TO BOX R04_AGR53.

Variable(s): **R04_AG9051**

In the past 12 months, have you smoked the kind with a plastic or wooden tip, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 1 AND R04_AG9049_01 != 1) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1 AND R04_AG9031 = 1 AND R04_AG9049_01 != 1).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS

BOX ID: R04_AGR19

Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R04_AG9052.

Else, continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R04_AG9053.

Else, go to Box R04_AGR53.

IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 1 AND R04_AG9049_02 != 1) OR
 (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND
 R04_AG9004_RS = 1 AND R04_AG9031 = 1 AND R04_AG9049_02 != 1), GO TO R04_AG9052.
 ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 1 AND R04_AG9049_03 != 1) OR
 (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND
 R04_AG9004_RS = 1 AND R04_AG9031 = 1 AND R04_AG9049_03 != 1), GO TO R04_AG9053.
 ELSE, GO TO BOX R04_AGR53.

Variable(s): R04_AG9052
In the past 12 months, have you smoked the kind with a filter (like a cigarette filter), even one or two puffs? [SHOW GENERIC IMAGE OF FILTERED CIGARS] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked smoked in the past 30 days, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked smoked in the past 30 days. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 1 AND R04_AG9049_02 != 1) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1 AND R04_AG9031 = 1 AND R04_AG9049_02 != 1). IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

BOX ID: R04_AGR20
Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R04_AG9053. Else, go to Box R04_AGR53. IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 1 AND R04_AG9049_03 != 1) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1 AND R04_AG9031 = 1 AND R04_AG9049_03 != 1), GO TO R04_AG9053. ELSE, GO TO BOX R04_AGR53.

Variable(s): R04_AG9053

In the past 12 months, have you smoked the kind without a tip or filter, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R04_AGR53 |
| 2 | No | GO TO BOX R04_AGR53 |
| -8 | DON'T KNOW | GO TO BOX R04_AGR53 |
| -7 | REFUSED | GO TO BOX R04_AGR53 |

ASK: Continuing and aged-up adult respondents who have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 1 AND R04_AG9049_03 != 1) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1 AND R04_AG9031 = 1 AND R04_AG9049_03 != 1).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS

Variable(s): R04_AG9004_12M

In the past 12 months, have you smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R04_AGR53 |
| -8 | DON'T KNOW | GO TO BOX R04_AGR53 |
| -7 | REFUSED | GO TO BOX R04_AGR53 |

ASK: Continuing and aged-up adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 2, -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1 AND R04_AG9031 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS

Variable(s): **SEE BELOW:**

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- R04_AG9009_12M_01** 1 With a plastic or wooden tip
- R04_AG9009_12M_02** 2 With a filter (like a cigarette filter)
- R04_AG9009_12M_03** 3 Without a tip or filter
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days and have smoked a cigarillo or filtered cigar in the past 12 months, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have heard of cigarillos or filtered cigars or did not know or refused to report which types of cigars they have heard of and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report if they smoked a cigarillo or filtered cigar in the past 30 days and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AG9031 = 2, -8, -7 AND R04_AG9004_12M = 1) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1 AND R04_AG9031 = 2, -8, -7 AND R04_AG9004_12M = 1).

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS

BOX ID: **R04_AGR53**

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars, go to R04_AG9105_RS.

Else, continuing and aged-up adult respondents, go to R04_AG9107.

Else, go to Box R04_APT01.

IF R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1, GO TO R04_AG9105_RS.

ELSE, IF R04_ADULTTYPE = 1, 2, GO TO R04_AG9107.

ELSE, GO TO BOX R04_APT01.

Variable(s): R04_AG9105_RS		
Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".		
Have you <u>ever</u> smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)		
1	Yes	
2	No	GO TO BOX R04_AGV01
-8	DON'T KNOW	GO TO BOX R04_AGV01
-7	REFUSED	GO TO BOX R04_AGV01
ASK: New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.		
ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1.		
DISPLAY: UNDERLINE "ever".		

Variable(s): R04_AG9107		
[Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".		
]In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)		
1	Yes	
2	No	GO TO BOX R04_AGV01
-8	DON'T KNOW	GO TO BOX R04_AGV01
-7	REFUSED	GO TO BOX R04_AGV01
ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar a cigar with marijuana in it.		
ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9105_RS = 1).		
DISPLAY: IF R04_ADULTTYPE = 1, 2, DISPLAY "Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt"."		
ELSE, DO NOT DISPLAY THIS TEXT.		

Variable(s): **SEE BELOW:**

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

R04_AG1095_01 1 Group 1

R04_AG1095_02 2 Group 2

R04_AG1095_03 3 Group 3

-8 DON'T KNOW

GO TO BOX R04_AGV01

-7 REFUSED

GO TO BOX R04_AGV01

ASK: Continuing and aged-up adult respondents have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AG9107 = 1) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9105_RS = 1 AND R04_AG9107 = 1).

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF 3 CIGAR GROUPS

Note: Group 1 is traditional cigars; group 2 is cigarillos with tips and cigarillos without tips; group 3 is filtered cigars.

Variable(s): R04_AG9106_01; R04_AG9106_02; R04_AG9106_03

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: FOR R04_AG9106_01: IF (R04_ADULTTYPE = 1, 2 AND R04_AG9107 = 1 AND R04_AG1095_01 = 1) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9105_RS = 1 AND R04_AG9107 = 1 AND R04_AG1095_01 = 1).

FOR R04_AG9106_02: IF (R04_ADULTTYPE = 1, 2 AND R04_AG9107 = 1 AND R04_AG1095_02 = 1) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9105_RS = 1 AND R04_AG9107 = 1 AND R04_AG1095_02 = 1).

FOR R04_AG9106_03: IF (R04_ADULTTYPE = 1, 2 AND R04_AG9107 = 1 AND R04_AG1095_03 = 1) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_AG9105_RS = 1 AND R04_AG9107 = 1 AND R04_AG1095_03 = 1).

PROGRAM: Repeat this question for every cigar type identified in R04_AG1095[_01/_02/_03].

If R04_AG1095_01 = 1, show image of traditional cigars.

If R04_AG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R04_AG1095_03 = 1, show image of filtered cigars.

IMAGE: SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]

BOX ID: R04_AGV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R04_12MBLUNT_ONLY_BTRAD = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

R04_12MBLUNT_ONLY_BRILLO = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

R04_12MBLUNT_ONLY_BFILTR = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

R04_INIT_BLUNT_BTRAD_ADULT = 1 (Initiator – Blunt-only) Continuing and aged-up respondents who initiated smoking traditional cigars as blunts since their last completed interview and smoked traditional cigars as blunts every time they smoked traditional cigars in the past 12 months, or new cohort adult respondents who have ever smoked traditional cigars as blunts every time they smoked traditional cigars in the past 12 months.

R04_INIT_BLUNT_BRILLO_ADULT = 1 (Initiator – Blunt-only) Continuing and aged-up respondents who initiated smoking cigarillos as blunts since their last completed interview and smoked cigarillos as blunts every time they smoked cigarillos in the past 12 months, or new cohort adult respondents who have ever smoked cigarillos as blunts every time they smoked cigarillos in the past 12 months.

R04_INIT_BLUNT_BFILTR_ADULT = 1 (Initiator – Blunt-only) Continuing and aged-up respondents who initiated smoking filtered cigars as blunts since their last completed interview and smoked filtered cigars as blunts every time they smoked filtered cigars in the past 12 months, or new cohort adult respondents who have ever smoked filtered cigars as blunts every time they smoked filtered cigars in the past 12 months.

R04_12MBLUNT_ONLY_BTRAD:

IF R04_AG1095_01 = 1 AND R04_AG9106_01 = 1, THEN R04_12MBLUNT_ONLY_BTRAD = 1.
ELSE, R04_12MBLUNT_ONLY_BTRAD = 2.

R04_12MBLUNT_ONLY_BRILLO:

IF R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN R04_12MBLUNT_ONLY_BRILLO = 1.
ELSE, R04_12MBLUNT_ONLY_BRILLO = 2.

R04_12MBLUNT_ONLY_BFILTR:

IF R04_AG1095_03 = 1 AND R04_AG9106_03 = 1, THEN R04_12MBLUNT_ONLY_BFILTR = 1.
ELSE, R04_12MBLUNT_ONLY_BFILTR = 2.

R04_INIT_BLUNT_BTRAD_ADULT:

IF R03_EVER_NEVER_BTRAD != 1 AND (R04_AG1095_01 = 1 AND R04_AG9106_01 = 1), THEN
R04_INIT_BLUNT_BTRAD_ADULT = 1.
ELSE, R04_INIT_BLUNT_BTRAD_ADULT = 2.

R04_INIT_BLUNT_BRILLO_ADULT:

IF R03_EVER_NEVER_BRILLO != 1 AND R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN
R04_INIT_BLUNT_BRILLO_ADULT = 1.
ELSE, R04_INIT_BLUNT_BRILLO_ADULT = 2.

R04_INIT_BLUNT_BFILTR_ADULT:

IF R03_EVER_NEVER_BFILTR != 1 AND R04_AG1095_03 = 1 AND R04_AG9106_03 = 1, THEN
R04_INIT_BLUNT_BFILTR_ADULT = 1.
ELSE, R04_INIT_BLUNT_BFILTR_ADULT = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AGD02
PROGRAM: CREATE [CIGARFILL]	
If respondent has ever smoked traditional cigars, including when smoked as blunt-only, [CIGARFILL] = "traditional cigar".	
If respondent has ever smoked cigarillos, including when smoked as blunt-only, [CIGARFILL] = "cigarillo".	
If respondent has ever smoked filtered cigars, including when smoked as blunt-only, [CIGARFILL] = "filtered cigar".	
IF CIGARLOOP1 = GTRAD OR BTRAD, [CIGARFILL] = "traditional cigar".	
IF CIGARLOOP1 = GRILLO OR BRILLO, [CIGARFILL] = "cigarillo".	
IF CIGARLOOP1 = GFILTR OR BFILTR, [CIGARFILL] = "filtered cigar".	

BOX ID:	R04_AGR09
PROGRAM: CREATE CIGARLOOP1 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES: For Cigars (non-blunt): Repeat Box R04_AGR05 through Box R04_AGR06 in a loop for each type of cigar the respondent has used in the following order: traditional cigars, cigarillos, filtered cigars. (This excludes any type of cigar the respondent has smoked as a blunt every time in the past 12 months.) For Cigars as Blunt-Only: Past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers will be asked Box R04_AGR05 through Box R04_AGR06 in a loop for each type of cigar the respondent has used as blunt-only in the following order: traditional cigars, cigarillos, filtered cigars. The purpose is to assess for recent nicotine exposure via blunt usage to inform the biospecimen analysis. Display text instructions in addition to [CIGARFILL] text will be specified in the question DISPLAY statement.	
PROGRAM: SEE DERIVED VARIABLES IN APPENDIX FOR DEFINITION OF CIGARLOOP1. Cigar Loops (non-blunt) IF LOOP = GTRAD, REPEAT BOX R04_AGR05 THROUGH BOX R04_AGR06 ONCE FOR TRADITIONAL CIGARS WITH [CIGARFILL] = "traditional cigar". DO NOT DISPLAY ANY BLUNT-RELATED FILLS. IF LOOP = GRILLO, REPEAT BOX R04_AGR05 THROUGH BOX R04_AGR06 ONCE FOR CIGARILLOS WITH [CIGARFILL] = "cigarillo". DO NOT DISPLAY ANY BLUNT-RELATED FILLS. IF LOOP = GFILTR, REPEAT BOX R04_AGR05 THROUGH BOX R04_AGR06 ONCE FOR FILTERED CIGARS WITH [CIGARFILL] = "filtered cigar". DO NOT DISPLAY ANY BLUNT-RELATED FILLS. COMPLETE ANY/ALL LOOPS FOR NON-BLUNT CIGAR TYPES FIRST. Cigar Loops (blunt-only) IF LOOP = BTRAD, REPEAT BOX R04_AGR05 THROUGH BOX R04_AGR06 ONCE FOR TRADITIONAL CIGARS AS BLUNTS. [CIGARFILL] = "traditional cigar". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY. IF LOOP = BRILLO, REPEAT BOX R04_AGR05 THROUGH BOX R04_AGR06 ONCE FOR CIGARILLOS AS BLUNTS. [CIGARFILL] = "cigarillo". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY. IF LOOP = BFILTR, REPEAT BOX R04_AGR05 THROUGH BOX R04_AGR06 ONCE FOR FILTERED CIGARS AS BLUNTS. [CIGARFILL] = "filtered cigar". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY. COMPLETE ANY/ALL LOOPS FOR BLUNT-ONLY CIGAR TYPES SECOND.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AGT04
DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT A LOOP. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT. The next questions are about [CIGARFILL]s, like those shown below. As you answer these questions, please think ONLY about your use of [CIGARFILL]s when smoked as <u>blunts</u>. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION, DISPLAY THE FOLLOWING:] There will be a separate section later about other kinds of cigars. [SHOW GENERIC IMAGE OF CIGARFILL]. IF CIGARLOOP = BTRAD, BRILLO OR BFILTR, DISPLAY " when smoked as blunts". ELSE, DISPLAY [CIGARFILL]s AS SPECIFIED. BOLD "[CIGARFILL]s". BOLD AND UNDERLINE "blunts" WHEN DISPLAYED.	

BOX ID:	R04_AGR05
Adult respondents who never smoked any cigar type and has not smoked cigars as blunts in the past 12 months, go to Box R04_APT01. Else, loop through R04_AG1003[TC/.../FJ], R04_AG1009[TC/.../FJ], and R04_AG1010[TC/CG/FC] following appropriate routing: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1003[TC/.../FJ]. Else, continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, go to R04_AG1009[TC/CG/FC]. Else, continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, go to R04_AG1010[TC/CG/FC]. Else, go to Box R04_AGR06.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

IF R03_EVER_NEVER_GTRAD != 1 AND R03_EVER_NEVER_GRILLO != 1 AND
R03_EVER_NEVER_GFILTR != 1 AND R04_AG9030 != 1 AND R04_AG9003_12M != 1 AND
R04_AG9049_01 != 1 AND R04_AG9049_02 != 1 AND R04_AG9049_03 != 1 AND R04_AG9051 != 1
AND R04_AG9052 != 1 AND R04_AG9053 != 1 AND R04_AG9009_12M_01 != 1 AND
R04_AG9009_12M_02 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AGR04_AG9003_RS != 1
AND R04_AG9009_RS_01 != 1 AND R04_AG9009_RS_02 != 1 AND R04_AG9009_RS_03 != 1 AND
R04_12MBLUNT_ONLY_BTRAD = 2 AND R04_12MBLUNT_ONLY_BRILLO = 2 AND
R04_12MBLUNT_ONLY_BFILTR = 2, GO TO BOX R04_APT01.

ELSE,

IF LOOP = GTRAD:

IF (R04_12MBLUNT_ONLY_BTRAD != 1 AND (R04_AG9030 = 1 OR R04_AG9003_12M = 1)) OR
(R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND
R03_EVER_NEVER_GTRAD = 1 AND R04_AG9003_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND
R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND
R04_AG9003_12M = -8, -7), GO TO R04_AG1003TC.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND
R03_EVER_NEVER_GTRAD = 1 AND R03_GTRAD_USER_STATUS != 3, 4, 5 AND
R04_AG9003_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = 2), GO
TO R04_AG1009TC.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND
R03_EVER_NEVER_GTRAD = 1 AND R03_GTRAD_USER_STATUS != 3 AND R04_AG9003_12M =
2, GO TO R04_AG1010TC.

IF LOOP = GRILLO:

IF (R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR
R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 =
1)) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND
R03_EVER_NEVER_GRILLO = 1 AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR
(R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7))) OR (R04_ADULTTYPE = 3
AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 =
1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR
(R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7)))1), GO TO R04_AG1003CG.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND
R03_EVER_NEVER_GRILLO = 1 AND R03_GRILLO_USER_STATUS != 3, 4, 5 AND
((R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR
(R04_AG9004_12M = 2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2)))) OR
(R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND
(R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9049_01 = 2 AND
R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M = 2, -8, -
7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2))))), GO TO R04_AG1009CG.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND
R03_EVER_NEVER_GRILLO = 1 AND R03_GRILLO_USER_STATUS != 3 AND ((R04_AG9049_01 =
2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M =
2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2))), GO TO R04_AG1010CG.

IF LOOP = GFILTR:

IF (R04_12MBLUNT_ONLY_BFILTR != 1 AND (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR
R04_AG9009_12M_02 = 1)) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1
AND R03_EVER_NEVER_GFILTR = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -

7)) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTER != 1 AND R04_AG9009_RS_02 = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7)), GO TO R04_AG1003FC.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTER != 1 AND R03_EVER_NEVER_GFILTER = 1 AND R03_GFILTER_USER_STATUS != 3, 4, 5 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2))) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTER != 1 AND R04_AG9009_RS_02 = 1 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2))), GO TO R04_AG1009FC.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTER != 1 AND R03_EVER_NEVER_GFILTER = 1 AND R03_GFILTER_USER_STATUS != 3 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2)), GO TO R04_AG1010FC.

IF LOOP = BTRAD:

IF R04_12MBLUNT_ONLY_BTRAD = 1, GO TO R04_AG1003TJ.

IF LOOP = BRILLO:

IF R04_12MBLUNT_ONLY_BRILLO = 1, GO TO R04_AG1003GJ.

IF LOOP = BFILTER:

IF R04_12MBLUNT_ONLY_BFILTER = 1, GO TO R04_AG1003FJ.

ELSE, GO TO BOX R04_AGR06.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AG1003TC; R04_AG1003CG**; R04_AG1003FC**; R04_AG1003TJ; R04_AG1003GJ; R04_AG1003FJ
Do you now smoke [[CIGARFILL]]s/ as blunts]...	
1 Every day	GO TO BOX R04_AGR06
2 Some days	GO TO BOX R04_AGR06
3 Not at all	
-8 DON'T KNOW	GO TO BOX R04_AGR06
-7 REFUSED	GO TO BOX R04_AGR06
ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or	
Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or	
New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or	
Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R04_AG1003TC: IF (R04_12MBLUNT_ONLY_BTRAD != 1 AND (R04_AG9030 = 1 OR R04_AG9003_12M = 1)) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1 AND R04_AG9003_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = -8, -7).	
FOR R04_AG1003CG: IF (R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1)) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1 AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7))) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7))).	
FOR R04_AG1003FC: IF (R04_12MBLUNT_ONLY_BFILTR != 1 AND (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1)) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7)) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG9009_RS_02 = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7)).	
FOR R04_AG1003TJ: IF R04_12MBLUNT_ONLY_BTRAD = 1.	
FOR R04_AG1003GJ: IF R04_12MBLUNT_ONLY_BRILLO = 1.	
FOR R04_AG1003FJ: IF R04_12MBLUNT_ONLY_BFILTR = 1.	
DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as blunts".	
ELSE, DO NOT DISPLAY THIS TEXT.	
NOTES: **SKIP ERROR: R04_AG1003CG: This item was skipped incorrectly by continuing adult respondents (R04_ADULTTYPE = 1) who have ever smoked a cigarillo (R03_EVER_NEVER_GRILLO = 1) and did not know or refused to report the kind of cigarillo or filtered cigar smoked in the past 12 months (R04_AG9009_12M_[01/03] = -8, -7). This issue was fixed in a field update on 03/07/2017.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

R04_AG1003FC: This item was skipped incorrectly by new cohort adults (R04_ADULTTYPE = 3) who have smoked a filtered cigar (R04_AG9009_RS_02 = 1) and did not know or refused to report if they had smoked a filtered cigar in the past 12 months (AG9052 = -8, -7). This issue was fixed in a field update on 03/07/2017.

Variable(s): R04_AG1009TC_NN; R04_AG1009TC_UN; R04_AG1009CG_NN*; R04_AG1009CG_UN; R04_AG1009FC_NN*; R04_AG1009FC_UN; R04_AG1009TJ_NN; R04_AG1009TJ_UN; R04_AG1009GJ_NN; R04_AG1009GJ_UN; R04_AG1009FJ_NN; R04_AG1009FJ_UN

About how long has it been since you last smoked a [[CIGARFILL]]/ as a blunt]? (If it was earlier today, enter 1 day.)

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R04_AGR32

-7 REFUSED

GO TO BOX R04_AGR32

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or

Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental, new former established, or still former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or

New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: FOR R04_AG1009TC: IF (R04_12MBLUNT_ONLY_BTRAD != 1 AND (R04_AG9030 = 1 OR R04_AG9003_12M = 1) AND R04_AG1003TC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1 AND R04_AG9003_12M = -8, -7 AND R04_AG1003TC = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = -8, -7 AND R04_AG1003TC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1 AND R03_GTRAD_USER_STATUS != 3, 4, 5 AND R04_AG9003_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = 2).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

FOR R04_AG1009CG: IF (R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1) AND R04_AG1003CG = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1 AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7)) AND R04_AG1003CG = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9049_01 = 1 OR R04_AG9049_03 = 1) OR (R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7)) AND R04_AG1003CG = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1 AND R03_GRILLO_USER_STATUS != 3, 4, 5 AND ((R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2)))) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2))))).

FOR R04_AG1009FC: IF (R04_12MBLUNT_ONLY_BFILTR != 1 AND (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1) AND R04_AG1003FC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7) AND R04_AG1003FC = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG9009_RS_02 = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7) AND R04_AG1003FC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1 AND R03_GFILTR_USER_STATUS != 3, 4, 5 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2))) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG9009_RS_02 = 1 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2))).

FOR R04_AG1009TJ: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AG1003TJ = 3.

FOR R04_AG1009GJ: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AG1003GJ = 3.

FOR R04_AG1009FJ: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AG1003FJ = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: Display as Quantity/Units. Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: **SKIP ERROR: R04_AG1009CG_NN: This item was skipped incorrectly by continuing and aged-up adult respondents (R04_ADULTTYPE = 1, 2) who are not blunt-only cigarillo smokers (R04_12MBLUNT_ONLY_BRILLO != 1) and did not smoke a cigarillo in the past 30 days or past 12 months (R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) and have ever smoked a cigarillo (R03_EVER_NEVER_GRILLO = 1) and were not former experimental, new former established, or still former established cigarillo smokers as of their last completed interview (R03_GRILLO_USER_STATUS != 3, 4, 5), and by new cohort adult respondents (R04_ADULTTYPE = 3) who did not smoke a cigarillo in the past 30 days or past 12 months (R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) and have ever smoked a cigarillo (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1). This issue was fixed in a field update on 03/07/2017.

R04_AG1009FC_NN: This item was skipped incorrectly by continuing and aged-up adult respondents (R04_ADULTTYPE = 1, 2) who are not blunt-only filtered cigar smokers (R04_12MBLUNT_ONLY_BFILTR != 1) and did not smoke a filtered cigar in the past 30 days or past 12 months (R04_AG9049_02 = 2 AND R04_AG9052 = 2) and have ever smoked a filtered cigar (R03_EVER_NEVER_GFILTR = 1) and were not former experimental, new former established, or still former established filtered cigar smokers as of their last completed interview

(R03_GFILTR_USER_STATUS != 3, 4, 5), and by new cohort adult respondents (R04_ADULTTYPE = 3) and have ever smoked a filtered cigar (R04_AG9009_RS_02 = 1) and did not smoke a filtered cigar in the past 30 days or past 12 months (R04_AG9049_02 = 2 AND R04_AG9052 = 2). This issue was fixed in a field update on 03/07/2017.

CHECK ID: R04_AG1009TC_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked traditional cigars[as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1009TC

2 NEXT

GO TO R04_AG1009TC_LC2

ASK: IF (R04_12MBLUNT_ONLY_BTRAD != 1 AND (R04_AG9030 = 1 OR R04_AG9003_12M = 1) AND R04_AG1003TC = 3 AND R04_AG1009TC_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1 AND R04_AG9003_12M = -8, -7 AND R04_AG1003TC = 3 AND R04_AG1009TC_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = -8, -7 AND R04_AG1003TC = 3 AND R04_AG1009TC_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1 AND R03_GTRAD_USER_STATUS != 3, 4, 5 AND R04_AG9003_12M = 2 AND R04_AG1009TC_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = 2 AND R04_AG1009TC_NN = 0) OR (R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AG1003TJ = 3 AND R04_AG1009TJ_NN = 0).

DISPLAY: IF R04_AG1009TC_UN = 1, DISPLAY "days".

ELSE, IF R04_AG1009TC_UN = 2, DISPLAY "months".

ELSE, IF R04_AG1009TC_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R04_AG1009TC_NN = 0 OR R04_AG1009TJ_NN = 0.

ELSE, GO TO R04_AG1009TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1009TC_LC2

The computer recorded that it has been [R04_AG1009TC_NN] years since you last smoked traditional cigars[as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1009TC

2 NEXT

GO TO R04_AG1009CG_LC1

ASK: IF (R04_12MBLUNT_ONLY_BTRAD != 1 AND (R04_AG9030 = 1 OR R04_AG9003_12M = 1) AND R04_AG1003TC = 3 AND R04_AG1009TC_NN = 0 AND R04_AG1009TC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009TC_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1 AND R04_AG9003_12M = -8, -7 AND R04_AG1003TC = 3 AND R04_AG1009TC_NN = 0 AND R04_AG1009TC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009TC_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = -8, -7 AND R04_AG1003TC = 3 AND R04_AG1009TC_NN = 0 AND R04_AG1009TC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009TC_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1 AND R03_GTRAD_USER_STATUS != 3, 4, 5 AND R04_AG9003_12M = 2 AND R04_AG1009TC_NN = 0 AND R04_AG1009TC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009TC_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = 2 AND R04_AG1009TC_NN = 0 AND R04_AG1009TC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009TC_UN = 3) OR (R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AG1003TJ = 3 AND R04_AG1009TJ_NN = 0 AND R04_AG1009TJ_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009TJ_UN = 3).

DISPLAY: IF LOOP = BTRAD, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF (R04_AG1009TC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009TC_UN = 3) OR (R04_AG1009TJ_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009TJ_UN = 3).

ELSE, GO TO R04_AG1009CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1009CG_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked cigarillos[as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1009CG

2 NEXT

GO TO R04_AG1009CG_LC2

ASK: IF (R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1) AND R04_AG1003CG = 3 AND R04_AG1009CG_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1 AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7)) AND R04_AG1003CG = 3 AND R04_AG1009CG_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7)) AND R04_AG1003CG = 3 AND R04_AG1009CG_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1 AND R03_GRILLO_USER_STATUS != 3, 4, 5 AND ((R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2))) AND R04_AG1009CG_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2))) AND R04_AG1009CG_NN = 0) OR (R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AG1003GJ = 3 AND R04_AG1009GJ_NN = 0).

DISPLAY: IF R04_AG1009CG_UN = 1, DISPLAY "days".

ELSE, IF R04_AG1009CG_UN = 2, DISPLAY "months".

ELSE, IF R04_AG1009CG_UN = 3, DISPLAY "years".

IF LOOP = BRILLO, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R04_AG1009CG_NN = 0 OR R04_AG1009GJ_NN = 0.

ELSE, GO TO R04_AG1009CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1009CG_LC2

The computer recorded that it has been [R04_AG1009CG_NN] years since you last smoked cigarillos[as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1009CG

2 NEXT

GO TO R04_AG1009FC_LC1

ASK: IF (R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1) AND R04_AG1003CG = 3 AND R04_AG1009CG_NN > R04R_A_AGE AND R04_AG1009CG_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1 AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7)) AND R04_AG1003CG = 3 AND R04_AG1009CG_NN > R04R_A_AGE AND R04_AG1009CG_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7)) AND R04_AG1003CG = 3 AND R04_AG1009CG_NN > R04R_A_AGE AND R04_AG1009CG_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1 AND R03_GRILLO_USER_STATUS != 3, 4, 5 AND ((R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2))) AND R04_AG1009CG_NN > R04R_A_AGE AND R04_AG1009CG_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2))) AND R04_AG1009CG_NN > R04R_A_AGE AND R04_AG1009CG_UN = 3) OR (R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AG1003GJ = 3 AND R04_AG1009GJ_NN > R04R_A_AGE AND R04_AG1009GJ_UN = 3).

DISPLAY: IF LOOP = BRILLO, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF (R04_AG1009CG_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009CG_UN = 3) OR (R04_AG1009GJ_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009GJ_UN = 3).

ELSE, GO TO R04_AG1009FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1009FC_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked filtered cigars[as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1009FC

2 NEXT

GO TO R04_AG1009FC_LC2

ASK: IF (R04_12MBLUNT_ONLY_BFILTR != 1 AND (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1) AND R04_AG1003FC = 3 AND R04_AG1009FC_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7) AND R04_AG1003FC = 3 AND R04_AG1009FC_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG9009_RS_02 = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7) AND R04_AG1003FC = 3 AND R04_AG1009FC_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1 AND R03_GFILTR_USER_STATUS != 3, 4, 5 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2)) AND R04_AG1009FC_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG9009_RS_02 = 1 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2)) AND R04_AG1009FC_NN = 0) OR (R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AG1003FJ = 3 AND R04_AG1009FJ_NN = 0).

DISPLAY: IF R04_AG1009FC_UN = 1, DISPLAY "days".

ELSE, IF R04_AG1009FC_UN = 2, DISPLAY "months".

ELSE, IF R04_AG1009FC_UN = 3, DISPLAY "years".

IF LOOP = BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R04_AG1009FC_NN = 0 OR R04_AG1009FJ_NN = 0.

ELSE, GO TO R04_AG1009FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1009FC_LC2

The computer recorded that it has been [R04_AG1009FC_NN] years since you last smoked filtered cigars[as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1009FC

2 NEXT

GO TO BOX R04_AGR32

ASK: IF (R04_12MBLUNT_ONLY_BFILTR != 1 AND (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1) AND R04_AG1003FC = 3 AND R04_AG1009FC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009FC_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7) AND R04_AG1003FC = 3 AND R04_AG1009FC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009FC_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG9009_RS_02 = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7) AND R04_AG1003FC = 3 AND R04_AG1009FC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009FC_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1 AND R03_GFILTR_USER_STATUS != 3, 4, 5 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2)) AND R04_AG1009FC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009FC_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG9009_RS_02 = 1 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2)) AND R04_AG1009FC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009FC_UN = 3) OR (R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AG1003FJ = 3 AND R04_AG1009FJ_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009FJ_UN = 3).

DISPLAY: IF LOOP = BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF (R04_AG1009FC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009FC_UN = 3) OR (R04_AG1009FJ_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1009FJ_UN = 3).

ELSE, GO TO BOX R04_AGR32 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_AGR32

Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or new cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all, go to R04_AG1010[TC/CG/FC].

Else, go to Box R04_AGR06.

IF LOOP = GTRAD:

IF (R04_12MBLUNT_ONLY_BTRAD != 1 AND (R04_AG9030 = 1 OR R04_AG9003_12M = 1) AND R04_AG1003TC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1 AND R04_AG9003_12M = -8, -7 AND R04_AG1003TC = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = -8, -7 AND R04_AG1003TC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1 AND R03_GTRAD_USER_STATUS != 3 AND R04_AG9003_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = 2), GO TO R04_AG1010TC.

ELSE, GO TO BOX R04_AGR06.

IF LOOP = GRILLO:

IF (R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1) AND R04_AG1003CG = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1 AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7)) AND R04_AG1003CG = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7)) AND R04_AG1003CG = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1 AND R03_GRILLO_USER_STATUS != 3 AND ((R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2)))) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2))))), GO TO R04_AG1010CG.

ELSE, GO TO BOX R04_AGR06.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

IF LOOP = GFILTR:

IF (R04_12MBLUNT_ONLY_BFILTR != 1 AND (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1) AND R04_AG1003FC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7) AND R04_AG1003FC = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG9009_RS_02 = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7) AND R04_AG1003FC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1 AND R03_GFILTR_USER_STATUS != 3 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2))) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG9009_RS_02 = 1 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2))), GO TO R04_AG1010FC.
ELSE, GO TO BOX R04_AGR06.

IF LOOP = BTRAD, BRILLO, BFILTR, GO TO BOX R04_AGR06.

Variable(s):	R04_AG1010TC; R04_AG1010CG**; R04_AG1010FC**
Have you completely quit smoking [CIGARFILL]s?	
1 Yes 2 No 3 I have never smoked a [CIGARFILL] in my entire life, not even one or two puffs -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report if they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or Continuing and aged-up adult respondents who are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar in the past 30 days or past 12 months and have ever smoked a traditional cigar/cigarillo/filtered cigar and were not former experimental traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview, or New cohort adult respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and are not blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar, or Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all. ASK Specification: FOR R04_AG1010TC: IF (R04_12MBLUNT_ONLY_BTRAD != 1 AND (R04_AG9030 = 1 OR R04_AG9003_12M = 1) AND R04_AG1003TC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1 AND R04_AG9003_12M = -8, -7 AND R04_AG1003TC = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = -8, -7 AND R04_AG1003TC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_EVER_NEVER_GTRAD = 1 AND R03_GTRAD_USER_STATUS != 3 AND R04_AG9003_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG9003_RS = 1 AND R04_AG9003_12M = 2). FOR R04_AG1010CG: IF (R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1) AND R04_AG1003CG = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1 AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7)) AND R04_AG1003CG = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9051 = -8, -7 AND R04_AG9053 = -8, -7) OR (R04_AG9009_12M_01 = -8, -7 AND R04_AG9009_12M_03 = -8, -7)) AND R04_AG1003CG = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_EVER_NEVER_GRILLO = 1 AND R03_GRILLO_USER_STATUS != 3 AND ((R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND	

R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2)))) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1) AND ((R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR (R04_AG9009_12M_01 = 2 AND R04_AG9009_12M_03 = 2))))).

FOR R04_AG1010FC: IF (R04_12MBLUNT_ONLY_BFILTR != 1 AND (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1) AND R04_AG1003FC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7) AND R04_AG1003FC = 3) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG9009_RS_02 = 1 AND (R04_AG9052 = -8, -7 OR R04_AG9009_12M_02 = -8, -7) AND R04_AG1003FC = 3) OR (R04_ADULTTYPE = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_EVER_NEVER_GFILTR = 1 AND R03_GFILTR_USER_STATUS != 3 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2)))) OR (R04_ADULTTYPE = 3 AND R04_AG1001_RS = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG9009_RS_02 = 1 AND ((R04_AG9049_02 = 2 AND R04_AG9052 = 2) OR (R04_AG9004_12M = 2, -8, -7 OR R04_AG9009_12M_02 = 2))))).

DISPLAY: FOR R04_AG1010TC: IF R03_GTRAD_USER_STATUS = 4, 5, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

FOR R04_AG1010CG: IF R03_GRILLO_USER_STATUS = 4, 5, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

FOR R04_AG1010FC: IF R03_GFILTR_USER_STATUS = 4, 5, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

NOTES: **SKIP ERROR: R04_AG1010CG: This item was skipped incorrectly by continuing and aged-up adult respondents (R04_ADULTTYPE = 1, 2) who are not blunt-only cigarillo smokers (R04_12MBLUNT_ONLY_BRILLO != 1) and did not smoke a cigarillo in the past 30 days or past 12 months (R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) and have ever smoked a cigarillo (R03_EVER_NEVER_GRILLO = 1) and were not former experimental cigarillo smokers as of their last completed interview (R03_GRILLO_USER_STATUS != 3), and by new cohort adult respondents (R04_ADULTTYPE = 3) who did not smoke a cigarillo in the past 30 days or past 12 months (R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) and have ever smoked a cigarillo (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1). This issue was fixed in a field update on 03/07/2017.

R04_AG1010FC: This item was skipped incorrectly by continuing and aged-up adult respondents (R04_ADULTTYPE = 1,2) who are not blunt-only filtered cigar smokers (R04_12MBLUNT_ONLY_BFILTR != 1) and did not smoke a filtered cigar in the past 30 days or past 12 months (R04_AG9049_02 = 2 AND R04_AG9052 = 2) and have ever smoked a filtered cigar (R03_EVER_NEVER_GFILTR = 1) and were not former experimental filtered cigar smokers as of their last completed interview (R03_GFILTR_USER_STATUS != 3), and by new cohort adult respondents (R04_ADULTTYPE = 3) and have ever smoked a filtered cigar (R04_AG9009_RS_02 = 1) and did not smoke a filtered cigar in the past 30 days or past 12 months (R04_AG9049_02 = 2 AND R04_AG9052 = 2). This issue was fixed in a field update on 03/07/2017.

BOX ID: R04_AGR06

If LOOP = GTRAD and adult respondent has ever smoked cigarillos or filtered cigars or is a past 12 month blunt-only cigarillo smoker or past 12 month blunt-only filtered cigar smoker, go back to Box R04_AGR05 and complete for the next product.

Else, if LOOP = GRILLO and adult respondent has ever smoked filtered cigars or is a past 12 month blunt-only traditional cigar smoker or past 12 month blunt-only filtered cigar smoker, go back to Box R04_AGR05 and complete for the next product.

Else, if LOOP = GFILTR and adult respondent is a past 12 month blunt-only traditional cigar smoker or past 12 month blunt-only cigarillo smoker, go back to Box R04_AGR05 and complete for the next product.

Else, if LOOP = BTRAD and adult respondent is a past 12 month blunt-only cigarillo smoker or past 12 month blunt-only filtered cigar smoker, go back to Box R04_AGR05 and complete for the next product.

Else, if LOOP = BRILLO and adult respondent is a past 12 month blunt-only filtered cigar smoker, go back to Box R04_AGR05 and complete for the next product.

Else, if all loops complete, go to Box R04_AGV04.

IF LOOP = GTRAD AND (R03_EVER_NEVER_GRILLO = 1 OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1 OR R03_EVER_NEVER_GFILTR = 1 OR R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR R04_AG9009_RS_02 = 1 OR R04_12MBLUNT_ONLY_BTRAD = 1 OR R04_12MBLUNT_ONLY_BRILLO = 1 OR R04_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R04_AGR05.

ELSE, IF LOOP = GRILLO AND (R03_EVER_NEVER_GFILTR = 1 OR R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR R04_AG9009_RS_02 = 1 OR R04_12MBLUNT_ONLY_BTRAD = 1 OR R04_12MBLUNT_ONLY_BRILLO = 1 OR R04_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R04_AGR05.

ELSE, IF LOOP = GFILTR AND (R04_12MBLUNT_ONLY_BTRAD = 1 OR R04_12MBLUNT_ONLY_BRILLO = 1 OR R04_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R04_AGR05.

ELSE, IF LOOP = BTRAD AND (R04_12MBLUNT_ONLY_BRILLO = 1 OR R04_12MBLUNT_ONLY_BFILTR = 1) GO BACK TO BOX R04_AGR05.

ELSE, IF LOOP = BRILLO AND R04_12MBLUNT_ONLY_BFILTR = 1, GO BACK TO BOX R04_AGR05.

ELSE, IF ALL LOOPS COMPLETE, GO TO BOX R04_AGV04.

BOX ID:	R04_AGV04
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R04_EVER_NEVER_GTRAD = 1 (Ever user) Adult respondents who have ever smoked a traditional cigar and did not recant prior use. R04_EVER_NEVER_GTRAD = 2 (Never user) Adult respondents who have never smoked a traditional cigar. R04_EVER_NEVER_GRILLO = 1 (Ever user) Adult respondents who have ever smoked a cigarillo and did not recant prior use. R04_EVER_NEVER_GRILLO = 2 (Never user) Adult respondents who have never smoked a cigarillo. R04_EVER_NEVER_GFILTR = 1 (Ever user) Adult respondents who have ever smoked a filtered cigar and did not recant prior use. R04_EVER_NEVER_GFILTR = 2 (Never user) Adult respondents who have never smoked a filtered cigar.	
R04_INIT_GTRAD_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated traditional cigar smoking since their last completed interview or new cohort adult respondents who have ever smoked a traditional cigar. R04_INIT_GRILLO_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated cigarillo smoking since their last completed interview or new cohort adult respondents who have ever smoked a cigarillo. R04_INIT_GFILTR_ADULT = 1 (Initiator) Continuing and aged-up adult respondents who initiated filtered cigar smoking since their last completed interview or new cohort adult respondents who have ever smoked a filtered cigar.	
R04_EVER_NEVER_GTRAD = 1: IF (R03_EVER_NEVER_GTRAD = 1 OR R04_AG9030 = 1 OR R04_AG9003_12M = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_01 = 1, -8, -7 AND R04_AG9003_RS = 1) OR R04_AG1003TC = 1, 2) AND R04_AG1010TC != 3, THEN R04_EVER_NEVER_GTRAD = 1. R04_EVER_NEVER_GTRAD = 2: ELSE, R04_EVER_NEVER_GTRAD = 2.	
R04_EVER_NEVER_GRILLO = 1: IF (R03_EVER_NEVER_GRILLO = 1 OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1)) OR R04_AG1003CG = 1, 2) AND R04_AG1010CG != 3, THEN R04_EVER_NEVER_GRILLO = 1. R04_EVER_NEVER_GRILLO = 2: ELSE, R04_EVER_NEVER_GRILLO = 2.	
R04_EVER_NEVER_GFILTR = 1: IF (R03_EVER_NEVER_GFILTR = 1 OR R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1 AND R04_AG9009_RS_02 = 1) OR R04_AG1003FC = 1, 2) AND R04_AG1010FC != 3, THEN R04_EVER_NEVER_GFILTR = 1. R04_EVER_NEVER_GFILTR = 2: ELSE, R04_EVER_NEVER_GFILTR = 2.	

R04_INIT_GTRAD_ADULT:

IF R03_EVER_NEVER_GTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1, THEN R04_INIT_GTRAD_ADULT = 1.

ELSE, R04_INIT_GTRAD_ADULT = 2.

R04_INIT_GRILLO_ADULT:

IF R03_EVER_NEVER_GRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1, THEN R04_INIT_GRILLO_ADULT = 1.

ELSE, R04_INIT_GRILLO_ADULT = 2.

R04_INIT_GFILTR_ADULT:

IF R03_EVER_NEVER_GFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND
R04_12MBLUNT_ONLY_BFILTR != 1, THEN R04_INIT_GFILTR_ADULT = 1.

ELSE, R04_INIT_GFILTR_ADULT = 2.

BOX ID: R04_APT01

The next questions are about smoking tobacco in **pipes**.

There are many different types of pipes. They all have a bowl that holds the tobacco and a stem. The picture below shows a typical pipe.

[SHOW GENERIC IMAGE OF PIPE]

BOLD "pipes".

BOX ID: R04_APR33

New cohort adult respondents, go to R04_AP1001_RS.

Else, go to R04_AP1004.

IF R04_ADULTTYPE = 3, GO TO R04_AP1001_RS.

ELSE, GO TO R04_AP1004.

Variable(s): R04_AP1001_RS

Have you ever seen or heard of a pipe before this study?

[SHOW GENERIC IMAGE OF PIPES]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R04_APV02

GO TO BOX R04_APV02

GO TO BOX R04_APV02

ASK: New cohort adult respondents.

ASK Specification: IF R04_ADULTTYPE = 3.

IMAGE: SHOW GENERIC IMAGE OF PIPES

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AP1002_RS**

Have you ever smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPES]

1 Yes

2 No

GO TO BOX R04_APV02

-8 DON'T KNOW

GO TO BOX R04_APV02

-7 REFUSED

GO TO BOX R04_APV02

ASK: New cohort adult respondents who have ever seen or heard of pipe tobacco.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AP1001_RS = 1.

IMAGE: SHOW GENERIC IMAGE OF PIPES

Variable(s): **R04_AP1004**

In the past 30 days, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

1 Yes

GO TO BOX R04_APR05

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco.

ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AP1001_RS = 1 AND R04_AP1002_RS = 1).

IMAGE: SHOW GENERIC IMAGE OF PIPE

Variable(s): R04_AP1002_12M
In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs? [SHOW GENERIC IMAGE OF PIPE] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Continuing and aged-up adult respondents who have not smoked a pipe filled with tobacco in the past 30 days or did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 30 days, or new cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and have not smoked a pipe filled with tobacco in the past 30 days or did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 30 days. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AP1004 = 2, -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AP1001_RS = 1 AND R04_AP1002_RS = 1 AND R04_AP1004 = 2, -8, -7). IMAGE: SHOW GENERIC IMAGE OF PIPE

BOX ID: R04_APR05
Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months, go to R04_AP1003. Else, continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and were not former experimental, new former established, or still former established pipe smokers as of their last completed interview and did not smoke a pipe filled with tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not smoke a pipe filled with tobacco in the past 12 months, go to R04_AP1009. Else, continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and were not former experimental pipe smokers as of their last completed interview and did not smoke a pipe filled with tobacco in the past 12 months, go to R04_AP1010. Else, go to Box R04_APV02. IF R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AP1001_RS = 1 AND R04_AP1002_RS = 1 AND R04_AP1002_12M = -8, -7), GO TO R04_AP1003. ELSE, IF (R04_ADULTTYPE = 1, 2 AND R03_PIPE_USER_STATUS != 3, 4, 5 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AP1002_RS = 1 AND R04_AP1001_RS = 1 AND R04_AP1002_12M = 2), GO TO R04_AP1009. ELSE, IF R04_ADULTTYPE = 1, 2 AND R03_PIPE_USER_STATUS != 3 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = 2, GO TO R04_AP1010. ELSE, GO TO BOX R04_APV02.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AP1003		
Do you now smoke a pipe filled with tobacco...		
1	Every day	GO TO BOX R04_APV02
2	Some days	GO TO BOX R04_APV02
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_APV02
-7	REFUSED	GO TO BOX R04_APV02
ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months. ASK Specification: IF R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AP1001_RS = 1 AND R04_AP1002_RS = 1 AND R04_AP1002_12M = -8, -7).		

Variable(s): R04_AP1009_NN; R04_AP1009_UN

About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day).

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R04_AP1010

-7 REFUSED

GO TO R04_AP1010

ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months and now smoke a pipe filled with tobacco not at all, or

Continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all, or

New cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all, or

Continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and were not former experimental, new former established, or still former established pipe smokers as of their last completed interview and did not smoke a pipe filled with tobacco in the past 12 months, or

New cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not smoke a pipe filled with tobacco in the past 12 months.

ASK Specification: IF ((R04_AP1004 = 1 OR R04_AP1002_12M = 1) AND R04_AP1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = -8, -7 AND R04_AP1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AP1001_RS = 1 AND R04_AP1002_RS = 1 AND R04_AP1002_12M = -8, -7 AND R04_AP1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_PIPE_USER_STATUS != 3, 4, 5 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AP1002_RS = 1 AND R04_AP1001_RS = 1 AND R04_AP1002_12M = 2).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: The value "1" refers to R04_AP1009_UN = Days; the value "2" refers to R04_AP1009_UN = Months; the value "3" refers to R04_AP1009_UN = Years.

CHECK ID:	R04_AP1009_LC1						
The computer recorded that it has been "0" [days/months /years] since you last smoked a pipe. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AP1009</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO R04_AP1009_LC2</td> </tr> </table> ASK: IF ((R04_AP1004 = 1 OR R04_AP1002_12M = 1) AND R04_AP1003 = 3 AND R04_AP1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = -8, -7 AND R04_AP1003 = 3 AND R04_AP1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AP1001_RS = 1 AND R04_AP1002_RS = 1 AND R04_AP1002_12M = -8, -7 AND R04_AP1003 = 3 AND R04_AP1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_PIPE_USER_STATUS != 3, 4, 5 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = 2 AND R04_AP1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AP1002_RS = 1 AND R04_AP1001_RS = 1 AND R04_AP1002_12M = 2 AND R04_AP1009_NN = 0). DISPLAY: IF R04_AP1009_UN = 1, DISPLAY "days". ELSE, IF R04_AP1009_UN = 2, DISPLAY "months". ELSE, IF R04_AP1009_UN = 3, DISPLAY "years". PROGRAM: TRIGGER CHECK IF R04_AP1009_NN = 0. ELSE, GO TO R04_AP1009_LC2 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AP1009	2	NEXT	GO TO R04_AP1009_LC2
1	BACK	GO TO R04_AP1009					
2	NEXT	GO TO R04_AP1009_LC2					

CHECK ID:	R04_AP1009_LC2						
The computer recorded that it has been [R04_AP1009_NN] years since you last smoked a pipe. That is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AP1009</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO R04_AP1010</td> </tr> </table> ASK: IF ((R04_AP1004 = 1 OR R04_AP1002_12M = 1) AND R04_AP1003 = 3 AND R04_AP1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AP1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = -8, -7 AND R04_AP1003 = 3 AND R04_AP1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AP1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AP1001_RS = 1 AND R04_AP1002_RS = 1 AND R04_AP1002_12M = -8, -7 AND R04_AP1003 = 3 AND R04_AP1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AP1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_PIPE_USER_STATUS != 3, 4, 5 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = 2 AND R04_AP1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AP1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AP1002_RS = 1 AND R04_AP1001_RS = 1 AND R04_AP1002_12M = 2 AND R04_AP1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AP1009_UN = 3). PROGRAM: TRIGGER CHECK IF R04_AP1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AP1009_UN = 3. ELSE, GO TO R04_AP1010 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AP1009	2	NEXT	GO TO R04_AP1010
1	BACK	GO TO R04_AP1009					
2	NEXT	GO TO R04_AP1010					

Variable(s): **R04_AP1010**

Have you completely quit smoking pipes filled with tobacco?

- 1 Yes
- 2 No
- 3 I have never smoked a pipe filled with tobacco in my entire life, not even one or two puffs
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a pipe filled with tobacco in the past 30 days or in the past 12 months and now smoke a pipe filled with tobacco not at all, or

Continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all, or

New cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not know or refused to report whether they have smoked a pipe filled with tobacco in the past 12 months and now smoke a pipe filled with tobacco not at all, or

Continuing and aged-up adult respondents who have ever smoked a pipe filled with tobacco as of their last completed interview and were not former experimental pipe smokers as of their last completed interview and did not smoke a pipe filled with tobacco in the past 12 months, or

New cohort adult respondents who have ever seen or heard of pipe tobacco and have ever smoked a pipe filled with tobacco and did not smoke a pipe filled with tobacco in the past 12 months.

ASK Specification: IF ((R04_AP1004 = 1 OR R04_AP1002_12M = 1) AND R04_AP1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = -8, -7 AND R04_AP1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AP1001_RS = 1 AND R04_AP1002_RS = 1 AND R04_AP1002_12M = -8, -7 AND R04_AP1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_PIPE_USER_STATUS != 3 AND R03_EVER_NEVER_PIPE = 1 AND R04_AP1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AP1002_RS = 1 AND R04_AP1001_RS = 1 AND R04_AP1002_12M = 2).

DISPLAY: IF R03_PIPE_USER_STATUS = 4, 5, DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY OPTION 3.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_APV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R04_EVER_NEVER_PIPE = 1 (Ever user) Adult respondents who have ever smoked a pipe and did not recant prior use. R04_EVER_NEVER_PIPE = 2 (Never user) Adult respondents who have never smoked a pipe. R04_INIT_PIPE_ADULT = 1 (Initiator) Continuing and aged-up respondents who initiated pipe smoking since their last completed interview or new cohort adult respondents who have ever smoked a pipe.	
R04_EVER_NEVER_PIPE = 1: IF (R03_EVER_NEVER_PIPE = 1 OR R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR (R04_AP1001_RS = 1 AND R04_AP1002_RS = 1) OR R04_AP1003 = 1, 2) AND R04_AP1010 != 3, THEN R04_EVER_NEVER_PIPE = 1. R04_EVER_NEVER_PIPE = 2: ELSE, R04_EVER_NEVER_PIPE = 2. R04_INIT_PIPE_ADULT: IF R03_EVER_NEVER_PIPE != 1 AND R04_EVER_NEVER_PIPE = 1, THEN R04_INIT_PIPE_ADULT = 1. ELSE, R04_INIT_PIPE_ADULT = 2.	

BOX ID:	R04_AHT01
We next ask about smoking tobacco in a hookah, which is a type of water pipe. It is sometimes also called a “narghile” pipe. From now on, we will use “hookah” to refer to a water pipe or narghile pipe. There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafes or in hookah bars. The picture below shows a typical hookah. [SHOW GENERIC IMAGE OF HOOKAH] Bold "hookah".	

BOX ID:	R04_AHR49
New cohort adult respondents, go to R04_AH1001_RS. Else, go to R04_AH1004. IF R04_ADULTTYPE = 3, GO TO R04_AH1001_RS. ELSE, GO TO R04_AH1004.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AH1001_RS	
Have you ever seen or heard of a hookah before this study?	
[SHOW GENERIC IMAGE OF HOOKAH]	
1 Yes	
2 No	GO TO BOX R04_AHV02
-8 DON'T KNOW	GO TO BOX R04_AHV02
-7 REFUSED	GO TO BOX R04_AHV02
ASK: New cohort adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 3.	
IMAGE: SHOW GENERIC IMAGE OF HOOKAH	

Variable(s): R04_AH1002_RS	
Have you ever smoked tobacco in a hookah, even one or two puffs?	
[SHOW GENERIC IMAGE OF HOOKAH]	
1 Yes	
2 No	GO TO BOX R04_AHV02
-8 DON'T KNOW	GO TO BOX R04_AHV02
-7 REFUSED	GO TO BOX R04_AHV02
ASK: New cohort adult respondents who have ever seen or heard of hookah.	
ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1.	
IMAGE: SHOW GENERIC IMAGE OF HOOKAH	

Variable(s): R04_AH1004	
In the past 30 days, have you smoked tobacco in a hookah, even one or two puffs?	
[SHOW GENERIC IMAGE OF HOOKAH]	
1 Yes	GO TO BOX R04_AHR06
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah.	
ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1 AND R04_AH1002_RS = 1).	
IMAGE: SHOW GENERIC IMAGE OF HOOKAH	

Variable(s): R04_AH1002_12M

In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have not smoked tobacco in a hookah in the past 30 days or did not know or refused to report whether they have smoked tobacco in a hookah in the past 30 days, or new cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and have not smoked tobacco in a hookah in the past 30 days or did not know or refused to report whether they have smoked tobacco in a hookah in the past 30 days.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AH1004 = 2, -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1 AND R04_AH1002_RS = 1 AND R04_AH1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF HOOKAH

BOX ID: R04_AHR06

Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months, or new cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months, go to R04_AH1003.

Else, continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and were not former experimental, new former established, or still former established hookah smokers as of their last completed interview and did not smoke tobacco in a hookah in the past 12 months, or new cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not smoke tobacco in a hookah in the past 12 months, go to R04_AH1009.

Else, continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and were not former experimental hookah smokers as of their last completed interview and did not smoke tobacco in a hookah in the past 12 months, go to R04_AH1010.

Else, go to Box R04_AHV02.

IF R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R04_AH1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1 AND R04_AH1002_RS = 1 AND R04_AH1002_12M = -8, -7), GO TO R04_AH1003.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R03_HOOK_USER_STATUS != 3, 4, 5 AND R04_AH1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AH1002_RS = 1 AND R04_AH1001_RS = 1 AND R04_AH1002_12M = 2), GO TO R04_AH1009.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R03_HOOK_USER_STATUS != 3 AND R04_AH1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AH1002_RS = 1 AND R04_AH1001_RS = 1 AND R04_AH1002_12M = 2), GO TO R04_AH1010.

ELSE, GO TO BOX R04_AHV02.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AH1003		
Do you now smoke tobacco in a hookah...		
1	Every day	GO TO BOX R04_AHV02
2	Some days	GO TO BOX R04_AHV02
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_AHV02
-7	REFUSED	GO TO BOX R04_AHV02
ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months, or new cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months. ASK Specification: IF R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R04_AH1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1 AND R04_AH1002_RS = 1 AND R04_AH1002_12M = -8, -7).		

Variable(s): R04_AH1009_NN**; R04_AH1009_UN

About how long has it been since you last smoked tobacco in a hookah? (If it was earlier today, enter 1 day)

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R04_AH1010

-7 REFUSED

GO TO R04_AH1010

ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or

Continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

New cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

Continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and were not former experimental, new former established, or still former established hookah smokers as of their last completed interview and did not smoke tobacco in a hookah in the past 12 months, or

New cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not smoke tobacco in a hookah in the past 12 months.

ASK Specification: IF ((R04_AH1004 = 1 OR R04_AH1002_12M = 1) AND R04_AH1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R04_AH1002_12M = -8, -7 AND R04_AH1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1 AND R04_AH1002_RS = 1 AND R04_AH1002_12M = -8, -7 AND R04_AH1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R03_HOOK_USER_STATUS != 3, 4, 5 AND R04_AH1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AH1002_RS = 1 AND R04_AH1001_RS = 1 AND R04_AH1002_12M = 2).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: **SKIP ERROR: These items were skipped incorrectly by adult respondents who now smoke tobacco in a hookah not at all (R04_AH1003 = 3). This issue was fixed in a field update on 04/18/2017.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AH1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked tobacco in a hookah.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AH1009 |
| 2 | NEXT | GO TO R04_AH1009_LC2 |

ASK: IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1 AND R04_AH1003 = 3 AND R04_AH1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R04_AH1002_12M = -8, -7 AND R04_AH1003 = 3 AND R04_AH1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1 AND R04_AH1002_RS = 1 AND R04_AH1002_12M = -8, -7 AND R04_AH1003 = 3 AND R04_AH1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R03_HOOK_USER_STATUS != 3, 4, 5 AND R04_AH1002_12M = 2 AND R04_AH1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AH1002_RS = 1 AND R04_AH1001_RS = 1 AND R04_AH1002_12M = 2 AND R04_AH1009_NN = 0).

DISPLAY: IF R04_AH1009_UN = 1, DISPLAY "days".

ELSE, IF R04_AH1009_UN = 2, DISPLAY "months".

ELSE, IF R04_AH1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R04_AH1009_NN = 0.

ELSE, GO TO R04_AH1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AH1009_LC2

The computer recorded that it has been [R04_AH1009_NN] years since you last smoked tobacco in a hookah. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R04_AH1009 |
| 2 | NEXT | GO TO R04_AH1010 |

ASK: IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1 AND R04_AH1003 = 3 AND R04_AH1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AH1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R04_AH1002_12M = -8, -7 AND R04_AH1003 = 3 AND R04_AH1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AH1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1 AND R04_AH1002_RS = 1 AND R04_AH1002_12M = -8, -7 AND R04_AH1003 = 3 AND R04_AH1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AH1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R03_HOOK_USER_STATUS != 3, 4, 5 AND R04_AH1002_12M = 2 AND R04_AH1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AH1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AH1002_RS = 1 AND R04_AH1001_RS = 1 AND R04_AH1002_12M = 2 AND R04_AH1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AH1009_UN = 3).

PROGRAM: TRIGGER CHECK IF R04_AH1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AH1009_UN = 3.

ELSE, GO TO R04_AH1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AH1010****

Have you completely quit smoking tobacco in a hookah?

- 1 Yes
- 2 No
- 3 I have never smoked hookah in my entire life, not even one or two puffs
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked tobacco in a hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or

Continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

New cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

Continuing and aged-up adult respondents who have ever smoked tobacco in a hookah as of their last completed interview and were not former experimental hookah smokers as of their last completed interview and did not smoke tobacco in a hookah in the past 12 months, or

New cohort adult respondents who have ever seen or heard of hookah and have ever smoked tobacco in a hookah and did not smoke tobacco in a hookah in the past 12 months.

ASK Specification: IF ((R04_AH1004 = 1 OR R04_AH1002_12M = 1) AND R04_AH1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R04_AH1002_12M = -8, -7 AND R04_AH1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1 AND R04_AH1002_RS = 1 AND R04_AH1002_12M = -8, -7 AND R04_AH1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_HOOK = 1 AND R03_HOOK_USER_STATUS != 3 AND R04_AH1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AH1002_RS = 1 AND R04_AH1001_RS = 1 AND R04_AH1002_12M = 2).

DISPLAY: IF R03_HOOK_USER_STATUS = 4, 5, DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY OPTION 3.

NOTES: **SKIP ERROR: These items were skipped incorrectly by adult respondents who now smoke tobacco in a hookah not at all (R04_AH1003 = 3). This issue was fixed in a field update on 04/18/2017.

BOX ID:	R04_AHV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R04_EVER_NEVER_HOOK = 1 (Ever user) Adult respondents who have ever smoked tobacco in a hookah and did not recant prior use. R04_EVER_NEVER_HOOK = 2 (Never user) Adult respondents who have never smoked tobacco in a hookah. R04_INIT_HOOK_ADULT = 1 (Initiator) Continuing and aged-up respondents who initiated hookah smoking since their last completed interview or new cohort adult respondents who have ever smoked tobacco in a hookah.	
R04_EVER_NEVER_HOOK = 1: IF (R03_EVER_NEVER_HOOK = 1 OR R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR (R04_AH1001_RS = 1 AND R04_AH1002_RS = 1) OR R04_AH1003 = 1, 2) AND R04_AH1010 != 3, THEN R04_EVER_NEVER_HOOK = 1. R04_EVER_NEVER_HOOK = 2: ELSE, R04_EVER_NEVER_HOOK = 2. R04_INIT_HOOK_ADULT: IF R03_EVER_NEVER_HOOK != 1 AND R04_EVER_NEVER_HOOK = 1, THEN R04_INIT_HOOK_ADULT = 1. ELSE, R04_INIT_HOOK_ADULT = 2.	

BOX ID:	R04_AHR03
New cohort young adult respondents who have ever seen or heard of hookah and have never smoked tobacco in a hookah, or continuing and aged-up young adult respondents who have never smoked tobacco in a hookah, go to R04_AH1103. Else, young adult respondents who have ever smoked tobacco in a hookah and did not smoke tobacco in a hookah in the past 12 months or did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months, go to R04_AH1206. Else, continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of hookah, go to Box R04_AHR08. Else, go to Box R04_AST01.	
IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AH1001_RS = 1 AND R04_EVER_NEVER_HOOK = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_HOOK = 2), GO TO R04_AH1103. ELSE, IF 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_HOOK = 1 AND R04_AH1002_12M = 2, -8, -7, GO TO R04_AH1206. ELSE, IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1), GO TO R04_AHR08. ELSE, GO TO BOX R04_AST01.	

Variable(s): R04_AH1103***

Have you ever been curious about smoking tobacco in a hookah?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort young adult respondents who have ever seen or heard of hookah and have never smoked tobacco in a hookah, or continuing and aged-up young adult respondents who have never smoked tobacco in a hookah.

ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AH1001_RS = 1 AND R04_EVER_NEVER_HOOK = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_HOOK = 2).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AH1206***

Do you think you will smoke tobacco in a hookah in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort young adult respondents who have ever seen or heard of hookah and have never smoked tobacco in a hookah, or continuing and aged-up young adult respondents who have never smoked tobacco in a hookah, or young adult respondents who have ever smoked tobacco in a hookah and did not smoke tobacco in a hookah in the past 12 months or did not know or refused to report whether they have smoked tobacco in a hookah in the past 12 months.

ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AH1001_RS = 1 AND R04_EVER_NEVER_HOOK = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_HOOK = 2) OR (18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_HOOK = 1 AND R04_AH1002_12M = 2, -8, -7).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AHR08
New cohort adult respondents who have ever seen or heard of hookah and have never smoked tobacco in a hookah, or continuing and aged-up adult respondents who have never smoked tobacco in a hookah, go to R04_AH1104. Else, go to Box R04_AHR48.	
IF (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1 AND R04_EVER_NEVER_HOOK = 2) OR (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_HOOK = 2), GO TO R04_AH1104. ELSE, GO TO BOX R04_AHR48.	

Variable(s):	R04_AH1104
Do you think you will try smoking tobacco in a hookah soon?	
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED	
ASK: New cohort adult respondents who have ever seen or heard of hookah and have never smoked tobacco in a hookah, or continuing and aged-up adult respondents who have never smoked tobacco in a hookah.	
ASK Specification: IF (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1 AND R04_EVER_NEVER_HOOK = 2) OR (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_HOOK = 2).	

BOX ID:	R04_AHR48
New cohort young adult respondents who have ever seen or heard of hookah and have never smoked tobacco in a hookah, or continuing and aged-up young adult respondents who have never smoked tobacco in a hookah, go to R04_AH1205. Else, go to R04_AH9031.	
IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AH1001_RS = 1 AND R04_EVER_NEVER_HOOK = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_HOOK = 2), GO TO R04_AH1205. ELSE, GO TO R04_AH9031.	

Variable(s): R04_AH1205***

If one of your best friends were to offer you a hookah, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort young adult respondents who have ever seen or heard of hookah and have never smoked tobacco in a hookah, or continuing and aged-up young adult respondents who have never smoked tobacco in a hookah.

ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AH1001_RS = 1 AND R04_EVER_NEVER_HOOK = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_HOOK = 2).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AH9031

Have you ever smoked marijuana from a hookah? (Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of hookah.

ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1).

Variable(s): R04_AH9040

Have you ever smoked herbal or tobacco-free shisha in a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of hookah.

ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AH1001_RS = 1).

BOX ID:	R04_AST01
Smokeless tobacco is tobacco which you put in your mouth. Smokeless tobacco may be loose or it may be packaged in small pouches that you place under your lip. Frequently you chew, suck, or spit while using smokeless tobacco, although for some types you may not need to. There are many different types of smokeless tobacco which go by lots of different names, so please use these descriptions and photos to understand what they are. [SHOW GENERIC IMAGE OF SNUS AND OTHER SMOKELESS TOBACCO]	
BOLD "Smokeless tobacco".	

BOX ID:	R04_AUT03
Snus is a type of smokeless tobacco. Snus usually comes in small pouches, although some snus may be sold as loose snus. Typically, with most kinds of smokeless tobacco, you spit, but you do not need to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus and General Snus. Please think about snus as you answer the following questions. There will be a separate section later about other types of smokeless tobacco products (such as dip, spit, chewing tobacco and smokeless tobacco pouches). [SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]	
BOLD "Snus".	
UNDERLINE "Please think about snus as you answer the following questions" and BOLD "snus".	

BOX ID:	R04_AUR49
New cohort adult respondents, go to R04_AU1001_RS. Else, go to R04_AU1004.	
IF R04_ADULTTYPE = 3, GO TO R04_AU1001_RS. ELSE, GO TO R04_AU1004.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AU1001_RS	
Have you ever seen or heard of snus before this study?	
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]	
1 Yes	
2 No	GO TO BOX R04_AUV03
-8 DON'T KNOW	GO TO BOX R04_AUV03
-7 REFUSED	GO TO BOX R04_AUV03
ASK: New cohort adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 3.	
IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES	

Variable(s): R04_AU1002_RS	
Have you ever used snus, even one or two times?	
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]	
1 Yes	
2 No	GO TO BOX R04_AUV03
-8 DON'T KNOW	GO TO BOX R04_AUV03
-7 REFUSED	GO TO BOX R04_AUV03
ASK: New cohort adult respondents who have ever seen or heard of snus.	
ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1.	
IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES	

Variable(s): R04_AU1004	
In the past 30 days, have you used snus, even one or two times?	
[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]	
1 Yes	GO TO BOX R04_AUR22
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus.	
ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1).	
IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AU1002_12M
In the past 12 months, have you used snus, even one or two times? [SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Continuing and aged-up adult respondents who have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AU1004 = 2, -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1004 = 2, -8, -7). IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES

BOX ID: R04_AUR22
Adult respondents who have used snus in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months, go to R04_AU1003. Else, continuing and aged-up adult respondents who have ever used snus as of their last completed interview and were not former experimental, new former established, or still former established snus users as of their last completed interview and did not use snus in the past 12 months, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not use snus in the past 12 months, go to R04_AU1009. Else, continuing and aged-up adult respondents who have ever used snus as of their last completed interview and were not former experimental snus users as of their last completed interview and did not use snus in the past 12 months, go to R04_AU1010. Else, go to Box R04_AUV03. IF R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R04_AU1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1002_12M = -8, -7), GO TO R04_AU1003. ELSE, IF (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R03_SNUS_USER_STATUS != 3, 4, 5 AND R04_AU1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1002_12M = 2), GO TO R04_AU1009. ELSE, IF R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R03_SNUS_USER_STATUS != 3 AND R04_AU1002_12M = 2, GO TO R04_AU1010. ELSE, GO TO BOX R04_AUV03.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AU1003		
Do you now use snus...		
1	Every day	GO TO BOX R04_AUV03
2	Some days	GO TO BOX R04_AUV03
3	Not at all	
-8	DON'T KNOW	GO TO BOX R04_AUV03
-7	REFUSED	GO TO BOX R04_AUV03
ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months, or new cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months. ASK Specification: IF R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R04_AU1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1002_12M = -8, -7).		

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AU1009_NN; R04_AU1009_UN

About how long has it been since you last used snus? (If it was earlier today, enter 1 day.)

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R04_AU1010

-7 REFUSED

GO TO R04_AU1010

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or

Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or

New cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or

Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and were not former experimental, new former established, or still former established snus users as of their last completed interview and did not use snus in the past 12 months, or

New cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not use snus in the past 12 months.

ASK Specification: IF ((R04_AU1004 = 1 OR R04_AU1002_12M = 1) AND R04_AU1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R04_AU1002_12M = -8, -7 AND R04_AU1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1002_12M = -8, -7 AND R04_AU1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R03_SNUS_USER_STATUS != 3, 4, 5 AND R04_AU1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1002_12M = 2).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: The value "1" refers to R04_AU1009_UN = Days; the value "2" refers to R04_AU1009_UN = Months; the value "3" refers to R04_AU1009_UN = Years.

CHECK ID: R04_AU1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last used snus.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AU1009

2 NEXT

GO TO R04_AU1009_LC2

ASK: IF ((R04_AU1004 = 1 OR R04_AU1002_12M = 1) AND R04_AU1003 = 3 AND R04_AU1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R04_AU1002_12M = -8, -7 AND R04_AU1003 = 3 AND R04_AU1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1002_12M = -8, -7 AND R04_AU1003 = 3 AND R04_AU1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R03_SNUS_USER_STATUS != 3, 4, 5 AND R04_AU1002_12M = 2 AND R04_AU1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1002_12M = 2 AND R04_AU1009_NN = 0).

DISPLAY: IF R04_AU1009_UN = 1, DISPLAY "days".

ELSE, IF R04_AU1009_UN = 2, DISPLAY "months".

ELSE, IF R04_AU1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R04_AU1009_NN = 0.

ELSE, GO TO R04_AU1009_LC2 DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AU1009_LC2

The computer recorded that it has been [R04_AU1009_NN] years since you last used snus. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AU1009

2 NEXT

GO TO R04_AU1010

ASK: IF ((R04_AU1004 = 1 OR R04_AU1002_12M = 1) AND R04_AU1003 = 3 AND R04_AU1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AU1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R04_AU1002_12M = -8, -7 AND R04_AU1003 = 3 AND R04_AU1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AU1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1002_12M = -8, -7 AND R04_AU1003 = 3 AND R04_AU1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AU1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R03_SNUS_USER_STATUS != 3, 4, 5 AND R04_AU1002_12M = 2 AND R04_AU1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AU1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1002_12M = 2 AND R04_AU1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AU1009_UN = 3).

PROGRAM: TRIGGER CHECK IF R04_AU1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AU1009_UN = 3.

ELSE, GO TO R04_AU1010 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R04_AU1010**

Have you completely quit using snus?

- 1 Yes
- 2 No
- 3 I have never used snus in my entire life, not even one or two times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or

Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or

New cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or

Continuing and aged-up adult respondents who have ever used snus as of their last completed interview and were not former experimental snus users as of their last completed interview and did not use snus in the past 12 months, or

New cohort adult respondents who have ever seen or heard of snus and have ever used snus and did not use snus in the past 12 months.

ASK Specification: IF ((R04_AU1004 = 1 OR R04_AU1002_12M = 1) AND R04_AU1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R04_AU1002_12M = -8, -7 AND R04_AU1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1002_12M = -8, -7 AND R04_AU1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SNUS = 1 AND R03_SNUS_USER_STATUS != 3 AND R04_AU1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_AU1002_RS = 1 AND R04_AU1002_12M = 2).

DISPLAY: IF R03_SNUS_USER_STATUS = 4, 5, DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY OPTION 3.

BOX ID:	R04_AUV03
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R04_EVER_NEVER_SNUS = 1 (Ever user) Adult respondents who have ever used snus and did not recant prior use. R04_EVER_NEVER_SNUS = 2 (Never user) Adult respondents who have never used snus. R04_INIT_SNUS_ADULT = 1 (Initiator) Continuing and aged-up respondents who initiated snus use since their last completed interview or new cohort adult respondents who have ever used snus.	
R04_EVER_NEVER_SNUS = 1: IF (R03_EVER_NEVER_SNUS = 1 OR R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR (R04_AU1001_RS = 1 AND R04_AU1002_RS = 1) OR R04_AU1003 = 1, 2) AND R04_AU1010 != 3, THEN R04_EVER_NEVER_SNUS = 1. R04_EVER_NEVER_SNUS = 2: ELSE, R04_EVER_NEVER_SNUS = 2. R04_INIT_SNUS_ADULT: IF R03_EVER_NEVER_SNUS != 1 AND R04_EVER_NEVER_SNUS = 1, THEN R04_INIT_SNUS_ADULT = 1. ELSE, R04_INIT_SNUS_ADULT = 2.	

BOX ID:	R04_AUR06
New cohort young adult respondents who have ever seen or heard of snus and have never used snus, or continuing and aged-up young adult respondents who have never used snus, go to R04_AU1103. Else, young adult respondents who have ever used snus and did not use snus in the past 12 months or did not know or refused to report whether they have used snus in the past 12 months, go to R04_AU1206. Else, new cohort adult respondents who have ever seen or heard of snus, or continuing and aged-up adult respondents, go to Box R04_AUR24. Else, go to Box R04_AST03.	
IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AU1001_RS = 1 AND R04_EVER_NEVER_SNUS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SNUS = 2), GO TO R04_AU1103. ELSE, IF 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SNUS = 1 AND R04_AU1002_12M = 2, -8, -7, GO TO R04_AU1206. ELSE, IF (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1) OR R04_ADULTTYPE = 1, 2, GO TO BOX R04_AUR24. ELSE, GO TO BOX R04_AST03.	

Variable(s): R04_AU1103***

Have you ever been curious about using snus?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort young adult respondents who have ever seen or heard of snus and have never used snus, or continuing and aged-up young adult respondents who have never used snus.

ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AU1001_RS = 1 AND R04_EVER_NEVER_SNUS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SNUS = 2).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AU1206/****

Do you think you will use snus in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort young adult respondents who have ever seen or heard of snus and have never used snus, or continuing and aged-up young adult respondents who have never used snus, or young adult respondents who have ever used snus and did not use snus in the past 12 months or did not know or refused to report whether they have used snus in the past 12 months.

ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AU1001_RS = 1 AND R04_EVER_NEVER_SNUS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SNUS = 2) OR (18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SNUS = 1 AND R04_AU1002_12M = 2, -8, -7).

NOTES: **SKIP ERROR: This item was skipped incorrectly by young adult respondents (18 <= R04R_A_AGE < 25) who have ever used snus pouches (R04_EVER_NEVER_SNUS = 1) and did not use snus pouches in the past 12 months (R04_AU1002_12M = 2). This issue was fixed in a field update on 05/02/2017.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AUR24
New cohort adult respondents who have ever seen or heard of snus and have never used snus, or continuing and aged-up adult respondents who have never used snus, go to R04_AU1104. Else, go to Box R04_AUR48.	
IF (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_EVER_NEVER_SNUS = 2) OR (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SNUS = 2), GO TO R04_AU1104. ELSE, GO TO BOX R04_AUR48.	

Variable(s):	R04_AU1104**
Do you think you will try snus soon?	
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED	
ASK: New cohort adult respondents who have ever seen or heard of snus and have never used snus, or continuing and aged-up adult respondents who have never used snus.	
ASK Specification: IF (R04_ADULTTYPE = 3 AND R04_AU1001_RS = 1 AND R04_EVER_NEVER_SNUS = 2) OR (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SNUS = 2).	
NOTES: **SKIP ERROR: This item was skipped incorrectly by adult respondents who have never used smokeless tobacco (R04_EVER_NEVER_SMKLS = 2) and did not use snus in the past 12 months (R04_AU1002_12M = 2). This issue was fixed in a field update on 01/31/2017.	

BOX ID:	R04_AUR48
New cohort young adult respondents who have ever seen or heard of snus and have never used snus, or continuing and aged-up young adult respondents who have never used snus, go to R04_AU1205. Else, go to Box R04_AST03.	
IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AU1001_RS = 1 AND R04_EVER_NEVER_SNUS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SNUS = 2), GO TO R04_AU1205. ELSE, GO TO BOX R04_AST03.	

Variable(s):	R04_AU1205***
If one of your best friends were to offer you snus, would you try it? 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: New cohort young adult respondents who have ever seen or heard of snus and have never used snus, or continuing and aged-up young adult respondents who have never used snus. ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AU1001_RS = 1 AND R04_EVER_NEVER_SNUS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SNUS = 2). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R04_AST03
The next questions are about smokeless tobacco <u>other than snus</u>. Smokeless tobacco is a type of tobacco which you put in your mouth and chew, suck, or spit. It may be loose or packaged in small pouches that you can place directly in your mouth. There are many kinds of smokeless tobacco, such as dip, spit, moist snuff, pouches and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman, and Levi Garrett. Please do not include snus when answering the following questions. [SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS] BOLD "smokeless tobacco". UNDERLINE "other than snus". UNDERLINE "Please do not include snus when answering the following questions." and BOLD "not".	

BOX ID:	R04_ASR49
New cohort adult respondents, go to R04_AS1001_RS. Else, go to R04_AS1004. IF R04_ADULTTYPE = 3, GO TO R04_AS1001_RS. ELSE, GO TO R04_AS1004.	

Variable(s): R04_AS1001_RS	
Have you ever seen or heard of smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, before this study?	
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]	
1 Yes	
2 No	GO TO BOX R04_ASV03
-8 DON'T KNOW	GO TO BOX R04_ASV03
-7 REFUSED	GO TO BOX R04_ASV03
ASK: New cohort adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 3.	
IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)	

Variable(s): R04_AS1002_RS	
Have you ever used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?	
[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]	
1 Yes	
2 No	GO TO BOX R04_ASV03
-8 DON'T KNOW	GO TO BOX R04_ASV03
-7 REFUSED	GO TO BOX R04_ASV03
ASK: New cohort adult respondents who have ever seen or heard of smokeless tobacco.	
ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1.	
IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)	

Variable(s): R04_AS1004

In the past 30 days, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

- 1 Yes GO TO BOX R04_ASR29
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco.

ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1).

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)

Variable(s): R04_AS1002_12M

In the past 12 months, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AS1004 = 2, -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)

BOX ID: R04_ASR29

Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, go to R04_AS1003.

Else, continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental, new former established, or still former established smokeless tobacco users as of their last completed interview and did not use smokeless tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not use smokeless tobacco in the past 12 months, go to R04_AS1009.

Else, continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental smokeless tobacco users as of their last completed interview and did not use smokeless tobacco in the past 12 months, go to R04_AS1010.

Else, go to Box R04_ASV03.

IF R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SMKLS = 1 AND R04_AS1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1002_12M = -8, -7), GO TO R04_AS1003.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SMKLS = 1 AND R03_SMKLS_USER_STATUS != 3, 4, 5 AND R04_AS1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1002_12M = 2), GO TO R04_AS1009.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R03_SMKLS_USER_STATUS != 3 AND R03_EVER_NEVER_SMKLS = 1 AND R04_AS1002_12M = 2, GO TO R04_AS1010.

ELSE, GO TO BOX R04_ASV03.

Variable(s): R04_AS1003

Do you now use smokeless tobacco...

- | | | |
|----|------------|---------------------|
| 1 | Every day | GO TO BOX R04_ASV03 |
| 2 | Some days | GO TO BOX R04_ASV03 |
| 3 | Not at all | |
| -8 | DON'T KNOW | GO TO BOX R04_ASV03 |
| -7 | REFUSED | GO TO BOX R04_ASV03 |

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months, or continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, or new cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months.

ASK Specification: IF R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SMKLS = 1 AND R04_AS1002_12M = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1002_12M = -8, -7).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AS1009_NN; R04_AS1009_UN

About how long has it been since you last used smokeless tobacco? (If it was earlier today, enter 1 day.)

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R04_AS1010

-7 REFUSED

GO TO R04_AS1010

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or

Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or

New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or

Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental, new former established, or still former established smokeless tobacco users as of their last completed interview and did not use smokeless tobacco in the past 12 months, or

New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not use smokeless tobacco in the past 12 months.

ASK Specification: IF ((R04_AS1004 = 1 OR R04_AS1002_12M = 1) AND R04_AS1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SMKLS = 1 AND R04_AS1002_12M = -8, -7 AND R04_AS1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1002_12M = -8, -7 AND R04_AS1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SMKLS = 1 AND R03_SMKLS_USER_STATUS != 3, 4, 5 AND R04_AS1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1002_12M = 2).

PROGRAM: Display as Quantity/Units. Allow only 2 digits for days and 2 digits for months.

NOTES: The value "1" refers to R04_AS1009_UN = Days; the value "2" refers to R04_AS1009_UN = Months; the value "3" refers to R04_AS1009_UN = Years.

CHECK ID: R04_AS1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last used smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AS1009 |
| 2 | NEXT | GO TO R04_AS1009_LC2 |

ASK: IF ((R04_AS1004 = 1 OR R04_AS1002_12M = 1) AND R04_AS1003 = 3 AND R04_AS1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SMKLS = 1 AND R04_AS1002_12M = -8, -7 AND R04_AS1003 = 3 AND R04_AS1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1002_12M = -8, -7 AND R04_AS1003 = 3 AND R04_AS1009_NN = 0) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SMKLS = 1 AND R03_SMKLS_USER_STATUS != 3, 4, 5 AND R04_AS1002_12M = 2 AND R04_AS1009_NN = 0) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1002_12M = 2 AND R04_AS1009_NN = 0).

DISPLAY: IF R04_AS1009_UN = 1, DISPLAY "days".

ELSE, IF R04_AS1009_UN = 2, DISPLAY "months".

ELSE, IF R04_AS1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R04_AS1009_NN = 0.

ELSE, GO TO R04_AS1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AS1009_LC2

The computer recorded that it has been [R04_AS1009_NN] years since you last used smokeless tobacco. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R04_AS1009 |
| 2 | NEXT | GO TO R04_AS1010 |

ASK: IF ((R04_AS1004 = 1 OR R04_AS1002_12M = 1) AND R04_AS1003 = 3 AND R04_AS1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AS1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SMKLS = 1 AND R04_AS1002_12M = -8, -7 AND R04_AS1003 = 3 AND R04_AS1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AS1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1002_12M = -8, -7 AND R04_AS1003 = 3 AND R04_AS1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AS1009_UN = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SMKLS = 1 AND R03_SMKLS_USER_STATUS != 3, 4, 5 AND R04_AS1002_12M = 2 AND R04_AS1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AS1009_UN = 3) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1002_12M = 2 AND R04_AS1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AS1009_UN = 3).

PROGRAM: TRIGGER CHECK IF R04_AS1009_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AS1009_UN = 3.

ELSE, GO TO R04_AS1010 AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R04_AS1010
Have you completely quit using smokeless tobacco? 1 Yes 2 No 3 I have never used smokeless tobacco in my entire life, not even one or two times -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or Continuing and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental smokeless tobacco users as of their last completed interview and did not use smokeless tobacco in the past 12 months, or New cohort adult respondents who have ever seen or heard of smokeless tobacco and have ever used smokeless tobacco and did not use smokeless tobacco in the past 12 months. ASK Specification: IF ((R04_AS1004 = 1 OR R04_AS1002_12M = 1) AND R04_AS1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SMKLS = 1 AND R04_AS1002_12M = -8, -7 AND R04_AS1003 = 3) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1002_12M = -8, -7 AND R04_AS1003 = 3) OR (R04_ADULTTYPE = 1, 2 AND R03_EVER_NEVER_SMKLS = 1 AND R03_SMKLS_USER_STATUS != 3 AND R04_AS1002_12M = 2) OR (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_AS1002_RS = 1 AND R04_AS1002_12M = 2). DISPLAY: IF R03_SMKLS_USER_STATUS = 4, 5, DISPLAY OPTION 3. ELSE, DO NOT DISPLAY OPTION 3.	

BOX ID: R04_ASV03

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R04_EVER_NEVER_SMKLS = 1 (Ever user) Adult respondents who have ever used smokeless tobacco and did not recant prior use.

R04_EVER_NEVER_SMKLS = 2 (Never user) Adult respondents who have never used smokeless tobacco.

R04_INIT_SMKLS_ADULT = 1 (Initiator) Continuing and aged-up respondents who initiated smokeless tobacco use since their last completed interview or new cohort adult respondents who have ever used smokeless tobacco.

R04_EVER_NEVER_SMKLS = 1:

IF (R03_EVER_NEVER_SMKLS = 1 OR R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR (R04_AS1001_RS = 1 AND R04_AS1002_RS = 1) OR R04_AS1003 = 1, 2) AND R04_AS1010 != 3, THEN R04_EVER_NEVER_SMKLS = 1.

R04_EVER_NEVER_SMKLS = 2:

ELSE, R04_EVER_NEVER_SMKLS = 2.

R04_INIT_SMKLS_ADULT:

IF R03_EVER_NEVER_SMKLS != 1 AND R04_EVER_NEVER_SMKLS = 1, THEN R04_INIT_SMKLS_ADULT = 1.

ELSE, R04_INIT_SMKLS_ADULT = 2.

BOX ID: R04_ASR06

New cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing and aged-up young adult respondents who have never used smokeless tobacco, go to R04_AS1103.

Else, young adult respondents who have ever used smokeless tobacco and did not use smokeless tobacco in the past 12 months or did not know or refused to report whether they have used smokeless tobacco in the past 12 months, go to R04_AS1206.

Else, new cohort adult respondents who have ever seen or heard of smokeless tobacco, or continuing and aged-up adult respondents, go to Box R04_ASR24.

Else, go to Box R04_ADT01.

IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AS1001_RS = 1 AND R04_EVER_NEVER_SMKLS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SMKLS = 2), GO TO R04_AS1103.

ELSE, IF 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SMKLS = 1 AND R04_AS1002_12M = 2, -8, -7, GO TO R04_AS1206.

ELSE, IF (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1) OR R04_ADULTTYPE = 1, 2, GO TO BOX R04_ASR24.

ELSE, GO TO BOX R04_ADT01.

Variable(s): R04_AS1103***

Have you ever been curious about using smokeless tobacco?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing and aged-up young adult respondents who have never used smokeless tobacco.

ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AS1001_RS = 1 AND R04_EVER_NEVER_SMKLS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SMKLS = 2).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AS1206**/**

Do you think you will use smokeless tobacco in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing and aged-up young adult respondents who have never used smokeless tobacco, or young adult respondents who have ever used smokeless tobacco and did not use smokeless tobacco in the past 12 months or did not know or refused to report whether they have used smokeless tobacco in the past 12 months.

ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AS1001_RS = 1 AND R04_EVER_NEVER_SMKLS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SMKLS = 2) OR (18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SMKLS = 1 AND R04_AS1002_12M = 2, -8, -7).

NOTES: **SKIP ERROR: This item was skipped incorrectly by young adult respondents (18 <= R04R_A_AGE < 25) who have ever used smokeless tobacco (R04_EVER_NEVER_SMKLS = 1) and did not use smokeless tobacco in the past 12 months (R04_AS1002_12M = 2). This issue was fixed in a field update on 05/02/2017.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_ASR24
New cohort adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing and aged-up adult respondents who have never used smokeless tobacco, go to R04_AS1104. Else, go to Box R04_ASR48.	
IF (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_EVER_NEVER_SMKLS = 2) OR (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SMKLS = 2), GO TO R04_AS1104. ELSE, GO TO BOX R04_ASR48.	

Variable(s):	R04_AS1104
Do you think you will try smokeless tobacco soon?	
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED	
ASK: New cohort adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing and aged-up adult respondents who have never used smokeless tobacco.	
ASK Specification: IF (R04_ADULTTYPE = 3 AND R04_AS1001_RS = 1 AND R04_EVER_NEVER_SMKLS = 2) OR (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SMKLS = 2).	

BOX ID:	R04_ASR48
New cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing and aged-up young adult respondents who have never used smokeless tobacco, go to R04_AS1205. Else, go to Box R04_ADT01.	
IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AS1001_RS = 1 AND R04_EVER_NEVER_SMKLS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SMKLS = 2), GO TO R04_AS1205. ELSE, GO TO BOX R04_ADT01.	

Variable(s):	R04_AS1205***
If one of your best friends were to offer you smokeless tobacco, would you try it? 1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED ASK: New cohort young adult respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing and aged-up young adult respondents who have never used smokeless tobacco. ASK Specification: IF (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_AS1001_RS = 1 AND R04_EVER_NEVER_SMKLS = 2) OR (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_SMKLS = 2). NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R04_ADT01
The next question asks about another type of tobacco called dissolvable tobacco. You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth. Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks and flat strips. Some common brands are Ariva, Stonewall, and Camel Orbs, Sticks or Strips. [SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO] BOLD "dissolvable tobacco".	

BOX ID:	R04_ADR01
New cohort adult respondents, go to R04_AD1001_RS. Else, go to R04_AD1002_12M. IF R04_ADULTTYPE = 3, GO TO R04_AD1001_RS. ELSE, GO TO R04_AD1002_12M.	

Variable(s): R04_AD1001_RS	
Have you ever seen or heard of dissolvable tobacco before this study?	
[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]	
1 Yes	
2 No	GO TO BOX R04_ADV01
-8 DON'T KNOW	GO TO BOX R04_ADV01
-7 REFUSED	GO TO BOX R04_ADV01
ASK: New cohort adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 3.	
IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO	

Variable(s): R04_AD1002_RS	
Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?	
[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]	
1 Yes	
2 No	GO TO BOX R04_ADV01
-8 DON'T KNOW	GO TO BOX R04_ADV01
-7 REFUSED	GO TO BOX R04_ADV01
ASK: New cohort adult respondents who have ever seen or heard of dissolvable tobacco.	
ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AD1001_RS = 1.	
IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AD1002_12M
In the past 12 months, have you used dissolvable tobacco, even one or two times? [SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO] 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever seen or heard of dissolvable tobacco and have ever used dissolvable tobacco. ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AD1001_RS = 1 AND R04_AD1002_RS = 1). IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO

BOX ID: R04_ADV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R04_EVER_NEVER DISSBL = 1 (Ever user) Adult respondents who have ever used dissolvable tobacco. R04_EVER_NEVER DISSBL = 2 (Never user) Adult respondents who have never used dissolvable tobacco. R04_EVER_NEVER DISSBL = 1: IF (R04_AD1001_RS = 1 AND R04_AD1002_RS = 1) OR R03_EVER_NEVER DISSBL = 1 OR R04_AD1002_12M = 1, THEN R04_EVER_NEVER DISSBL = 1. R04_EVER_NEVER DISSBL = 2: ELSE, R04_EVER_NEVER DISSBL = 2.

BOX ID: R04_AXR124
New cohort adult respondents, go to R04_TOBCONF. Else, continuing and aged-up adult respondents, go to R04_AZ1002. IF R04_ADULTTYPE = 3, GO TO R04_TOBCONF. ELSE, IF R04_ADULTTYPE = 1, 2, GO TO R04_AZ1002.

CHECK ID: R04_TOBCONF

[The computer has recorded that you have never used cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipe tobacco, hookah tobacco, snus, smokeless tobacco or dissolvable tobacco. Is that correct?/The computer recorded that you have used the following tobacco products, even one or two times. Is this list correct?][

You have used:

[LIST ALL PRODUCTS EVER USED]]

You have not used:

[LIST ALL PRODUCTS NEVER USED]]

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and change your answers.

1 BACK

GO TO PREVIOUS QUESTION

2 NEXT

GO TO R04_AZ1002

ASK: IF R04_ADULTTYPE = 3.

DISPLAY: IF R04_AC1002_RS = 2, -8, -7 AND (R04_AV1001_RS = 2, -8, -7 OR R04_AV1002_RS = 2, -8, -7) AND (R04_AG1001_RS = 2, -8, -7 OR (R04_AG1001_RS = 1 AND R04_AG9003_RS != 1 AND R04_AG9004_RS != 1 AND R04_AG9105_RS != 1)) AND (R04_AP1001_RS = 2, -8, -7 OR R04_AP1002_RS = 2, -8, -7) AND (R04_AH1001_RS = 2, -8, -7 OR R04_AH1002_RS = 2, -8, -7) AND (R04_AU1001_RS = 2, -8, -7 OR R04_AU1002_RS = 2, -8, -7) AND (R04_AS1001_RS = 2, -8, -7 OR R04_AS1002_RS = 2, -8, -7) AND (R04_AD1001_RS = 2, -8, -7 OR R04_AD1002_RS = 2, -8, -7), DISPLAY "The computer has recorded that you have never used cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipe tobacco, hookah tobacco, snus, smokeless tobacco or dissolvable tobacco. Is that correct?".

ELSE, IF R04_EVER_NEVER_CIGS = 1 AND R04_EVER_NEVER_EPRODS = 1 AND (R04_EVER_NEVER_GTRAD = 1 OR R04_AG1095_01 = 1) AND (R04_EVER_NEVER_GRILLO = 1 AND R04_AG1095_02 = 1) AND (R04_EVER_NEVER_GFILTR = 1 OR R04_AG1095_03 = 1) AND R04_EVER_NEVER_PIPE = 1 AND R04_EVER_NEVER_HOOK = 1 AND R04_EVER_NEVER_SNUS = 1 AND R04_EVER_NEVER_SMKLS = 1 AND R04_EVER_NEVER_DISSBL = 1, DISPLAY "The computer recorded that you have used the following tobacco products, even one or two times. Is this list correct?" AND "You have used: [LIST ALL PRODUCTS EVER USED]".

ELSE, IF R04_EVER_NEVER_CIGS = 1 OR R04_EVER_NEVER_EPRODS = 1 OR R04_EVER_NEVER_GTRAD = 1 OR R04_AG1095_01 = 1 OR R04_EVER_NEVER_GRILLO = 1 OR R04_AG1095_02 = 1 OR R04_EVER_NEVER_GFILTR = 1 OR R04_AG1095_03 = 1 OR R04_EVER_NEVER_PIPE = 1 OR R04_EVER_NEVER_HOOK = 1 OR R04_EVER_NEVER_SNUS = 1 OR R04_EVER_NEVER_SMKLS = 1 OR R04_EVER_NEVER_DISSBL = 1, DISPLAY "The computer recorded that you have used the following tobacco products, even one or two times. Is this list correct?" AND "You have used: [LIST ALL PRODUCTS EVER USED]" AND "You have not used: [LIST ALL PRODUCTS NEVER USED]".

FOR "[LIST ALL PRODUCTS EVER USED]" AND "[LIST ALL PRODUCTS NEVER USED]", DISPLAY THE PRODUCT NAMES IN LOWERCASE LETTERS AS A BULLETPoint LIST

FOR "[LIST ALL PRODUCTS EVER USED]", IF R04_EVER_NEVER_CIGS = 1, INCLUDE "cigarettes"; IF R04_EVER_NEVER_EPRODS = 1, INCLUDE "electronic nicotine products"; (IF R04_EVER_NEVER_GTRAD = 1 OR R04_AG1095_01 = 1, INCLUDE "traditional cigars"; (IF R04_EVER_NEVER_GRILLO = 1 OR R04_AG1095_02 = 1, INCLUDE "cigarillos"; (IF R04_EVER_NEVER_GFILTR = 1 OR R04_AG1095_03 = 1, INCLUDE "filtered cigars"; IF R04_EVER_NEVER_PIPE = 1, INCLUDE "pipe tobacco"; IF R04_EVER_NEVER_HOOK = 1, INCLUDE "hookah tobacco"; IF R04_EVER_NEVER_SNUS = 1, INCLUDE "snus"; IF

PATH Study Wave 4 Adult Public Use File Annotated Instrument

R04_EVER_NEVER_SMKLS = 1, INCLUDE "smokeless tobacco"; IF R04_EVER_NEVER_DISSBL = 1, INCLUDE "dissolvable tobacco".

FOR "[LIST ALL PRODUCTS NEVER USED]", IF R04_EVER_NEVER_CIGS != 1, INCLUDE "cigarettes"; IF R04_EVER_NEVER_EPRODS != 1, INCLUDE "electronic nicotine products"; (IF R04_EVER_NEVER_GTRAD != 1 AND R04_AG1095_01 != 1, INCLUDE "traditional cigars"; (IF R04_EVER_NEVER_GRILLO != 1 AND R04_AG1095_02 != 1, INCLUDE "cigarillos"; (IF R04_EVER_NEVER_GFILTR != 1 AND R04_AG1095_03 != 1, INCLUDE "filtered cigars"; IF R04_EVER_NEVER_PIPE != 1, INCLUDE "pipe tobacco"; IF R04_EVER_NEVER_HOOK != 1, INCLUDE "hookah tobacco"; IF R04_EVER_NEVER_SNUS != 1, INCLUDE "snus"; IF R04_EVER_NEVER_SMKLS != 1, INCLUDE "smokeless tobacco"; IF R04_EVER_NEVER_DISSBL != 1, INCLUDE "dissolvable tobacco".

PROGRAM: TRIGGER CHECK IF R04_ADULTTYPE = 3.

Variable(s): R04_AZ1002; R04_AZ1002_OS

You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipe tobacco, hookah tobacco, snus, smokeless tobacco and dissolvable tobacco.

Besides these products, have you ever used any other tobacco products? Please do not include products such as a nicotine patch, gum, inhaler, nasal spray, lozenge or pill.

- 1 Yes (SPECIFY)
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Which other products have you ever used? Please type your answer using the computer keyboard."

BOX ID: R04_AXR125

New cohort adult respondents, go to R04_GATE.

Else, continuing and aged-up adult respondents, go to the next section.

IF R04_ADULTTYPE = 3, GO TO R04_GATE.

ELSE, IF R04_ADULTTYPE = 1, 2, GO TO THE NEXT SECTION (see note in Box R04_AMD07).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

PATH ID:	R04_GATE
Please confirm that your answers to the prior questions are correct. Once you press the confirm button below, you will not be able to go back and change your answers to the prior questions.	
1	Confirm answers are correct
-8	DON'T KNOW
-7	REFUSED
	GO TO BOX R04_AXR01
	GO TO R04_GATECHK
	GO TO R04_GATECHK
ASK: New cohort adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 3.	

PATH ID:	R04_GATECHK
You cannot select "I don't know the answer" or "I'd rather not answer". You MUST confirm that your answers to the prior questions are correct before continuing the interview. Please press the BACK button and correct your answers to the prior questions or confirm that your answers to the prior questions are correct.	
1	BACK
	GO TO R04_GATE
ASK: IF R04_ADULTTYPE = 3 AND R04_GATE = -8, -7.	
PROGRAM: TRIGGER CHECK IF R04_GATE = -8, -7.	

BOX ID:	R04_AXR01
PROGRAM: Run second stage sampling algorithm for new cohort adult respondents only.	
New cohort adult respondents that are not sampled and thus screened out of the PATH Study, go to R04_AL3002_RS.	
Else, sampled new cohort adult respondents and all other adult respondents will then be routed through the remainder of the questionnaire as follows:	
For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.	
For respondents that have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.	

BOX ID:	R04_AXV11
PROGRAM: SET DISPOSITION CODES	
New cohort adult respondents that are screened out after the Phase 2 Screener, set disposition code to CPX.	
New cohort adult respondents that report active military duty, set disposition code to CAM.	

PATH ID: R04_AL3002_RS

[FOR RESPONDENTS WHO ARE ACTIVE DUTY MILITARY, DISPLAY:]

Interviewer: This respondent is on active duty in the U.S. Armed Services and is not eligible to be interviewed in this study.

[FOR RESPONDENTS WHO ARE PART OF THE REPLENISHMENT SAMPLE WHO ARE NOT SAMPLED AT THE END OF THE PHASE 2 SCREENER, DISPLAY:]

Interviewer: This respondent has completed a brief adult interview.

1 Monitor Password

ASK: New cohort adult respondents who are currently on active military duty or have screened out of the Phase 2 screener (disposition codes CAM and CPX).

ASK Specification: IF R04_ADULTTYPE = 3 AND ((R04_AM0007 = 1 AND R04_AM0008_RS = 1) OR Scrn112_AssignmentStatus = CPX).

PROGRAM: THE MONITOR PASSWORD IS 8954.

CIGARETTE**BOX ID: R04_ACR13**

Continuing and aged-up adult respondents who were new former established or still former established cigarette smokers and had smoked 100 or more cigarettes and had smoked fairly regularly as of their last completed interview, and have not smoked cigarettes in the past 12 months or now smoke cigarettes not at all, go to Box R04_ACV01.

Else, go to Box R04_ACT01.

IF R04_ADULTTYPE = 1, 2 AND R03_CIG_USER_STATUS = 4, 5 AND R03_NUMLIFE_CIGS = 1 AND R03_REGUSE_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), GO TO BOX R04_ACV01.

ELSE, GO TO BOX R04_ACT01.

BOX ID: R04_ACT01

The next questions ask about your experience with **cigarettes**.

BOLD "cigarettes".

BOX ID: R04_ACR11

New cohort adult respondents who have ever smoked a cigarette, go to R04_AC1006_RS.

Else, continuing and aged-up adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes as of their last completed interview, go to R04_AC1005.

Else, continuing and aged-up adult respondents who have ever smoked a cigarette and had not reported ever smoking cigarettes fairly regularly as of their last completed interview, go to R04_AC1100.

Else, go to Box R04_ACV01.

IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1, GO TO R04_AC1006_RS.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND R03_NUMLIFE_CIGS != 1, GO TO R04_AC1005.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND R03_NUMLIFE_CIGS = 1 AND R03_REGUSE_CIGS != 1, GO TO R04_AC1100.

ELSE, GO TO BOX R04_ACV01.

Variable(s): R04_AC1006_RS

How old were you the first time you smoked part or all of a cigarette?

I ___ I ___ I Years old

-8 DON'T KNOW

GO TO R04_AC1120_RS

-7 REFUSED

GO TO R04_AC1120_RS

ASK: New cohort adult respondents who have ever smoked a cigarette.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

CHECK ID: R04_AC1006_RS_LC1

The computer recorded that you first smoked all or part of a cigarette at age [R04_AC1006_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------------|
| 1 | BACK | GO TO R04_AC1006_RS |
| 2 | NEXT | GO TO R04_AC1006_RS_LC2 |

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1006_RS != -8, -7 AND R04_AC1006_RS <= 10.

PROGRAM: TRIGGER CHECK IF R04_AC1006_RS <= 10.

ELSE, GO TO R04_AC1006_RS_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AC1006_RS_LC2

The computer recorded that you first smoked all or part of a cigarette at age [R04_AC1006_RS]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AC1006_RS |
| 2 | NEXT | GO TO R04_AC1005 |

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AC1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO R04_AC1005 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R04_AC1120_RS**

The first time you smoked part or all of a cigarette, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever smoked cigarettes and did not know or refused to report the age they first smoked a cigarette.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1006_RS = -8, -7.

Variable(s): **R04_AC1005**

How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

- 1 1 or more puffs but never a whole cigarette
- 2 1 to 10 cigarettes (about ½ pack total)
- 3 11 to 20 cigarettes (about ½ pack to 1 pack)
- 4 21 to 50 cigarettes (more than 1 pack but less than 3 packs)
- 5 51 to 99 cigarettes (more than 2 ½ packs but less than 5 packs)
- 6 100 or more cigarettes (5 packs or more)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes as of their last completed interview, or new cohort adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND R03_NUMLIFE_CIGS != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_ACR53
Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked 100 or more cigarettes, go to R04_AC1100. Else, go to Box R04_ACV01.	
IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6), GO TO R04_AC1100. ELSE, GO TO BOX R04_ACV01.	

Variable(s):	R04_AC1100
Have you ever smoked cigarettes fairly regularly?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked 100 or more cigarettes.	
ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6).	

BOX ID:	R04_ACR19
Aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly, go to R04_AC1007_NB. Else, go to Box R04_ACV01.	
IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1), GO TO R04_AC1007_NB. ELSE, GO TO BOX R04_ACV01.	

Variable(s): R04_AC1007_NB**

How old were you when you first started smoking cigarettes fairly regularly?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R04_AC1121_NB

-7 REFUSED

GO TO R04_AC1121_NB

ASK: Aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly .

ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

NOTES: **SKIP ERROR: This item was skipped incorrectly by aged-up adult respondents (R04_ADULTTYPE = 2) who have ever smoked 100 or more cigarettes as of their last completed interview (R03_NUMLIFE_CIGS = 1) and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly (R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1). The error was not corrected during Wave 4 Data Collection.

CHECK ID: R04_AC1007_NB_LC1

The computer recorded that you started smoking cigarettes fairly regularly at age [R04_AC1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AC1007_NB

2 NEXT

GO TO R04_AC1007_NB_LC2

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1 AND R04_AC1007_NB != -8, -7 AND R04_AC1007_NB <= 5) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_AC1007_NB != -8, -7 AND R04_AC1007_NB <= 5).

PROGRAM: TRIGGER CHECK IF R04_AC1007_NB <= 5.

ELSE, GO TO R04_AC1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID:	R04_AC1007_NB_LC2						
The computer recorded that you started smoking cigarettes fairly regularly at age [R04_AC1007_NB]. This is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AC1007_NB</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO BOX R04_ACV01</td> </tr> </table> ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1 AND R04_AC1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_AC1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18). PROGRAM: TRIGGER CHECK IF R04_AC1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_ACV01 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AC1007_NB	2	NEXT	GO TO BOX R04_ACV01
1	BACK	GO TO R04_AC1007_NB					
2	NEXT	GO TO BOX R04_ACV01					

Variable(s):	R04_AC1121_NB																
When you first started smoking cigarettes fairly regularly, were you... <table> <tr> <td>1</td> <td>Less than 18 years old,</td> </tr> <tr> <td>2</td> <td>18 to 24 years old,</td> </tr> <tr> <td>3</td> <td>25 to 34 years old,</td> </tr> <tr> <td>4</td> <td>35 to 44 years old,</td> </tr> <tr> <td>5</td> <td>45 to 54 years old, or</td> </tr> <tr> <td>6</td> <td>55 years old or older?</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: Aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report the age they started smoking cigarettes fairly regularly, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and did not know or refused to report the age they started smoking cigarettes fairly regularly. ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_CIGS = 1 AND ((R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R04_AC1007_NB = -8, -7) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_AC1007_NB = -8, -7).		1	Less than 18 years old,	2	18 to 24 years old,	3	25 to 34 years old,	4	35 to 44 years old,	5	45 to 54 years old, or	6	55 years old or older?	-8	DON'T KNOW	-7	REFUSED
1	Less than 18 years old,																
2	18 to 24 years old,																
3	25 to 34 years old,																
4	35 to 44 years old,																
5	45 to 54 years old, or																
6	55 years old or older?																
-8	DON'T KNOW																
-7	REFUSED																

BOX ID: R04_ACV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R04_CIG_USER_STATUS = 1 (Current established user) Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days.

R04_CIG_USER_STATUS = 2 (Current experimental user) Adult respondents who have not smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days.

R04_CIG_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a cigarette and have not smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all.

R04_CIG_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental cigarette smokers as of their last completed interview, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever smoked cigarettes as of their last completed interview, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, have smoked at least 100 cigarettes in their entire life, have smoked in the past 12 months and currently smoke not at all; and new cohort adult respondents who have smoked at least 100 cigarettes in their entire life, have smoked in the past 12 months and currently smoke not at all.

R04_CIG_USER_STATUS = 5 (Long-term former established user) Continuing and aged-up adult respondents who were new former established or still former established cigarette smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all, and new cohort adult respondents who have smoked at least 100 cigarettes in their entire life and did not smoke in the past 12 months.

R04_CURRENT_CIG_USE = 1 (Every day established user) Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day.

R04_CURRENT_CIG_USE = 2 (Some day established user) Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke some days.

R04_FORMER_THIRTYDAY_USER_CIGS = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established cigarette smokers who have smoked any cigarettes in the past 30 days.

R04_CIG_USER_STATUS = 1:

IF (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R04_AC1003 = 1, 2, THEN
R04_CIG_USER_STATUS = 1.

R04_CIG_USER_STATUS = 2:

ELSE, IF R04_EVER_NEVER_CIGS = 1 AND R03_NUMLIFE_CIGS != 1 AND R04_AC1005 != 6 AND R04_AC1003 = 1, 2, THEN R04_CIG_USER_STATUS = 2.

R04_CIG_USER_STATUS = 3:

ELSE, IF R04_EVER_NEVER_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3) AND R03_NUMLIFE_CIGS != 1 AND R04_AC1005 != 6, THEN R04_CIG_USER_STATUS = 3.

R04_CIG_USER_STATUS = 4:

ELSE, IF (R03_CIG_USER_STATUS = 1, 2, 3 OR (R04_INIT_CIGS_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_CIGS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AC1009_NN <= 365 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN <= 12 AND R04_AC1009_UN = 2) OR (R04_AC1009_NN <= 1 AND R04_AC1009_UN = 3)))) AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR

PATH Study Wave 4 Adult Public Use File Annotated Instrument

R04_AC1005 = 6) AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN
R04_CIG_USER_STATUS = 4.

R04_CIG_USER_STATUS = 5:

ELSE, IF (R03_CIG_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AC1005 = 6 AND
((R04_AC1009_NN > 365 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN > 12 AND
R04_AC1009_UN = 2) OR (R04_AC1009_NN > 1 AND R04_AC1009_UN = 3)))) AND
R04_EVER_NEVER_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN
R04_CIG_USER_STATUS = 5.

R04_CURRENT_CIG_USE = 1:

IF R04_CIG_USER_STATUS = 1 AND R04_AC1003 = 1, THEN R04_CURRENT_CIG_USE = 1.

R04_CURRENT_CIG_USE = 2:

ELSE, IF R04_CIG_USER_STATUS = 1 AND R04_AC1003 = 2, THEN R04_CURRENT_CIG_USE =
2.

R04_FORMER_THIRTYDAY_USER_CIGS:

IF R04_CIG_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AC1009_NN <= 30 AND R04_AC1009_UN =
1) OR (R04_AC1009_NN = 1 AND R04_AC1009_UN = 2) OR R04_AC1004 = 1), THEN
R04_FORMER_THIRTYDAY_USER_CIGS = 1.

ELSE, R04_FORMER_THIRTYDAY_USER_CIGS = 2.

BOX ID: R04_ACR01

New baseline adult respondents who are every day established cigarette smokers, go to
R04_AC1020_NB.

Else, continuing and aged-up adult respondents who initiated cigarette smoking since their last
completed interview, or new cohort adult respondents who have ever smoked a cigarette, go to
R04_AC1008.

Else, go to Box R04_ACR42.

IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_CIG_USE = 1, GO TO R04_AC1020_NB.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_CIGS_ADULT = 1) OR (R04_ADULTTYPE = 3
AND R04_EVER_NEVER_CIGS = 1), GO TO R04_AC1008.

ELSE, GO TO BOX R04_ACR42.

Variable(s): R04_AC1020_NB

How old were you when you first started smoking cigarettes every day?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO BOX R04_AC1122_NB

-7 REFUSED

GO TO BOX R04_AC1122_NB

ASK: New baseline adult respondents who are every day established cigarette smokers.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_CIG_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R04_AC1020_NB_LC1

The computer recorded that you started smoking cigarettes every day at age [R04_AC1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------------|
| 1 | BACK | GO TO R04_AC1020_NB |
| 2 | NEXT | GO TO R04_AC1020_NB_LC2 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_CIG_USE = 1 AND R04_AC1020_NB != -8, -7 AND (R04_AC1020_NB <= 5 OR R04_AC1020_NB < R04_AC1007_NB).

PROGRAM: TRIGGER CHECK IF R04_AC1020_NB <= 5 OR R04_AC1020_NB < R04_AC1007_NB. ELSE, GO TO R04_AC1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AC1020_NB_LC2

The computer recorded that you started smoking cigarettes every day at age [R04_AC1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AC1020_NB |
| 2 | NEXT | GO TO BOX R04_ACR21 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_CIG_USE = 1 AND R04_AC1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AC1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_ACR21 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AC1122_NB

When you first started smoking cigarettes every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who are every day established cigarettes smokers and did not know or refused to report the age they started smoking cigarettes every day.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_CIG_USE = 1 AND R04_AC1020_NB = -8, -7.

BOX ID: R04_ACR21

Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, or new cohort adult respondents who have ever smoked a cigarette, go to R04_AC1008. Else, go to Box R04_ACR22.

IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_CIGS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1), GO TO R04_AC1008.
ELSE, GO TO BOX R04_ACR22.

Variable(s): R04_AC1008

When you first started smoking cigarettes, did you start with cigarettes flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, or new cohort adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_CIGS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_ACR22
Continuing and aged-up young adult respondents who initiated cigarette smoking since their last completed interview, or new cohort young adult respondents who have ever smoked a cigarette, go to R04_AC9904. Else, go to Box R04_ACR42.	
IF (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_INIT_CIGS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_CIGS = 1), GO TO R04_AC9904. ELSE, GO TO BOX R04_ACR42.	

Variable(s):	R04_AC9904
How much did you experience <u>pleasant</u> sensations the first time you smoked a cigarette?	
1 Not at all 2 A little 3 Somewhat 4 A lot -8 DON'T KNOW -7 REFUSED	
ASK: Continuing and aged-up young adult respondents who initiated cigarette smoking since their last completed interview, or new cohort young adult respondents who have ever smoked a cigarette. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_INIT_CIGS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_CIGS = 1). DISPLAY: UNDERLINE "pleasant" IN THE QUESTION TEXT.	

Variable(s):	R04_AC9905
How much did you experience <u>unpleasant</u> sensations the first time you smoked a cigarette?	
1 Not at all 2 A little 3 Somewhat 4 A lot -8 DON'T KNOW -7 REFUSED	
ASK: Continuing and aged-up young adult respondents who initiated cigarette smoking since their last completed interview, or new cohort young adult respondents who have ever smoked a cigarette. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_INIT_CIGS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_CIGS = 1). DISPLAY: UNDERLINE "unpleasant" IN THE QUESTION TEXT.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AC9906**

How much did you feel sick to your stomach the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up young adult respondents who initiated cigarette smoking since their last completed interview, or new cohort young adult respondents who have ever smoked a cigarette.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND 18 <= R04R_A_AGE < 25 AND R04_INIT_CIGS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_CIGS = 1).

BOX ID: **R04_ACR42**

Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly, go to R04_AC9002.

Else, go to Box R04_ACR23.

IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1), GO TO R04_AC9002.

ELSE, GO TO BOX R04_ACR23.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AC9002_NN; R04_AC9002_UN**

About how long [have you been smoking/did you smoke] fairly regularly? Do not count any time you may have stayed off cigarettes.

1 I__I__I Months

2 I__I__I Years

-8 DON'T KNOW

GO TO BOX R04_ACR23

-7 REFUSED

GO TO BOX R04_ACR23

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1).

DISPLAY: IF R04_CIG_USER_STATUS = 1, DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AC9002_UN = Months; the value "2" refers to R04_AC9002_UN = Years.

CHECK ID: **R04_AC9002_LC1**

The computer recorded that you have smoked fairly regularly for [R04_AC9002] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AC9002

2 NEXT

GO TO R04_AC9002_LC2

ASK: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1) AND R04_AC9002_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC9002_UN = 2.

PROGRAM: TRIGGER CHECK IF R04_AC9002_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC9002_UN = 2.

ELSE, GO TO R04_AC9002_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AC9002_LC2

The computer recorded that you entered [R04_AC9002] years. This question is about how long you have been smoking fairly regularly, not when you started.

Please double check the number of years you entered.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AC9002

2 NEXT

GO TO BOX R04_ACR23

ASK: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1) AND ((R04_AC9002_UN = 2 AND R04_AC9002_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18) OR (R04_AC9002_NN > 60 AND R04_AC9002_UN = 2)).

PROGRAM: TRIGGER CHECK IF (R04_AC9002_UN = 2 AND R04_AC9002_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18) OR (R04_AC9002_NN > 60 AND R04_AC9002_UN = 2).

ELSE, GO TO BOX R04_ACR23 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_ACR23

Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and are recent former established cigarette smokers, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are recent former established or long-term former established cigarette smokers, go to R04_AC9003.

Else, go to Box R04_ACR51.

IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 4) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 4, 5), GO TO R04_AC9003.

ELSE, GO TO BOX R04_ACR51.

Variable(s): R04_AC9003_NN; R04_AC9003_UN

On average, about how many cigarettes did you smoke per day while you were smoking fairly regularly? A pack usually has 20 cigarettes in it.

1 |__| |__| Cigarettes per day

2 |__| |__| Packs per day

-8 DON'T KNOW

GO TO BOX R04_ACR51

-7 REFUSED

GO TO BOX R04_ACR51

ASK: Continuing and aged-up adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and are recent former established cigarette smokers, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are recent former established or long-term former established cigarette smokers.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 4) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 4, 5).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AC9003_UN = Cigarettes per day; the value "2" refers to R04_AC9003_UN = Packs per day.

CHECK ID: R04_AC9003_LC1

The computer recorded that on average you smoked [R04_AC9003] [cigarettes/packs] a day while you were smoking regularly.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AC9003

2 NEXT

GO TO BOX R04_ACR51

ASK: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 4 AND ((R04_AC9003_NN > 40 AND R04_AC9003_UN = 1) OR R04_AC9003_NN = 11, 22, 33 OR (R04_AC9003_NN > 2 AND R04_AC9003_UN = 2))) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 4, 5 AND ((R04_AC9003_NN > 40 AND R04_AC9003_UN = 1) OR R04_AC9003_NN = 11, 22, 33 OR (R04_AC9003_NN > 2 AND R04_AC9003_UN = 2))).

DISPLAY: IF R04_AC9003_UN = 1, DISPLAY "cigarettes".

ELSE, IF R04_AC9003_UN = 2, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF (R04_AC9003_NN > 40 AND R04_AC9003_UN = 1) OR R04_AC9003_NN = 11, 22, 33 OR (R04_AC9003_NN > 2 AND R04_AC9003_UN = 2).

ELSE, GO TO BOX R04_ACR51 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_ACR51
New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers, go to R04_AC1025_RS. Else, go to Box R04_ACR04.	
IF R04_ADULTTYPE = 3 AND R04_CIG_USER_STATUS = 1, 2, 3, 4, 5, GO TO R04_AC1025_RS. ELSE, GO TO BOX R04_ACR04.	

Variable(s):	R04_AC1025_RS	
Around this time 12 months ago, were you smoking cigarettes every day, some days, or not at all?		
1	Every day	
2	Some days	GO TO BOX R04_ACR04
3	Not at all	GO TO BOX R04_ACR04
-8	DON'T KNOW	GO TO BOX R04_ACR04
-7	REFUSED	GO TO BOX R04_ACR04
ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers.		
ASK Specification: IF R04_ADULTTYPE = 3 AND R04_CIG_USER_STATUS = 1, 2, 3, 4, 5.		

Variable(s):	R04_AC9006_RS_NN; R04_AC9006_RS_UN	
Around this time 12 months ago, on average, about how many cigarettes did you smoke each day? A pack usually has 20 cigarettes in it.		
1	I__I__ Cigarettes per day	
2	I__I__ Packs per day	
-8	DON'T KNOW	GO TO R04_AC9140_RS
-7	REFUSED	GO TO R04_AC9140_RS
ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers and smoked every day around this time 12 months ago.		
ASK Specification: IF R04_ADULTTYPE = 3 AND R04_CIG_USER_STATUS = 1, 2, 3, 4, 5 AND R04_AC1025_RS = 1.		
PROGRAM: Display as Quantity/Units.		
NOTES: The value "1" refers to R04_AC9006_RS_UN = Cigarettes per day; the value "2" refers to R04_AC9006_RS_UN = Packs per day.		

CHECK ID: R04_AC9006_RS_LC1

The computer recorded that around this time 12 months ago, on average you smoked [R04_AC9006_RS] [cigarettes/packs] a day.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AC9006_RS |
| 2 | NEXT | GO TO BOX R04_ACR04 |

ASK: IF R04_ADULTTYPE = 3 AND R04_CIG_USER_STATUS = 1, 2, 3, 4, 5 AND R04_AC1025_RS = 1 AND ((R04_AC9006_RS_NN > 40 AND R04_AC9006_RS_UN = 1) OR R04_AC9006_RS_NN = 11, 22, 33 OR (R04_AC9006_RS_NN > 2 AND R04_AC9006_RS_UN = 2)).

DISPLAY: IF R04_AC9006_RS_UN = 1, DISPLAY "cigarettes".

ELSE, IF R04_AC9006_RS_UN = 2, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF (R04_AC9006_RS_NN > 40 AND R04_AC9006_RS_UN = 1) OR R04_AC9006_RS_NN = 11, 22, 33 OR (R04_AC9006_RS_NN > 2 AND R04_AC9006_RS_UN = 2).

ELSE, GO TO BOX R04_ACR04 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AC9140_RS

Would you say that, around this time 12 months ago, on average, you smoked more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day? A pack usually has 20 cigarettes in it.

- 1 More than 20 cigarettes each day
- 2 About 20 cigarettes each day
- 3 Less than 20 cigarettes each day
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers and smoked every day around this time 12 months ago and did not know or refused to report how many cigarettes they smoked every day around this time 12 months ago.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2, 3, 4, 5 AND R04_ADULTTYPE = 3 AND R04_AC1025_RS = 1 AND R04_AC9006_RS_NN = -8, -7.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_ACR04
Adult respondents who are every day established cigarette smokers, go to R04_AC1021. Else, adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers, go to R04_AC1022. Else, adult respondents who are recent former established cigarette smokers, go to R04_AC1047MC. Else, go to the next section.	
IF R04_CURRENT_CIG_USE = 1, GO TO R04_AC1021. ELSE, IF R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1, GO TO R04_AC1022. ELSE, IF R04_CIG_USER_STATUS = 4, GO TO R04_AC1047MC. ELSE, GO TO NEXT SECTION (see note in Box R04_AMD07).	

Variable(s):	R04_AC1021_NN; R04_AC1021_UN
On average, about how many cigarettes do you now smoke each day? A pack usually has 20 cigarettes in it.	
1 I ___ I ___ Cigarettes per day	
2 I ___ I ___ Packs per day	
-8 DON'T KNOW	GO TO R04_AC1090
-7 REFUSED	GO TO R04_AC1090
ASK: Adult respondents who are every day established cigarette smokers. ASK Specification: IF R04_CURRENT_CIG_USE = 1. PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R04_AC1021_UN = Cigarettes per day; the value "2" refers to R04_AC1021_UN = Packs per day.	

CHECK ID:	R04_AC1021_LC1
The computer recorded that you now smoke [R04_AC1021] [cigarettes/packs] a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1021
2 NEXT	GO TO BOX R04_ACV03
ASK: IF R04_CURRENT_CIG_USE = 1 AND ((R04_AC1021_NN > 40 AND R04_AC1021_UN = 1) OR R04_AC1021_NN = 11, 22, 33 OR (R04_AC1021_NN > 2 AND R04_AC1021_UN = 2)). DISPLAY: IF R04_AC1021_UN = 1, DISPLAY "cigarettes". ELSE, IF R04_AC1021_UN = 2, DISPLAY "packs". PROGRAM: TRIGGER CHECK IF (R04_AC1021_NN > 40 AND R04_AC1021_UN = 1) OR R04_AC1021_NN = 11, 22, 33 OR (R04_AC1021_NN > 2 AND R04_AC1021_UN = 2). ELSE, GO TO BOX R04_ACV03 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC1090		
Would you say that, on average, you now smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day?		
1	More than 20 cigarettes each day	GO TO BOX R04_ACV03
2	About 20 cigarettes each day	GO TO BOX R04_ACV03
3	Less than 20 cigarettes each day	GO TO BOX R04_ACV03
-8	DON'T KNOW	GO TO BOX R04_ACV03
-7	REFUSED	GO TO BOX R04_ACV03
ASK: Adult respondents who are every day established cigarette smokers and did not know or refused to report how many cigarettes they now smoke each day.		
ASK Specification: IF R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN = -8, -7.		

Variable(s): R04_AC1022		
On how many of the past 30 days did you smoke cigarettes?		
	I ___ I ___ DAYS	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers.		
ASK Specification: IF R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1.		
DISPLAY: DISPLAY "DAYS" AS TITLE.		
PROGRAM: Range check: 0-30 days.		

BOX ID: R04_ACR25		
Adult respondents who are some day established or current experimental cigarette smokers and smoked on 0 days of the past 30 days, go to R04_AC9029.		
Else, adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R04_AC1023.		
Else, go to Box R04_ACV03.		
IF (R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2) AND R04_AC1022 = 0, GO TO R04_AC9029.		
ELSE, IF (R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0, GO TO R04_AC1023.		
ELSE, GO TO BOX R04_ACV03.		

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AC9029_NN; R04_AC9029_UN**

About how long has it been since you last smoked a cigarette?

1 I__I__I DAYS

2 I__I__I MONTHS

3 I__I__I YEARS

-8 DON'T KNOW

GO TO BOX R04_ACV03

-7 REFUSED

GO TO BOX R04_ACV03

ASK: Adult respondents who are some day established or current experimental cigarette smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2) AND R04_AC1022 = 0.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AC9029_UN = Days; the value "2" refers to R04_AC9029_UN = Months; the value "3" refers to R04_AC9029_UN = Years.

CHECK ID: **R04_AC9029_LC1**

The computer recorded that you last smoked a cigarette [R04_AC9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AC9029

2 NEXT

GO TO BOX R04_ACV03

ASK: IF (R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2) AND R04_AC1022 = 0 AND ((R04_AC9029_NN < 30 AND R04_AC9029_UN = 1) OR (R04_AC9029_NN < 1 AND R04_AC9029_UN = 2) OR (R04_AC9029_NN > 18 AND R04_AC9029_UN = 2) OR (R04_AC9029_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AC9029 = 3)).

DISPLAY: IF R04_AC9029_UN = 1, DISPLAY "days".

ELSE, IF R04_AC9029_UN = 2, DISPLAY "months".

ELSE, IF R04_AC9029_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AC9029_NN < 30 AND R04_AC9029_UN = 1) OR (R04_AC9029_NN < 1 AND R04_AC9029_UN = 2) OR (R04_AC9029_NN > 18 AND R04_AC9029_UN = 2) OR (R04_AC9029_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AC9029 = 3).

ELSE, GO TO BOX R04_ACV03 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AC1023_NN; R04_AC1023_UN

On average, on those [FILL NUMBER OF DAYS FROM R04_AC1022 days/days you smoked], how many cigarettes did you usually smoke each day? A pack usually has 20 cigarettes in it.

1 I__I__I Cigarettes per day

2 I__I__I Packs per day

-8 DON'T KNOW

GO TO BOX R04_ACV03

-7 REFUSED

GO TO BOX R04_ACV03

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0.

DISPLAY: IF R04_AC1022 = 1, -8, -7, DISPLAY "days you smoked".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AC1022 AND "days" (EX. "2 days").

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AC1023_UN = Cigarettes per day; the value "2" refers to R04_AC1023_UN = Packs per day.

CHECK ID: R04_AC1023_LC1

The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AC1023] [cigarettes/packs] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AC1023

2 NEXT

GO TO BOX R04_ACV03

ASK: IF (R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0 AND ((R04_AC1023_NN > 40 AND R04_AC1023_UN = 1) OR R04_AC1023_NN = 0, 11, 22, 33 OR (R04_AC1023_NN > 2 AND R04_AC1023_UN = 2)).

DISPLAY: IF R04_AC1023_UN = 1, DISPLAY "cigarettes".

ELSE, IF R04_AC1023_UN = 2, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF (R04_AC1023_NN > 40 AND R04_AC1023_UN = 1) OR R04_AC1023_NN = 0, 11, 22, 33 OR (R04_AC1023_NN > 2 AND R04_AC1023_UN = 2).

ELSE, GO TO BOX R04_ACV03 AND DO NOT DISPLAY THIS SCREEN.

BOX ID:	R04_ACV03
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):	
R04_CIGSPERDAY = Number of cigarettes smoked per day. R04_PCKSPERDAY = Number of packs smoked per day. R04_CIGSPERDAY2 = Estimate of cigarettes smoked per day when actual number is DK/RF.	
R04_CIGSPERDAY: IF R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN != -7, -8 AND R04_AC1021_UN = 1, THEN R04_CIGSPERDAY = R04_AC1021_NN. IF R04_CURRENT_CIG_USE = 2 AND R04_AC1023_NN != -8, -7 AND R04_AC1023_UN = 1, THEN R04_CIGSPERDAY = R04_AC1023_NN. IF R04_CIG_USER_STATUS = 4 AND R04_AC9003_NN != -8, -7 AND R04_AC9003_UN = 1, THEN R04_CIGSPERDAY = R04_AC9003_NN. R04_PCKSPERDAY: IF R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN != -7, -8 AND R04_AC1021_UN = 2, THEN R04_PCKSPERDAY = R04_AC1021_NN. IF R04_CURRENT_CIG_USE = 2 AND R04_AC1023_NN != -8, -7 AND R04_AC1023_UN = 2, THEN R04_PCKSPERDAY = R04_AC1023_NN. IF R04_CIG_USER_STATUS = 4 AND R04_AC9003_NN != -8, -7 AND R04_AC9003_UN = 2, THEN R04_PCKSPERDAY = R04_AC9003_NN. R04_CIGSPERDAY2: IF R04_AC1090 = 1, THEN R04_CIGSPERDAY2 = "more than 20 cigarettes each day". IF R04_AC1090 = 2, THEN R04_CIGSPERDAY2 = "about 20 cigarettes each day". IF R04_AC1090 = 3, THEN R04_CIGSPERDAY2 = "less than 20 cigarettes each day".	

BOX ID: R04_ACR05

Continuing adult respondents who initiated cigarette smoking since their last completed interview and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke, or aged-up adult respondents who have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke, or new cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke, go to R04_AC9004.

Else, continuing adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, or new baseline adult respondents who are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, go to R04_AC9009.

Else, go to Box R04_ACR41.

IF (R04_ADULTTYPE = 1 AND R04_INIT_CIGS_ADULT = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 1 AND (R04_AC1021_NN > 0 OR R04_AC1023_NN > 0)) OR (R04_ADULTTYPE = 2 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 1 AND (R04_AC1021_NN > 0 OR R04_AC1023_NN > 0)) OR (R04_ADULTTYPE = 3 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 1 AND (R04_AC1021_NN > 0 OR R04_AC1023_NN > 0)), GO TO R04_AC9004.

ELSE, IF (R04_ADULTTYPE = 1 AND R04_INIT_CIGS_ADULT = 1 AND R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN = -8, -7 AND R04_AC1090 = 1, 2, 3) OR (R04_ADULTTYPE = 2, 3 AND R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN = -8, -7 AND R04_AC1090 = 1, 2, 3), GO TO R04_AC9009.

ELSE, GO TO BOX R04_ACR41.

Variable(s): R04_AC9004

You mentioned that you smoke [#] [[cigarette[s]/pack[s]] per day[on the days that you smoke]. Have you smoked about this many [cigarettes/packs] per day since you started smoking fairly regularly?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R04_ACR41 |
| 2 | No | GO TO R04_AC9005 |
| -8 | DON'T KNOW | GO TO R04_AC9005 |
| -7 | REFUSED | GO TO R04_AC9005 |

ASK: Continuing adult respondents who initiated cigarette smoking since their last completed interview and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke, or

Aged-up adult respondents who have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke, or

New cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke.

ASK Specification: IF (R04_ADULTTYPE = 1 AND R04_INIT_CIGS_ADULT = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 1 AND (R04_AC1021_NN > 0 OR R04_AC1023_NN > 0)) OR (R04_ADULTTYPE = 2 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 1 AND (R04_AC1021_NN > 0 OR R04_AC1023_NN > 0)) OR (R04_ADULTTYPE = 3 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 1 AND (R04_AC1021_NN > 0 OR R04_AC1023_NN > 0)).

DISPLAY: AUTOFILL [#] WITH R04_CIGSPERDAY OR R04_PCKSPERDAY.

IF R04_CIGSPERDAY = 1, DISPLAY "cigarette".

ELSE, IF R04_CIGSPERDAY > 1, DISPLAY "cigarettes".

ELSE, IF R04_PCKSPERDAY = 1, DISPLAY "pack".

ELSE, IF R04_PCKSPERDAY > 1, DISPLAY "packs".

IF R04_CURRENT_CIG_USE = 2, DISPLAY " on the days that you smoke".

ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R04_AC9009
You mentioned that you smoke [R04_CIGSPERDAY2]. Have you smoked about this many cigarettes per day since you started smoking fairly regularly? 1 Yes GO TO BOX R04_ACR41 2 No -8 DON'T KNOW -7 REFUSED ASK: Continuing adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, or New baseline adult respondents who are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day. ASK Specification: IF (R04_ADULTTYPE = 1 AND R04_INIT_CIGS_ADULT = 1 AND R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN = -8, -7 AND R04_AC1090 = 1, 2, 3) OR (R04_ADULTTYPE = 2, 3 AND R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN = -8, -7 AND R04_AC1090 = 1, 2, 3). DISPLAY: IF R04_AC1090 = 1, FILL R04_CIGSPERDAY2 WITH "more than 20 cigarettes each day". ELSE, IF R04_AC1090 = 2, FILL WITH "about 20 cigarettes each day". ELSE, IF R04_AC1090 = 3, FILL WITH "less than 20 cigarettes each day".

Variable(s): **R04_AC9005_NN; R04_AC9005_UN**

On average, about how many cigarettes did you smoke per day when you smoked fairly regularly in the past?

1 |__|__| Cigarettes per day

2 |__|__| Packs per day

-8 DON'T KNOW

GO TO BOX R04_ACR41

-7 REFUSED

GO TO BOX R04_ACR41

ASK: Continuing adult respondents who initiated cigarette smoking since their last completed interview and have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report whether they smoked a different amount now than in the past, or

Aged-up adult respondents who have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report whether they smoked a different amount now than in the past, or

New cohort adult respondents who have ever smoked 100 or more cigarettes and have ever smoked cigarettes fairly regularly and are current established cigarette smokers and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report whether they smoked a different amount now than in the past, or

Continuing adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day and report smoking a different average amount now than in the past or did not know or refused to report whether they smoked a different average amount now than in the past, or

New baseline adult respondents who are current established cigarette smokers and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day and report smoking a different average amount now than in the past or did not know or refused to report whether they smoked a different average amount now than in the past.

ASK Specification: IF (R04_ADULTTYPE = 1 AND R04_INIT_CIGS_ADULT = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 1 AND (R04_AC1021_NN > 0 OR R04_AC1023_NN > 0) AND R04_AC9004 = 2, -8, -7) OR (R04_ADULTTYPE = 2 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 1 AND (R04_AC1021_NN > 0 OR R04_AC1023_NN > 0) AND R04_AC9004 = 2, -8, -7) OR (R04_ADULTTYPE = 3 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 1 AND (R04_AC1021_NN > 0 OR R04_AC1023_NN > 0) AND R04_AC9004 = 2, -8, -7) OR (R04_ADULTTYPE = 1 AND R04_INIT_CIGS_ADULT = 1 AND R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN = -8, -7 AND R04_AC1090 = 1, 2, 3 AND R04_AC9009 = 2, -8, -7) OR (R04_ADULTTYPE = 2, 3 AND R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN = -8, -7 AND R04_AC1090 = 1, 2, 3 AND R04_AC9009 = 2, -8, -7).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AC9005_UN = Cigarettes per day; the value "2" refers to R04_AC9005_UN = Packs per day.

CHECK ID: R04_AC9005_LC1

The computer recorded that, when you smoked regularly in the past, you smoked [R04_AC9005_NN] [cigarettes/packs] a day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AC9005

2 NEXT

GO TO BOX R04_ACR41

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1 AND ((R04_AC1023_NN > 0 OR R04_AC1021_NN > 0) AND R04_AC9004 != 1) OR (R04_AC1021_NN = -8, -7 AND R04_AC1090 = 1, 2, 3 AND R04_AC9009 != 1) AND ((R04_AC9005_NN > 40 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN = 11, 22, 33 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN > 2 AND R04_AC9005_UN = 2))) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND ((R04_AC1023_NN > 0 OR R04_AC1021_NN > 0) AND R04_AC9004 != 1) OR (R04_AC1021_NN = -8, -7 AND R04_AC1090 = 1, 2, 3 AND R04_AC9009 != 1) AND ((R04_AC9005_NN > 40 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN = 11, 22, 33 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN > 2 AND R04_AC9005_UN = 2))) OR (R04_ADULTTYPE = 1, 2 AND R04_INIT_CIGS_ADULT = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 1 AND ((R04_AC1023_NN > 0 OR R04_AC1021_NN > 0) AND R04_AC9004 != 1) OR (R04_AC1021_NN = -8, -7 AND R04_AC1090 = 1, 2, 3 AND R04_AC9009 != 1) AND ((R04_AC9005_NN > 40 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN = 11, 22, 33 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN > 2 AND R04_AC9005_UN = 2))) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_CIGS = 1 AND R04_AC1005 = 6 AND R04_AC1100 = 1 AND R04_CIG_USER_STATUS = 1 AND ((R04_AC1023_NN > 0 OR R04_AC1021_NN > 0) AND R04_AC9004 != 1) OR (R04_AC1021_NN = -8, -7 AND R04_AC1090 = 1, 2, 3 AND R04_AC9009 != 1) AND ((R04_AC9005_NN > 40 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN = 11, 22, 33 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN > 2 AND R04_AC9005_UN = 2)))

DISPLAY: IF R04_AC9005_UN = 1, DISPLAY "cigarettes".

ELSE, IF R04_AC9005_UN = 2, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF (R04_AC9005_NN > 40 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN = 11, 22, 33 AND R04_AC9005_UN = 1) OR (R04_AC9005_NN > 2 AND R04_AC9005_UN = 2).

ELSE, GO TO BOX R04_ACR41 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_ACR41

Adult respondents who are current established or current experimental cigarette smokers, go to R04_AC9022.

Else, adult respondents who are non-current 30-day cigarette smokers, go to R04_AC1024_30D.

Else, go to the the next section.

IF R04_CIG_USER_STATUS = 1, 2, GO TO R04_AC9022.

ELSE, IF R04_FORMER_THIRTYDAY_USER_CIGS = 1, GO TO R04_AC1024_30D.

ELSE, GO TO NEXT SECTION (see note in Box R04_AMD07).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AC9022**

Do you consider yourself a smoker?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2.

Variable(s): **R04_AC9045**

Please rate your level of agreement using the following scale: 1 = Not at all to 7 = Extremely.

Do you enjoy the sensation in your throat and chest when you smoke a cigarette?

- 1 Not at all
- 2
- 3
- 4
- 5
- 6
- 7 Extremely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2.

PROGRAM: Display response options as a horizontal scale, with labels as anchors on left and right.

Variable(s):	R04_AC1024_NN; R04_AC1024_UN
[On the days that you smoke, how/How] soon after you wake up do you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.	
1	I ___ I ___ I Minutes after waking
2	I ___ I ___ I Hours after waking
-8	DON'T KNOW GO TO R04_AC1092
-7	REFUSED GO TO R04_AC1092
ASK: Adult respondents who are current established or current experimental cigarette smokers.	
ASK Specification: IF R04_CIG_USER_STATUS = 1, 2.	
DISPLAY: IF R04_CURRENT_CIG_USE = 1, DISPLAY "How".	
ELSE, DISPLAY "On the days that you smoke, how".	
PROGRAM: Display as Quantity/Units.	
NOTES: The value "1" refers to R04_AC1024_UN = Minutes after waking; the value "2" refers to R04_AC1024_UN = Hours after waking.	

CHECK ID: R04_AC1024_LC1

The computer recorded that you typically smoke your first cigarette of the day [R04_AC1024_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R04_AC1024
2	NEXT	GO TO R04_AC1024_LC2

ASK: IF R04_CIG_USER_STATUS = 1, 2 AND ((R04_CURRENT_CIG_USE = 1 AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 4 AND R04_AC1024_UN = 2))) OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2) AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 12 AND R04_AC1024_UN = 2))))).

DISPLAY: IF R04_AC1024_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AC1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_CURRENT_CIG_USE = 1 AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 4 AND R04_AC1024_UN = 2))) OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2) AND ((R04_AC1024_NN > 60 AND R04_AC1024_UN = 1) OR (R04_AC1024_NN > 12 AND R04_AC1024_UN = 2))).

ELSE, GO TO R04_AC1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AC1024_LC2

The computer recorded "0" for how soon you typically smoke your first cigarette of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R04_AC1024 |
| 2 | NEXT | GO TO R04_AC9052 |

ASK: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AC1024_NN = 0.

ELSE, GO TO R04_AC9052 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AC1092

[On the days that you smoke, would/Would] you say you smoke your first cigarette of the day within the first 30 minutes after you wake up?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R04_AC9052 |
| 2 | No | GO TO R04_AC9052 |
| 3 | It varies | GO TO R04_AC9052 |
| -8 | DON'T KNOW | GO TO R04_AC9052 |
| -7 | REFUSED | GO TO R04_AC9052 |

ASK: Adult respondents who are current established or current experimental cigarette smokers and did not know or refused to report how soon after waking up they smoke their first cigarette of the day.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1024_NN = -8, -7.

DISPLAY: IF R04_CURRENT_CIG_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you smoke, would".

Variable(s): R04_AC1024_30D_NN; R04_AC1024_30D_UN

On the days that you smoked, how soon after you woke up did you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

- | | | |
|----|------------------------------------|----------------------|
| 1 | I ___ I ___ I Minutes after waking | |
| 2 | I ___ I ___ I Hours after waking | |
| -8 | DON'T KNOW | GO TO R04_AC1092_30D |
| -7 | REFUSED | GO TO R04_AC1092_30D |

ASK: Adult respondents who are non-current 30-day cigarette smokers.

ASK Specification: IF R04_FORMER_THIRTYDAY_USER_CIGS = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AC1024_30D_UN = Minutes after waking; the value "2" refers to R04_AC1024_30D_UN = Hours after waking.

CHECK ID: R04_AC1024_30D_LC1	
The computer recorded that you typically smoked your first cigarette of the day [R04_AC1024_30D_NN] [minutes/hours] after waking. Is this correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1024_30D
2 NEXT	GO TO R04_AC1024_30D_LC2
ASK: IF R04_FORMER_THIRTYDAY_USER_CIGS = 1 AND ((R04_AC1024_30D_NN > 60 AND R04_AC1024_30D_UN = 1) OR (R04_AC1024_30D_NN > 12 AND R04_AC1024_30D_UN = 2)).	
DISPLAY: IF R04_AC1024_30D_UN = 1, DISPLAY "minutes".	
ELSE, IF R04_AC1024_30D_UN = 2, DISPLAY "hours".	
PROGRAM: TRIGGER CHECK IF (R04_AC1024_30D_NN > 60 AND R04_AC1024_30D_UN = 1) OR (R04_AC1024_30D_NN > 12 AND R04_AC1024_30D_UN = 2).	
ELSE, GO TO R04_AC1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID: R04_AC1024_30D_LC2	
The computer recorded "0" for how soon you typically smoked your first cigarette of the day after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AC1024_30D
2 NEXT	GO TO R04_AC9048
ASK: IF R04_FORMER_THIRTYDAY_USER_CIGS = 1 AND R04_AC1024_30D_NN = 0.	
PROGRAM: TRIGGER CHECK IF R04_AC1024_30D_NN = 0.	
ELSE, GO TO R04_AC9048 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC1092_30D

On the days that you smoked, would you say you smoked your first cigarette of the day within the first 30 minutes after you woke up?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R04_AC9048 |
| 2 | No | GO TO R04_AC9048 |
| 3 | It varies | GO TO R04_AC9048 |
| -8 | DON'T KNOW | GO TO R04_AC9048 |
| -7 | REFUSED | GO TO R04_AC9048 |

ASK: Adult respondents who are non-current 30-day cigarette smokers and did not know or refused to report how soon after waking up they typically smoke their first cigarette of the day.

ASK Specification: IF R04_FORMER_THIRTYDAY_USER_CIGS = 1 AND R04_AC1024_30D_NN = -8, -7.

Variable(s): R04_AC9052

Which cigarette would you hate most to give up?

- | | |
|----|------------------------------|
| 1 | The first one in the morning |
| 2 | All others |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2.

Variable(s): R04_AC9053

Do you smoke more frequently during the first hours after waking than during the rest of the day?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2.

Variable(s): **R04_AC9054**

Do you smoke if you are so ill that you are in bed most of the day?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2.

Variable(s): **R04_AC9048**

When you [smoke/smoked] cigarettes, [do/did] you usually smoke manufactured cigarettes or [do/did] you smoke roll-your-own cigarettes?

- 1 Manufactured cigarettes
- 2 Roll-your-own cigarettes
- 3 Both manufactured and roll-your-own cigarettes
- 4 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1.

DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "smoke", "do", AND "do".

ELSE, IF R04_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY "smoked", "did", AND "did".

PROGRAM: If option 3 is selected, other options cannot be selected.

BOX ID: R04_ACR36

If adult respondent usually smokes both manufactured and roll-your-own cigarettes, create and repeat R04_AC0100[MC/Ry] to R04_AC1051[MC/Ry] as a loop once for each cigarette type, following appropriate skip patterns. Loop manufactured cigarettes first, then roll-your-own cigarette tobacco second.

If adult respondent usually smokes only manufactured cigarettes or did not know or refused to report the type of cigarettes they usually smoke, loop through R04_AC0100MC to R04_AC1051MC only once, following the display instructions for manufactured cigarettes.

If adult respondent usually smokes only roll-your-own cigarettes, loop through R04_AC0100RY to R04_AC1051RY only once, following the display instructions for roll-your-own cigarettes.

IF R04_AC9048 = 3, LOOP R04_AC0100[MC/Ry] TO R04_AC1051[MC/Ry] ONCE FOR EACH CIGARETTE TYPE, FOLLOWING APPROPRIATE SKIP PATTERNS. LOOP MANUFACTURED CIGARETTES FIRST, THEN ROLL-YOUR-OWN TOBACCO SECOND.

IF R04_AC9048 = 1, 4, -8, -7, LOOP THROUGH R04_AC0100MC TO R04_AC1051MC ONLY ONCE, FOLLOWING THE DISPLAY INSTRUCTIONS FOR MANUFACTURED CIGARETTES.

IF R04_AC9048 = 2, LOOP THROUGH R04_AC0100RY TO R04_AC1051RY ONLY ONCE, FOLLOWING THE DISPLAY INSTRUCTIONS FOR ROLL-YOUR-OWN CIGARETTES.

BOX ID: R04_ACR45

Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R04_AC0100[MC/Ry].

Else, go to R04_AC1030[MC/Ry].

IF LOOP = MANUFACTURED:

IF R04_AC9048 = 1, 3, 4, -8, -7 AND (R04_CURRENT_CIG_USE = 1 OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0)), GO TO R04_AC0100MC.

ELSE, GO TO R04_AC1030MC.

IF LOOP = ROLL-YOUR-OWN:

IF R04_AC9048 = 2, 3 AND (R04_CURRENT_CIG_USE = 1 OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0)), GO TO R04_AC0100RY.

ELSE, GO TO R04_AC1030RY.

Variable(s): R04_AC0100MC; R04_AC0100RY

When did you last smoke a [cigarette/roll-your-own cigarette]?

- | | |
|--------------------------|-------------------------|
| 1 In the past hour | GO TO R04_AC0103[MC/RY] |
| 2 Sometime today | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R04_AC1130[MC/RY] |
| -8 DON'T KNOW | GO TO R04_AC1130[MC/RY] |
| -7 REFUSED | GO TO R04_AC1130[MC/RY] |

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R04_AC0100MC: IF R04_AC9048 = 1, 3, 4, -8, -7 AND (R04_CURRENT_CIG_USE = 1 OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0)).

FOR R04_AC0100RY: IF R04_AC9048 = 2, 3 AND (R04_CURRENT_CIG_USE = 1 OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0)).

DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette".

ELSE, IF R04_AC9048 = 3, DISPLAY "cigarette" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette" THE SECOND TIME.

ELSE, DISPLAY "cigarette".

Variable(s): R04_AC0102MC; R04_AC0102RY

When you last smoked a [cigarette/roll-your-own cigarette] [FILL BASED ON R04_AC0100[MC/RY]], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a cigarette sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R04_AC0102MC: IF R04_AC9048 = 1, 3, 4, -8, -7 AND ((R04_CURRENT_CIG_USE = 1 AND R04_AC0100MC = 2, 3, 4) OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0 AND R04_AC0100MC = 2, 3, 4)).

FOR R04_AC0102RY: IF R04_AC9048 = 2, 3 AND ((R04_CURRENT_CIG_USE = 1 AND R04_AC0100RY = 2, 3, 4) OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0 AND R04_AC0100RY = 2, 3, 4)).

DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette".

ELSE, IF R04_AC9048 = 3, DISPLAY "cigarette" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette" THE SECOND TIME.

ELSE, DISPLAY "cigarette".

FOR [FILL BASED ON R04_AC0100]:

IF R04_AC0100[MC/RY] = 2, DISPLAY "today".

ELSE, IF R04_AC0100[MC/RY] = 3, DISPLAY "yesterday".

ELSE, IF R04_AC0100[MC/RY] = 4, DISPLAY "the day before yesterday".

Variable(s): R04_AC0103MC; R04_AC0103RY

How many [cigarettes/roll-your-own cigarettes] [have/did] you [smoked/smoke] [FILL BASED ON R04_AC0100]? [A pack usually has 20 cigarettes in it.]

I _ I _ I _ I Number of cigarettes

-8 DON'T KNOW

GO TO R04_AC1130[MC/R Y]

-7 REFUSED

GO TO R04_AC1130[MC/R Y]

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R04_AC0103MC: IF R04_AC9048 = 1, 3, 4, -8, -7 AND ((R04_CURRENT_CIG_USE = 1 AND R04_AC0100MC = 1, 2, 3, 4) OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0 AND R04_AC0100MC = 1, 2, 3, 4)).

FOR R04_AC0103RY: IF R04_AC9048 = 2, 3 AND ((R04_CURRENT_CIG_USE = 1 AND R04_AC0100RY = 1, 2, 3, 4) OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0 AND R04_AC0100RY = 1, 2, 3, 4)).

DISPLAY: DISPLAY "Number of cigarettes" AS A TITLE.

IF R04_AC9048 = 1, 4, -8, -7, DISPLAY "cigarettes" AND "A pack usually has 20 cigarettes in it."

ELSE, IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarettes".

ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" AND "A pack usually has 20 cigarettes in it." THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarettes" THE SECOND TIME.

IF R04_AC0100[MC/R Y] = 1, 2, DISPLAY "have" AND "smoked".

ELSE, IF R04_AC0100[MC/R Y] = 3, 4, DISPLAY, "did" AND "smoke".

FOR [FILL BASED ON R04_AC0100]:

IF R04_AC0100[MC/R Y] = 1, 2, DISPLAY "today".

ELSE, IF R04_AC0100[MC/R Y] = 3, DISPLAY "yesterday".

ELSE, IF R04_AC0100[MC/R Y] = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits

CHECK ID: R04_AC0103_LC1

The computer recorded that you smoked [R04_AC0103] cigarettes [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AC0103[MC/Ry]

2 NEXT

GO TO R04_AC1130[MC/Ry]

ASK: IF (R04_AC9048 = 1, 3, 4, -8, -7 AND ((R04_CURRENT_CIG_USE = 1 AND R04_AC0100MC = 1, 2, 3, 4) OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0 AND R04_AC0100MC = 1, 2, 3, 4)) AND (R04_AC0103MC_NN > 60 OR R04_AC0103MC_NN = 11, 22, 33, 44, 55)) OR (R04_AC9048 = 2, 3 AND ((R04_CURRENT_CIG_USE = 1 AND R04_AC0100RY = 1, 2, 3, 4) OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0 AND R04_AC0100RY = 1, 2, 3, 4)) AND (R04_AC0103RY_NN > 60 OR R04_AC0103RY_NN = 11, 22, 33, 44, 55)).

DISPLAY: IF R04_AC0100[MC/Ry] = 1, 2, DISPLAY "today".

ELSE, IF R04_AC0100[MC/Ry] = 3, DISPLAY "yesterday".

ELSE, IF R04_AC0100[MC/Ry] = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AC0103[MC/Ry]_NN > 60 OR R04_AC0103[MC/Ry]_NN = 11, 22, 33, 44, 55.

ELSE, GO TO R04_AC1130[MC/Ry] AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AC1130MC; R04_AC1130RY

In the past 30 days, [were any of the cigarettes/was any of the roll-your-own cigarette tobacco] you smoked flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: FOR R04_AC1130MC: IF R04_AC9048 = 1, 3, 4, -8, -7 AND (R04_CURRENT_CIG_USE = 1 OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0)).

FOR R04_AC1130RY: IF R04_AC9048 = 2, 3 AND (R04_CURRENT_CIG_USE = 1 OR ((R04_CURRENT_CIG_USE = 2 OR R04_CIG_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1022 != 0)).

DISPLAY: IF R04_AC9048 = 2, DISPLAY "was any of the roll-your-own cigarette tobacco".

ELSE, IF R04_AC9048 = 3, DISPLAY "were any of the cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "was any of the roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "were any of the cigarettes".

Variable(s): R04_AC1030MC; R04_AC1030RY	
The next questions ask about your experience buying cigarettes.	
How [do/did] you usually buy [cigarettes/a pouch of roll-your-own cigarette tobacco] for yourself?	
1 In person	
2 From the internet	GO TO BOX R04_ACR07
3 By telephone	GO TO BOX R04_ACR07
4 I do not buy my own [cigarettes/cigarette tobacco]	GO TO BOX R04_ACR07
-8 DON'T KNOW	GO TO BOX R04_ACR07
-7 REFUSED	GO TO BOX R04_ACR07
ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.	
ASK Specification: FOR R04_AC1030MC: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7.	
FOR R04_AC1030RY: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 2, 3.	
DISPLAY: IF R04_AC9048 = 2, DISPLAY "a pouch of roll-your-own cigarette tobacco" IN QUESTION TEXT, AND "cigarette tobacco" IN RESPONSE OPTION 4.	
ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" IN QUESTION TEXT AND RESPONSE OPTION 4 THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "a pouch of roll-your-own cigarette tobacco" IN QUESTION TEXT, AND "cigarette tobacco" IN RESPONSE OPTION 4 THE SECOND TIME.	
ELSE, DISPLAY "cigarettes" IN QUESTION TEXT AND RESPONSE OPTION 4.	
IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "do".	
ELSE, DISPLAY "did".	

Variable(s):	R04_AC1032MC; R04_AC1032RY
[Do/Did] you usually buy [cigarettes/roll-your-own cigarette tobacco]...? 1 In your own state 2 In another state 3 Outside the US -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person. ASK Specification: FOR R04_AC1032MC: IF R04_AC1030MC = 1 AND (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7. FOR R04_AC1032RY: IF R04_AC1030RY = 1 AND (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 2, 3. DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco". ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "cigarettes". IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "Do". ELSE, DISPLAY "Did".	

Variable(s):	R04_AC1033MC; R04_AC1033MC_OS; R04_AC1033RY; R04_AC1033RY_OS
Where [do/did] you buy your [cigarettes/roll-your-own cigarette tobacco] most of the time?	
1 A convenience store or gas station 2 A supermarket, grocery store, or drug store 3 A warehouse club, such as Sam's or Costco 4 A smoke shop, tobacco specialty store or tobacco outlet store 5 A duty free shop or military commissary 6 A bar, pub, restaurant or casino 7 A friend or relative 8 A swap meet or flea market 9 A store on an Indian reservation 10 A liquor store 11 Or from somewhere else (SPECIFY) -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person. ASK Specification: FOR R04_AC1033MC: IF R04_AC1030MC = 1 AND (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7. FOR R04_AC1033RY: IF R04_AC1030RY = 1 AND (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 2, 3. DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco". ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "cigarettes". IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did". IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

BOX ID:	R04_ACR07
Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person, from the internet, or by telephone, go to R04_AC9049. Else, adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone, go to R04_AC1039. Else, go to R04_AC1047[MC/R Y].	
IF (R04_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R04_AC9048 = 3)) AND R04_AC1030RY != 4, -8, -7, GO TO R04_AC9049. ELSE, IF (R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04_AC1030MC != 4, -8, -7, GO TO R04_AC1039. ELSE, GO TO R04_AC1047[MC/R Y].	

Variable(s):	R04_AC9049RY_D; R04_AC9049RY_C
How much do you usually pay for a pouch of roll-your-own cigarette tobacco?	
	\$ __ __ __ Dollars . __ __ Cents
-8	DON'T KNOW
	GO TO R04_AC1047RY
-7	REFUSED
	GO TO R04_AC1047RY
ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person, from the internet, or by telephone.	
ASK Specification: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R04_AC9048 = 2 OR (R04_AC9048 = 3 AND LOOP = RYO CIGARETTES)) AND R04_AC1030RY != 4, -8, -7.	
DISPLAY: DISPLAY "\$" AS LEFT LABEL.	
DISPLAY "Dollars" AND "Cents" AS TITLES.	
PROGRAM: Display as Quantity/Quantity.	

CHECK ID: R04_AC9049_LC1

The computer recorded that you usually pay \$[R04_AC9049_D].[R04_AC9049_C] for a pouch of roll-your-own cigarette tobacco. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R04_AC9049RY
2	NEXT	GO TO R04_AC1047RY

ASK: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R04_AC9048 = 2 OR (R04_AC9048 = 3 AND LOOP = RYO_CIGARETTES)) AND R04_AC1030RY != 4, -8, -7 AND R04_AC9049_D > 30.

PROGRAM: TRIGGER CHECK IF R04_AC9049_D > 30.

ELSE, GO TO R04_AC1047RY AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AC1039**

Do you usually buy cigarettes by the carton, pack or as single cigarettes?

- | | | |
|----|-------------------|--------------------|
| 1 | Carton | |
| 2 | Pack | GO TO R04_AC1042 |
| 3 | Single cigarettes | GO TO R04_AC1043 |
| -8 | DON'T KNOW | GO TO R04_AC1047MC |
| -7 | REFUSED | GO TO R04_AC1047MC |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone.

ASK Specification: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04_AC1030MC != 4, -8, -7.

Variable(s): **R04_AC1040**

How many packs of cigarettes are in the carton you usually buy?

- | | | |
|----|------------|------------------|
| | _ _ | |
| -8 | DON'T KNOW | GO TO R04_AC1041 |
| -7 | REFUSED | GO TO R04_AC1041 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton.

ASK Specification: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04_AC1030MC != 4, -8, -7 AND R04_AC1039 = 1.

PROGRAM: Allow 3 digits.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID:	R04_AC1040_LC1						
A carton of cigarettes usually has 10 packs in it, but not always. The computer recorded that there [is R04_AC1040 pack/are R04_AC1040 packs] of cigarettes in the carton you usually buy. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table border="0"> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AC1040</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO R04_AC1041</td> </tr> </table> ASK: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04_AC1030MC != 4, -8, -7 AND R04_AC1039 = 1 AND R04_AC1040 != 10, -8, -7. DISPLAY: IF R04_AC1040 = 1, DISPLAY "is [R04_AC1040] pack". ELSE, DISPLAY "are [R04_AC1040] packs". PROGRAM: TRIGGER CHECK IF R04_AC1040 != 10, -8, -7. ELSE, GO TO R04_AC1041 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AC1040	2	NEXT	GO TO R04_AC1041
1	BACK	GO TO R04_AC1040					
2	NEXT	GO TO R04_AC1041					

Variable(s):	R04_AC1041_D; R04_AC1041_C						
How much do you usually pay for a carton of cigarettes? \$ __ __ __ Dollars . __ __ Cents <table border="0"> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO R04_AC1047MC</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO R04_AC1047MC</td> </tr> </table> ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton. ASK Specification: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04_AC1030MC != 4, -8, -7 AND R04_AC1039 = 1. DISPLAY: DISPLAY "\$" AS LEFT LABEL. DISPLAY "Dollars" AND "Cents" AS TITLES. PROGRAM: Display as Quantity/Quantity.		-8	DON'T KNOW	GO TO R04_AC1047MC	-7	REFUSED	GO TO R04_AC1047MC
-8	DON'T KNOW	GO TO R04_AC1047MC					
-7	REFUSED	GO TO R04_AC1047MC					

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AC1041_LC1

The computer recorded that you usually pay \$[R04_AC1041_D].[R04_AC1041_C] for a carton of cigarettes. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AC1041

2 NEXT

GO TO R04_AC1047MC

ASK: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04_AC1030MC != 4, -8, -7 AND R04_AC1039 = 1 AND R04_AC1041_D != -8, -7 AND (R04_AC1041_D > 125 OR (R04_AC1041_D = 125 AND R04_AC1041_C > 00) OR R04_AC1041_D < 25).

PROGRAM: TRIGGER CHECK IF R04_AC1041_D > 125 OR (R04_AC1041_D = 125 AND R04_AC1041_C > 00) OR R04_AC1041_D < 25.

ELSE, GO TO R04_AC1047MC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AC1042_D; R04_AC1042_C

How much do you usually pay for a pack of cigarettes?

\$ |__|__|__| Dollars . |__|__| Cents

-8 DON'T KNOW

GO TO R04_AC1047MC

-7 REFUSED

GO TO R04_AC1047MC

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the pack.

ASK Specification: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R04_AC1030MC != 4, -8, -7 AND R04_AC1039 = 2.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID:	R04_AC1042_LC1						
The computer recorded that you paid \$[R04_AC1042_D].[R04_AC1042_C] for a pack of cigarettes. Is that correct? If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AC1042</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO R04_AC1047MC</td> </tr> </table> ASK: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED_CIGARETTES)) AND R04_AC1030MC != 4, -8, -7 AND R04_AC1039 = 2 AND R04_AC1042_D != -8, -7 AND (R04_AC1042_D > 15 OR (R04_AC1042_D = 15 AND R04_AC1042_C > 00) OR R04_AC1042_D < 3 OR (R04_AC1042_D = 3 AND R04_AC1042_C < 99)). PROGRAM: TRIGGER CHECK IF R04_AC1042_D > 15 OR (R04_AC1042_D = 15 AND R04_AC1042_C > 00) OR R04_AC1042_D < 3 OR (R04_AC1042_D = 3 AND R04_AC1042_C < 99). ELSE, GO TO R04_AC1047MC AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AC1042	2	NEXT	GO TO R04_AC1047MC
1	BACK	GO TO R04_AC1042					
2	NEXT	GO TO R04_AC1047MC					

Variable(s):	R04_AC1043_D; R04_AC1043_C						
How much do you usually pay for a single cigarette? \$ __ __ __ Dollars . __ __ Cents <table> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO R04_AC1047MC</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO R04_AC1047MC</td> </tr> </table> ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy single manufactured cigarettes. ASK Specification: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED_CIGARETTES)) AND R04_AC1030MC != 4, -8, -7 AND R04_AC1039 = 3. DISPLAY: DISPLAY "\$" AS LEFT LABEL. DISPLAY "Dollars" AND "Cents" AS TITLES. PROGRAM: Display as Quantity/Quantity.		-8	DON'T KNOW	GO TO R04_AC1047MC	-7	REFUSED	GO TO R04_AC1047MC
-8	DON'T KNOW	GO TO R04_AC1047MC					
-7	REFUSED	GO TO R04_AC1047MC					

CHECK ID: R04_AC1043_LC1

The computer recorded that you usually pay \$[R04_AC1043_D].[R04_AC1043_C] for a single cigarette. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R04_AC1043 |
| 2 | NEXT | GO TO R04_AC1047MC |

ASK: IF ((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED_CIGARETTES)) AND R04_AC1030MC != 4, -8, -7 AND R04_AC1039 = 3) AND (R04_AC1043_D > 3 OR (R04_AC1043_D = 3 AND R04_AC1043_C > 00) OR (R04_AC1043_D = 0 AND R04_AC1043_C < 50)).

PROGRAM: TRIGGER CHECK IF R04_AC1043_D > 3 OR (R04_AC1043_D = 3 AND R04_AC1043_C > 00) OR (R04_AC1043_D = 0 AND R04_AC1043_C < 50).

ELSE, GO TO R04_AC1047MC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AC1047MC; R04_AC1047RY

[Do/Did] you have a regular brand of [cigarettes/roll-your-own cigarette tobacco] that you usually [smoke/ smoked]?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R04_AC1047MC: IF ((R04_AC9048 = 1, 3, 4, -8, -7) AND ((R04_CIG_USER_STATUS = 1, 2) OR R04_FORMER_THIRTYDAY_USER_CIGS = 1)) OR (R04_CIG_USER_STATUS = 4 AND R04_AC9048 != 2).

FOR R04_AC1047RY: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 2, 3.

DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "Do" AND "smoke".

ELSE, IF R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY "Did" AND "smoked".

IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_ACR29

Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers, or recent former established cigarette smokers who are not non-current 30-day cigarette smokers, go to R04_AC1050.

Else, adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers, go to R04_AC9150.

IF ((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR (R04_CIG_USER_STATUS = 4 AND R04_FORMER_THIRTYDAY_USER_CIGS != 1), GO TO R04_AC1050.

ELSE, IF R04_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R04_AC9048 = 3), GO TO R04_AC9150.

Variable(s): R04_AC1050

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol or mint?

- | | | |
|----|--------------|--------------------|
| 1 | Yes | GO TO R04_AC1945MC |
| 2 | No | GO TO R04_AC1945MC |
| 3 | I don't know | GO TO R04_AC1945MC |
| -8 | DON'T KNOW | GO TO R04_AC1945MC |
| -7 | REFUSED | GO TO R04_AC1945MC |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers, or recent former established cigarette smokers who are not non-current 30-day cigarette smokers.

ASK Specification: IF ((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR (R04_CIG_USER_STATUS = 4 AND R04_FORMER_THIRTYDAY_USER_CIGS != 1).

DISPLAY: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047MC = 1, DISPLAY "Is" AND "your regular brand" AND "smoke".

ELSE, IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047MC = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked".

ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 1, DISPLAY "Was" AND "your regular brand" AND "smoked".

ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked".

Variable(s): **R04_AC9150**

[Is/Was] [your regular brand/the last brand] of roll-your-own cigarette tobacco [you smoked] flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers.

ASK Specification: IF R04_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R04_AC9048 = 3).

DISPLAY: IF R04_CIG_USER_STATUS = 1 AND R04_AC1047RY = 1, DISPLAY "Is" AND "your regular brand".

ELSE, IF R04_CIG_USER_STATUS = 1 AND R04_AC1047RY = 2, -8, -7), DISPLAY, "Was", "the last brand" AND "you smoked".

ELSE, IF R04_AC1047RY = 1, DISPLAY "Was" AND "your regular brand".

ELSE, IF R04_AC1047RY = 2, -8, -7, DISPLAY "Was" and "the last brand" and "you smoked".

Variable(s): R04_AC1945MC; R04_AC1945RY

Do you know the name of the brand of [cigarettes/roll-your-own cigarette tobacco] you [usually smoke/usually smoked/last smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R04_AC1945MC: IF ((R04_AC9048 = 1, 3, 4, -8, -7) AND ((R04_CIG_USER_STATUS = 1, 2) OR R04_FORMER_THIRTYDAY_USER_CIGS = 1)) OR (R04_CIG_USER_STATUS = 4 AND R04_AC9048 != 2).

FOR R04_AC1945RY: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 2, 3.

DISPLAY: IF R04_AC1047[MC/Ry] = 1 AND R04_CIG_USER_STATUS = 1, 2, DISPLAY "usually smoke".

ELSE, IF R04_AC1047[MC/Ry] = 1 AND R04_CIG_USER_STATUS != 1, 2, DISPLAY "usually smoked".

ELSE, IF R04_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "last smoked".

IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

UNDERLINE "name of the brand".

BOX ID: R04_ACR44

Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked, go to R04_AC1048[MC/Ry]_BRAND.

Else, adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes, go to R04_AC1051[MC/Ry].

Else, go to Box R04_ACR43.

IF (((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR R04_CIG_USER_STATUS = 4) AND R04_AC1945[MC/Ry] = 1, GO TO R04_AC1048[MC/Ry]_BRAND.

ELSE, IF R04_AC1047[MC/Ry] = 1, GO TO R04_AC1051[MC/Ry].

ELSE, GO TO BOX R04_ACR43.

Variable(s): R04_AC1048MC_BRAND; R04_AC1048RY_BRAND

What brand of [cigarettes/roll-your-own cigarette tobacco] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked.

ASK Specification: FOR R04_AC1048MC_BRAND: IF (((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR R04_CIG_USER_STATUS = 4) AND R04_AC1945MC = 1.

FOR R04_AC1048RY_BRAND: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1945RY = 1 AND R04_AC9048 = 2, 3.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else"."

IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/Ry] = 1, DISPLAY "do" AND "usually".

ELSE, IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047[MC/Ry] = 1, DISPLAY "did" AND "usually".

ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "did" AND "last".

IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

BOX ID: R04_ACR30

Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected "Something else" for their brand of manufactured/roll-your-own cigarettes, go to R04_AC1049[MC/R Y].

Else, adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes, go to R04_AC1070[MC/R Y]_PRODUCT.

Else, go to Box R04_ACR33.

IF LOOP = MANUFACTURED:

IF (((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR R04_CIG_USER_STATUS = 4) AND R04_AC1945MC = 1 AND R04_AC1048MC_BRAND = 9995, GO TO R04_AC1049MC.

ELSE, IF (((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR R04_CIG_USER_STATUS = 4) AND R04_AC1945MC = 1 AND R04_AC1048MC_BRAND != 9995, -8, -7, GO TO R04_AC1070MC_PRODUCT.

ELSE, GO TO BOX R04_ACR33.

IF LOOP = ROLL-YOUR-OWN:

IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1945RY = 1 AND R04_AC9048 = 2, 3 AND R04_AC1048RY_BRAND = 9995, GO TO R04_AC1049RY.

ELSE, IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1945RY = 1 AND R04_AC9048 = 2, 3 AND R04_AC1048RY_BRAND != 9995, -8, -7, GO TO R04_AC1070RY_PRODUCT.

ELSE, GO TO BOX R04_ACR33.

Variable(s): R04_AC1049MC; R04_AC1049RY

You said that your brand was not listed. What is it?

_____	GO TO BOX R04_ACR33
-8 DON'T KNOW	GO TO BOX R04_ACR33
-7 REFUSED	GO TO BOX R04_ACR33

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected "Something else" for their brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R04_AC1049MC: IF (((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR R04_CIG_USER_STATUS = 4) AND R04_AC1945MC = 1 AND R04_AC1048MC_BRAND = 9995.

FOR R04_AC1049RY: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1945RY = 1 AND R04_AC9048 = 2, 3 AND R04_AC1048RY_BRAND = 9995.

Variable(s): **R04_AC1070MC_PRODUCT; R04_AC1070RY_PRODUCT**

You selected [CIGBRANDFILL/RYOBRANDFILL] as your brand. What kind of [CIGBRANDFILL/RYOBRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R04_AC1070MC_PRODUCT: IF (((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR R04_CIG_USER_STATUS = 4) AND R04_AC1945MC = 1 AND R04_AC1048MC_BRAND != 9995, -8, -7.

FOR R04_AC1070RY_PRODUCT: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1945RY = 1 AND R04_AC9048 = 2, 3 AND R04_AC1048RY_BRAND != 9995, -8, -7.

DISPLAY: IF R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R04_AC1048MC_BRAND.

ELSE, IF R04_AC9048 = 2 OR (R04_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBRANDFILL WITH BRAND CHOSEN IN R04_AC1048RY_BRAND.

IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else".

IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/Ry] = 1, DISPLAY "do" AND "usually".

ELSE, IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047[MC/Ry] = 1, DISPLAY "did" AND "usually".

ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "did" AND "last".

PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04_AC1048[MC/Ry]_BRAND.

BOX ID: R04_ACR31

Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes and selected "Something else" for their subbrand of manufactured/roll-your-own cigarettes, go to R04_AC1071[MC/Ry].

Else, go to Box R04_ACR33.

IF (R04_CIG_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1945[MC/Ry] = 1 AND R04_AC1048[MC/Ry]_BRAND != 9995, -8, -7 AND R04_AC1070[MC/Ry]_PRODUCT = 9995, GO TO R04_AC1071[MC/Ry].
ELSE, GO TO BOX R04_ACR33.

Variable(s): R04_AC1071MC; R04_AC1071RY

You said that the type of [CIGBRANDFILL/RyOBRANDFILL]s that you [smoke/smoked] is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes and selected "Something else" for their subbrand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R04_AC1071MC: IF (((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR R04_CIG_USER_STATUS = 4) AND R04_AC1945MC = 1 AND R04_AC1048MC_BRAND != 9995, -8, -7 AND R04_AC1070MC_PRODUCT = 9995.

FOR R04_AC1071RY: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1945RY = 1 AND R04_AC9048 = 2, 3 AND R04_AC1048RY_BRAND != 9995, -8, -7 AND R04_AC1070RY_PRODUCT = 9995.

DISPLAY: IF R04_AC9048 = 1, 4, -8, -7 OR (R04_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R04_AC1048MC_BRAND.

ELSE, IF R04_AC9048 = 2 OR (R04_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBANDFILL WITH BRAND CHOSEN IN R04_AC1048RY_BRAND.

IF R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/Ry] = 1, DISPLAY "smoke".

ELSE, IF (R04_CIG_USER_STATUS = 1, 2 AND R04_AC1047[MC/Ry] != 1) OR R04_CIG_USER_STATUS = 4, DISPLAY "smoked".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_ACR33
Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes, go to R04_AC1051[MC/RV]. Else, go to Box R04_ACR43.	
IF (R04_CIG_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047[MC/RV] = 1, GO TO R04_AC1051[MC/RV]. ELSE, GO TO BOX R04_ACR43.	

Variable(s):	R04_AC1051MC_NN; R04_AC1051MC_UN; R04_AC1051RY_NN; R04_AC1051RY_UN
About how long [have you been smoking/did you smoke] your regular brand of [cigarettes/roll-your-own cigarette tobacco]?	
1 I__I__I DAYS	
2 I__I__I MONTHS	
3 I__I__I YEARS	
-8 DON'T KNOW	GO TO BOX R04_ACR43
-7 REFUSED	GO TO BOX R04_ACR43
ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes.	
ASK Specification: FOR R04_AC1051MC: IF (R04_CIG_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 != 2 AND R04_AC1047MC = 1.	
FOR R04_AC1051RY: IF (R04_CIG_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 2, 3 AND R04_AC1047RY = 1.	
DISPLAY: IF R04_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".	
ELSE, IF R04_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "cigarettes".	
IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "have you been smoking".	
ELSE, DISPLAY "did you smoke".	
PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.	
NOTES: The value "1" refers to R04_AC1051_UN = Days; the value "2" refers to R04_AC1051_UN = Months; the value "3" refers to R04_AC1051_UN = Years.	

CHECK ID: R04_AC1051_LC1

The computer recorded that you [have been smoking/smoked] your regular brand for [R04_AC1051MC_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AC1051MC

2 NEXT GO TO R04_AC1051_LC2

ASK: IF (R04_CIG_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 != 2 AND R04_AC1047MC = 1 AND R04_AC1051MC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC1051MC_UN = 3.

DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AC1051MC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC1051MC_UN = 3.

ELSE, GO TO R04_AC1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AC1051_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarettes.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AC1051MC

2 NEXT GO TO R04_AC1051RY_LC1

ASK: IF (R04_CIG_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 != 2 AND R04_AC1047MC = 1 AND R04_AC1051MC_NN = 0.

DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AC1051MC_NN = 0.

ELSE, GO TO R04_AC1051RY_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AC1051RY_LC1

The computer recorded that you [have been smoking/smoked] your regular brand for [R04_AC1051RY_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AC1051RY

2 NEXT

GO TO R04_AC1051RY_LC2

ASK: IF (R04_CIG_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 2, 3 AND R04_AC1047RY = 1 AND R04_AC1051RY_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC1051RY_UN = 3.

DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AC1051RY_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AC1051RY_UN = 3.

ELSE, GO TO R04_AC1051RY_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AC1051RY_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarettes.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AC1051RY

2 NEXT

GO TO BOX R04_ACR43

ASK: IF (R04_CIG_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 2, 3 AND R04_AC1047RY = 1 AND R04_AC1051RY_NN = 0.

DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AC1051RY_NN = 0.

ELSE, GO TO BOX R04_ACR43 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_ACR43

Adult respondents who smoke both manufactured and roll-your-own cigarettes, go back to R04_AC0100RY and loop through for roll-your-own cigarettes.

Else, go to Box R04_ACR09.

IF LOOP = MANUFACTURED AND R04_AC9048 = 3, GO BACK TO R04_AC0100RY AND COMPLETE RYO CIGARETTE LOOP.

ELSE, GO TO BOX R04_ACR09.

BOX ID: R04_ACR09

Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes, go to Box R04_ACD01.

Else, adult respondent who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers, go to R04_AC9019.

Else, go to Box R04_ACR35.

IF (((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR R04_CIG_USER_STATUS = 4) AND R04_AC1047MC = 1, GO TO BOX R04_ACD01.

ELSE, IF ((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR R04_CIG_USER_STATUS = 4, GO TO R04_AC9019.

ELSE, GO TO BOX R04_ACR35.

BOX ID: R04_ACD01

Randomize order of R04_AC9010 through R04_AC9015.

Display question R04_AC9010, R04_AC9011, R04_AC9014, R04_AC9015, on one screen. Show the intro/transition text from R04_AC9010 first, then show each item with a Y/N response. As each item is answered, show the next one.

Variable(s): R04_AC9010

[The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes.]In choosing your regular brand of cigarettes[when you smoked], was part of your decision based on any of the following?

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 1 AND R04_AC9048 = 1, 3, 4, -8, -7) OR (R04_CIG_USER_STATUS = 4 AND R04_AC1047MC = 1).

DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "when you smoked" AND "was".

IF R04_CIG_USER_STATUS = 1 AND R04_AC9048 = 3, DISPLAY TRANSITION TEXT: "The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes."

ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R04_AC9011
The tar and nicotine levels. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes. ASK Specification: IF ((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 1 AND R04_AC9048 = 1, 3, 4, -8, -7) OR (R04_CIG_USER_STATUS = 4 AND R04_AC1047MC = 1).

Variable(s): R04_AC9014
The taste. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes. ASK Specification: IF ((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 1 AND R04_AC9048 = 1, 3, 4, -8, -7) OR (R04_CIG_USER_STATUS = 4 AND R04_AC1047MC = 1).

Variable(s): R04_AC9015
As a way to help you quit. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes. ASK Specification: IF ((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC1047MC = 1 AND R04_AC9048 = 1, 3, 4, -8, -7) OR (R04_CIG_USER_STATUS = 4 AND R04_AC1047MC = 1).

Variable(s): **R04_AC9019**

Do you think the brand of cigarettes you [usually smoke/usually smoked/last smoked] might be less harmful, no different, or more harmful, compared to other cigarette brands?

- 1 Less harmful
- 2 No different
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers.

ASK Specification: IF ((R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 1, 3, 4, -8, -7) OR R04_CIG_USER_STATUS = 4.

DISPLAY: IF R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1 AND R04_AC1047MC = 1, DISPLAY "usually smoke".

ELSE, IF R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1 AND R04_AC1047MC = 2, -8, -7, DISPLAY "last smoked".

ELSE, IF R04_CIG_USER_STATUS = 4 AND R04_AC1047MC = 1, DISPLAY "usually smoked".

ELSE, IF R04_CIG_USER_STATUS = 4 AND R04_AC1047MC = 2, -8, -7, DISPLAY "last smoked".

BOX ID: R04_ACR35

Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and subbrands of both types of cigarettes, go to R04_AC0105.

Else, adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers and did not report smoking both manufactured and roll-your-own cigarettes and last smoked a manufactured/roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes, or adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of one type of cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes but did not know the name of the brand of the other type of cigarettes they usually smoke or last smoked or did not select a brand or did not select a subbrand of the other type of cigarettes, go to R04_AC0104.

Else, go to the the next section.

IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 3 AND (R04_AC0100MC = 1, 2, 3, 4 OR R04_AC0100RY = 1, 2, 3, 4) AND R04_AC1945MC = 1 AND R04_AC1048MC_BRAND != 9995, -8, -7 AND R04_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND R04_AC1945RY = 1 AND R04_AC1048RY_BRAND != 9995, -8, -7 AND R04_AC1070RY_PRODUCT != 99990, 99995, -8, -7, GO TO R04_AC0105.

ELSE, IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (((R04_AC9048 = 1, 4, -8, -7 AND R04_AC0100MC = 1, 2, 3, 4 AND R04_AC1945MC = 1 AND R04_AC1048MC_BRAND != 9995, -8, -7 AND R04_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R04_AC9048 = 2 AND R04_AC0100RY = 1, 2, 3, 4 AND R04_AC1945RY = 1 AND R04_AC1048RY_BRAND != 9995, -8, -7 AND R04_AC1070RY_PRODUCT != 99990, 99995, -8, -7)) AND ((R04_AC9048 != 1, 4, -8, -7 OR R04_AC0100MC != 1, 2, 3, 4 OR R04_AC1945MC != 1 OR R04_AC1048MC_BRAND = 9995, -8, -7 OR R04_AC1070MC_PRODUCT = 99990, 99995, -8, -7) OR (R04_AC9048 != 2 OR R04_AC0100RY != 1, 2, 3, 4 OR R04_AC1945RY != 1 OR R04_AC1048RY_BRAND = 9995, -8, -7 OR R04_AC1070RY_PRODUCT = 99990, 99995, -8, -7))) OR (R04_AC9048 = 3 AND ((R04_AC0100MC = 1, 2, 3, 4 AND R04_AC1945MC = 1 AND R04_AC1048MC_BRAND != 9995, -8, -7 AND R04_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R04_AC0100RY = 1, 2, 3, 4 AND R04_AC1945RY = 1 AND R04_AC1048RY_BRAND != 9995, -8, -7 AND R04_AC1070RY_PRODUCT != 99990, 99995, -8, -7)) AND ((R04_AC1945MC != 1 OR R04_AC1048MC_BRAND = 9995, -8, -7 OR R04_AC1070MC_PRODUCT = 99990, 99995, -8, -7) OR (R04_AC1945RY != 1 OR R04_AC1048RY_BRAND = 9995, -8, -7 OR R04_AC1070RY_PRODUCT = 99990, 99995, -8, -7))))), GO TO R04_AC0104.

ELSE, GO TO THE NEXT SECTION (see note in Box R04_AMD07).

Variable(s): R04_AC0105***

You said earlier that you smoked a cigarette [TIME OF LAST USE]. Think about the very last cigarette you smoked. Was the brand...

- | | | |
|----|------------------|--|
| 1 | [NEQBRAND] | GO TO NEXT SECTION (see note in Box R04_AMD07) |
| 2 | [NEQBRAND] | GO TO NEXT SECTION (see note in Box R04_AMD07) |
| 3 | Some other brand | GO TO NEXT SECTION (see note in Box R04_AMD07) |
| -8 | DON'T KNOW | GO TO NEXT SECTION (see note in Box R04_AMD07) |
| -7 | REFUSED | GO TO NEXT SECTION (see note in Box R04_AMD07) |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and subbrands of both types of cigarettes.

ASK Specification: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND R04_AC9048 = 3 AND (R04_AC0100MC = 1, 2, 3, 4 OR R04_AC0100RY = 1, 2, 3, 4) AND R04_AC1945MC = 1 AND R04_AC1048MC_BRAND != 9995, -8, -7 AND R04_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND R04_AC1945RY = 1 AND R04_AC1048RY_BRAND != 9995, -8, -7 AND R04_AC1070RY_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R04_AC0100MC = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R04_AC0100RY = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R04_AC0100MC = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R04_AC0100RY = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R04_AC0100MC = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R04_AC0100RY = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R04_AC0100MC = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

ELSE, IF R04_AC0100RY = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH R04_AC1070MC_PRODUCT RESPONSE CODE 1 FOR MANUFACTURED.

FILL [NEQBRAND] WITH R04_AC1070RY_PRODUCT RESPONSE CODE 2 FOR ROLL-YOUR-OWN.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AC0104**/**

We just have one more question about [your regular brand / the last brand] of cigarettes[you smoked].

You said earlier that you smoked a cigarette [TIME OF LAST USE].

Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers and did not report smoking both manufactured and roll-your-own cigarettes and last smoked a manufactured/roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes, or

Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of one type of cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes but did not know the name of the brand of the other type of cigarettes they usually smoke or last smoked or did not select a brand or did not select a subbrand of the other type of cigarettes.

ASK Specification: IF (R04_CIG_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_CIGS = 1) AND (((R04_AC9048 = 1, 4, -8, -7 AND R04_AC0100MC = 1, 2, 3, 4 AND R04_AC1945MC = 1 AND R04_AC1048MC_BRAND != 9995, -8, -7 AND R04_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R04_AC9048 = 2 AND R04_AC0100RY = 1, 2, 3, 4 AND R04_AC1945RY = 1 AND R04_AC1048RY_BRAND != 9995, -8, -7 AND R04_AC1070RY_PRODUCT != 99990, 99995, -8, -7)) AND ((R04_AC9048 != 1, 4, -8, -7 OR R04_AC0100MC != 1, 2, 3, 4 OR R04_AC1945MC != 1 OR R04_AC1048MC_BRAND = 9995, -8, -7 OR R04_AC1070MC_PRODUCT = 99990, 99995, -8, -7) OR (R04_AC9048 != 2 OR R04_AC0100RY != 1, 2, 3, 4 OR R04_AC1945RY != 1 OR R04_AC1048RY_BRAND = 9995, -8, -7 OR R04_AC1070RY_PRODUCT = 99990, 99995, -8, -7))) OR (R04_AC9048 = 3 AND ((R04_AC0100MC = 1, 2, 3, 4 AND R04_AC1945MC = 1 AND R04_AC1048MC_BRAND != 9995, -8, -7 AND R04_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R04_AC0100RY = 1, 2, 3, 4 AND R04_AC1945RY = 1 AND R04_AC1048RY_BRAND != 9995, -8, -7 AND R04_AC1070RY_PRODUCT != 99990, 99995, -8, -7)) AND ((R04_AC1945MC != 1 OR R04_AC1048MC_BRAND = 9995, -8, -7 OR R04_AC1070MC_PRODUCT = 99990, 99995, -8, -7) OR (R04_AC1945RY != 1 OR R04_AC1048RY_BRAND = 9995, -8, -7 OR R04_AC1070RY_PRODUCT = 99990, 99995, -8, -7)))).

DISPLAY: UNDERLINE "your regular brand" AND "the last brand" IN THE QUESTION TEXT.

IF R04_AC1047[MC/Ry] = 1, DISPLAY "your regular brand".

ELSE, IF R04_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "the last brand" AND "you smoked".

IF R04_AC0100[MC/Ry] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R04_AC0100[MC/Ry] = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R04_AC0100[MC/Ry] = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE IF R04_AC0100[MC/Ry] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH R04_AC1070[MC/Ry]_PRODUCT RESPONSE.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some adult respondents who last smoked roll-your-own cigarettes sometime today or yesterday (R04_AC0100RY = 2, 3) and provided

PATH Study Wave 4 Adult Public Use File Annotated Instrument

valid roll your own brand/product information (R04_AC1048RY_BRAND != 9995, -8, -7 AND R04_AC1070RY_PRODUCT != 99990, 99995, -8, -7) and did not use manufactured cigarettes or did not provide a product for manufactured cigarettes (R04_AC9048 = 3 OR R04_AC1070MC_PRODUCT = 99995). This issue was fixed in a field update on 05/02/2017.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

ELECTRONIC NICOTINE PRODUCTS

BOX ID: R04_AVT02

The next questions are about **electronic nicotine products**.

Some electronic nicotine products can be bought as one-time, disposable products, while others can be bought as re-usable kits with a cartridge or tank system. Some people refill their own electronic nicotine products with nicotine fluid, sometimes called "e-liquid" or "e-juice".

Disposable electronic nicotine products, electronic nicotine product cartridges and e-liquid come in many different flavors and nicotine concentrations. Some common brands include Vuse, Blu, Logic, MarkTen, NJOY, eGo, and iTaste.

[SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS].

BOLD "electronic nicotine products".

Variable(s): R04_AV1090

Do you own an electronic nicotine product?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AV9041 |
| -8 | DON'T KNOW | GO TO R04_AV9041 |
| -7 | REFUSED | GO TO R04_AV9041 |

ASK: Adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF R04_EVER_NEVER_EPRODS = 1.

Variable(s): R04_AV9945

Do you know the name of the brand of electronic nicotine product that you own?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AV9004 |
| -8 | DON'T KNOW | GO TO R04_AV9004 |
| -7 | REFUSED | GO TO R04_AV9004 |

ASK: Adult respondents who have ever used an electronic nicotine product and own an electronic nicotine product.

ASK Specification: IF R04_EVER_NEVER_EPRODS = 1 AND R04_AV1090 = 1.

DISPLAY: UNDERLINE "name of the brand".

Variable(s): R04_AV9002_BRAND

What brand of electronic nicotine product do you own? (If you own more than one electronic nicotine product, answer about the one you use **most often**.)

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". / If you do not see it below, touch the box marked "Something else".]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product and own an electronic nicotine product and know the name of the brand of electronic nicotine product they own.

ASK Specification: IF R04_EVER_NEVER_EPRODS = 1 AND R04_AV1090 = 1 AND R04_AV9945 = 1.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: If you do not see it below, touch the box marked "Something else".

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

BOLD AND UNDERLINE "most often".

BOX ID: R04_AVR36

Adult respondents who have ever used an electronic nicotine product and own an electronic nicotine product and know the name of the brand of electronic nicotine product they own and selected "Something else" for their brand, go to R04_AV9003.

Else, go to R04_AV9004.

IF R04_EVER_NEVER_EPRODS = 1 AND R04_AV1090 = 1 AND R04_AV9945 = 1 AND R04_AV9002_BRAND = 9995, GO TO R04_AV9003.

ELSE, GO TO R04_AV9004.

Variable(s): R04_AV9003

You said that the brand of electronic nicotine product you own was not listed. What brand is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product and own an electronic nicotine product and know the name of the brand of electronic nicotine product they own and selected "Something else" for their brand.

ASK Specification: IF R04_EVER_NEVER_EPRODS = 1 AND R04_AV1090 = 1 AND R04_AV9945 = 1 AND R04_AV9002_BRAND = 9995.

Variable(s): R04_AV9004

About how much did you pay for your electronic nicotine product? Do not include the cost of additional cartridges or accessories unless they were included in a starter kit.

(If you own more than one electronic nicotine product, answer about the one you use **most often**.)

- 1 Less than \$10
- 2 \$10 to \$20
- 3 \$21 to \$100
- 4 More than \$100
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product and own an electronic nicotine product.

ASK Specification: IF R04_EVER_NEVER_EPRODS = 1 AND R04_AV1090 = 1.

DISPLAY: BOLD AND UNDERLINE "most often".

Variable(s): R04_AV9041

Does anyone else living in your home own an electronic nicotine product?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF R04_EVER_NEVER_EPRODS = 1.

BOX ID: R04_AVR20

New cohort adult respondents who have ever used an electronic nicotine product, go to R04_AV1006_RS.

Else, continuing and aged-up adult respondents who have ever used an electronic nicotine product and had not used electronic nicotine products 100 or more times as of their last completed interview, go to R04_AV1005.

Else, continuing and aged-up adult respondents who have ever used an electronic nicotine product and had not reported ever using electronic nicotine products fairly regularly as of their last completed interview, go to R04_AV1100.

Else, go to Box R04_AVR22.

IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1, GO TO R04_AV1006_RS.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 1 AND R03_NUMLIFE_EPROD != 1, GO TO R04_AV1005.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1, GO TO R04_AV1100.

ELSE, GO TO BOX R04_AVR22.

Variable(s): R04_AV1006_RS

How old were you when you first used an electronic nicotine product, even one or two times?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R04_AV1120_RS

-7 REFUSED

GO TO R04_AV1120_RS

ASK: New cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1.

PROGRAM: DISPLAY "Years old" AS A TITLE.

CHECK ID: R04_AV1006_RS_LC1

The computer recorded that you first used an electronic nicotine product at age [R04_AV1006_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AV1006_RS

2 NEXT

GO TO R04_AV1006_RS_LC2

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV1006_RS != -8, -7 AND R04_AV1006_RS <= 10.

PROGRAM: TRIGGER CHECK IF R04_AV1006_RS <= 10.

ELSE, GO TO R04_AV1006_RS_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID:	R04_AV1006_RS_LC2						
The computer recorded that you first used an electronic nicotine product at age [R04_AV1006_RS]. That is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AV1006_RS</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO R04_AV1005</td> </tr> </table> ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18. PROGRAM: TRIGGER CHECK IF R04_AV1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO R04_AV1005 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AV1006_RS	2	NEXT	GO TO R04_AV1005
1	BACK	GO TO R04_AV1006_RS					
2	NEXT	GO TO R04_AV1005					

Variable(s):	R04_AV1120_RS																
When you first used an electronic nicotine product, even one or two times, were you... <table> <tr> <td>1</td> <td>Less than 18 years old,</td> </tr> <tr> <td>2</td> <td>18 to 24 years old,</td> </tr> <tr> <td>3</td> <td>25 to 34 years old,</td> </tr> <tr> <td>4</td> <td>35 to 44 years old,</td> </tr> <tr> <td>5</td> <td>45 to 54 years old, or</td> </tr> <tr> <td>6</td> <td>55 years old or older?</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: New cohort adult respondents who have ever used an electronic nicotine product and did not know or refused to report the age they first used an electronic nicotine product. ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV1006_RS = -8, -7.		1	Less than 18 years old,	2	18 to 24 years old,	3	25 to 34 years old,	4	35 to 44 years old,	5	45 to 54 years old, or	6	55 years old or older?	-8	DON'T KNOW	-7	REFUSED
1	Less than 18 years old,																
2	18 to 24 years old,																
3	25 to 34 years old,																
4	35 to 44 years old,																
5	45 to 54 years old, or																
6	55 years old or older?																
-8	DON'T KNOW																
-7	REFUSED																

Variable(s): **R04_AV1005**

How many times have you used an electronic nicotine product in your entire life?

- 1 1 time, even just a few puffs
- 2 2 to 10 times
- 3 11 to 20 times
- 4 21 to 50 times
- 5 51 to 99 times
- 6 100 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and had not used electronic nicotine products 100 or more times as of their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 1 AND R03_NUMLIFE_EPROD != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1).

BOX ID: **R04_AVR21**

Continuing and aged-up adult respondents who have ever used an electronic nicotine product and had not reported ever using electronic nicotine products fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product, go to R04_AV1100.

Else, go to Box R04_AVV01.

IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1), GO TO R04_AV1100.
ELSE, GO TO BOX R04_AVV01.

Variable(s): **R04_AV1100**

Have you ever used electronic nicotine products fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and had not reported ever using electronic nicotine products fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1).

BOX ID: R04_AVR22

Aged-up adult respondents who have ever used an electronic nicotine product and had not reported ever using electronic nicotine products fairly regularly as of their last completed interview and have ever used electronic nicotine products fairly regularly, or new cohort adult respondents who have ever used an electronic nicotine product and have ever used electronic nicotine products fairly regularly, go to R04_AV1007_NB.

Else, go to Box R04_AVV01.

IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1 AND R04_AV1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV1100 = 1), GO TO R04_AV1007_NB.

ELSE, GO TO BOX R04_AVV01.

Variable(s): R04_AV1007_NB

How old were you when you first started using electronic nicotine products fairly regularly?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R04_AV1121_NB

-7 REFUSED

GO TO R04_AV1121_NB

ASK: Aged-up adult respondents who have ever used an electronic nicotine product and had not reported ever using electronic nicotine products fairly regularly as of their last completed interview and have ever used electronic nicotine products fairly regularly, or new cohort adult respondents who have ever used an electronic nicotine product and have ever used electronic nicotine products fairly regularly.

ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1 AND R04_AV1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV1100 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R04_AV1007_NB_LC1

The computer recorded that you started using electronic nicotine products fairly regularly at age [R04_AV1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AV1007_NB

2 NEXT

GO TO R04_AV1007_NB_LC2

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1 AND R04_AV1100 = 1 AND R04_AV1007_NB != -8, -7 AND R04_AV1007_NB <= 5) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV1100 = 1 AND R04_AV1007_NB != -8, -7 AND R04_AV1007_NB <= 5).

PROGRAM: TRIGGER CHECK IF R04_AV1007_NB <= 5.

ELSE, GO TO R04_AV1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AV1007_NB_LC2

The computer recorded that you started using electronic nicotine products fairly regularly at age [R04_AV1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AV1007_NB |
| 2 | NEXT | GO TO BOX R04_AVV01 |

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1 AND R04_AV1100 = 1 AND R04_AV1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV1100 = 1 AND R04_AV1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18).

PROGRAM: TRIGGER CHECK IF R04_AV1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO BOX R04_AVV01 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AV1121_NB

When you first started using electronic nicotine products fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up adult respondents who have ever used an electronic nicotine product and had not reported ever using electronic nicotine products fairly regularly as of their last completed interview and have ever used electronic nicotine products fairly regularly and did not know or refused to report the age they started using electronic nicotine products fairly regularly, or new cohort adult respondents who have ever used an electronic nicotine product and have ever used electronic nicotine products fairly regularly and did not know or refused to report the age they started using electronic nicotine products fairly regularly .

ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1 AND R04_AV1100 = 1 AND R04_AV1007_NB = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV1100 = 1 AND R04_AV1007_NB = -8, -7).

BOX ID: R04_AW01

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R04_EPROD_USER_STATUS = 1 (Current established user) Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day or some days.

R04_EPROD_USER_STATUS = 2 (Current experimental user) Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days.

R04_EPROD_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever used electronic nicotine products and have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use them not at all.

R04_EPROD_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental electronic nicotine product users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and aged-up adult respondents who have ever used electronic nicotine products as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and continuing and aged-up adult respondents who initiated electronic nicotine product use since their last completed interview, have ever used electronic nicotine products fairly regularly, have used in the past 12 months and currently use not at all; and new cohort adult respondents who have ever used electronic nicotine products fairly regularly, have used in the past 12 months and currently use not at all.

R04_EPROD_USER_STATUS = 5 (Long-term former established user) Continuing and aged-up adult respondents who were new former established or still former established electronic nicotine product users as of their last completed interview and did not use in the past 12 months or currently use not at all, and new cohort adult respondents who have ever used electronic nicotine products fairly regularly, and have not used in the past 12 months.

R04_CURRENT_EPROD_USE = 1 (Every day established user) Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day.

R04_CURRENT_EPROD_USE = 2 (Some day established user) Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days.

R04_FORMER_THIRTYDAY_USER_EPROD = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established users who have used any electronic nicotine products in the past 30 days.

R04_EPROD_USER_STATUS = 1:

IF (R03_REGUSE_EPROD = 1 OR R04_AV1100 = 1) AND R04_AV1003 = 1, 2, THEN
R04_EPROD_USER_STATUS = 1.

R04_EPROD_USER_STATUS = 2:

ELSE, IF R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1 AND R04_AV1100 != 1 AND R04_AV1003 = 1, 2, THEN R04_EPROD_USER_STATUS = 2.

R04_EPROD_USER_STATUS = 3:

ELSE, IF R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3) AND R03_REGUSE_EPROD != 1 AND R04_AV1100 != 1, THEN R04_EPROD_USER_STATUS = 3.

R04_EPROD_USER_STATUS = 4:

ELSE, IF (R03_EPROD_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_EPRODS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_EPRODS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AV1009_NN <= 365 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN <= 12 AND R04_AV1009_UN = 2) OR (R04_AV1009_NN <= 1 AND R04_AV1009_UN = 3)))) AND (R03_REGUSE_EPROD = 1 OR R04_AV1100 = 1) AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3), THEN
R04_EPROD_USER_STATUS = 4.

R04_EPROD_USER_STATUS = 5:

ELSE, IF (R03_EPROD_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AV1100 = 1
AND ((R04_AV1009_NN > 365 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN > 12 AND
R04_AV1009_UN = 2) OR (R04_AV1009_NN > 1 AND R04_AV1009_UN = 3)))) AND
R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3), THEN
R04_EPROD_USER_STATUS = 5.

R04_CURRENT_EPROD_USE = 1:

IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 1, THEN R04_CURRENT_EPROD_USE =
1.

R04_CURRENT_EPROD_USE = 2:

ELSE, IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 2, THEN
R04_CURRENT_EPROD_USE = 2.

R04_FORMER_THIRTYDAY_USER_EPROD:

IF R04_EPROD_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AV1009_NN <= 30 AND
R04_AV1009_UN = 1) OR (R04_AV1009_NN = 1 AND R04_AV1009_UN = 2) OR R04_AV1004 = 1),
THEN R04_FORMER_THIRTYDAY_USER_EPROD = 1.

ELSE, R04_FORMER_THIRTYDAY_USER_EPROD = 2.

BOX ID: R04_AVR02

New baseline adult respondents who are every day established electronic nicotine product users, go to
R04_AV1020_NB.

Else, continuing and aged-up adult respondents who initiated electronic nicotine product use since their
last completed interview, or new cohort adult respondents who have ever used an electronic nicotine
product, go to R04_AV1011.

Else, continuing and aged-up adult respondents who have ever used an electronic nicotine product and
have used electronic nicotine products in the past 30 days or in the past 12 months, go to
R04_AV9035.

Else, go to Box R04_AVR52.

IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_EPROD_USE = 1, GO TO R04_AV1020_NB.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_EPRODS_ADULT = 1) OR (R04_ADULTTYPE = 3
AND R04_EVER_NEVER_EPRODS = 1), GO TO R04_AV1011.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1004 = 1
OR R04_AV1002_12M = 1), GO TO R04_AV9035.

ELSE, GO TO BOX R04_AVR52.

Variable(s):	R04_AV1020_NB	
How old were you when you first started using electronic nicotine products every day?		
	I__I__I Years old	
-8	DON'T KNOW	GO TO R04_AV1122_NB
-7	REFUSED	GO TO R04_AV1122_NB
ASK: New baseline adult respondents who are every day established electronic nicotine product users.		
ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_EPROD_USE = 1.		
DISPLAY: DISPLAY "Years old" AS A TITLE.		
PROGRAM: Allow 2 digits for age.		

CHECK ID: R04_AV1020_NB_LC1

The computer recorded that you started using electronic nicotine products every day at age [R04_AV1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R04_AV1020_NB
2	NEXT	GO TO R04_AV1020_NB_LC2

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_EPROD_USE = 1 AND R04_AV1020_NB != -8, -7 AND (R04_AV1020_NB <= 10 OR R04_AV1020_NB < R04_AV1007_NB).

PROGRAM: TRIGGER CHECK IF R04_AV1020_NB <= 10 OR R04_AV1020_NB < R04_AV1007_NB. ELSE, GO TO R04_AV1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AV1020_NB_LC2

The computer recorded that you started using electronic nicotine products every day at age [R04_AV1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R04_AV1020_NB
2	NEXT	GO TO BOX R04_AVR23

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_EPROD_USE = 1 AND R04_AV1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AV1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO BOX R04_AVR23 AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R04_AV1122_NB
When you first started using electronic nicotine products every day, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who are every day established electronic nicotine users and did not know or refused to report the age they first started using electronic nicotine products every day. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_EPROD_USE = 1 AND R04_AV1020_NB = -8, -7.	

BOX ID:	R04_AVR23
Continuing and aged-up respondents who initiated electronic nicotine product use since their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product, go to R04_AV1011. Else, go to R04_AV9035. IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_EPRODS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1), GO TO R04_AV1011. ELSE, GO TO R04_AV9035.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.	
R04_AV1011_01	1 Tobacco-flavored
R04_AV1011_02	2 Menthol or mint
R04_AV1011_03	3 Clove or spice
R04_AV1011_04	4 Fruit
R04_AV1011_05	5 Chocolate
R04_AV1011_06	6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AV1011_07	7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)
R04_AV1011_08	8 Candy, desserts or other sweets
R04_AV1011_09; R04_AV1011_OS	9 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Continuing and aged-up respondents who initiated electronic nicotine product use since their last completed interview, or new cohort adult respondents who have ever used an electronic nicotine product.	
ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_EPRODS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1).	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	

Variable(s):	SEE BELOW:
Which of the following types of electronic nicotine products have you used? Choose all that apply. [SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS BY SUBTYPE] R04_AV9035_01 1 E-cigarette including a vape pen, personal vaporizer, or mod R04_AV9035_02 2 E-cigar R04_AV9035_03 3 E-pipe R04_AV9035_04 4 E-hookah including a hookah pen R04_AV9035_05; 5 Something else (SPECIFY) R04_AV9035_OS -8 DON'T KNOW -7 REFUSED ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and have used electronic nicotine products in the past 30 days or past 12 months, or new cohort adult respondents who have ever used an electronic nicotine product. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1004 = 1 OR R04_AV1002_12M = 1)) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1). DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard." PROGRAM: Allow respondent to choose all that apply. IMAGE: SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS BY SUBTYPE	

BOX ID:	R04_AVR56
If the only device type selected is "Something else" or the respondent did not know or refused to report which device types they have used, go to Box R04_AVR59. Else, repeat R04_AV9060 for each device type selected, except "Something else". When all loops complete, go to Box R04_AVV04.	
IF (R04_AV9035_01 != 1 AND R04_AV9035_02 != 1 AND R04_AV9035_03 != 1 AND R04_AV9035_04 != 1) AND R04_AV9035_05 = 1, -8, -7, GO TO BOX R04_AVR59. ELSE, IF R04_AV9035_01 = 1, GO TO R04_AV9060_01. ELSE, IF R04_AV9035_02 = 1, GO TO R04_AV9060_02. ELSE, IF R04_AV9035_03 = 1, GO TO R04_AV9060_03. ELSE, IF R04_AV9035_04 = 1, GO TO R04_AV9060_04. WHEN ALL LOOPS COMPLETE, GO TO BOX R04_AVV04.	

Variable(s): R04_AV9060_01; R04_AV9060_02; R04_AV9060_03; R04_AV9060_04
[Do/Did] you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R04_AV9035]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Continuing and aged-up adult respondents who have ever used an electronic nicotine product and have used electronic nicotine products in the past 30 days or past 12 months and selected a type of electronic nicotine product they have used, or new cohort adult respondents who have ever used an electronic nicotine product and selected a type of electronic nicotine product they have used. ASK Specification: FOR R04_AV9060_01: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1004 = 1 OR R04_AV1002_12M = 1) AND R04_AV9035_01 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV9035_01 = 1). FOR R04_AV9060_02: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1004 = 1 OR R04_AV1002_12M = 1) AND R04_AV9035_02 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV9035_02 = 1). FOR R04_AV9060_03: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1004 = 1 OR R04_AV1002_12M = 1) AND R04_AV9035_03 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV9035_03 = 1). FOR R04_AV9060_04: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1004 = 1 OR R04_AV1002_12M = 1) AND R04_AV9035_04 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_EPRODS = 1 AND R04_AV9035_04 = 1). DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do". ELSE, IF R04_EPROD_USER_STATUS = 3, 4, 5, DISPLAY "did". FOR R04_AV9060_01, DISPLAY "e-cigarette". FOR R04_AV9060_02, DISPLAY "e-cigar". FOR R04_AV9060_03, DISPLAY "e-pipe". FOR R04_AV9060_04, DISPLAY "e-hookah".

BOX ID: R04_AVR60
If there are remaining device types, go back to Box R04_AVR56 and complete loop for all remaining device types. Else, if all loops are complete, go to Box R04_AVV04. IF R04_AV9035_02 = 1 AND R04_AV9060_02 = -1, GO BACK TO BOX R04_AVR56. ELSE, IF R04_AV9035_03 = 1 AND R04_AV9060_03 = -1, GO BACK TO BOX R04_AVR56. ELSE, IF R04_AV9035_04 = 1 AND R04_AV9060_04 = -1, GO BACK TO BOX R04_AVR56. ELSE, IF ALL LOOPS ARE COMPLETE, GO TO BOX R04_AVV04.

BOX ID: R04_AW04
<u>PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):</u>
R04_EPRODCOUNT = Number of electronic nicotine products used.
R04_EPRODCOUNT: R04_EPRODCOUNT = 0 IF R04_AV9035_01 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_02 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_03 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_04 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_05 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1.

BOX ID: R04_AVR58
Adult respondents who have used more than one type of electronic nicotine product go to R04_AV9044. Else, go to Box R04_AVR59.
IF R04_EPRODCOUNT > 1, GO TO R04_AV9044. ELSE, GO TO BOX R04_AVR59.

Variable(s): R04_AV9044**
You mentioned that you have used more than one type of electronic nicotine product. Which type of electronic nicotine product [do/did] you use <u>most often</u>? [SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS BY SUBTYPE] 1 E-cigarette including a vape pen, personal vaporizer, or mod 2 E-cigar 3 E-pipe 4 E-hookah including a hookah pen 5 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have used more than one type of electronic nicotine product. ASK Specification: IF R04_EPRODCOUNT > 1. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did". BOLD AND UNDERLINE "most often". IMAGE: SHOW GENERIC IMAGE OF ELECTRONIC NICOTINE PRODUCTS BY SUBTYPE NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who selected "something else" in R04_AV9035 in addition to e-cigarette, e-cigar, e-pipe, and/or e-hookah. The error was not corrected during Wave 4 Data Collection.

BOX ID: R04_AVR59
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users, go to R04_AV9040. Else, go to Box R04_AVR12.
IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1, GO TO R04_AV9040. ELSE, GO TO BOX R04_AVR12.

Variable(s): R04_AV9040
Please look at this picture. Which group is most like the electronic nicotine product you [use/used] <u>most often?</u> [SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS] 1 Group 1 2 Group 2 3 Group 3 4 Group 4 5 Group 5 6 Group 6 7 None of the above -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users. ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "use". ELSE, DISPLAY "used". BOLD AND UNDERLINE "most often". IMAGE: SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS Note: Group 1 is tank system 'box style' e-cigarettes; group 2 is tank system 'vapor pen' e-cigarettes; group 3 is disposable 'cig-a-like' e-cigarettes; group 4 is e-cigars; group 5 is e-pipes; group 6 is e-hookah and hookah pens.

BOX ID: R04_AVD05
Display questions R04_AV9005 through R04_AV9009 using stem-leaf screen. The introduction text from R04_AV9009 is the stem.

Variable(s): R04_AV9005

For the following questions, please think about the electronic nicotine product you [use/used] **most often**.

[Is/Was] it rechargeable?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "use" AND "Is".

ELSE, DISPLAY "used" AND "Was".

BOLD AND UNDERLINE "most often".

Variable(s): R04_AV9038

[Does/Did] it use a tank system?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Does".

ELSE, DISPLAY "Did".

Variable(s): R04_AV9008
[Does/Did] it use cartridges? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users. ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Does". ELSE, DISPLAY "Did".

Variable(s): R04_AV9009
[Can/Could] you refill it with "e-liquid"? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users. ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Can". ELSE, DISPLAY "Could".

BOX ID: R04_AVR57
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and can refill their electronic nicotine product with e-liquid, go to R04_AV9046. Else, go to Box R04_AVV03. IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV9009 = 1, GO TO R04_AV9046. ELSE, GO TO BOX R04_AVV03.

Variable(s): **R04_AV9046**

How often [do/did] you refill your electronic nicotine product with e-liquid?

- 1 At least once a day
- 2 Once every couple of days
- 3 Once a week
- 4 A few times a month
- 5 Once a month
- 6 A few times a year
- 7 Once a year
- 8 Never
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04_AVR30

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and can refill their electronic nicotine product with e-liquid.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV9009 = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

Variable(s):	R04_AV9036
Who [refills/refilled] it with e-liquid? 1 I [refill/refilled] it myself 2 I [get/got] it refilled at a vape shop or vapor lounge 3 I [buy/bought] it already filled 4 I [get/got] it refilled some other way -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and can refill their electronic nicotine product with e-liquid and have refilled their electronic nicotine product or did not know or refused to report how often they refill their electronic nicotine product. ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV9009 = 1 AND R04_AV9046 != 8. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "refills" IN QUESTION TEXT AND "refill", "get", "buy", AND "get" IN RESPONSE OPTIONS. ELSE, DISPLAY "refilled" IN QUESTION TEXT AND "refilled", "got", "bought", AND "got" IN RESPONSE OPTIONS.	

BOX ID:	R04_AVR30
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and can refill their electronic nicotine product with e-liquid and use an electronic nicotine product with a tank, go to R04_AV9045. Else, go to Box R04_AVV03.	
IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV9009 = 1 AND R04_AV9038 = 1, GO TO R04_AV9045. ELSE, GO TO BOX R04_AVV03.	

Variable(s): R04_AV9045

How many milliliters of e-liquid [does/did] your tank system hold?

||_|

-2 I don't know

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and can refill their electronic nicotine product with e-liquid and use an electronic nicotine product with a tank.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV9009 = 1 AND R04_AV9038 = 1

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "does".

ELSE, DISPLAY "did".

PROGRAM: Allow 3 digits.

BOX ID: R04_AVV03

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R04_EDEVICETYPE = (Electronic Nicotine Product device type):

R04_EDEVICETYPE = 1 (Disposable Electronic Nicotine Product).

R04_EDEVICETYPE = 2 (Non-Refillable Cartridge Electronic Nicotine Product).

R04_EDEVICETYPE = 3 (Refillable Cartridge Electronic Nicotine Product).

R04_EDEVICETYPE = 4 (Refillable Tank System Electronic Nicotine Product).

R04_EDEVICETYPE = 5 (Refillable Mod System Electronic Nicotine Product).

R04_EDEVICETYPE = 6 (Unknown Electronic Nicotine Product Type).

R04_EDEVICETYPE:

IF R04_AV9005 = 2, -8, -7 AND R04_AV9008 = 2, -8, -7 AND R04_AV9038 = 2, -8, -7 AND R04_AV9009 = 2, -8, -7, THEN R04_EDEVICETYPE = 1 (Disposable).

ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 = 2, -8, -7 AND R04_AV9009 = 2, -8, -7, THEN R04_EDEVICETYPE = 2 (Non-Refillable Cartridge).

ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 != 1 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 3 (Refillable Cartridge).

ELSE, IF R04_AV9005 = 1 AND R04_AV9038 = 1 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 4 (Refillable Tank System).

ELSE, IF R04_AV9005 = 1, 2, -8, -7 AND R04_AV9008 = 2, -8, -7 AND R04_AV9038 = 2, -8, -7 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 5 (Refillable Mod System).

ELSE, R04_EDEVICETYPE = 6 (Unknown).

BOX ID: R04_AVT04

PROGRAM - CREATE [EPRODFILL1-3]:

EPRODFILL1:

R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL1 = "electronic nicotine products".

R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL1 = "electronic nicotine cartridges".

R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL1 = "milliliters of e-liquid".

EPRODFILL2:

R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL2 = "electronic nicotine products".

R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL2 = "electronic nicotine cartridges".

R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL2 = "e-liquid".

EPRODFILL3:

R04_EDEVICETYPE = 1,6 (Disposable/Unknown), EPRODFILL3 = "electronic nicotine product".

R04_EDEVICETYPE = 2 (Non-refillable Cartridges), EPRODFILL3 = "electronic nicotine cartridge".

R04_EDEVICETYPE = 3, 4, 5 (Refillable Cartridges/Tank/Mod), EPRODFILL3 = "e-liquid".

Variable(s): R04_AV9010

Please think about the [EPRODFILL3] you [use/used] **most often**.

[Does/Did] it contain nicotine?

1 Yes

2 No

GO TO BOX R04_AVR12

-8 DON'T KNOW

GO TO BOX R04_AVR12

-7 REFUSED

GO TO BOX R04_AVR12

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS =1, 2, DISPLAY "use" and "Does".

ELSE, DISPLAY "used" and "Did".

BOLD AND UNDERLINE "most often".

Variable(s): R04_AV9006

What concentration of nicotine [do/did] you usually use?

- 1 I don't know the concentration
- 2 0mg or 0%
- 3 1-6mg or 0.1-0.6%
- 4 7-12mg or 0.7-1.2%
- 5 13-17mg or 1.3-1.7%
- 6 18-24mg or 1.8-2.4%
- 7 25-39mg or 2.5-3.9%
- 8 40+mg or 4.0+%
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and use an electronic nicotine product that contains nicotine.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV9010 = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

BOX ID: R04_AVR12

Adult respondents who are every day established electronic nicotine product users, go to R04_AV1021.
Else, adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users, go to R04_AV1022.

Else, new cohort adult respondents who are former experimental, recent former established, or long-term former established electronic nicotine product users, go to R04_AV1025_RS.

Else, adult respondents who are recent former established electronic nicotine product users, go to R04_AV1047.

Else, go to R04_AV9042.

IF R04_CURRENT_EPROD_USE = 1, GO TO R04_AV1021.

ELSE, IF R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1, GO TO R04_AV1022.

ELSE, IF R04_ADULTTYPE = 3 AND R04_EPROD_USER_STATUS = 3, 4, 5, GO TO R04_AV1025_RS.

ELSE, IF R04_EPROD_USER_STATUS = 4, GO TO R04_AV1047.

ELSE, GO TO R04_AV9042.

Variable(s):	R04_AV1021
On average, about how many [EPRODFILL1] do you now use each day?	
-2	Less than 1 each day
	GO TO R04_AV1026
	I ___ I ___
-8	DON'T KNOW
	GO TO R04_AV1026
-7	REFUSED
	GO TO R04_AV1026
ASK: Adult respondents who are every day established electronic nicotine product users.	
ASK Specification: IF R04_CURRENT_EPROD_USE = 1.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.	

CHECK ID:	R04_AV1021_LC1
The computer recorded that you now use [R04_AV1021] [EPRODFILL1] a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AV1021
2 NEXT	GO TO R04_AV1026
ASK: IF R04_CURRENT_EPROD_USE = 1 AND R04_AV1021 > 1.	
PROGRAM: TRIGGER CHECK IF R04_AV1021 > 1.	
ELSE, GO TO R04_AV1026 AND DO NOT DISPLAY THIS SCREEN.	

Variable(s):	R04_AV1022
On how many of the past 30 days did you use an electronic nicotine product?	
	I ___ I ___ I DAYS
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users.	
ASK Specification: IF R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1.	
DISPLAY: DISPLAY "DAYS" AS A TITLE.	
PROGRAM: Range check: 0-30 days.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AVR42

Adult respondents who are some day established or current experimental electronic nicotine product users and used on 0 days of the past 30 days, go to R04_AV9029.

Else, adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R04_AV1026.

Else, go to Box R04_AVR32.

IF (R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2) AND R04_AV1022 = 0, GO TO R04_AV9029.

ELSE, IF R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0), GO TO R04_AV1026.

ELSE, GO TO BOX R04_AVR32.

Variable(s): R04_AV9029_NN; R04_AV9029_UN

About how long has it been since you last took a puff from an electronic nicotine product?

1 I__I__I DAYS

2 I__I__I MONTHS

3 I__I__I YEARS

-8 DON'T KNOW

GO TO BOX R04_AVR32

-7 REFUSED

GO TO BOX R04_AVR32

ASK: Adult respondents who are some day established or current experimental electronic nicotine product users and used on 0 days of the past 30 days.

ASK Specification: IF (R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2) AND R04_AV1022 = 0.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AV9029_UN = Days; the value "2" refers to R04_AV9029_UN = Months; the value "3" refers to R04_AV9029_UN = Years.

CHECK ID: R04_AV9029_LC1

The computer recorded that you last took a puff from an electronic nicotine product [R04_AV9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AV9029 |
| 2 | NEXT | GO TO BOX R04_AVR32 |

ASK: IF (R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2) AND R04_AV1022 = 0 AND ((R04_AV9029_NN < 30 AND R04_AV9029_UN = 1) OR ((R04_AV9029_NN < 1 OR R04_AV9029_NN > 18) AND R04_AV9029_UN = 2) OR ((R04_AV9029_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18) AND R04_AV9029_UN = 3)).

DISPLAY: IF R04_AV9029_UN = 1, DISPLAY "days".

ELSE, IF R04_AV9029_UN = 2, DISPLAY "months".

ELSE, IF R04_AV9029_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AV9029_NN < 30 AND R04_AV9029_UN = 1) OR ((R04_AV9029_NN < 1 OR R04_AV9029_NN > 18) AND R04_AV9029_UN = 2) OR ((R04_AV9029_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18) AND R04_AV9029_UN = 3).
ELSE, GO TO BOX R04_AVR32 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AV1026

On average, on the days that you use, how many times each day do you pick up your electronic nicotine product to use it, whether you take one puff or several?

|_|_|_|_|

- | | | |
|----|------------|------------------|
| -8 | DON'T KNOW | GO TO R04_AV1027 |
| -7 | REFUSED | GO TO R04_AV1027 |

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0).

CHECK ID: R04_AV1026_LC1

The computer recorded that on the days you use, you pick up your electronic nicotine product to use it [R04_AV1026] [time / times] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AV1026

2 NEXT GO TO R04_AV1027

ASK: IF R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0) AND (R04_AV1026 > 50 OR R04_AV1026 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R04_AV1026 = 1, DISPLAY "time".

ELSE, DISPLAY "times".

PROGRAM: TRIGGER CHECK IF R04_AV1026 > 50 OR R04_AV1026 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO R04_AV1027 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AV1027

Each time you pick up your electronic nicotine product to use it, about how many puffs do you take?

|_|_|_|_|

-8 DON'T KNOW GO TO BOX R04_AVR32

-7 REFUSED GO TO BOX R04_AVR32

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AV1027_LC1

The computer recorded that you take [R04_AV1027] [puff / puffs] from your electronic nicotine product each time you use it, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AV1027

2 NEXT

GO TO BOX R04_AVR32

ASK: IF R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0) AND (R04_AV1027 > 50 OR R04_AV1027 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R04_AV1027 = 1, DISPLAY "puff".

ELSE, DISPLAY "puffs".

PROGRAM: TRIGGER CHECK IF R04_AV1027 > 50 OR R04_AV1027 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO BOX R04_AVR32 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_AVR32

Adult respondents who are current established or current experimental electronic nicotine product users, go to R04_AV1024.

Else, adult respondents who are non-current 30-day electronic nicotine product users, go to R04_AV1024_30D.

Else, new cohort adult respondents who are former experimental, recent former established, or long-term former established electronic nicotine product users, go to R04_AV1025_RS.

Else, adult respondents who are recent former established electronic nicotine product users, go to R04_AV1047.

Else, go to R04_AV9042.

IF R04_EPROD_USER_STATUS = 1, 2, GO TO R04_AV1024.

ELSE, IF R04_FORMER_THIRTYDAY_USER_EPROD = 1, GO TO R04_AV1024_30D.

ELSE, IF R04_ADULTTYPE = 3 AND R04_EPROD_USER_STATUS = 3, 4, 5, GO TO R04_AV1025_RS.

ELSE, IF R04_EPROD_USER_STATUS = 4, GO TO R04_AV1047.

ELSE, GO TO R04_AV9042.

Variable(s):	R04_AV1024_NN; R04_AV1024_UN
[On the days that you use an electronic nicotine product, how/How] soon after you wake up do you typically take your first puff of the day? Please enter the number of minutes or hours.	
1	_ _ _ _ Minutes after waking
2	_ _ _ _ Hours after waking
-8	DON'T KNOW GO TO R04_AV1092
-7	REFUSED GO TO R04_AV1092
ASK: Adult respondents who are current established or current experimental electronic nicotine product users. ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2. DISPLAY: IF R04_CURRENT_EPROD_USE = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you use an electronic nicotine product, how". PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R04_AV1024_UN = Minutes after waking; the value "2" refers to R04_AV1024_UN = Hours after waking.	

CHECK ID: **R04_AV1024_LC1**

The computer recorded that you typically take your first puff from an electronic nicotine product [R04_AV1024_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK	GO TO R04_AV1024
2 NEXT	GO TO R04_AV1024_LC2

ASK: IF R04_EPROD_USER_STATUS = 1, 2 AND ((R04_CURRENT_EPROD_USE = 1 AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 4 AND R04_AV1024_UN = 2))) OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2) AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 12 AND R04_AV1024_UN = 2))))).

DISPLAY: IF R04_AV1024_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AV1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_CURRENT_EPROD_USE = 1 AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 4 AND R04_AV1024_UN = 2))) OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2) AND ((R04_AV1024_NN > 60 AND R04_AV1024_UN = 1) OR (R04_AV1024_NN > 12 AND R04_AV1024_UN = 2))).

ELSE, GO TO R04_AV1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AV1024_LC2

The computer recorded "0" for how soon you typically take your first puff from an electronic nicotine product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AV1024 |
| 2 | NEXT | GO TO BOX R04_AVR52 |

ASK: IF R04_EPROD_USER_STATUS = 1, 2 AND R04_AV1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AV1024_NN = 0.

ELSE, GO TO BOX R04_AVR52 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AV1092

(On the days that you use electronic nicotine products, would/Would) you say you take your first puff of the day within the first 30 minutes after you wake up?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R04_AVR52 |
| 2 | No | GO TO BOX R04_AVR52 |
| 3 | It varies | GO TO BOX R04_AVR52 |
| -8 | DON'T KNOW | GO TO BOX R04_AVR52 |
| -7 | REFUSED | GO TO BOX R04_AVR52 |

ASK: Adult respondents who are current established or current experimental electronic nicotine product users and did not know or refused to report how soon after waking up they typically take their first puff from an electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2 AND R04_AV1024_NN = -8, -7.

DISPLAY: IF R04_CURRENT_EPROD_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you use electronic nicotine products, would".

Variable(s): R04_AV1024_30D_NN; R04_AV1024_30D_UN

On the days that you used an electronic nicotine product, how soon after you woke up did you typically take your first puff of the day? Please enter the number of minutes or hours.

1 |__|__|__| Minutes after waking

2 |__|__|__| Hours after waking

-8 DON'T KNOW

GO TO R04_AV1092_30D

-7 REFUSED

GO TO R04_AV1092_30D

ASK: Adult respondents who are non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_FORMER_THIRTYDAY_USER_EPROD = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AV1024_30D_UN = Minutes after waking; the value "2" refers to R04_AV1024_30D_UN = Hours after waking.

CHECK ID: R04_AV1024_30D_LC1

The computer recorded that you typically took your first puff from an electronic nicotine product [R04_AV1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AV1024_30D

2 NEXT

GO TO R04_AV1024_30D_LC2

ASK: IF R04_FORMER_THIRTYDAY_USER_EPROD = 1 AND ((R04_AV1024_30D_NN > 60 AND R04_AV1024_30D_UN = 1) OR (R04_AV1024_30D_NN > 12 AND R04_AV1024_30D_UN = 2)).

DISPLAY: IF R04_AV1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AV1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_AV1024_30D_NN > 60 AND R04_AV1024_30D_UN = 1) OR (R04_AV1024_30D_NN > 12 AND R04_AV1024_30D_UN = 2).

ELSE, GO TO R04_AV1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AV1024_30D_LC2

The computer recorded "0" for how soon you typically took your first puff from an electronic nicotine product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AV1024_30D

2 NEXT

GO TO BOX R04_AVR52

ASK: IF R04_FORMER_THIRTYDAY_USER_EPROD = 1 AND R04_AV1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AV1024_30D_NN = 0.

ELSE, GO TO BOX R04_AVR52 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AV1092_30D

On the days that you used electronic nicotine products, would you say you took your first puff of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are non-current 30-day electronic nicotine product users and did not know or refused to report how soon after waking up they typically take their first puff from an electronic nicotine product.

ASK Specification: IF R04_FORMER_THIRTYDAY_USER_EPROD = 1 AND R04_AV1024_30D_NN = -8, -7.

BOX ID: R04_AVR52

New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established electronic nicotine product users, go to R04_AV1025_RS.

Else, go to Box R04_AVR46.

IF R04_ADULTTYPE = 3 AND R04_EPROD_USER_STATUS = 1, 2, 3, 4, 5, GO TO R04_AV1025_RS.

ELSE GO TO BOX R04_AVR46.

Variable(s): R04_AV1025_RS

Around this time 12 months ago, were you using electronic nicotine products...?

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established electronic nicotine product users.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EPROD_USER_STATUS = 1, 2, 3, 4, 5.

BOX ID: R04_AVR46

Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R04_AV0100.

Else, adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users, go to R04_AV1030.

Else, adult respondents who are recent former established electronic nicotine product users, go to R04_AV1047.

Else, adult respondents who have ever used an electronic nicotine product, go to R04_AV9042.

Else, go to the next section.

IF R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0), GO TO R04_AV0100.

ELSE, IF R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1, GO TO R04_AV1030.

ELSE, IF R04_EPROD_USER_STATUS = 4, GO TO R04_AV1047.

ELSE, IF R04_EVER_NEVER_USER_EPRODS = 1, GO TO R04_AV9042.

ELSE, GO TO THE NEXT SECTION (see note in Box R04_AMD07).

Variable(s): R04_AV0100**

When did you last use an electronic nicotine product?

- | | |
|--------------------------|------------------|
| 1 In the past hour | GO TO R04_AV0103 |
| 2 Sometime today | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R04_AV1131 |
| -8 DON'T KNOW | GO TO R04_AV1131 |
| -7 REFUSED | GO TO R04_AV1131 |

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0).

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who have ever used electronic nicotine products fairly regularly and currently use them some days (R04_CURRENT_EPROD_USE = 2) and used an electronic nicotine product on one or more days in the past 30 days (R04_AV1022 > 0). This issue was fixed in a field update on 01/31/2017.

Variable(s): **R04_AV0102**

When you last used an electronic nicotine product [FILL BASED ON R04_AV0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established electronic nicotine product users and last used an electronic nicotine product sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used an electronic nicotine product sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04_CURRENT_EPROD_USE = 1 AND R04_AV0100 = 2, 3, 4) OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0 AND R04_AV0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R04_AV0100]:

IF R04_AV0100 = 2, DISPLAY "today".

ELSE, IF R04_AV0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AV0100 = 4, DISPLAY "the day before yesterday".

Variable(s): R04_AV0103

How many puffs from an electronic nicotine product [have/did] you [taken/take] [FILL BASED ON R04_AV0100]?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are every day established electronic nicotine product users and last used an electronic nicotine product in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used an electronic nicotine product in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04_CURRENT_EPROD_USE = 1 AND R04_AV0100 = 1, 2, 3, 4) OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0 AND R04_AV0100 = 1, 2, 3, 4).

DISPLAY: IF R04_AV0100 = 1, 2, DISPLAY "have" AND "taken".

ELSE, IF R04_AV0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R04_AV0100]:

IF R04_AV0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AV0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AV0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits.

CHECK ID: R04_AV0103_LC1

The computer recorded you took [R04_AV0103] puffs from an electronic nicotine product [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AV0103

2 NEXT

GO TO R04_AV1131

ASK: IF ((R04_CURRENT_EPROD_USE = 1 AND R04_AV0100 = 1, 2, 3, 4) OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0 AND R04_AV0100 = 1, 2, 3, 4)) AND (R04_AV0103 > 200 OR R04_AV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R04_AV0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AV0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AV0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AV0103 > 200 OR R04_AV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO R04_AV1131 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): SEE BELOW:

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

- | | | |
|---|----|---|
| R04_AV1131_01** | 1 | Tobacco-flavored |
| R04_AV1131_02** | 2 | Menthol or mint |
| R04_AV1131_03** | 3 | Clove or spice |
| R04_AV1131_04** | 4 | Fruit |
| R04_AV1131_05** | 5 | Chocolate |
| R04_AV1131_06** | 6 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R04_AV1131_07** | 7 | A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages) |
| R04_AV1131_08** | 8 | Candy, desserts or other sweets |
| R04_AV1131_09**;
R04_AV1139_OS | 9 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are every day established electronic nicotine product users, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who have ever used electronic nicotine products fairly regularly and currently use them some days (R04_CURRENT_EPROD_USE = 2) and used an electronic nicotine product on one or more days in the past 30 days (R04_AV1022 > 0). This issue was fixed in a field update on 01/31/2017.

BOX ID: R04_AVR53

Adult respondents who are every day established electronic nicotine product users and used menthol or mint flavored electronic nicotine products in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used menthol or mint flavored electronic nicotine products in the past 30 days, go to R04_AV1147.

Else, adult respondents who are every day established electronic nicotine product users and used flavored electronic nicotine products in the past 30 days, other than tobacco-flavored or menthol or mint, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored electronic nicotine products in the past 30 days, other than tobacco-flavored or menthol or mint, go to R04_AV1157.

Else, go to R04_AV1030.

IF (R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0)) AND R04_AV1131_02 = 1, GO TO R04_AV1147.

ELSE, IF (R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0)) AND R04_AV1131[_03/_04/_05/_06/_07/_08] = 1, GO TO R04_AV1157.

ELSE, GO TO R04_AV1030.

Variable(s): R04_AV1147***

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like menthol or mint?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established electronic nicotine product users and used menthol or mint flavored electronic nicotine products in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used menthol or mint flavored electronic nicotine products in the past 30 days.

ASK Specification: IF (R04_CURRENT_EPROD_USE = 1 AND R04_AV1131_02 = 1) OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0 AND R04_AV1131_02 = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AVR55

Adult respondents who are every day established electronic nicotine product users and used flavored electronic nicotine products in the past 30 days, other than tobacco-flavored or menthol or mint, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored electronic nicotine products in the past 30 days, other than tobacco-flavored or menthol or mint, go to R04_AV1157.
Else, go to R04_AV1030.

IF (R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0)) AND R04_AV1131[_03/_04/_05/_06/_07/_08] = 1, GO TO R04_AV1157.
ELSE, GO TO R04_AV1030.

Variable(s): R04_AV1157***

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts or other sweets?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established electronic nicotine product users and used flavored electronic nicotine products in the past 30 days, other than tobacco-flavored or menthol or mint, or adult respondents who are some day established, current experimental, or non-current 30-day electronic nicotine product users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored electronic nicotine products in the past 30 days, other than tobacco-flavored or menthol or mint.

ASK Specification: IF (R04_CURRENT_EPROD_USE = 1 OR ((R04_CURRENT_EPROD_USE = 2 OR R04_EPROD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1022 != 0)) AND R04_AV1131[_03/_04/_05/_06/_07/_08] = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R04_AV1030**

The next questions ask about your experience buying [EPRODFILL2].

How [do/did] you usually buy [EPRODFILL2] for yourself?

- | | | |
|----|----------------------------------|---------------------|
| 1 | In person | |
| 2 | From the internet | GO TO BOX R04_AVR05 |
| 3 | By telephone | GO TO BOX R04_AVR05 |
| 4 | I do not buy my own [EPRODFILL2] | GO TO R04_AV1047 |
| -8 | DON'T KNOW | GO TO R04_AV1047 |
| -7 | REFUSED | GO TO R04_AV1047 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

Variable(s): **R04_AV1032**

[Do/Did] you usually buy [EPRODFILL2]...

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

Variable(s):	R04_AV1033; R04_AV1033_OS
Where [do/did] you buy your [EPRODFILL2] most of the time?	
12	A vape shop or vapor lounge
1	A mall kiosk
2	A convenience store or gas station
3	A supermarket, grocery store, or drug store
4	A warehouse club, such as Sam's or Costco
5	A smoke shop, tobacco specialty store or tobacco outlet store
6	A duty free shop or military commissary
7	A bar, pub, restaurant or casino
8	A friend or relative
9	A swap meet or flea market
10	A liquor store
11	Or from somewhere else (SPECIFY)
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person.	
ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1.	
DISPLAY: IF R04_EPROD_USERS_STATUS = 1, 2, DISPLAY "do".	
ELSE, DISPLAY "did".	
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

BOX ID:	R04_AVR05
Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product, go to R04_AV1136. Else, adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a refillable cartridge, refillable tank system, or refillable mod system, go to R04_AV1041. Else, adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge, go to R04_AV1039. Else, go to R04_AV1047.	
IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 1, 6, GO TO R04_AV1136. ELSE, IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 3, 4, 5, GO TO R04_AV1041. ELSE, IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 2, GO TO R04_AV1039. ELSE, GO TO R04_AV1047.	

Variable(s):	R04_AV1136
[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single [EPRODFILL1]?	
1	Box or pack
2	Single [EPRODFILL1] GO TO R04_AV1034
-8	DON'T KNOW GO TO R04_AV1047
-7	REFUSED GO TO R04_AV1047
ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product. ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 1, 6. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Do". ELSE, DISPLAY "Did".	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AV1137**

How many [EPRODFILL1] [come/came] in the box or pack that you usually [buy/bought]?

I ___ I ___

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND
R04_EDEVICETYPE = 1, 6 AND R04_AV1136 = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "come" AND "buy".

ELSE, DISPLAY "came" AND "bought".

PROGRAM: Allow for 2 digits.

Variable(s): **R04_AV1138_D; R04_AV1138_C**

How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?

\$ I ___ I ___ I ___ Dollars . I ___ I ___ Cents

GO TO R04_AV1047

-8 DON'T KNOW

GO TO R04_AV1047

-7 REFUSED

GO TO R04_AV1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND
R04_EDEVICETYPE = 1, 6 AND R04_AV1136 = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Variable(s): **R04_AV1034_D; R04_AV1034_C**

How much [do/did] you usually pay for a single [EPRODFILL3]?

\$ I ___ I ___ I ___ I Dollars . I ___ I ___ I Cents

-8 DON'T KNOW

GO TO R04_AV1047

-7 REFUSED

GO TO R04_AV1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use a disposable or unknown electronic nicotine product and usually buy single electronic nicotine products.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 1, 6 AND R04_AV1136 = 2.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

CHECK ID: **R04_AV1034_LC1**

The computer recorded that you paid \$[R04_AV1034_D].[R04_AV1034_C] for a single [EPRODFILL3]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AV1034

2 NEXT

GO TO R04_AV1047

ASK: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 1, 6 AND R04_AV1136 = 2 AND R04_AV1034_D > 50.

PROGRAM: TRIGGER CHECK IF R04_AV1034_D > 50.

ELSE, GO TO R04_AV1047 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AV1041_D; R04_AV1041_C	
How much [do/did] you usually pay for a bottle or container of e-liquid?	
\$ I ____ I ____ I ____ Dollars . I ____ I ____ I Cents	
-8 DON'T KNOW	GO TO R04_AV1047
-7 REFUSED	GO TO R04_AV1047
ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a refillable cartridge, refillable tank system, or refillable mod system. ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 3, 4, 5. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did". DISPLAY "\$" AS LEFT LABEL. DISPLAY "Dollars" AND "Cents" AS TITLES. PROGRAM: Display as Quantity/Quantity.	

CHECK ID: R04_AV1041_LC1	
The computer recorded that you paid \$[R04_AV1041_D].[R04_AV1041_C] for a bottle or container of e-liquid. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AV1041
2 NEXT	GO TO R04_AV1047
ASK: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 3, 4, 5 AND R04_AV1041_D >\$50. PROGRAM: TRIGGER CHECK IF R04_AV1041_D > 50. ELSE, GO TO R04_AV1047 AND DO NOT DISPLAY THIS SCREEN.	

Variable(s): **R04_AV1039**

[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single cartridges?

- | | | |
|----|-------------------|------------------|
| 1 | Box or pack | |
| 2 | Single cartridges | GO TO R04_AV1043 |
| -8 | DON'T KNOW | GO TO R04_AV1047 |
| -7 | REFUSED | GO TO R04_AV1047 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 2.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

Variable(s): **R04_AV1040**

How many [EPRODFILL1] [come/came] in the box or pack that you [buy/bought]?

|_|_|

- | | |
|----|------------|
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 2 AND R04_AV1039 = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "come" AND "buy".

ELSE, DISPLAY "came" AND "bought".

PROGRAM: Allow for 2 digits.

Variable(s): R04_AV1042_D; R04_AV1042_C	
How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?	
\$ I ___ I ___ I ___ I Dollars . I ___ I ___ I Cents	
-8 DON'T KNOW	GO TO R04_AV1047
-7 REFUSED	GO TO R04_AV1047
ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack. ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 2 AND R04_AV1039 = 1. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did". DISPLAY "\$" AS LEFT LABEL. DISPLAY "Dollars" AND "Cents" AS TITLES. PROGRAM: Display as Quantity/Quantity.	

CHECK ID: R04_AV1042_LC1	
The computer recorded that you paid \$[R04_AV1042_D].[R04_AV1042_C] for a box or pack of [EPRODFILL1]. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AV1042
2 NEXT	GO TO R04_AV1047
ASK: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 2 AND R04_AV1039 = 1 AND R04_AV1042_D > 50. PROGRAM: TRIGGER CHECK IF R04_AV1042_D > 50. ELSE, GO TO R04_AV1047 AND DO NOT DISPLAY THIS SCREEN.	

Variable(s): R04_AV1043_D; R04_AV1043_C

How much [do/did] you usually pay for a single [EPRODFILL3]?

\$ I ___ I ___ I ___ I Dollars . I ___ I ___ I Cents

-8 DON'T KNOW

GO TO R04_AV1047

-7 REFUSED

GO TO R04_AV1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and usually buy their electronic nicotine products in person, from the internet, or by telephone and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products as single cartridges.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 2 AND R04_AV1039 = 2.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

CHECK ID: R04_AV1043_LC1

The computer recorded that you paid \$[R04_AV1043_D].[R04_AV1043_C] for a single [EPRODFILL3]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AV1043

2 NEXT

GO TO R04_AV1047

ASK: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1030 = 1, 2, 3 AND R04_EDEVICETYPE = 2 AND R04_AV1039 = 2 AND R04_AV1043_D > 50.

PROGRAM: TRIGGER CHECK IF R04_AV1043_D > 50.

ELSE, GO TO R04_AV1047 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R04_AV1047**

[Do/Did] you have a regular brand of [EPRODFILL2] that you usually [use/used]?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Do" AND "use".
ELSE, DISPLAY "Did" AND "used".

Variable(s): SEE BELOW:

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

- | | | |
|---|----|---|
| R04_AV1012_01 | 1 | Tobacco-flavored |
| R04_AV1012_02 | 2 | Menthol or mint |
| R04_AV1012_03 | 3 | Clove or spice |
| R04_AV1012_04 | 4 | Fruit |
| R04_AV1012_05 | 5 | Chocolate |
| R04_AV1012_06 | 6 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R04_AV1012_07 | 7 | A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages) |
| R04_AV1012_08 | 8 | Candy, desserts or other sweets |
| R04_AV1012_09;
R04_AV1012_OS | 9 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY
QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer
keyboard."

IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Is" AND "your regular
brand".

ELSE, IF R04_AV1047 = 1, DISPLAY "Was" AND "your regular brand".

ELSE, IF R04_AV1047 = 2, 3, -8, -7 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Is" AND
"the brand you last used".

ELSE IF R04_AV1047 = 2, 3, -8, -7, DISPLAY "Was" AND "the brand you last used".

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R04_AV1945

Do you know the name of the brand of [EPROD_FILL2] you [usually use/usually used/last used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "usually use".

ELSE, IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS != 1, 2, DISPLAY "usually used".

ELSE, IF R04_AV1047 = 2, 3, -8, -7, DISPLAY "last used".

UNDERLINE "name of the brand".

BOX ID: R04_AVR45

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and know the name of the brand of electronic nicotine products they usually use or last used, go to R04_AV1048_BRAND.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and have a regular brand of electronic nicotine products, go to R04_AV1051.

Else, go to Box R04_AVD02.

IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1)
AND R04_AV1945 = 1, GO TO R04_AV1048_BRAND.

ELSE, IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1)
AND R04_AV1047 = 1, GO TO R04_AV1051.

ELSE, GO TO BOX R04_AVD02.

Variable(s):	R04_AV1048_BRAND
What brand of [EPRODFILL2] [do/did] you [usually/last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". If you do not see it below, touch the box marked "Something else".] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and know the name of the brand of electronic nicotine products they usually use or last used. ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1945 = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else"." IF R04_AV1047 = 1 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do" AND "usually". ELSE, IF R04_AV1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R04_AV1047 = 2, 3, -8, -7 AND R04_EPROD_USER_STATUS = 1, 2, DISPLAY "did" AND "last". ELSE, IF R04_AV1047 = 2, 3, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.	

BOX ID:	R04_AVR33
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and know the name of the brand of electronic nicotine products they usually use or last used and selected "Something else" for their brand of electronic nicotine products, go to R04_AV1049. Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and have a regular brand of electronic nicotine products, go to R04_AV1051. Else, go to Box R04_AVR44. IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1945 = 1 AND R04_AV1048_BRAND = 9995, GO TO R04_AV1049. ELSE, IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1047 = 1, GO TO R04_AV1051. ELSE, GO TO BOX R04_AVR44.	

Variable(s): R04_AV1049

You said that your brand was not listed. What is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and know the name of the brand of electronic nicotine products they usually use or last used and selected "Something else" for their brand of electronic nicotine products.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1945 = 1 AND R04_AV1048_BRAND = 9995.

BOX ID: R04_AVR43

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and have a regular brand of electronic nicotine products, go to R04_AV1051.

Else, go to Box R04_AVR44.

IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1047 = 1, GO TO R04_AV1051.

ELSE, GO TO BOX R04_AVR44.

Variable(s): R04_AV1051_NN; R04_AV1051_UN

About how long [did you use/have you been using] your regular brand of [EPRODFILL2]?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and have a regular brand of electronic nicotine products.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1047 = 1.

DISPLAY: R04_EPROD_USER_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.

NOTES: The value "1" refers to R04_AV1051_UN = Days; the value "2" refers to R04_AV1051_UN = Months; the value "3" refers to R04_AV1051_UN = Years.

CHECK ID: R04_AV1051_LC1

The computer recorded that you have used your regular brand of [EPRODFILL2] for [R04_AV1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AV1051 |
| 2 | NEXT | GO TO R04_AV1051_LC2 |

ASK: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1047 = 1 AND R04_AV1051_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AV1051_UN = 3.

PROGRAM: TRIGGER CHECK IF R04_AV1051_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AV1051_UN = 3.

ELSE, GO TO R04_AV1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AV1051_LC2

The computer recorded "0" for how long you have used your regular brand of [EPRODFILL3].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AV1051 |
| 2 | NEXT | GO TO R04_AV1051_LC3 |

ASK: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1047 = 1 AND R04_AV1051 = 0.

PROGRAM: TRIGGER CHECK IF R04_AV1051 = 0.

ELSE, GO TO R04_AV1051_LC3 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AV1051_LC3

The computer recorded that you have used your regular brand of [EPRODFILL2] for [R04_AV1051_NN] years.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AV1051 |
| 2 | NEXT | GO TO BOX R04_AVR44 |

ASK: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV1047 = 1 AND R04_AV1051_NN > (Today's date - 2010) AND R04_AV1051_UN = 3.

PROGRAM: TRIGGER CHECK IF R04_AV1051_NN > (Today's date - 2010) AND R04_AV1051_UN = 3.

ELSE, GO TO BOX R04_AVR44 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AVR44
Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and last used an electronic nicotine product in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of electronic nicotine products they usually use or last used and selected a brand of electronic nicotine products, go to R04_AV0104. Else, go to Box R04_AVD02.	
IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV0100 = 1, 2, 3, 4 AND R04_AV1945 = 1 AND R04_AV1048_BRAND != 9995, -8, -7, GO TO R04_AV0104. ELSE, GO TO BOX R04_AVD02.	

Variable(s):	R04_AV0104**/**
You said earlier that you last used an electronic nicotine product [TIME OF LAST USE]. Think about the very last puff you took. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and last used an electronic nicotine product in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of electronic nicotine products they usually use or last used and selected a brand of electronic nicotine products. ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_AV0100 = 1, 2, 3, 4 AND R04_AV1945 = 1 AND R04_AV1048_BRAND != 9995, -8, -7. DISPLAY: IF R04_AV0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour". ELSE, IF R04_AV0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today". ELSE, IF R04_AV0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday". ELSE, IF R04_AV0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH SELECTION MADE IN R04_AV1048_BRAND. NOTES: **SKIP ERROR: This item is was incorrectly skipped when the following brands were selected in R04_AV1048_BRAND: eGo (R04_AV1048_BRAND = 1254), MarkTen (R04_AV1048_BRAND = 1256), Eleaf (R04_AV1048_BRAND = 1259) and VaporFi (R04_AV1048_BRAND = 1261). This issue was fixed in a field update on 04/18/2017. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AVD02

Randomize order of R04_AV1060 through R04_AV1067.

Display question R04_AV1060, R04_AV1085, R04_AV1062, R04_AV1075, R04_AV1063, R04_AV1064, R04_AV1065, R04_AV1066, and R04_AV1067 on one screen. Show the intro/transition text from R04_AV1060 first, then show each item with responses. As each item is answered, show the next one.

Variable(s): R04_AV1060***

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

They [are/were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "are".
ELSE, DISPLAY "applied to you when you used to use electronic nicotine products", "used" AND "were".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AV1085***

I [can/could] use electronic nicotine products at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "can" AND "isn't".
ELSE, DISPLAY "could" AND "wasn't".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AV1062***

They might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AV1075***
They might [be/have been] less harmful to people around me than cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users. ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "be". ELSE, DISPLAY "have been". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AV1063***
E-liquid [comes/came] in flavors I [like/liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users. ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "comes" AND "like". ELSE, IF R04_EPROD_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1, DISPLAY "came" AND "liked". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_AVR34
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and are current established, current experimental, or recent former established cigarette smokers, go to R04_AV1064. Else, go to R04_AV1065. IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_CIG_USER_STATUS = 1, 2, 4, GO TO R04_AV1064. ELSE, GO TO R04_AV1065.

Variable(s): R04_AV1064***

Using electronic nicotine products helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_CIG_USER_STATUS = 1, 2, 4.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AV1065***

Electronic nicotine products don't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AV1066***

Using an electronic nicotine product [feels/felt] like smoking a regular cigarette.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "feels".
ELSE, DISPLAY "felt".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AV1067***
Electronic nicotine products [are/were] more acceptable to non-tobacco users.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.	
ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "are".	
ELSE, DISPLAY "were".	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R04_AVR35
Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and are current established or current experimental cigarette smokers, go to R04_AV1086.	
Else, go to Box R04_AVR51.	
IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_CIG_USER_STATUS = 1, 2, GO TO R04_AV1086.	
ELSE, GO TO BOX R04_AVR51.	

Variable(s):	R04_AV1086
In the past 30 days, have you used an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
	GO TO BOX R04_AVR51
	GO TO BOX R04_AVR51
	GO TO BOX R04_AVR51
ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and are current established or current experimental cigarette smokers.	
ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_CIG_USER_STATUS = 1, 2.	

Variable(s): **R04_AV1087**

How often [do/did] you use an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day electronic nicotine product users and are current established or current experimental cigarette smokers and have used electronic nicotine products at times when or in places where they could not smoke regular cigarettes.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_CIG_USER_STATUS = 1, 2 AND R04_AV1086 = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, IF R04_FORMER_THIRTYDAY_USER_EPROD = 1, DISPLAY "did".

BOX ID: **R04_AVR51**

Adult respondents who are current established or current experimental electronic nicotine product users and are current established or current experimental cigarette smokers, go to R04_AV9054.

Else, go to Box R04_AVR54.

IF R04_EPROD_USER_STATUS = 1, 2 AND R04_CIG_USER_STATUS = 1, 2, GO TO R04_AV9054.
ELSE, GO TO BOX R04_AVR54.

Variable(s): **R04_AV9054**

On the days you use both cigarettes and electronic nicotine products, do you smoke...

- 1 Fewer cigarettes than usual
- 2 The same amount of cigarettes
- 3 More cigarettes than usual
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental electronic nicotine product users and are current established or current experimental cigarette smokers.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2 AND R04_CIG_USER_STATUS = 1, 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AVR54

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and are current established or recent former established cigarette smokers, go to R04_AV1080.

Else, go to R04_AV1139.

IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1)
AND R04_CIG_USER_STATUS = 1, 4, GO TO R04_AV1080.

ELSE, GO TO R04_AV1139.

Variable(s): R04_AV1080

[Do/Did] you use electronic nicotine products as a way of cutting down on your cigarette smoking?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1) AND R04_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AV1139

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using an electronic nicotine product.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04_AV1139-1141 SERIES.

Variable(s): R04_AV1140

While using an electronic nicotine product, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "feel".

ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R04_AV1139-1141 SERIES.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AV1141

I [use/used] electronic nicotine products much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "use" AND "am".

ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R04_AV1139-1141 SERIES.

Variable(s): R04_AV9042

Have you ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

(Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
- 2 No GO TO THE NEXT SECTION (SEE NOTE IN BOX R04_AMD07)
- 8 DON'T KNOW GO TO THE NEXT SECTION (SEE NOTE IN BOX R04_AMD07)
- 7 REFUSED GO TO THE NEXT SECTION (SEE NOTE IN BOX R04_AMD07)

ASK: Adult respondents who have ever used an electronic nicotine product.

ASK Specification: IF R04_EVER_NEVER_EPRODS = 1.

DISPLAY: UNDERLINE "electronic product".

Variable(s): R04_AV9106	
When you have used an electronic product, how often were you using it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils?	
1	Every time
2	Most of the time
3	Sometimes
4	Rarely
5	Never
	GO TO THE NEXT SECTION (SEE NOTE IN BOX R04_AMD07)
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who have ever used an electronic nicotine product and have ever used marijuana in an electronic product.	
ASK Specification: IF R04_EVER_NEVER_EPRODS = 1 AND R04_AV9042 = 1.	

Variable(s): R04_AM0100	
When did you last use marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an <u>electronic product</u> such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?	
1	In the past hour
	GO TO R04_AM0103
2	Sometime today
3	Yesterday
4	Day before yesterday
5	Three or more days ago
	GO TO THE NEXT SECTION (SEE NOTE IN BOX R04_AMD07)
-8	DON'T KNOW
	GO TO THE NEXT SECTION (SEE NOTE IN BOX R04_AMD07)
-7	REFUSED
	GO TO THE NEXT SECTION (SEE NOTE IN BOX R04_AMD07)
ASK: Adult respondents who have ever used an electronic nicotine product and have ever used marijuana in an electronic product.	
ASK Specification: IF R04_EVER_NEVER_EPRODS = 1 AND R04_AV9042 = 1 AND R04_AV9106 != 5.	
DISPLAY: UNDERLINE "electronic product".	

Variable(s): R04_AM0102

When you last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product [FILL BASED ON R04_AM0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an electronic nicotine product and have ever used marijuana in an electronic nicotine product and last used marijuana in an electronic product sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_EPRODS = 1 AND R04_AV9042 = 1 AND R04_AV9106 != 5 AND R04_AM0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R04_AM0100]:

IF R04_AM0100 = 2, DISPLAY "today".

ELSE, IF R04_AM0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AM0100 = 4, DISPLAY "the day before yesterday".

UNDERLINE "electronic product".

Variable(s): R04_AM0103

How many puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils from an electronic product [have/did] you [taken/take] [FILL BASED ON R04_AM0100]?

1 2 3 4

-8 DON'T KNOW GO TO THE NEXT SECTION (SEE NOTE IN BOX R04_AMD07)

-7 REFUSED GO TO THE NEXT SECTION (SEE NOTE IN BOX R04_AMD07)

ASK: Adult respondents who have ever used an electronic nicotine product and have ever used marijuana in an electronic nicotine product and last used marijuana in an electronic product in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_EPRODS = 1 AND R04_AV9042 = 1 AND R04_AV9106 != 5 AND R04_AM0100 = 1, 2, 3, 4.

DISPLAY: IF R04_AM0100 = 1, 2, DISPLAY "have" AND "taken".

ELSE, IF R04_AM0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R04_AM0100]:

IF R04_AM0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AM0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AM0100 = 4, DISPLAY "the day before yesterday".

UNDERLINE "electronic product".

PROGRAM: Allow only 3 digits.

CHECK ID: R04_AM0103_LC1

The computer recorded you took [R04_AM0103] puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oil from an electronic product [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AM0103

2 NEXT GO TO THE NEXT SECTION (SEE NOTE IN BOX R04_AMD07)

ASK: IF R04_EVER_NEVER_EPRODS = 1 AND R04_AV9042 = 1 AND R04_AV9106 != 5 AND R04_AM0100 = 1, 2, 3, 4 AND (R04_AM0103 > 200 OR R04_AM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R04_AM0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AM0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AM0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AM0103 > 200 OR R04_AM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO THE NEXT SECTION AND DO NOT DISPLAY THIS SCREEN.

CIGAR

BOX ID:	R04_AGR03
PROGRAM: CREATE CIGARLOOP2 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES: Blunt/Cigar Loops If the respondent is a past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smoker, repeat R04_AJ1008[TC/CG/FC] through R04_AJ1071[TC/CG/FC] in a loop for each cigar type smoked as blunts. See Box R04_AJT03 for transition text shown at the start of each loop. After all blunt loops are complete, items from R04_AG1006_RS[TC/CG/FC] through R04_AG1141[TC/CG/FC] are repeated once for each type of cigar the respondent has smoked, following skips appropriately. See Box R04_AGT03 for transition text shown at the start of each loop. If the respondent is a traditional cigar/cigarillo/filtered cigar smoker (as non-blunt), repeat R04_AG1006_RS[TC/CG/FC] through R04_AG1141[TC/CG/FC] in a loop for each cigar type. See Box R04_AGT03 for transition text shown at the start of each loop. If the respondent is a past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smoker, go to Box R04_AJT03. Else, if the respondent has ever smoked traditional cigars, cigarillos, or filtered cigars, go to Box R04_AGR10. [CIGARFILL] If traditional cigar/blunt smoker, [CIGARFILL] = "traditional cigar". If cigarillo/blunt smoker, [CIGARFILL] = "cigarillo". If filtered cigar/blunt smoker, [CIGARFILL] = "filtered cigar".	
IF R04_12MBLUNT_ONLY_BTRAD = 1, THEN CIGAR LOOP = BTRAD AND LOOP THROUGH SECTION FOR TRADITIONAL CIGARS AS BLUNTS. IF R04_12MBLUNT_ONLY_BRILLO = 1, THEN CIGAR LOOP = BRILLO AND LOOP THROUGH SECTION FOR CIGARILLOS AS BLUNTS. IF R04_12MBLUNT_ONLY_BFILTR = 1, THEN CIGAR LOOP = BFILTR AND LOOP THROUGH SECTION FOR FILTERED CIGARS AS BLUNTS. IF R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN CIGAR LOOP = GTRAD, GO TO BOX R04_AGR10 AND LOOP THROUGH SECTION FOR TRADITIONAL CIGARS. IF R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN CIGAR LOOP = GRILLO, GO TO BOX R04_AGR10 AND LOOP THROUGH SECTION FOR CIGARILLOS. IF R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN CIGAR LOOP = GFILTR, GO TO BOX R04_AGR10 AND LOOP THROUGH SECTION FOR FILTERED CIGARS.	

BOX ID:	R04_AJT03
PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS: IF LOOP=BTRAD (Traditional Cigars as blunts-only): The next questions are about traditional cigars when smoked as blunts. Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Sometimes people take tobacco out of a traditional cigar and replace it with marijuana. This is sometimes called a blunt. As you answer these questions, please think only about your use of traditional cigars when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] There will be a separate section later about other kinds of blunts. [SHOW GENERIC IMAGE OF TRADITIONAL CIGAR] IF LOOP=BRILLO (Cigarillos as blunts-only): The next questions are about cigarillos when smoked as blunts. Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips. [Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of cigarillos when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] There will be a separate section later about other kinds of blunts. [SHOW GENERIC IMAGE OF CIGARILLO] IF LOOP=BFILTR (Filtered Cigars as blunts-only): The next questions are about filtered cigars when smoked as blunts. Filtered cigars are usually brown and have a filter like a cigarette. [Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of filtered cigars when smoked as blunts like those shown below. [SHOW GENERIC IMAGE OF FILTERED CIGAR] IF LOOP = BRILLO AND R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, DISPLAY THE TEXT "Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt." ELSE, DO NOT DISPLAY THIS TEXT. IF LOOP = BFILTR AND R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2 AND R04_12MBLUNT_ONLY_BTRAD = 2, DISPLAY THE TEXT "Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt." ELSE, DO NOT DISPLAY THIS TEXT.	

BOX ID: R04_AJR10

Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AJ1008[TC/CG/FC].

Else, go to R04_AJ9030FC.

IF LOOP = BTRAD:

IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_BLUNT_BTRAD_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_12MBLUNT_ONLY_BTRAD = 1), GO TO R04_AJ1008TC.

ELSE, GO TO R04_AJ9030TC.

IF LOOP = BRILLO:

IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_BLUNT_BRILLO_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_12MBLUNT_ONLY_BRILLO = 1), GO TO R04_AJ1008CG.

ELSE, GO TO R04_AJ9030CG.

IF LOOP = BFILTR:

IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_BLUNT_BFILTR_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_12MBLUNT_ONLY_BFILTR = 1), GO TO R04_AJ1008FC.

ELSE, GO TO R04_AJ9030FC.

Variable(s): R04_AJ1008TC; R04_AJ1008CG; R04_AJ1008FC

When you first started smoking [CIGARFILL]s as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|----------------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AJ9030[TC/CG/FC] |
| 3 | I don't know | GO TO R04_AJ9030[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R04_AJ9030[TC/CG/FC] |
| -7 | REFUSED | GO TO R04_AJ9030[TC/CG/FC] |

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R04_AJ1008TC: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_BLUNT_BTRAD_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_12MBLUNT_ONLY_BTRAD = 1).

FOR R04_AJ1008CG: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_BLUNT_BRILLO_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_12MBLUNT_ONLY_BRILLO = 1).

FOR R04_AJ1008FC: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_BLUNT_BFILTR_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_12MBLUNT_ONLY_BFILTR = 1).

Variable(s): **SEE BELOW:**

Which flavor did you first start smoking? Choose all that apply.

- R04_AJ1011TC_01;
 R04_AJ1011CG_01; 1 Menthol or mint
 R04_AJ1011FC_01
 R04_AJ1011TC_02;
 R04_AJ1011CG_02; 2 Clove or spice
 R04_AJ1011FC_02
 R04_AJ1011TC_03;
 R04_AJ1011CG_03; 3 Fruit
 R04_AJ1011FC_03
 R04_AJ1011TC_04;
 R04_AJ1011CG_04; 4 Chocolate
 R04_AJ1011FC_04
 R04_AJ1011TC_05;
 R04_AJ1011CG_05; 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
 R04_AJ1011FC_05
 R04_AJ1011TC_06;
 R04_AJ1011CG_06; 6 Candy or other sweets
 R04_AJ1011FC_06
 R04_AJ1011TC_07;
 R04_AJ1011TC_OS;
 R04_AJ1011CG_07;
 R04_AJ1011CG_OS; 7 Some other flavor (SPECIFY)
 R04_AJ1011FC_07;
 R04_AJ1011FC_OS

 -8 DON'T KNOW
 -7 REFUSED

ASK: Continuing and aged-up adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored, or new cohort adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R04_AJ1011TC: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_BLUNT_BTRAD_ADULT = 1 AND R04_AJ1008TC = 1) OR (R04_ADULTTYPE = 3 AND R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1008TC = 1).

FOR R04_AJ1011CG: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_BLUNT_BRILLO_ADULT = 1 AND R04_AJ1008CG = 1) OR (R04_ADULTTYPE = 3 AND R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1008CG = 1).

FOR R04_AJ1011FC: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_BLUNT_BFILTR_ADULT = 1 AND R04_AJ1008FC = 1) OR (R04_ADULTTYPE = 3 AND R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1008FC = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R04_AJ9030TC; R04_AJ9030CG; R04_AJ9030FC	
In the past 30 days, have you smoked a [CIGARFILL] as a blunt, even one or two puffs?	
1 Yes	
2 No	GO TO R04_AJ9029[TC/CG/FC]
-8 DON'T KNOW	GO TO R04_AJ9029[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ9029[TC/CG/FC]
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R04_AJ9030TC: IF R04_12MBLUNT_ONLY_BTRAD = 1.	
FOR R04_AJ9030CG: IF R04_12MBLUNT_ONLY_BRILLO = 1.	
FOR R04_AJ9030FC: IF R04_12MBLUNT_ONLY_BFILTR = 1.	

Variable(s): R04_AJ1022TC; R04_AJ1022CG; R04_AJ1022FC	
On how many of the past 30 days did you smoke [CIGARFILL]s as blunts?	
I ___ I ___ DAYS	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days.	
ASK Specification: FOR R04_AJ1022TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ9030TC = 1.	
FOR R04_AJ1022CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ9030CG = 1.	
FOR R04_AJ1022FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ9030FC = 1.	
DISPLAY: DISPLAY "DAYS" AS A TITLE.	
PROGRAM: Range check: 0-30 days.	

BOX ID:	R04_AJR11
Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days, go to R04_AJ9029[TC/CG/FC]. Else, go to R04_AJ1023[TC/CG/FC].	
IF LOOP = BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND (R04_AJ9030TC = 2, -8, -7 OR (R04_AJ9030TC = 1 AND R04_AJ1022TC = 0)), GO TO R04_AJ9029TC. ELSE, GO TO R04_AJ1023TC. IF LOOP = BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND (R04_AJ9030CG = 2, -8, -7 OR (R04_AJ9030CG = 1 AND R04_AJ1022CG = 0)), GO TO R04_AJ9029CG. ELSE, GO TO R04_AJ1023CG. IF LOOP = BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND (R04_AJ9030FC = 2, -8, -7 OR (R04_AJ9030FC = 1 AND R04_AJ1022FC = 0)), GO TO R04_AJ9029FC. ELSE, GO TO R04_AJ1023FC.	

Variable(s): R04_AJ9029TC_NN; R04_AJ9029TC_UN; R04_AJ9029CG_NN; R04_AJ9029CG_UN;
R04_AJ9029FC_NN; R04_AJ9029FC_UN

About how long has it been since you last smoked a [CIGARFILL] as a blunt?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R04_AJ1030[TC/CG/FC]

-7 REFUSED

GO TO R04_AJ1030[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: FOR R04_AJ9029TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND (R04_AJ9030TC = 2, -8, -7 OR (R04_AJ9030TC = 1 AND R04_AJ1022TC = 0)).

FOR R04_AJ9029CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND (R04_AJ9030CG = 2, -8, -7 OR (R04_AJ9030CG = 1 AND R04_AJ1022CG = 0)).

FOR R04_AJ9029FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND (R04_AJ9030FC = 2, -8, -7 OR (R04_AJ9030FC = 1 AND R04_AJ1022FC = 0)).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AJ9029[TC/CG/FC]_UN = Days; the value "2" refers to R04_AJ9029[TC/CG/FC]_UN = Months; the value "3" refers to R04_AJ9029[TC/CG/FC]_UN = Years.

CHECK ID: R04_AJ9029TC_LC1

The computer recorded that you last smoked traditional cigars as blunts [R04_AJ9029TC_NN]
[days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the
BACK button and re-enter.

1 BACK

GO TO R04_AJ9029TC

2 NEXT

GO TO R04_AJ9029CG_LC1

ASK: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND (R04_AJ9030TC = 2, -8, -7 OR (R04_AJ9030TC = 1 AND R04_AJ1022TC = 0)) AND ((R04_AJ9029TC_NN < 30 AND R04_AJ9029TC_UN = 1) OR (R04_AJ9029TC_NN < 1 AND R04_AJ9029TC_UN = 2) OR (R04_AJ9029TC_NN > 18 AND R04_AJ9029TC_UN = 2) OR (R04_AJ9029TC_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AJ9029TC_UN = 3)).

DISPLAY: IF R04_AJ9029TC_UN = 1, DISPLAY "days".

ELSE, IF R04_AJ9029TC_UN = 2, DISPLAY "months".

ELSE, IF R04_AJ9029TC_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AJ9029TC_NN < 30 AND R04_AJ9029TC_UN = 1) OR (R04_AJ9029TC_NN < 1 AND R04_AJ9029TC_UN = 2) OR (R04_AJ9029TC_NN > 18 AND R04_AJ9029TC_UN = 2) OR (R04_AJ9029TC_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AJ9029TC_UN = 3).

ELSE, GO TO R04_AJ9029CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AJ9029CG_LC1

The computer recorded that you last smoked cigarillos as blunts [R04_AJ9029CG_NN]
[days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the
BACK button and re-enter.

1 BACK

GO TO R04_AJ9029CG

2 NEXT

GO TO R04_AJ9029FC_LC1

ASK: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND (R04_AJ9030CG = 2, -8, -7 OR (R04_AJ9030CG = 1 AND R04_AJ1022CG = 0)) AND ((R04_AJ9029CG_NN < 30 AND R04_AJ9029CG_UN = 1) OR (R04_AJ9029CG_NN < 1 AND R04_AJ9029CG_UN = 2) OR (R04_AJ9029CG_NN > 18 AND R04_AJ9029CG_UN = 2) OR (R04_AJ9029CG_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AJ9029CG_UN = 3)).

DISPLAY: IF R04_AJ9029CG_UN = 1, DISPLAY "days".

ELSE, IF R04_AJ9029CG_UN = 2, DISPLAY "months".

ELSE, IF R04_AJ9029CG_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AJ9029CG_NN < 30 AND R04_AJ9029CG_UN = 1) OR (R04_AJ9029CG_NN < 1 AND R04_AJ9029CG_UN = 2) OR (R04_AJ9029CG_NN > 18 AND R04_AJ9029CG_UN = 2) OR (R04_AJ9029CG_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AJ9029CG_UN = 3).

ELSE, GO TO R04_AJ9029FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AJ9029FC_LC1

The computer recorded that you last smoked filtered cigars as blunts [R04_AJ9029FC_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AJ9029FC |
| 2 | NEXT | GO TO R04_AJ1030[TC/CG/FC] |

ASK: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND (R04_AJ9030FC = 2, -8, -7 OR (R04_AJ9030FC = 1 AND R04_AJ1022FC = 0)) AND ((R04_AJ9029FC_NN < 30 AND R04_AJ9029FC_UN = 1) OR (R04_AJ9029FC_NN < 1 AND R04_AJ9029FC_UN = 2) OR (R04_AJ9029FC_NN > 18 AND R04_AJ9029FC_UN = 2) OR (R04_AJ9029FC_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AJ9029FC_UN = 3)).

DISPLAY: IF R04_AJ9029FC_UN = 1, DISPLAY "days".

ELSE, IF R04_AJ9029FC_UN = 2, DISPLAY "months".

ELSE, IF R04_AJ9029FC_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AJ9029FC_NN < 30 AND R04_AJ9029FC_UN = 1) OR (R04_AJ9029FC_NN < 1 AND R04_AJ9029FC_UN = 2) OR (R04_AJ9029FC_NN > 18 AND R04_AJ9029FC_UN = 2) OR (R04_AJ9029FC_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AJ9029FC_UN = 3).

ELSE, GO TO R04_AJ1030[TC/CG/FC] AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AJ1023TC; R04_AJ1023CG; R04_AJ1023FC

On average, on those [FILL NUMBER OF DAYS FROM R04_AJ1022[TC/CG/FC] days/days you smoked], how many [CIGARFILL]s did you usually smoke as a blunt each day?

- 2 Less than 1 each day

|__|__|

- 8 DON'T KNOW

GO TO R04_AJ9012[TC/CG/FC]

- 7 REFUSED

GO TO R04_AJ9012[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R04_AJ1023TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ9030TC = 1 AND R04_AJ1022TC != 0.

FOR R04_AJ1023CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ9030CG = 1 AND R04_AJ1022CG != 0.

FOR R04_AJ1023FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ9030FC = 1 AND R04_AJ1022FC != 0.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

IF R04_AJ1022[TC/CG/FC] = 1, -8, -7, DISPLAY "days you smoked".

ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R04_AJ1022[TC/CG/FC].

CHECK ID: R04_AJ1023TC_LC1

The computer recorded that on the days you smoked traditional cigars as blunts in the past 30 days, you smoked [R04_AJ1023TC_NN] traditional cigars as blunts a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AJ1023TC |
| 2 | NEXT | GO TO R04_AJ1023CG_LC1 |

ASK: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ9030TC = 1 AND R04_AJ1022TC != 0 AND R04_AJ1023TC_NN > 20.

PROGRAM: TRIGGER CHECK IF R04_AJ1023TC_NN > 20.

ELSE, GO TO R04_AJ1023CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AJ1023CG_LC1

The computer recorded that on the days you smoked cigarillos as blunts in the past 30 days, you smoked [R04_AJ1023CG_NN] cigarillos as blunts a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AJ1023CG |
| 2 | NEXT | GO TO R04_AJ1023FC_LC1 |

ASK: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ9030CG = 1 AND R04_AJ1022CG != 0 AND R04_AJ1023CG_NN > 20.

PROGRAM: TRIGGER CHECK IF R04_AJ1023CG_NN > 20.

ELSE, GO TO R04_AJ1023FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AJ1023FC_LC1

The computer recorded that on the days you smoked filtered cigars as blunts in the past 30 days, you smoked [R04_AJ1023FC_NN] filtered cigars as blunts a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AJ1023FC |
| 2 | NEXT | GO TO R04_AJ9012[TC/CG/FC] |

ASK: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ9030FC = 1 AND R04_AJ1022FC != 0 AND R04_AJ1023FC_NN > 20.

PROGRAM: TRIGGER CHECK IF R04_AJ1023FC_NN > 20.

ELSE, GO TO R04_AJ9012[TC/CG/FC] AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AJ9012TC; R04_AJ9012CG; R04_AJ9012FC

Do you usually share blunts with others when you smoke them?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R04_AJ9012TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ9030TC = 1 AND R04_AJ1022TC != 0.

FOR R04_AJ9012CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ9030CG = 1 AND R04_AJ1022CG != 0.

FOR R04_AJ9012FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ9030FC = 1 AND R04_AJ1022FC != 0.

Variable(s): R04_AJ0100TC; R04_AJ0100CG; R04_AJ0100FC

When did you last smoke a [CIGARFILL] as a blunt?

- 1 In the past hour GO TO R04_AJ0103[TC/CG/FC]
- 2 Sometime today
- 3 Yesterday
- 4 Day before yesterday
- 5 Three or more days ago GO TO R04_AJ1130[TC/CG/FC]
- 8 DON'T KNOW GO TO R04_AJ1130[TC/CG/FC]
- 7 REFUSED GO TO R04_AJ1130[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R04_AJ0100TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ9030TC = 1 AND R04_AJ1022TC != 0.

FOR R04_AJ0100CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ9030CG = 1 AND R04_AJ1022CG != 0.

FOR R04_AJ0100FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ9030FC = 1 AND R04_AJ1022FC != 0.

Variable(s):	R04_AJ0102TC; R04_AJ0102CG; R04_AJ0102FC
When you last smoked a [CIGARFILL] as a blunt [FILL BASED ON R04_AJ0100[TC/CG/FC]], was it... 1 Between midnight and 6AM 2 After 6AM but before noon 3 Between noon and 6PM 4 After 6PM but before midnight -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday. ASK Specification: FOR R04_AJ0102TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ9030TC = 1 AND R04_AJ1022TC != 0 AND R04_AJ0100TC = 2, 3, 4. FOR R04_AJ0102CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ9030CG = 1 AND R04_AJ1022CG != 0 AND R04_AJ0100CG = 2, 3, 4. FOR R04_AJ0102FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ9030FC = 1 AND R04_AJ1022FC != 0 AND R04_AJ0100FC = 2, 3, 4. DISPLAY: FOR [FILL BASED ON R04_AJ0100[TC/CG/FC]]: IF R04_AJ0100[TC/CG/FC] = 2, DISPLAY "today". ELSE, IF R04_AJ0100[TC/CG/FC] = 3, DISPLAY "yesterday". ELSE, IF R04_AJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".	

Variable(s): R04_AJ0103TC; R04_AJ0103CG; R04_AJ0103FC

How many [CIGARFILL]s [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R04_AJ0100[TC/CG/FC]]? (If less than 1, enter 1.)

1 1 1 1

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R04_AJ0103TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ9030TC = 1 AND R04_AJ1022TC != 0 AND R04_AJ0100TC = 1, 2, 3, 4.

FOR R04_AJ0103CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ9030CG = 1 AND R04_AJ1022CG != 0 AND R04_AJ0100CG = 1, 2, 3, 4.

FOR R04_AJ0103FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ9030FC = 1 AND R04_AJ1022FC != 0 AND R04_AJ0100FC = 1, 2, 3, 4.

DISPLAY: IF R04_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "have" AND "smoked".

ELSE, IF R04_AJ0100[TC/CG/FC] = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R04_AJ0100[TC/CG/FC]]:

IF R04_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "today".

ELSE, IF R04_AJ0100[TC/CG/FC] = 3, DISPLAY "yesterday".

ELSE, IF R04_AJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits.

CHECK ID: R04_AJ0103TC_LC1

The computer recorded that you smoked [R04_AJ0103TC_NN] traditional cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AJ0103TC

2 NEXT

GO TO R04_AJ0103CG_LC1

ASK: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ9030TC = 1 AND R04_AJ1022TC != 0 AND R04_AJ0100TC = 1, 2, 3, 4 AND (R04_AJ0103TC_NN > 15 OR R04_AJ0103TC_NN = 11).

DISPLAY: IF R04_AJ0100TC = 1, 2, DISPLAY "today".

ELSE, IF R04_AJ0100TC = 3, DISPLAY "yesterday".

ELSE, IF R04_AJ0100TC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AJ0103TC_NN > 15 OR R04_AJ0103TC_NN = 11.

ELSE, GO TO R04_AJ0103CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AJ0103CG_LC1

The computer recorded that you smoked [R04_AJ0103CG_NN] cigarillos as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AJ0103CG

2 NEXT

GO TO R04_AJ0103FC_LC1

ASK: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ9030CG = 1 AND R04_AJ1022CG != 0 AND R04_AJ0100CG = 1, 2, 3, 4 AND (R04_AJ0103CG_NN > 15 OR R04_AJ0103CG_NN = 11).

DISPLAY: IF R04_AJ0100CG = 1, 2, DISPLAY "today".

ELSE, IF R04_AJ0100CG = 3, DISPLAY "yesterday".

ELSE, IF R04_AJ0100CG = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AJ0103CG_NN > 15 OR R04_AJ0103CG_NN = 11.

ELSE, GO TO R04_AJ0103FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AJ0103FC_LC1

The computer recorded that you smoked [R04_AJ0103FC_NN] filtered cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AJ0103FC

2 NEXT

GO TO R04_AJ1130[TC/CGFC]

ASK: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ9030FC = 1 AND R04_AJ1022FC != 0 AND R04_AJ0100FC = 1, 2, 3, 4 AND (R04_AJ0103FC_NN > 15 OR R04_AJ0103FC_NN = 11).

DISPLAY: IF R04_AJ0100FC = 1, 2, DISPLAY "today".

ELSE, IF R04_AJ0100FC = 3, DISPLAY "yesterday".

ELSE, IF R04_AJ0100FC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AJ0103FC_NN > 15 OR R04_AJ0103FC_NN = 11.

ELSE, GO TO R04_AJ1130[TC/CGFC] AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AJ1130TC; R04_AJ1130CG; R04_AJ1130FC		
In the past 30 days, were any of the [CIGARFILL]s that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?		
1	Yes	
2	No	GO TO R04_AJ1030[TC/CG/FC]
3	I don't know	GO TO R04_AJ1030[TC/CG/FC]
-8	DON'T KNOW	GO TO R04_AJ1030[TC/CG/FC]
-7	REFUSED	GO TO R04_AJ1030[TC/CG/FC]
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.		
ASK Specification: FOR R04_AJ1130TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ9030TC = 1 AND R04_AJ1022TC != 0.		
FOR R04_AJ1130CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ9030CG = 1 AND R04_AJ1022CG != 0.		
FOR R04_AJ1130FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ9030FC = 1 AND R04_AJ1022FC != 0.		

Variable(s):	SEE BELOW:
Which flavors have you smoked in the past 30 days? Choose all that apply. R04_AJ1131TC_01; R04_AJ1131CG_01; 1 Menthol or mint R04_AJ1131FC_01 R04_AJ1131TC_02; R04_AJ1131CG_02; 2 Clove or spice R04_AJ1131FC_02 R04_AJ1131TC_03; R04_AJ1131CG_03; 3 Fruit R04_AJ1131FC_03 R04_AJ1131TC_04; R04_AJ1131CG_04; 4 Chocolate R04_AJ1131FC_04 R04_AJ1131TC_05; R04_AJ1131CG_05; 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails) R04_AJ1131FC_05 R04_AJ1131TC_06; R04_AJ1131CG_06; 6 Candy or other sweets R04_AJ1131FC_06 R04_AJ1131TC_07; R04_AJ1131TC_OS; R04_AJ1131CG_07; R04_AJ1131CG_OS; 7 Some other flavor (SPECIFY) R04_AJ1131FC_07; R04_AJ1131FC_OS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days. ASK Specification: FOR R04_AJ1131TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ9030TC = 1 AND R04_AJ1022TC != 0 AND R04_AJ1130TC = 1. FOR R04_AJ1131CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ9030CG = 1 AND R04_AJ1022CG != 0 AND R04_AJ1130CG = 1. FOR R04_AJ1131FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ9030FC = 1 AND R04_AJ1022FC != 0 AND R04_AJ1130FC = 1. DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard." PROGRAM: Allow respondent to choose all that apply.	

Variable(s):	R04_AJ1147TC; R04_AJ1147CG; R04_AJ1147FC
On the days you smoked [CIGARFILL]s as blunts in the past 30 days, how often did you smoke <u>flavored</u> [CIGARFILL]s?	
1 All of the time 2 Most of the time 3 Sometimes 4 Rarely 5 Never -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days. ASK Specification: FOR R04_AJ1147TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ9030TC = 1 AND R04_AJ1022TC != 0 AND R04_AJ1130TC = 1. FOR R04_AJ1147CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ9030CG = 1 AND R04_AJ1022CG != 0 AND R04_AJ1130CG = 1. FOR R04_AJ1147FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ9030FC = 1 AND R04_AJ1022FC != 0 AND R04_AJ1130FC = 1. DISPLAY: UNDERLINE "flavored".	

Variable(s):	R04_AJ1030TC; R04_AJ1030CG; R04_AJ1030FC
How do you usually buy [CIGARFILL]s for yourself when you smoke blunts?	
1 In person (such as at a store or cigar bar) 2 From the internet 3 By telephone 4 I do not buy my own [CIGARFILL]s for blunts -8 DON'T KNOW -7 REFUSED	
	GO TO R04_AJ1039[TC/CG/FC]
	GO TO R04_AJ1039[TC/CG/FC]
	GO TO R04_AJ1047[TC/CG/FC]
	GO TO R04_AJ1047[TC/CG/FC]
	GO TO R04_AJ1047[TC/CG/FC]
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AJ1030TC: IF R04_12MBLUNT_ONLY_BTRAD = 1. FOR R04_AJ1030CG: IF R04_12MBLUNT_ONLY_BRILLO = 1. FOR R04_AJ1030FC: IF R04_12MBLUNT_ONLY_BFILTR = 1.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AJ1032TC; R04_AJ1032CG; R04_AJ1032FC

Do you usually buy [CIGARFILL]s for blunts...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: FOR R04_AJ1032TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1030TC = 1.

FOR R04_AJ1032CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1030CG = 1.

FOR R04_AJ1032FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1030FC = 1.

Variable(s):	R04_AJ1033TC; R04_AJ1033TC_OS; R04_AJ1033CG; R04_AJ1033CG_OS; R04_AJ1033FC; R04_AJ1033FC_OS
Where do you buy your [CIGARFILL]s for blunts most of the time? 1 A cigar bar 2 A convenience store or gas station 3 A supermarket, grocery store, or drug store 4 A warehouse club, such as Sam's or Costco 5 A smoke shop, tobacco specialty store or tobacco outlet store 6 A duty free shop or military commissary 7 A bar, pub, restaurant or casino 8 A friend or relative 9 A swap meet or flea market 10 A liquor store 11 Or from somewhere else (SPECIFY) -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person. ASK Specification: FOR R04_AJ1033TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1030TC = 1. FOR R04_AJ1033CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1030CG = 1. FOR R04_AJ1033FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1030FC = 1. DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

Variable(s):	R04_AJ1039TC; R04_AJ1039CG; R04_AJ1039FC
Do you usually buy [CIGARFILL]s for blunts by the box or pack, or as single [CIGARFILL]s? 1 Box or pack 2 Single [CIGARFILL]s -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone. ASK Specification: FOR R04_AJ1039TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1030TC = 1, 2, 3. FOR R04_AJ1039CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1030CG = 1, 2, 3. FOR R04_AJ1039FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1030FC = 1, 2, 3.	

BOX ID:	R04_AJR34
Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack, go to R04_AJ1040[TC/CG/FC]. Else, adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars for blunts, go to R04_AJ1043[TC/CG/FC]. Else, go to R04_AJ1047[TC/CG/FC].	
IF LOOP = BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1030TC = 1, 2, 3 AND R04_AJ1039TC = 1, GO TO R04_AJ1040TC. ELSE, IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1030TC = 1, 2, 3 AND R04_AJ1039TC = 2, GO TO R04_AJ1043TC. ELSE, GO TO R04_AJ1047TC.	
IF LOOP = BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1030CG = 1, 2, 3 AND R04_AJ1039CG = 1, GO TO R04_AJ1040CG. ELSE, IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1030CG = 1, 2, 3 AND R04_AJ1039CG = 2, GO TO R04_AJ1043CG. ELSE, GO TO R04_AJ1047CG.	
IF LOOP = BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1030FC = 1, 2, 3 AND R04_AJ1039FC = 1, GO TO R04_AJ1040FC. ELSE, IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1030FC = 1, 2, 3 AND R04_AJ1039FC = 2, GO TO R04_AJ1043FC. ELSE, GO TO R04_AJ1047FC.	

Variable(s):	R04_AJ1040TC; R04_AJ1040CG; R04_AJ1040FC
How many [CIGARFILL]s come in the box or pack that you usually buy for blunts?	
	1 2 3 4
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.	
ASK Specification: FOR R04_AJ1040TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1030TC = 1, 2, 3 AND R04_AJ1039TC = 1.	
FOR R04_AJ1040CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1030CG = 1, 2, 3 AND R04_AJ1039CG = 1.	
FOR R04_AJ1040FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1030FC = 1, 2, 3 AND R04_AJ1039FC = 1.	
PROGRAM: Allow 3 digits.	

276

CHECK ID: R04_AJ1040CG_LC1

The computer recorded that [R04_AJ1040CG_NN] cigarillos come in the box or pack you usually buy for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AJ1040CG

2 NEXT

GO TO R04_AJ1040FC_LC1

ASK: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1030CG = 1, 2, 3 AND R04_AJ1039CG = 1 AND R04_AJ1040CG_NN > 20.

PROGRAM: TRIGGER CHECK IF R04_AJ1040CG_NN > 20.

ELSE, GO TO R04_AJ1040FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AJ1040FC_LC1

The computer recorded that [R04_AJ1040FC_NN] filtered cigars come in the box or pack you usually buy for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AJ1040FC

2 NEXT

GO TO R04_AJ1042[TC/CG/FC]

ASK: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1030FC = 1, 2, 3 AND R04_AJ1039FC = 1 AND R04_AJ1040FC_NN > 100.

PROGRAM: TRIGGER CHECK IF R04_AJ1040FC_NN > 100.

ELSE, GO TO R04_AJ1042[TC/CG/FC] AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R04_AJ1042TC_D; R04_AJ1042TC_C; R04_AJ1042CG_D; R04_AJ1042CG_C; R04_AJ1042FC_D; R04_AJ1042FC_C
How much do you usually pay for a box or pack of [CIGARFILL]s for blunts?	
\$ __ __ __ Dollars . __ __ Cents	
-8 DON'T KNOW	GO TO R04_AJ1047[TC/CG/FC]
-7 REFUSED	GO TO R04_AJ1047[TC/CG/FC]
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.	
ASK Specification: FOR R04_AJ1042TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1030TC = 1, 2, 3 AND R04_AJ1039TC = 1.	
FOR R04_AJ1042CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1030CG = 1, 2, 3 AND R04_AJ1039CG = 1.	
FOR R04_AJ1042FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1030FC = 1, 2, 3 AND R04_AJ1039FC = 1.	
DISPLAY: DISPLAY "\$" AS LEFT LABEL.	
DISPLAY "Dollars" AND "Cents" AS TITLES.	
PROGRAM: Display as Quantity/Quantity.	

CHECK ID:	R04_AJ1042TC_LC1
The computer recorded that you usually pay \$[R04_AJ1042TC_D].[R04_AJ1042TC_C] for a box of traditional cigars for blunts. Is that correct?	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AJ1042TC
2 NEXT	GO TO R04_AJ1042CG_LC1
ASK: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1030TC = 1, 2, 3 AND R04_AJ1039TC = 1 AND R04_AJ1042TC_D != -8, -7 AND (R04_AJ1042TC_D > 300 OR R04_AJ1042TC_D < 10).	
PROGRAM: TRIGGER CHECK IF R04_AJ1042TC_D > 300 OR R04_AJ1042TC_D < 10.	
ELSE, GO TO R04_AJ1042CG_LC1 AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID: R04_AJ1042CG_LC1

The computer recorded that you usually pay \$[R04_AJ1042CG_D].[R04_AJ1042CG_C] for a box of cigarillos for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AJ1042CG |
| 2 | NEXT | GO TO R04_AJ1042FC_LC1 |

ASK: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1030CG = 1, 2, 3 AND R04_AJ1039CG = 1 AND R04_AJ1042CG_D != -8, -7 AND (R04_AJ1042CG_D > 11 OR R04_AJ1042CG_D < 1).

PROGRAM: TRIGGER CHECK IF R04_AJ1042CG_D > 11 OR R04_AJ1042CG_D < 1.

ELSE, GO TO R04_AJ1042FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AJ1042FC_LC1

The computer recorded that you usually pay \$[R04_AJ1042FC_D].[R04_AJ1042FC_C] for a box of filtered cigars for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AJ1042FC |
| 2 | NEXT | GO TO R04_AJ1047[TC/CG/FC] |

ASK: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1030FC = 1, 2, 3 AND R04_AJ1039FC = 1 AND R04_AJ1042FC_D != -8, -7 AND (R04_AJ1042FC_D > 100 OR R04_AJ1042FC_D < 1).

PROGRAM: TRIGGER CHECK IF R04_AJ1042FC_D > 100 OR R04_AJ1042FC_D < 1.

ELSE, GO TO R04_AJ1047[TC/CG/FC] AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R04_AJ1043TC_D; R04_AJ1043TC_C; R04_AJ1043CG_D; R04_AJ1043CG_C; R04_AJ1043FC_D; R04_AJ1043FC_C
How much do you usually pay for a single [CIGARFILL] for a blunt? \$ __ __ __ Dollars . __ __ Cents -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars for blunts. ASK Specification: FOR R04_AJ1043TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1030TC = 1, 2, 3 AND R04_AJ1039TC = 2. FOR R04_AJ1043CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1030CG = 1, 2, 3 AND R04_AJ1039CG = 2. FOR R04_AJ1043FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1030FC = 1, 2, 3 AND R04_AJ1039FC = 2. DISPLAY: DISPLAY "\$" AS LEFT LABEL. DISPLAY "Dollars" AND "Cents" AS TITLES. PROGRAM: Display as Quantity/Quantity.	

CHECK ID:	R04_AJ1043TC_LC1				
The computer recorded that you usually pay \$[R04_AJ1043TC_D].[R04_AJ1043TC_C] for a single traditional cigar for a blunt. Is that correct? If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table style="width: 100%;"> <tr> <td style="text-align: center;">1 BACK</td> <td style="text-align: right;">GO TO R04_AJ1043TC</td> </tr> <tr> <td style="text-align: center;">2 NEXT</td> <td style="text-align: right;">GO TO R04_AJ1043CG_LC1</td> </tr> </table> ASK: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1030TC = 1, 2, 3 AND R04_AJ1039TC = 2 AND R04_AJ1043TC_D != -8, -7 AND (R04_AJ1043TC_D > 15 OR R04_AJ1043TC_D < 1). PROGRAM: TRIGGER CHECK IF R04_AJ1043TC_D > 15 OR R04_AJ1043TC_D < 1. ELSE, GO TO R04_AJ1043CG_LC1 AND DO NOT DISPLAY THIS SCREEN.		1 BACK	GO TO R04_AJ1043TC	2 NEXT	GO TO R04_AJ1043CG_LC1
1 BACK	GO TO R04_AJ1043TC				
2 NEXT	GO TO R04_AJ1043CG_LC1				

CHECK ID: R04_AJ1043CG_LC1

The computer recorded that you usually pay \$[R04_AJ1043CG_D].[R04_AJ1043CG_C] for a single cigarillo for a blunt. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AJ1043CG |
| 2 | NEXT | GO TO R04_AJ1043FC_LC1 |

ASK: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1030CG = 1, 2, 3 AND R04_AJ1039CG = 2 AND (R04_AJ1043CG_D > 3 OR (R04_AJ1043CG_D = 0 AND R04_AJ1043CG_C < 50)).

PROGRAM: TRIGGER CHECK IF R04_AJ1043CG_D > 3 OR (R04_AJ1043CG_D = 0 AND R04_AJ1043CG_C < 50).

ELSE, GO TO R04_AJ1043FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AJ1043FC_LC1

The computer recorded that you usually pay \$[R04_AJ1043FC_D].[R04_AJ1043FC_C] for a single filtered cigar for a blunt. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AJ1043FC |
| 2 | NEXT | GO TO R04_AJ1047[TC/CG/FC] |

ASK: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1030FC = 1, 2, 3 AND R04_AJ1039FC = 2 AND (R04_AJ1043FC_D > 3 OR (R04_AJ1043FC_D = 0 AND R04_AJ1043FC_C < 50)).

PROGRAM: TRIGGER CHECK IF R04_AJ1043FC_D > 3 OR (R04_AJ1043FC_D = 0 AND R04_AJ1043FC_C < 50).

ELSE, GO TO R04_AJ1047[TC/CG/FC] AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AJ1047TC; R04_AJ1047CG; R04_AJ1047FC

Do you have a regular brand of [CIGARFILL]s that you usually use for blunts?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R04_AJ1047TC: IF R04_12MBLUNT_ONLY_BTRAD = 1.

FOR R04_AJ1047CG: IF R04_12MBLUNT_ONLY_BRILLO = 1.

FOR R04_AJ1047FC: IF R04_12MBLUNT_ONLY_BFILTR = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AJ1050TC; R04_AJ1050CG; R04_AJ1050FC		
[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?		
1	Yes	
2	No	GO TO R04_AJ1945[TC/CG/FC]
3	I don't know	GO TO R04_AJ1945[TC/CG/FC]
-8	DON'T KNOW	GO TO R04_AJ1945[TC/CG/FC]
-7	REFUSED	GO TO R04_AJ1945[TC/CG/FC]
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.		
ASK Specification: FOR R04_AJ1050TC: IF R04_12MBLUNT_ONLY_BTRAD = 1.		
FOR R04_AJ1050CG: IF R04_12MBLUNT_ONLY_BRILLO = 1.		
FOR R04_AJ1050FC: IF R04_12MBLUNT_ONLY_BFILTR = 1.		
DISPLAY: IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".		
ELSE, IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY "Is", "your regular brand" AND "smoke".		

Variable(s): **SEE BELOW:**

Which flavor [is/was] it? Choose all that apply.

- R04_AJ1012TC_01;
 R04_AJ1012CG_01; 1 Menthol or mint
 R04_AJ1012FC_01
 R04_AJ1012TC_02;
 R04_AJ1012CG_02; 2 Clove or spice
 R04_AJ1012FC_02
 R04_AJ1012TC_03;
 R04_AJ1012CG_03; 3 Fruit
 R04_AJ1012FC_03
 R04_AJ1012TC_04;
 R04_AJ1012CG_04; 4 Chocolate
 R04_AJ1012FC_04
 R04_AJ1012TC_05;
 R04_AJ1012CG_05; 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
 R04_AJ1012FC_05
 R04_AJ1012TC_06;
 R04_AJ1012CG_06; 6 Candy or other sweets
 R04_AJ1012FC_06
 R04_AJ1012TC_07;
 R04_AJ1012TC_OS;
 R04_AJ1012CG_07;
 R04_AJ1012CG_OS; 7 Some other flavor (SPECIFY)
 R04_AJ1012FC_07;
 R04_AJ1012FC_OS

 -8 DON'T KNOW
 -7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: FOR R04_AJ1012TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1050TC = 1.

FOR R04_AJ1012CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1050CG = 1.

FOR R04_AJ1012FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1050FC = 1.

DISPLAY: IF R04_AJ1047[TC/CG/FC] = 1 DISPLAY "is".

ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AJ1945TC; R04_AJ1945CG; R04_AJ1945FC**

Do you know the name of the brand of [CIGARFILL]s that you [usually use/last used] for blunts?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R04_AJ1945TC: IF R04_12MBLUNT_ONLY_BTRAD = 1.

FOR R04_AJ1945CG: IF R04_12MBLUNT_ONLY_BRILLO = 1.

FOR R04_AJ1945FC: IF R04_12MBLUNT_ONLY_BFILTR = 1.

DISPLAY: IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY "usually use".

ELSE, IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "last used".

UNDERLINE "name of the brand".

BOX ID: **R04_AJR33**

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts, go to R04_AJ1048[TC/CG/FC]_BRAND.

Else, go to Box R04_AJR04.

IF LOOP = BTRAD:

IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1945TC = 1, GO TO R04_AJ1048TC_BRAND.

ELSE, GO TO BOX R04_AJR04.

IF LOOP = BRILLO:

IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1945CG = 1, GO TO R04_AJ1048CG_BRAND.

ELSE, GO TO BOX R04_AJR04.

IF LOOP = BFILTR:

IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1945FC = 1, GO TO R04_AJ1048FC_BRAND.

ELSE, GO TO BOX R04_AJR04.

Variable(s):	R04_AJ1048TC_BRAND; R04_AJ1048CG_BRAND; R04_AJ1048FC_BRAND
What brand of [CIGARFILL] for blunts [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts. ASK Specification: FOR R04_AJ1048TC_BRAND: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1945TC = 1. FOR R04_AJ1048CG_BRAND: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1945CG = 1. FOR R04_AJ1048FC_BRAND: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1945FC = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT"." ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else"." IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY "do" AND "usually". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AJR01

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R04_AJ1049[TC/CG/FC].

Else, adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R04_AJ1070_PRODUCT[TC/CG/FC].

Else, go to Box R04_AJR04.

IF LOOP = BTRAD:

IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1945TC = 1 AND R04_AJ1048TC_BRAND = 9995, GO TO R04_AJ1049TC.

ELSE, IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1945TC = 1 AND R04_AJ1048TC_BRAND != 9995, -8, -7, GO TO R04_AJ1070TC_PRODUCT.

ELSE, GO TO BOX R04_AJR04.

IF LOOP = BRILLO:

IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1945CG = 1 AND R04_AJ1048CG_BRAND = 9995, GO TO R04_AJ1049CG.

ELSE, IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1945CG = 1 AND R04_AJ1048CG_BRAND != 9995, -8, -7, GO TO R04_AJ1070CG_PRODUCT.

ELSE, GO TO BOX R04_AJR04.

IF LOOP = BFILTR:

IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1945FC = 1 AND R04_AJ1048FC_BRAND = 9995, GO TO R04_AJ1049FC.

ELSE, IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1945FC = 1 AND R04_AJ1048FC_BRAND != 9995, -8, -7, GO TO R04_AJ1070FC_PRODUCT.

ELSE, GO TO BOX R04_AJR04.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AJ1049TC; R04_AJ1049CG; R04_AJ1049FC	
You said that your brand was not listed. What is it?	
_____	GO TO BOX R04_AJR04
-8 DON'T KNOW	GO TO BOX R04_AJR04
-7 REFUSED	GO TO BOX R04_AJR04
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars for blunts. ASK Specification: FOR R04_AJ1049TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1945TC = 1 AND R04_AJ1048TC_BRAND = 9995. FOR R04_AJ1049CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1945CG = 1 AND R04_AJ1048CG_BRAND = 9995. FOR R04_AJ1049FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1945FC = 1 AND R04_AJ1048FC_BRAND = 9995.	

Variable(s): R04_AJ1070TC_PRODUCT; R04_AJ1070CG_PRODUCT; R04_AJ1070FC_PRODUCT	
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]	
99995 Something else	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts. ASK Specification: FOR R04_AJ1070TC_PRODUCT: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1945TC = 1 AND R04_AJ1048TC_BRAND != 9995, -8, -7. FOR R04_AJ1070CG_PRODUCT: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1945CG = 1 AND R04_AJ1048CG_BRAND != 9995, -8, -7. FOR R04_AJ1070FC_PRODUCT: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1945FC = 1 AND R04_AJ1048FC_BRAND != 9995, -8, -7. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT"." ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else"." FILL BRANDFILL WITH BRAND CHOSEN IN R04_AJ1048[TC/CG/FC]_BRAND. IF R04_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R04_AJ1047[TC/CG/FC] = 1, DISPLAY "do" AND "usually". PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04_AJ1048[TC/CG/FC]_BRAND.	

BOX ID:	R04_AJR02
Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars for blunts, go to R04_AJ1071[TC/CG/FC]. Else, go to Box R04_AJR04.	
IF LOOP = BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1945TC = 1 AND R04_AJ1048TC_BRAND != 9995, -8, -7 AND R04_AJ1070TC_PRODUCT = 1, GO TO R04_AJ1071TC. ELSE, GO TO BOX R04_AJR04. IF LOOP = BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1945CG = 1 AND R04_AJ1048CG_BRAND != 9995, -8, -7 AND R04_AJ1070CG_PRODUCT = 1, GO TO R04_AJ1071CG. ELSE, GO TO BOX R04_AJR04. IF LOOP = BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1945FC = 1 AND R04_AJ1048FC_BRAND != 9995, -8, -7 AND R04_AJ1070FC_PRODUCT = 1, GO TO R04_AJ1071FC. ELSE, GO TO BOX R04_AJR04.	

Variable(s):	R04_AJ1071TC; R04_AJ1071CG; R04_AJ1071FC
You said that the type of [BRANDFILL]s that you smoke as blunts is not listed. What type is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars for blunts. ASK Specification: FOR R04_AJ1071TC: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_AJ1945TC = 1 AND R04_AJ1048TC_BRAND != 9995, -8, -7 AND R04_AJ1070TC_PRODUCT = 99995. FOR R04_AJ1071CG: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_AJ1945CG = 1 AND R04_AJ1048CG_BRAND != 9995, -8, -7 AND R04_AJ1070CG_PRODUCT = 99995. FOR R04_AJ1071FC: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_AJ1945FC = 1 AND R04_AJ1048FC_BRAND != 9995, -8, -7 AND R04_AJ1070FC_PRODUCT = 99995. DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AJ1048[TC/CG/FC]_BRAND.	

BOX ID:	R04_AJR04
END BLUNT LOOP: Adult respondents who have remaining blunt-only traditional cigar/cigarillo/filtered cigar loops to complete, return to Box R04_AJT03 and complete remaining blunt-only traditional cigar/cigarillo/filtered cigar loops. Else, adult respondents who have traditional cigar/cigarillo/filtered cigar loops to complete, go to Box R04_AGR10. Else, adult respondents who have no more remaining blunt-only traditional cigar/cigarillo/filtered cigar loops to complete and have no traditional cigar/cigarillo/filtered cigar loops to complete, go to the next section.	
IF THERE ARE REMAINING BLUNT-ONLY CIGAR LOOPS TO BE COMPLETED, GO BACK TO BOX R04_AJT03 AND LOOP THROUGH SUBSECTION FOR ANY BLUNT-ONLY CIGAR TYPES. ELSE, IF THERE ARE NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO TO BOX R04_AGR10. ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED FOR BLUNTS OR CIGARS, GO TO THE NEXT SECTION (see note in Box R04_AMD07).	

BOX ID:	R04_AGR10
Continuing and aged up adult respondents who were new former established or still former established traditional cigar/cigarillo/filtered cigar smokers and had smoked 100 or more traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, and have not smoked in the past 12 months or currently smoke not at all, or adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to Box R04_AGV02. Else, continue with Box R04_AGT03.	
IF LOOP = GTRAD: IF R04_ADULTTYPE = 1, 2 AND (R03_GTRAD_USER_STATUS = 4, 5 AND R03_NUMLIFE_GTRAD = 1 AND R03_REGUSE_GTRAD = 1 AND (R04_AG9003TC_12M = 2 OR R04_AG1003TC = 3)) OR (R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 1), GO TO BOX R04_AGV02. ELSE, GO TO BOX R04_AGT03.	
IF LOOP = GRILLO: IF R04_ADULTTYPE = 1, 2 AND (R03_GRILLO_USER_STATUS = 4, 5 AND R03_NUMLIFE_GRILLO = 1 AND R03_REGUSE_GRILLO = 1 AND (((R04_AG9009CG_12M_1 != 1 AND R04_AG9009CG_12M_3 != 1 AND R04_AG9049CG_1 != 1 AND R04_AG9049CG_3 != 1) OR R04_AG1003CG = 3) OR (R04_AG9051CG = 2 AND R04_AG9053CG = 2))) OR (R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 1), GO TO BOX R04_AGV02. ELSE, GO TO BOX R04_AGT03.	
IF LOOP = GFILTR: IF R04_ADULTTYPE = 1, 2 AND (R03_GFILTR_USER_STATUS = 4, 5 AND R03_NUMLIFE_GFILTR = 1 AND R03_REGUSE_GFILTR = 1 AND (((R04_AG9009FC_12M_2 != 1 AND R04_AG9049FC_2 != 1) OR R04_AG1003FC = 3) OR R04_AG9052FC = 2) OR (R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 1), GO TO BOX R04_AGV02. ELSE, GO TO BOX R04_AGT03.	

BOX ID: R04_AGT03

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=GTRAD (Traditional Cigars):

The next questions are about traditional cigars.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf.

As you answer these questions, please think only about your use of traditional cigars like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGAR]

IF LOOP=GRILLO (Cigarillos):

The next questions are about cigarillos.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips.

As you answer these questions, please think only about your use of cigarillos like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF CIGARILLO].

IF LOOP=GFILTR (Filtered Cigars):

The next questions are about filtered cigars.

Filtered cigars are usually brown and have a filter like a cigarette. As you answer these questions, please think only about your use of filtered cigars like those shown below.

[SHOW GENERIC IMAGE OF FILTERED CIGAR].

BOX ID: R04_AGR01

New cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1006[TC/CG/FC]_RS.

Else, continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R04_AG1005[TC/CG/FC].

Else, continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, go to R04_AG1100[TC/CG/FC].

Else, go to Box R04_AGR12.

IF LOOP = GTRAD:

IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO R04_AG1006TC_RS.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_NUMLIFE_GTRAD != 1, GO TO R04_AG1005TC.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_REGUSE_GTRAD != 1, GO TO R04_AG1100TC.

ELSE, GO TO BOX R04_AGR12.

IF LOOP = GRILLO:

IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1, GO TO R04_AG1006CG_RS.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_NUMLIFE_GRILLO != 1, GO TO R04_AG1005CG.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_REGUSE_GRILLO != 1, GO TO R04_AG1100CG.

ELSE, GO TO BOX R04_AGR12.

IF LOOP = GFILTR:

IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1, GO TO R04_AG1006FC_RS.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_NUMLIFE_GFILTR != 1, GO TO R04_AG1005FC.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_REGUSE_GFILTR != 1, GO TO R04_AG1100FC.

ELSE, GO TO BOX R04_AGR12.

Variable(s):	R04_AG1006TC_RS; R04_AG1006CG_RS; R04_AG1006FC_RS
How old were you the first time you smoked part or all of a [CIGARFILL], even one or two puffs?	
I ___ I ___	Years old
-8	DON'T KNOW
	GO TO R04_AG1120[TC/CG/FC]_RS
-7	REFUSED
	GO TO R04_AG1120[TC/CG/FC]_RS
ASK: New cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R04_AG1006TC_RS: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1.	
FOR R04_AG1006CG_RS: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1.	
FOR R04_AG1006FC_RS: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1.	
PROGRAM: DISPLAY "Years old" AS A TITLE.	

292

CHECK ID: R04_AG1006TC_RS_LC2

The computer recorded that you first smoked a traditional cigar at age [R04_AG1006TC_RS]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1006TC_RS |
| 2 | NEXT | GO TO R04_AG1006CG_RS_LC1 |

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1006TC_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AG1006TC_RS > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO R04_AG1006CG_RS_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1006CG_RS_LC1

The computer recorded that you first smoked a cigarillo at age [R04_AG1006CG_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1006CG_RS |
| 2 | NEXT | GO TO R04_AG1006CG_RS_LC2 |

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1006CG_RS != -8, -7 AND R04_AG1006CG_RS <= 10.

PROGRAM: TRIGGER CHECK IF R04_AG1006CG_RS <= 10. ELSE, GO TO R04_AG1006CG_RS_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1006CG_RS_LC2

The computer recorded that you first smoked a cigarillo at age [R04_AG1006CG_RS]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1006CG_RS |
| 2 | NEXT | GO TO R04_AG1006FC_RS_LC1 |

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1006CG_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AG1006CG_RS > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO R04_AG1006FC_RS_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1006FC_RS_LC1

The computer recorded that you first smoked a filtered cigar at age [R04_AG1006FC_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1006FC_RS |
| 2 | NEXT | GO TO R04_AG1006FC_RS_LC2 |

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1006FC_RS != -8, -7 AND R04_AG1006FC_RS <= 10.

PROGRAM: TRIGGER CHECK IF R04_AG1006FC_RS <= 10.

ELSE, GO TO R04_AG1006FC_RS_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1006FC_RS_LC2

The computer recorded that you first smoked a filtered cigar at age [R04_AG1006FC_RS]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AG1006FC_RS |
| 2 | NEXT | GO TO R04_AG1005[TC/CG/FC] |

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1006FC_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AG1006FC_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO R04_AG1005[TC/CG/FC] AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R04_AG1120TC_RS; R04_AG1120CG_RS; R04_AG1120FC_RS
The first time you smoked part or all of a [CIGARFILL], even one or two puffs, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report the age they first smoked a traditional cigar/cigarillo/filtered cigar. ASK Specification: FOR R04_AG1120TC_RS: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1006TC_RS = -8, -7. FOR R04_AG1120CG_RS: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1006CG_RS = -8, -7. FOR R04_AG1120FC_RS: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1006FC_RS = -8, -7.	

Variable(s):	R04_AG1005TC; R04_AG1005CG; R04_AG1005FC
How many [CIGARFILL]s have you smoked in your entire life?	
1	1 or more puffs but never a whole one
2	1 to 10
3	11 to 20
4	21 to 50
5	51 to 99
6	100 or more
-8	DON'T KNOW
-7	REFUSED
ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, or new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1005TC: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_NUMLIFE_GTRAD != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1). FOR R04_AG1005CG: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_NUMLIFE_GRILLO != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1). FOR R04_AG1005FC: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_NUMLIFE_GFILTR != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1).	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AGR26
Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1100[TC/CG/FC]. Else, go to Box R04_AGV02.	
IF LOOP = GTRAD: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_REGUSE_GTRAD != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1). ELSE, GO TO BOX R04_AGV02.	
IF LOOP = GRILLO: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_REGUSE_GRILLO != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1). ELSE, GO TO BOX R04_AGV02.	
IF LOOP = GFILTR: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_REGUSE_GFILTR != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1), GO TO R04_AG1100FC. ELSE, GO TO BOX R04_AGV02.	

Variable(s): **R04_AG1100TC; R04_AG1100CG; R04_AG1100FC**

Have you ever smoked [CIGARFILL]s fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R04_AG1100TC: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_REGUSE_GTRAD != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1).

FOR R04_AG1100CG: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_REGUSE_GRILLO != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1).

FOR R04_AG1100FC: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_REGUSE_GFILTR != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1).

BOX ID: R04_AGR12

Aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly, or new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly, go to R04_AG1007[TC/CG/FC]_NB.
Else, go to Box R04_AGV02.

IF LOOP = GTRAD:

IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GTRAD = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC = 1)
OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1100TC = 1), GO TO R04_AG1007TC_NB.
ELSE, GO TO BOX R04_AGV02.

IF LOOP = GRILLO:

IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GRILLO = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_REGUSE_GRILLO != 1 AND R04_AG1100CG = 1)
OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1100CG = 1), GO TO R04_AG1007CG_NB.
ELSE, GO TO BOX R04_AGV02.

IF LOOP = GFILTR:

IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GFILTR = 1 AND
R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_REGUSE_GFILTR != 1 AND R04_AG1100FC = 1)
OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND
R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1100FC = 1), GO TO R04_AG1007FC_NB.
ELSE, GO TO BOX R04_AGV02.

Variable(s):	R04_AG1007TC_NB; R04_AG1007CG_NB; R04_AG1007FC_NB
How old were you when you first started smoking [CIGARFILL]s fairly regularly?	
I ___ I ___ Years old	
-8 DON'T KNOW	GO TO R04_AG1121[TC/CG/FC]_NB
-7 REFUSED	GO TO R04_AG1121[TC/CG/FC]_NB
ASK: Aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly, or new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly. ASK Specification: FOR R04_AG1007TC_NB: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1100TC = 1). FOR R04_AG1007CG_NB: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_REGUSE_GRILLO != 1 AND R04_AG1100CG = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1100CG = 1). FOR R04_AG1007FC_NB: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_REGUSE_GFILTR != 1 AND R04_AG1100FC = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1100FC = 1). DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits for age.	

CHECK ID:	R04_AG1007TC_NB_LC1
The computer recorded that you started smoking traditional cigars fairly regularly at age [R04_AG1007TC_NB].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1007TC_NB
2 NEXT	GO TO R04_AG1007TC_NB_LC2
ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC = 1 AND R04_AG1007TC_NB != -8, -7 AND R04_AG1007TC_NB <= 12) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1100TC = 1 AND R04_AG1007TC_NB != -8, -7 AND R04_AG1007TC_NB <= 12). PROGRAM: TRIGGER CHECK IF R04_AG1007TC_NB <= 12. ELSE, GO TO R04_AG1007TC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID: R04_AG1007TC_NB_LC2

The computer recorded that you started smoking traditional cigars fairly regularly at age [R04_AG1007TC_NB]. This is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1007TC_NB |
| 2 | NEXT | GO TO R04_AG1007CG_NB_LC1 |

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC = 1 AND R04_AG1007TC_NB > R04R_A_AGE AND R04R_A_AGE >= 18) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1100TC = 1 AND R04_AG1007TC_NB > R04R_A_AGE AND R04R_A_AGE >= 18).
PROGRAM: TRIGGER CHECK IF R04_AG1007TC_NB > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AG1007CG_NB_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1007CG_NB_LC1

The computer recorded that you started smoking cigarillos fairly regularly at age [R04_AG1007CG_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1007CG_NB |
| 2 | NEXT | GO TO R04_AG1007CG_NB_LC2 |

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_REGUSE_GRILLO != 1 AND R04_AG1100CG = 1 AND R04_AG1007CG_NB != -8, -7 AND R04_AG1007CG_NB <= 10) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1100CG = 1 AND R04_AG1007CG_NB != -8, -7 AND R04_AG1007CG_NB <= 10).
PROGRAM: TRIGGER CHECK IF R04_AG1007CG_NB <= 10.
ELSE, GO TO R04_AG1007CG_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1007CG_NB_LC2

The computer recorded that you started smoking cigarillos fairly regularly at age [R04_AG1007CG_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1007CG_NB |
| 2 | NEXT | GO TO R04_AG1007FC_NB_LC1 |

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_REGUSE_GRILLO != 1 AND R04_AG1100CG = 1 AND R04_AG1007CG_NB > R04R_A_AGE AND R04R_A_AGE >= 18) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1100CG = 1 AND R04_AG1007CG_NB > R04R_A_AGE AND R04R_A_AGE >= 18).
PROGRAM: TRIGGER CHECK IF R04_AG1007CG_NB > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AG1007FC_NB_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1007FC_NB_LC1

The computer recorded that you started smoking filtered cigars fairly regularly at age [R04_AG1007FC_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1007FC_NB |
| 2 | NEXT | GO TO R04_AG1007FC_NB_LC2 |

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_REGUSE_GFILTR != 1 AND R04_AG1100FC = 1 AND R04_AG1007FC_NB != -8, -7 AND R04_AG1007FC_NB <= 10) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1100FC = 1 AND R04_AG1007FC_NB != -8, -7 AND R04_AG1007FC_NB <= 10).
PROGRAM: TRIGGER CHECK IF R04_AG1007FC_NB <= 10.
ELSE, GO TO R04_AG1007FC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1007FC_NB_LC2

The computer recorded that you started smoking filtered cigars fairly regularly at age [R04_AG1007FC_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1007FC_NB

2 NEXT

GO TO BOX R04_AGV02

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_REGUSE_GFILTR != 1 AND R04_AG1100FC = 1 AND R04_AG1007FC_NB > R04R_A_AGE AND R04R_A_AGE >= 18) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1100FC = 1 AND R04_AG1007FC_NB > R04R_A_AGE AND R04R_A_AGE >= 18).

PROGRAM: TRIGGER CHECK IF R04_AG1007FC_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_AGV02 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AG1121TC_NB; R04_AG1121CG_NB; R04_AG1121FC_NB

When you first started smoking [CIGARFILL]s fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly and did not know or refused to report the age when they first started smoking traditional cigars/cigarillos/filtered cigars fairly regularly, or new cohort adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly and did not know or refused to report the age when they first started smoking traditional cigars/cigarillos/filtered cigars fairly regularly.

ASK Specification: FOR R04_AG1121TC_NB: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC = 1 AND R04_AG1007TC_NB = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1100TC = 1 AND R04_AG1007TC_NB = -8, -7).

FOR R04_AG1121CG_NB: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_REGUSE_GRILLO != 1 AND R04_AG1100CG = 1 AND R04_AG1007CG_NB = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1100CG = 1 AND R04_AG1007CG_NB = -8, -7).

FOR R04_AG1121FC_NB: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_REGUSE_GFILTR != 1 AND R04_AG1100FC = 1 AND R04_AG1007FC_NB = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1100FC = 1 AND R04_AG1007FC_NB = -8, -7).

BOX ID: R04_AGV02

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

IF LOOP = GTRAD (Traditional Cigar), THEN DEFINE:

R04_GTRAD_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke every day or some days.

R04_GTRAD_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked traditional cigars fairly regularly, and currently smoke every day or some days.

R04_GTRAD_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a traditional cigar and have never smoked traditional cigars fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R04_GTRAD_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental traditional cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever smoked traditional cigars as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since their last completed interview, have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all.

R04_GTRAD_USER_STATUS = 5 (Long-term former established user) Continuing and aged-up adult respondents who were new former established or still former established traditional cigar smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly and have not smoked traditional cigars in the past 12 months.

R04_CURRENT_GTRAD_USE = 1 (Every day established user) Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke every day.

R04_CURRENT_GTRAD_USE = 2 (Some day established user) Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke some days.

R04_FORMER_THIRTYDAY_USER_GTRAD = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established traditional cigar smokers who have smoked traditional cigars in the past 30 days.

IF LOOP = GRILLO (Cigarillo), THEN DEFINE:

R04_GRILLO_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke every day or some days.

R04_GRILLO_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked cigarillos fairly regularly, and currently smoke every day or some days.

R04_GRILLO_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a cigarillo and have never smoked cigarillos fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R04_GRILLO_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental cigarillo smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever smoked cigarillos as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated cigarillo smoking since their last completed interview, have ever smoked cigarillos fairly regularly, have smoked in the

past 12 months and currently smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and currently smoke not at all.

R04_GRILLO_USER_STATUS = 5 (Long-term former established user) Continuing and aged-up adult respondents who were new former established or still former established cigarillo smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly and did not smoke in the past 12 months.

R04_CURRENT_GRILLO_USE = 1 (Every day established user) Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke every day.

R04_CURRENT_GRILLO_USE = 2 (Some day established user) Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke some days.

R04_FORMER_THIRTYDAY_USER_GRILLO = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established cigarillo smokers who have smoked cigarillos in the past 30 days.

IF LOOP = GFILTR (Filtered Cigar), THEN DEFINE:

R04_GFILTR_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke every day or some days.

R04_GFILTR_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked filtered cigars fairly regularly, and currently smoke every day or some days.

R04_GFILTR_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a filtered cigar and have never smoked filtered cigars fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R04_GFILTR_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental filtered cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever smoked filtered cigars as of their last completed interview, who have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated filtered cigar smoking since their last completed interview, have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all.

R04_GFILTR_USER_STATUS = 5 (Long-term former established user) Continuing and aged-up adult respondents who were new former established or still former established filtered cigar smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly and did not smoke in the past 12 months.

R04_CURRENT_GFILTR_USE = 1 (Every day established user) Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke every day.

R04_CURRENT_GFILTR_USE = 2 (Some day established user) Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke some days

R04_FORMER_THIRTYDAY_USER_GFILTR = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established filtered cigar smokers who have smoked filtered cigars in the past 30 days.

IF LOOP = GTRAD (Traditional Cigar), THEN DEFINE:

R04_GTRAD_USER_STATUS = 1:

IF (R03_REGUSE_GTRAD = 1 OR R04_AG1100TC = 1) AND R04_AG1003TC = 1, 2, THEN
R04_GTRAD_USER_STATUS = 1.

R04_GTRAD_USER_STATUS = 2:

ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND R04_AG1003TC = 1, 2, THEN R04_GTRAD_USER_STATUS = 2.

R04_GTRAD_USER_STATUS = 3:

ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_12MBLUNT_ONLY_BTRAD != 1, THEN R04_GTRAD_USER_STATUS = 3.

R04_GTRAD_USER_STATUS = 4:

ELSE, IF (R03_GTRAD_USER_STATUS = 1, 2, 3 OR (R04_INIT_GTRAD_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GTRAD = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AG1009TC_NN <= 365 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN <= 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN <= 1 AND R04_AG1009TC_UN = 3)))) AND (R03_REGUSE_GTRAD = 1 OR R04_AG1100TC = 1) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1, THEN R04_GTRAD_USER_STATUS = 4.

R04_GTRAD_USER_STATUS = 5:

ELSE, IF (R03_GTRAD_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100TC = 1 AND ((R04_AG1009TC_NN > 365 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN > 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN > 1 AND R04_AG1009TC_UN = 3)))) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1, THEN R04_GTRAD_USER_STATUS = 5.

R04_CURRENT_GTRAD_USE = 1:

IF R04_GTRAD_USER_STATUS = 1 AND R04_AG1003TC = 1, THEN R04_CURRENT_GTRAD_USE = 1.

R04_CURRENT_GTRAD_USE = 2:

ELSE, IF R04_GTRAD_USER_STATUS = 1 AND R04_AG1003TC = 2, THEN R04_CURRENT_GTRAD_USE = 2.

R04_FORMER_THIRTYDAY_USER_GTRAD:

IF R04_GTRAD_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AG1009TC_NN <= 30 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN = 1 AND R04_AG1009TC_UN = 2) OR R04_AG9030 = 1) AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN R04_FORMER_THIRTYDAY_USER_GTRAD = 1.

ELSE, R04_FORMER_THIRTYDAY_USER_GTRAD = 2.

IF LOOP = GRILLO (Cigarillo), THEN DEFINE:

R04_GRILLO_USER_STATUS = 1:

IF (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND R04_AG1003CG = 1, 2, THEN R04_GRILLO_USER_STATUS = 1.

R04_GRILLO_USER_STATUS = 2:

ELSE, IF R04_EVER_NEVER_GRILLO = 1 AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND R04_AG1003CG = 1, 2, THEN R04_GRILLO_USER_STATUS = 2.

R04_GRILLO_USER_STATUS = 3:

ELSE, IF R04_EVER_NEVER_GRILLO = 1 AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_12MBLUNT_ONLY_BRILLO != 1, THEN R04_GRILLO_USER_STATUS = 3.

R04_GRILLO_USER_STATUS = 4:

ELSE, IF (R03_GRILLO_USER_STATUS = 1, 2, 3 OR (R04_INIT_GRILLO_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GRILLO = 1) OR (R04_ADULTTYPE = 3 AND (((R04_AG1009CG_NN <= 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN <= 12 AND R04_AG1009CG_UN = 2) OR (R04_AG1009CG_NN <= 1 AND R04_AG1009CG_UN = 3)))) AND (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1, THEN
R04_GRILLO_USER_STATUS = 4.

R04_GRILLO_USER_STATUS = 5:

ELSE, IF (R03_GRILLO_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100CG = 1 AND ((R04_AG1009CG_NN > 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN > 12 AND R04_AG1009CG_UN = 2) OR (R04_AG1009CG_NN > 1 AND R04_AG1009CG_UN = 3)))) AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1, THEN
R04_GRILLO_USER_STATUS = 5.

R04_CURRENT_GRILLO_USE = 1:

IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 1, THEN
R04_CURRENT_GRILLO_USE = 1.

R04_CURRENT_GRILLO_USE = 2:

ELSE, IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 2, THEN
R04_CURRENT_GRILLO_USE = 2.

R04_FORMER_THIRTYDAY_USER_GRILLO:

IF R04_GRILLO_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AG1009CG_NN <= 30 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN = 1 AND R04_AG1009CG_UN = 2) OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1) AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN
R04_FORMER_THIRTYDAY_USER_GRILLO = 1.

ELSE, R04_FORMER_THIRTYDAY_USER_GRILLO = 2.

IF LOOP = GFILTR (Filtered Cigar), THEN DEFINE:

R04_GFILTR_USER_STATUS = 1:

IF (R03_REGUSE_GFILTR = 1 OR R04_AG1100FC = 1) AND R04_AG1003FC = 1, 2, THEN
R04_GFILTR_USER_STATUS = 1.

R04_GFILTR_USER_STATUS = 2:

ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND R04_AG1003FC = 1, 2, THEN R04_GFILTR_USER_STATUS = 2.

R04_GFILTR_USER_STATUS = 3:

ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_12MBLUNT_ONLY_BFILTR != 1, THEN
R04_GFILTR_USER_STATUS = 3.

R04_GFILTR_USER_STATUS = 4:

ELSE, IF (R03_GFILTR_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_GFILTR_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GFILTR = 1) OR (R04_ADULTTYPE = 3 AND (((R04_AG1009FC_NN <= 365 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN <= 12 AND R04_AG1009FC_UN = 2) OR (R04_AG1009FC_NN <= 1 AND R04_AG1009FC_UN = 3)))) AND (R03_REGUSE_GFILTR = 1 OR R04_AG1100FC = 1) AND

((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1, THEN
R04_GFILTR_USER_STATUS = 4.

R04_GFILTR_USER_STATUS = 5:

ELSE, IF (R03_GFILTR_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100FC = 1 AND ((R04_AG1009FC_NN > 365 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN > 12 AND R04_AG1009FC_UN = 2) OR (R04_AG1009FC_NN > 1 AND R04_AG1009FC_UN = 3)))) AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1, THEN
R04_GFILTR_USER_STATUS = 5.

R04_CURRENT_GFILTR_USE = 1:

IF R04_GFILTR_USER_STATUS = 1 AND R04_AG1003FC = 1, THEN
R04_CURRENT_GFILTR_USE = 1.

R04_CURRENT_GFILTR_USE = 2:

ELSE, IF R04_GFILTR_USER_STATUS = 1 AND R04_AG1003FC = 2, THEN
R04_CURRENT_GFILTR_USE = 2.

R04_FORMER_THIRTYDAY_USER_GFILTR:

IF R04_GFILTR_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AG1009FC_NN <= 30 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN = 1 AND R04_AG1009FC_UN = 2) OR R04_AG9049_02 = 1) AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN
R04_FORMER_THIRTYDAY_USER_GFILTR = 1.

ELSE, R04_FORMER_THIRTYDAY_USER_GFILTR = 2.

BOX ID: R04_AGR02

New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1020[TC/CG/FC]_NB.

Else, continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1008[TC/CG/FC].

Else, adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1021[TC/CG/FC].

Else, adult respondents who are someday established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1022[TC/CG/FC].

Else, adult respondents who are recent former established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG9040[TC/CG/FC].

Else, go to Box R04_AGR04.

IF LOOP = GTRAD:

IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO R04_AG1020TC_NB.


```

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GTRAD_ADULT = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD
= 1 AND R04_12MBLUNT_ONLY_BTRAD != 1), GO TO R04_AG1008TC.
ELSE, IF R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO
R04_AG1021TC.
ELSE, IF R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR
R04_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO
R04_AG1022TC.
ELSE, IF R04_GTRAD_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO
R04_AG9040TC.
ELSE, GO TO BOX R04_AGR04.

IF LOOP = GRILLO:
IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GRILLO_USE = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1, GO TO R04_AG1020CG_NB.
ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GRILLO_ADULT = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO
= 1 AND R04_12MBLUNT_ONLY_BRILLO != 1), GO TO R04_AG1008CG.
ELSE, IF R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1, GO TO
R04_AG1021CG.
ELSE, IF R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR
R04_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1, GO TO
R04_AG1022CG.
ELSE, IF R04_GRILLO_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BRILLO != 1, GO TO
R04_AG9040CG.
ELSE, GO TO BOX R04_AGR04.

IF LOOP = GFILTR:
IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GFILTR_USE = 1 AND
R04_12MBLUNT_ONLY_BFILTR != 1, GO TO R04_AG1020FC_NB.
ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GFILTR_ADULT = 1 AND
R04_12MBLUNT_ONLY_BFILTR != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR
= 1 AND R04_12MBLUNT_ONLY_BFILTR != 1), GO TO R04_AG1008FC.
ELSE, IF R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1, GO TO
R04_AG1021FC.
ELSE, IF R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR
R04_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1, GO TO
R04_AG1022FC.
ELSE, IF R04_GFILTR_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BFILTR != 1, GO TO
R04_AG9040FC.
ELSE, GO TO BOX R04_AGR04.

```

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AG1020TC_NB; R04_AG1020CG_NB; R04_AG1020FC_NB	
How old were you when you first started smoking [CIGARFILL]s every day?	
I ___ I ___ I Years old	
-8 DON'T KNOW	GO TO R04_AG1122[TC/CG/FC]_NB
-7 REFUSED	GO TO R04_AG1122[TC/CG/FC]_NB
ASK: New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R04_AG1020TC_NB: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1.	
FOR R04_AG1020CG_NB: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1.	
FOR R04_AG1020FC_NB: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

CHECK ID: R04_AG1020TC_NB_LC1	
The computer recorded that you started smoking traditional cigars every day at age [R04_AG1020TC_NB].	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1020TC_NB
2 NEXT	GO TO R04_AG1020TC_NB_LC2
ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1020TC_NB != -8, -7 AND (R04_AG1020TC_NB <= 12 OR R04_AG1020TC_NB < R04_AG1007TC_NB).	
PROGRAM: TRIGGER CHECK IF R04_AG1020TC_NB <= 12 OR R04_AG1020TC_NB < R04_AG1007TC_NB.	
ELSE, GO TO R04_AG1020TC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID: R04_AG1020TC_NB_LC2

The computer recorded that you started smoking traditional cigars every day at age [R04_AG1020TC_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1020TC_NB |
| 2 | NEXT | GO TO R04_AG1020CG_NB_LC1 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1020TC_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AG1020TC_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO R04_AG1020CG_NB_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1020CG_NB_LC1

The computer recorded that you started smoking cigarillos every day at age [R04_AG1020CG_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1020CG_NB |
| 2 | NEXT | GO TO R04_AG1020CG_NB_LC2 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1020CG_NB != -8, -7 AND (R04_AG1020CG_NB <= 10 OR R04_AG1020CG_NB < R04_AG1007CG_NB).

PROGRAM: TRIGGER CHECK IF R04_AG1020CG_NB <= 10 OR R04_AG1020CG_NB < R04_AG1007CG_NB. ELSE, GO TO R04_AG1020CG_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1020CG_NB_LC2

The computer recorded that you started smoking cigarillos every day at age [R04_AG1020CG_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1020CG_NB |
| 2 | NEXT | GO TO R04_AG1020FC_NB_LC1 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1020CG_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AG1020CG_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO R04_AG1020FC_NB_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1020FC_NB_LC1

The computer recorded that you started smoking filtered cigars every day at age [R04_AG1020FC_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AG1020FC_NB |
| 2 | NEXT | GO TO R04_AG1020FC_NB_LC2 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1020FC_NB != -8, -7 AND (R04_AG1020FC_NB <= 5 OR R04_AG1020FC_NB < R04_AG1007FC_NB).

PROGRAM: TRIGGER CHECK IF R04_AG1020FC_NB <= 5 OR R04_AG1020FC_NB < R04_AG1007FC_NB.

ELSE, GO TO R04_AG1020FC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1020FC_NB_LC2

The computer recorded that you started smoking filtered cigars every day at age [R04_AG1020FC_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AG1020FC_NB |
| 2 | NEXT | GO TO BOX R04_AGR27 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1020FC_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AG1020FC_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO BOX R04_AGR27 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AG1122TC_NB; R04_AG1122CG_NB; R04_AG1122FC_NB
When you first started smoking [CIGARFILL]s every day, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report the age they first started smoking traditional cigars/cigarillos/filtered cigars every day. ASK Specification: FOR R04_AG1122TC_NB: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1020TC_NB = -8, -7. FOR R04_AG1122CG_NB: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1020CG_NB = -8, -7. FOR R04_AG1122FC_NB: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1020FC_NB = -8, -7.

BOX ID: R04_AGR27

Continuing and aged-up adult respondents who initiated smoking traditional cigars/cigarillos/filtered cigars since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1008[TC/CG/FC].

Else, go to Box R04_AGR11.

IF LOOP = GTRAD:

IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GTRAD_ADULT = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1), GO TO R04_AG1008TC.

ELSE, GO TO BOX R04_AGR11.

IF LOOP = GRILLO:

IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GRILLO_ADULT = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1), GO TO R04_AG1008CG.

ELSE, GO TO BOX R04_AGR11.

IF LOOP = GFILTR:

IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GFILTR_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1), GO TO R04_AG1008FC.

ELSE, GO TO BOX R04_AGR11.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AG1008TC; R04_AG1008CG; R04_AG1008FC		
When you first started smoking [CIGARFILL]s, did you smoke [CIGARFILL]s flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?		
1	Yes	
2	No	GO TO BOX R04_AGR59
3	I don't know	GO TO BOX R04_AGR59
-8	DON'T KNOW	GO TO BOX R04_AGR59
-7	REFUSED	GO TO BOX R04_AGR59
ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.		
ASK Specification: FOR R04_AG1008TC: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GTRAD_ADULT = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1).		
FOR R04_AG1008CG: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GRILLO_ADULT = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1).		
FOR R04_AG1008FC: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GFILTR_ADULT = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1).		

Variable(s):	SEE BELOW:
---------------------	-------------------

Which flavor did you first start smoking? Choose all that apply.

R04_AG1011TC_01; R04_AG1011CG_01; R04_AG1011FC_01	1	Menthol or mint
R04_AG1011TC_02; R04_AG1011CG_02; R04_AG1011FC_02	2	Clove or spice
R04_AG1011TC_03; R04_AG1011CG_03; R04_AG1011FC_03	3	Fruit
R04_AG1011TC_04; R04_AG1011CG_04; R04_AG1011FC_04	4	Chocolate
R04_AG1011TC_05; R04_AG1011CG_05; R04_AG1011FC_05	5	An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AG1011TC_06; R04_AG1011CG_06; R04_AG1011FC_06	6	Candy or other sweets
R04_AG1011TC_07; R04_AG1011TC_OS; R04_AG1011CG_07; R04_AG1011CG_OS; R04_AG1011FC_07; R04_AG1011FC_OS	7	Some other flavor (SPECIFY)
	-8	DON'T KNOW
	-7	REFUSED

ASK: Continuing and aged-up adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or new cohort adult respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R04_AG1011TC: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GTRAD_ADULT = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1008TC = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1008TC = 1).

FOR R04_AG1011CG: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GRILLO_ADULT = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1008CG = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1008CG = 1).

FOR R04_AG1011FC: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_GFILTR_ADULT = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1008FC = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1008FC = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

BOX ID:	R04_AGR59
New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1025[TC/CG/FC]_RS. Else, go to Box R04_AGR11.	
IF LOOP = GTRAD: IF R04_ADULTTYPE = 3 AND R04_GTRAD_USER_STATUS = 1, 2, 3, 4, 5 AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO R04_AG1025TC_RS. ELSE, GO TO BOX R04_AGR11. IF LOOP = GRILLO: IF R04_ADULTTYPE = 3 AND R04_GRILLO_USER_STATUS = 1, 2, 3, 4, 5 AND R04_12MBLUNT_ONLY_BRILLO != 1, GO TO R04_AG1025CG_RS. ELSE, GO TO BOX R04_AGR11. IF LOOP = GFILTR: IF R04_ADULTTYPE = 3 AND R04_GFILTR_USER_STATUS = 1, 2, 3, 4, 5 AND R04_12MBLUNT_ONLY_BFILTR != 1, GO TO R04_AG1025FC_RS. ELSE, GO TO BOX R04_AGR11.	

Variable(s):	R04_AG1025TC_RS; R04_AG1025CG_RS; R04_AG1025FC_RS
Around this time 12 months ago, were you smoking [CIGARFILL]s...? 1 Every day 2 Some days 3 Not at all -8 DON'T KNOW -7 REFUSED ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1025TC_RS: IF R04_ADULTTYPE = 3 AND R04_GTRAD_USER_STATUS = 1, 2, 3, 4, 5 AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1025CG_RS: IF R04_ADULTTYPE = 3 AND R04_GRILLO_USER_STATUS = 1, 2, 3, 4, 5 AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1025FC_RS: IF R04_ADULTTYPE = 3 AND R04_GFILTR_USER_STATUS = 1, 2, 3, 4, 5 AND R04_12MBLUNT_ONLY_BFILTR != 1.	

BOX ID: R04_AGR11

Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1021[TC/CG/FC].

Else, adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1022[TC/CG/FC].

Else, adult respondents who are recent former established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG9040[TC/CG/FC].

Else, go to Box R04_AGR04.

IF LOOP = GTRAD:

IF R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO R04_AG1021TC.

ELSE, IF (R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO R04_AG1022TC.

ELSE, IF R04_GTRAD_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO R04_AG9040TC.

ELSE, GO TO BOX R04_AGR04.

IF LOOP = GRILLO:

IF R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1, GO TO R04_AG1021CG.

ELSE, IF (R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1, GO TO R04_AG1022CG.

ELSE, IF R04_GRILLO_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BRILLO != 1, GO TO R04_AG9040CG.

ELSE, GO TO BOX R04_AGR04.

IF LOOP = GFILTR:

IF R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1, GO TO R04_AG1021FC.

ELSE, IF (R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1, GO TO R04_AG1022FC.

ELSE, IF R04_GFILTR_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BFILTR != 1, GO TO R04_AG9040FC.

ELSE, GO TO BOX R04_AGR04.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AG1021TC; R04_AG1021CG; R04_AG1021FC	
On average, about how many [CIGARFILL]s do you now smoke each day?	
-2 Less than 1 each day __ __	GO TO R04_AG1024[TC/CG/FC]
-8 DON'T KNOW	GO TO R04_AG1024[TC/CG/FC]
-7 REFUSED	GO TO R04_AG1024[TC/CG/FC]
ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R04_AG1021TC: IF R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1.	
FOR R04_AG1021CG: IF R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1.	
FOR R04_AG1021FC: IF R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1.	
DISPLAY: DISPLAY AS A NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.	

CHECK ID: R04_AG1021TC_LC1	
The computer recorded that you now smoke [R04_AG1021TC] traditional cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1021TC
2 NEXT	GO TO R04_AG1021CG_LC1
ASK: IF R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1021TC > 20.	
PROGRAM: TRIGGER CHECK IF R04_AG1021TC > 20.	
ELSE, GO TO R04_AG1021CG_LC1 AND DO NOT DISPLAY THIS SCREEN.	

CHECK ID: R04_AG1021CG_LC1	
The computer recorded that you now smoke [R04_AG1021CG] cigarillos a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1021CG
2 NEXT	GO TO R04_AG1021FC_LC1
ASK: IF R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1021CG > 20.	
PROGRAM: TRIGGER CHECK IF R04_AG1021CG > 20.	
ELSE, GO TO R04_AG1021FC_LC1 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AG1021FC_LC1

The computer recorded that you now smoke [R04_AG1021FC] filtered cigars a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1021FC

2 NEXT

GO TO R04_AG1024[TC/CG/FC]

ASK: IF R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1021FC > 20.

PROGRAM: TRIGGER CHECK IF R04_AG1021FC > 20.

ELSE, GO TO R04_AG1024[TC/CG/FC] AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AG1022TC; R04_AG1022CG; R04_AG1022FC

On how many of the past 30 days did you smoke [CIGARFILL]s?

I ___ | ___ | DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R04_AG1022TC: IF (R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1.

FOR R04_AG1022CG: IF (R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1.

FOR R04_AG1022FC: IF (R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R04_AGR13

Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days, go to R04_AG9029[TC/CG/FC].

Else, adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R04_AG1023[TC/CG/FC].

Else, go to Box R04_AGR30.

IF LOOP = GTRAD

IF (R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC = 0, GO TO R04_AG9029TC.

ELSE, IF (R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC != 0, GO TO R04_AG1023TC.

ELSE, GO TO BOX R04_AGR30.

IF LOOP = GRILLO

IF (R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG = 0, GO TO R04_AG9029CG.

ELSE, IF (R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG != 0, GO TO R04_AG1023CG.

ELSE, GO TO BOX R04_AGR30.

IF LOOP = GFILTR

IF (R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC = 0, GO TO R04_AG9029FC.

ELSE, IF (R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC != 0, GO TO R04_AG1023FC.

ELSE, GO TO BOX R04_AGR30.

Variable(s): R04_AG9029TC_UN; R04_AG9029TC_UN; R04_AG9029CG_UN; R04_AG9029CG_UN; R04_AG9029FC_UN; R04_AG9029FC_UN

About how long has it been since you last smoked [CIGARFILL]s?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW GO TO BOX R04_AGR30

-7 REFUSED GO TO BOX R04_AGR30

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: FOR R04_AG9029TC: IF (R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC = 0.

FOR R04_AG9029CG: IF (R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG = 0.

FOR R04_AG9029FC: IF (R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC = 0.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AG9029[TC/CG/FC]_UN = Days; the value "2" refers to R04_AG9029[TC/CG/FC]_UN = Months; the value "3" refers to R04_AG9029[TC/CG/FC]_UN = Years.

The computer recorded that you last smoked traditional cigars [R04_AG9029TC_NN]
[days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the
BACK button and re-enter.

1	BACK	GO TO R04_AG9029TC
2	NEXT	GO TO R04_AG9029CG_LC1

ASK: IF (R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2) AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC = 0 AND ((R04_AG9029TC_NN < 30
AND R04_AG9029TC_UN = 1) OR (R04_AG9029TC_NN < 1 AND R04_AG9029TC_UN = 2) OR
(R04_AG9029TC_NN > 18 AND R04_AG9029TC_UN = 2) OR (R04_AG9029TC_NN > (R04R_A_AGE
- 10) AND R04R_A_AGE >= 18 AND R04_AG9029TC_UN = 3)).

DISPLAY: IF R04_AG9029TC_UN = 1, DISPLAY "days".
ELSE, IF R04_AG9029TC_UN = 2, DISPLAY "months".
ELSE, IF R04_AG9029TC_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AG9029TC_NN < 30 AND R04_AG9029TC_UN = 1) OR
(R04_AG9029TC_NN < 1 AND R04_AG9029TC_UN = 2) OR (R04_AG9029TC_NN > 18 AND
R04_AG9029TC_UN = 2) OR (R04_AG9029TC_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18
AND R04_AG9029TC_UN = 3).

ELSE, GO TO R04_AG9029CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG9029CG_LC1

The computer recorded that you last smoked cigarillos [R04_AG9029CG_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG9029CG

2 NEXT

GO TO R04_AG9029FC_LC1

ASK: IF (R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG = 0 AND ((R04_AG9029CG_NN < 30 AND R04_AG9029CG_UN = 1) OR (R04_AG9029CG_NN < 1 AND R04_AG9029CG_UN = 2) OR (R04_AG9029CG_NN > 18 AND R04_AG9029CG_UN = 2) OR (R04_AG9029CG_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AG9029CG_UN = 3)).

DISPLAY: IF R04_AG9029CG_UN = 1, DISPLAY "days".

ELSE, IF R04_AG9029CG_UN = 2, DISPLAY "months".

ELSE, IF R04_AG9029CG_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AG9029CG_NN < 30 AND R04_AG9029CG_UN = 1) OR (R04_AG9029CG_NN < 1 AND R04_AG9029CG_UN = 2) OR (R04_AG9029CG_NN > 18 AND R04_AG9029CG_UN = 2) OR (R04_AG9029CG_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AG9029CG_UN = 3).

ELSE, GO TO R04_AG9029FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG9029FC_LC1

The computer recorded that you last smoked filtered cigars [R04_AG9029FC_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG9029FC

2 NEXT

GO TO BOX R04_AGR30

ASK: IF (R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC = 0 AND ((R04_AG9029FC_NN < 30 AND R04_AG9029FC_UN = 1) OR (R04_AG9029FC_NN < 1 AND R04_AG9029FC_UN = 2) OR (R04_AG9029FC_NN > 18 AND R04_AG9029FC_UN = 2) OR (R04_AG9029FC_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AG9029FC_UN = 3)).

DISPLAY: IF R04_AG9029FC_UN = 1, DISPLAY "days".

ELSE, IF R04_AG9029FC_UN = 2, DISPLAY "months".

ELSE, IF R04_AG9029FC_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AG9029FC_NN < 30 AND R04_AG9029FC_UN = 1) OR (R04_AG9029FC_NN < 1 AND R04_AG9029FC_UN = 2) OR (R04_AG9029FC_NN > 18 AND R04_AG9029FC_UN = 2) OR (R04_AG9029FC_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AG9029FC_UN = 3).

ELSE, GO TO BOX R04_AGR30 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AG1023TC; R04_AG1023CG; R04_AG1023FC	
On average, on those [FILL NUMBER OF DAYS FROM R04_AG1022 days/days you smoked], how many [CIGARFILL]s did you usually smoke each day?	
-2 Less than 1 each day	
_ _ _	
-8 DON'T KNOW	GO TO BOX R04_AGR30
-7 REFUSED	GO TO BOX R04_AGR30
ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.	
ASK Specification: FOR R04_AG1023TC: IF (R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC != 0.	
FOR R04_AG1023CG: IF (R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG != 0.	
FOR R04_AG1023FC: IF (R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC != 0.	
DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.	
IF R04_AG1022[TC/CG/FC] = 1, -8, -7, DISPLAY "days you smoked".	
ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R04_AG1022[TC/CG/FC].	

CHECK ID: R04_AG1023TC_LC1	
The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AG1023TC] traditional cigars a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AG1023TC
2 NEXT	GO TO R04_AG1023CG_LC1
ASK: IF (R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC != 0 AND R04_AG1023TC > 20.	
PROGRAM: TRIGGER CHECK IF R04_AG1023TC > 20.	
ELSE, GO TO R04_AG1023CG_LC1 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AG1023CG_LC1

The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AG1023CG] cigarillos a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1023CG

2 NEXT

GO TO R04_AG1023FC_LC1

ASK: IF (R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG != 0 AND R04_AG1023CG > 20.

PROGRAM: TRIGGER CHECK IF R04_AG1023CG > 20.

ELSE, GO TO R04_AG1023FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1023FC_LC1

The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AG1023FC] filtered cigars a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1023FC

2 NEXT

GO TO BOX R04_AGR30

ASK: IF (R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC != 0 AND R04_AG1023FC > 20.

PROGRAM: TRIGGER CHECK IF R04_AG1023FC > 20.

ELSE, GO TO BOX R04_AGR30 AND DO NOT DISPLAY THIS SCREEN.

BOX ID:	R04_AGR30
Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1024[TC/CG/FC]. Else, adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG1024[TC/CG/FC]_30D. Else, adult respondents who are recent former established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R04_AG9040[TC/CG/FC]. Else, go to Box R04_AGR04.	
IF LOOP = GTRAD: IF R04_GTRAD_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO R04_AG1024TC. ELSE, IF R04_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO R04_AG1024TC_30D. ELSE, IF R04_GTRAD_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BTRAD != 1, GO TO R04_AG9040TC. ELSE, GO TO BOX R04_AGR04.	
IF LOOP = GRILLO: IF R04_GRILLO_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1, GO TO R04_AG1024CG. ELSE, IF R04_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1, GO TO R04_AG1024CG_30D. ELSE, IF R04_GRILLO_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BRILLO != 1, GO TO R04_AG9040CG. ELSE, GO TO BOX R04_AGR04.	
IF LOOP = GFILTR: IF R04_GFILTR_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1, GO TO R04_AG1024FC. ELSE, IF R04_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1, GO TO R04_AG1024FC_30D. ELSE, IF R04_GFILTR_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BFILTR != 1, GO TO R04_AG9040FC. ELSE, GO TO BOX R04_AGR04.	

Variable(s): R04_AG1024TC_NN; R04_AG1024TC_UN; R04_AG1024CG_NN; R04_AG1024CG_UN; R04_AG1024FC_NN; R04_AG1024FC_UN

[On the days that you smoke [CIGARFILL]s, how/How] soon after you wake up do you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.

1 |__|__|__| Minutes after waking

2 |__|__|__| Hours after waking

-8 DON'T KNOW GO TO R04_AG1092[TC/CG/FC]

-7 REFUSED GO TO R04_AG1092[TC/CG/FC]

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R04_AG1024TC: IF R04_GTRAD_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1.

FOR R04_AG1024CG: IF R04_GRILLO_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1.

FOR R04_AG1024FC: IF R04_GFILTR_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R04_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R04_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R04_CURRENT_GFILTR_USE = 1), DISPLAY "How".

ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, how".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AG1024[TC/CG/FC]_UN = Minutes after waking; the value "2" refers to R04_AG1024[TC/CG/FC]_UN = Hours after waking.

CHECK ID: R04_AG1024TC_LC1

The computer recorded that you typically smoke your first traditional cigar of the day [R04_AG1024TC_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1024TC

2 NEXT

GO TO R04_AG1024TC_LC2

ASK: IF R04_GTRAD_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND ((R04_CURRENT_GTRAD_USE = 1 AND (R04_AG1024TC_NN > 60 AND R04_AG1024TC_UN = 1) OR (R04_AG1024TC_NN > 4 AND R04_AG1024TC_UN = 2)) OR ((R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2) AND (R04_AG1024TC_NN > 60 AND R04_AG1024TC_UN = 1) OR (R04_AG1024TC_NN > 12 AND R04_AG1024TC_UN = 2))).

DISPLAY: IF R04_AG1024TC_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AG1024TC_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_CURRENT_GTRAD_USE = 1 AND (R04_AG1024TC_NN > 60 AND R04_AG1024TC_UN = 1) OR (R04_AG1024TC_NN > 4 AND R04_AG1024TC_UN = 2)) OR ((R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2) AND (R04_AG1024TC_NN > 60 AND R04_AG1024TC_UN = 1) OR (R04_AG1024TC_NN > 12 AND R04_AG1024TC_UN = 2)).

ELSE, GO TO R04_AG1024TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1024TC_LC2

The computer recorded "0" for how long you typically smoke your first traditional cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1024TC

2 NEXT

GO TO R04_AG1024CG_LC1

ASK: IF R04_GTRAD_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1024TC_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AG1024TC_NN = 0.

ELSE, GO TO R04_AG1024CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1024CG_LC1

The computer recorded that you typically smoke your first cigarillo of the day [R04_AG1024CG_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1024CG

2 NEXT

GO TO R04_AG1024CG_LC2

ASK: IF R04_GRILLO_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND ((R04_CURRENT_GRILLO_USE = 1 AND (R04_AG1024CG_NN > 60 AND R04_AG1024CG_UN = 1) OR (R04_AG1024CG_NN > 4 AND R04_AG1024CG_UN = 2)) OR ((R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2) AND (R04_AG1024CG_NN > 60 AND R04_AG1024CG_UN = 1) OR (R04_AG1024CG_NN > 12 AND R04_AG1024CG_UN = 2))).

DISPLAY: IF R04_AG1024TC_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AG1024TC_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_CURRENT_GRILLO_USE = 1 AND (R04_AG1024CG_NN > 60 AND R04_AG1024CG_UN = 1) OR (R04_AG1024CG_NN > 4 AND R04_AG1024CG_UN = 2)) OR ((R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2) AND (R04_AG1024CG_NN > 60 AND R04_AG1024CG_UN = 1) OR (R04_AG1024CG_NN > 12 AND R04_AG1024CG_UN = 2)).

ELSE, GO TO R04_AG1024CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1024CG_LC2

The computer recorded "0" for how long you typically smoke your first cigarillo of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1024CG

2 NEXT

GO TO R04_AG1024FC_LC1

ASK: IF R04_GRILLO_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1024CG_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AG1024CG_NN = 0.

ELSE, GO TO R04_AG1024FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1024FC_LC1

The computer recorded that you typically smoke your first filtered cigar of the day [R04_AG1024FC_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1024FC

2 NEXT

GO TO R04_AG1024FC_LC2

ASK: IF R04_GFILTR_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND ((R04_CURRENT_GFILTR_USE = 1 AND (R04_AG1024FC_NN > 60 AND R04_AG1024FC_UN = 1) OR (R04_AG1024FC_NN > 4 AND R04_AG1024FC_UN = 2)) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2) AND (R04_AG1024FC_NN > 60 AND R04_AG1024FC_UN = 1) OR (R04_AG1024FC_NN > 12 AND R04_AG1024FC_UN = 2))).

DISPLAY: IF R04_AG1024TC_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AG1024TC_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_CURRENT_GFILTR_USE = 1 AND (R04_AG1024FC_NN > 60 AND R04_AG1024FC_UN = 1) OR (R04_AG1024FC_NN > 4 AND R04_AG1024FC_UN = 2)) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2) AND (R04_AG1024FC_NN > 60 AND R04_AG1024FC_UN = 1) OR (R04_AG1024FC_NN > 12 AND R04_AG1024FC_UN = 2)).

ELSE, GO TO R04_AG1024FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1024FC_LC2

The computer recorded "0" for how long you typically smoke your first filtered cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1024FC

2 NEXT

GO TO BOX R04_AGR34

ASK: IF R04_GFILTR_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1024FC_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AG1024FC_NN = 0.

ELSE, GO TO BOX R04_AGR34 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AG1092TC; R04_AG1092CG; R04_AG1092FC		
[On the days that you smoke [CIGARFILL]s, would/Would] you say you smoke your first [CIGARFILL] of the day within the first 30 minutes after you wake up?		
1	Yes	GO TO BOX R04_AGR34
2	No	GO TO BOX R04_AGR34
3	It varies	GO TO BOX R04_AGR34
-8	DON'T KNOW	GO TO BOX R04_AGR34
-7	REFUSED	GO TO BOX R04_AGR34
ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoke their first traditional cigar/cigarillo/filtered cigar. ASK Specification: FOR R04_AG1092TC: IF R04_GTRAD_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1024TC_NN = -8, -7. FOR R04_AG1092CG: IF R04_GRILLO_USER_STATUS = 1, 2 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1024CG_NN = -8, -7. FOR R04_AG1092FC: IF R04_GFILTR_USER_STATUS = 1, 2 AND R04_AG1024FC_NN = -8, -7 AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R04_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R04_CURRENT_GFILTR_USE = 1), DISPLAY "Would". ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, would".		

Variable(s): R04_AG1024TC_30D_NN; R04_AG1024TC_30D_UN; R04_AG1024CG_30D_NN; R04_AG1024CG_30D_UN; R04_AG1024FC_30D_NN; R04_AG1024FC_30D_UN		
On the days that you smoked [CIGARFILL]s, how soon after you woke up did you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.		
1	I ___ I ___ I Minutes after waking	
2	I ___ I ___ I Hours after waking	
-8	DON'T KNOW	GO TO R04_AG1092[TC/CG/FC]_30D
-7	REFUSED	GO TO R04_AG1092[TC/CG/FC]_30D
ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1024TC_30D: IF R04_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1024CG_30D: IF R04_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1024FC_30D: IF R04_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1. PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R04_AG1024[TC/CG/FC]_30D_UN = Minutes after waking; the value "2" refers to R04_AG1024[TC/CG/FC]_30D_UN = Hours after waking.		

CHECK ID: R04_AG1024TC_30D_LC1

The computer recorded that you typically smoked your first traditional cigar of the day [R04_AG1024TC_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1024TC_30D

2 NEXT

GO TO R04_AG1024TC_30D_LC2

ASK: IF R04_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND ((R04_AG1024TC_30D_NN AND > 60 AND R04_AG1024TC_30D_UN = 1) OR (R04_AG1024TC_30D_NN > 12 AND R04_AG1024TC_30D_UN = 2)).

DISPLAY: IF R04_AG1024TC_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AG1024TC_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_AG1024TC_30D_NN AND > 60 AND R04_AG1024TC_30D_UN = 1) OR (R04_AG1024TC_30D_NN > 12 AND R04_AG1024TC_30D_UN = 2).

ELSE, GO TO R04_AG1024TC_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1024TC_30D_LC2

The computer recorded "0" for how long you typically smoked your first traditional cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1024TC_30D

2 NEXT

GO TO R04_AG1024CG_30D_LC1

ASK: IF R04_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1024TC_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AG1024TC_30D_NN = 0.

ELSE, GO TO R04_AG1024CG_30D_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1024CG_30D_LC1

The computer recorded that you typically smoked your first cigarillo of the day [R04_AG1024CG_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1024CG_30D

2 NEXT

GO TO R04_AG1024CG_30D_LC2

ASK: IF R04_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND ((R04_AG1024CG_30D_NN AND > 60 AND R04_AG1024CG_30D_UN = 1) OR (R04_AG1024CG_30D_NN > 12 AND R04_AG1024CG_30D_UN = 2)).

DISPLAY: IF R04_AG1024CG_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AG1024CG_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_AG1024CG_30D_NN AND > 60 AND R04_AG1024CG_30D_UN = 1) OR (R04_AG1024CG_30D_NN > 12 AND R04_AG1024CG_30D_UN = 2).

ELSE, GO TO R04_AG1024CG_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1024CG_30D_LC2

The computer recorded "0" for how long you typically smoked your first cigarillo of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1024FC_30D

2 NEXT

GO TO R04_AG1024FC_30D_LC1

ASK: IF R04_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1024CG_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AG1024CG_30D_NN = 0.

ELSE, GO TO R04_AG1024FC_30D_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1024FC_30D_LC1

The computer recorded that you typically smoked your first filtered cigar of the day [R04_AG1024FC_30D] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AG1024FC_30D |
| 2 | NEXT | GO TO R04_AG1024FC_30D_LC2 |

ASK: IF R04_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND ((R04_AG1024FC_30D_NN AND > 60 AND R04_AG1024FC_30D_UN = 1) OR (R04_AG1024FC_30D_NN > 12 AND R04_AG1024FC_30D_UN = 2)).

DISPLAY: IF R04_AG1024FC_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AG1024FC_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_AG1024FC_30D_NN AND > 60 AND R04_AG1024FC_30D_UN = 1) OR (R04_AG1024FC_30D_NN > 12 AND R04_AG1024FC_30D_UN = 2).

ELSE, GO TO R04_AG1024FC_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1024FC_30D_LC2

The computer recorded "0" for how long you typically smoked your first filtered cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AG1024FC_30D |
| 2 | NEXT | GO TO BOX R04_AGR34 |

ASK: IF R04_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1024FC_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AG1024FC_30D_NN = 0.

ELSE, GO TO BOX R04_AGR34 AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R04_AG1092TC_30D; R04_AG1092CG_30D; R04_AG1092FC_30D
On the days that you smoked [CIGARFILL]s, would you say you smoked your first [CIGARFILL] of the day within the first 30 minutes after you woke up? 1 Yes 2 No 3 It varies -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoked their first traditional cigar/cigarillo/filtered cigar. ASK Specification: FOR R04_AG1092TC_30D: IF R04_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1024TC_30D_NN = -8, -7. FOR R04_AG1092CG_30D: IF R04_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1024CG_30D_NN = -8, -7. FOR R04_AG1092FC_30D: IF R04_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1024FC_30D_NN = -8, -7.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AGR34

Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R04_AG0100[TC/CG/FC].

Else, go to R04_AG1030[TC/CG/FC].

IF LOOP = GTRAD:

IF (R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR
((R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR
R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND
R04_AG1022TC != 0), GO TO R04_AG0100TC.

ELSE, GO TO R04_AG1030TC.

IF LOOP = GRILLO:

IF (R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR
((R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR
R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND
R04_AG1022CG != 0), GO TO R04_AG0100CG.

ELSE, GO TO R04_AG1030CG.

IF LOOP = GFILTR:

IF (R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR
((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR
R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND
R04_AG1022FC != 0), GO TO R04_AG0100FC.

ELSE, GO TO R04_AG1030FC.

Variable(s): R04_AG0100TC; R04_AG0100CG; R04_AG0100FC		
When did you last smoke a [CIGARFILL]?		
1	In the past hour	GO TO R04_AG0103[TC/CG/FC]
2	Sometime today	
3	Yesterday	
4	Day before yesterday	
5	Three or more days ago	GO TO R04_AG1130[TC/CG/FC]
-8	DON'T KNOW	GO TO R04_AG1130[TC/CG/FC]
-7	REFUSED	GO TO R04_AG1130[TC/CG/FC]
ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked. ASK Specification: FOR R04_AG0100TC: IF (R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR ((R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC != 0). FOR R04_AG0100CG: IF (R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR ((R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG != 0). FOR R04_AG0100FC: IF (R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC != 0).		

Variable(s): **R04_AG0102TC; R04_AG0102CG; R04_AG0102FC**

When you last smoked a [CIGARFILL] [FILL BASED ON R04_AG0100[TC/CG/FC]], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R04_AG0102TC: IF ((R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR ((R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC != 0)) AND R04_AG0100TC = 2, 3, 4.

FOR R04_AG0102CG: IF ((R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR ((R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG != 0)) AND R04_AG0100CG = 2, 3, 4.

FOR R04_AG0102FC: IF ((R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC != 0)) AND R04_AG0100FC = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R04_AG0100[TC/CG/FC]]:

IF R04_AG0100[TC/CG/FC] = 2, DISPLAY "today".

ELSE, IF R04_AG0100[TC/CG/FC] = 3, DISPLAY "yesterday".

ELSE, IF R04_AG0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

Variable(s):	R04_AG0103TC; R04_AG0103CG; R04_AG0103FC
How many [CIGARFILL]s [have/did] you [smoked/smoke] [FILL BASED ON R04_AG0100[TC/CG/FC]]? (If less than 1, enter 1.)	
_ _ _	
-8	DON'T KNOW GO TO R04_AG1130[TC/CG/FC]
-7	REFUSED GO TO R04_AG1130[TC/CG/FC]
ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday. ASK Specification: FOR R04_AG0103TC: IF ((R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR ((R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC != 0)) AND R04_AG0100TC = 1, 2, 3, 4. FOR R04_AG0103CG: IF ((R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR ((R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG != 0)) AND R04_AG0100CG = 1, 2, 3, 4. FOR R04_AG0103FC: IF ((R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC != 0)) AND R04_AG0100FC = 1, 2, 3, 4. DISPLAY: IF (R04_AG0100[TC/CG/FC] = 1, 2, DISPLAY "have" AND "smoked". ELSE, IF R04_AG0100[TC/CG/FC] = 3, 4, DISPLAY "did" AND "smoke". FOR [FILL BASED ON R04_AG0100[TC/CG/FC]]: IF R04_AG0100[TC/CG/FC] = 1, 2, DISPLAY "today". ELSE, IF R04_AG0100[TC/CG/FC] = 3, DISPLAY "yesterday". ELSE, IF R04_AG0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday". PROGRAM: Allow only 3 digits.	

CHECK ID: R04_AG0103TC_LC1

The computer recorded that you smoked [R04_AG0103TC] traditional cigars [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG0103TC

2 NEXT

GO TO R04_AG0103CG_LC1

ASK: IF ((R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR ((R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC != 0)) AND R04_AG0100TC = 1, 2, 3, 4 AND (R04_AG0103TC > 15 OR R04_AG0103TC = 11).

DISPLAY: IF R04_AG0100TC = 1, 2, DISPLAY "today".

ELSE, IF R04_AG0100TC = 3, DISPLAY "yesterday".

ELSE, IF R04_AG0100TC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AG0103TC > 15 OR R04_AG0103TC = 11.

ELSE, GO TO R04_AG0103CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG0103CG_LC1

The computer recorded that you smoked [R04_AG0103CG] cigarillos [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG0103CG

2 NEXT

GO TO R04_AG0103FC_LC1

ASK: IF ((R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR ((R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG != 0)) AND R04_AG0100CG = 1, 2, 3, 4 AND (R04_AG0103CG > 15 OR R04_AG0103CG = 11).

DISPLAY: IF R04_AG0100CG = 1, 2, DISPLAY "today".

ELSE, IF R04_AG0100CG = 3, DISPLAY "yesterday".

ELSE, IF R04_AG0100CG = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AG0103CG > 15 OR R04_AG0103CG = 11.

ELSE, GO TO R04_AG0103CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG0103FC_LC1

The computer recorded that you smoked [R04_AG0103FC] filtered cigars [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG0103FC

2 NEXT

GO TO R04_AG1130[TC/CG/FC]

ASK: IF ((R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC != 0)) AND R04_AG0100FC = 1, 2, 3, 4 AND (R04_AG0103FC > 15 OR R04_AG0103FC = 11).

DISPLAY: IF R04_AG0100FC = 1, 2, DISPLAY "today".

ELSE, IF R04_AG0100FC = 3, DISPLAY "yesterday".

ELSE, IF R04_AG0100FC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AG0103FC > 15 OR R04_AG0103FC = 11.

ELSE, GO TO R04_AG0103CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AG1130TC; R04_AG1130CG; R04_AG1130FC
In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1	Yes
2	No
3	I don't know
-8	DON'T KNOW
-7	REFUSED
	GO TO R04_AG1030[TC/CG/FC]
	GO TO R04_AG1030[TC/CG/FC]
	GO TO R04_AG1030[TC/CG/FC]
	GO TO R04_AG1030[TC/CG/FC]
ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.	
ASK Specification: FOR R04_AG1130TC: IF ((R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR ((R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC != 0)).	
FOR R04_AG1130CG: IF ((R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR ((R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG != 0)).	
FOR R04_AG1130FC: IF ((R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC != 0)).	

Variable(s):	SEE BELOW:
Which flavors have you smoked in the past 30 days? Choose all that apply.	
R04_AG1131TC_01; R04_AG1131CG_01; R04_AG1131FC_01	1 Menthol or mint
R04_AG1131TC_02; R04_AG1131CG_02; R04_AG1131FC_02	2 Clove or spice
R04_AG1131TC_03; R04_AG1131CG_03; R04_AG1131FC_03	3 Fruit
R04_AG1131TC_04; R04_AG1131CG_04; R04_AG1131FC_04	4 Chocolate
R04_AG1131TC_05; R04_AG1131CG_05; R04_AG1131FC_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AG1131TC_06; R04_AG1131CG_06; R04_AG1131FC_06	6 Candy or other sweets
R04_AG1131TC_07; R04_AG1131TC_OS; R04_AG1131CG_07; R04_AG1131CG_OS; R04_AG1131FC_07; R04_AG1131FC_OS	7 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days. ASK Specification: FOR R04_AG1131TC: IF ((R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR ((R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC != 0)) AND R04_AG1130TC = 1. FOR R04_AG1131CG: IF ((R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR ((R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG != 0)) AND R04_AG1130CG = 1. FOR R04_AG1131FC: IF ((R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC != 0)) AND R04_AG1130FC = 1. DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

PROGRAM: Allow respondent to choose all that apply.

Variable(s): **R04_AG1147TC; R04_AG1147CG; R04_AG1147FC**

On the days you smoked [CIGARFILL]s in the past 30 days, how often did you smoke flavored [CIGARFILL]s?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R04_AG1147TC: IF ((R04_CURRENT_GTRAD_USE = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR ((R04_CURRENT_GTRAD_USE = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1022TC != 0)) AND R04_AG1130TC = 1.

FOR R04_AG1147CG: IF ((R04_CURRENT_GRILLO_USE = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR ((R04_CURRENT_GRILLO_USE = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1022CG != 0)) AND R04_AG1130CG = 1.

FOR R04_AG1147FC: IF ((R04_CURRENT_GFILTR_USE = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR ((R04_CURRENT_GFILTR_USE = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1022FC != 0)) AND R04_AG1130FC = 1.

DISPLAY: UNDERLINE "flavored".

Variable(s): R04_AG1030TC; R04_AG1030CG; R04_AG1030FC
The next questions ask about your experience buying [CIGARFILL]s.
How [do/did] you usually buy [CIGARFILL]s for yourself?
1 In person (such as at a store or cigar bar)
2 From the internet GO TO R04_AG1039[TC/CG/FC]
3 By telephone GO TO R04_AG1039[TC/CG/FC]
4 I do not buy my own [CIGARFILL]s GO TO R04_AG9040[TC/CG/FC]
-8 DON'T KNOW GO TO R04_AG9040[TC/CG/FC]
-7 REFUSED GO TO R04_AG9040[TC/CG/FC]
ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1030TC: IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1030CG: IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1030FC: IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "do". ELSE, DISPLAY "did".

Variable(s):	R04_AG1032TC; R04_AG1032CG; R04_AG1032FC
[Do/Did] you usually buy [CIGARFILL]s...? 1 In your own state 2 In another state 3 Outside the US -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person. ASK Specification: FOR R04_AG1032TC: IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1030TC = 1. FOR R04_AG1032CG: IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1030CG = 1. FOR R04_AG1032FC: IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1030FC = 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Do". ELSE, DISPLAY "Did".	

Variable(s): R04_AG1033TC; R04_AG1033TC_OS; R04_AG1033CG; R04_AG1033CG_OS;
R04_AG1033FC; R04_AG1033FC_OS

Where [do/did] you buy your [CIGARFILL]s most of the time?

- 1 A cigar bar
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillos/filtered cigars smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: FOR R04_AG1033TC: IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1030TC = 1.

FOR R04_AG1033CG: IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1030CG = 1.

FOR R04_AG1033FC: IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1030FC = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "do".

ELSE, DISPLAY "did".

Variable(s):	R04_AG1039TC; R04_AG1039CG; R04_AG1039FC
{Do you usually buy [CIGARFILL]s/Did you buy the last [CIGARFILL]s you smoked} by the box or pack, or as single [CIGARFILL]s? 1 Box or pack 2 Single [CIGARFILL]s -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone. ASK Specification: FOR R04_AG1039TC: IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1030TC = 1, 2, 3. FOR R04_AG1039CG: IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1030CG = 1, 2, 3. FOR R04_AG1039FC: IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1030FC = 1, 2, 3. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Do you usually buy [CIGARFILL]s". ELSE, DISPLAY "Did you buy the last [CIGARFILL]s you smoked".	

BOX ID: R04_AGR58

Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack, go to R04_AG1040[TC/CG/FC].

Else, adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars, go to R04_AG1043[TC/CG/FC].

Else, go to R04_AG9040[TC/CG/FC].

IF LOOP = GTRAD:

IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1030TC = 1, 2, 3 AND R04_AG1039TC = 1, GO TO R04_AG1040TC.

ELSE, IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1030TC = 1, 2, 3 AND R04_AG1039TC = 2, GO TO R04_AG1043TC.

ELSE, GO TO R04_AG9040TC.

IF LOOP = GRILLO:

IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1030CG = 1, 2, 3 AND R04_AG1039CG = 1, GO TO R04_AG1040CG.

ELSE, IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1030CG = 1, 2, 3 AND R04_AG1039CG = 2, GO TO R04_AG1043CG.

ELSE, GO TO R04_AG9040CG.

IF LOOP = GFILTR:

IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1030FC = 1, 2, 3 AND R04_AG1039FC = 1, GO TO R04_AG1040FC.

ELSE, IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1030FC = 1, 2, 3 AND R04_AG1039FC = 2, GO TO R04_AG1043FC.

ELSE, GO TO R04_AG9040FC.

Variable(s): **R04_AG1040TC; R04_AG1040CG; R04_AG1040FC**

How many [CIGARFILL]s [come/came] in the box or pack that you [usually buy/bought]?

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: FOR R04_AG1040TC: IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1030TC = 1, 2, 3 AND R04_AG1039TC = 1.

FOR R04_AG1040CG: IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1030CG = 1, 2, 3 AND R04_AG1039CG = 1.

FOR R04_AG1040FC: IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1030FC = 1, 2, 3 AND R04_AG1039FC = 1.

DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "come" AND "usually buy".

ELSE, DISPLAY "came" AND "bought".

PROGRAM: Allow 3 digits.

CHECK ID: **R04_AG1040TC_LC1**

The computer recorded that [R04_AG1040TC] traditional cigars [come/came] in the box or pack you [usually buy/bought]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1040TC

2 NEXT

GO TO R04_AG1040CG_LC1

ASK: IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1030TC = 1, 2, 3 AND R04_AG1039TC = 1 AND R04_AG1040TC > 50.

DISPLAY: IF R04_GTRAD_USER_STATUS = 1, 2, DISPLAY "come" AND "usually buy".

ELSE, DISPLAY "came" AND "bought".

PROGRAM: TRIGGER CHECK IF R04_AG1040TC > 50.

ELSE, GO TO R04_AG1040CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1040CG_LC1

The computer recorded that [R04_AG1040CG] cigarillos [come/came] in the box or pack you [usually buy/bought]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AG1040CG |
| 2 | NEXT | GO TO R04_AG1040FC_LC1 |

ASK: IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1030CG = 1, 2, 3 AND R04_AG1039CG = 1 AND R04_AG1040CG > 20.

DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY "come" AND "usually buy".

ELSE, DISPLAY "came" AND "bought".

PROGRAM: TRIGGER CHECK IF R04_AG1040CG > 20.

ELSE, GO TO R04_AG1040FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1040FC_LC1

The computer recorded that [R04_AG1040FC] filtered cigars [come/came] in the box or pack you [usually buy/bought]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AG1040FC |
| 2 | NEXT | GO TO R04_AG1042[TC/CG/FC] |

ASK: IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1030FC = 1, 2, 3 AND R04_AG1039FC = 1 AND R04_AG1040FC > 100.

DISPLAY: IF R04_GFILTR_USER_STATUS = 1, 2, DISPLAY "come" AND "usually buy".

ELSE, DISPLAY "came" AND "bought".

PROGRAM: TRIGGER CHECK IF R04_AG1040FC > 100.

ELSE, GO TO R04_AG1042[TC/CG/FC] AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R04_AG1042TC_D; R04_AG1042TC_C; R04_AG1042CG_D; R04_AG1042CG_C; R04_AG1042FC_D; R04_AG1042FC_C
[How much do you usually pay for a box or pack of [CIGARFILL]s/How much did you pay for the last box or pack of [CIGARFILL]s that you smoked]?	
\$ I ___ I ___ I ___ I Dollars . I ___ I ___ I Cents	
-8 DON'T KNOW	GO TO R04_AG9040[TC/CG/FC]
-7 REFUSED	GO TO R04_AG9040[TC/CG/FC]
ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.	
ASK Specification: FOR R04_AG1042TC: IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1030TC = 1, 2, 3 AND R04_AG1039TC = 1.	
FOR R04_AG1042CG: IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1030CG = 1, 2, 3 AND R04_AG1039CG = 1.	
FOR R04_AG1042FC: IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1030FC = 1, 2, 3 AND R04_AG1039FC = 1.	
DISPLAY: DISPLAY "\$" AS LEFT LABEL.	
DISPLAY "Dollars" AND "Cents" AS TITLES.	
IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "How much do you usually pay for a box or pack of [CIGARFILL]s".	
ELSE, DISPLAY "How much did you pay for the last box or pack of [CIGARFILL]s that you smoked".	
PROGRAM: Display as Quantity/Quantity.	

CHECK ID: R04_AG1042TC_LC1

The computer recorded that you [usually pay/paid] \$[R04_AG1042TC_D].[R04_AG1042TC_C] for a box of traditional cigars. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1042TC

2 NEXT

GO TO R04_AG1042CG_LC1

ASK: IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1030TC = 1, 2, 3 AND R04_AG1039TC = 1 AND R04_AG1042TC_D != -8, -7 AND (R04_AG1042TC_D > 300 OR R04_AG1042TC_D < 10).

DISPLAY: IF R04_GTRAD_USER_STATUS = 1, 2, DISPLAY "usually pay".

ELSE, DISPLAY "paid".

PROGRAM: TRIGGER CHECK IF R04_AG1042TC_D > 300 OR R04_AG1042TC_D < 10.

ELSE, GO TO R04_AG1042CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1042CG_LC1

The computer recorded that you [usually pay/paid] \$[R04_AG1042CG_D].[R04_AG1042CG_C] for a box of cigarillos. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1042CG

2 NEXT

GO TO R04_AG1042FC_LC1

ASK: IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1030CG = 1, 2, 3 AND R04_AG1039CG = 1 AND R04_AG1042CG_D != -8, -7 AND (R04_AG1042CG_D > 11 OR R04_AG1042CG_D < 1).

DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY "usually pay".

ELSE, DISPLAY "paid".

PROGRAM: TRIGGER CHECK IF R04_AG1042CG_D > 11 OR R04_AG1042CG_D < 1.

ELSE, GO TO R04_AG1042FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1042FC_LC1

The computer recorded that you [usually pay/paid] \$[R04_AG1042FC_D].[R04_AG1042FC_C] for a box of filtered cigars. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1042FC

2 NEXT

GO TO R04_AG9040[TC/CGFC]

ASK: IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1030FC = 1, 2, 3 AND R04_AG1039FC = 1 AND R04_AG1042FC_D != -8, -7 AND (R04_AG1042FC_D > 100 OR R04_AG1042FC_D < 1).

DISPLAY: IF R04_GFILTR_USER_STATUS = 1, 2, DISPLAY "usually pay".

ELSE, DISPLAY "paid".

PROGRAM: TRIGGER CHECK IF R04_AG1042FC_D > 100 OR R04_AG1042FC_D < 1.

ELSE, GO TO R04_AG9040[TC/CGFC] AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AG1043TC_D; R04_AG1043TC_C; R04_AG1043CG_D; R04_AG1043CG_C;
R04_AG1043FC_D; R04_AG1043FC_C

[How much do you usually pay for a single [CIGARFILL]?/How much did you pay for the single [CIGARFILL] that you last smoked?]

\$ |__|__|__| Dollars . |__|__| Cents

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R04_AG1043TC: IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1030TC = 1, 2, 3 AND R04_AG1039TC = 2.

FOR R04_AG1043CG: IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1030CG = 1, 2, 3 AND R04_AG1039CG = 2.

FOR R04_AG1043FC: IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1030FC = 1, 2, 3 AND R04_AG1039FC = 2.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "How much do you usually pay for a single [CIGARFILL]?".

ELSE, DISPLAY "How much did you pay for the single [CIGARFILL] that you last smoked?".

PROGRAM: Display as Quantity/Quantity.

CHECK ID: R04_AG1043TC_LC1

The computer recorded that you [usually pay/paid] \$[R04_AG1043TC_D].[R04_AG1043TC_C] for a single traditional cigar. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1043TC

2 NEXT

GO TO R04_AG1043CG_LC1

ASK: IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1030TC = 1, 2, 3 AND R04_AG1039TC = 2 AND R04_AG1043TC_D != -8, -7 AND (R04_AG1043TC_D > 15 OR R04_AG1043TC_D < 1).

DISPLAY: IF R04_GTRAD_USER_STATUS = 1, 2, DISPLAY "usually pay".

ELSE, DISPLAY "paid".

PROGRAM: TRIGGER CHECK IF R04_AG1043TC_D > 15 OR R04_AG1043TC_D < 1.

ELSE, GO TO R04_AG1043CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1043CG_LC1

The computer recorded that you [usually pay/paid] \$[R04_AG1043CG_D].[R04_AG1043CG_C] for a single cigarillo. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1043CG

2 NEXT

GO TO R04_AG1043FC_LC1

ASK: IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1030CG = 1, 2, 3 AND R04_AG1039CG = 2 AND (R04_AG1043CG_D > 3 OR (R04_AG1043CG_D = 0 AND R04_AG1043CG_C < 50)).

DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY "usually pay".

ELSE, DISPLAY "paid".

PROGRAM: TRIGGER CHECK IF R04_AG1043CG_D > 3 OR (R04_AG1043CG_D = 0 AND R04_AG1043CG_C < 50).

ELSE, GO TO R04_AG1043FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1043FC_LC1

The computer recorded that you [usually pay/paid] \$[R04_AG1043FC_D].[R04_AG1043FC_C] for a single filtered cigar. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1043FC

2 NEXT

GO TO R04_AG9040[TC/CG/FC]

ASK: IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1030FC = 1, 2, 3 AND R04_AG1039FC = 2 AND (R04_AG1043FC_D > 3 OR (R04_AG1043FC_D = 0 AND R04_AG1043FC_C < 50)).

DISPLAY: IF R04_GFILTR_USER_STATUS = 1, 2, DISPLAY "usually pay".

ELSE, DISPLAY "paid".

PROGRAM: TRIGGER CHECK IF R04_AG1043FC_D > 3 OR (R04_AG1043FC_D = 0 AND R04_AG1043FC_C < 50).

ELSE, GO TO R04_AG9040[TC/CG/FC] AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AG9040TC; R04_AG9040CG; R04_AG9040FC Please look at this picture. Which group is most like the [CIGARFILL] you [usually smoke/last smoked]? [SHOW GENERIC IMAGE OF 4 CIGAR GROUPS] 1 Group 1 2 Group 2 3 Group 3 4 Group 4 -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG9040TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG9040CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG9040FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "usually smoke". ELSE, DISPLAY "last smoked". IMAGE: SHOW GENERIC IMAGE OF 4 CIGAR GROUPS Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.

Variable(s):	R04_AG1047TC; R04_AG1047CG; R04_AG1047FC
[Do/Did] you have a regular brand of [[CIGARFILL]s] that you usually [smoke/smoked]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1047TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1047CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1047FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Do", "smoke" AND "[CIGARFILL]s". ELSE, DISPLAY "Did", "smoked" AND "[CIGARFILL]s".	

Variable(s):	R04_AG1050TC; R04_AG1050CG; R04_AG1050FC
[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1 Yes	
2 No	GO TO R04_AG1945[TC/CG/FC]
3 I don't know	GO TO R04_AG1945[TC/CG/FC]
-8 DON'T KNOW	GO TO R04_AG1945[TC/CG/FC]
-7 REFUSED	GO TO R04_AG1945[TC/CG/FC]
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.	
ASK Specification: FOR R04_AG1050TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1.	
FOR R04_AG1050CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1.	
FOR R04_AG1050FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1.	
DISPLAY: IF R04_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "Is", "your regular brand" AND "smoke".	
ELSE, IF R04_AG1047[TC/CG/FC] = 2, -8, -7 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "Was", "the last brand" AND "smoked".	
ELSE, IF ((LOOP = GTRAD AND (R04_GTRAD_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1)) OR (LOOP = GRILLO AND (R04_GRILLO_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1)) OR (LOOP = GFILTR AND (R04_GFILTR_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1)) AND R04_AG1047[TC/CG/FC] = 1, DISPLAY "Was", "your regular brand" AND "smoked".	
ELSE, IF ((LOOP = GTRAD AND (R04_GTRAD_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1)) OR (LOOP = GRILLO AND (R04_GRILLO_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1)) OR (LOOP = GFILTR AND (R04_GFILTR_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1))) AND R04_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".	

Variable(s): **SEE BELOW:**

Which flavor [is/was] it? Choose all that apply.

- R04_AG1012TC_01;
 R04_AG1012CG_01; 1 Menthol or mint
 R04_AG1012FC_01
 R04_AG1012TC_02;
 R04_AG1012CG_02; 2 Clove or spice
 R04_AG1012FC_02
 R04_AG1012TC_03;
 R04_AG1012CG_03; 3 Fruit
 R04_AG1012FC_03
 R04_AG1012TC_04;
 R04_AG1012CG_04; 4 Chocolate
 R04_AG1012FC_04
 R04_AG1012TC_05;
 R04_AG1012CG_05; 5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
 R04_AG1012FC_05
 R04_AG1012TC_06;
 R04_AG1012CG_06; 6 Candy or other sweets
 R04_AG1012FC_06
 R04_AG1012TC_07;
 R04_AG1012TC_OS;
 R04_AG1012CG_07;
 R04_AG1012CG_OS; 7 Some other flavor (SPECIFY)
 R04_AG1012FC_07;
 R04_AG1012FC_OS

 -8 DON'T KNOW
 -7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: FOR R04_AG1012TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1050TC = 1.

FOR R04_AG1012CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1050CG = 1.

FOR R04_AG1012FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1050FC = 1.

DISPLAY: IF R04_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "is".

ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R04_AG1945TC; R04_AG1945CG; R04_AG1945FC

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/usually smoked/last smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R04_AG1945TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1.

FOR R04_AG1945CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1.

FOR R04_AG1945FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF R04_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "usually smoke".

ELSE, IF R04_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS != 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS != 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS != 1, 2)), DISPLAY "usually smoked".

ELSE, IF R04_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "last smoked".

UNDERLINE "name of the brand".

BOX ID: R04_AGR33

Adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, go to R04_AG1048[TC/CG/FC]_BRAND.

Else, adult respondents who are current established, current experimental, new former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars, go to R04_AG1051[TC/CG/FC].

Else, go to Box R04_AGD03.

IF LOOP = GTRAD:

IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1945TC = 1, GO TO R04_AG1048TC_BRAND.

ELSE, IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1047TC = 1, GO TO R04_AG1051TC.

ELSE, GO TO BOX R04_AGD03.

IF LOOP = GRILLO:

IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1945CG = 1, GO TO R04_AG1048CG_BRAND.

ELSE, IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1047CG = 1, GO TO R04_AG1051CG.

ELSE, GO TO BOX R04_AGD03.

IF LOOP = GFILTR:

IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1945FC = 1, GO TO R04_AG1048FC_BRAND.

ELSE, IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1047FC = 1, GO TO R04_AG1051FC.

ELSE, GO TO BOX R04_AGD03.

Variable(s):	R04_AG1048TC_BRAND; R04_AG1048CG_BRAND; R04_AG1048FC_BRAND
What brand of [CIGARFILL]s [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked. ASK Specification: FOR R04_AG1048TC_BRAND: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1945TC = 1. FOR R04_AG1048CG_BRAND: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1945CG = 1. FOR R04_AG1048FC_BRAND: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1945FC = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else". IF R04_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "do" AND "usually". ELSE, IF R04_AG1047[TC/CG/FC] = 1, DISPLAY "did" AND "usually". ELSE, IF R04_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.	

BOX ID: R04_AGR16

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R04_AG1049[TC/CG/FC].

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R04_AG1070[TC/CG/FC]_PRODUCT.

Else, go to Box R04_AGR31.

IF LOOP = GTRAD:

IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1945TC = 1 AND R04_AG1048TC_BRAND = 9995, GO TO R04_AG1049TC.

ELSE, IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1945TC = 1 AND R04_AG1048TC_BRAND != 9995, -8, -7, GO TO R04_AG1070TC_PRODUCT.

ELSE, GO TO BOX R04_AGR31.

IF LOOP = GRILLO:

IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1945CG = 1 AND R04_AG1048CG_BRAND = 9995, GO TO R04_AG1049CG.

ELSE, IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1945CG = 1 AND R04_AG1048CG_BRAND != 9995, -8, -7, GO TO R04_AG1070CG_PRODUCT.

ELSE, GO TO BOX R04_AGR31.

IF LOOP = GFILTR:

IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1945FC = 1 AND R04_AG1048FC_BRAND = 9995, GO TO R04_AG1049FC.

ELSE, IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1945FC = 1 AND R04_AG1048FC_BRAND != 9995, -8, -7, GO TO R04_AG1070FC_PRODUCT.

ELSE, GO TO BOX R04_AGR31.

Variable(s): **R04_AG1049TC; R04_AG1049CG; R04_AG1049FC**

You said that your brand was not listed. What is it?

_____	GO TO BOX R04_AGR31[TC/CG/FC]
-8 DON'T KNOW	GO TO BOX R04_AGR31[TC/CG/FC]
-7 REFUSED	GO TO BOX R04_AGR31[TC/CG/FC]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R04_AG1049TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1945TC = 1 AND R04_AG1048TC_BRAND = 9995.

FOR R04_AG1049CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1945CG = 1 AND R04_AG1048CG_BRAND = 9995.

FOR R04_AG1049FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1945FC = 1 AND R04_AG1048FC_BRAND = 9995.

Variable(s):	R04_AG1070TC_PRODUCT; R04_AG1070CG_PRODUCT; R04_AG1070FC_PRODUCT
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars. ASK Specification: FOR R04_AG1070TC_PRODUCT: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1945TC = 1 AND R04_AG1048TC_BRAND != 9995, -8, -7. FOR R04_AG1070CG_PRODUCT: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1945CG = 1 AND R04_AG1048CG_BRAND != 9995, -8, -7. FOR R04_AG1070FC_PRODUCT: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1945FC = 1 AND R04_AG1048FC_BRAND != 9995, -8, -7. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else". FILL BRANDFILL WITH BRAND CHOSEN IN R04_AG1048[TC/CG/FC]_BRAND. IF R04_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)), DISPLAY "do" AND "usually". ELSE, IF R04_AG1047[TC/CG/FC] = 1, DISPLAY "did" AND "usually". ELSE, IF R04_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04_AG1048[TC/CG/FC]_BRAND.	

BOX ID:	R04_AGR17
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars, go to R04_AG1071[TC/CG/FC]. Else, go to Box R04_AGR31.	
IF LOOP = GTRAD: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1945TC = 1 AND R04_AG1048TC_BRAND != 9995, -8, -7 AND R04_AG1070TC_PRODUCT = 99995, GO TO R04_AG1071TC. ELSE, GO TO BOX R04_AGR31.	
IF LOOP = GRILLO: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1945CG = 1 AND R04_AG1048CG_BRAND != 9995, -8, -7 AND R04_AG1070CG_PRODUCT = 99995, GO TO R04_AG1071CG. ELSE, GO TO BOX R04_AGR31.	
IF LOOP = GFILTR: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1945FC = 1 AND R04_AG1048FC_BRAND != 9995, -8, -7 AND R04_AG1070FC_PRODUCT = 99995, GO TO R04_AG1071FC. ELSE, GO TO BOX R04_AGR31.	

Variable(s): **R04_AG1071TC; R04_AG1071CG; R04_AG1071FC**

You said that the type of [BRANDFILL]s that you [smoke/smoked][as blunts] is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R04_AG1071TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1945TC = 1 AND R04_AG1048TC_BRAND != 9995, -8, -7 AND R04_AG1070TC_PRODUCT = 99995.

FOR R04_AG1071CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1945CG = 1 AND R04_AG1048CG_BRAND != 9995, -8, -7 AND R04_AG1070CG_PRODUCT = 99995.

FOR R04_AG1071FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1945FC = 1 AND R04_AG1048FC_BRAND != 9995, -8, -7 AND R04_AG1070FC_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AG1048[TC/CG/FC]_BRAND.

IF ((LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2)) AND R04_AG1047[TC/CG/FC] = 1, DISPLAY "smoke".

ELSE, DISPLAY "smoked".

BOX ID:	R04_AGR31
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars, go to R04_AG1051[TC/CG/FC]. Else, go to Box R04_AGR29.	
IF LOOP = GTRAD: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1047TC = 1, GO TO R04_AG1051TC. ELSE, GO TO BOX R04_AGR29. IF LOOP = GRILLO: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1047CG = 1, GO TO R04_AG1051CG. ELSE, GO TO BOX R04_AGR29. IF LOOP = GFILTR: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1047FC = 1, GO TO R04_AG1051FC. ELSE, GO TO BOX R04_AGR29.	

Variable(s):	R04_AG1051TC_NN; R04_AG1051TC_UN; R04_AG1051CG_NN; R04_AG1051CG_UN; R04_AG1051FC_NN; R04_AG1051FC_UN
About how long [did you smoke/have you been smoking] your regular brand of [CIGARFILL]? 1 I ___ I ___ I DAYS 2 I ___ I ___ I MONTHS 3 I ___ I ___ I YEARS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars. ASK Specification: FOR R04_AG1051TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1047TC = 1. FOR R04_AG1051CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1047CG = 1. FOR R04_AG1051FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1047FC = 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "have you been smoking". ELSE, DISPLAY "did you smoke". PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years. NOTES: The value "1" refers to R04_AG1051[TC/CG/FC]_UN = Days; the value "2" refers to R04_AG1051[TC/CG/FC]_UN = Months; the value "3" refers to R04_AG1051[TC/CG/FC]_UN = Years.	

CHECK ID: R04_AG1051TC_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of traditional cigar for [R04_AG1051TC_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1051TC

2 NEXT

GO TO R04_AG1051TC_LC2

ASK: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1047TC = 1 AND R04_AG1051TC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1051TC_UN = 3.

DISPLAY: IF R04_GTRAD_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AG1051TC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1051TC_UN = 3.

ELSE, GO TO R04_AG1051TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1051TC_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of traditional cigar.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1051TC

2 NEXT

GO TO R04_AG1051CG_LC1

ASK: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG1047TC = 1 AND R04_AG1051TC_NN = 0.

DISPLAY: IF R04_GTRAD_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AG1051TC_NN = 0.

ELSE, GO TO R04_AG1051CG_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1051CG_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of cigarillo for [R04_AG1051CG_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1051CG

2 NEXT

GO TO R04_AG1051CG_LC2

ASK: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1047CG = 1 AND R04_AG1051CG_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1051CG_UN = 3.

DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AG1051CG_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1051CG_UN = 3.

ELSE, GO TO R04_AG1051CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1051CG_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarillo.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AG1051CG

2 NEXT

GO TO R04_AG1051FC_LC1

ASK: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1047CG = 1 AND R04_AG1051CG_NN = 0.

DISPLAY: IF R04_GRILLO_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AG1051CG_NN = 0.

ELSE, GO TO R04_AG1051FC_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1051FC_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of filtered cigar for [R04_AG1051FC_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AG1051FC |
| 2 | NEXT | GO TO R04_AG1051FC_LC2 |

ASK: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1047FC = 1 AND R04_AG1051FC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1051FC_UN = 3.

DISPLAY: IF R04_GFILTR_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AG1051FC_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AG1051FC_UN = 3.

ELSE, GO TO R04_AG1051FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AG1051FC_LC2

The computer recorded "0" for how long you [have been smoking /smoked] your regular brand of filtered cigar.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AG1051FC |
| 2 | NEXT | GO TO BOX R04_AGR29 |

ASK: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1047FC = 1 AND R04_AG1051FC_NN = 0.

DISPLAY: IF R04_GFILTR_USER_STATUS = 1, 2, DISPLAY "have been smoking".

ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AG1051FC_NN = 0.

ELSE, GO TO BOX R04_AGR29 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_AGR29

Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars, go to R04_AG0104[TC/CG/FC].

Else, go to Box R04_AGD03.

IF LOOP = GTRAD:

IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG0100TC = 1, 2, 3, 4 AND R04_AG1048TC_BRAND != 9995, -8, -7 AND R04_AG1070TC_PRODUCT != 99990, 99995, -8, -7, GO TO R04_AG0104TC.

ELSE, GO TO BOX R04_AGD03.

IF LOOP = GRILLO:

IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG0100CG = 1, 2, 3, 4 AND R04_AG1048CG_BRAND != 9995, -8, -7 AND R04_AG1070CG_PRODUCT != 99990, 99995, -8, -7, GO TO R04_AG0104CG.

ELSE, GO TO BOX R04_AGD03.

IF LOOP = GFILTR:

IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG0100FC = 1, 2, 3, 4 AND R04_AG1048FC_BRAND != 9995, -8, -7 AND R04_AG1070FC_PRODUCT != 99990, 99995, -8, -7, GO TO R04_AG0104FC.

ELSE, GO TO BOX R04_AGD03.

Variable(s): R04_AG0104TC***; R04_AG0104CG***; R04_AG0104FC***

You said earlier that you smoked a [CIGARFILL] [TIME OF LAST USE].

Think about the very last [CIGARFILL] you smoked.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R04_AG0104TC: IF (R04_GTRAD_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_AG0100TC = 1, 2, 3, 4 AND R04_AG1945TC = 1 AND R04_AG1048TC_BRAND != 9995, -8, -7 AND R04_AG1070TC_PRODUCT != 99990, 99995, -8, -7.

FOR R04_AG0104CG: IF (R04_GRILLO_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG0100CG = 1, 2, 3, 4 AND R04_AG1945CG = 1 AND R04_AG1048CG_BRAND != 9995, -8, -7 AND R04_AG1070CG_PRODUCT != 99990, 99995, -8, -7.

FOR R04_AG0104FC: IF (R04_GFILTR_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG0100FC = 1, 2, 3, 4 AND R04_AG1945FC = 1 AND R04_AG1048FC_BRAND != 9995, -8, -7 AND R04_AG1070FC_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R04_AG0100[TC/CG/FC] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R04_AG0100[TC/CG/FC] = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R04_AG0100[TC/CG/FC] = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R04_AG0100[TC/CG/FC] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R04_AG1070[TC/CG/FC]_PRODUCT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_AGD03

Randomize order of R04_AG1060[TC/CG/FC] through R04_AG1066[TC/CG/FC].

Display question R04_AG1060[TC/CG/FC], R04_AG1085[TC/CG/FC], R04_AG1062[TC/CG/FC], R04_AG1075[TC/CG/FC], R04_AG1063[TC/CG/FC], R04_AG1064[TC/CG/FC], R04_AG1066[TC/CG/FC] on one screen. Show the intro/transition text from R04_AG1060[TC/CG/FC] first, then show each item with responses. As each item is answered, show the next one.

Variable(s):	R04_AG1060TC; R04_AG1060CG; R04_AG1060FC
The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons [apply to you/applied to you when you used to smoke [CIGARFILL]s]. I [smoke/smoked] [CIGARFILL]s because... They [are/were] affordable. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1060TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1060CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1060FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "apply to you", "smoke" AND "are". ELSE, DISPLAY "applied to you when you used to smoke [CIGARFILL]", "smoked" AND "were".	

Variable(s):	R04_AG1085TC; R04_AG1085CG; R04_AG1085FC
I [can/could] smoke [CIGARFILL]s at times when or in places where smoking cigarettes [isn't/wasn't] allowed.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1085TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1085CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1085FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "can" AND "isn't". ELSE, DISPLAY "could" AND "wasn't".	

Variable(s):	R04_AG1062TC; R04_AG1062CG; R04_AG1062FC
They might [be/have been] less harmful to me than smoking cigarettes.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1062TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1062CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1062FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "be". ELSE, DISPLAY "have been".	

Variable(s):	R04_AG1075TC; R04_AG1075CG; R04_AG1075FC
They might [be/have been] less harmful to people around me than smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1075TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1075CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1075FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "be". ELSE, DISPLAY "have been".	

Variable(s):	R04_AG1063TC; R04_AG1063CG; R04_AG1063FC
[CIGARFILL]s [come/came] in flavors I [like/liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1063TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1063CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1063FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "come" AND "like". ELSE, DISPLAY "came" AND "liked".	

BOX ID:	R04_AGR15
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established, current experimental, or recent former established cigarette smokers, go to R04_AG1064[TC/CG/FC]. Else, go to R04_AG1066[TC/CG/FC].	
IF LOOP = GTRAD: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_CIG_USER_STATUS = 1, 2, 4, GO TO R04_AG1064TC. ELSE, GO TO R04_AG1066TC. IF LOOP = GRILLO: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_CIG_USER_STATUS = 1, 2, 4, GO TO R04_AG1064CG. ELSE, GO TO R04_AG1066CG. IF LOOP = GFILTR: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_CIG_USER_STATUS = 1, 2, 4, GO TO R04_AG1064FC. ELSE, GO TO R04_AG1066FC.	

Variable(s):	R04_AG1064TC; R04_AG1064CG; R04_AG1064FC
Smoking [CIGARFILL]s helps people quit smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established, current experimental, or recent former established cigarette smokers. ASK Specification: FOR R04_AG1064TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_CIG_USER_STATUS = 1, 2, 4. FOR R04_AG1064CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_CIG_USER_STATUS = 1, 2, 4. FOR R04_AG1064FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_CIG_USER_STATUS = 1, 2, 4.	

Variable(s):	R04_AG1066TC; R04_AG1066CG; R04_AG1066FC
Smoking a [CIGARFILL] [feels/felt] like smoking a regular cigarette.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1066TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1066CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1066FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "feels". ELSE, DISPLAY "felt".	

BOX ID:	R04_AGR28
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established or recent former established cigarette smokers, go to R04_AG1080[TC/CG/FC]. Else, go to R04_AG1139[TC/CG/FC].	
IF LOOP = GTRAD: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_CIG_USER_STATUS = 1, 4, GO TO R04_AG1080TC. ELSE, GO TO R04_AG1139TC.	
IF LOOP = GRILLO: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_CIG_USER_STATUS = 1, 4, GO TO R04_AG1080CG. ELSE, GO TO R04_AG1139CG.	
IF LOOP = GFILTR: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_CIG_USER_STATUS = 1, 4, GO TO R04_AG1080FC. ELSE, GO TO R04_AG1139FC.	

Variable(s):	R04_AG1080TC; R04_AG1080CG; R04_AG1080FC
[Do/Did] you smoke [CIGARFILL]s as a way of cutting down on your cigarette smoking? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established or recent former established cigarette smokers. ASK Specification: FOR R04_AG1080TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_CIG_USER_STATUS = 1, 4. FOR R04_AG1080CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_CIG_USER_STATUS = 1, 4. FOR R04_AG1080FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_CIG_USER_STATUS = 1, 4. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "Do". ELSE, DISPLAY "Did".	

Variable(s): R04_AG1139TC; R04_AG1139CG; R04_AG1139FC

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a [CIGARFILL].

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R04_AG1139TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1.

FOR R04_AG1139CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1.

FOR R04_AG1139FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] SERIES.

Variable(s):	R04_AG1140TC; R04_AG1140CG; R04_AG1140FC
While smoking a [CIGARFILL], I [feel/felt] more confident with other people. 1 Not true of me at all 2 3 4 Very true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1140TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1140CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1140FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "feel". ELSE, DISPLAY "felt". DISPLAY SCALE FOR THE R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] SERIES.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AG1141TC; R04_AG1141CG; R04_AG1141FC
I [smoke/smoked] [CIGARFILL]s much more when I [am/was] with other people. 1 Not true of me at all 2 3 4 Very true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers. ASK Specification: FOR R04_AG1141TC: IF (R04_GTRAD_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R04_12MBLUNT_ONLY_BTRAD != 1. FOR R04_AG1141CG: IF (R04_GRILLO_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R04_12MBLUNT_ONLY_BRILLO != 1. FOR R04_AG1141FC: IF (R04_GFILTR_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R04_12MBLUNT_ONLY_BFILTR != 1. DISPLAY: IF (LOOP = GTRAD AND R04_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R04_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R04_GFILTR_USER_STATUS = 1, 2), DISPLAY "smoke" AND "am". ELSE, DISPLAY "smoked" AND "was". DISPLAY SCALE FOR THE R04_AG1139[TC/CG/FC]-R04_AG1141[TC/CG/FC] SERIES.	

BOX ID:	R04_AGR04
END CIGAR LOOP: Adult respondents who have remaining traditional cigar/cigarillo/filtered cigar loops to complete, return to Box R04_AGR10 and complete remaining traditional cigar/cigarillo/filtered cigar loops. Else, adult respondents who have no more remaining traditional cigar/cigarillo/filtered cigar loops to complete, go to the next section. IF THERE ARE REMAINING NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO BACK TO R04_AGR10 AND REPEAT SECTION. ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED, GO TO THE NEXT SECTION (see note in Box R04_AMD07).	

PIPE

BOX ID:	R04_APR04
Continuing and aged-up adult respondents who were new former established or still former established pipe smokers and had smoked 100 or more bowls of pipe tobacco and had smoked fairly regularly as of their last completed interview, and have not smoked a pipe in the past 12 months or now smoke pipes not at all, go to Box R04_APV01. Else, continue with Box R04_APT02.	
IF R04_ADULTTYPE = 1, 2 AND R03_PIPE_USER_STATUS = 4 OR 5 AND R03_NUMLIFE_PIPE = 1 AND R03_REGUSE_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3), GO TO BOX R04_APV01. ELSE, GO TO BOX R04_APT02.	

BOX ID:	R04_APT02
The next questions are about smoking tobacco in pipes. Pipes come in many shapes and sizes. They all have a bowl that holds the tobacco and a stem. Pipe tobacco is often sold loose in packages or tins. In the following section, we are only asking about smoking pipes filled with tobacco. The picture below shows a typical pipe and some pipe tobacco. [SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO] BOLD "pipes".	

BOX ID:	R04_APR03
New cohort adult respondents who have ever smoked a pipe, go to R04_AP1006_RS Else, continuing and aged-up adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco as of their last completed interview, go to R04_AP1005. Else, go to Box R04_APR08.	
IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1, GO TO R04_AP1006_RS. ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_PIPE = 1 AND R03_NUMLIFE_PIPE != 1, GO TO R04_AP1005. ELSE, GO TO BOX R04_APR08.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AP1006_RS**

How old were you the first time you smoked a pipe filled with tobacco, even one or two puffs?

I ___ I ___ I Years old

-8 DON'T KNOW

GO TO R04_AP1120_RS

-7 REFUSED

GO TO R04_AP1120_RS

ASK: New cohort adult respondents who have ever smoked a pipe.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1.

PROGRAM: Display "Years old" as a title.

CHECK ID: **R04_AP1006_RS_LC1**

The computer recorded that you first smoked a pipe at age [R04_AP1006_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AP1006_RS

2 NEXT

GO TO R04_AP1006_RS_LC2

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1 AND R04_AP1006_RS != -8, -7 AND R04_AP1006_RS <= 10.

PROGRAM: TRIGGER CHECK IF R04_AP1006_RS <= 10.

ELSE, GO TO R04_AP1006_RS_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: **R04_AP1006_RS_LC2**

The computer recorded that you first smoked a pipe at age [R04_AP1006_RS]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AP1006_RS

2 NEXT

GO TO R04_AP1005

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1 AND R04_AP1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AP1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO R04_AP1005 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AP1120_RS**

The first time you smoked a pipe filled with tobacco, even one or two puffs, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever smoked a pipe and did not know or refused to report the age they first smoked a pipe filled with tobacco.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1 AND R04_AP1006_RS = -8, -7.

Variable(s): **R04_AP1005**

How many bowls filled with pipe tobacco have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco as of their last completed interview, or new cohort adult respondents who have ever smoked a pipe.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_PIPE = 1 AND R03_NUMLIFE_PIPE != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_APR08
Continuing and aged-up adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as their last completed interview, or new cohort adult respondents who have ever smoked a pipe, go to R04_AP1100. Else, go to Box R04_APV01.	
IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1), GO TO R04_AP1100. ELSE, GO TO BOX R04_APV01.	

Variable(s):	R04_AP1100
Have you ever smoked a pipe filled with tobacco fairly regularly?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Continuing and aged-up adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked a pipe.	
ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1).	

BOX ID:	R04_APR09
Aged-up adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview and have ever smoked a pipe fairly regularly, or new cohort adult respondents who have ever smoked a pipe and have ever smoked a pipe fairly regularly, go to R04_AP1007_NB. Else, go to Box R04_APV01.	
IF (R04_ADULTTYPE = 2 AND R04_AP1100 = 1 AND R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1 AND R04_AP1100 = 1), GO TO R04_AP1007_NB. ELSE, GO TO BOX R04_APV01.	

Variable(s):	R04_AP1007_NB
How old were you when you first started smoking a pipe filled with tobacco fairly regularly?	
I__I__I Years old	
-8 DON'T KNOW	GO TO R04_AP1121_NB
-7 REFUSED	GO TO R04_AP1121_NB
ASK: Aged-up adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview and have ever smoked a pipe fairly regularly, or new cohort adult respondents who have ever smoked a pipe and have ever smoked a pipe fairly regularly.	
ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_AP1100 = 1 AND R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1 AND R04_AP1100 = 1).	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

391

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AP1007_NB_LC2

The computer recorded that you started smoking pipes fairly regularly at age [R04_AP1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AP1007_NB |
| 2 | NEXT | GO TO BOX R04_APV01 |

ASK: IF (R04_ADULTTYPE = 2 AND R04_AP1100 = 1 AND R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1 AND R04_AP1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1 AND R04_AP1100 = 1 AND R04_AP1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18).

PROGRAM: TRIGGER CHECK IF R04_AP1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO BOX R04_APV01 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AP1121_NB

When you first started smoking a pipe filled with tobacco fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview and have ever smoked a pipe fairly regularly and did not know or refused to report the age they first started smoking a pipe filled with tobacco fairly regularly, or new cohort adult respondents who have ever smoked a pipe and have ever smoked a pipe fairly regularly and did not know or refused to report the age they first started smoking a pipe filled with tobacco fairly regularly.

ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_AP1100 = 1 AND R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1 AND R04_AP1007_NB = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1 AND R04_AP1100 = 1 AND R04_AP1007_NB = -8, -7).

BOX ID: R04_APV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R04_PIPE_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke every day or some days.

R04_PIPE_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked a pipe fairly regularly, and currently smoke every day or some days.

R04_PIPE_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a pipe and have never smoked a pipe fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R04_PIPE_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental pipe smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever smoked a pipe as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview, have ever smoked a pipe fairly regularly, have smoked in the past 12 months and currently smoke not at all; and new cohort adult respondents who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and currently smoke not at all.

R04_PIPE_USER_STATUS = 5 (Long-term former established user) Continuing and aged-up adult respondents who were new former established or still former established pipe smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all, and new cohort adult respondents who have ever smoked a pipe and have smoked a pipe fairly regularly, and have not smoked in the past 12 months.

R04_CURRENT_PIPE_USE = 1 (Every day established user) Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke every day.

R04_CURRENT_PIPE_USE = 2 (Some day established user) Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke some days.

R04_FORMER_THIRTYDAY_USER_PIPE = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established pipe smokers who have smoked a pipe in the past 30 days.

R04_PIPE_USER_STATUS = 1:

IF (R03_REGUSE_PIPE = 1 OR R04_AP1100 = 1) AND R04_AP1003 = 1, 2, THEN
R04_PIPE_USER_STATUS = 1.

R04_PIPE_USER_STATUS = 2:

ELSE, IF R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1 AND R04_AP1003 = 1, 2, THEN R04_PIPE_USER_STATUS = 2.

R04_PIPE_USER_STATUS = 3:

ELSE, IF R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3) AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1, THEN R04_PIPE_USER_STATUS = 3.

R04_PIPE_USER_STATUS = 4:

ELSE, IF (R03_PIPE_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_PIPE_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_PIPE = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AP1009_NN <= 365 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN <= 12 AND R04_AP1009_UN = 2) OR (R04_AP1009_NN <= 1 AND R04_AP1009_UN = 3)))) AND (R03_REGUSE_PIPE = 1 OR R04_AP1100 = 1) AND

R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3), THEN
R04_PIPE_USER_STATUS = 4.

R04_PIPE_USER_STATUS = 5:

ELSE, IF (R03_PIPE_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AP1100 = 1 AND
((R04_AP1009_NN > 365 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN > 12 AND
R04_AP1009_UN = 2) OR (R04_AP1009_NN > 1 AND R04_AP1009_UN = 3)))) AND
R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3), THEN
R04_PIPE_USER_STATUS = 5.

R04_CURRENT_PIPE_USE = 1:

IF R04_PIPE_USER_STATUS = 1 AND R04_AP1003 = 1, THEN R04_CURRENT_PIPE_USE = 1.

R04_CURRENT_PIPE_USE = 2:

ELSE, IF R04_PIPE_USER_STATUS = 1 AND R04_AP1003 = 2, THEN R04_CURRENT_PIPE_USE
= 2.

R04_FORMER_THIRTYDAY_USER_PIPE:

IF R04_PIPE_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AP1009_NN <= 30 AND R04_AP1009_UN =
1) OR (R04_AP1009_NN = 1 AND R04_AP1009_UN = 2) OR R04_AP1004 = 1), THEN
R04_FORMER_THIRTYDAY_USER_PIPE = 1.

ELSE, R04_FORMER_THIRTYDAY_USER_PIPE = 2.

BOX ID: R04_APR01

New baseline respondents that are every day established pipe smokers, go to R04_AP1020_NB.

Else, continuing and aged-up adult respondents who have initiated pipe smoking since their last
completed interview, or new cohort adult respondents who have ever smoked a pipe, go to
R04_AP1008.

Else, adult respondents who are every day established pipe smokers, go to R04_AP1021.

Else, adult respondents who are some day established, current experimental, or non-current 30-day
pipe smokers, go to R04_AP1022.

Else, adult respondents who are recent former established pipe smokers, go to R04_AP1047.

Else, go to the next section.

IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_PIPE_USE = 1, GO TO R04_AP1020_NB.

ELSE, IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_PIPE_ADULT = 1) OR (R04_ADULTTYPE = 3
AND R04_EVER_NEVER_PIPE = 1), GO TO R04_AP1008.

ELSE, IF R04_CURRENT_PIPE_USE = 1, GO TO R04_AP1021.

ELSE, IF R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR
R04_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R04_AP1022.

ELSE, IF R04_PIPE_USER_STATUS = 4, GO TO R04_AP1047.

ELSE, GO TO THE NEXT SECTION (see note in Box R04_AMD07).

Variable(s): R04_AP1020_NB

How old were you when you first started smoking a pipe filled with tobacco every day?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R04_AP1122_NB

-7 REFUSED

GO TO R04_AP1122_NB

ASK: New baseline adult respondents who are every day established pipe smokers.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_PIPE_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R04_AP1020_NB_LC1

The computer recorded that you started smoking a pipe every day at age [R04_AP1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AP1020_NB

2 NEXT

GO TO R04_AP1020_NB_LC2

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_PIPE_USE = 1 AND R04_AP1020_NB != -8, -7 AND (R04_AP1020_NB <= 10 OR R04_AP1020_NB < R04_AP1007_NB).

PROGRAM: TRIGGER CHECK IF R04_AP1020_NB <= 10 OR R04_AP1020_NB < R04_AP1007_NB. ELSE, GO TO R04_AP1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AP1020_NB_LC2

The computer recorded that you started smoking a pipe every day at age [R04_AP1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AP1020_NB

2 NEXT

GO TO BOX R04_APR12

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_PIPE_USE = 1 AND R04_AP1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AP1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_APR12 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AP1122_NB
When you first started smoking a pipe filled with tobacco every day, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who are every day established pipe smokers and did not know or refused to report the age they first started smoking a pipe filled with tobacco every day. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_PIPE_USE = 1 AND R04_AP1020_NB = -8, -7.

BOX ID: R04_APR12
Continuing and aged-up adult respondents who have initiated pipe smoking since their last completed interview, or new cohort adult respondents who have ever smoked a pipe, go to R04_AP1008. Else, go to Box R04_APR13. IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_PIPE_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1), GO TO R04_AP1008. ELSE, GO TO BOX R04_APR13.

Variable(s): R04_AP1008
When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED GO TO BOX R04_APR34 GO TO BOX R04_APR34 GO TO BOX R04_APR34 GO TO BOX R04_APR34 ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview, or new cohort adult respondents who have ever smoked a pipe. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_PIPE_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor did you first start smoking? Choose all that apply.	
R04_AP1011_01	1 Menthol or mint
R04_AP1011_02	2 Clove or spice
R04_AP1011_03	3 Fruit
R04_AP1011_04	4 Chocolate
R04_AP1011_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AP1011_06	6 Candy or other sweets
R04_AP1011_07; R04_AP1011_OS	7 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored, or new cohort adult respondents who have ever smoked a pipe and whose first pipe tobacco was flavored.	
ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_PIPE_ADULT = 1 AND R04_AP1008 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_PIPE = 1 AND R04_AP1008 = 1).	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	

BOX ID:	R04_APR34
New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established pipe smokers, go to R04_AP1025_RS.	
Else, go to Box R04_APR13.	
IF R04_ADULTTYPE = 3 AND R04_PIPE_USER_STATUS = 1, 2, 3, 4, 5 , GO TO R04_AP1025_RS.	
ELSE, GO TO BOX R04_APR13.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AP1025_RS**

Around this time 12 months ago, were you smoking a pipe filled with tobacco every day, some days, or not at all?

- 1 Every day
- 2 Some days
- 3 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established pipe smokers.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_PIPE_USER_STATUS = 1, 2, 3, 4, 5.

BOX ID: **R04_APR13**

Adult respondents who are every day established pipe smokers, go to R04_AP1021.

Else, adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, go to R04_AP1022.

Else, go to the next section.

IF R04_CURRENT_PIPE_USE = 1, GO TO R04_AP1021.

ELSE, IF R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R04_AP1022.

ELSE, GO TO THE NEXT SECTION (see note in Box R04_AMD07).

Variable(s): **R04_AP1021**

On average, about how many bowls filled with pipe tobacco do you now smoke each day?

- 2 Less than 1 each day GO TO R04_AP1024
|_|_|_|
- 8 DON'T KNOW GO TO R04_AP1024
- 7 REFUSED GO TO R04_AP1024

ASK: Adult respondents who are every day established pipe smokers.

ASK Specification: IF R04_CURRENT_PIPE_USE = 1.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID:	R04_AP1021_LC1						
The computer recorded that you now smoke [R04_AP1021] bowls filled with pipe tobacco a day, on average. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table border="0"> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AP1021</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO R04_AP1024</td> </tr> </table> ASK: IF R04_CURRENT_PIPE_USE = 1 AND R04_AP1021 > 10. PROGRAM: TRIGGER CHECK IF R04_AP1021 > 10. ELSE, GO TO R04_AP1024 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AP1021	2	NEXT	GO TO R04_AP1024
1	BACK	GO TO R04_AP1021					
2	NEXT	GO TO R04_AP1024					

Variable(s):	R04_AP1022
On how many of the past 30 days did you smoke a pipe filled with tobacco? I ___ I ___ DAYS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers. ASK Specification: IF R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1. DISPLAY: DISPLAY "DAYS" AS TITLE. PROGRAM: Range check: 0-30 days.	

BOX ID:	R04_APR15
Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and smoked on 0 days of the past 30 days, go to R04_AP9029. Else, adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R04_AP1023. Else, go to Box R04_APR29. IF (R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2) AND R04_AP1022 = 0, GO TO R04_AP9029. ELSE, IF (R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1022 != 0, GO TO R04_AP1023. ELSE, GO TO BOX R04_APR29.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AP9029_NN; R04_AP9029_UN	
About how long has it been since you last smoked a pipe filled with tobacco?	
1	I ___ I ___ DAYS
2	I ___ I ___ MONTHS
3	I ___ I ___ YEARS
-8	DON'T KNOW GO TO BOX R04_APR29
-7	REFUSED GO TO BOX R04_APR29
ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and smoked on 0 days of the past 30 days.	
ASK Specification: IF (R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2) AND R04_AP1022 = 0.	
PROGRAM: Display as Quantity/Units.	
NOTES: The value "1" refers to R04_AP9029_UN = Days; the value "2" refers to R04_AP9029_UN = Months; the value "3" refers to R04_AP9029_UN = Years.	

CHECK ID: R04_AP9029_LC1	
The computer recorded that you last smoked a pipe [R04_AP9029] [days/months/years] ago.	
If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1	BACK GO TO R04_AP9029
2	NEXT GO TO BOX R04_APR29
ASK: IF (R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2) AND R04_AP1022 = 0 AND ((R04_AP9029_NN < 30 AND R04_AP9029_UN = 1) OR (R04_AP9029_NN < 1 AND R04_AP9029_UN = 2) OR (R04_AP9029_NN > 18 AND R04_AP9029_UN = 2) OR (R04_AP9029_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AP9029_UN = 3)).	
DISPLAY: IF R04_AP9029_UN = 1, DISPLAY "days".	
ELSE, IF R04_AP9029_UN = 2, DISPLAY "months".	
ELSE, IF R04_AP9029_UN = 3, DISPLAY "years".	
PROGRAM: TRIGGER CHECK IF (R04_AP9029_NN < 30 AND R04_AP9029_UN = 1) OR (R04_AP9029_NN < 1 AND R04_AP9029_UN = 2) OR (R04_AP9029_NN > 18 AND R04_AP9029_UN = 2) OR (R04_AP9029_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AP9029_UN = 3).	
ELSE, GO TO BOX R04_APR29 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AP1023	
On average, on those [FILL NUMBER OF DAYS FROM R04_AP1022 days/days you smoked], how many bowls filled with pipe tobacco did you usually smoke each day?	
-2 Less than 1 each day	GO TO BOX R04_APR29
__ __	
-8 DON'T KNOW	GO TO BOX R04_APR29
-7 REFUSED	GO TO BOX R04_APR29
ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.	
ASK Specification: IF (R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1022 != 0.	
DISPLAY: IF R04_AP1022 = 1, -8, -7, DISPLAY "days you smoked".	
ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R04_AP1022.	
DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON LABEL: "Less than 1 each day" ON RIGHT.	

CHECK ID: R04_AP1023_LC1	
The computer recorded that on the days you smoked in the past 30 days, you smoked [R04_AP1023] bowls filled with pipe tobacco a day, on average.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AP1023
2 NEXT	GO TO BOX R04_APR29
ASK: IF (R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1022 != 0 AND R04_AP1023 > 10.	
PROGRAM: TRIGGER CHECK IF R04_AP1023 > 10.	
ELSE, GO TO BOX R04_APR29 AND DO NOT DISPLAY THIS SCREEN.	

BOX ID: R04_APR29
Adult respondents who are current established or current experimental pipe smokers, go to R04_AP1024.
Else, adult respondents who are non-current 30-day pipe smokers, go to R04_AP1024_30D.
Else, adult respondents who are recent former established pipe smokers, go to R04_AP1047.
Else, go to the next section.
IF R04_PIPE_USER_STATUS = 1, 2, GO TO R04_AP1024.
ELSE, IF R04_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R04_AP1024_30D.
ELSE, IF R04_PIPE_USER_STATUS = 4, GO TO R04_AP1047.
ELSE, GO TO THE NEXT SECTION (see note in Box R04_AMD07).

Variable(s):	R04_AP1024_NN; R04_AP1024_UN
[On the days that you smoke a pipe filled with tobacco, how/How] soon after you wake up do you typically take your first puff from a pipe? Please enter the number of minutes or hours.	
1 __ __ __	Minutes after waking
2 __ __ __	Hours after waking
-8 DON'T KNOW	GO TO R04_AP1092
-7 REFUSED	GO TO R04_AP1092
ASK: Adult respondents who are current established or current experimental pipe smokers.	
ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2.	
DISPLAY: IF R04_CURRENT_PIPE_USE = 1, DISPLAY "How".	
ELSE, DISPLAY "On the days that you smoke a pipe filled with tobacco, how".	
PROGRAM: Display as Quantity/Units.	
NOTES: The value "1" refers to R04_AP1024_UN = Minutes after waking; the value "2" refers to R04_AP1024_UN = Hours after waking.	

CHECK ID: R04_AP1024_LC1

The computer recorded that you typically smoke your first pipe bowl of the day [R04_AP1024] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R04_AP1024
2	NEXT	GO TO R04_AP1024_LC2

ASK: IF R04_PIPE_USER_STATUS = 1, 2 AND ((R04_CURRENT_PIPE_USE = 1 AND ((R04_AP1024_NN > 60 AND R04_AP1024_UN = 1) OR (R04_AP1024_NN > 4 AND R04_AP1024_UN = 2))) OR ((R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2) AND ((R04_AP1024_NN > 60 AND R04_AP1024_UN = 1) OR (R04_AP1024_NN > 12 AND R04_AP1024_UN = 2))))).

DISPLAY: IF R04_AP1024_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AP1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_CURRENT_PIPE_USE = 1 AND ((R04_AP1024_NN > 60 AND R04_AP1024_UN = 1) OR (R04_AP1024_NN > 4 AND R04_AP1024_UN = 2))) OR ((R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2) AND ((R04_AP1024_NN > 60 AND R04_AP1024_UN = 1) OR (R04_AP1024_NN > 12 AND R04_AP1024_UN = 2))).

ELSE, GO TO R04_AP1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AP1024_LC2

The computer recorded "0" for how soon you typically take your first puff from a pipe after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AP1024 |
| 2 | NEXT | GO TO BOX R04_APR31 |

ASK: IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AP1024_NN = 0.

ELSE, GO TO BOX R04_APR31 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AP1092

[On the days that you smoke a pipe filled with tobacco, would/Would] you say you take your first puff from a pipe within the first 30 minutes after you wake up?

- | | | |
|----|------------|------------------|
| 1 | Yes | GO TO R04_AP0100 |
| 2 | No | GO TO R04_AP0100 |
| 3 | It varies | GO TO R04_AP0100 |
| -8 | DON'T KNOW | GO TO R04_AP0100 |
| -7 | REFUSED | GO TO R04_AP0100 |

ASK: Adult respondents who are current established or current experimental pipe smokers and did not know or refused to report how soon after waking up they first smoke a pipe.

ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1024_NN = -8, -7.

DISPLAY: IF R04_CURRENT_PIPE_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you smoke a pipe filled with tobacco, would".

Variable(s): R04_AP1024_30D_NN; R04_AP1024_30D_UN

On the days that you smoked a pipe filled with tobacco, how soon after you woke up did you typically take your first puff from a pipe? Please enter the number of minutes or hours.

- | | | |
|----|--|----------------------|
| 1 | I ___ I ___ I ___ I Minutes after waking | |
| 2 | I ___ I ___ I ___ I Hours after waking | |
| -8 | DON'T KNOW | GO TO R04_AP1092_30D |
| -7 | REFUSED | GO TO R04_AP1092_30D |

ASK: Adult respondents who are non-current 30-day pipe smokers.

ASK Specification: IF R04_FORMER_THIRTYDAY_USER_PIPE = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AP1024_30D_UN = Minutes after waking; the value "2" refers to R04_AP1024_30D_UN = Hours after waking.

CHECK ID: R04_AP1024_30D_LC1

The computer recorded that you typically smoked your first pipe bowl of the day [R04_AP1024_30D] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------------|
| 1 | BACK | GO TO R04_AP1024_30D |
| 2 | NEXT | GO TO R04_AP1024_30D_LC2 |

ASK: IF R04_FORMER_THIRTYDAY_USER_PIPE = 1 AND ((R04_AP1024_30D_NN > 60 AND R04_AP1024_30D_UN = 1) OR (R04_AP1024_30D_NN > 12 AND R04_AP1024_30D_UN = 2)).

DISPLAY: IF R04_AP1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AP1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_AP1024_30D_NN > 60 AND R04_AP1024_30D_UN = 1) OR (R04_AP1024_30D_NN > 12 AND R04_AP1024_30D_UN = 2).

ELSE, GO TO R04_AP1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AP1024_30D_LC2

The computer recorded "0" for how soon you typically took your first puff from a pipe after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AP1024_30D |
| 2 | NEXT | GO TO R04_AP0100 |

ASK: IF R04_FORMER_THIRTYDAY_USER_PIPE = 1 AND R04_AP1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AP1024_30D_NN = 0.

ELSE, GO TO R04_AP0100 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AP1092_30D

On the days that you smoked a pipe filled with tobacco, would you say you took your first puff from a pipe within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are non-current 30-day pipe smokers and did not know or refused to report how soon after waking up they typically take their first puff from a pipe.

ASK Specification: IF R04_FORMER_THIRTYDAY_USER_PIPE = 1 AND R04_AP1024_30D_NN = -8, -7.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_APR31
Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, go to R04_AP0100. Else, go to R04_AP1030.	
IF R04_CURRENT_PIPE_USE = 1 OR ((R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1022 != 0), GO TO R04_AP0100. ELSE, GO TO R04_AP1030.	

Variable(s):	R04_AP0100**
When did you last smoke a pipe filled with tobacco?	
1 In the past hour	GO TO R04_AP0103
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	GO TO R04_AP1130
-8 DON'T KNOW	GO TO R04_AP1130
-7 REFUSED	GO TO R04_AP1130
ASK: Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked. ASK Specification: IF R04_CURRENT_PIPE_USE = 1 OR ((R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1022 != 0). NOTES: **SKIP ERROR: These items were skipped incorrectly by adult respondents who were some day established pipe smokers (R04_CURRENT_PIPE_USE = 2) and did not know or refused to report on how many of the past 30 days they smoked (R04_AP1022 = -8, -7). This issue was fixed in a field update on 01/31/2017.	

Variable(s): **R04_AP0102**

When you last smoked a pipe filled with tobacco [FILL BASED ON R04_AP0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established pipe smokers and last smoked a pipe sometime today, yesterday or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a pipe sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04_CURRENT_PIPE_USE = 1 AND R04_AP0100 = 2, 3, 4) OR
((R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR
R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1022 != 0 AND R04_AP0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R04_AP0100]:

IF R04_AP0100 = 2, DISPLAY "today".

ELSE, IF R04_AP0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AP0100 = 4, DISPLAY "the day before yesterday".

Variable(s): **R04_AP0103**

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke] [FILL BASED ON R04_AP0100]? (If less than 1, enter 1.)

|_|_|_|

-8 DON'T KNOW

GO TO R04_AP1130

-7 REFUSED

GO TO R04_AP1130

ASK: Adult respondents who are every day established pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked and last smoked a pipe in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04_CURRENT_PIPE_USE = 1 AND R04_AP0100 = 1, 2, 3, 4) OR ((R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1022 != 0 AND R04_AP0100 = 1, 2, 3, 4).

DISPLAY: IF R04_AP0100 = 1, 2, DISPLAY "have" AND "smoked".

ELSE, IF R04_AP0100 = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R04_AP0100]:

IF R04_AP0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AP0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AP0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits.

CHECK ID: **R04_AP0103_LC1**

The computer recorded that you smoked [R04_AP0103] bowls filled with pipe tobacco [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AP0103

2 NEXT

GO TO R04_AP1130

ASK: IF ((R04_CURRENT_PIPE_USE = 1 AND R04_AP0100 = 1, 2, 3, 4) OR ((R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1022 != 0 AND R04_AP0100 = 1, 2, 3, 4)) AND R04_AP0103 > 10.

DISPLAY: IF R04_AP0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AP0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AP0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AP0103 > 10.

ELSE, GO TO R04_AP1130 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AP1130****

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AP1030 |
| 3 | I don't know | GO TO R04_AP1030 |
| -8 | DON'T KNOW | GO TO R04_AP1030 |
| -7 | REFUSED | GO TO R04_AP1030 |

ASK: Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R04_CURRENT_PIPE_USE = 1 OR ((R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1022 != 0).

NOTES: **SKIP ERROR: These items were skipped incorrectly by adult respondents who were some day established pipe smokers (R04_CURRENT_PIPE_USE = 2) and did not know or refused to report on how many of the past 30 days they smoked (R04_AP1022 = -8, -7). This issue was fixed in a field update on 01/31/2017.

Variable(s):	SEE BELOW:
Which flavors have you smoked in the past 30 days? Choose all that apply.	
R04_AP1131_01	1 Menthol or mint
R04_AP1131_02	2 Clove or spice
R04_AP1131_03	3 Fruit
R04_AP1131_04	4 Chocolate
R04_AP1131_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AP1131_06	6 Candy or other sweets
R04_AP1131_07; R04_AP1131_OS	7 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.	
ASK Specification: IF (R04_CURRENT_PIPE_USE = 1 AND R04_AP1130 = 1) OR ((R04_CURRENT_PIPE_USE = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1022 != 0 AND R04_AP1130 = 1).	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AP1030****

The next questions ask about your experience buying pipe tobacco.

How [do/did] you usually buy pipe tobacco for yourself?

- | | | |
|----|----------------------------------|------------------|
| 1 | In person | |
| 2 | From the internet | GO TO R04_AP1034 |
| 3 | By telephone | GO TO R04_AP1034 |
| 4 | I do not buy my own pipe tobacco | GO TO R04_AP1047 |
| -8 | DON'T KNOW | GO TO R04_AP1047 |
| -7 | REFUSED | GO TO R04_AP1047 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers.

ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2 OR
R04_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were recent former pipe smokers (R04_PIPE_USER_STATUS = 4) and smoked pipe tobacco in the past 30 days (R04_FORMER_THIRTYDAY_USER_PIPE = 1). This issue was fixed in a field update on 04/18/2017.

Variable(s): **R04_AP1032**

[Do/Did] you usually buy pipe tobacco...?

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person.

ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2 OR
R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1030 = 1.

DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

Variable(s): R04_AP1033; R04_AP1033_OS

Where [do/did] you buy your pipe tobacco most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person.

ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1030 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

Variable(s): R04_AP1034_D; R04_AP1034_C How much [do/did] you usually pay for a pouch of pipe tobacco? \$ __ __ __ Dollars . __ __ Cents -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person, from the internet, or by telephone. ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1030 = 1, 2, 3. DISPLAY: DISPLAY "\$" AS LEFT LABEL. DISPLAY "Dollars" AND "Cents" AS TITLES. IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did". PROGRAM: Display as Quantity/Quantity.

412

Variable(s):	R04_AP1047
[Do/Did] you have a regular brand of pipe tobacco that you usually [smoke/smoked]?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.	
ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1.	
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "Do" AND "smoke".	
ELSE, DISPLAY "Did" AND "smoked".	

Variable(s):	R04_AP1050
[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1	Yes
2	No
3	I don't know
-8	DON'T KNOW
-7	REFUSED
	GO TO R04_AP1945
	GO TO R04_AP1945
	GO TO R04_AP1945
	GO TO R04_AP1945
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.	
ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1.	
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "Is" AND "your regular brand" AND "smoke".	
ELSE, IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked".	
ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1, DISPLAY "Was" AND "your regular brand" AND "smoked".	
ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked".	

Variable(s):	SEE BELOW:
Which flavor [is/was] it? Choose all that apply.	
R04_AP1012_01	1 Menthol or mint
R04_AP1012_02	2 Clove or spice
R04_AP1012_03	3 Fruit
R04_AP1012_04	4 Chocolate
R04_AP1012_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AP1012_06	6 Candy or other sweets
R04_AP1012_07; R04_AP1012_OS	7 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.	
ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1050 = 1.	
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "is".	
ELSE, IF R04_PIPE_USER_STATUS = 4 OR R04_AP1047 = 2, -8, -7 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1, DISPLAY "was".	
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	

Variable(s):	R04_AP1945
Do you know the <u>name of the brand</u> of pipe tobacco you [usually smoke/usually smoked/last smoked]?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.	
ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1.	
DISPLAY: IF R04_AP1047 = 1 AND R04_PIPE_USER_STATUS = 1, 2, DISPLAY "usually smoke".	
ELSE, IF R04_AP1047 = 1 AND R04_PIPE_USER_STATUS != 1, 2, DISPLAY "usually smoked".	
ELSE, IF R04_AP1047 = 2, -8, -7, DISPLAY "last smoked".	
UNDERLINE "name of the brand".	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_APR30
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked, go to R04_AP1048_BRAND. Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco, go to R04_AP1051. Else, go to Box R04_APD01.	
IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1945 = 1, GO TO R04_AP1048_BRAND. ELSE, IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1, GO TO R04_AP1051. ELSE, GO TO BOX R04_APD01.	

Variable(s):	R04_AP1048_BRAND
What brand of pipe tobacco [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked. ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1945 = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else"." IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "do" AND "usually". ELSE, IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R04_AP1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R04_AP1047 = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_APR22

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected "Something else" for their brand of pipe tobacco, go to R04_AP1049.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco, go to R04_AP1070_PRODUCT.

Else, go to Box R04_APR23.

IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1945 = 1 AND R04_AP1048_BRAND = 9995, GO TO R04_AP1049.

ELSE, IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1945 = 1 AND R04_AP1048_BRAND != 9995, -8, -7, GO TO R04_AP1070_PRODUCT.

ELSE, GO TO BOX R04_APR23.

Variable(s): R04_AP1049

You said that your brand was not listed. What is it?

_____	GO TO BOX R04_APR23
-8 DON'T KNOW	GO TO BOX R04_APR23
-7 REFUSED	GO TO BOX R04_APR23

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected "Something else" for their brand of pipe tobacco.

ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1945 = 1 AND R04_AP1048_BRAND = 9995.

Variable(s): R04_AP1070_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco.

ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1945 = 1 AND R04_AP1048_BRAND != 99995, -8, -7.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04_AP1048_BRAND.

IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R04_PIPE_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04_AP1048_BRAND.

BOX ID: R04_APR28

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco and selected "Something else" for their subbrand of pipe tobacco, go to R04_AP1071.

Else, go to Box R04_APR23.

IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1945 = 1 AND R04_AP1048_BRAND != 99995, -8, -7 AND R04_AP1070_PRODUCT = 99995, GO TO R04_AP1071.

ELSE, GO TO BOX R04_APR23.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AP1071**

You said that the type of [BRANDFILL]s that you [smoke/smoked] is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco and selected "Something else" for their subbrand of pipe tobacco.

ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1945 = 1 AND R04_AP1048_BRAND != 9995, -8, -7 AND R04_AP1070_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AP1048_BRAND.

IF R04_PIPE_USER_STATUS = 1, 2 AND R04_AP1047 = 1, DISPLAY "smoke".

ELSE, DISPLAY "smoked".

BOX ID: **R04_APR23**

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco, go to R04_AP1051.

Else, go to Box R04_APR25.

IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1, GO TO R04_AP1051.

ELSE, GO TO BOX R04_APR25.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AP1051_NN; R04_AP1051_UN	
About how long [did you smoke/have you been smoking] your regular brand of pipe tobacco?	
1	I ___ I ___ DAYS
2	I ___ I ___ MONTHS
3	I ___ I ___ YEARS
-8	DON'T KNOW GO TO BOX R04_APR25
-7	REFUSED GO TO BOX R04_APR25
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco.	
ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1.	
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "have you been smoking".	
ELSE, DISPLAY "did you smoke".	
PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.	
NOTES: The value "1" refers to R04_AP1051_UN = Days; the value "2" refers to R04_AP1051_UN = Months; the value "3" refers to R04_AP1051_UN = Years.	

CHECK ID: R04_AP1051_LC1	
The computer recorded that you [have been smoking/smoked] your regular brand of pipe tobacco for [R04_AP1051_NN] years. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1	BACK GO TO R04_AP1051
2	NEXT GO TO R04_AP1051_LC2
ASK: IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1 AND R04_AP1051_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AP1051_UN = 3.	
DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "have been smoking".	
ELSE, DISPLAY "smoked".	
PROGRAM: TRIGGER CHECK IF R04_AP1051_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AP1051_UN = 3.	
ELSE, GO TO R04_AP1051_LC2 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AP1051_LC2

The computer recorded "0" for how long you [have been smoking /smoked] your regular brand of pipe tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AP1051

2 NEXT

GO TO BOX R04_APR25

ASK: IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP1047 = 1 AND R04_AP1051_NN = 0.

DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AP1051_NN = 0.

ELSE, GO TO BOX R04_APR25 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_APR25

Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and subbrand of pipe tobacco, go to R04_AP0104.

Else, go to Box R04_APD01.

IF (R04_PIPE_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP0100 = 1, 2, 3, 4 AND R04_AP1945 = 1 AND R04_AP1048_BRAND != 9995, -8, -7 AND R04_AP1070_PRODUCT != 99990, 99995, -8, -7, GO TO R04_AP0104.

ELSE, GO TO BOX R04_APD01.

Variable(s): R04_AP0104
You said earlier that you last smoked a pipe [TIME OF LAST USE]. Think about the very last bowl of pipe tobacco you smoked. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and subbrand of pipe tobacco. ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_AP0100 = 1, 2, 3, 4 AND R04_AP1945 = 1 AND R04_AP1048_BRAND != 9995, -8, -7 AND R04_AP1070_PRODUCT != 99990, 99995, -8, -7. DISPLAY: IF R04_AP0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour". ELSE, IF R04_AP0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today". ELSE, IF R04_AP0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday". ELSE, IF R04_AP0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH RESPONSE TO R04_AP1070_PRODUCT.

BOX ID: R04_APD01
Randomize order of R04_AP1060 through R04_AP1064. Display question R04_AP1060, R04_AP1085, R04_AP1062, R04_AP1075, R04_AP1063, R04_AP1064 on one screen. Show the intro/transition text from R04_AP1060 first, then show each item with responses. As each item is answered, show the next one.

Variable(s): R04_AP1060

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "apply to you", "smoke", AND "is".
ELSE, DISPLAY "applied to you when you used to smoke pipes", "smoked", AND "was".

Variable(s): R04_AP1085

I [can/could] smoke pipes at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "can" AND "isn't".
ELSE, DISPLAY "could" AND "wasn't".

Variable(s): R04_AP1062
It might [be/have been] less harmful to me than smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers. ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1. DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "be". ELSE, DISPLAY "have been".

Variable(s): R04_AP1075
It might [be/have been] less harmful to people around me than smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers. ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1. DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "be". ELSE, DISPLAY "have been".

Variable(s): R04_AP1063
Pipe tobacco [comes/came] in flavors I [like/liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers. ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1. DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "comes" AND "like". ELSE, DISPLAY "came" AND "liked".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_APR26
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established, current experimental, or recent former established cigarette smokers, go to R04_AP1064. Else, go to R04_AP1139.	
IF R04_CIG_USER_STATUS = 1, 2, 4, GO TO R04_AP1064. ELSE, GO TO R04_AP1139.	

Variable(s):	R04_AP1064
Smoking a pipe helps people quit smoking cigarettes.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established, current experimental, or recent former established cigarette smokers.	
ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_CIG_USER_STATUS = 1, 2, 4.	

BOX ID:	R04_APR27
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established or recent former established cigarette smokers, go to R04_AP1080. Else, go to R04_AP1139.	
IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_CIG_USER_STATUS = 1, 4, GO TO R04_AP1080. ELSE, GO TO R04_AP1139.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AP1080**

[Do/Did] you smoke pipes filled with tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established or recent former established cigarette smokers.

ASK Specification: IF (R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1) AND R04_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "Do".

ELSE, DISPLAY "Did".

Variable(s): **R04_AP1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a pipe.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04_AP1139-1141 SERIES.

Variable(s): R04_AP1140

While smoking a pipe, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "feel".
ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R04_AP1139-1141 SERIES.

Variable(s): R04_AP1141

I [smoke/smoked] a pipe much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R04_PIPE_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R04_PIPE_USER_STATUS = 1, 2 DISPLAY "smoke" AND "am".
ELSE, DISPLAY "smoked" AND "was".

DISPLAY SCALE FOR THE R04_AP1139-1141 SERIES.

HOOKAH

BOX ID: R04_AHT02

The next questions are about smoking tobacco in a **hookah**, which is a type of water pipe. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe.

People smoke **shisha** or **hookah tobacco** in a hookah. Shisha comes in many different flavors. Some types of shisha contain tobacco and some do not.

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

BOLD "hookah", "shisha" AND "hookah tobacco".

Variable(s): R04_AH1090

Do you own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah.

ASK Specification: IF R04_EVER_NEVER_HOOK = 1.

BOX ID: R04_AHR13

Young adult respondents who have ever smoked hookah, go to R04_AH9041.

Else, go to Box R04_AHR04.

IF 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_HOOK = 1, GO TO R04_AH9041.

ELSE, GO TO BOX R04_AHR04.

Variable(s): R04_AH9041***

Does anyone else living in your home own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have ever smoked hookah.

ASK Specification: IF 18 <= R04R_A_AGE < 25 AND R04_EVER_NEVER_HOOK = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AHR04

New cohort adult respondents who have ever smoked hookah, go to R04_AH1006_RS.
 Else, continuing and aged-up adult respondents who have ever smoked hookah and had not smoked hookah 100 or more times as of their last completed interview, go to R04_AH1005.
 Else, go to Box R04_AHR09.

IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1, GO TO R04_AH1006_RS.
 ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_HOOK = 1 AND R03_NUMLIFE_HOOK != 1, GO TO R04_AH1005.
 ELSE, GO TO BOX R04_AHR09.

Variable(s): R04_AH1006_RS

How old were you the first time you smoked tobacco in a hookah, even one or two puffs?

I ___ I ___ I Years old

-8 DON'T KNOW GO TO R04_AH1120_RS

-7 REFUSED GO TO R04_AH1120_RS

ASK: New cohort adult respondents who have ever smoked hookah.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1.

PROGRAM: DISPLAY "Years old" AS A TITLE.

CHECK ID: R04_AH1006_RS_LC1

The computer recorded that you first smoked tobacco in a hookah at age [R04_AH1006_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AH1006_RS

2 NEXT GO TO R04_AH1006_RS_LC2

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1 AND R04_AH1006_RS != -8, -7 AND R04_AH1006_RS <= 10.

PROGRAM: TRIGGER CHECK IF R04_AH1006_RS <= 10.

ELSE, GO TO R04_AH1006_RS_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID:	R04_AH1006_RS_LC2						
The computer recorded that you first smoked tobacco in a hookah at age [R04_AH1006_RS]. That is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AH1006_RS</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO R04_AH1005</td> </tr> </table> ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1 AND R04_AH1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18. PROGRAM: TRIGGER CHECK IF R04_AH1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO R04_AH1005 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AH1006_RS	2	NEXT	GO TO R04_AH1005
1	BACK	GO TO R04_AH1006_RS					
2	NEXT	GO TO R04_AH1005					

Variable(s):	R04_AH1120_RS																
The first time you smoked tobacco in a hookah, even one or two puffs, were you... <table> <tr> <td>1</td> <td>Less than 18 years old,</td> </tr> <tr> <td>2</td> <td>18 to 24 years old,</td> </tr> <tr> <td>3</td> <td>25 to 34 years old,</td> </tr> <tr> <td>4</td> <td>35 to 44 years old,</td> </tr> <tr> <td>5</td> <td>45 to 54 years old, or</td> </tr> <tr> <td>6</td> <td>55 years old or older?</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: New cohort adult respondents who have ever smoked hookah and did not know or refused to report the age they first smoked hookah. ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1 AND R04_AH1006_RS = -8, -7.		1	Less than 18 years old,	2	18 to 24 years old,	3	25 to 34 years old,	4	35 to 44 years old,	5	45 to 54 years old, or	6	55 years old or older?	-8	DON'T KNOW	-7	REFUSED
1	Less than 18 years old,																
2	18 to 24 years old,																
3	25 to 34 years old,																
4	35 to 44 years old,																
5	45 to 54 years old, or																
6	55 years old or older?																
-8	DON'T KNOW																
-7	REFUSED																

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AH1005

How many times have you smoked tobacco in a hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked hookah and had not smoked hookah 100 or more times as of their last completed interview, or new cohort adult respondents who have ever smoked hookah.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_HOOK = 1 AND R03_NUMLIFE_HOOK != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1).

BOX ID: R04_AHR09

Continuing and aged-up adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked hookah, go to R04_AH1100.

Else, go to Box R04_AHR10.

IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1), GO TO R04_AH1100.
ELSE, GO TO BOX R04_AHR10.

Variable(s): R04_AH1100

Have you ever smoked tobacco in a hookah fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview, or new cohort adult respondents who have ever smoked hookah.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AHR10

Aged-up adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and have ever smoked hookah fairly regularly, or new cohort adult respondents who have ever smoked hookah and have ever smoked hookah fairly regularly, go to R04_AH1007_NB.

Else, go to Box R04_AHR01.

IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1 AND R04_AH1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1 AND R04_AH1100 = 1), GO TO R04_AH1007_NB.

ELSE, GO TO BOX R04_AHR01.

Variable(s): R04_AH1007_NB

How old were you when you first started smoking tobacco in a hookah fairly regularly?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R04_AH1121_NB

-7 REFUSED

GO TO R04_AH1121_NB

ASK: Aged-up adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and have ever smoked hookah fairly regularly, or new cohort adult respondents who have ever smoked hookah and have ever smoked hookah fairly regularly.

ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1 AND R04_AH1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1 AND R04_AH1100 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R04_AH1007_NB_LC1

The computer recorded that you started smoking tobacco in a hookah fairly regularly at age [R04_AH1007_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AH1007_NB

2 NEXT

GO TO R04_AH1007_NB_LC2

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1 AND R04_AH1100 = 1 AND R04_AH1007_NB != -8, -7 AND R04_AH1007_NB <= 12) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1 AND R04_AH1100 = 1 AND R04_AH1007_NB != -8, -7 AND R04_AH1007_NB <= 12).

PROGRAM: TRIGGER CHECK IF R04_AH1007_NB <= 12.

ELSE, GO TO R04_AH1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AH1007_NB_LC2

The computer recorded that you started smoking tobacco in a hookah fairly regularly at age [R04_AH1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AH1007_NB |
| 2 | NEXT | GO TO BOX R04_AHR01 |

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1 AND R04_AH1100 = 1 AND R04_AH1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1 AND R04_AH1100 = 1 AND R04_AH1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18).

PROGRAM: TRIGGER CHECK IF R04_AH1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_AHR01 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AH1121_NB

When you first started smoking tobacco in a hookah fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and have ever smoked hookah fairly regularly and did not know or refused to report the age they first started smoking hookah fairly regularly, or new cohort adult respondents who have ever smoked hookah and have ever smoked hookah fairly regularly and did not know or refused to report the age they first started smoking hookah fairly regularly.

ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1 AND R04_AH1100 = 1 AND R04_AH1007_NB = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1 AND R04_AH1100 = 1 AND R04_AH1007_NB = -8, -7).

BOX ID: R04_AHR01

New baseline adult respondents who now smoke hookah every day, go to R04_AH1020_NB. Else, go to Box R04_AHR11.

IF R04_ADULTTYPE = 2, 3 AND R04_AH1003 = 1, GO TO R04_AH1020_NB. ELSE, GO TO BOX R04_AHR11.

Variable(s): R04_AH1020_NB

How old were you when you first started smoking tobacco in a hookah every day?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R04_AH1122_NB

-7 REFUSED

GO TO R04_AH1122_NB

ASK: New baseline adult respondents who now smoke hookah every day.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AH1003 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R04_AH1020_NB_LC1

The computer recorded that you started smoking tobacco in a hookah every day at age [R04_AH1020_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AH1020_NB

2 NEXT

GO TO R04_AH1020_NB_LC2

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AH1003 = 1 AND R04_AH1020_NB != -8, -7 AND (R04_AH1020_NB <= 12 OR R04_AH1020_NB < R04_AH1007_NB).

PROGRAM: TRIGGER CHECK IF R04_AH1020_NB <= 12 OR R04_AH1020_NB < R04_AH1007_NB. ELSE, GO TO R04_AH1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AH1020_NB_LC2

The computer recorded that you started smoking tobacco in a hookah every day at age [R04_AH1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AH1020_NB

2 NEXT

GO TO BOX R04_AHR11

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AH1003 = 1 AND R04_AH1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AH1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_AHR11 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AH1122_NB
When you first started smoking tobacco in a hookah every day, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who now smoke hookah every day and did not know or refused to report the age they first started smoking tobacco in a hookah every day. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AH1003 = 1 AND R04_AH1020_NB = -8, -7.

BOX ID: R04_AHR11
Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, and new cohort adult respondents who have ever smoked hookah, go to R04_AH1008. Else, go to Box R04_AHR27. IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_HOOK_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1), GO TO R04_AH1008. ELSE, GO TO BOX R04_AHR27.

Variable(s): R04_AH1008
When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED GO TO BOX R04_AHR27 GO TO BOX R04_AHR27 GO TO BOX R04_AHR27 GO TO BOX R04_AHR27 ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, or new cohort adult respondents who have ever smoked hookah. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_HOOK_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1).

Variable(s):	SEE BELOW:
Which flavor did you first start smoking? Choose all that apply.	
R04_AH1011_01	1 Menthol or mint
R04_AH1011_02	2 Clove or spice
R04_AH1011_03	3 Fruit
R04_AH1011_04	4 Chocolate
R04_AH1011_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AH1011_06	6 Candy or other sweets
R04_AH1011_07; R04_AH1011_OS	7 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored, or new cohort adult respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored . ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_HOOK_ADULT = 1 AND R04_AH1008 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_HOOK = 1 AND R04_AH1008 = 1). DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard." PROGRAM: Allow respondent to choose all that apply.	

BOX ID:	R04_AHR27
Adult respondents who have ever smoked hookah and have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they smoke hookah every day, some days, or not at all, go to R04_AH9003. Else, go to Box R04_AHV01.	
IF R04_EVER_NEVER_HOOK = 1 AND (R04_AH1004 = 1 OR R04_AH1002_12M = 1) AND R04_AH1003 != 1, GO TO R04_AH9003. ELSE, GO TO BOX R04_AHV01.	

Variable(s): R04_AH9003

Which of the following choices best describes your hookah smoking? Usually I smoke tobacco in a hookah...

- 1 Every day
- 2 Weekly
- 3 Monthly
- 4 Every couple of months
- 5 About once a year
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah and have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they smoke hookah every day, some days, or not at all.

ASK Specification: IF R04_EVER_NEVER_HOOK = 1 AND (R04_AH1004 = 1 OR R04_AH1002_12M = 1) AND R04_AH1003 != 1.

PROGRAM: DISPLAY RESPONSE OPTION 1 ONLY IF R04_AH1003 = -8, -7

BOX ID: R04_AHV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R04_HOOK_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked hookah fairly regularly, and currently smoke monthly or more frequently.

R04_HOOK_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked hookah fairly regularly, and currently smoke hookah every day, some days, weekly, monthly or in the past 30 days.

R04_HOOK_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a hookah and have never smoked fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R04_HOOK_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental hookah smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever smoked hookah as of their last completed interview, have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, have ever smoked fairly regularly, have smoked in the past 12 months and currently smoke not at all; and new cohort adult respondents who have ever smoked hookah fairly regularly, have smoked in the past 12 months and currently smoke not at all.

R04_HOOK_USER_STATUS = 5 (Long-term former established user) Continuing and aged-up adult respondents who were new former established or still former established hookah smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all, and new cohort adult respondents who have ever smoked hookah fairly regularly and have not smoked in the past 12 months.

R04_THIRTY_DAY_USER_HOOK = 1 (Past 30 day user) Adult respondents who have smoked hookah in the past 30 days.

R04_HOOK_USER_STATUS = 1:

IF (R03_REGUSE_HOOK = 1 OR R04_AH1100 = 1) AND (R04_AH1003 = 1, 2 OR R04_AH9003 = 1, 2, 3), THEN R04_HOOK_USER_STATUS = 1.

R04_HOOK_USER_STATUS = 2:

ELSE, IF R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1 AND R04_AH1100 != 1 AND (R04_AH1003 = 1, 2 OR R04_AH9003 = 1, 2, 3 OR (1 <= R04_AH1009_NN <= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2) OR R04_AH1004 = 1), THEN R04_HOOK_USER_STATUS = 2.

R04_HOOK_USER_STATUS = 3:

ELSE, IF R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3) AND R04_AH1100 != 1 AND R03_REGUSE_HOOK != 1, THEN R04_HOOK_USER_STATUS = 3.

R04_HOOK_USER_STATUS = 4:

ELSE, IF (R03_HOOK_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_HOOK_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_HOOK = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AH1009_NN <= 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN <= 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN <= 1 AND R04_AH1009_UN = 3)))) AND (R03_REGUSE_HOOK = 1 OR R04_AH1100 = 1) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 4.

R04_HOOK_USER_STATUS = 5:

ELSE, IF (R03_HOOK_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AH1100 = 1 AND ((R04_AH1009_NN > 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN > 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN > 1 AND R04_AH1009_UN = 3)))) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 5.

R04_THIRTY_DAY_USER_HOOK:

IF R04_EVER_NEVER_HOOK = 1 AND (((1 <= R04_AH1009_NN <= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2)) OR R04_AH1004 = 1), THEN R04_THIRTY_DAY_USER_HOOK = 1.

ELSE, R04_THIRTY_DAY_USER_HOOK = 2.

BOX ID: R04_AHR50

New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established hookah smokers, go to R04_AH1025_RS. Else, go to Box R04_AHR24.

IF R04_ADULTTYPE = 3 AND R04_HOOK_USER_STATUS = 1, 2, 3, 4, 5, GO TO R04_AH1025_RS. ELSE, GO TO BOX R04_AHR24.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AH1025_RS
Around this time 12 months ago, were you smoking tobacco in a hookah every day, some days, or not at all? 1 Every day 2 Some days 3 Not at all -8 DON'T KNOW -7 REFUSED ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established hookah smokers. ASK Specification: IF R04_ADULTTYPE = 3 AND R04_HOOK_USER_STATUS = 1, 2, 3, 4, 5.	

BOX ID:	R04_AHR24
Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers, go to R04_AH9011. Else, go to Box R04_AHV03. IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1, GO TO R04_AH9011. ELSE, GO TO BOX R04_AHV03.	

Variable(s):	SEE BELOW:
Where [do/did] you usually smoke hookah? Choose all that apply. R04_AH9011_01 1 In your home R04_AH9011_02 2 In someone else's home R04_AH9011_03 3 In a hookah bar or hookah café R04_AH9011_04 4 In a dance club or lounge R04_AH9011_05; 5 Somewhere else (SPECIFY) R04_AH9011_OS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers. ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1. DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do". ELSE, DISPLAY "did". IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard." PROGRAM: Allow respondent to choose all that apply.	

Variable(s): R04_AH9012	
[Do/Did] you usually share a hookah with others when you [smoke/smoked]?	
1 Yes	
2 No	GO TO R04_AH9014
-8 DON'T KNOW	GO TO R04_AH9014
-7 REFUSED	GO TO R04_AH9014
ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.	
ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.	
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do" AND "smoke".	
ELSE, DISPLAY "Did" AND "smoked".	

Variable(s): R04_AH9013	
How many people [do/did] you usually share a hookah with?	
1 1 other person	
2 2 other people	
3 3 other people	
4 4 or more other people	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and usually share a hookah with others.	
ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH9012 = 1.	
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do".	
ELSE, DISPLAY "did".	

Variable(s): R04_AH9014

On average, how long [is/was] one hookah session for you[and the people you share/d it with]?

- 1 Less than 30 minutes
- 2 More than 30 minutes up to 1 hour
- 3 1 to 2 hours
- 4 More than 2 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH9012 = 1, DISPLAY "is" AND " and the people you share it with".

ELSE, IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH9012 != 1, DO NOT DISPLAY " and the people you share it with".

ELSE, IF R04_HOOK_USER_STATUS = 4 AND R04_AH9012 = 1, DISPLAY "was" AND " and the people you shared it with".

ELSE, IF R04_HOOK_USER_STATUS = 4 AND R04_AH9012 != 1, DO NOT DISPLAY " and the people you shared it with".

Variable(s): R04_AH9015

On average, when you [smoke/smoked/share a/shared a] hookah, how many times [is/was] the hookah refilled with tobacco during a session?

- 1 0 times
- 2 1 time
- 3 2 to 3 times
- 4 4 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH9012 = 1, DISPLAY "share a" AND "is".

ELSE, IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH9012 = 2, DISPLAY "smoke" AND "is".

ELSE, IF R04_HOOK_USER_STATUS = 4 AND R04_AH9012 = 1, DISPLAY "shared a" AND "was".

ELSE, IF R04_HOOK_USER_STATUS = 4 AND R04_AH9012 = 2, DISPLAY "smoked" AND "was".

Variable(s): **R04_AH9016**

How often [do/did] you personally set up the hookah?

- 1 Every time
- 2 Most of the time
- 3 Some of the time
- 4 Rarely
- 5 Never, someone else always [set/sets] it up for me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2, OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do" AND "sets".

ELSE, DISPLAY "did" AND "set".

Variable(s): **R04_AH9043**

When you [smoke/smoked] hookah, [did/does] your shisha usually contain tobacco?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1 DISPLAY "smoke" AND "does".

ELSE, IF R04_HOOK_USER_STATUS = 4, DISPLAY "smoked" AND "did".

Variable(s):	R04_AH9042
Have you ever used another liquid besides water in the bowl of the hookah?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.	
ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.	

BOX ID:	R04_AHV03
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):	
R04_CURRENT_HOOK_USE = 1 (Every day established user) Adult respondents who have ever smoked a hookah fairly regularly, and currently smoke every day. R04_CURRENT_HOOK_USE = 2 (Some day established user) Adult respondents who have ever smoked a hookah fairly regularly, and currently smoke some days.	
R04_CURRENT_HOOK_USE = 1: IF R04_HOOK_USER_STATUS = 1 AND (R04_AH1003 = 1 OR R04_AH9003 = 1), THEN R04_CURRENT_HOOK_USE = 1. R04_CURRENT_HOOK_USE = 2: ELSE, IF R04_HOOK_USER_STATUS = 1 AND (R04_AH1003 = 2 OR R04_AH9003 = 2, 3) THEN R04_CURRENT_HOOK_USE = 2.	

BOX ID:	R04_AHR12
Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah monthly, go to R04_AH9004. Else, adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah weekly, go to R04_AH9005. Else, adult respondents who are every day established hookah smokers or smoke hookah every day, go to R04_AH9006. Else, go to Box R04_AHR25.	
IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1) AND R04_AH1003 != 1 AND R04_AH9003 = 3, GO TO R04_AH9004. ELSE, IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1) AND R04_AH1003 != 1 AND R04_AH9003 = 2, GO TO R04_AH9005. ELSE, IF R04_CURRENT_HOOK_USE = 1 OR R04_AH1003 = 1 OR R04_AH9003 = 1, GO TO R04_AH9006. ELSE, GO TO BOX R04_AHR25.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AH9004**

On average, about how many times do you smoke hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

|||

-8 DON'T KNOW

GO TO BOX R04_AHR25

-7 REFUSED

GO TO BOX R04_AHR25

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah monthly.

ASK Specification: IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1) AND R04_AH1003 != 1 AND R04_AH9003 = 3.

PROGRAM: Allow 3 digits.

CHECK ID: **R04_AH9004_LC1**

The computer recorded that, on average, you smoke tobacco in a hookah [R04_AH9004] times in a month. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AH9004

2 NEXT

GO TO BOX R04_AHR25

ASK: IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1) AND R04_AH1003 != 1 AND R04_AH9003 = 3 AND R04_AH9004 > 100.

PROGRAM: TRIGGER CHECK IF R04_AH9004 > 100.

ELSE, GO TO BOX R04_AHR25 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R04_AH9005**

On average, about how many times do you smoke hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

|||

-8 DON'T KNOW

GO TO BOX R04_AHR25

-7 REFUSED

GO TO BOX R04_AHR25

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah weekly.

ASK Specification: IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1) AND R04_AH1003 != 1 AND R04_AH9003 = 2.

PROGRAM: Allow 2 digits.

CHECK ID: R04_AH9005_LC1

The computer recorded that, on average, you smoke tobacco in a hookah [R04_AH9005] times in a week. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AH9005 |
| 2 | NEXT | GO TO BOX R04_AHR25 |

ASK: IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1) AND R04_AH1003 != 1 AND R04_AH9003 = 2 AND R04_AH9005 > 15.

PROGRAM: TRIGGER CHECK IF R04_AH9005 > 15.

ELSE, GO TO BOX R04_AHR25 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AH9006

On average, about how many times do you smoke hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

|_|_|_|

- | | | |
|----|------------|---------------------|
| -8 | DON'T KNOW | GO TO BOX R04_AHR25 |
| -7 | REFUSED | GO TO BOX R04_AHR25 |

ASK: Adult respondents who are every day established hookah smokers or smoke hookah every day.

ASK Specification: IF R04_CURRENT_HOOK_USE = 1 OR R04_AH1003 = 1 OR R04_AH9003 = 1.

PROGRAM: Allow 2 digits

CHECK ID: R04_AH9006_LC1

The computer recorded that, on average, you smoke tobacco in a hookah [R04_AH9006] times each day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AH9006 |
| 2 | NEXT | GO TO BOX R04_AHR25 |

ASK: IF (R04_CURRENT_HOOK_USE = 1 OR R04_AH1003 = 1 OR R04_AH9003 = 1) AND R04_AH9006 > 2.

PROGRAM: TRIGGER CHECK IF R04_AH9006 > 2.

ELSE, GO TO BOX R04_AHR25 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AHR25
Adult respondents who are current established, current experimental, or past 30-day hookah smokers, go to R04_AH1024. Else, go to Box R04_AHR02.	
IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, GO TO R04_AH1024. ELSE, GO TO BOX R04_AHR02.	

Variable(s):	R04_AH1024	
[On the days that you smoke hookah, what/What] time of day do you typically take your first puff of tobacco from a hookah?		
1	After 6 AM but before noon	GO TO BOX R04_AHR02
2	Between noon and 6 PM	GO TO BOX R04_AHR02
3	After 6 PM but before midnight	GO TO BOX R04_AHR02
4	Between midnight and 6 AM	GO TO BOX R04_AHR02
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers.		
ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1.		
DISPLAY: IF R04_CURRENT_HOOK_USE = 1, DISPLAY "What".		
ELSE, DISPLAY "On the days that you smoke hookah, what".		

Variable(s):	R04_AH1092
[On the days that you smoke hookah, would/Would] you say you typically take your first puff of tobacco from a hookah within the first 30 minutes after you wake up?	
1	Yes
2	No
3	It varies
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and did not know or refused to report what time of day they smoke hookah.	
ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1024 = -8, -7.	
DISPLAY: IF R04_CURRENT_HOOK_USE = 1, DISPLAY "Would".	
ELSE, DISPLAY "On the days that you smoke hookah, would".	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AHR02
Adult respondents who are past 30-day hookah smokers, go to R04_AH0100. Else, go to Box R04_AHR23.	
IF R04_THIRTY_DAY_USER_HOOK = 1, GO TO R04_AH0100. ELSE, GO TO BOX R04_AHR23.	

Variable(s):	R04_AH0100
When did you last smoke tobacco in a hookah?	
1 In the past hour	GO TO R04_AH0103
2 Sometime today	
3 Yesterday	
4 Day before yesterday	
5 Three or more days ago	GO TO R04_AH1130
-8 DON'T KNOW	GO TO R04_AH1130
-7 REFUSED	GO TO R04_AH1130
ASK: Adult respondents who are past 30 day hookah smokers.	
ASK Specification: IF R04_THIRTY_DAY_USER_HOOK = 1.	

Variable(s):	R04_AH0102
When you last smoked tobacco in a hookah [FILL BASED ON R04_AH0100], was it...	
1 Between midnight and 6AM	
2 After 6AM but before noon	
3 Between noon and 6PM	
4 After 6PM but before midnight	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who are past 30-day hookah smokers and last smoked hookah sometime today, yesterday or the day before yesterday.	
ASK Specification: IF R04_THIRTY_DAY_USER_HOOK = 1 AND R04_AH0100 = 2, 3, 4.	
DISPLAY: FOR [FILL BASED ON R04_AH0100]:	
IF R04_AH0100 = 2, DISPLAY "today".	
ELSE, IF R04_AH0100 = 3, DISPLAY "yesterday".	
ELSE, IF R04_AH0100 = 4, DISPLAY "the day before yesterday".	

Variable(s): R04_AH0103

How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R04_AH0100]?

|_|_|_|

-8 DON'T KNOW

GO TO R04_AH1130

-7 REFUSED

GO TO R04_AH1130

ASK: Adult respondents who are past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04_THIRTY_DAY_USER_HOOK = 1 AND R04_AH0100 = 1, 2, 3, 4.

DISPLAY: IF R04_AH0100 = 1, 2, DISPLAY "have" AND "taken".

ELSE, IF R04_AH0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R04_AH0100]:

IF R04_AH0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AH0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AH0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits.

CHECK ID: R04_AH0103_LC1

The computer recorded that you took [R04_AH0103] puffs from a hookah [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AH0103

2 NEXT

GO TO R04_AH1130

ASK: IF R04_THIRTY_DAY_USER_HOOK = 1 AND R04_AH0100 = 1, 2, 3, 4 AND (R04_AH0103 > 50 OR R04_AH0103 = 11, 22, 33, 44).

DISPLAY: IF R04_AH0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AH0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AH0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AH0103 > 50 OR R04_AH0103 = 11, 22, 33, 44.

ELSE, GO TO R04_AH1130 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AH1130**

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R04_AHR23 |
| 3 | I don't know | GO TO BOX R04_AHR23 |
| -8 | DON'T KNOW | GO TO BOX R04_AHR23 |
| -7 | REFUSED | GO TO BOX R04_AHR23 |

ASK: Adult respondents who are past 30-day hookah smokers.

ASK Specification: IF R04_THIRTY_DAY_USER_HOOK = 1.

Variable(s): **SEE BELOW:**

Which flavors have you smoked in the past 30 days? Choose all that apply.

- | | | |
|---|----|---|
| R04_AH1131_01 | 1 | Menthol or mint |
| R04_AH1131_02 | 2 | Clove or spice |
| R04_AH1131_03 | 3 | Fruit |
| R04_AH1131_04 | 4 | Chocolate |
| R04_AH1131_05 | 5 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R04_AH1131_06 | 6 | Candy or other sweets |
| R04_AH1131_07;
R04_AH1131_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04_THIRTY_DAY_USER_HOOK = 1 AND R04_AH1130 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

Variable(s):	R04_AH1147
On the days you smoked shisha or hookah tobacco in the past 30 days, how often did you smoke <u>flavored</u> shisha or hookah tobacco? 1 All of the time 2 Most of the time 3 Sometimes 4 Rarely 5 Never -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days. ASK Specification: IF R04_THIRTY_DAY_USER_HOOK = 1 AND R04_AH1130 = 1. DISPLAY: UNDERLINE "flavored".	

BOX ID:	R04_AHR23
Adult respondents who are current established, current experimental, or past 30-day hookah smokers, go to R04_AH1030. Else, adult respondents who are recent former established hookah smokers, go to R04_AH1047. Else, go to Box R04_AHR19.	
IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, GO TO R04_AH1030. ELSE, IF R04_HOOK_USER_STATUS = 4, GO TO R04_AH1047. ELSE, GO TO BOX R04_AHR19.	

Variable(s): **R04_AH1030**

The next questions ask about your experience buying shisha or hookah tobacco.

How do you usually buy shisha or hookah tobacco for yourself?

- | | | |
|----|--|------------------|
| 1 | In person (such as at a store or hookah bar) | |
| 2 | From the internet | GO TO R04_AH1047 |
| 3 | By telephone | GO TO R04_AH1047 |
| 4 | I do not buy my own shisha or hookah tobacco | GO TO R04_AH1047 |
| -8 | DON'T KNOW | GO TO R04_AH1047 |
| -7 | REFUSED | GO TO R04_AH1047 |

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1.

Variable(s): **R04_AH1032**

Do you usually buy shisha or hookah tobacco...?

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person.

ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1030 = 1.

Variable(s):	R04_AH1033; R04_AH1033_OS
Where do you buy your shisha or hookah tobacco most of the time?	
1 A hookah bar or cafe 2 A convenience store or gas station 3 A supermarket, grocery store, or drug store 4 A warehouse club, such as Sam's or Costco 5 A smoke shop, tobacco specialty store or tobacco outlet store 6 A duty free shop or military commissary 7 A bar, pub, restaurant or casino 8 A friend or relative 9 A swap meet or flea market 10 A liquor store 11 Or from somewhere else (SPECIFY) -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person.	
ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1030 = 1.	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

Variable(s):	R04_AH1047
[Do/Did] you have a regular brand of shisha or hookah tobacco that you usually [smoke/smoked]?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.	
ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.	
DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do" AND "smoke".	
ELSE, DISPLAY "Did" AND "smoked".	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AH1050**

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AH1945 |
| 3 | I don't know | GO TO R04_AH1945 |
| -8 | DON'T KNOW | GO TO R04_AH1945 |
| -7 | REFUSED | GO TO R04_AH1945 |

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Is", "your regular brand" AND "smoke".

ELSE, IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".

ELSE, IF (R04_HOOK_USER_STATUS = 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "Was", "your regular brand" AND "smoked".

ELSE, IF (R04_HOOK_USER_STATUS = 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".

Variable(s):	SEE BELOW:
Which flavor [is/was] it? Choose all that apply.	
R04_AH1012_01	1 Menthol or mint
R04_AH1012_02	2 Clove or spice
R04_AH1012_03	3 Fruit
R04_AH1012_04	4 Chocolate
R04_AH1012_05	5 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AH1012_06	6 Candy or other sweets
R04_AH1012_07; R04_AH1012_OS	7 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.	
ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1050 = 1.	
DISPLAY: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "is".	
ELSE, DISPLAY "was".	
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondents to choose all that apply.	

Variable(s):	R04_AH1945
Do you know the <u>name of the brand</u> of shisha or hookah tobacco you [usually smoke/usually smoked/last smoked]?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.	
ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.	
DISPLAY: IF R04_AH1047 = 1 AND R04_HOOK_USER_STATUS = 1, 2, DISPLAY "usually smoke".	
ELSE, IF R04_AH1047 = 1 AND R04_HOOK_USER_STATUS != 1, 2, DISPLAY "usually smoked".	
ELSE, IF R04_AH1047 = 2, -8, -7, DISPLAY "last smoked".	
UNDERLINE "name of the brand".	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AHR26
Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, go to R04_AH1048_BRAND. Else, adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and have a regular brand of shisha or hookah tobacco, go to R04_AH1051. Else, go to Box R04_AHD01.	
IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1945 = 1, GO TO R04_AH1048_BRAND. ELSE, IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, GO TO R04_AH1051. ELSE, GO TO BOX R04_AHD01.	

Variable(s):	R04_AH1048_BRAND
What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"/If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked. ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1945 = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else". IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "do" AND "usually". ELSE, IF ((R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF R04_AH1047 = 1, DISPLAY "did" AND "usually". ELSE, IF R04_AH1047 = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.	

BOX ID: R04_AHR17

Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected "Something else" for their brand of shisha or hookah tobacco, go to R04_AH1049.

Else, adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco, go to R04_AH1070_PRODUCT.

Else, go to Box R04_AHR22.

IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1945 = 1 AND R04_AH1048_BRAND = 9995, GO TO R04_AH1049.

ELSE, IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1945 = 1 AND R04_AH1048_BRAND != 9995, -8, -7, GO TO R04_AH1070_PRODUCT.

ELSE, GO TO BOX R04_AHR22.

Variable(s): R04_AH1049

You said that your brand was not listed. What is it?

_____	GO TO BOX R04_AHR20
-8 DON'T KNOW	GO TO BOX R04_AHR20
-7 REFUSED	GO TO BOX R04_AHR20

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected "Something else" for their brand of shisha or hookah tobacco.

ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1945 = 1 AND R04_AH1048_BRAND = 9995.

Variable(s): R04_AH1070_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1945 = 1 AND R04_AH1048_BRAND != 9995, -8, -7.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else".

FILL BRANDFILL WITH BRAND CHOSEN IN R04_AH1048_BRAND.

IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF R04_AH1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF R04_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

BOX ID: R04_AHR18

Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco and selected "Something else" for their subbrand of shisha or hookah tobacco, go to R04_AH1071.

Else, go to Box R04_AHR20.

IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1945 = 1 AND R04_AH1048_BRAND != 9995, -8, -7 AND R04_AH1070_PRODUCT = 99995, GO TO R04_AH1071.

ELSE, GO TO BOX R04_AHR20.

Variable(s): R04_AH1071

You said that the type of [BRANDFILL]s that you [smoke/smoked] is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco and selected "Something else" for their subbrand of shisha or hookah tobacco.

ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1945 = 1 AND R04_AH1048_BRAND != 9995, -8, -7 AND R04_AH1070_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AH1048_BRAND.

IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, DISPLAY "smoke".

ELSE, DISPLAY "smoked".

BOX ID: R04_AHR20

Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is, go to R04_AH9108.

Else, go to Box R04_AHR22.

IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1945 = 1 AND (R04_AH1048_BRAND != 9995, -8, -7 OR (R04_AH1048_BRAND = 9995 AND R04_AH1049 != -8, -7)), GO TO R04_AH9108.

ELSE, GO TO BOX R04_AHR22.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AH9108
Does this brand of shisha contain tobacco?	
1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is. ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1945 = 1 AND (R04_AH1048_BRAND != 9995, -8, -7 OR (R04_AH1048_BRAND = 9995 AND R04_AH1049 != -1, -8, -7)).	

BOX ID:	R04_AHR22
Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and have a regular brand of shisha or hookah tobacco, go to R04_AH1051. Else, go to Box R04_AHR19.	
IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1, GO TO R04_AH1051. ELSE, GO TO BOX R04_AHR19.	

Variable(s): R04_AH1051_NN; R04_AH1051_UN

About how long [did you smoke/have you been smoking] your regular brand of shisha or hookah tobacco?

1 I__I__I DAYS

2 I__I__I MONTHS

3 I__I__I YEARS

-8 DON'T KNOW

GO TO BOX R04_AHR19

-7 REFUSED

GO TO BOX R04_AHR19

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and have a regular brand of shisha or hookah tobacco.

ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.

NOTES: The value "1" refers R04_AH1051_UN = Days; the value "2" refers to R04_AH1051_UN = Months; the value "3" refers to R04_AH1051_UN = Years.

CHECK ID: R04_AH1051_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of shisha or hookah tobacco for [R04_AH1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AH1051

2 NEXT

GO TO R04_AH1051_LC2

ASK: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1 AND R04_AH1051_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AH1051_UN = 3.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "have been smoking".

ELSE, IF R04_HOOK_USER_STATUS = 4, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AH1051_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AH1051_UN = 3.

ELSE, GO TO R04_AH1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AH1051_LC2

The computer recorded "0" for how long you [have been smoking/ smoked] your regular brand of shisha or hookah tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AH1051

2 NEXT GO TO BOX R04_AHR19

ASK: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH1047 = 1 AND R04_AH1051_NN = 0.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "have been smoking".

ELSE, IF R04_HOOK_USER_STATUS = 4, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R04_AH1051_NN = 0.

ELSE, GO TO BOX R04_AHR19 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_AHR19

Adult respondents who are current established, current experimental, or past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and subbrand of shisha or hookah tobacco, go to R04_AH0104.

Else, adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers, go to Box R04_AHD01.

Else, go to the next section.

IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH0100 = 1, 2, 3, 4 AND R04_AH1945 = 1 AND R04_AH1048_BRAND != 9995, -8, -7 AND R04_AH1070_PRODUCT != 99990, 99995, -8, -7, GO TO R04_AH0104.

ELSE, IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1, GO TO BOX R04_AHD01.

ELSE, GO TO THE NEXT SECTION (see note in Box R04_AMD07).

Variable(s): R04_AH0104**

You said earlier that you last smoked hookah [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and subbrand of shisha or hookah tobacco.

ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_AH0100 = 1, 2, 3, 4 AND R04_AH1945 = 1 AND R04_AH1048_BRAND != 9995, -8, -7 AND R04_AH1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R04_AH0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R04_AH0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R04_AH0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R04_AH0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R04_AH1070_PRODUCT.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who selected Starbuzz as the brand of shisha or hookah tobacco they usually smoke

(R04_AH1048_BRAND = 1198) and Starbuzz Blue Mist or Starbuzz Double Apple as the kind of Starbuzz they usually smoke (R04_AH1070_PRODUCT = 11619 or 11637). This issue was fixed in a field update on 05/02/2017.

BOX ID: R04_AHD01

Randomize order of R04_AH1060 through R04_AH1073.

Display question R04_AH1060, R04_AH1085, R04_AH1062, R04_AH1075, R04_AH1063, R04_AH1064, R04_AH1073 on one screen. Show the intro/transition text from R04_AH1060 first, then show each item with responses. As each item is answered, show the next one.

Variable(s): R04_AH1060

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "apply to you", "smoke" AND "is".

ELSE, DISPLAY "applied to you when you used to smoke hookah", "smoked" AND "was".

Variable(s): R04_AH1085

I [can/could] smoke hookah at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

Variable(s): R04_AH1062

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "be".

ELSE, DISPLAY "have been".

Variable(s): R04_AH1075

It might [be/have been] less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "be".

ELSE, DISPLAY "have been".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AH1063
Shisha or hookah tobacco [comes/came] in flavors I [like/liked]. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers. ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1. DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "comes" AND "like". ELSE, DISPLAY "came" AND "liked".	

BOX ID:	R04_AHR15
Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers, go to R04_AH1064. Else, go to R04_AH1073. IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_CIG_USER_STATUS = 1, 2, 4, GO TO R04_AH1064. ELSE, GO TO R04_AH1073.	

Variable(s):	R04_AH1064
Smoking hookah helps people quit smoking cigarettes. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers. ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_CIG_USER_STATUS = 1, 2, 4.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AH1073
Smoking hookah is part of my cultural tradition. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers. ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

BOX ID: R04_AHR16
Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers, go to R04_AH1080. Else, go to R04_AH1139.
IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_CIG_USER_STATUS = 1, 2, 4, GO TO R04_AH1080. ELSE, GO TO R04_AH1139.

Variable(s): R04_AH1080
[Do/Did] you smoke hookah as a way of cutting down on your cigarette smoking? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers. ASK Specification: IF (R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1) AND R04_CIG_USER_STATUS = 1, 2, 4. DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do". ELSE, DISPLAY "Did".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AH1139

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking hookah.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04_AH1139-1141 SERIES.

Variable(s): R04_AH1140

While smoking hookah, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "feel".

ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R04_AH1139-1141 SERIES.

Variable(s): **R04_AH1141**

I [smoke/smoked] hookah much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2, 4 OR R04_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R04_HOOK_USER_STATUS = 1, 2 OR R04_THIRTY_DAY_USER_HOOK = 1, DISPLAY "smoke" AND "am".

ELSE, DISPLAY "smoked" AND "was".

DISPLAY SCALE FOR THE R04_AH1139-1141 SERIES.

SNUS

BOX ID:	R04_AUR08
Continuing and aged-up adult respondents who were new former established or still former established snus users and had used snus 100 or more times and had used fairly regularly as of their last completed interview, and have not used snus in the past 12 months or now use snus not at all, go to Box R04_AUV02.	
Else, continue with Box R04_AUT02.	
IF R04_ADULTTYPE = 1, 2 AND R03_SNUS_USER_STATUS = 4, 5 AND R03_NUMLIFE_SNUS = 1 AND R03_REGUSE_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3), GO TO BOX R04_AUV02.	
ELSE, GO TO BOX R04_AUT02.	

BOX ID:	R04_AUT02
IF RESPONDENT ONLY USES SNUS (R04_EVER_NEVER_SNUS = 1 AND R04_EVER_NEVER_SMKLS = 2), DISPLAY THE FOLLOWING TRANSITION TEXT:	
The next questions ask about snus , a type of smokeless tobacco that comes loose or in a small pouch that you put under your lip. You do not have to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus and General Snus.	
Please think about your use of snus as you answer these questions.	
[SHOW GENERIC IMAGE OF SNUS BOTH LOOSE AND POUCHES]	
IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R04_EVER_NEVER_SNUS = 1 AND R04_EVER_NEVER_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:	
The next questions ask about snus , a type of smokeless tobacco that comes loose or in a small pouch that you put under your lip. You do not have to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus and General Snus.	
Please think about your use of snus as you answer these questions. There will be a separate section later about other types of smokeless tobacco products.	
[SHOW GENERIC IMAGE OF SNUS BOTH LOOSE AND POUCHES]	
BOLD "snus".	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AUR07

New cohort adult respondents who have ever used snus, go to R04_AU1006_RS.
 Else, continuing and aged-up adult respondents who have ever used snus and had not used snus 100 or more times as of their last completed interview, go to R04_AU1005.
 Else, continuing and aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview, go to R04_AU1100.
 Else, go to Box R04_AUV02.

IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1, GO TO R04_AU1006_RS.
 ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SNUS = 1 AND R03_NUMLIFE_SNUS != 1, GO TO R04_AU1005.
 ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1, GO TO R04_AU1100.
 ELSE, GO TO BOX R04_AUV02.

Variable(s): R04_AU1006_RS

How old were you when you first used snus, even one or two times?

I__I__I Years old

-8 DON'T KNOW GO TO R04_AU1120_RS
 -7 REFUSED GO TO R04_AU1120_RS

ASK: New cohort adult respondents who have ever used snus.
 ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1.
 PROGRAM: DISPLAY "Years old" AS A TITLE.

CHECK ID: R04_AU1006_RS_LC1

The computer recorded that you first used snus at age [R04_AU1006_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AU1006_RS
 2 NEXT GO TO R04_AU1006_RS_LC2

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1 AND R04_AU1006_RS != -8, -7 AND R04_AU1006_RS <= 10.
 PROGRAM: TRIGGER CHECK IF R04_AU1006_RS <= 10.
 ELSE, GO TO R04_AU1006_RS_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AU1006_RS_LC2

The computer recorded that you first used snus at age [R04_AU1006_RS]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AU1006_RS

2 NEXT GO TO R04_AU1005

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1 AND R04_AU1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AU1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AU1005 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AU1120_RS

When you first used snus, even one or two times, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New cohort adult respondents who have ever used snus and did not know or refused to report the age they first tried snus.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1 AND R04_AU1006_RS = -8, -7.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AU1005**

How many times have you used snus in your entire life?

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used snus and had not used snus 100 or more times as of their last completed interview, or new cohort adult respondents who have ever used snus.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SNUS = 1 AND R03_NUMLIFE_SNUS != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1).

BOX ID: **R04_AUR10**

Continuing and aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used snus, go to R04_AU1100.

Else, go to Box R04_AUV02.

IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1), GO TO R04_AU1100.
ELSE, GO TO BOX R04_AUV02.

Variable(s): **R04_AU1100**

Have you ever used snus fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used snus.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AUR11

New baseline adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and have ever used snus fairly regularly, go to R04_AU1007_NB.

Else, go to Box R04_AUV02.

IF R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_SNUS = 1 AND R04_AU1100 = 1, GO TO R04_AU1007_NB.

ELSE, GO TO BOX R04_AUV02.

Variable(s): R04_AU1007_NB

How old were you when you first started using snus fairly regularly?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R04_AU1121_NB

-7 REFUSED

GO TO R04_AU1121_NB

ASK: Aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and have ever used snus fairly regularly, or new cohort adult respondents who have ever used snus and have ever used snus fairly regularly.

ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1 AND R04_AU1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1 AND R04_AU1100 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R04_AU1007_NB_LC1

The computer recorded that you started using snus fairly regularly at age [R04_AU1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AU1007_NB

2 NEXT

GO TO R04_AU1007_NB_LC2

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1 AND R04_AU1100 = 1 AND R04_AU1007_NB != -8, -7 AND R04_AU1007_NB <= 8) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1 AND R04_AU1100 = 1 AND R04_AU1007_NB != -8, -7 AND R04_AU1007_NB <= 8).

PROGRAM: TRIGGER CHECK IF R04_AU1007_NB <= 8.

ELSE, GO TO R04_AU1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AU1007_NB_LC2

The computer recorded that you started using snus fairly regularly at age [R04_AU1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AU1007_NB |
| 2 | NEXT | GO TO BOX R04_AUV02 |

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1 AND R04_AU1100 = 1 AND R04_AU1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1 AND R04_AU1100 = 1 AND R04_AU1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18).

PROGRAM: TRIGGER CHECK IF R04_AU1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_AUV02 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AU1121_NB

When you first started using snus fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and have ever used snus fairly regularly and did not know or refused to report the age they first started using snus fairly regularly, or new cohort adult respondents who have ever used snus and have ever used snus fairly regularly and did not know or refused to report the age they first started using snus fairly regularly .

ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1 AND R04_AU1100 = 1 AND R04_AU1007_NB = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1 AND R04_AU1100 = 1 AND R04_AU1007_NB = -8, -7).

BOX ID: R04_AUV02

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R04_SNUS_USER_STATUS = 1 (Current established user) Adult respondents who have ever used snus fairly regularly, and currently use it every day or some days.

R04_SNUS_USER_STATUS = 2 (Current experimental user) Adult respondents who have never used snus fairly regularly, and currently use it every day or some days.

R04_SNUS_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever used snus and have never used snus fairly regularly and did not use in the past 12 months or currently use not at all.

R04_SNUS_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental snus users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and aged-up adult respondents who have ever used snus as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and continuing and aged-up adult respondents who initiated snus use since their last completed interview, have ever used snus fairly regularly, have used in the past 12 months and currently use not at all; and new cohort adult respondents who have ever used snus fairly regularly, have used in the past 12 months and currently use not at all.

R04_SNUS_USER_STATUS = 5 (Long-term former established user) Continuing adult respondents who were new former established or still former established snus users as of their last completed interview and did not use in the past 12 months or currently use not at all, and new cohort adult respondents who have ever used snus fairly regularly and have not used snus in the past 12 months.

R04_CURRENT_SNUS_USE = 1 (Every day established user) Adult respondents who have ever used snus fairly regularly, and currently use it every day.

R04_CURRENT_SNUS_USE = 2 (Some day established user) Adult respondents who have ever used snus fairly regularly, and currently use it some days.

R04_FORMER_THIRTYDAY_USER_SNUS = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established snus users who have used any snus in the past 30 days.

R04_SNUS_USER_STATUS = 1:

IF (R03_REGUSE_SNUS = 1 OR R04_AU1100 = 1) AND R04_AU1003 = 1, 2, THEN
R04_SNUS_USER_STATUS = 1.

R04_SNUS_USER_STATUS = 2:

ELSE, IF R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1 AND R04_AU1100 != 1
AND R04_AU1003 = 1, 2, THEN R04_SNUS_USER_STATUS = 2.

R04_SNUS_USER_STATUS = 3:

ELSE, IF R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3) AND
R03_REGUSE_SNUS != 1 AND R04_AU1100 != 1, THEN R04_SNUS_USER_STATUS = 3.

R04_SNUS_USER_STATUS = 4:

ELSE, IF (R03_SNUS_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND
R04_INIT_SNUS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_SNUS = 1) OR
(R04_ADULTTYPE = 3 AND ((R04_AU1009_NN <= 365 AND R04_AU1009_UN = 1) OR
(R04_AU1009_NN <= 12 AND R04_AU1009_UN = 2) OR (R04_AU1009_NN <= 1 AND
R04_AU1009_UN = 3)))) AND (R03_REGUSE_SNUS = 1 OR R04_AU1100 = 1) AND
R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3), THEN
R04_SNUS_USER_STATUS = 4.

R04_SNUS_USER_STATUS = 5:

ELSE, IF (R03_SNUS_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AU1100 = 1 AND
((R04_AU1009_NN > 365 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN > 12 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

R04_AU1009_UN = 2) OR (R04_AU1009_NN > 1 AND R04_AU1009_UN = 3))) AND
R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3), THEN
R04_SNUS_USER_STATUS = 5.

R04_CURRENT_SNUS_USE = 1:

IF R04_SNUS_USER_STATUS = 1 AND R04_AU1003 = 1, THEN R04_CURRENT_SNUS_USE = 1.

R04_CURRENT_SNUS_USE = 2:

ELSE, IF R04_SNUS_USER_STATUS = 1 AND R04_AU1003 = 2, THEN
R04_CURRENT_SNUS_USE = 2.

R04_FORMER_THIRTYDAY_USER_SNUS:

IF R04_SNUS_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AU1009_NN <= 30 AND R04_AU1009_UN
= 1) OR (R04_AU1009_NN = 1 AND R04_AU1009_UN = 2) OR R04_AU1004 = 1), THEN
R04_FORMER_THIRTYDAY_USER_SNUS = 1.

ELSE, R04_FORMER_THIRTYDAY_USER_SNUS = 2.

BOX ID: R04_AUR02

New baseline adult respondents who are every day established snus users, go to R04_AU1020_NB.
Else, go to Box R04_AUR12.

IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_SNUS_USE = 1, GO TO R04_AU1020_NB.
ELSE, GO TO BOX R04_AUR12.

Variable(s): R04_AU1020_NB

How old were you when you first started using snus every day?

I__I__I Years old

-8 DON'T KNOW

GO TO R04_AU1122_NB

-7 REFUSED

GO TO R04_AU1122_NB

ASK: New baseline adult respondents who are every day established snus users.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_SNUS_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R04_AU1020_NB_LC1

The computer recorded that you started using snus every day at age [R04_AU1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------------|
| 1 | BACK | GO TO R04_AU1020_NB |
| 2 | NEXT | GO TO R04_AU1020_NB_LC2 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_SNUS_USE = 1 AND R04_AU1020_NB != -8, -7 AND (R04_AU1020_NB <= 8 OR R04_AU1020_NB < R04_AU1007_NB).

PROGRAM: TRIGGER CHECK IF R04_AU1020_NB <= 8 OR R04_AU1020_NB < R04_AU1007_NB. ELSE, GO TO R04_AU1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AU1020_NB_LC2

The computer recorded that you started using snus every day at age [R04_AU1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AU1020_NB |
| 2 | NEXT | GO TO BOX R04_AUR12 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_SNUS_USE = 1 AND R04_AU1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AU1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_AUR12 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AU1122_NB
When you first started using snus every day, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who are every day established snus users and did not know or refused to report the age they first started using snus every day. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_SNUS_USE = 1 AND R04_AU1020_NB = -8, -7

BOX ID: R04_AUR12
Continuing and aged-up adult respondents who initiated snus use since their last completed interview, or new cohort adult respondents who have ever used snus, go to R04_AU1008. Else, go to Box R04_AUR50.
IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_SNUS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1), GO TO R04_AU1008. ELSE, GO TO BOX R04_AUR50.

Variable(s): R04_AU1008
When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED GO TO BOX R04_AUR50 GO TO BOX R04_AUR50 GO TO BOX R04_AUR50 GO TO BOX R04_AUR50 ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview, or new cohort adult respondents who have ever used snus. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_SNUS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor did you first start using? Choose all that apply.	
R04_AU1011_01	1 Menthol or mint
R04_AU1011_02	2 Wintergreen, spearmint or frost
R04_AU1011_03	3 Clove or spice
R04_AU1011_04	4 Fruit
R04_AU1011_05	5 Chocolate
R04_AU1011_06	6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AU1011_07	7 Candy or other sweets
R04_AU1011_08; R04_AU1011_OS	8 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Continuing and aged-up adult respondents who initiated snus use since their last completed interview and whose first snus was flavored, or new cohort adult respondents who have ever used snus and whose first snus was flavored.	
ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_SNUS_ADULT = 1 AND R04_AU1008 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SNUS = 1 AND R04_AU1008 = 1).	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	

BOX ID:	R04_AUR50
New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established snus users, go to R04_AU1025_RS.	
Else, go to Box R04_AUR09.	
IF R04_ADULTTYPE = 3 AND R04_SNUS_USER_STATUS = 1, 2, 3, 4, 5, GO TO R04_AU1025_RS.	
ELSE, GO TO BOX R04_AUR09.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AU1025_RS
Around this time 12 months ago, were you using snus every day, some days, or not at all? 1 Every day 2 Some days 3 Not at all -8 DON'T KNOW -7 REFUSED ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established snus users. ASK Specification: IF R04_ADULTTYPE = 3 AND R04_SNUS_USER_STATUS = 1, 2, 3, 4, 5.	

BOX ID:	R04_AUR09
Adult respondents who are every day established snus users, go to R04_AU1021. Else, adult respondents who are some day established, current experimental, or non-current 30-day snus users, go to R04_AU1022. Else, adult respondents who are recent former established snus users, go to R04_AU1047. Else, go to the next section. IF R04_CURRENT_SNUS_USE = 1, GO TO R04_AU1021. ELSE, IF R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1, GO TO R04_AU1022. ELSE, IF R04_SNUS_USER_STATUS = 4, GO TO R04_AU1047. ELSE, GO TO THE NEXT SECTION (see note in Box R04_AMD07).	

Variable(s):	R04_AU1021
On average, about how many times do you now use snus each day? I__I__I -8 DON'T KNOW GO TO R04_AU1024 -7 REFUSED GO TO R04_AU1024 ASK: Adult respondents who are every day established snus users. ASK Specification: IF R04_CURRENT_SNUS_USE = 1.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AU1021_LC1

The computer recorded that on average, you now use snus [R04_AU1021] times a day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AU1021

2 NEXT

GO TO R04_AU1024

ASK: IF R04_CURRENT_SNUS_USE = 1 AND R04_AU1021 > 20.

PROGRAM: TRIGGER CHECK IF R04_AU1021 > 20.

ELSE, GO TO R04_AU1024 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AU1022

On how many of the past 30 days did you use snus?

I ___ | ___ | DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R04_AUR13

Adult respondents who are some day established or current experimental snus users and used on 0 days of the past 30 days, go to R04_AU9029.

Else, adult respondents who are some day established, current experimental, or non-current 30-day snus users and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R04_AU1023.

Else, go to Box R04_AUR26.

IF (R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2) AND R04_AU1022 = 0, GO TO R04_AU9029.

ELSE, IF (R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1022 != 0, GO TO R04_AU1023.

ELSE, GO TO BOX R04_AUR26.

Variable(s): **R04_AU9029_NN; R04_AU9029_UN**

About how long has it been since you last used snus?

1 I__I__I DAYS

2 I__I__I MONTHS

3 I__I__I YEARS

-8 DON'T KNOW

GO TO BOX R04_AUR26

-7 REFUSED

GO TO BOX R04_AUR26

ASK: Adult respondents who are some day established or current experimental snus users and used on 0 days of the past 30 days.

ASK Specification: IF (R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2) AND R04_AU1022 = 0.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers R04_AU9029_UN = Days; the value "2" refers to R04_AU9029_UN = Months; the value "3" refers to R04_AU9029_UN = Years.

CHECK ID: **R04_AU9029_LC1**

The computer recorded that you used snus [R04_AU9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AU9029

2 NEXT

GO TO BOX R04_AUR26

ASK: IF (R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2) AND R04_AU1022 = 0 AND ((R04_AU9029_NN < 30 AND R04_AU9029_UN = 1) OR (R04_AU9029_NN < 1 AND R04_AU9029_UN = 2) OR (R04_AU9029_NN > 18 AND R04_AU9029_UN = 2) OR (R04_AU9029_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AU9029_UN = 3)).

DISPLAY: IF R04_AU9029_UN = 1, DISPLAY "days".

ELSE, IF R04_AU9029_UN = 2, DISPLAY "months".

ELSE, IF R04_AU9029_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AU9029_NN < 30 AND R04_AU9029_UN = 1) OR (R04_AU9029_NN < 1 AND R04_AU9029_UN = 2) OR (R04_AU9029_NN > 18 AND R04_AU9029_UN = 2) OR (R04_AU9029_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AU9029_UN = 3).

ELSE, GO TO BOX R04_AUR26 AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R04_AU1022	
On average, on those [FILL NUMBER OF DAYS FROM R04_AU1022 days/days you used], how many times did you usually use snus each day?		
__ __		
-8	DON'T KNOW	GO TO BOX R04_AUR26
-7	REFUSED	GO TO BOX R04_AUR26
ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus users and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.		
ASK Specification: IF (R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1022 != 0.		
DISPLAY: IF R04_AU1022 = 1, -8, -7, DISPLAY "days you used".		
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AU1022 AND "days" (EX. "2 days").		

CHECK ID: R04_AU1023_LC1

The computer recorded that on the days you used in the past 30 days, you used snus [R04_AU1023] times a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R04_AU1023
2	NEXT	GO TO BOX R04_AUR26

ASK: IF (R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1022 != 0 AND R04_AU1023 > 20.
 PROGRAM: TRIGGER CHECK IF R04_AU1023 > 20.
 ELSE, GO TO BOX R04_AUR26 AND DO NOT DISPLAY THIS SCREEN.

BOX ID:	R04_AUR26
Adult respondents who are current established or current experimental snus users, go to R04_AU1024. Else, adult respondents who are non-current 30-day snus users, go to R04_AU1024_30D. Else, go to the next section.	
IF R04_SNUS_USER_STATUS = 1, 2, GO TO R04_AU1024. ELSE, IF R04_FORMER_THIRTYDAY_USER_SNUS = 1, GO TO R04_AU1024_30D. ELSE, GO TO THE NEXT SECTION (see note in Box R04_AMD07).	

Variable(s):	R04_AU1024_NN; R04_AU1024_UN
[On the days that you use snus, how/How] soon after you wake up do you typically use your first snus product of the day? Please enter the number of minutes or hours.	
1	_ _ _ _ Minutes after waking
2	_ _ _ _ Hours after waking
-8	DON'T KNOW GO TO R04_AU1092
-7	REFUSED GO TO R04_AU1092
ASK: Adult respondents who are current established or current experimental snus users.	
ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2.	
DISPLAY: IF R04_CURRENT_SNUS_USE = 1, DISPLAY "How".	
ELSE, DISPLAY "On the days that you use snus, how".	
PROGRAM: Display as Quantity/Units.	
NOTES: The value "1" refers R04_AU1024_UN = Minutes after waking; the value "2" refers to R04_AU1024_UN = Hours after waking.	

PATH – Wave 4 Adult
Public Use File Annotated Instrument

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AU1024_LC2

The computer recorded "0" for how soon you typically use your first snus product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AU1024 |
| 2 | NEXT | GO TO BOX R04_AUR28 |

ASK: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AU1024_NN = 0.

ELSE, GO TO BOX R04_AUR28 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AU1092

[On the days that you use snus, would/Would] you say you use your first snus product of the day within the first 30 minutes after you wake up?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R04_AUR28 |
| 2 | No | GO TO BOX R04_AUR28 |
| 3 | It varies | GO TO BOX R04_AUR28 |
| -8 | DON'T KNOW | GO TO BOX R04_AUR28 |
| -7 | REFUSED | GO TO BOX R04_AUR28 |

ASK: Adult respondents who are current established or current experimental snus users and did not know or refused to report how soon after waking up they first use snus.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1024_NN = -8, -7.

DISPLAY: IF R04_CURRENT_SNUS_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you use snus, would".

Variable(s): R04_AU1024_30D_NN; R04_AU1024_30D_UN

On the days that you used snus, how soon after you woke up did you typically use your first snus product of the day? Please enter the number of minutes or hours.

- | | | |
|----|---------------------------------|----------------------|
| 1 | I__I__I__I Minutes after waking | |
| 2 | I__I__I__I Hours after waking | |
| -8 | DON'T KNOW | GO TO R04_AU1092_30D |
| -7 | REFUSED | GO TO R04_AU1092_30D |

ASK: Adult respondents who are non-current 30-day snus users.

ASK Specification: IF R04_FORMER_THIRTYDAY_USER_SNUS = 1.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers R04_AU1024_30D_UN = Minutes after waking; the value "2" refers to R04_AU1024_30D_UN = Hours after waking.

CHECK ID: R04_AU1024_30D_LC1

The computer recorded that you typically used your first snus product [R04_AU1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------------|
| 1 | BACK | GO TO R04_AU1024_30D |
| 2 | NEXT | GO TO R04_AU1024_30D_LC2 |

ASK: IF R04_FORMER_THIRTYDAY_USER_SNUS = 1 AND ((R04_AU1024_30D_NN > 60 AND R04_AU1024_30D_UN = 1) OR (R04_AU1024_30D_NN > 12 AND R04_AU1024_30D_UN = 2)).

DISPLAY: IF R04_AU1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AU1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_AU1024_30D_NN > 60 AND R04_AU1024_30D_UN = 1) OR (R04_AU1024_30D_NN > 12 AND R04_AU1024_30D_UN = 2).

ELSE, GO TO R04_AU1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AU1024_30D_LC2

The computer recorded "0" for how soon after waking you typically used your first snus product.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AU1024_30D |
| 2 | NEXT | GO TO BOX R04_AUR28 |

ASK: IF R04_FORMER_THIRTYDAY_USER_SNUS = 1 AND R04_AU1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AU1024_30D_NN = 0.

ELSE, GO TO BOX R04_AUR28 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AU1092_30D

On the days that you used snus, would you say you used your first snus product of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are non-current 30-day snus users and did not know or refused to report how soon after waking up they typically used their first snus of the day.

ASK Specification: IF R04_FORMER_THIRTYDAY_USER_SNUS = 1 AND R04_AU1024_30D_NN = -8, -7.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AUR28

Adult respondents who are every day established snus users, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R04_AU0100.

Else, go to R04_AU9041.

IF R04_CURRENT_SNUS_USE = 1 OR ((R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1022 != 0), GO TO R04_AU0100.

ELSE, GO TO R04_AU9041.

Variable(s): R04_AU0100

When did you last use snus?

- | | |
|--------------------------|------------------|
| 1 In the past hour | GO TO R04_AU0103 |
| 2 Sometime today | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R04_AU1130 |
| -8 DON'T KNOW | GO TO R04_AU1130 |
| -7 REFUSED | GO TO R04_AU1130 |

ASK: Adult respondents who are every day established snus users, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04_CURRENT_SNUS_USE = 1 OR ((R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1022 != 0).

Variable(s): **R04_AU0102**

When you last used snus [FILL BASED ON R04_AU0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established snus users and last used snus sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04_CURRENT_SNUS_USE = 1 AND R04_AU0100 = 2, 3, 4) OR
((R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR
R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1022 != 0 AND R04_AU0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R04_AU0100]:

IF R04_AU0100 = 2, DISPLAY "today".

ELSE, IF R04_AU0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AU0100 = 4, DISPLAY "the day before yesterday".

Variable(s): R04_AU0103

How many times [have/did] you [used/use] snus [FILL BASED ON R04_AU0100]?

|_|_|_|_|

-8 DON'T KNOW

GO TO R04_AU1130

-7 REFUSED

GO TO R04_AU1130

ASK: Adult respondents who are every day established snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04_CURRENT_SNUS_USE = 1 AND R04_AU0100 = 1, 2, 3, 4) OR ((R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1022 != 0 AND R04_AU0100 = 1, 2, 3, 4).

DISPLAY: IF R04_AU0100 = 1, 2, DISPLAY "have" AND "used".

ELSE, IF R04_AU0100 = 3, 4, DISPLAY "did" AND "use".

FOR [FILL BASED ON R04_AU0100]:

IF R04_AU0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AU0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AU0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits.

CHECK ID: R04_AU0103_LC1

The computer recorded that you used snus [R04_AU0103] times [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AU0103

2 NEXT

GO TO R04_AU1130

ASK: IF ((R04_CURRENT_SNUS_USE = 1 AND R04_AU0100 = 1, 2, 3, 4) OR ((R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1022 != 0 AND R04_AU0100 = 1, 2, 3, 4)) AND (R04_AU0103 > 20 OR R04_AU0103 = 11).

DISPLAY: IF R04_AU0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AU0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AU0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AU0103 > 20 OR R04_AU0103 = 11.

ELSE, GO TO R04_AU1130 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AU1130
In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1	Yes
2	No
3	I don't know
-8	DON'T KNOW
-7	REFUSED
	GO TO R04_AU9041
	GO TO R04_AU9041
	GO TO R04_AU9041
	GO TO R04_AU9041
ASK: Adult respondents who are every day established snus users, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.	
ASK Specification: IF R04_CURRENT_SNUS_USE = 1 OR ((R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1022 != 0).	

Variable(s):	SEE BELOW:
Which flavors have you used in the past 30 days? Choose all that apply.	
R04_AU1131_01	1 Menthol or mint
R04_AU1131_02	2 Wintergreen, spearmint or frost
R04_AU1131_03	3 Clove or spice
R04_AU1131_04	4 Fruit
R04_AU1131_05	5 Chocolate
R04_AU1131_06	6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AU1131_07	7 Candy or other sweets
R04_AU1131_08; R04_AU1131_OS	8 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.	
ASK Specification: IF (R04_CURRENT_SNUS_USE = 1 AND R04_AU1130 = 1) OR ((R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1022 != 0 AND R04_AU1130 = 1).	
DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	

Variable(s): R04_AU1147

On the days you used snus in the past 30 days, how often did you use flavored snus?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R04_CURRENT_SNUS_USE = 1 AND R04_AU1130 = 1) OR ((R04_CURRENT_SNUS_USE = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1022 != 0 AND R04_AU1130 = 1).
DISPLAY: UNDERLINE "flavored".

Variable(s): R04_AU9041

What type of snus [do you use/have you used]?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- | | |
|------------------------------------|------------------|
| 1 Snus pouches | GO TO R04_AU1030 |
| 2 Loose snus | GO TO R04_AU1030 |
| 3 Both snus pouches and loose snus | |
| -8 DON'T KNOW | GO TO R04_AU1030 |
| -7 REFUSED | GO TO R04_AU1030 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do you use".
ELSE, DISPLAY "have you used".

IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES

Variable(s): R04_AU9042

You mentioned you have used both snus pouches and loose snus. Which type of snus [do/did] you use most often?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- 1 Snus pouches
- 2 Loose snus
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and have used both snus pouches and loose snus.

ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU9041 = 3.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES

Variable(s): R04_AU1030

The next questions ask about your experience buying snus. [Please think about the type of snus you use most often when answering these questions.

]How [do/did] you usually buy snus for yourself?

- 1 In person
- 2 From the internet GO TO R04_AU1042
- 3 By telephone GO TO R04_AU1042
- 4 I do not buy my own snus GO TO R04_AU1047
- 8 DON'T KNOW GO TO R04_AU1047
- 7 REFUSED GO TO R04_AU1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF R04_AU9041 = 3, DISPLAY "Please think about the type of snus you use most often when answering these questions.".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AU1032**

[Do/Did] you usually buy snus...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person.

ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1030 = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

Variable(s): **R04_AU1033; R04_AU1033_OS**

Where [do/did] you buy your snus most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person.

ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1030 = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s):	R04_AU1042_D; R04_AU1042_C
How much [do you usually/did you] pay for a container of snus?	
\$ __ __ __ Dollars . __ __ Cents	
-8 DON'T KNOW	GO TO BOX R04_AUR52
-7 REFUSED	GO TO BOX R04_AUR52
ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone.	
ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1030 = 1, 2, 3.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do you usually". ELSE, DISPLAY "did you".	
DISPLAY "\$" AS LEFT LABEL.	
DISPLAY "Dollars" AND "Cents" AS TITLES.	
PROGRAM: Display as Quantity/Quantity.	

CHECK ID: **R04_AU1042_LC1**

The computer recorded that you paid \$[R04_AU1042_D].[R04_AU1042_C] for a container of snus.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK	GO TO R04_AU1042
2 NEXT	GO TO BOX R04_AUR52

ASK: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1)
AND R04_AU1030 = 1, 2, 3 AND R04_AU1042_D != -8, -7 AND (R04_AU1042_D > 6 OR
R04_AU1042_D < 1).

PROGRAM: TRIGGER CHECK IF R04_AU1042_D > 6 OR R04_AU1042_D < 1.

ELSE, GO TO BOX R04_AUR52 AND DO NOT DISPLAY THIS SCREEN.

BOX ID:	R04_AUR52
Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone, and most often use snus pouches, go to R04_AU9001. Else, go to R04_AU1047.	
IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1030 = 1, 2, 3 AND (R04_AU9041 = 1 OR R04_AU9042 = 1), GO TO R04_AU9001. ELSE, GO TO R04_AU1047.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AU9001	
How many pouches [are/were] in the container of snus that you usually [buy/bought]?	
_ _ _	
-8 DON'T KNOW	GO TO R04_AU1047
-7 REFUSED	GO TO R04_AU1047
ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone, and most often use snus pouches. ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1030 = 1, 2, 3 AND (R04_AU9041 = 1 OR R04_AU9042 = 1). DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "are" AND "buy". ELSE, DISPLAY "were" AND "bought".	

CHECK ID: R04_AU9001_LC1	
The computer recorded that there are [R04_AU9001] pouches in the container you bought.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AU9001
2 NEXT	GO TO R04_AU9002
ASK: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1030 = 1, 2, 3 AND (R04_AU9041 = 1 OR R04_AU9042 = 1) AND R04_AU9001 != -8, -7 AND (R04_AU9001 > 50 OR R04_AU9001 < 5). PROGRAM: TRIGGER CHECK IF R04_AU9001 > 50 OR R04_AU9001 < 5. ELSE, GO TO R04_AU9002 AND DO NOT DISPLAY THIS SCREEN.	

Variable(s): R04_AU9002	
About how many days [does/did] it take you to use up a container this size?	
_ _ _ _	
-8 DON'T KNOW	GO TO R04_AU1047
-7 REFUSED	GO TO R04_AU1047
ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone, and most often use snus pouches and provided the number of snus pouches in the container they usually buy. ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1030 = 1, 2, 3 AND (R04_AU9041 = 1 OR R04_AU9042 = 1) AND R04_AU9001 != -8, -7. DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "does". ELSE, DISPLAY "did".	

CHECK ID: R04_AU9002_LC1

The computer recorded that it took you [R04_AU9002] days to use up a container of snus.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AU9002

2 NEXT GO TO R04_AU1047

ASK: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1030 = 1, 2, 3 AND (R04_AU9041 = 1 OR R04_AU9042 = 1) AND R04_AU9001 != -8, -7 AND (R04_AU9002 > (R04_AU9001*7) OR R04_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99).

PROGRAM: TRIGGER CHECK IF R04_AU9002 > (R04_AU9001*7) OR R04_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.

ELSE, GO TO R04_AU1047 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AU1047

[Do/Did] you have a regular brand of snus that you usually [use/used]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "Do" AND "use".

ELSE, DISPLAY "Did" AND "used".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AU1050**

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AU1945 |
| 3 | I don't know | GO TO R04_AU1945 |
| -8 | DON'T KNOW | GO TO R04_AU1945 |
| -7 | REFUSED | GO TO R04_AU1945 |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "Is" AND "your regular brand" AND "use".

ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".

ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "Was" AND "your regular brand" AND "used".

ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor [is/was] it? Choose all that apply.	
R04_AU1012_01	1 Menthol or mint
R04_AU1012_02	2 Wintergreen, spearmint or frost
R04_AU1012_03	3 Clove or spice
R04_AU1012_04	4 Fruit
R04_AU1012_05	5 Chocolate
R04_AU1012_06	6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AU1012_07	7 Candy or other sweets
R04_AU1012_08; R04_AU1012_OS	8 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.	
ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1050 = 1.	
DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "is".	
ELSE, DISPLAY "was".	
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	

Variable(s):	R04_AU1945
Do you know the <u>name of the brand</u> of snus you [usually use/usually used/last used]?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.	
ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1.	
DISPLAY: UNDERLINE "name of the brand".	
IF R04_AU1047 = 1 AND R04_SNUS_USER_STATUS = 1, 2, DISPLAY "usually use".	
ELSE, IF R04_AU1047 = 1 AND R04_SNUS_USER_STATUS != 1, 2, DISPLAY "usually used".	
ELSE, IF R04_AU1047 = 2, -8, -7, DISPLAY "last used".	

BOX ID:	R04_AUR27
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used, go to R04_AU1048_BRAND. Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus pouch users and have a regular brand of snus, go to R04_AU1051. Else, go to Box R04_AUD03.	
IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1945 = 1, GO TO R04_AU1048_BRAND. ELSE, IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, GO TO R04_AU1051. ELSE, GO TO BOX R04_AUD03.	

Variable(s):	R04_AU1048_BRAND
What brand of snus [do/did] you [usually/last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used. ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1945 = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else"." IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "do" AND "usually". ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "did" AND "usually". ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AUR16
Adult respondents who are current established, current experimental, recentformer established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected "Something else" for their brand of snus, go to R04_AU1049. Else, adult respondents who are current established, current experimental, recentformer established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus, go to R04_AU1070_PRODUCT. Else, go to Box R04_AUR25.
IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1945 = 1 AND R04_AU1048_BRAND = 9995, GO TO R04_AU1049. ELSE, IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1945 = 1 AND R04_AU1048_BRAND != 9995, -8, -7, GO TO R04_AU1070_PRODUCT. ELSE, GO TO BOX R04_AUR25.

Variable(s): R04_AU1049						
You said that your brand was not listed. What is it? <table> <tr> <td>_____</td> <td>GO TO BOX R04_AUR25</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td>GO TO BOX R04_AUR25</td> </tr> <tr> <td>-7 REFUSED</td> <td>GO TO BOX R04_AUR25</td> </tr> </table> ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected "Something else" for their brand of snus. ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1945 = 1 AND R04_AU1048_BRAND = 9995.	_____	GO TO BOX R04_AUR25	-8 DON'T KNOW	GO TO BOX R04_AUR25	-7 REFUSED	GO TO BOX R04_AUR25
_____	GO TO BOX R04_AUR25					
-8 DON'T KNOW	GO TO BOX R04_AUR25					
-7 REFUSED	GO TO BOX R04_AUR25					

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AU1070_PRODUCT
You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".] 99995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus. ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1945 = 1 AND R04_AU1048_BRAND != 9995, -8, -7. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else"." FILL BRANDFILL WITH BRAND CHOSEN IN R04_AU1048_BRAND. IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "do" AND "usually". ELSE, IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AU1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, DISPLAY "did" AND "usually". ELSE, IF (R04_SNUS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04_AU1048_BRAND.

BOX ID: R04_AUR17
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus and selected "Something else" for their subbrand of snus, go to R04_AU1071. Else, go to Box R04_AUR25.
IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1945 = 1 AND R04_AU1048_BRAND != 9995, -8, -7 AND R04_AU1070_PRODUCT = 99995, GO TO R04_AU1071. ELSE, GO TO BOX R04_AUR25.

Variable(s):	R04_AU1071
You said that the type of [BRANDFILL]s that you [use/used] is not listed. What type is it? _____ -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus and selected "Something else" for their subbrand of snus. ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1945 = 1 AND R04_AU1048_BRAND != 9995, -8, -7 AND R04_AU1070_PRODUCT = 99995. DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AU1048_BRAND. IF R04_CURRENT_USER_SNUS = 1, 2 AND R04_AU1047 = 1, DISPLAY "use". ELSE, DISPLAY "used".	

BOX ID:	R04_AUR25
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and have a regular brand of snus, go to R04_AU1051. Else, go to Box R04_AUR18.	
IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1, GO TO R04_AU1051. ELSE, GO TO BOX R04_AUR18.	

Variable(s): R04_AU1051_NN; R04_AU1051_UN

About how long [did you use/have you been using] your regular brand of snus?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW GO TO BOX R04_AUR18

-7 REFUSED GO TO BOX R04_AUR18

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and have a regular brand of snus.

ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.

NOTES: The value "1" refers R04_AU1051_UN = Days; the value "2" refers to R04_AU1051_UN = Months; the value "3" refers to R04_AU1051_UN = Years.

CHECK ID:	R04_AU1051_LC1						
The computer recorded that you [have been using/used] your regular brand of snus for [R04_AU1051_NN] years. That is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AU1051</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO R04_AU1051_LC2</td> </tr> </table> ASK: IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1 AND R04_AU1051_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AU1051_UN = 3. DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "have been using". ELSE, DISPLAY "used". PROGRAM: TRIGGER CHECK IF R04_AU1051_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AU1051_UN = 3. ELSE, GO TO R04_AU1051_LC2 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AU1051	2	NEXT	GO TO R04_AU1051_LC2
1	BACK	GO TO R04_AU1051					
2	NEXT	GO TO R04_AU1051_LC2					

CHECK ID:	R04_AU1051_LC2						
The computer recorded "0" for how long you [have been using/used] your regular brand of snus. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AU1051</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO BOX R04_AUR18</td> </tr> </table> ASK: IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU1047 = 1 AND R04_AU1051_NN = 0. DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "have been using". ELSE, DISPLAY "used". PROGRAM: TRIGGER CHECK IF R04_AU1051_NN = 0. ELSE, GO TO BOX R04_AUR18 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AU1051	2	NEXT	GO TO BOX R04_AUR18
1	BACK	GO TO R04_AU1051					
2	NEXT	GO TO BOX R04_AUR18					

BOX ID:	R04_AUR18
Adult respondents who are current established, current experimental, or non-current 30-day snus users and last used snus in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and subbrand of snus, go to R04_AU0104. Else, go to Box R04_AUD03. IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU0100 = 1, 2, 3, 4 AND R04_AU1945 = 1 AND R04_AU1048_BRAND != 9995, -8, -7 AND R04_AU1070_PRODUCT != 99990, 99995, -8, -7, GO TO R04_AU0104. ELSE, GO TO BOX R04_AUD03.	

Variable(s): R04_AU0104***

You said earlier that you last used snus [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and last used snus in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and subbrand of snus.

ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_AU0100 = 1, 2, 3, 4 AND R04_AU1945 = 1 AND R04_AU1048_BRAND != 9995, -8, -7 AND R04_AU1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R04_AU0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R04_AU0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R04_AU0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R04_AU0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R04_AU1070_PRODUCT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_AUD03

Randomize order of R04_AU1060 through R04_AU1076.

Display question R04_AU1060, R04_AU1085, R04_AU1062, R04_AU1075, R04_AU1063, R04_AU1064, R04_AU1065, R04_AU1067, R04_AU1076 on one screen. Show the intro/transition text from R04_AU1060 first, then show each item with a Y/N response. As each item is answered, show the next one.

Variable(s): R04_AU1060

The next questions are about the reasons people use snus. Please select which reasons [apply to you/applied to you when you used to use snus].

I [use/used] snus because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "is".
ELSE, DISPLAY "applied to you when you used to use snus", "used" AND "was".

Variable(s): R04_AU1085

I [can/could] use snus at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "can" AND "isn't".
ELSE, DISPLAY "could" AND "wasn't".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AU1062**

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

Variable(s): **R04_AU1075**

It might [be/have been] less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

Variable(s): **R04_AU1063**

Snus [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "comes" AND "like".
ELSE, DISPLAY "came" AND "liked".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AUR19

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established, current experimental, or recent former established cigarette smokers, go to R04_AU1064.

Else, go to R04_AU1065.

IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_CIG_USER_STATUS = 1, 2, 4, GO TO R04_AU1064.
ELSE, GO TO R04_AU1065.

Variable(s): R04_AU1064

Using snus helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_CIG_USER_STATUS = 1, 2, 4.

Variable(s): R04_AU1065

Snus doesn't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AU1067**

Snus [is/was] more acceptable to non-tobacco users.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "is".
ELSE, DISPLAY "was".

Variable(s): **R04_AU1076**

No one [can/could] tell when I [am/was] using snus.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "can" AND "am".
ELSE, DISPLAY "could" AND "was".

BOX ID: **R04_AUR20**

Adult respondents who are current established, current experimental, or non-current 30-day snus users and are current established or current experimental cigarette smokers, go to R04_AU1086.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established or recent former established cigarette smokers, go to R04_AU1080.

Else, go to R04_AU1139.

IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND
R04_CIG_USER_STATUS = 1, 2, GO TO R04_AU1086.

ELSE, IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1)
AND R04_CIG_USER_STATUS = 1, 4, GO TO R04_AU1080.

ELSE, GO TO R04_AU1139.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AU1086****

In the past 30 days have you used snus at times when or in places where you could not smoke cigarettes?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AU1080 |
| -8 | DON'T KNOW | GO TO R04_AU1080 |
| -7 | REFUSED | GO TO R04_AU1080 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and are current established or current experimental cigarette smokers.

ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_CIG_USER_STATUS = 1, 2.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who were current established, current experimental, or non-current 30-day snus users (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) and current experimental cigarette users (R04_CIG_USER_STATUS = 2). This issue was fixed in a field update on 01/31/2017.

Variable(s): **R04_AU1087**

How often [do/did] you use snus at times when or in places where you could not smoke regular cigarettes?

- | | |
|----|------------|
| 1 | Every day |
| 2 | Some days |
| 3 | Rarely |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and are current established or current experimental cigarette smokers and used snus at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_CIG_USER_STATUS = 1, 2 AND R04_AU1086 = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do",
ELSE, IF R04_FORMER_THIRTYDAY_USER_SNUS = 1, DISPLAY "did".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AU1080

[Do/Did] you use snus as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) AND R04_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

Variable(s): R04_AU1139

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using snus.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04_AU1139-1141 SERIES.

Variable(s): R04_AU1140

While using snus, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "feel".
ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R04_AU1139-1141 SERIES.

Variable(s): R04_AU1141

I [use/used] snus much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "use" AND "am".
ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R04_AU1139-1141 SERIES.

SMOKELESS TOBACCO

BOX ID: R04_ASR08

Continuing and aged-up adult respondents who were new former established or still former established smokeless tobacco users and had used smokeless tobacco 100 or more times and had used fairly regularly as of their last completed interview, and have not used smokeless tobacco in the past 12 months or now use smokeless tobacco not at all, go to Box R04_ASV02.

Else, continue with Box R04_AST02.

IF R04_ADULTTYPE = 1, 2 AND R03_SMKLS_USER_STATUS = 4, 5 AND R03_NUMLIFE_SMKLS = 1 AND R03_REGUSE_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), GO TO BOX R04_ASV02.

ELSE, GO TO BOX R04_AST02.

BOX ID: R04_AST02

IF RESPONDENT USES ONLY SMOKELESS TOBACCO (R04_EVER_NEVER_SNUS = 2 AND R04_EVER_NEVER_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

The next questions ask about **smokeless tobacco** which you put in your mouth and chew, suck or spit.

There are many types of smokeless tobacco products such as dip, spit, moist snuff, pouches and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman and Levi Garrett, but there are many others.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R04_EVER_NEVER_SNUS = 1 AND R04_EVER_NEVER_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:

You just answered questions about snus. The next questions are about your use of other types of **smokeless tobacco** products which you put in your mouth and chew, suck or spit.

There are many types of smokeless tobacco such as dip, spit, moist snuff, pouches and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman and Levi Garrett, but there are many others.

The questions will use the phrase "**smokeless tobacco**" to refer to these products. Please think about your use of smokeless tobacco products, not including snus, as you answer these questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

BOLD "smokeless tobacco". UNDERLINE "not including snus".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_ASR07

New cohort adult respondents who have ever used smokeless tobacco, go to R04_AS1006_RS.
 Else, continuing and aged-up adult respondents who have ever used smokeless tobacco and had not used smokeless tobacco 100 or more times as of their last completed interview, go to R04_AS1005.
 Else, continuing and aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview, go to R04_AS1100.
 Else, go to Box R04_ASV02.

IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1, GO TO R04_AS1006_RS.
 ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SMKLS = 1 AND R03_NUMLIFE_SMKLS != 1, GO TO R04_AS1005.
 ELSE, IF R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1, GO TO R04_AS1100.
 ELSE, GO TO BOX R04_ASV02.

Variable(s): R04_AS1006_RS

How old were you when you first used smokeless tobacco, even one or two times?

I__I__I Years old

-8 DON'T KNOW

GO TO R04_AS1120_RS

-7 REFUSED

GO TO R04_AS1120_RS

ASK: New cohort adult respondents who have ever used smokeless tobacco.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1.

PROGRAM: DISPLAY "Years old" AS A TITLE.

CHECK ID: R04_AS1006_RS_LC1

The computer recorded that you first used smokeless tobacco at age [R04_AS1006_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AS1006_RS

2 NEXT

GO TO R04_AS1006_RS_LC2

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1 AND R04_AS1006_RS != -8, -7 AND R04_AS1006_RS <= 10.

PROGRAM: TRIGGER CHECK IF R04_AS1006_RS <= 10.

ELSE, GO TO R04_AS1006_RS_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AS1006_RS_LC2

The computer recorded that you first used smokeless tobacco at age [R04_AS1006_RS]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AS1006_RS |
| 2 | NEXT | GO TO R04_AS1005 |

ASK: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1 AND R04_AS1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AS1006_RS > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AS1005 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AS1120_RS

When you first used smokeless tobacco, even one or two times, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever used smokeless tobacco and did not know or refused to report the age they first tried smokeless tobacco.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1 AND R04_AS1006_RS = -8, -7.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS1005**

How many times have you used smokeless tobacco in your entire life?

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used smokeless tobacco and had not used 100 or more times as of their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SMKLS = 1 AND R03_NUMLIFE_SMKLS != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1).

BOX ID: **R04_ASR10**

Continuing and aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco, go to R04_AS1100.

Else, go to Box R04_ASV02.

IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1), GO TO R04_AS1100.
ELSE, GO TO BOX R04_ASV02.

Variable(s): **R04_AS1100**

Have you ever used smokeless tobacco fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_ASR11

Aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and have ever used smokeless tobacco fairly regularly, or new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly, go to R04_AS1007_NB.

Else, go to Box R04_ASV02.

IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1 AND R04_AS1100 = 1), GO TO R04_AS1007_NB.

ELSE, GO TO BOX R04_ASV02.

Variable(s): R04_AS1007_NB

How old were you when you first started using smokeless tobacco fairly regularly?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R04_AS1121_NB

-7 REFUSED

GO TO R04_AS1121_NB

ASK: Aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and have ever used smokeless tobacco fairly regularly, or new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly.

ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1 AND R04_AS1100 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R04_AS1007_NB_LC1

The computer recorded that you started using smokeless tobacco fairly regularly at age [R04_AS1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AS1007_NB

2 NEXT

GO TO R04_AS1007_NB_LC2

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 = 1 AND R04_AS1007_NB != -8, -7 AND R04_AS1007_NB <= 8) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1 AND R04_AS1100 = 1 AND R04_AS1007_NB != -8, -7 AND R04_AS1007_NB <= 8).

PROGRAM: TRIGGER CHECK IF R04_AS1007_NB <= 8.

ELSE, GO TO R04_AS1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AS1007_NB_LC2

The computer recorded that you started using smokeless tobacco fairly regularly at age [R04_AS1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AS1007_NB |
| 2 | NEXT | GO TO BOX R04_ASV02 |

ASK: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 = 1 AND R04_AS1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1 AND R04_AS1100 = 1 AND R04_AS1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18).

PROGRAM: TRIGGER CHECK IF R04_AS1007_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_ASV02 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AS1121_NB

When you first started using smokeless tobacco fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Aged-up adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and have ever used smokeless tobacco fairly regularly and did not know or refused to report the age they first started using smokeless tobacco fairly regularly, or new cohort adult respondents who have ever used smokeless tobacco and have ever used smokeless tobacco fairly regularly and did not know or refused to report the age they first started using smokeless tobacco fairly regularly.

ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 = 1 AND R04_AS1007_NB = -8, -7) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1 AND R04_AS1100 = 1 AND R04_AS1007_NB = -8, -7).

BOX ID: R04_ASV02

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R04_SMKLS_USER_STATUS = 1 (Current established user) Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use it every day or some days.

R04_SMKLS_USER_STATUS = 2 (Current experimental user) Adult respondents who have never used smokeless tobacco fairly regularly, and currently use it every day or some days.

R04_SMKLS_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever used smokeless tobacco and have never used smokeless tobacco fairly regularly and did not use in the past 12 months or currently use not at all.

R04_SMKLS_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental smokeless tobacco users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview, have ever used smokeless tobacco fairly regularly, have used in the past 12 months and currently use not at all; and new cohort adult respondents who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and currently use not at all.

R04_SMKLS_USER_STATUS = 5 (Long-term former established user) Continuing adult respondents who were new former established or still former established smokeless tobacco users as of their last completed interview and did not use in the past 12 months or currently use not at all, and new cohort adult respondents who have ever used smokeless tobacco fairly regularly and have not used smokeless tobacco in the past 12 months.

R04_CURRENT_SMKLS_USE = 1 (Every day established user) Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use it every day.

R04_CURRENT_SMKLS_USE = 2 (Some day established user) Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use it some days.

R04_FORMER_THIRTYDAY_USER_SMKLS = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established smokeless tobacco users who have used any smokeless tobacco in the past 30 days.

R04_SMKLS_USER_STATUS = 1:

IF (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND R04_AS1003 = 1, 2, THEN
R04_SMKLS_USER_STATUS = 1.

R04_SMKLS_USER_STATUS = 2:

ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1 AND R04_AS1003 = 1, 2, THEN R04_SMKLS_USER_STATUS = 2.

R04_SMKLS_USER_STATUS = 3:

ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3) AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1, THEN R04_SMKLS_USER_STATUS = 3.

R04_SMKLS_USER_STATUS = 4:

ELSE, IF (R03_SMKLS_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_SMKLS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_SMKLS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AS1009_NN <= 365 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN <= 12 AND R04_AS1009_UN = 2) OR (R04_AS1009_NN <= 1 AND R04_AS1009_UN = 3)))) AND (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), THEN
R04_SMKLS_USER_STATUS = 4.

R04_SMKLS_USER_STATUS = 5:

PATH Study Wave 4 Adult Public Use File Annotated Instrument

ELSE, IF (R03_SMKLS_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AS1100 = 1 AND ((R04_AS1009_NN > 365 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN > 12 AND R04_AS1009_UN = 2) OR (R04_AS1009_NN > 1 AND R04_AS1009_UN = 3)))) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), THEN R04_SMKLS_USER_STATUS = 5.

R04_CURRENT_SMKLS_USE = 1:

IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 1, THEN R04_CURRENT_SMKLS_USE = 1.

R04_CURRENT_SMKLS_USE = 2:

ELSE, IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 2, THEN R04_CURRENT_SMKLS_USE = 2.

R04_FORMER_THIRTYDAY_USER_SMKLS:

IF R04_SMKLS_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AS1009_NN <= 30 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN = 1 AND R04_AS1009_UN = 2) OR R04_AS1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

ELSE, R04_FORMER_THIRTYDAY_USER_SMKLS = 2.

BOX ID: R04_ASR02

New baseline adult respondents who are every day established smokeless tobacco users, go to R04_AS1020_NB.

Else, go to Box R04_ASR12.

IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_SMKLS_USE = 1, GO TO R04_AS1020_NB.
ELSE, GO TO BOX R04_ASR12.

Variable(s): R04_AS1020_NB

How old were you when you first started using smokeless tobacco every day?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R04_AS1122_NB

-7 REFUSED

GO TO R04_AS1122_NB

ASK: New baseline adult respondents who are every day established smokeless tobacco users.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_SMKLS_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R04_AS1020_NB_LC1

The computer recorded that you started using smokeless tobacco every day at age [R04_AS1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------------|
| 1 | BACK | GO TO R04_AS1020_NB |
| 2 | NEXT | GO TO R04_AS1020_NB_LC2 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_SMKLS_USE = 1 AND R04_AS1020_NB != -8, -7 AND (R04_AS1020_NB <= 8 OR R04_AS1020_NB < R04_AS1007_NB).

PROGRAM: TRIGGER CHECK IF R04_AS1020_NB <= 8 OR R04_AS1020_NB < R04_AS1007_NB. ELSE, GO TO R04_AS1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AS1020_NB_LC2

The computer recorded that you started using smokeless tobacco every day at age [R04_AS1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AS1020_NB |
| 2 | NEXT | GO TO BOX R04_ASR12 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_SMKLS_USE = 1 AND R04_AS1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AS1020_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_ASR12 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AS1122_NB
When you first started using smokeless tobacco every day, were you...	
1	Less than 18 years old,
2	18 to 24 years old,
3	25 to 34 years old,
4	35 to 44 years old,
5	45 to 54 years old, or
6	55 years old or older?
-8	DON'T KNOW
-7	REFUSED
ASK: New baseline adult respondents who are every day established smokeless tobacco users and did not know or refused to report the age they first started using smokeless tobacco every day.	
ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_CURRENT_SMKLS_USE = 1 AND R04_AS1020_NB = -8, -7	

BOX ID:	R04_ASR12
Continuing and aged-up adult respondents who initiated smokeless tobacco use since as of their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco, go to R04_AS1008.	
Else, go to Box R04_ASR50.	
IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_SMKLS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1), GO TO R04_AS1008.	
ELSE, GO TO BOX R04_ASR50.	

Variable(s):	R04_AS1008
When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?	
1	Yes
2	No
3	I don't know
-8	DON'T KNOW
-7	REFUSED
	GO TO BOX R04_ASR50
	GO TO BOX R04_ASR50
	GO TO BOX R04_ASR50
	GO TO BOX R04_ASR50
ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview, or new cohort adult respondents who have ever used smokeless tobacco.	
ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_SMKLS_ADULT = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1).	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which flavor did you first start using? Choose all that apply.	
R04_AS1011_01	1 Menthol or mint
R04_AS1011_02	2 Wintergreen, spearmint or frost
R04_AS1011_03	3 Clove or spice
R04_AS1011_04	4 Fruit
R04_AS1011_05	5 Chocolate
R04_AS1011_06	6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AS1011_07	7 Candy or other sweets
R04_AS1011_08; R04_AS1011_OS	8 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored, or new cohort adult respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored. ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_INIT_SMKLS_ADULT = 1 AND R04_AS1008 = 1) OR (R04_ADULTTYPE = 3 AND R04_EVER_NEVER_SMKLS = 1 AND R04_AS1008 = 1). DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard." PROGRAM: Allow respondent to choose all that apply.	

BOX ID:	R04_ASR50
New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established smokeless tobacco users, go to R04_AS1025_RS. Else, go to Box R04_ASR09.	
IF R04_ADULTTYPE = 3 AND R04_SMKLS_USER_STATUS = 1, 2, 3, 4, 5, GO TO R04_AS1025_RS. ELSE, GO TO BOX R04_ASR09.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AS1025_RS
Around this time 12 months ago, were you using smokeless tobacco every day, some days, or not at all? 1 Every day 2 Some days 3 Not at all -8 DON'T KNOW -7 REFUSED ASK: New cohort adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established smokeless tobacco users. ASK Specification: IF R04_ADULTTYPE = 3 AND R04_SMKLS_USER_STATUS = 1, 2, 3, 4, 5.	

BOX ID:	R04_ASR09
Adult respondents who are every day established smokeless tobacco users, go to R04_AS1021. Else, adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, go to R04_AS1022. Else, adult respondents who are recent former established smokeless tobacco users, go to R04_AS1047. Else, go to the next section. IF R04_CURRENT_SMKLS_USE = 1, GO TO R04_AS1021. ELSE, IF R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1, GO TO R04_AS1022. ELSE, IF R04_SMKLS_USER_STATUS = 4, GO TO R04_AS1047. ELSE, GO TO THE NEXT SECTION (see note in Box R04_AMD07).	

Variable(s):	R04_AS1021
On average, about how many times do you now use smokeless tobacco each day? I__ __ -8 DON'T KNOW GO TO R04_AS1024 -7 REFUSED GO TO R04_AS1024 ASK: Adult respondents who are every day established smokeless tobacco users. ASK Specification: IF R04_CURRENT_SMKLS_USE = 1.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID:	R04_AS1021_LC1						
The computer recorded that on average, you now use smokeless tobacco [R04_AS1021] times a day. Is that correct? If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AS1021</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO R04_AS1024</td> </tr> </table> ASK: IF R04_CURRENT_SMKLS_USE = 1 AND R04_AS1021 > 20. PROGRAM: TRIGGER CHECK IF R04_AS1021 > 20. ELSE, GO TO R04_AS1024 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AS1021	2	NEXT	GO TO R04_AS1024
1	BACK	GO TO R04_AS1021					
2	NEXT	GO TO R04_AS1024					

Variable(s):	R04_AS1022
On how many of the past 30 days did you use smokeless tobacco? I ___ ___ DAYS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are some day established, current experimental, or non-current 30-day smokeless users. ASK Specification: IF R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1. DISPLAY: DISPLAY "DAYS" AS A TITLE. PROGRAM: Range check: 0-30 days.	

BOX ID:	R04_ASR13
Adult respondents who are some day established or current experimental smokeless tobacco users and used on 0 days of the past 30 days, go to R04_AS9029. Else, adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R04_AS1023. Else, go to Box R04_ASR26. IF (R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2) AND R04_AS1022 = 0, GO TO R04_AS9029. ELSE, IF (R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1022 != 0, GO TO R04_AS1023. ELSE, GO TO BOX R04_ASR26.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AS9029_NN; R04_AS9029_UN

About how long has it been since you last used smokeless tobacco?

1 I__I__I DAYS

2 I__I__I MONTHS

3 I__I__I YEARS

-8 DON'T KNOW

GO TO BOX R04_ASR26

-7 REFUSED

GO TO BOX R04_ASR26

ASK: Adult respondents who are some day established or current experimental smokeless tobacco users and used on 0 days of the past 30 days.

ASK Specification: IF (R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2) AND R04_AS1022 = 0.

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers R04_AS9029_UN = Days; the value "2" refers to R04_AS9029_UN = Months; the value "3" refers to R04_AS9029_UN = Years.

CHECK ID: R04_AS9029_LC1

The computer recorded that you used smokeless tobacco [R04_AS9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AS9029

2 NEXT

GO TO BOX R04_ASR26

ASK: IF (R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2) AND R04_AS1022 = 0 AND ((R04_AS9029_NN < 30 AND R04_AS9029_UN = 1) OR (R04_AS9029_NN < 1 AND R04_AS9029_UN = 2) OR (R04_AS9029_NN > 18 AND R04_AS9029_UN = 2) OR (R04_AS9029_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AS9029_UN = 3)).

DISPLAY: IF R04_AS9029 REPORTED IN DAYS, DISPLAY "days".

ELSE, IF R04_AS9029 REPORTED IN MONTHS DISPLAY "months".

ELSE, IF R04_AS9029 REPORTED IN YEARS, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AS9029_NN < 30 AND R04_AS9029_UN = 1) OR (R04_AS9029_NN < 1 AND R04_AS9029_UN = 2) OR (R04_AS9029_NN > 18 AND R04_AS9029_UN = 2) OR (R04_AS9029_NN > (R04R_A_AGE - 10) AND R04R_A_AGE >= 18 AND R04_AS9029_UN = 3).

ELSE, GO TO BOX R04_ASR26 AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R04_AS1022	
On average, on those [FILL NUMBER OF DAYS FROM R04_AS1022 days/days you used], how many times did you usually use smokeless tobacco each day?		
!__!__!		
-8	DON'T KNOW	GO TO BOX R04_ASR26
-7	REFUSED	GO TO BOX R04_ASR26
ASK: Adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.		
ASK Specification: IF (R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1022 != 0.		
DISPLAY: IF R04_AS1022 = 1, -8, -7, DISPLAY "days you used".		
ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R04_AS1022 AND "days" (EX. "2 days").		

CHECK ID:	R04_AS1023_LC1						
The computer recorded that on the days you used in the past 30 days, you used smokeless tobacco [R04_AS1023] times a day, on average. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AS1023</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO BOX R04_ASR26</td> </tr> </table> ASK: IF (R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1022 != 0 AND R04_AS1023 > 20. PROGRAM: TRIGGER CHECK IF R04_AS1023 > 20. ELSE, GO TO BOX R04_ASR26 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AS1023	2	NEXT	GO TO BOX R04_ASR26
1	BACK	GO TO R04_AS1023					
2	NEXT	GO TO BOX R04_ASR26					

BOX ID:	R04_ASR26
Adult respondents who are current established or current experimental smokeless tobacco users, go to R04_AS1024. Else, adult respondents who are non-current 30-day smokeless tobacco users, go to R04_AS1024_30D. Else, go to the next section.	
IF R04_SMKLS_USER_STATUS = 1, 2, GO TO R04_AS1024. ELSE, IF R04_FORMER_THIRTYDAY_USER_SMKLS = 1, GO TO R04_AS1024_30D. ELSE, GO TO THE NEXT SECTION (see note in Box R04_AMD07).	

Variable(s):	R04_AS1024_NN; R04_AS1024_UN
[On the days that you use smokeless tobacco, how/How] soon after you wake up do you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.	
1	_ _ _ _ Minutes after waking
2	_ _ _ _ Hours after waking
-8	DON'T KNOW GO TO R04_AS1092
-7	REFUSED GO TO R04_AS1092
ASK: Adult respondents who are current established or current experimental smokeless tobacco users. ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2. DISPLAY: IF R04_CURRENT_SMKLS_USE = 1, DISPLAY "How". ELSE, DISPLAY "On the days that you use smokeless tobacco, how". PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers R04_AS1024_UN = Minutes after waking; the value "2" refers to R04_AS1024_UN = Hours after waking.	

PATH – Wave 4 Adult
Public Use File Annotated Instrument

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AS1024_LC2	
The computer recorded "0" for how soon you typically use your first smokeless tobacco product after waking.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AS1024
2 NEXT	GO TO BOX R04_ASR28
ASK: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1024_NN = 0.	
PROGRAM: TRIGGER CHECK IF R04_AS1024_NN = 0.	
ELSE, GO TO BOX R04_ASR28 AND NOT DISPLAY THIS SCREEN.	

Variable(s): R04_AS1092	
[On the days that you use smokeless tobacco, would/Would] you say you use your first smokeless tobacco product of the day within the first 30 minutes after you wake up?	
1 Yes	GO TO BOX R04_ASR28
2 No	GO TO BOX R04_ASR28
3 It varies	GO TO BOX R04_ASR28
-8 DON'T KNOW	GO TO BOX R04_ASR28
-7 REFUSED	GO TO BOX R04_ASR28
ASK: Adult respondents who are current established or current experimental smokeless tobacco users and did not know or refused to report how soon after waking up they first use smokeless tobacco.	
ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1024_NN = -8, -7.	
DISPLAY: IF R04_CURRENT_SMKLS_USE = 1, DISPLAY "Would".	
ELSE, DISPLAY "On the days that you use smokeless tobacco, would".	

Variable(s): R04_AS1024_30D_NN; R04_AS1024_30D_UN	
On the days that you used smokeless tobacco, how soon after you woke up did you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.	
1 __ __ __ Minutes after waking	
2 __ __ __ Hours after waking	
-8 DON'T KNOW	GO TO R04_AS1092_30D
-7 REFUSED	GO TO R04_AS1092_30D
ASK: Adult respondents who are non-current 30-day smokeless tobacco users.	
ASK Specification: IF R04_FORMER_THIRTYDAY_USER_SMKLS = 1.	
PROGRAM: Display as Quantity/Units.	
NOTES: The value "1" refers R04_AS1024_30D_UN = Minutes after waking; the value "2" refers to R04_AS1024_30D_UN = Hours after waking.	

CHECK ID: R04_AS1024_30D_LC1

The computer recorded that you typically used your first smokeless tobacco product [R04_AS1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------------|
| 1 | BACK | GO TO R04_AS1024_30D |
| 2 | NEXT | GO TO R04_AS1024_30D_LC2 |

ASK: IF R04_FORMER_THIRTYDAY_USER_SMKLS = 1 AND ((R04_AS1024_30D_NN > 60 AND R04_AS1024_30D_UN = 1) OR (R04_AS1024_30D_NN > 12 AND R04_AS1024_30D_UN = 2)).

DISPLAY: IF R04_AS1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AS1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_AS1024_30D_NN > 60 AND R04_AS1024_30D_UN = 1) OR (R04_AS1024_30D_NN > 12 AND R04_AS1024_30D_UN = 2).

ELSE, GO TO R04_AS1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AS1024_30D_LC2

The computer recorded "0" for how soon after waking you typically used your first smokeless tobacco product.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AS1024_30D |
| 2 | NEXT | GO TO BOX R04_ASR28 |

ASK: IF R04_FORMER_THIRTYDAY_USER_SMKLS = 1 AND R04_AS1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AS1024_30D_NN = 0.

ELSE, GO TO BOX R04_ASR28 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS1092_30D**

On the days that you used smokeless tobacco, would you say you used your first smokeless tobacco product of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are non-current 30-day smokeless tobacco users and did not know or refused to report how soon after waking up they typically used their first smokeless tobacco of the day.

ASK Specification: IF R04_FORMER_THIRTYDAY_USER_SMKLS = 1 AND R04_AS1024_30D_NN = -8, -7.

BOX ID: **R04_ASR28**

Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R04_AS0100.

Else, go to R04_AS9041.

IF R04_CURRENT_SMKLS_USE = 1 OR ((R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1022 != 0), GO TO R04_AS0100.

ELSE, GO TO R04_AS9041.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS0100**

When did you last use smokeless tobacco [not including snus]?

- | | |
|--------------------------|------------------|
| 1 In the past hour | GO TO R04_AS0103 |
| 2 Sometime today | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R04_AS1130 |
| -8 DON'T KNOW | GO TO R04_AS1130 |
| -7 REFUSED | GO TO R04_AS1130 |

ASK: Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04_CURRENT_SMKLS_USE = 1 OR ((R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1022 != 0).

DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "not including snus".
ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R04_AS0102

When you last used smokeless tobacco [not including snus] [FILL BASED ON R04_AS0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established smokeless tobacco users and last used smokeless tobacco sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04_CURRENT_SMKLS_USE = 1 AND R04_AS0100 = 2, 3, 4) OR ((R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1022 != 0 AND R04_AS0100 = 2, 3, 4).

DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "not including snus".

ELSE, DO NOT DISPLAY THIS TEXT.

FOR [FILL BASED ON R04_AS0100]:

IF R04_AS0100 = 2, DISPLAY "today".

ELSE, IF R04_AS0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AS0100 = 4, DISPLAY "the day before yesterday".

Variable(s): R04_AS0103

How many times [have/did] you [used/use] smokeless tobacco [not including snus] [FILL BASED ON R04_AS0100]?

-8 DON'T KNOW

GO TO R04_AS1130

-7 REFUSED

GO TO R04_AS1130

ASK: Adult respondents who are every day established smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04_CURRENT_SMKLS_USE = 1 AND R04_AS0100 = 1, 2, 3, 4) OR ((R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1022 != 0 AND R04_AS0100 = 1, 2, 3, 4).

DISPLAY: IF R04_EVER_NEVER_SNUS = 1, DISPLAY "not including snus".

ELSE, DO NOT DISPLAY THIS TEXT.

IF R04_AS0100 = 1, 2, DISPLAY "have" AND "used".

ELSE, IF R04_AS0100 = 3, 4, DISPLAY "did" AND "use".

FOR [FILL BASED ON R04_AS0100]:

IF R04_AS0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AS0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AS0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow only 3 digits.

CHECK ID: R04_AS0103_LC1

The computer recorded that you used smokeless tobacco [R04_AS0103] times [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AS0103

2 NEXT

GO TO R04_AS1130

ASK: IF ((R04_CURRENT_SMKLS_USE = 1 AND R04_AS0100 = 1, 2, 3, 4) OR ((R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1022 != 0 AND R04_AS0100 = 1, 2, 3, 4)) AND (R04_AS0103 > 20 OR R04_AS0103 = 11).

DISPLAY: IF R04_AS0100 = 1, 2, DISPLAY "today".

ELSE, IF R04_AS0100 = 3, DISPLAY "yesterday".

ELSE, IF R04_AS0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AS0103 > 20 OR R04_AS0103 = 11.

ELSE, GO TO R04_AS1130 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS1130**

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AS9041 |
| 3 | I don't know | GO TO R04_AS9041 |
| -8 | DON'T KNOW | GO TO R04_AS9041 |
| -7 | REFUSED | GO TO R04_AS9041 |

ASK: Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R04_CURRENT_SMKLS_USE = 1 OR ((R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1022 != 0).

Variable(s): **SEE BELOW:**

Which flavors have you used in the past 30 days? Choose all that apply.

- | | | |
|---|----|---|
| R04_AS1131_01 | 1 | Menthol or mint |
| R04_AS1131_02 | 2 | Wintergreen, spearmint or frost |
| R04_AS1131_03 | 3 | Clove or spice |
| R04_AS1131_04 | 4 | Fruit |
| R04_AS1131_05 | 5 | Chocolate |
| R04_AS1131_06 | 6 | An alcoholic drink (such as wine, cognac, margarita or other cocktails) |
| R04_AS1131_07 | 7 | Candy or other sweets |
| R04_AS1131_08;
R04_AS1131_OS | 8 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R04_CURRENT_SMKLS_USE = 1 AND R04_AS1130 = 1) OR ((R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1022 != 0 AND R04_AS1130 = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R04_AS1147

On the days you used smokeless tobacco in the past 30 days, how often did you use flavored smokeless tobacco?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R04_CURRENT_SMKLS_USE = 1 AND R04_AS1130 = 1) OR
 ((R04_CURRENT_SMKLS_USE = 2 OR R04_SMKLS_USER_STATUS = 2 OR
 R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1022 != 0 AND R04_AS1130 = 1).
 DISPLAY: UNDERLINE "flavored".

Variable(s): R04_AS9041

What type of smokeless tobacco [do you use/have you used]?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

- 1 Loose smokeless tobacco (such as dip, spit or chewing tobacco) GO TO R04_AS1030
- 2 Smokeless tobacco pouches (not including snus) GO TO R04_AS1030
- 3 Both loose and pouched smokeless tobacco
- 8 DON'T KNOW GO TO R04_AS1030
- 7 REFUSED GO TO R04_AS1030

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2 OR
 R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do you use".

ELSE, DISPLAY "have you used".

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES

Variable(s): R04_AS9042

You mentioned you have used both loose and pouched smokeless tobacco. Which type of smokeless tobacco [do/did] you use most often?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

- 1 Loose smokeless tobacco (such as dip, spit or chewing tobacco)
- 2 Smokeless tobacco pouches (not including snus)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and have used both loose and pouched smokeless tobacco.

ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS9041 = 3.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES

Variable(s): R04_AS1030

The next questions ask about your experience buying smokeless tobacco. [Please think of the type of smokeless tobacco you use most often when answering these questions.]

]How [do/did] you usually buy smokeless tobacco for yourself?

- 1 In person
- 2 From the internet GO TO R04_AS1042
- 3 By telephone GO TO R04_AS1042
- 4 I do not buy my own smokeless tobacco GO TO R04_AS1047
- 8 DON'T KNOW GO TO R04_AS1047
- 7 REFUSED GO TO R04_AS1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF R04_AS9041 = 3, DISPLAY "Please think of the type of smokeless tobacco you use most often when answering these questions.".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS1032**

[Do/Did] you usually buy smokeless tobacco...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person.

ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1030 = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

Variable(s): **R04_AS1033; R04_AS1033_OS**

Where [do/did] you buy your smokeless tobacco most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person.

ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1030 = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard.".

Variable(s):	R04_AS1042_D; R04_AS1042_C
How much [do you usually/did you] pay for a container of smokeless tobacco?	
	\$ __ __ __ Dollars . __ __ Cents
-8	DON'T KNOW
	GO TO BOX R04_ASR52
-7	REFUSED
	GO TO BOX R04_ASR52
ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone.	
ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1030 = 1, 2, 3.	
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "do you usually".	
ELSE, DISPLAY "did you".	
DISPLAY "\$" AS LEFT LABEL; "Dollars" AND "Cents" AS TITLES.	
PROGRAM: Display as Quantity/Quantity.	

CHECK ID: R04_AS1042_LC1

The computer recorded that you paid \$[R04_AS1042_D].[R04_AS1042_C] for a container of smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R04_AS1042
2	NEXT	GO TO BOX R04_ASR52

ASK: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1)
AND R04_AS1030 = 1, 2, 3 AND R04_AS1042_D != -8, -7 AND (R04_AS1042_D > 6 OR
R04_AS1042_D < 1).

PROGRAM: TRIGGER CHECK IF R04_AS1042_D > 6 OR R04_AS1042_D < 1.
ELSE, GO TO BOX R04_ASR52 AND DO NOT DISPLAY THIS SCREEN.

BOX ID:	R04_ASR52
Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone, and most often use smokeless tobacco pouches, go to R04_AS9001. Else, go to R04_AS1047.	
IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1030 = 1, 2, 3 AND (R04_AS9041 = 2 OR R04_AS9042 = 2), GO TO R04_AS9001. ELSE, GO TO R04_AS1047.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS9001**

How many pouches [are/were] in the container of smokeless tobacco that you usually [buy/bought]?

|_|_|_|

-8 DON'T KNOW

GO TO R04_AS1047

-7 REFUSED

GO TO R04_AS1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone, and most often use smokeless tobacco pouches.

ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1030 = 1, 2, 3 AND (R04_AS9041 = 2 OR R04_AS9042 = 2).

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "are" AND "buy".
ELSE, DISPLAY "were" AND "bought".

CHECK ID: **R04_AS9001_LC1**

The computer recorded that there are [R04_AS9001] pouches in the container you bought.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AS9001

2 NEXT

GO TO R04_AS9002

ASK: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1030 = 1, 2, 3 AND (R04_AS9041 = 2 OR R04_AS9042 = 2) AND R04_AS9001 != -8, -7 AND (R04_AS9001 > 50 OR R04_AS9001 < 5).

PROGRAM: TRIGGER CHECK IF R04_AS9001 > 50 OR R04_AS9001 < 5.

ELSE, GO TO R04_AS9002 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS9002**

About how many days [does/did] it take you to use up a container this size?

|_|_|_|_|

-8 DON'T KNOW

GO TO R04_AS1047

-7 REFUSED

GO TO R04_AS1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone, and most often use smokeless tobacco pouches and provided the number of smokeless tobacco pouches in the container they usually buy.

ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1030 = 1, 2, 3 AND (R04_AS9041 = 2 OR R04_AS9042 = 2) AND R04_AS9001 != -8, -7.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "does".

ELSE, DISPLAY "did".

CHECK ID: **R04_AS9002_LC1**

The computer recorded that it took you [R04_AU9002] days to use up a container of smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AS9002

2 NEXT

GO TO R04_AS1047

ASK: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1030 = 1, 2, 3 AND (R04_AS9041 = 2 OR R04_AS9042 = 2) AND R04_AS9001 != -8, -7 AND (R04_AS9002 > (R04_AS9001*7) OR R04_AS9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99).

PROGRAM: TRIGGER CHECK IF R04_AS9002 > (R04_AS9001*7) OR R04_AS9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.

ELSE, GO TO R04_AS1047 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS1047**

[Do/Did] you have a regular brand of smokeless tobacco that you usually [use/used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "Do" AND "use".

ELSE, DISPLAY "Did" AND "used".

Variable(s): **R04_AS1050**

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

- 1 Yes
- 2 No GO TO R04_AS1945
- 3 I don't know GO TO R04_AS1945
- 8 DON'T KNOW GO TO R04_AS1945
- 7 REFUSED GO TO R04_AS1945

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "Is" AND "your regular brand" AND "use".

ELSE, IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".

ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, DISPLAY "Was" AND "your regular brand" AND "used".

ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".

Variable(s):	SEE BELOW:
Which flavor [is/was] it? Choose all that apply.	
R04_AS1012_01	1 Menthol or mint
R04_AS1012_02	2 Wintergreen, spearmint or frost
R04_AS1012_03	3 Clove or spice
R04_AS1012_04	4 Fruit
R04_AS1012_05	5 Chocolate
R04_AS1012_06	6 An alcoholic drink (such as wine, cognac, margarita or other cocktails)
R04_AS1012_07	7 Candy or other sweets
R04_AS1012_08; R04_AS1012_OS	8 Some other flavor (SPECIFY)
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.	
ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1050 = 1.	
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "is".	
ELSE, DISPLAY "was".	
IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	
PROGRAM: Allow respondent to choose all that apply.	

Variable(s):	R04_AS1945
Do you know the <u>name of the brand</u> of smokeless tobacco you [usually use/usually used/last used]?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.	
ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1.	
DISPLAY: UNDERLINE "name of the brand".	
IF R04_AS1047 = 1 AND R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "usually use".	
ELSE, IF R04_AS1047 = 1 AND R04_SMKLS_USER_STATUS != 1, 2, DISPLAY "usually used".	
ELSE, IF R04_AS1047 = 2, -8, -7, DISPLAY "last used".	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_ASR27
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of snus they usually use or last used, go to R04_AS1048_BRAND. Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco, go to R04_AS1051. Else, go to Box R04_ASD03.	
IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1945 = 1, GO TO R04_AS1048_BRAND. ELSE, IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, GO TO R04_AS1051. ELSE, GO TO BOX R04_ASD03.	

Variable(s):	R04_AS1048_BRAND
What brand of smokeless tobacco [do/did] you [usually/last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of snus they usually use or last used. ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1945 = 1. DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else". IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "do" AND "usually". ELSE, IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, DISPLAY "did" AND "usually". ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 2, -8, -7, DISPLAY "did" AND "last". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_ASR16
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected "Something else" for their brand of smokeless tobacco, go to R04_AS1049. Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco, go to R04_AS1070_PRODUCT. Else, go to Box R04_ASR25.
IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1945 = 1 AND R04_AS1048_BRAND = 9995, GO TO R04_AS1049. ELSE, IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1945 = 1 AND R04_AS1048_BRAND != 9995, -8, -7, GO TO R04_AS1070_PRODUCT. ELSE, GO TO BOX R04_ASR25.

Variable(s): R04_AS1049
You said that your brand was not listed. What is it? _____ -8 DON'T KNOW -7 REFUSED GO TO BOX R04_ASR25 GO TO BOX R04_ASR25 GO TO BOX R04_ASR25 ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected "Something else" for their brand of smokeless tobacco. ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1945 = 1 AND R04_AS1048_BRAND = 9995.

Variable(s): R04_AS1070_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1945 = 1 AND R04_AS1048_BRAND != 9995, -8, -7.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY: "If you do not see it below, touch the box marked "Something else"."

FILL BRANDFILL WITH BRAND CHOSEN IN R04_AS1048_BRAND.

IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R04_SMKLS_USER_STATUS = 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

PROGRAM: SHOW PICTURES OR TEXT ON THE TOUCHSCREEN OF THE MAJOR PRODUCTS ASSOCIATED WITH BRAND SELECTED IN R04_AS1048_BRAND.

BOX ID: R04_ASR17

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco and selected "Something else" of their subbrand of smokeless tobacco, go to R04_AS1071.

Else, go to Box R04_ASR25.

IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1945 = 1 AND R04_AS1048_BRAND != 9995, -8, -7 AND R04_AS1070_PRODUCT = 99995, GO TO R04_AS1071.

ELSE, GO TO BOX R04_ASR25.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS1071**

You said that the type of [BRANDFILL]s that you [use/used] is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco and selected "Something else" for their subbrand of smokeless tobacco.

ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1945 = 1 AND R04_AS1048_BRAND != 9995, -8, -7 AND R04_AS1070_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R04_AS1048_BRAND.

IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AS1047 = 1, DISPLAY "use".

ELSE, DISPLAY "used".

BOX ID: **R04_ASR25**

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco, go to R04_AS1051.

Else, go to Box R04_ASR18.

IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1, GO TO R04_AS1051.

ELSE, GO TO BOX R04_ASR18.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AS1051_NN; R04_AS1051_UN	
About how long [did you use/have you been using] your regular brand of smokeless tobacco?	
1	I ___ I ___ DAYS
2	I ___ I ___ MONTHS
3	I ___ I ___ YEARS
-8	DON'T KNOW GO TO BOX R04_ASR18
-7	REFUSED GO TO BOX R04_ASR18
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco.	
ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1.	
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "have you been using".	
ELSE, DISPLAY "did you use".	
PROGRAM: Display as Quantity/Units. Allow 2 digits for days, 2 digits for months, and 2 digits for years.	
NOTES: The value "1" refers R04_AS1051_UN = Days; the value "2" refers to R04_AS1051_UN = Months; the value "3" refers to R04_AS1051_UN = Years.	

CHECK ID: R04_AS1051_LC1	
The computer recorded that you [have been using/used] your regular brand of smokeless tobacco for [R04_AS1051_NN] years. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1	BACK GO TO R04_AS1051
2	NEXT GO TO R04_AS1051_LC2
ASK: IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1 AND R04_AS1051_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AS1051_UN = 3.	
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "have been using".	
ELSE, DISPLAY "used".	
PROGRAM: TRIGGER CHECK IF R04_AS1051_NN > R04R_A_AGE AND R04R_A_AGE >= 18 AND R04_AS1051_UN = 3.	
ELSE, GO TO R04_AS1051_LC2 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AS1051_LC2

The computer recorded "0" for how long you [have been using/used] your regular brand of smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AS1051

2 NEXT

GO TO BOX R04_ASR18

ASK: IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS1047 = 1 AND R04_AS1051_NN = 0.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "have been using".
ELSE, DISPLAY "used".

PROGRAM: TRIGGER CHECK IF R04_AS1051_NN = 0.

ELSE, GO TO BOX R04_ASR18 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_ASR18

Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and subbrand of smokeless tobacco, go to R04_AS0104.

Else, go to Box R04_ASD03.

IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS0100 = 1, 2, 3, 4 AND R04_AS1945 = 1 AND R04_AS1048_BRAND != 9995, -8, -7 AND R04_AS1070_PRODUCT != 99990, 99995, -8, -7, GO TO R04_AS0104.

ELSE, GO TO BOX R04_ASD03.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AS0104***
You said earlier that you used smokeless tobacco [TIME OF LAST USE]. Think about the very last time you used it. Was the brand [NEQBRAND]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and subbrand of smokeless tobacco. ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_AS0100 = 1, 2, 3, 4 AND R04_AS1945 = 1 AND R04_AS1048_BRAND != 9995, -8, -7 AND R04_AS1070_PRODUCT != 99990, 99995, -8, -7. DISPLAY: IF R04_AS0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour". ELSE, IF R04_AS0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today". ELSE, IF R04_AS0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday". ELSE, IF R04_AS0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday". FILL [NEQBRAND] WITH RESPONSE TO R04_AS1070_PRODUCT. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_ASD03
Randomize order of R04_AS1060 through R04_AS1067. Display question R04_AS1060, R04_AS1085, R04_AS1062, R04_AS1075, R04_AS1063, R04_AS1064, R04_AS1065, R04_AS1067 on one screen. Show the intro/transition text from R04_AS1060 first, then show each item with a Y/N response. As each item is answered, show the next one.

Variable(s): R04_AS1060

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "is".
ELSE, DISPLAY "applied to you when you used to use smokeless tobacco", "used" AND "was".

Variable(s): R04_AS1085

I [can/could] use smokeless tobacco at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "can" AND "isn't".
ELSE, DISPLAY "could" AND "wasn't".

Variable(s): R04_AS1062

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

Variable(s): R04_AS1075

It might [be/have been] less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

Variable(s): R04_AS1063

Smokeless tobacco [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "comes" AND "like".
ELSE, DISPLAY "came" AND "liked".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_ASR19

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established, current experimental, or recent former established cigarette smokers, go to R04_AS1064.

Else, go to R04_AS1065.

IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_CIG_USER_STATUS = 1, 2, 4, GO TO R04_AS1064.
ELSE, GO TO R04_AS1065.

Variable(s): R04_AS1064

Using smokeless tobacco helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_CIG_USER_STATUS = 1, 2, 4.

Variable(s): R04_AS1065

Smokeless tobacco doesn't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AS1067
Smokeless tobacco [is/was] more acceptable to non-tobacco users.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.	
ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1.	
DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "is".	
ELSE, DISPLAY "was".	

BOX ID:	R04_ASR20
Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and are current established or current experimental cigarette smokers, go to R04_AS1086.	
Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established or recent former established cigarette smokers, go to R04_AS1080.	
Else, go to R04_AS1139.	
IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_CIG_USER_STATUS = 1, 2, GO TO R04_AS1086.	
ELSE, IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_CIG_USER_STATUS = 1, 4, GO TO R04_AS1080.	
ELSE, GO TO R04_AS1139.	

Variable(s):	R04_AS1086
In the past 30 days have you used smokeless tobacco at times when or in places where you could not smoke cigarettes?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
	GO TO R04_AS1080
	GO TO R04_AS1080
	GO TO R04_AS1080
ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users, and are current established or current experimental cigarette smokers.	
ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_CIG_USER_STATUS = 1, 2.	

Variable(s): **R04_AS1087**

How often [do/did] you use smokeless tobacco at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and are current established or current experimental cigarette smokers and used smokeless tobacco at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_CIG_USER_STATUS = 1, 2 AND R04_AS1086 = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

Variable(s): **R04_AS1080**

[Do/Did] you use smokeless tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R04_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS1139**

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using smokeless tobacco.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2 DISPLAY "is".

ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R04_AS1139-1141 SERIES.

Variable(s): **R04_AS1140**

While using smokeless tobacco, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "feel".

ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R04_AS1139-1141 SERIES.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS1141**

I [use/used] smokeless tobacco much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 4 OR
R04_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "use" AND "am".
ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R04_AS1139-1141 SERIES.

POLYUSE

BOX ID:	R04_ANV01
PROGRAM - DEFINE THE FOLLOWING USER GROUPS AND DERIVED VARIABLES (SEE APPENDIX):	
R04_CURRENT_PRODUCT_COUNT = Number of tobacco products for which the respondent is an every day or some day user. R04_SOME_DAY_PRODUCT_COUNT = Number of tobacco products the respondent currently uses some days. R04_EVERY_DAY_PRODUCT_COUNT = Number of tobacco products the respondent currently uses every day. R04_TOBACCO_PRODUCT_LIST = A list of all the tobacco products the respondent currently uses. R04_EVER_NEVER_TOBACCO = 1 (Ever user) Adult respondents who have ever used any tobacco product. R04_EVER_NEVER_TOBACCO = 2 (Never user) Adult respondents who have never used any tobacco product. R04_TOBACCO_USER_STATUS = 1 (Current established user) Adult respondents who are current established users of at least one tobacco product (including electronic nicotine products). R04_TOBACCO_USER_STATUS = 2 (Current experimental user) Adult respondents who are current experimental users of at least one tobacco product, and not current established or recent former established users of any other product (including electronic nicotine products). R04_TOBACCO_USER_STATUS = 3 (Former experimental user) Adult respondents who are former experimental users of at least one tobacco product, and not current established, current experimental, recent former established, or long-term former established users of any other product (including electronic nicotine products). R04_TOBACCO_USER_STATUS = 4 (Recent former established user) Adult respondents who are recent former established users of any tobacco product (including electronic nicotine products), and are not current established users of any other tobacco products (including electronic nicotine products). R04_TOBACCO_USER_STATUS = 5 (Long-term former established user) Adult respondents who are long-term former established users of any tobacco product (including electronic nicotine products), and are not current established, current experimental, or recent former established users of any other tobacco products (including electronic nicotine products).	
R04_CURRENT_PRODUCT_COUNT: 0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY OR SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9. R04_SOME_DAY_PRODUCT_COUNT: 0 +1 FOR EVERY PRODUCT THE RESPONDENT USES SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9. R04_EVERY_DAY_PRODUCT_COUNT: 0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE	

PRODUCTS (IF R04_EPROD_COUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.

R04_TOBACCO_PRODUCT_LIST:

IF R04_CIG_USER_STATUS = 1, INCLUDE "cigarettes" IN THE LIST.

IF R04_EPROD_USER_STATUS = 1, INCLUDE "electronic nicotine products" IN THE LIST.

IF R04_GTRAD_USER_STATUS = 1, INCLUDE "traditional cigars" IN THE LIST.

IF R04_GRILLO_USER_STATUS = 1, INCLUDE "cigarillos" IN THE LIST.

IF R04_GFILTR_USER_STATUS = 1, INCLUDE "filtered cigars" IN THE LIST.

IF R04_PIPE_USER_STATUS = 1, INCLUDE "a pipe" IN THE LIST.

IF R04_HOOK_USER_STATUS = 1, INCLUDE "hookah" IN THE LIST.

IF R04_SNUS_USER_STATUS = 1, INCLUDE "snus" IN THE LIST.

IF R04_SMKLS_USER_STATUS = 1, INCLUDE "smokeless tobacco" IN THE LIST.

R04_EVER_NEVER_TOBACCO = 1:

IF R04_EVER_NEVER_CIGS = 1 OR R04_EVER_NEVER_EPRODS = 1 OR
R04_EVER_NEVER_GTRAD = 1 OR R04_EVER_NEVER_GRILLO = 1 OR
R04_EVER_NEVER_GFILTR = 1 OR R04_EVER_NEVER_PIPE = 1 OR R04_EVER_NEVER_HOOK
= 1 OR R04_EVER_NEVER_SMKLS = 1 OR R04_EVER_NEVER_SNUS = 1 OR
R04_EVER_NEVER_DISSBL = 1, THEN R04_EVER_NEVER_TOBACCO = 1.

R04_EVER_NEVER_TOBACCO = 2:

ELSE, R04_EVER_NEVER_TOBACCO = 2.

R04_TOBACCO_USER_STATUS = 1:

IF (R04_CIG_USER_STATUS = 1 OR R04_EPROD_USER_STATUS = 1 OR
(R04_GTRAD_USER_STATUS = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2) OR
(R04_GRILLO_USER_STATUS = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2) OR
(R04_GFILTR_USER_STATUS = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2) OR
R04_PIPE_USER_STATUS = 1 OR R04_HOOK_USER_STATUS = 1 OR
R04_SNUS_USER_STATUS = 1 OR R04_SMKLS_USER_STATUS = 1), THEN
R04_TOBACCO_USER_STATUS = 1.

R04_TOBACCO_USER_STATUS = 4:

ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_EPROD_USER_STATUS = 4 OR
(R04_GTRAD_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BTRAD = 2) OR
(R04_GRILLO_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BRILLO = 2) OR
(R04_GFILTR_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BFILTR = 2) OR
R04_PIPE_USER_STATUS = 4 OR R04_HOOK_USER_STATUS = 4 OR
R04_SNUS_USER_STATUS = 4 OR R04_SMKLS_USER_STATUS = 4), THEN
R04_TOBACCO_USER_STATUS = 4.

R04_TOBACCO_USER_STATUS = 2:

ELSE, IF (R04_CIG_USER_STATUS = 2 OR R04_EPROD_USER_STATUS = 2 OR
(R04_GTRAD_USER_STATUS = 2 AND R04_12MBLUNT_ONLY_BTRAD = 2) OR
(R04_GRILLO_USER_STATUS = 2 AND R04_12MBLUNT_ONLY_BRILLO = 2) OR
(R04_GFILTR_USER_STATUS = 2 AND R04_12MBLUNT_ONLY_BFILTR = 2) OR
R04_PIPE_USER_STATUS = 2 OR R04_HOOK_USER_STATUS = 2 OR
R04_SNUS_USER_STATUS = 2 OR R04_SMKLS_USER_STATUS = 2), THEN
R04_TOBACCO_USER_STATUS = 2.

R04_TOBACCO_USER_STATUS = 5:

ELSE, IF (R04_CIG_USER_STATUS = 5 OR R04_EPROD_USER_STATUS = 5 OR
(R04_GTRAD_USER_STATUS = 5 AND R04_12MBLUNT_ONLY_BTRAD = 2) OR

(R04_GRILLO_USER_STATUS = 5 AND R04_12MBLUNT_ONLY_BRILLO = 2) OR
(R04_GFILTR_USER_STATUS = 5 AND R04_12MBLUNT_ONLY_BFILTR = 2) OR
R04_PIPE_USER_STATUS = 5 OR R04_HOOK_USER_STATUS = 5 OR
R04_SNUS_USER_STATUS = 5 OR R04_SMKLS_USER_STATUS = 5), THEN
R04_TOBACCO_USER_STATUS = 5.

R04_TOBACCO_USER_STATUS = 3:

ELSE, IF (R04_CIG_USER_STATUS = 3 OR R04_EPROD_USER_STATUS = 3 OR
(R04_GTRAD_USER_STATUS = 3 AND R04_12MBLUNT_ONLY_BTRAD = 2) OR
(R04_GRILLO_USER_STATUS = 3 AND R04_12MBLUNT_ONLY_BRILLO = 2) OR
(R04_GFILTR_USER_STATUS = 3 AND R04_12MBLUNT_ONLY_BFILTR = 2) OR
R04_PIPE_USER_STATUS = 3 OR R04_HOOK_USER_STATUS = 3 OR
R04_SNUS_USER_STATUS = 3 OR R04_SMKLS_USER_STATUS = 3), THEN
R04_TOBACCO_USER_STATUS = 3.

BOX ID: R04_ANR11

Adult respondents who are some day established users of more than one tobacco product and are not every day established users of any tobacco products, go to R04_AY0005.

Else, adult respondents who are current established tobacco users, go to Box R04_ANV02.

Else, go to the next section.

IF R04_SOME_DAY_PRODUCT_COUNT > 1 AND R04_EVERY_DAY_PRODUCT_COUNT = 0, GO TO R04_AY0005.

ELSE, IF R04_TOBACCO_USER_STATUS = 1, GO TO BOX R04_ANV02.

ELSE, GO TO THE NEXT SECTION (see note in Box R04_AMD07).

Variable(s): R04_AY0005

You mentioned that you use [TOBACCO PRODUCT LIST] on some days.

Which of the following best describes how often you use these?

- 1 I use at least one of these every day
- 2 There are some days I don't use [either/any] of these
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are some day established users of more than one tobacco product and are not every day established users of any tobacco products.

ASK Specification: IF R04_SOME_DAY_PRODUCT_COUNT > 1 AND
R04_EVERY_DAY_PRODUCT_COUNT = 0.

DISPLAY: IF R04_SOME_DAY_PRODUCT_COUNT = 2, DISPLAY "either".

ELSE, DISPLAY "any".

BOX ID: R04_ANV02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R04_CURRENT_TOBACCO_USE = 1 (Every day established user) Adult respondents who are every day established users of at least one tobacco product, or who are someday users of multiple products and use at least one each day.

R04_CURRENT_TOBACCO_USE = 2 (Some day established user) Adult respondents who are some day established users of at least one tobacco product and do not use tobacco every day.

R04_CURRENT_TOBACCO_USE = 1:

IF (R04_CURRENT_CIG_USE = 1 OR R04_CURRENT_EPROD_USE = 1 OR
R04_CURRENT_GTRAD_USE = 1 OR R04_CURRENT_GRILLO_USE = 1 OR
R04_CURRENT_GFILTR_USE = 1 OR R04_CURRENT_PIPE_USE = 1 OR
R04_CURRENT_HOOK_USE = 1 OR R04_CURRENT_SMKLS_USE = 1 OR
R04_CURRENT_SNUS_USE = 1) OR R04_AY0005 = 1, THEN R04_CURRENT_TOBACCO_USE = 1.

R04_CURRENT_TOBACCO_USE = 2:

ELSE, IF R04_CURRENT_CIG_USE = 2 OR R04_CURRENT_EPROD_USE = 2 OR
R04_CURRENT_GTRAD_USE = 2 OR R04_CURRENT_GRILLO_USE = 2 OR
R04_CURRENT_GFILTR_USE = 2 OR R04_CURRENT_PIPE_USE = 2 OR
R04_CURRENT_HOOK_USE = 2 OR R04_CURRENT_SMKLS_USE = 2 OR
R04_CURRENT_SNUS_USE = 2, THEN R04_CURRENT_TOBACCO_USE = 2.

BOX ID: R04_ANR12

Adult respondents who are every day established users of tobacco and use more than one tobacco product, go to R04_AY0010.

Else, go to R04_ANV03.

IF R04_CURRENT_TOBACCO_USE = 1 AND R04_CURRENT_PRODUCT_COUNT > 1, GO TO R04_AY0010.

ELSE, GO TO R04_ANV03.

Variable(s): R04_AY0010_NN; R04_AY0010_UN

You mentioned that you use [TOBACCO PRODUCT LIST]. How soon after waking do you usually first use any one of these products?

1 Minutes _____

2 Hours _____

-8 DON'T KNOW

GO TO R04_AY0015

-7 REFUSED

GO TO R04_AY0015

ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product.

ASK Specification: IF R04_CURRENT_TOBACCO_USE = 1 AND
R04_CURRENT_PRODUCT_COUNT > 1.

NOTES: The value "1" refers to R04_AY0010_UN = Minutes after waking; the value "2" refers to R04_AY0010_UN = Hours after waking.

CHECK ID: R04_AY0010_LC1

The computer recorded that you first use a tobacco product [R04_AY0010] [minutes/hours] after waking. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AY0010

2 NEXT

GO TO BOX R04_ANV03

ASK: IF R04_CURRENT_TOBACCO_USE = 1 AND R04_CURRENT_PRODUCT_COUNT > 1 AND R04_AY0010_NN != -8, -7 AND ((R04_AY0010_NN > 60 AND R04_AY0010_UN = 1) OR (R04_AY0010_NN > 4 AND R04_AY0010_UN = 2)).

DISPLAY: IF R04_AY0010_UN = 1, DISPLAY "minutes".

ELSE, IF R04_AY0010_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R04_AY0010_NN > 60 AND R04_AY0010_UN = 1) OR (R04_AY0010_NN > 4 AND R04_AY0010_UN = 2).

ELSE, GO TO BOX R04_ANV03 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AY0015

Would you say you have your first tobacco product within the first 30 minutes after you wake up?

1 Yes

2 No

3 It varies

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product and did not know or refused to report how soon after waking up they first use tobacco.

ASK Specification: IF R04_CURRENT_TOBACCO_USE = 1 AND R04_CURRENT_PRODUCT_COUNT > 1 AND R04_AY0010_NN = -8, -7.

BOX ID:	R04_ANV03
CREATE AN ARRAY USEPROD WITH 9 ELEMENTS - ONE FOR EACH TOBACCO TYPE THAT IDENTIFIES WHETHER THE RESPONDENT IS A CURRENT ESTABLISHED USER OF THE SPECIFIC TOBACCO TYPE. USEPROD(1-9): Current established users of: (1) cigarettes; (2) electronic nicotine products; (3) traditional cigars; (4) cigarillos; (5) filtered cigars; (6) pipes; (7) hookahs; (8) snus; (9) smokeless tobacco. DISPLAY: Display all products bold with lowercase letters. If [USEPROD(1-9)] is a list and R04_CURRENT_PRODUCT_COUNT = 2, separate with "and". If [USEPROD(1-9)] is a list and R04_CURRENT_PRODUCT_COUNT > 2, separate with commas with ", and" preceding last product.	

BOX ID:	R04_ANR38
Adult respondents who are current established users of every tobacco product, go to the next section. Else, go to R04_AX0306.	
IF R04_CURRENT_PRODUCT_COUNT = 9, GO TO THE NEXT SECTION (see note in Box R04_AMD07). ELSE, GO TO R04_AX0306.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Have you considered using any of the following products in addition to **[USEPROD(1-9)]**? Choose all that apply.

- | | | |
|----------------------|----|--|
| R04_AX0306_01 | 1 | I have not considered using additional products |
| R04_AX0306_02 | 2 | Cigarettes |
| R04_AX0306_03 | 3 | E-cigarettes or other electronic nicotine products |
| R04_AX0306_04 | 4 | Traditional cigars |
| R04_AX0306_05 | 5 | Cigarillos |
| R04_AX0306_06 | 6 | Filtered cigars |
| R04_AX0306_07 | 7 | Pipes |
| R04_AX0306_08 | 8 | Hookahs |
| R04_AX0306_09 | 9 | Snus |
| R04_AX0306_10 | 10 | [Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1 AND R04_CURRENT_PRODUCT_COUNT < 9.

DISPLAY: BOLD "[USEPROD(1-9)]".

IF R04_SNUS_USER_STATUS = 1 AND R04_SMKLS_USER_STATUS != 1, DISPLAY OPTION 10 AS "Other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

ELSE, IF R04_SMKLS_USER_STATUS != 1, DISPLAY OPTION 10 AS "Smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

PROGRAM: Ask the question one time and list all products the respondent currently uses in (USEPROD(1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R04_CIG_USER_STATUS = 1. Suppress option 3 if R04_EPROD_USER_STATUS = 1. Suppress option 4 if R04_GTRAD_USER_STATUS = 1. Suppress option 5 if R04_GRILLO_USER_STATUS = 1. Suppress option 6 if R04_GFILTR_USER_STATUS = 1. Suppress option 7 if R04_PIPE_USER_STATUS = 1. Suppress option 8 if R04_HOOK_USER_STATUS = 1. Suppress option 9 if R04_SNUS_USER_STATUS = 1. Suppress option 10 if R04_SMKLS_USER_STATUS = 1.

NOTES: The instrument did not ask if respondents considered additional use of the same tobacco type. As such, for each set of variables in R04_AX0306#_01 through R04_AX0306#_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

Variable(s):	R04_AX0307#_01 through R04_AX0307#_10 Where # = C (Cigarettes); E (Electronic nicotine products); T (Traditional cigars); G (Cigarillos); F (Filtered cigars); P (Pipes); H (Hookahs); U (Snus); S (Smokeless tobacco)
Have you considered switching from [USEPROD(1-9)] to any of the following products? Choose all that apply. 1 I have not considered switching to another product 2 Cigarettes 3 E-cigarettes or other electronic nicotine products 4 Traditional cigars 5 Cigarillos 6 Filtered cigars 7 Pipes 8 Hookahs 9 Snus 10 [Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product. ASK Specification: IF R04_TOBACCO_USER_STATUS = 1 AND R04_CURRENT_PRODUCT_COUNT < 9. DISPLAY: BOLD "[USEPROD(1-9)]". IF R04_SNUS_USER_STATUS = 1 AND R04_SMKLS_USER_STATUS != 1, DISPLAY OPTION 10 AS "Other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco". ELSE, IF R04_SMKLS_USER_STATUS != 1, DISPLAY OPTION 10 AS "Smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco". PROGRAM: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_CIG_USER_STATUS = 1. Suppress option 3 if R04_EPROD_USER_STATUS = 1. Suppress option 4 if R04_GTRAD_USER_STATUS = 1. Suppress option 5 if R04_GRILLO_USER_STATUS = 1. Suppress option 6 if R04_GFILTR_USER_STATUS = 1. Suppress option 7 if R04_PIPE_USER_STATUS = 1. Suppress option 8 if R04_HOOK_USER_STATUS = 1. Suppress option 9 if R04_SNUS_USER_STATUS = 1. Suppress option 10 if R04_SMKLS_USER_STATUS = 1. NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R04_AX0307#_01 through R04_AX0307#_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.	

NICOTINE DEPENDENCE

BOX ID: R04_ANV04

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R04_EXPERIMENTAL_PRODUCT_COUNT = Number of tobacco products the respondent currently uses experimentally.

R04_RECENT_FORMER_PRODUCT_COUNT = Number of tobacco products the respondent is a recent former established user of.

R04_TOBXEPROD_USER_STATUS = 1 (Current established non-electronic tobacco user) Adult respondents who are current established users of at least one tobacco product other than electronic nicotine products. The respondent may have any electronic nicotine product user status.

R04_TOBXEPROD_USER_STATUS = 2 (Current Experimental non-electronic tobacco user) Adult respondents who are current experimental users of any tobacco product other than electronic nicotine products, and are not current established or recent former established users of any tobacco products. The respondent may have any electronic nicotine product user status.

R04_TOBXEPROD_USER_STATUS = 3 (Former experimental non-electronic tobacco user) Adult respondents who are former experimental users of any tobacco product other than electronic nicotine products, and are not current established, current experimental, recent former established, or long-term former established users of any tobacco products. The respondent may have any electronic nicotine product user status.

R04_TOBXEPROD_USER_STATUS = 4 (Recent former established non-electronic tobacco user) Adult respondents who are recent former established users of any tobacco product other than electronic nicotine products, and are not current established users of any tobacco products other than electronic nicotine products. The respondent may have any electronic nicotine product user status.

R04_TOBXEPROD_USER_STATUS = 5 (Long-term former established non-electronic tobacco user) Adult respondents who are long-term former established users of any tobacco product other than electronic nicotine products, and are not current established, current experimental, or recent former established users of any tobacco products other than electronic nicotine products. The respondent may have any electronic nicotine product user status.

R04_NDSKIP = Type of product use -- polyusers or multiple product users:

R04_NDSKIP = 0 (Respondents who are current established or recent former established users of only one product. Or respondents who are current experimental users of only one product and who are not current established or recent former established users of any products. If R04_NDSKIP = 0, only the electronic nicotine product ND module or the tobacco ND module will be asked, not both, with fills tailored to their specific product.)

R04_NDSKIP = 1 (Respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products. Or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products. If R04_NDSKIP = 1, only the tobacco ND module will be asked, with fills tailored to their tobacco use overall.)

R04_NDSKIP = 2 (Respondents who are current established or recent former established users of three or more products, where one of those products is/was electronic nicotine products. Or respondents who are current experimental users of three or more products, where one of those products is electronic nicotine products, and who are not current established or recent former established users of any products. If R04_NDSKIP = 2, both ND modules will be asked, first the

electronic nicotine product ND module and second the tobacco ND module with fills tailored to their tobacco use overall.

R04_NDSKIP = 3 (Respondents who are current established or recent former established users of two products, where one of those products is/was electronic nicotine products. Or respondents who are current experimental users of two products, where one of those products is electronic nicotine products, and who are not current established or recent former established users of any products. If R04_NDSKIP = 3, both ND modules will be asked, first the electronic nicotine product ND module and second the tobacco ND module with fills tailored to their other specific product.)

R04_GROUP = IF R04_NDSKIP = 0, 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS:

R04_GROUP = NC (Cigarettes)

R04_GROUP = NG (Traditional cigars)

R04_GROUP = NL (Cigarillos)

R04_GROUP = NF (Filtered cigars)

R04_GROUP = NP (Pipes)

R04_GROUP = NH (Hookah)

R04_GROUP = NU (Snus)

R04_GROUP = NS (Smokeless Tobacco)

R04_VALID_TIME_LASTUSED = 1 Respondent is a recent former established user of a product and answered R04_A*1009 with a valid response (excluding electronic nicotine products).

R04_VALID_TIME_LASTUSED = 2 Respondent is a recent former established user of a product and did not answer R04_A*1009 with a valid response (excluding electronic nicotine products).

R04_EXPERIMENTAL_PRODUCT_COUNT:

0 +1 FOR EVERY PRODUCT THE RESPONDENT IS AN EXPERIMENTAL CURRENT USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.

R04_RECENT_FORMER_PRODUCT_COUNT:

0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A RECENT FORMER USER OF [CIGARETTES, TRADITIONAL CIGARS (IF R04_12MBLUNT_ONLY_BTRAD != 1), CIGARILLOS (IF R04_12MBLUNT_ONLY_BRILLO != 1), FILTERED CIGARS (IF R04_12MBLUNT_ONLY_BFILTR != 1), PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.

R04_TOBXEPROD_USER_STATUS = 1:

IF (R04_CIG_USER_STATUS = 1 OR R04_GTRAD_USER_STATUS = 1 OR R04_GRILLO_USER_STATUS = 1 OR R04_GFILTR_USER_STATUS = 1 OR R04_PIPE_USER_STATUS = 1 OR R04_HOOK_USER_STATUS = 1 OR R04_SMKLS_USER_STATUS = 1 OR R04_SNUS_USER_STATUS = 1), THEN R04_TOBXEPROD_USER_STATUS = 1.

R04_TOBXEPROD_USER_STATUS = 4:

ELSE, IF (R04_CIG_USER_STATUS = 4 OR (R04_GTRAD_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_GRILLO_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_GFILTR_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR R04_PIPE_USER_STATUS = 4 OR

R04_HOOK_USER_STATUS = 4 OR R04_SMKLS_USER_STATUS = 4 OR
R04_SNUS_USER_STATUS = 4), THEN R04_TOBXEPROD_USER_STATUS = 4.

R04_TOBXEPROD_USER_STATUS = 2:

ELSE, IF (R04_CIG_USER_STATUS = 2 OR R04_GTRAD_USER_STATUS = 2 OR
R04_GRILLO_USER_STATUS = 2 OR R04_GFILTR_USER_STATUS = 2 OR
R04_PIPE_USER_STATUS = 2 OR R04_HOOK_USER_STATUS = 2 OR
R04_SMKLS_USER_STATUS = 2 OR R04_SNUS_USER_STATUS = 2), THEN
R04_TOBXEPROD_USER_STATUS = 2.

R04_TOBXEPROD_USER_STATUS = 5:

ELSE, IF (R04_CIG_USER_STATUS = 5 OR (R04_GTRAD_USER_STATUS = 5 AND
R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_GRILLO_USER_STATUS = 5 AND
R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_GFILTR_USER_STATUS = 5 AND
R04_12MBLUNT_ONLY_BFILTR != 1) OR R04_PIPE_USER_STATUS = 5 OR
R04_HOOK_USER_STATUS = 5 OR R04_SMKLS_USER_STATUS = 5 OR
R04_SNUS_USER_STATUS = 5), THEN R04_TOBXEPROD_USER_STATUS = 5.

R04_TOBXEPROD_USER_STATUS = 3:

ELSE, IF (R04_CIG_USER_STATUS = 3 OR (R04_GTRAD_USER_STATUS = 3 AND
R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_GRILLO_USER_STATUS = 3 AND
R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_GFILTR_USER_STATUS = 3 AND
R04_12MBLUNT_ONLY_BFILTR != 1) OR R04_PIPE_USER_STATUS = 3 OR
R04_HOOK_USER_STATUS = 3 OR R04_SMKLS_USER_STATUS = 3 OR
R04_SNUS_USER_STATUS = 3), THEN R04_TOBXEPROD_USER_STATUS = 3.

R04_NDSKIP:

IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 2) AND
R04_EPROD_USER_STATUS != 1, 4, THEN R04_NDSKIP = 1.

ELSE, IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 3) AND R04_EPROD_USER_STATUS = 1, 4, THEN R04_NDSKIP = 2.

ELSE, IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT = 2) AND R04_EPROD_USER_STATUS = 1, 4, THEN R04_NDSKIP = 3.

ELSE, IF R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT = 1, THEN R04_NDSKIP = 0.

ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 2, THEN R04_NDSKIP = 1.

ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT >= 3 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2, THEN R04_NDSKIP = 2.

ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2, THEN R04_NDSKIP = 3.

ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT = 1 AND R04_TOBACCO_USER_STATUS = 2, THEN R04_NDSKIP = 0.

R04_GROUP:

IF R04_NDSKIP = 0:

IF (R04_CIG_USER_STATUS = 1 OR 4) AND (R04_EPROD_USER_STATUS != 1 AND
R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND
(R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND
R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GFILTR_USER_STATUS != 1 AND
(R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND

R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND
R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND
R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND
R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP =
NC.

ELSE, IF (R04_GTRAD_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BTRAD != 1) AND
(R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND
R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND
R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GFILTR_USER_STATUS != 1 AND
(R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND
R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND
R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND
R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND
R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP =
NG.

ELSE, IF (R04_GRILLO_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BRILLO != 1) AND
(R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND
R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND
R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND
(R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND
R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND
R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND
R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND
R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP =
NL.

ELSE, IF (R04_GFILTR_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BFILTR != 1) AND
(R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND
R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND
R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GTRAD_USER_STATUS != 1 AND
(R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND
R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND
R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND
R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND
R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP =
NF.

ELSE, IF R04_PIPE_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND
R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND
R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND
(R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND
R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_GRILLO_USER_STATUS != 1 AND
(R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND
R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND
R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND
R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP =
NP.

ELSE, IF R04_HOOK_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NH.

ELSE, IF R04_SNUS_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NU.

ELSE, IF R04_SMKLS_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1)), THEN R04_GROUP = NS.

ELSE, IF R04_CIG_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4), THEN R04_GROUP = NC.

ELSE, IF R04_GTRAD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NG.

ELSE, IF R04_GRILLO_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NL.

ELSE, IF R04_GFILTR_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NF.

ELSE, IF R04_PIPE_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NP.

ELSE, IF R04_HOOK_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NH.

ELSE, IF R04_SNUS_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NU.

ELSE, IF R04_SMKLS_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NS.

IF R04_NDSKIP = 3:

IF (R04_CIG_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NC.

ELSE, IF ((R04_GTRAD_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BTRAD != 1) AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NG.

ELSE, IF ((R04_GRILLO_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BRILLO != 1) AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NL.

ELSE, IF ((R04_GFILTR_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BFILTR != 1) AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NF.

ELSE, IF (R04_PIPE_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND

(R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND
R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_HOOK_USER_STATUS != 1 AND
R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND
R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND
R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NP.

ELSE, IF (R04_HOOK_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND
(R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND
R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND
(R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND
R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_PIPE_USER_STATUS != 1 AND
R04_PIPE_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND
R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND
R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NH.

ELSE, IF (R04_SNUS_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND
(R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND
R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND
(R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND
R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND
R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND
R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_SMKLS_USER_STATUS != 1 AND
R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NU.

ELSE, IF (R04_SMKLS_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4)
AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND
R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND
(R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND
R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND
R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND
R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND
R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR
R04_12MBLUNT_ONLY_BTRAD = 1)), THEN R04_GROUP = NS.

ELSE, IF R04_CIG_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND
(R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4), THEN
R04_GROUP = NC.

ELSE, IF R04_GTRAD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND
(R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4), THEN
R04_GROUP = NG.

ELSE, IF R04_GRILLO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND
(R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4), THEN
R04_GROUP = NL.

ELSE, IF R04_GFILTR_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND
(R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4), THEN
R04_GROUP = NF.

ELSE, IF R04_PIPE_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NP.

ELSE, IF R04_HOOK_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NH.

ELSE, IF R04_SNUS_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4) THEN R04_GROUP = NU.

ELSE, IF R04_SMKLS_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4) THEN R04_GROUP = NS.

R04_VALID_TIME_LASTUSED = 1:

IF (R04_CIG_USER_STATUS = 4 AND R04_AC1009_NN > 0) OR (R04_AG1009TC_NN > 0 AND R04_GTRAD_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_GRILLO_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1009CG_NN > 0) OR (R04_GFILTR_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1009FC_NN > 0) OR (R04_HOOK_USER_STATUS = 4 AND R04_AH1009_NN > 0) OR (R04_PIPE_USER_STATUS = 4 AND R04_AP1009_NN > 0) OR (R04_SNUS_USER_STATUS = 4 AND R04_AU1009_NN > 0) OR (R04_SMKLS_USER_STATUS = 4 AND R04_AS1009_NN > 0), THEN R04_VALID_TIME_LASTUSED = 1.

R04_VALID_TIME_LASTUSED = 2:

ELSE, R04_VALID_TIME_LASTUSED = 2.

BOX ID: R04_ANR02

Adult respondents who are current established or recent former established users of tobacco go through the Nicotine Dependence electronic nicotine product and tobacco modules according to the following conditions:

Condition a: Respondents who are current established and/or recent former established users of only one product. Condition a will be asked the questions in either the electronic nicotine product module or the tobacco module (not both), with fills tailored to their specific product.

Condition b: Respondents who are current established and/or recent former established users of more than one product, where one of those products is/was an electronic nicotine product. Condition b will respond to the questions in both modules; the electronic nicotine product module will be tailored to their electronic nicotine product and the tobacco module will be tailored to their other specific product.

Condition c: Respondents who are current established and/or recent former established users of two or more products, where none of those products is an electronic nicotine product. Condition c will respond to the questions in the tobacco module only, with fills tailored to their tobacco use overall.

Condition d: Respondents who are current established and/or recent former established users of three or more products, where one of those products is/was an electronic nicotine product. Condition d will respond to the questions in both modules; the electronic nicotine product module will be tailored to their electronic nicotine product and the tobacco module will be tailored to their tobacco use overall.

Else, if current experimental user of only electronic nicotine products and not a current established or recent former established user of any product, go to R04_AN0330_12ME and go through the electronic nicotine product module once according to condition a.

Else, if current experimental user of only one product and not a current established or recent former established user of any product, go to R04_AN0330_12M and go through the tobacco module once according to condition a.

Else, if current experimental user of more than one product and not a current established or recent former established user of any product, go through the section according to conditions a, b, c, or d.

Else, if former experimental user of electronic nicotine products and not a current established, current experimental, or recent former established user of any product, go to R04_AX0006E.

Else, if former experimental user of any other tobacco product and not a current established, current experimental, or recent former established user of any product, go to R04_AX0006.

Else, go to Box R04_ART01.

IF R04_TOBACCO_USER_STATUS = 1, 4 ROUTE AS FOLLOWS:

IF [(R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT = 1)] GO TO R04_ANR17 and follow routing to complete ONE of the Nicotine Dependence modules using appropriate product specific fill as defined by the groups and fill specs below (condition a).

IF [(R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT = 2) AND R04_EPROD_USER_STATUS = 1, 4] GO TO R04_ANR17 and follow routing to complete the ENDS module and then the tobacco module using appropriate product specific fills for each iteration (condition b).

IF [(R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 2) AND R04_EPROD_USER_STATUS != 1, 4] GO TO R04_ANR17 and follow routing to complete the tobacco module using the tobacco use fill (condition c).

IF [(R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 3) AND R04_EPROD_USER_STATUS = 1, 4] GO TO R04_ANR17 and follow routing to complete the ENDS module and then the tobacco module using appropriate fills as defined by the groups and fill specs below (condition d).

ELSE IF R04_TOBACCO_USER_STATUS = 2 ROUTE AS FOLLOWS:

IF R04_EXPERIMENTAL_PRODUCT_COUNT = 1 GO TO R04_ANR17 and follow routing to complete ONE of the Nicotine Dependence modules using appropriate product specific fills as defined by the groups and fill specs below (condition a).

IF (R04_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R04_EPROD_USER_STATUS = 2) GO TO R04_ANR17 and follow routing to complete the ENDS module and then the tobacco module using appropriate product-specific fills for each iteration (condition b).

IF (R04_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R04_EPROD_USER_STATUS != 2) GO TO R04_ANR17 and follow routing to complete the tobacco module using the tobacco use fill (condition c).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

IF (EXPERIMENTAL_PRODUCT_COUNT >= 3 AND R04_EPROD_USER_STATUS = 2) GO TO R04_ANR17 and follow routing to complete the ENDS module and then the tobacco module using appropriate fills as defined by the groups and fill specs below (condition d).

ELSE, IF R04_EPROD_USER_STATUS = 3, GO TO R04_AX0006E.

ELSE, IF R04_TOBXEPROD_USER_STATUS = 3, GO TO R04_AX0006.

ELSE, GO TO BOX R04_ART01.

BOX ID: R04_AND01

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL1:

IF R04_NDSKIP = 0, 3:

IF NC=YES, FILL WITH "smoke cigarettes"

IF NG=YES, FILL WITH "smoke traditional cigars"

IF NL=YES, FILL WITH "smoke cigarillos"

IF NF=YES, FILL WITH "smoke filtered cigars"

IF NP=YES, FILL WITH "smoke a pipe"

IF NH=YES, FILL WITH "smoke hookah"

IF NU=YES, FILL WITH "use snus"

IF NS=YES, FILL WITH "use smokeless tobacco"

IF R04_NDSKIP = 1, 2 FILL WITH "use tobacco"

BOX ID: R04_AND05

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL2:

IF R04_NDSKIP = 0, 3:

IF NC=YES FILL WITH "cigarettes"

IF NG=YES FILL WITH "traditional cigars"

IF NL=YES FILL WITH "cigarillos"

IF NF=YES FILL WITH "filtered cigars"

IF NP=YES FILL WITH "pipe tobacco"

IF NH=YES FILL WITH "hookah"

IF NU=YES FILL WITH "snus"

IF NS=YES FILL WITH "smokeless tobacco"

IF R04_NDSKIP = 1, 2 FILL WITH "tobacco"

BOX ID: R04_AND06

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL3:

IF R04_NDSKIP = 0, 3:

IF NC=YES FILL WITH "smoking cigarettes"

IF NG=YES FILL WITH "smoking traditional cigars"

IF NL=YES FILL WITH "smoking cigarillos"

IF NF=YES FILL WITH "smoking filtered cigars"

IF NP=YES FILL WITH "smoking a pipe"

IF NH=YES FILL WITH "smoking hookah"

IF NU=YES FILL WITH "using snus"

IF NS=YES FILL WITH "using smokeless tobacco"

IF R04_NDSKIP = 1, 2 FILL WITH "using tobacco"

BOX ID: R04_AND07

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL4:

IF R04_NDSKIP = 0, 3:

IF NC=YES FILL WITH "cigarette smoking"

IF NG=YES FILL WITH "traditional cigar smoking"

IF NL=YES FILL WITH "cigarillo smoking "

IF NF=YES FILL WITH "filtered cigar smoking"

IF NP=YES FILL WITH "pipe smoking"

IF NH=YES FILL WITH "hookah smoking"

IF NU=YES FILL WITH "snus use"

IF NS=YES FILL WITH "smokeless tobacco use"

IF R04_NDSKIP = 1, 2 FILL WITH "tobacco use"

BOX ID: R04_ANR17
Adult respondents who are current established or recent former established electronic nicotine product users, go to Box R04_ANT01E. Else, adult respondents who are current established or recent former established non-electronic tobacco users, go to Box R04_ANR37. Else, adult respondents who are current experimental electronic nicotine product users and use more than one type of electronic nicotine product, go to Box R04_ANT01E. Else, adult respondents who are current experimental electronic nicotine product users and use only one type of electronic nicotine product, go to Box R04_ANR22. Else, adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products, go to Box R04_ANR37. Else, adult respondents who are current experimental non-electronic tobacco users, go to Box R04_ANR26. Else, adult respondents who are former experimental electronic nicotine product users, go to R04_AX0006E. Else, adult respondents who are former experimental non-electronic tobacco users, go to R04_AX0006E. Else, go to Box R04_ART01.
IF R04_EPROD_USER_STATUS = 1, 4, GO TO BOX R04_ANT01E. ELSE, IF R04_TOBXEPROD_USER_STATUS = 1, 4, GO TO BOX R04_ANR37. ELSE, IF R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1, GO TO BOX R04_ANT01E. ELSE, IF R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT = 1, GO TO BOX R04_ANR22 ELSE, IF R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2, GO TO BOX R04_ANR37. ELSE, IF R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 0, GO TO BOX R04_ANR26. ELSE, IF R04_EPROD_USER_STATUS = 3, GO TO R04_AX0006E. ELSE, IF R04_TOBXEPROD_USER_STATUS = 3, GO TO R04_AX0006E. ELSE, GO TO BOX R04_ART01.

BOX ID: R04_ANT01E
IF R04_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT: The next questions ask about your experience with electronic nicotine products.
IF R04_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT: The next questions ask about your experience with electronic nicotine products. Please think only about electronic nicotine products as you answer these questions. We will ask you questions about [ND FILL2] later.
IF R04_NDSKIP = 2, DISPLAY THE FOLLOWING TEXT: The next questions ask about your experience with electronic nicotine products.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_ANR22

Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product, go to R04_AN0010E.

Else, go to R04_AN0330_12ME.

IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1), GO TO R04_AN0010E.

ELSE, GO TO R04_AN0330_12ME.

Variable(s): R04_AN0010E

Do you consider yourself addicted to electronic nicotine products?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

Variable(s): R04_AN0015E

Do you ever have strong cravings to use electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0020E

Have you ever felt like you really needed to use electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

Variable(s): R04_AN0055E

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for electronic nicotine products without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

BOX ID: R04_AND02E

Randomize order of items R04_AN0025E - R04_AN0100E.

Variable(s): R04_AN0025E

I frequently crave electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

NOTES: This item was always the first question asked in the randomized set.

Variable(s): R04_AN0030E

[My urges keep getting stronger if I don't/I still have urges to] use electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "My urges keep getting stronger if I don't".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "I still have urges to".

Variable(s): **R04_AN0035E**

Electronic nicotine products control me.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

Variable(s): **R04_AN0045E**

[My electronic nicotine product use is out of control./My urge to use electronic nicotine products is out of control.]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "My electronic nicotine product use is out of control."

IF R04_EPROD_USER_STATUS = 4, DISPLAY "My urge to use electronic nicotine products is out of control."

Variable(s): R04_AN0060E

I usually want to use electronic nicotine products right after I wake up.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

Variable(s): R04_AN0065E

I can only go a couple of hours without [using/wanting to use] electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "using".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "wanting to use".

Variable(s): R04_AN0050E

[I frequently use/I find myself almost using] electronic nicotine products without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "I frequently use".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "I find myself almost using".

Variable(s): R04_AN0070E

Using electronic nicotine products [really helps/would really help] me feel better if I've been feeling down.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "really helps".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "would really help".

Variable(s): R04_AN0075E

Using electronic nicotine products helps me think better.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

BOX ID: R04_ANR23

Adult respondents who are current established or recent former established electronic nicotine product users and are only completing the e-product module in the Nicotine Dependence section, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product and are only completing the e-product module in the Nicotine Dependence section, go to R04_AN0255E.

Else, go to R04_AN0080E.

IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_NDSKIP = 0) OR
(R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND
R04_EPRODCOUNT > 1 AND R04_NDSKIP = 0), GO TO R04_AN0255E.
ELSE, GO TO R04_AN0080E.

Variable(s): **R04_AN0255E****

Most of the people I spend time with use tobacco.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and are only completing the e-product module in the Nicotine Dependence section, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product and are only completing the e-product module in the Nicotine Dependence section.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_NDSKIP = 0) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1 AND R04_NDSKIP = 0).

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who smoked traditional cigars as blunts every time when smoked in the past 12 months or smoked cigarillos as blunts every time when smoked in the past 12 months (R04_12MBLUNT_ONLY_BTRAD = 1 or R04_12MBLUNT_ONLY_BRILLO = 1) and were experimental current users of tobacco products other than electronic nicotine products (R04_TOBXEPROD_USER_STATUS = 2) and were current established electronic nicotine product users (R04_EPROD_USER_STATUS = 1). This issue was fixed in a field update on 01/31/2017.

Variable(s):	R04_AN0080E
I [would]feel alone without my electronic nicotine products. 1 Not true of me at all 2 3 4 5 Extremely true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product. ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1). DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "would". ELSE, IF R04_EPROD_USER_STATUS = 4, NO DISPLAY.	

Variable(s):	R04_AN0085E
[I would find it really hard to stop using/I find it really hard to not use] electronic nicotine products. 1 Not true of me at all 2 3 4 5 Extremely true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product. ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1). DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "I would find it really hard to stop using". ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "I find it really hard to not use".	

Variable(s): R04_AN0090E

[I would find it hard to stop using electronic nicotine products for a week./I would find it hard to not use electronic nicotine products for another week.]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "I would find it hard to stop using electronic nicotine products for a week."

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "I would find it hard to not use electronic nicotine products for another week."

Variable(s): R04_AN0095E

[After not using electronic nicotine products for a while, I need/I would like] to use electronic nicotine products in order to feel less restless and irritable.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "After not using electronic nicotine products for a while, I need".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "I would like".

Variable(s): R04_AN0100E

[After not using electronic nicotine products for a while, I need/I feel like I need] to use electronic nicotine products in order to keep myself from experiencing any discomfort.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "After not using electronic nicotine products for a while, I need".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "I feel like I need".

Variable(s): R04_AN0110E

Do you believe that using electronic nicotine products [is causing/caused] a health problem or [making/made] it worse?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY "is causing" AND "making".
ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "caused" AND "made".

Variable(s): R04_AN0813E

In the past 12 months, did you find it difficult to keep from using electronic nicotine products in places where it was not permitted?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AN0812E
In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because electronic nicotine product use was not permitted at the activity? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and use more than one type of electronic nicotine product. ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_EPRODCOUNT > 1).	

BOX ID:	R04_ANR30
Adult respondents who are current established electronic nicotine product users, go to R04_AN0105E. Adult respondents who are recent former established electronic nicotine product users, go to Box R04_ANV06E. Adult respondents who are current experimental electronic nicotine product users, to to R04_AN0330_12ME. IF R04_EPROD_USER_STATUS = 1, GO TO R04_AN0105E. ELSE, IF R04_EPROD_USER_STATUS = 4, GO TO BOX R04_ANV06E. ELSE, IF R04_EPROD_USER_STATUS = 2, GO TO R04_AN0330_12ME.	

Variable(s):	R04_AN0105E
In the past 12 months, have you tried to quit using electronic nicotine products completely? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established electronic nicotine product users. ASK Specification: IF R04_EPROD_USER_STATUS = 1.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AN0334E
In the past 12 months, have you tried to quit by gradually cutting back on using electronic nicotine products? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established electronic nicotine product users. ASK Specification: IF R04_EPROD_USER_STATUS = 1.	

BOX ID:	R04_ANV06E
PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX): R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 (Past 12 month quitter or quit attempter) Adult respondents who have quit or attempted to quit electronic nicotine products in the past 12 months R04_TWELVEMONTHQUIT_STATUS_EPROD = 2 (Past 12 month reducer) Adult respondents who have cut down their electronic nicotine product use in the past 12 months, but have not tried to quit. R04_TWELVEMONTHQUIT_STATUS_EPROD = 1: IF R04_AN0105E = 1 OR R04_EPROD_USER_STATUS = 4, THEN R04_TWELVEMONTHQUIT_STATUS_EPROD = 1. R04_TWELVEMONTHQUIT_STATUS_EPROD = 2: ELSE, IF R04_AN0334E = 1, THEN R04_TWELVEMONTHQUIT_STATUS_EPROD = 2.	

BOX ID:	R04_ANR31
Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters, go to R04_AN0115E. Else, go to Box R04_ANR25. IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 GO TO R04_AN0115E. ELSE, GO TO BOX R04_ANR25.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0115E

In total, how many times in the past 12 months have you tried to quit electronic nicotine products completely?

0 I did not try to quit in the past 12 months

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R04_ANR24

-7 REFUSED

GO TO BOX R04_ANR24

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1.

PROGRAM: Allow 3 digits.

CHECK ID: R04_AN0115E_LC1

The computer recorded that you have tried to completely quit electronic nicotine products [R04_AN0115E] times in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0115E

2 NEXT

GO TO R04_AN0115E_LC2

ASK: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0115E > 50.

PROGRAM: TRIGGER CHECK IF R04_AN0115E > 50.

ELSE, GO TO R04_AN0115E_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AN0115E_LC2

The computer recorded that you have not tried to completely quit in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0115E

2 NEXT

GO TO BOX R04_ANR24

ASK: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0115E = 0.

PROGRAM: TRIGGER CHECK IF R04_AN0115E = 0.

ELSE, GO TO BOX R04_ANR24 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_ANR24

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R04_AN0120E.

Else, adult respondents who are recent former established electronic nicotine product users and reported how long it has been since they last took a puff from an electronic nicotine product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R04_AN0257E.

Else, adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are recent former established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an electronic nicotine product, go to R04_AN0145E.

Else, go to R04_AN0330_12ME.

IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7), GO TO R04_AN0120E.

ELSE, IF R04_EPROD_USER_STATUS = 4 AND R04_AV1009_NN > 0 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7), GO TO R04_AN0257E.

ELSE, IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 4 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AV1009_NN < 1, GO TO R04_AN0145E.

ELSE, GO TO R04_AN0330_12ME.

Variable(s): R04_AN0120E

In the past 12 months, have you stopped using electronic nicotine products for one day or longer because you were trying to quit?

1 Yes

2 No

GO TO R04_AN0130E

-8 DON'T KNOW

GO TO R04_AN0130E

-7 REFUSED

GO TO R04_AN0130E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7).

Variable(s):	R04_AN0125E
In the past 12 months, how many times have you stopped using electronic nicotine products for one day or longer because you were trying to quit?	
1	1 time
2	2-3 times
3	4 or more times
-8	DON'T KNOW GO TO R04_AN0256E
-7	REFUSED GO TO R04_AN0256E
ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using electronic nicotine products for one day or longer.	
ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AN0120E = 1.	

592

Variable(s): R04_AN0256E

Would you say that in the past 12 months it was more than 3 times that you have stopped using electronic nicotine products for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using electronic nicotine products for one day or longer and did not know or refused to report how many times they stopped using electronic nicotine products for one day or longer.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AN0120E = 1 AND R04_AN0125E = -8, -7.

Variable(s): R04_AN0130E_NN; R04_AN0130E_UN

The last time you stopped using electronic nicotine products in the past 12 months because you were trying to quit, how long did you stop for?

- 1 |__|__|__| Minutes
- 2 |__|__|__| Hours
- 3 |__|__|__| Days
- 4 |__|__|__| Weeks
- 5 |__|__|__| Months
- 8 DON'T KNOW GO TO R04_AN0300E
- 7 REFUSED GO TO R04_AN0300E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7).

PROGRAM: Display as Quantity/Units. Allow 3 digits for minutes, 3 digits for hours, 3 digits for days, 3 digits for weeks, and 3 digits for months.

NOTES: The value "1" refers to R04_AN0130E_UN = Minutes; the value "2" refers to R04_AN0130E_UN = Hours; the value "3" refers to R04_AN0130E_UN = Days; the value "4" refers to R04_AN0130E_UN = Weeks; the value "5" refers to R04_AN0130E_UN = Months.

CHECK ID: R04_AN0130E_LC1

The computer recorded the last time you tried to quit electronic nicotine products in the past 12 months that you stopped for [R04_AN0130E_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AN0130E

2 NEXT GO TO R04_AN0135E

ASK: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND ((R04_AN0130E_NN > 366 AND R04_AN0130E_UN = 3) OR (R04_AN0130E_NN > 52 AND R04_AN0130E_UN = 4) OR (R04_AN0130E_NN > 12 AND R04_AN0130E_UN = 5)).

DISPLAY: IF R04_AN0130E_UN = 3, DISPLAY "days".

ELSE, IF R04_AN0130E_UN = 4, DISPLAY "weeks".

ELSE, IF R04_AN0130E_UN = 5, DISPLAY "months".

PROGRAM: TRIGGER CHECK IF (R04_AN0130E_NN > 366 AND R04_AN0130E_UN = 3) OR (R04_AN0130E_NN > 52 AND R04_AN0130E_UN = 4) OR (R04_AN0130E_NN > 12 AND R04_AN0130E_UN = 5).

ELSE, GO TO R04_AN0135E AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0300E

Was it more than a week, a week, or less than a week?

1 More than one week GO TO BOX R04_ANR25

2 One week GO TO BOX R04_ANR25

3 Less than one week GO TO BOX R04_ANR25

-8 DON'T KNOW GO TO BOX R04_ANR25

-7 REFUSED GO TO BOX R04_ANR25

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AN0130E_NN = -8, -7.

Variable(s): R04_AN0135E

When was the approximate end date of this last quit attempt that lasted [enter duration from R04_AN0130E]?

I _ I _ MONTH I _ I _ DAY I _ I _ I _ YEAR

-8 DON'T KNOW

GO TO R04_AN0140E

-7 REFUSED

GO TO R04_AN0140E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AN0130E_NN != -8, -7.

CHECK ID: R04_AN0135E_LC1

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04_AN0135E]. That date is in the future. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0135E

2 NEXT

GO TO R04_AN0135E_LC2

ASK: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AN0130E_NN != -8, -7 AND R04_AN0135E > TODAY'S DATE.

PROGRAM: TRIGGER CHECK IF R04_AN0135E > TODAY'S DATE.

ELSE, GO TO R04_AN0135E_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AN0135E_LC2

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04_AN0135E]. That was longer than 12 months ago. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0135E

2 NEXT

GO TO R04_AN0135E_LC3

ASK: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AN0130E_NN != -8, -7 AND R04_AN0135E != -8, -7 AND R04_AN0135E < (TODAY'S DATE - 12 MONTHS).

PROGRAM: TRIGGER CHECK IF R04_AN0135E < (TODAY'S DATE - 12 MONTHS).

ELSE, GO TO R04_AN0135E_LC3 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AN0135E_LC3

Please enter four numbers for the year.

1 BACK

GO TO R04_AN0135E

ASK: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AN0130E_NN != -8, -7 AND R04_AN0135E != -8, -7 AND R04_AN0135E (YEARS) IS < 4 DIGITS.

PROGRAM: TRIGGER CHECK IF R04_AN0135E (YEARS) IS < 4 DIGITS.

ELSE, GO TO R04_AN0140E AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0140E

In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without using electronic nicotine products because you were trying to quit?

1 Yes

GO TO BOX R04_ANR25

2 No

GO TO R04_AN0145E

-8 DON'T KNOW

GO TO BOX R04_ANR25

-7 REFUSED

GO TO BOX R04_ANR25

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AN0130E_NN != -8, -7.

DISPLAY: FILL "DURATION OF LAST QUIT ATTEMPT" WITH THE DURATION FROM R04_AN0130E[NN/_ UN] (EX. "45 days").

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0257E**

You previously mentioned that you stopped using electronic nicotine products [ENTER LENGTH OF TIME SINCE LAST USE IN R04_AV1009] ago. Is this the longest you have gone without using electronic nicotine products in the past 12 months?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R04_ANR25 |
| 2 | No | GO TO R04_AN0145E |
| -8 | DON'T KNOW | GO TO BOX R04_ANR25 |
| -7 | REFUSED | GO TO BOX R04_ANR25 |

ASK: Adult respondents who are recent former established electronic nicotine product users and reported how long it has been since they last took a puff from an electronic nicotine product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04_EPROD_USER_STATUS = 4 AND R04_AV1009_NN > 0 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7).

DISPLAY: FILL [ENTER LENGTH OF TIME SINCE R04_AV1009[_NN/_UN]] WITH TIME ENTERED (EX. "45 days") IN R04_AV1009[_NN/_UN].

Variable(s): R04_AN0145E_NN***; R04_AN0145E_UN

In the past 12 months, what was the longest time you stopped using electronic nicotine products because you were trying to quit?

1 |__|__|__| Minutes

2 |__|__|__| Hours

3 |__|__|__| Days

4 |__|__|__| Weeks

5 |__|__|__| Months

-8 DON'T KNOW

GO TO R04_AN0305E

-7 REFUSED

GO TO R04_AN0305E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using electronic nicotine products, or

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are recent former established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an electronic nicotine product or reported the time since they last took a puff from an electronic nicotine product was not the longest they went without using electronic nicotine products.

ASK Specification: IF (R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AN0130E_NN != -8, -7 AND R04_AN0140E = 2) OR (R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 4 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND (R04_AV1009_NN < 1 OR R04_AN0257E = 2)).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AN0145E_UN = Minutes; the value "2" refers to R04_AN0145E_UN = Hours; the value "3" refers to R04_AN0145E_UN = Days; the value "4" refers to R04_AN0145E_UN = Weeks; the value "5" refers to R04_AN0145E_UN = Months.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

CHECK ID: R04_AN0145E_LC1

The computer recorded that you stopped using electronic nicotine products for [R04_AN0145E]
[days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the
BACK button and re-enter.

1 BACK

GO TO R04_AN0145E

2 NEXT

GO TO BOX R04_ANR25

ASK: IF ((R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1
AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AN0130E_NN != -8, -7 AND
R04_AN0140E = 2) OR (R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND
R04_EPROD_USER_STATUS = 4 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND
(R04_AV1009_NN < 1 OR R04_AN0257E = 2))) AND ((R04_AN0145E_NN > 366 AND
R04_AN0145E_UN = 3) OR (R04_AN0145E_NN > 52 AND R04_AN0145E_UN = 4) OR
(R04_AN0145E_NN > 12 AND R04_AN0145E_UN = 5)).

DISPLAY: IF R04_AN0145E_UN = 3, DISPLAY "days".

ELSE, IF R04_AN0145E_UN = 4, DISPLAY "weeks"

ELSE, IF R04_AN0145E_UN = 5, DISPLAY "months".

PROGRAM: TRIGGER CHECK IF (R04_AN0145E_NN > 366 AND R04_AN0145E_UN = 3) OR
(R04_AN0145E_NN > 52 AND R04_AN0145E_UN = 4) OR (R04_AN0145E_NN > 12 AND
R04_AN0145E_UN = 5).

ELSE, GO TO BOX R04_ANR25 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0305E

Was it more than a week, a week, or less than a week?

- 1 More than one week
- 2 One week
- 3 Less than one week
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are current established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using electronic nicotine products and did not know or refused to report the longest time they stopped using electronic nicotine products, or

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and are recent former established electronic nicotine product users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an electronic nicotine product or reported the time since they last took a puff from an electronic nicotine product was not the longest they went without using electronic nicotine products and did not know or refused to report the longest time they stopped using electronic nicotine products.

ASK Specification: IF (R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND R04_AN0130E_NN != -8, -7 AND R04_AN0140E = 2 AND R04_AN0145E_NN = -8, -7) OR (R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_EPROD_USER_STATUS = 4 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7) AND (R04_AV1009_NN < 1 OR R04_AN0257E = 2) AND R04_AN0145E_NN = -8, -7).

BOX ID: R04_ANR25

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R04_AN0210E.

Else, adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users, go to R04_AN0330_12ME.

Else, go to Box R04_ANR32.

IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7), GO TO R04_AN0210E.

ELSE, IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2), GO TO R04_AN0330_12ME.

ELSE, GO TO BOX R04_ANR32.

Variable(s): R04_AN0210E

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you rely on the support of friends and family to help you?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7).

DISPLAY: IF R04_EPROD_USER_STATUS = 1 AND R04_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04_EPROD_USER_STATUS = 1 AND (R04_AN0125E > 1 OR R04_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): R04_AN0215E

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7).

DISPLAY: IF R04_EPROD_USER_STATUS = 1 AND R04_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04_EPROD_USER_STATUS = 1 AND (R04_AN0125E > 1 OR R04_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

- | | | |
|-----------------------|----|---|
| R04_AN0225E_01 | 1 | I did not use a different tobacco product to help me quit |
| R04_AN0225E_02 | 2 | Cigarettes |
| R04_AN0225E_04 | 4 | Traditional cigars |
| R04_AN0225E_05 | 5 | Cigarillos |
| R04_AN0225E_06 | 6 | Filtered cigars |
| R04_AN0225E_07 | 7 | Pipe tobacco |
| R04_AN0225E_08 | 8 | Hookah |
| R04_AN0225E_09 | 9 | Snus |
| R04_AN0225E_10 | 10 | Smokeless tobacco, like dip, chew, or snuff |
| R04_AN0225E_11 | 11 | Dissolvable tobacco |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R04_AN0115E >= 1 OR R04_AN0115E = -8, -7).

DISPLAY: IF R04_EPROD_USER_STATUS = 1 AND R04_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04_EPROD_USER_STATUS = 1 AND (R04_AN0125E > 1 OR R04_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

PROGRAM: For respondents where R04_CURRENT_PRODUCT_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AN0330_12ME
In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users. ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2)	

BOX ID:	R04_ANR32
Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R04_AN0150E. Else, adult respondents who are past 12 month electronic nicotine product reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months, go to R04_AN0811E. Else, adult respondents who are current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months, go to R04_AN0307E. Else, go to R04_AN0331_12ME.	
IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1, GO TO R04_AN0150E. ELSE, IF (R04_TWELVEMONTHQUIT_STATUS_EPROD = 2 AND R04_AN0330_12ME = 1) OR R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0330_12ME = 1), GO TO R04_AN0811E. ELSE, IF R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0330_12ME = 1, GO TO R04_AN0307E. ELSE, GO TO R04_AN0331_12ME.	

Variable(s): R04_AN0150E

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No GO TO BOX R04_ANR39
- 8 DON'T KNOW GO TO BOX R04_ANR39
- 7 REFUSED GO TO BOX R04_ANR39

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and have used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1.

DISPLAY: IF R04_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04_AN0125E > 1 OR R04_AN0256E = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): R04_AN0155E

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit using electronic nicotine products completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1 AND R04_AN0150E = 1.

DISPLAY: UNDERLINE "completely".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0811E** Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your electronic nicotine product use? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them, or adult respondents who are past 12 month electronic nicotine product reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months. ASK Specification: IF (R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1 AND R04_AN0150E = 1) OR (R04_TWELVEMONTHQUIT_STATUS_EPROD = 2 AND R04_AN0330_12ME = 1) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0330_12ME = 1). NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who are current established electronic nicotine product users (R04_EPROD_USER_STATUS = 1) and have quit or attempted to quit electronic nicotine product in the past 12 months (R04_TWELVEMONTHQUIT_STATUS_EPROD = 1) and used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to try to quit (R04_AN0150E = 1). This issue was fixed in a field update on 1/31/2017.
--

BOX ID: R04_ANR39 Adult respondents who are current established or recent former established electronic nicotine product users and have used nicotine replacement therapy in the past 12 months and are only completing the e-product module in the Nicotine Dependence section, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and have used nicotine replacement therapy in the past 12 months and are only completing the e-product module in the Nicotine Dependence section, go to R04_AN0336E. Else, go to Box R04_ANR33. IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0330_12ME = 1 AND R04_NDSKIP = 0) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0330_12ME = 1 AND R04_NDSKIP = 0), GO TO R04_AN0336E. ELSE, GO TO BOX R04_ANR33.
--

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AN0336E; R04_AN0336E_OS
What was the main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill? 1 To stop using completely 2 To reduce the amount you use 3 To cope with times when you could not or were not allowed to use 4 Some other reason (SPECIFY) -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or recent former established electronic nicotine product users and have used nicotine replacement therapy in the past 12 months and are only completing the e-product module in the Nicotine Dependence section, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and have used nicotine replacement therapy in the past 12 months and are only completing the e-product module in the Nicotine Dependence section. ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0330_12ME = 1 AND R04_NDSKIP = 0) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0330_12ME = 1 AND R04_NDSKIP = 0). DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

BOX ID:	R04_ANR33
Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit, go to R04_AN0160E. Else, adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R04_AN0170. Else, go to R04_AN0307E.	
IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1 AND R04_AN0150E = 1, GO TO R04_AN0160E. ELSE, IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1, GO TO R04_AN0170E. ELSE, GO TO R04_AN0307E.	

Variable(s): SEE BELOW:

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]?
Choose all that apply.

- | | | | |
|-----------------------|----|--------------------------|-------------------|
| R04_AN0160E_01 | 1 | Nicotine patch | |
| R04_AN0160E_02 | 2 | Nicotine gum | |
| R04_AN0160E_03 | 3 | Nicotine inhaler | |
| R04_AN0160E_04 | 4 | Nicotine nasal spray | |
| R04_AN0160E_05 | 5 | Nicotine lozenge or pill | |
| R04_AN0160E_06 | 6 | None of the above | GO TO R04_AN0170E |
| | -8 | DON'T KNOW | |
| | -7 | REFUSED | |

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1 AND R04_AN0150E = 1.

DISPLAY: IF R04_AN0125E = 1, DISPLAY "the time you tried to quit using electronic nicotine products".

ELSE, IF R04_AN0125E > 1 OR R04_AN0256E = 1, DISPLAY "the last time you tried to quit using electronic nicotine products".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "when you quit using electronic nicotine products".

ELSE, DISPLAY "the last time you tried to quit using electronic nicotine products".

PROGRAM: Option 6 cannot be selected if any options 1 through 5 are selected.

Variable(s): R04_AN0165E_NN; R04_AN0165E_UN

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 |__|__| DAYS
- 2 |__|__| WEEKS
- 3 |__|__| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1 AND R04_AN0150E = 1 AND R04_AN0160E_06 != 1.

DISPLAY: IF R04_AN0125E = 1, DISPLAY "during the time you tried to quit".

ELSE, IF R04_AN0125E > 1 OR R04_AN0256E = 1, DISPLAY "during the last time you tried to quit".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND "completely".

ELSE, DISPLAY "during the last time you tried to quit".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AN0165E_UN = Days; the value "2" refers to R04_AN0165E_UN = Weeks; the value "3" refers to R04_AN0165E_UN = Months.

Variable(s): R04_AN0170E

Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No GO TO R04_AN0307E
- 8 DON'T KNOW GO TO R04_AN0307E
- 7 REFUSED GO TO R04_AN0307E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1.

Variable(s): R04_AN0251E_UN; R04_AN0251E_UN

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1 AND R04_AN0170E = 1.

PROGRAM: Display as Quantity/Units. Allow 2 digits.

NOTES: The value "1" refers to R04_AN0251E_UN = Days; the value "2" refers to R04_AN0251E_UN = Weeks; the value "3" refers to R04_AN0251E_UN = Months.

CHECK ID: R04_AN0251E_LC1

The computer recorded that you have been using the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill to help you quit for [R04_AN0251E_NN] [days/months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R04_AN0251E
2	NEXT	GO TO R04_AN0251E_LC2

ASK: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1 AND R04_AN0170E = 1 AND ((R04_AN0251E_NN > 99 AND R04_AN0251E_UN = 1) OR (R04_AN0251E_NN > 60 AND R04_AN0251E_UN = 2) OR (R04_AN0251E_NN > 5 AND R04_AN0251E_UN = 3)).

DISPLAY: IF R04_AN0251E_UN = 1, DISPLAY "days".

ELSE, IF R04_AN0251E_UN = 2, DISPLAY "months".

ELSE, IF R04_AN0251E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AN0251E_NN > 99 AND R04_AN0251E_UN = 1) OR (R04_AN0251E_NN > 60 AND R04_AN0251E_UN = 2) OR (R04_AN0251E_NN > 5 AND R04_AN0251E_UN = 3).

ELSE, GO TO R04_AN0251E_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AN0251E_LC2

The computer recorded "0" for how long you have been using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to help you quit.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AN0251E

2 NEXT GO TO R04_AN0307E

ASK: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0330_12ME = 1 AND R04_AN0170E = 1 AND R04_AN0251E = 0.

PROGRAM: TRIGGER CHECK IF R04_AN0251E = 0.

ELSE, GO TO R04_AN0307E AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0307E

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

1 In the past hour GO TO R04_AN0309E

2 Sometime today

3 Yesterday

4 Day before yesterday

5 Three or more days ago GO TO R04_AN0175E

-8 DON'T KNOW GO TO R04_AN0331_12ME

-7 REFUSED GO TO R04_AN0331_12ME

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0330_12ME = 1) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0330_12ME = 1).

Variable(s): R04_AN0308E

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307E], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 2, 3, 4) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 2, 3, 4).

DISPLAY: [FILL BASED ON R04_AN0307E]:

IF R04_AN0307E = 2, DISPLAY "sometime today".

ELSE, IF R04_AN0307E = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307E = 4, DISPLAY "the day before yesterday".

Variable(s): R04_AN0309E

When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307E], how many did you use?

I _ _ I _ _

-8 DON'T KNOW

GO TO R04_AN0331_12ME

-7 REFUSED

GO TO R04_AN0331_12ME

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 1, 2, 3, 4) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 1, 2, 3, 4).

DISPLAY: [FILL BASED ON R04_AN0307E]:

IF R04_AN0307E = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0307E = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307E = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

CHECK ID: R04_AN0309E_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R04_AN0309E] times. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0309E

2 NEXT

GO TO R04_AN0309E_LC2

ASK: IF ((R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 1, 2, 3, 4) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 1, 2, 3, 4)) AND R04_AN0309E > 5.

DISPLAY: IF R04_AN0307E = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0307E = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307E = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AN0309E > 5.

ELSE, GO TO R04_AN0309E_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AN0309E_LC2

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AN0309E

2 NEXT GO TO R04_AN0331_12ME

ASK: IF ((R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 1, 2, 3, 4) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 1, 2, 3, 4)) AND R04_AN0309E = 0.

DISPLAY: IF R04_AN0307E = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0307E = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307E = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AN0309E = 0.

ELSE, GO TO R04_AN0331_12ME AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0175E_NN; R04_AN0175E_UN

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

1 I__I__I DAYS

2 I__I__I MONTHS

3 I__I__I YEARS

-8 DON'T KNOW GO TO R04_AN0331_12ME

-7 REFUSED GO TO R04_AN0331_12ME

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 5) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 5).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AN0175E_UN = Days; the value "2" refers to R04_AN0175E_UN = Weeks; the value "3" refers to R04_AN0175E_UN = Months.

CHECK ID: R04_AN0175E_LC1

The computer recorded that you stopped using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill [R04_AN0175E_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AN0175E |
| 2 | NEXT | GO TO R04_AN0331_12ME |

ASK: IF ((R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 5) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0330_12ME = 1 AND R04_AN0307E = 5)) AND R04_AN0175E_NN != -8, -7 AND ((R04_AN0175E_NN > 31 OR R04_AN0175E_NN < 3) AND R04_AN0175E_UN = 1) OR (R04_AN0175E_NN > 12 AND R04_AN0175E_UN = 2) OR (R04_AN0175E_NN > 1 AND R04_AN0175E_UN = 3).

DISPLAY: IF R04_AN0175E_UN = 1, DISPLAY "days".

ELSE, IF R04_AN0175E_UN = 2, DISPLAY "months".

ELSE, IF R04_AN0175E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF ((R04_AN0175E_NN > 31 OR R04_AN0175E_NN < 3) AND R04_AN0175E_UN = 1) OR (R04_AN0175E_NN > 12 AND R04_AN0175E_UN = 2) OR (R04_AN0175E_NN > 1 AND R04_AN0175E_UN = 3).

ELSE, GO TO R04_AN0331_12ME AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0331_12ME

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2).

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_ANR34
Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months, go to R04_AN0180E. Else, adult respondents who are current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months, go to R04_AN0327E. Else, go to Box R04_ANR35.
IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0331_12ME = 1, GO TO R04_AN0180E. ELSE, IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0331_12ME = 1) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0331_12ME = 1), GO TO R04_AN0327E. ELSE, GO TO BOX R04_ANR35.

Variable(s): R04_AN0180E												
Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the <u>past 12 months</u>, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion? <table border="0"> <tr> <td>1</td> <td>Yes</td> <td></td> </tr> <tr> <td>2</td> <td>No</td> <td>GO TO R04_AN0327E</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO R04_AN0327E</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO R04_AN0327E</td> </tr> </table> ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months. ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0331_12ME = 1. DISPLAY: IF R04_AN0125E = 1, DISPLAY "the time you tried to quit". ELSE, IF (R04_AN0125E > 1 OR R04_AN0256E = 1), DISPLAY "the last time you tried to quit". ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "when you quit". ELSE, DISPLAY "the last time you tried to quit". UNDERLINE "past 12 months".	1	Yes		2	No	GO TO R04_AN0327E	-8	DON'T KNOW	GO TO R04_AN0327E	-7	REFUSED	GO TO R04_AN0327E
1	Yes											
2	No	GO TO R04_AN0327E										
-8	DON'T KNOW	GO TO R04_AN0327E										
-7	REFUSED	GO TO R04_AN0327E										

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0185E**

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit using electronic nicotine products completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0331_12ME = 1 AND R04_AN0180E = 1.

Variable(s): **SEE BELOW:**

Which prescription drug did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

- R04_AN0190E_01** 1 Chantix or varenicline
- R04_AN0190E_02** 2 Wellbutrin, Zyban, or bupropion
- R04_AN0190E_03** 3 None of the above GO TO R04_AN0200E
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0331_12ME = 1 AND R04_AN0180E = 1.

DISPLAY: IF R04_AN0125E = 1, DISPLAY "the time you tried to quit using electronic nicotine products".

ELSE, IF (R04_AN0125E > 1 OR R04_AN0256E = 1), DISPLAY "the last time you tried to quit using electronic nicotine products".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "when you quit using electronic nicotine products".

ELSE, DISPLAY "the last time you tried to quit using electronic nicotine products".

PROGRAM: Option 3 cannot be selected if options 1 or 2 are selected.

Variable(s): R04_AN0195E_NN; R04_AN0195E_UN

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |__|__| DAYS
- 2 |__|__| WEEKS
- 3 |__|__| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0331_12ME = 1 AND R04_AN0180E = 1 AND R04_AN0190E_03 != 1.

DISPLAY: IF R04_AN0125E = 1, DISPLAY "during the time you tried to quit".

ELSE, IF (R04_AN0125E > 1 OR R04_AN0256E = 1), DISPLAY "during the last time you tried to quit".

ELSE, IF R04_EPROD_USER_STATUS = 4 DISPLAY "during your last quit attempt when you stopped" AND " completely".

ELSE, DISPLAY "during the last time you tried to quit".

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AN0195E_UN = Days; the value "2" refers to R04_AN0195E_UN = Weeks; the value "3" refers to R04_AN0195E_UN = Months.

Variable(s): R04_AN0200E

Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 Yes
- 2 No GO TO R04_AN0327E
- 8 DON'T KNOW GO TO R04_AN0327E
- 7 REFUSED GO TO R04_AN0327E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0331_12ME = 1 AND R04_AN0180E = 1.

Variable(s): R04_AN0252E_NN; R04_AN0252E_UN

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R04_AN0327E

-7 REFUSED

GO TO R04_AN0327E

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0331_12ME = 1 AND R04_AN0180E = 1 AND R04_AN0200E = 1.

PROGRAM: Display as Quantity/Units. Allow 2 digits.

NOTES: The value "1" refers to R04_AN0252E_UN = Days; the value "2" refers to R04_AN0252E_UN = Weeks; the value "3" refers to R04_AN0252E_UN = Months.

CHECK ID: R04_AN0252E_LC1

The computer recorded that you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion for [R04_AN0252E_NN] [months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0252E

2 NEXT

GO TO R04_AN0252E_LC2

ASK: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0331_12ME = 1 AND R04_AN0180E = 1 AND R04_AN0200E = 1 AND ((R04_AN0252E_NN > 60 AND R04_AN0252E_UN = 2) OR (R04_AN0252E_NN > 5 AND R04_AN0252E_UN = 3)).

DISPLAY: IF R04_AN0252E_UN = 2, DISPLAY "months".

ELSE, IF R04_AN0252E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AN0252E_NN > 60 AND R04_AN0252E_UN = 2) OR (R04_AN0252E_NN > 5 AND R04_AN0252E_UN = 3).

ELSE, GO TO R04_AN0252E_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AN0252E_LC2

The computer recorded "0" for how long you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------|
| 1 | BACK | GO TO R04_AN0252E |
| 2 | NEXT | GO TO R04_AN0327E |

ASK: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R04_AN0331_12ME = 1 AND R04_AN0180E = 1 AND R04_AN0200E = 1 AND R04_AN0252E_NN = 0.

PROGRAM: TRIGGER CHECK IF R04_AN0252E = 0.

ELSE, GO TO R04_AN0327E AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0327E

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------------------|---------------------|
| 1 | In the past hour | GO TO R04_AN0329E |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R04_AN0205E |
| -8 | DON'T KNOW | GO TO BOX R04_ANR35 |
| -7 | REFUSED | GO TO BOX R04_ANR35 |

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0331_12ME = 1) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0331_12ME = 1).

Variable(s): R04_AN0328E

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327E], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0331_12ME = 1 AND R04_AN0327E = 2, 3, 4) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0331_12ME = 1 AND R04_AN0327E = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R04_AN0327E]:

IF R04_AN0327E = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327E, MAKING FIRST LETTER LOWERCASE.

Variable(s): R04_AN0329E

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327E], how many did you take?

I __ | __ |

-8 DON'T KNOW

GO TO BOX R04_ANR35

-7 REFUSED

GO TO BOX R04_ANR35

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0331_12ME = 1 AND R04_AN0327E = 1, 2, 3, 4) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0331_12ME = 1 AND R04_AN0327E = 1, 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R04_AN0327E]:

IF R04_AN0327E = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0327E = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0327E = 4, DISPLAY "the day before yesterday".

CHECK ID: R04_AN0329E_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04_AN0329E] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AN0329E |
| 2 | NEXT | GO TO BOX R04_ANR35 |

ASK: IF ((R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0331_12ME = 1 AND R04_AN0327E = 1, 2, 3, 4) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0331_12ME = 1 AND R04_AN0327E = 1, 2, 3, 4)) AND (R04_AN0329E = 0 OR R04_AN0329E > 5).

DISPLAY: IF R04_AN0327E = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0327E = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0327E = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AN0329E = 0 OR IF R04_AN0329E > 5.

ELSE, GO TO BOX R04_ANR35 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0205E_NN; R04_AN0205E_UN

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | |
|----|--------------------|
| 1 | I ___ I ___ DAYS |
| 2 | I ___ I ___ MONTHS |
| 3 | I ___ I ___ YEARS |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0331_12ME = 1 AND R04_AN0327E = 5) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0331_12ME = 1 AND R04_AN0327E = 5).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AN0205E_UN = Days; the value "2" refers to R04_AN0205E_UN = Weeks; the value "3" refers to R04_AN0205E_UN = Months.

CHECK ID: R04_AN0205E_LC1

The computer recorded that you stopped using Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04_AN0205E_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0205E

2 NEXT

GO TO BOX R04_ANR35

ASK: IF ((R04_EPROD_USER_STATUS = 1, 4 AND R04_AN0331_12ME = 1 AND R04_AN0327E = 5) OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2 AND R04_AN0331_12ME = 1 AND R04_AN0327E = 5)) AND ((R04_AN0205E_NN > 31 AND R04_AN0205E_UN = 1) OR (R04_AN0205E_NN > 12 AND R04_AN0205E_UN = 2) OR (R04_AN0205E_NN > 1 AND R04_AN0250E_UN = 3)).

DISPLAY: IF R04_AN0205E_UN = 1, DISPLAY "days".

IF R04_AN0205E_UN = 2, DISPLAY "months".

IF R04_AN0205E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AN0205E_NN > 31 AND R04_AN0205E_UN = 1) OR (R04_AN0205E_NN > 12 AND R04_AN0205E_UN = 2) OR (R04_AN0205E_NN > 1 AND R04_AN0250E_UN = 3).

ELSE, GO TO BOX R04_ANR35 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_ANR35

Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers, go to Box R04_AND03E.

Else, adult respondents who are current established electronic nicotine product users, go to R04_AN0230E.

Else, adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental electronic nicotine product users, go to R04_AX0006E.

Else, go to Box R04_ANR37.

IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2, GO TO BOX R04_AND03E.

ELSE, IF R04_EPROD_USER_STATUS = 1, GO TO R04_AN0230E.

ELSE, IF R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2, GO TO R04_AX0006E.

ELSE, GO TO BOX R04_ANR37.

BOX ID: R04_AND03E

Display question R04_AN0804E, R04_AN0805E, R04_AN0806E, R04_AN0807E, R04_AN0808E, R04_AN0809E, R04_AN0810E, on one screen. Show the transition text and question stem from R04_AN0804E first, then show each item with the yes/no responses. As each item is answered, show the next one.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0804E

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel depressed?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

DISPLAY: IF R04_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04_EPROD_USER_STATUS = 1 AND R04_TWELVEMONTHQUIT_STATUS_EPROD = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04_EPROD_USER_STATUS = 4, DISPLAY "you quit".

ELSE, IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 2, DISPLAY "cutting down on".

NOTES: This item was always the first question asked in the randomized set.

BOX ID: R04_AND04E

Randomize order of R04_AN0805E - R04_AN0809E.

Variable(s): R04_AN0805E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Have difficulty falling asleep or staying asleep?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0806E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Have difficulty concentrating?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

Variable(s): R04_AN0807E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Eat more than usual or gain weight?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

Variable(s): R04_AN0808E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Become easily irritated, angry, or frustrated?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0809E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel anxious or nervous?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

Variable(s): R04_AN0810E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel more restless than usual?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month electronic nicotine product quitters or quit attempters or past 12 month electronic nicotine product reducers.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

BOX ID: R04_ANR36

Adult respondents who are current established electronic nicotine product users, go to R04_AN0230E.
Else, go to R04_AX0006E.

IF R04_EPROD_USER_STATUS = 1, GO TO R04_AN0230E.
ELSE, GO TO R04_AX0006E.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0230E**

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting electronic nicotine product use? Please choose a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely Interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1.

Variable(s): **R04_AN0235E**

Do you plan to ever quit using electronic nicotine products for good?

- 1 Yes
- 2 No GO TO R04_AX0006E
- 8 DON'T KNOW GO TO R04_AX0006E
- 7 REFUSED GO TO R04_AX0006E

ASK: Adult respondents who are current established electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0240E

When do you plan to quit electronic nicotine products for good?

- | | | |
|----|-----------------------------|-------------------|
| 1 | In the next 7 days | |
| 2 | In the next 30 days | |
| 3 | In the next 6 months | |
| 4 | In the next year | GO TO R04_AX0006E |
| 5 | More than one year from now | GO TO R04_AX0006E |
| -8 | DON'T KNOW | GO TO R04_AX0006E |
| -7 | REFUSED | GO TO R04_AX0006E |

ASK: Adult respondents who are current established electronic nicotine product users and report planning to quit for good.

ASK Specification: IF R04_EPROD_USER_STATUS = 1 AND R04_AN0235E = 1.

Variable(s): R04_AN0245E

If you did try to quit using electronic nicotine products altogether in the next 6 months, how likely do you think you would be to succeed?

- | | |
|----|-------------------|
| 1 | Not at all likely |
| 2 | A little likely |
| 3 | Somewhat likely |
| 4 | Very likely |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established electronic nicotine product users and report planning to quit for good and are planning to quit in the next 7 days, in the next 30 days, or in the next 6 months.

ASK Specification: IF R04_EPROD_USER_STATUS = 1 AND R04_AN0235E = 1 AND R04_AN0240E = 1, 2, 3.

Variable(s): R04_AX0006E**

If you had to do it over again, would you have ever started using electronic nicotine products?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established electronic nicotine product users, or

Adult respondents who are not current experimental or recent former established users and are current experimental electronic nicotine product users, or

Adult respondents who are not current established, current experimental, or recent former established non-electronic tobacco product users and are former experimental electronic nicotine product users.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS != 1, 4 AND R04_EPROD_USER_STATUS = 2) OR (R04_TOBXEPROD_USER_STATUS != 1, 2, 4 AND R04_EPROD_USER_STATUS = 3).

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who last used hookah 0 days or months ago (R04_AH1009_NN = 0 and R04_AH1009_UN = 1, 2) and were not current established, current experimental, or recent former established non-electronic tobacco product users (R04_TOBXEPROD_USER_STATUS != 1, 2, 4) and were former experimental electronic nicotine product users (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 01/31/2017.

BOX ID: R04_ANR37

Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products, go to Box R04_ANT01.

Else, adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for electronic nicotine products and a single non-electronic tobacco product, go to Box R04_ANR26.

Else, adult respondents who are not current established, current experimental, or recent former established electronic nicotine product users and are former experimental non-electronic tobacco users, go to R04_AX0006.

Else, go to Box R04_ART01.

IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2), GO TO BOX R04_ANT01.

ELSE, IF R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 3, GO TO BOX R03_ANR26.

ELSE, IF R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_TOBXEPROD_USER_STATUS = 3, GO TO R04_AX0006.

ELSE, GO TO BOX R04_ART01.

BOX ID: R04_ANT01**IF R04_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:**

The next questions ask about your experience with [ND FILL2].

IF R04_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:

Now we would like to ask about your experience with [NDFILL2]. Please think only about [NDFILL2] as you answer these questions.

IF R04_NDSKIP = 1, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with tobacco products. You said that you have used the following tobacco products: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT. IF R04_TOBACCO_USER_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04_[PRODUCT]_USER_STATUS = 1, 4. (TARGET PRODUCTS DO NOT INCLUDE CIGARS FOR WHICH R04_12MBLUNT_ONLY_[BLUNTTYPE] = 1.) IF R04_TOBACCO_USER_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04_[PRODUCT]_USER_STATUS = 2. IF PRODUCT COUNT = 2, SEPARATE WITH 'and'. IF PRODUCT COUNT > 2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT]. Please think about [both/all] of these products together as you answer the next series of questions. [IF PRODUCT COUNT = 2, DISPLAY "both"; IF PRODUCT COUNT > 2, DISPLAY "all".]

IF R04_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT:

Now we would like to ask about your experience with tobacco products. You said that you have used the following tobacco products, in addition to electronic nicotine products: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT EXCLUDING EPRODUCTS. IF R04_TOBACCO_USER_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04_[PRODUCT]_USER_STATUS = 1, 4, EXCLUDING EPRODUCTS. (TARGET PRODUCTS DO NOT INCLUDE CIGARS FOR WHICH R04_12MBLUNT_ONLY_[BLUNTTYPE] = 1.) IF R04_TOBACCO_USER_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R04_[PRODUCT]_USER_STATUS = 2, EXCLUDING EPRODUCTS. IF PRODUCT COUNT EXCLUDING EPRODUCTS = 2, SEPARATE WITH 'and'. IF PRODUCT COUNT EXCLUDING EPRODUCTS > 2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT]. Please think about [both I all] of these products together as you answer the next series of questions. [IF PRODUCT COUNT = 2, DISPLAY "both"; IF PRODUCT COUNT > 2, DISPLAY "all".]

BOX ID: R04_ANR26

Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products, go to R04_AN0010. Else, go to Box R04_ANR04.

IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2), GO TO R04_AN0010.
ELSE, GO TO BOX R04_ANR04.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0010**

Do you consider yourself addicted to [ND FILL2]?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): R04_AN0015**

Do you ever have strong cravings to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): **R04_AN0020****

Have you ever felt like you really needed to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0055****

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for [ND FILL2] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

BOX ID: **R04_AND02**

Randomize order of items R04_AN0025 - R04_AN0100.

Variable(s): **R04_AN0025****

I frequently crave [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): **R04_AN0030****

[My urges keep getting stronger if I don't/I still have urges to] [ND FILL1].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "My urges keep getting stronger if I don't".

ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "I still have urges to".

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): **R04_AN0035****

[FILL AS SHOWN BELOW] me.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

DISPLAY: IF R04_NDSKIP = 0, 3:

IF NC=YES FILL WITH "Cigarettes control"

ELSE, IF NG=YES FILL WITH "Traditional cigars control"

ELSE, IF NL=YES FILL WITH "Cigarillos control"

ELSE, IF NF=YES FILL WITH "Filtered cigars control"

ELSE, IF NP=YES FILL WITH "Pipe smoking controls"

ELSE, IF NH=YES FILL WITH "Hookah smoking controls"

ELSE, IF NU=YES FILL WITH "Snus controls"

ELSE, IF NS=YES FILL WITH "Smokeless tobacco controls"

ELSE, IF R04_NDSKIP = 1, 2 fill with "Tobacco controls"

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): **R04_AN0045****

[[My [ND FILL4] is out of control./My urge to [ND FILL1] is out of control.]]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "My [ND FILL4] is out of control."
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "My urge to [ND FILL1] is out of control."

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s):	R04_AN0060**
I usually want to [ND FILL1] right after I wake up. 1 Not true of me at all 2 3 4 5 Extremely true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products. ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2). NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.	

Variable(s):	R04_AN0065**
I can only go a couple of hours without [[ND FILL3]/wanting to [ND FILL1]]. 1 Not true of me at all 2 3 4 5 Extremely true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products. ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2). DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "[ND FILL3]". ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "wanting to [ND FILL1]". NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.	

Variable(s):	R04_AN0050**
[I frequently [ND FILL1]/I find myself almost [ND FILL3]] without thinking about it. 1 Not true of me at all 2 3 4 5 Extremely true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products. ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2). DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "I frequently [ND FILL1]". ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "I find myself almost [ND FILL3]". NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0070****

[ND FILL3] [really helps/would really help] me feel better if I've been feeling down.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "really helps".

ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "would really help".

PROGRAM: Make ND FILL3 title case.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): **R04_AN0075****

[ND FILL3] helps me think better.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s):	R04_AN0255**
Most of the people I spend time with use tobacco. 1 Not true of me at all 2 3 4 5 Extremely true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products. ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2). NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.	

Variable(s): **R04_AN0080****

I [would]feel alone without my [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "would".

ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, NO DISPLAY.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s):	R04_AN0085**
[I would find it really hard to stop [ND FILL3]./I find it really hard to not [ND FILL 1]. 1 Not true of me at all 2 3 4 5 Extremely true of me -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products. ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2). DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "I would find it really hard to stop [ND FILL3].". ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "I find it really hard to not [ND FILL 1].". NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.	

Variable(s): **R04_AN0090****

[I would find it hard to stop [ND FILL3] for a week./I would find it hard to not [ND FILL1] for another week.]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "I would find it hard to stop [ND FILL3] for a week."

ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "I would find it hard to not [ND FILL1] for another week."

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): **R04_AN0095****

[After not [ND FILL3] for a while, I need/I would like] to [ND FILL1] in order to feel less restless and irritable.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "After not [ND FILL3] for a while, I need".

ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "I would like".

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): **R04_AN0100****

[After not [ND FILL3] for a while, I need/I feel like I need] to [ND FILL1] in order to keep myself from experiencing any discomfort.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "After not [ND FILL3] for a while, I need".

ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "I feel like I need".

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0110****

Do you believe that [ND FILL3] [is causing/caused] a health problem or [making/made] it worse?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "causing" AND "making".
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "caused" AND "made".

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): **R04_AN0813****

In the past 12 months, did you find it difficult to keep from [ND FILL3] in places where it was not permitted?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR
(R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2).

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AN0812**
In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because [ND FILL4] was not permitted at the activity? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products. ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR (R04_TOBXEPROD_USER_STATUS = 2 AND R04_NDSKIP = 1, 2). NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.	

BOX ID:	R04_ANR19
Adult respondents who are current established non-electronic tobacco users, go to R04_AN0105. Else, adult respondents who are recent former established non-electronic tobacco users, go to Box R04_ANV06. Else, adult respondents who are current experimental non-electronic tobacco users, go to Box R04_ANR04.	
IF R04_TOBXEPROD_USER_STATUS = 1, GO TO R04_AN0105. ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, GO TO BOX R04_ANV06. ELSE, IF R04_TOBXEPROD_USER_STATUS = 2, GO TO BOX R04_ANR04.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0105**

In the past 12 months, have you tried to quit [ND FILL3] completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): R04_AN0334**

In the past 12 months, have you tried to quit by gradually cutting back on [ND FILL3]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

BOX ID: R04_ANV06

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R04_TWELVEMONTHQUIT_STATUS = 1 (Past 12 month quitter or quit attempter) Adult respondents who have quit or attempted to quit non-electronic tobacco in the past 12 months.

R04_TWELVEMONTHQUIT_STATUS = 2 (Past 12 month reducer) Adult respondents who have cut down their non-electronic tobacco use in the past 12 months, but have not tried to quit.

R04_TWELVEMONTHQUIT_STATUS = 1:

IF R04_AN0105 = 1 OR R04_TOBXEPROD_USER_STATUS = 4, THEN
R04_TWELVEMONTHQUIT_STATUS = 1.

R04_TWELVEMONTHQUIT_STATUS = 2:

ELSE, IF R04_AN0334 = 1, THEN R04_TWELVEMONTHQUIT_STATUS = 2.

BOX ID: R04_ANR03

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters, go to R04_AN0115.

Else, go to Box R04_ANR04.

IF R04_TWELVEMONTHQUIT_STATUS = 1, GO TO R04_AN0115.

ELSE, GO TO BOX R04_ANR04.

Variable(s): R04_AN0115**

In total, how many times in the past 12 months have you tried to quit [ND FILL2] completely?

0 I did not try to quit in the past 12 months

I__|__|__|

-8 DON'T KNOW

GO TO BOX R04_ANR27

-7 REFUSED

GO TO BOX R04_ANR27

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1.

PROGRAM: Allow 3 digits.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

CHECK ID: R04_AN0115_LC1

The computer recorded that you have tried to completely quit [ND FILL2] [R04_AN0115] times in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AN0115 |
| 2 | NEXT | GO TO R04_AN0115_LC2 |

ASK: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0115 > 50.

PROGRAM: TRIGGER CHECK IF R04_AN0115 > 50.

ELSE, GO TO R04_AN0115_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AN0115_LC2

The computer recorded that you have not tried to completely quit in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AN0115 |
| 2 | NEXT | GO TO BOX R04_ANR27 |

ASK: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0115 = 0.

PROGRAM: TRIGGER CHECK IF R04_AN0115 = 0.

ELSE, GO TO BOX R04_ANR27 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_ANR27

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months., go to R04_AN0120.

Else, adult respondents who are recent former established non-electronic tobacco users and there is at least one non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R04_AN0257.

Else, adult respondents who are recent former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R04_AN0145.

Else, go to Box R04_ANR04.

IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7), GO TO R04_AN0120.

ELSE, IF R04_TOBXEPROD_USER_STATUS = 4 AND R04_VALID_TIME_LASTUSED = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7), GO TO R04_AN0257.

ELSE, IF (R04_TOBXEPROD_USER_STATUS = 4 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) , GO TO R04_AN0145.

ELSE, GO TO BOX R04_ANR04.

Variable(s): R04_AN0120

In the past 12 months, have you stopped [ND FILL3] for one day or longer because you were trying to quit?

1 Yes

2 No

GO TO R04_AN0130

-8 DON'T KNOW

GO TO R04_AN0130

-7 REFUSED

GO TO R04_AN0130

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7).

Variable(s): R04_AN0125

In the past 12 months, how many times have you stopped [ND FILL3] for one day or longer because you were trying to quit?

- 1 1 time
- 2 2-3 times
- 3 4 or more times
- 8 DON'T KNOW GO TO R04_AN0256
- 7 REFUSED GO TO R04_AN0256

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND R04_AN0120 = 1.

CHECK ID: R04_AN0125_LC1

The computer recorded that you have stopped [ND FILL3] for one day or longer because you were trying to quit. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R04_AN0125
- 2 NEXT GO TO R04_AN0130

ASK: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND R04_AN0120 = 1 AND R04_AN0125 > R04_AN0115.

PROGRAM: TRIGGER CHECK IF R04_AN0125 > R04_AN0115.
ELSE, GO TO R04_AN0130 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0256**

Would you say that in the past 12 months it was more than 3 times that you have stopped [NDFILL3] for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer and did not know or refused to report how many times they stopped using tobacco for one day or longer.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND R04_AN0120 = 1 AND R04_AN0125 = -8, -7.

Variable(s): **R04_AN0130_NN; R04_AN0130_UN**

The last time you stopped [ND FILL3] in the past 12 months because you were trying to quit, how long did you stop for?

- 1 |__|__|__| Minutes
- 2 |__|__|__| Hours
- 3 |__|__|__| Days
- 4 |__|__|__| Weeks
- 5 |__|__|__| Months
- 8 DON'T KNOW GO TO R04_AN0300
- 7 REFUSED GO TO R04_AN0300

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7).

PROGRAM: Display as Quantity/Units. Allow 3 digits for minutes, 3 digits for hours, 3 digits for days, 3 digits for weeks, and 3 digits for months.

NOTES: The value "1" refers to R04_AN0130_UN = Minutes; the value "2" refers to R04_AN0130_UN = Hours; the value "3" refers to R04_AN0130_UN = Days; the value "4" refers to R04_AN0130_UN = Weeks; the value "5" refers to R04_AN0130_UN = Months.

CHECK ID: R04_AN0130_LC1

The computer recorded the last time you tried to quit [ND FILL3] in the past 12 months that you stopped for [R04_AN0130_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AN0130

2 NEXT GO TO R04_AN0135

ASK: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND ((R04_AN0130_NN > 366 AND R04_AN0130_UN = 3) OR (R04_AN0130_NN > 52 AND R04_AN0130_UN = 4) OR (R04_AN0130_NN > 12 AND R04_AN0130_UN = 5)).

DISPLAY: IF R04_AN0130_UN = 3, DISPLAY "days".

ELSE, IF R04_AN0130_UN = 4, DISPLAY "weeks".

ELSE, IF R04_AN0130_UN = 5, DISPLAY "months".

PROGRAM: TRIGGER CHECK IF (R04_AN0130_NN > 366 AND R04_AN0130_UN = 3) OR (R04_AN0130_NN > 52 AND R04_AN0130_UN = 4) OR (R04_AN0130_NN > 12 AND R04_AN0130_UN = 5).

ELSE, GO TO R04_AN0135 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0300

Was it more than a week, a week, or less than a week?

1 More than one week GO TO R04_AN0210

2 One week GO TO R04_AN0210

3 Less than one week GO TO R04_AN0210

-8 DON'T KNOW GO TO R04_AN0210

-7 REFUSED GO TO R04_AN0210

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND R04_AN0130_NN = -8, -7.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0135**

When was the approximate end date of this last quit attempt that lasted [enter duration from R04_AN0130]?

1 | | | MONTH | | | DAY | | | | YEAR

-8 DON'T KNOW

GO TO R04_AN0140

-7 REFUSED

GO TO R04_AN0140

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND R04_AN0130_NN != -8, -7.

CHECK ID: **R04_AN0135_LC1**

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04_AN0135]. That date is in the future. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0135

2 NEXT

GO TO R04_AN0135_LC2

ASK: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND R04_AN0130_NN != -8, -7 AND R04_AN0135 > TODAY'S DATE.

PROGRAM: TRIGGER CHECK IF R04_AN0135 > TODAY'S DATE.

ELSE, GO TO R04_AN0135_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: **R04_AN0135_LC2**

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R04_AN0135]. That was longer than 12 months ago. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0135

2 NEXT

GO TO R04_AN0135_LC3

ASK: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND R04_AN0130_NN != -8, -7 AND R04_AN0135 != -8, -7 AND R04_AN0135 < (TODAY'S DATE - 12 MONTHS).

PROGRAM: TRIGGER CHECK IF R04_AN0135 < (TODAY'S DATE - 12 MONTHS).

ELSE, GO TO R04_AN0135_LC3 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AN0135_LC3

Please enter four numbers for the year.

1 BACK

GO TO R04_AN0135

ASK: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND R04_AN0130_NN != -8, -7 AND R04_AN0135 != -8, -7 AND R04_AN0135 (YEARS) IS < 4 DIGITS.

PROGRAM: TRIGGER CHECK IF R04_AN0135 (YEARS) IS < 4 DIGITS.

ELSE, GO TO R04_AN0140 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0140

In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without [ND FILL3] because you were trying to quit?

1 Yes

GO TO BOX R04_ANR28

2 No

GO TO R04_AN0145

-8 DON'T KNOW

GO TO BOX R04_ANR28

-7 REFUSED

GO TO BOX R04_ANR28

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND R04_AN0130_NN != -8, -7.

DISPLAY: FILL "DURATION OF LAST QUIT ATTEMPT" WITH THE DURATION FROM R04_AN0130[NN/_ UN] (EX. "45 days").

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0257**

You previously mentioned that you stopped [ND FILL3] [ENTER LENGTH OF TIME SINCE LAST USE IN R04_A*1009] ago. Is this the longest you have gone without [ND FILL3] in the past 12 months?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R04_ANR28 |
| 2 | No | GO TO R04_AN0145 |
| -8 | DON'T KNOW | GO TO BOX R04_ANR28 |
| -7 | REFUSED | GO TO BOX R04_ANR28 |

ASK: Adult respondents who are recent former established non-electronic tobacco users and there is at least one non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 4 AND R04_VALID_TIME_LASTUSED = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7).

DISPLAY: FILL [ENTER LENGTH OF TIME SINCE R04_A*1009] WITH TIME ENTERED (EX. "45 days") IN CORRESPONDING R04_A*1009[_NN/_UN] ITEM BY PRODUCT:

IF R04_NDSKIP=0, 3:

NC=R04_AC1009[_NN/_UN] NP=R04_AP1009[_NN/_UN]
 NG=R04_AG1009[_NN/_UN] NH=R04_AH1009[_NN/_UN]
 NL=R04_AG1009[_NN/_UN] NU=R04_AU1009[_NN/_UN]
 NF=R04_AG1009[_NN/_UN] NS=R04_AS1009[_NN/_UN]

ELSE, IF R04_NDSKIP = 1, 2:

USE LONGEST TIME PERIOD AMONG R04_AC1009[_NN/_UN], R04_AG1009[_NN/_UN],
 R04_AP1009[_NN/_UN], R04_AH1009[_NN/_UN], R04_AU1009[_NN/_UN], R04_AS1009[_NN/_UN].

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0145_NN; R04_AN0145_UN

In the past 12 months, what was the longest time you stopped [ND FILL3] because you were trying to quit?

1 |__|__|__| Minutes

2 |__|__|__| Hours

3 |__|__|__| Days

4 |__|__|__| Weeks

5 |__|__|__| Months

-8 DON'T KNOW

GO TO R04_AN0305

-7 REFUSED

GO TO R04_AN0305

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco, or

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are recent former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco.

ASK Specification: IF (R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND R04_AN0130_NN != -8, -7 AND R04_AN0140 = 2) OR (R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPD_USER_STATUS = 4 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND (R04_VALID_TIME_LASTUSED = 2 OR R04_AN0257 = 2)).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AN0145_UN = Minutes; the value "2" refers to R04_AN0145_UN = Hours; the value "3" refers to R04_AN0145_UN = Days; the value "4" refers to R04_AN0145_UN = Weeks; the value "5" refers to R04_AN0145_UN = Months.

CHECK ID: R04_AN0145_LC1

The computer recorded that you stopped [ND FILL3] for [R04_AN0145_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AN0145 |
| 2 | NEXT | GO TO BOX R04_ANR28 |

ASK: IF ((R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND R04_AN0130_NN != -8, -7 AND R04_AN0140 = 2) OR (R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_TOBXEPROD_USER_STATUS = 4 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7) AND (R04_VALID_TIME_LASTUSED = 2 OR R04_AN0257 = 2))) AND ((R04_AN0145_NN > 366 AND R04_AN0145_UN = 3) OR (R04_AN0145_NN > 52 AND R04_AN0145_UN = 4) OR (R04_AN0145_NN > 12 AND R04_AN0145_UN = 5)).

DISPLAY: IF R04_AN0145_UN = 3, DISPLAY "days".

ELSE, IF R04_AN0145_UN = 4, DISPLAY "weeks".

ELSE, IF R04_AN0145_UN = 5, DISPLAY "months".

PROGRAM: TRIGGER CHECK IF (R04_AN0145_NN > 366 AND R04_AN0145_UN = 3) OR (R04_AN0145_NN > 52 AND R04_AN0145_UN = 4) OR (R04_AN0145_NN > 12 AND R04_AN0145_UN = 5).

ELSE, GO TO BOX R04_ANR28 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0305

Was it more than a week, a week, or less than a week?

- | | |
|----|--------------------|
| 1 | More than one week |
| 2 | One week |
| 3 | Less than one week |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users and did not know or refused to report the duration for their longest quit in the past 12 months.

ASK Specification: IF ((R04_TOBXEPROD_USER_STATUS = 1, 4 AND (R04_AN0140 = 2 OR R04_AN0257 = 2)) OR (R04_TOBXEPROD_USER_STATUS = 4 AND R04_VALID_TIME_LASTUSED = 2) AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7)) AND R04_AN0145_NN = -8, -7.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_ANR28
Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R04_AN0210. Else, go to Box R04_ANR04.	
IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7), GO TO R04_AN0210. ELSE, GO TO BOX R04_ANR04.	

Variable(s):	R04_AN0210
Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the <u>past 12 months</u>, did you rely on the support of friends and family to help you?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months. ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7). DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1 AND R04_AN0125 = 1, DISPLAY "the time you tried to quit". ELSE, IF R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0125 > 1 OR R04_AN0256 = 1), DISPLAY "the last time you tried to quit". ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit". ELSE, DISPLAY "the last time you tried to quit". UNDERLINE "past 12 months".	

Variable(s): **R04_AN0215**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7).

DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1 AND R04_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0125 > 1 OR R04_AN0256 = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.	
R04_AN0225_01***	1 I did not use a different tobacco product to help me quit
R04_AN0225_02***	2 Cigarettes
R04_AN0225_03***	3 E-cigarettes or other electronic nicotine products
R04_AN0225_04***	4 Traditional cigars
R04_AN0225_05***	5 Cigarillos
R04_AN0225_06***	6 Filtered cigars
R04_AN0225_07***	7 Pipe tobacco
R04_AN0225_08***	8 Hookah
R04_AN0225_09***	9 Snus
R04_AN0225_10***	10 Smokeless tobacco, like dip, chew, or snuff
R04_AN0225_11***	11 Dissolvable tobacco
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.	
ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0115 >= 1 OR R04_AN0115 = -8, -7).	
DISPLAY: IF R04_TOBXEPROD_USER_STATUS = 1 AND R04_AN0125 = 1, DISPLAY "the time you tried to quit".	
ELSE, IF R04_TOBXEPROD_USER_STATUS = 1 AND (R04_AN0125 > 1 OR R04_AN0256 = 1), DISPLAY "the last time you tried to quit".	
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".	
ELSE, DISPLAY "the last time you tried to quit".	
UNDERLINE "past 12 months".	
PROGRAM: For respondents where R04_CURRENT_PRODUCT_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_ANR04
If R04_NDSKIP = 0, 1: Go to R04_AN0330_12M. If R04_NDSKIP = 2, 3: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R04_AN0150. Else, adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit, or adult respondents who are past 12 month non-electronic tobacco reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established electronic nicotine product users and are current experimental non-electronic tobacco users and used nicotine replacement therapy in the past 12 months, go to R04_AN0811. Else, adult respondents who have used nicotine replacement therapy in the past 12 months, go to R04_AN0336. Else, go to Box R04_ANR29.	
IF R04_NDSKIP = 0, 1 AND ((R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4) OR (R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4)), GO TO R04_AN0330_12M. ELSE, IF R04_NDSKIP = 2, 3 AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0330_12ME = 1, GO TO R04_AN0150. ELSE, IF (R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1) AND R04_AN0150 = 1) OR (R04_TWELVEMONTHQUIT_STATUS = 2 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1)) OR (R04_EPROD_USER_STATUS != 1, 4 AND R04_TOBXEPROD_USER_STATUS = 2 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1)), GO TO R04_AN0811. ELSE, IF R04_NDSKIP = 2, 3 AND R04_AN0330_12ME = 1, GO TO R04_AN0336. ELSE, GO TO BOX R04_ANR29.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AN0330_12M**
In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users. ASK Specification: IF (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4). NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.	

BOX ID:	R04_ANR15
Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R04_AN0150. Else, adult respondents who are past 12 month non-electronic tobacco reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established electronic nicotine product users and are current experimental non-electronic tobacco users and used nicotine replacement therapy in the past 12 months, go to R04_AN0811. Else, adult respondents who have used nicotine replacement therapy in the past 12 months, go to R04_AN0336. Else, go to Box R04_ANR29. IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0330_12M = 1, GO TO R04_AN0150. ELSE, IF (R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1) AND R04_AN0150 = 1) OR (R04_TWELVEMONTHQUIT_STATUS = 2 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1)) OR (R04_EPROD_USER_STATUS != 1, 4 AND R04_TOBXEPROD_USER_STATUS = 2 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1)), GO TO R04_AN0811. ELSE, IF R04_AN0330_12M = 1, GO TO R04_AN0336. ELSE, GO TO BOX R04_ANR29.	

Variable(s): R04_AN0150

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AN0336 |
| -8 | DON'T KNOW | GO TO R04_AN0336 |
| -7 | REFUSED | GO TO R04_AN0336 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1).

DISPLAY: IF R04_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): R04_AN0155

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to quit [ND FILL3] completely?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1) AND R04_AN0150 = 1.

DISPLAY: UNDERLINE "completely".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0811****

Did you use the nicotine patch, gum, inhaler, nasal spray, lozenge or pill to relieve or avoid any bad after-effects after you stopped or cut down on your [ND FILL4]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established electronic nicotine product users and are current experimental non-electronic tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1) AND R04_AN0150 = 1) OR (R04_TWELVEMONTHQUIT_STATUS = 2 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1)) OR (R04_EPROD_USER_STATUS != 1, 4 AND R04_TOBXEPROD_USER_STATUS = 2 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1)).

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s):	R04_AN0336; R04_AN0336_OS
What was the main reason you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill? 1 To stop [smoking/using] completely 2 To reduce the amount you [smoke/use] 3 To cope with times when you could not or were not allowed to [smoke/use] 4 Some other reason (SPECIFY) -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental or recent former established non-electronic tobacco users or are current established, current experimental, or recent former established electronic nicotine product users and have used nicotine replacement therapy in the past 12 months. ASK Specification: IF (R04_TOBXEPROD_USER_STATUS = 1, 2, 4 OR R04_EPROD_USER_STATUS = 1, 2, 4) AND ((R04_NDSKIP = 2, 3 AND R04_AN0330_12ME = 1) OR R04_AN0330_12M = 1). DISPLAY: IF R04_CIG_USER_STATUS = 1, 4 OR (R04_GTRAD_USER_STATUS = 1, 4 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_GRILLO_USER_STATUS = 1, 4 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_GFILTR_USER_STATUS = 1, 4 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR R04_PIPE_USER_STATUS = 1, 4 OR R04_HOOK_USER_STATUS = 1, 4, DISPLAY "smoking", "smoke" AND "smoke", IN RESPONSE OPTIONS. ELSE, IF R04_SNUS_USER_STATUS = 1, 4, OR R04_SMKLS_USER_STATUS = 1, 4, DISPLAY "using", "use" AND "use" IN RESPONSE OPTIONS. ELSE, IF R04_CIG_USER_STATUS = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_HOOK_USER_STATUS = 2, DISPLAY "smoking", "smoke" AND "smoke", IN RESPONSE OPTIONS. ELSE, DISPLAY "using", "use" AND "use" IN RESPONSE OPTIONS. IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."	

BOX ID: R04_ANR05

Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit, go to R04_AN0160.

Else, adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and did not use nicotine replacement therapy to help them quit or did not know or refused to report whether they used nicotine replacement therapy to help them quit, go to Box R04_ANR06.

Else, adult respondents who are current established or current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established ENDS users, go to R04_AN0307.

Else, go to Box R04_ANR29.

IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1) AND R04_AN0150 = 1, GO TO R04_AN0160.

IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1) AND R04_AN0150 = 2, -8, -7, GO TO BOX R04_ANR06.

ELSE, IF R04_TOBXEPROD_USER_STATUS = 1, 2 AND R04_AN0330_12M = 1, GO TO R04_AN0307.

ELSE, GO TO BOX R04_ANR29.

Variable(s): SEE BELOW:

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

- | | | | |
|----------------------|----|--------------------------|---------------------|
| R04_AN0160_01 | 1 | Nicotine patch | |
| R04_AN0160_02 | 2 | Nicotine gum | |
| R04_AN0160_03 | 3 | Nicotine inhaler | |
| R04_AN0160_04 | 4 | Nicotine nasal spray | |
| R04_AN0160_05 | 5 | Nicotine lozenge or pill | |
| R04_AN0160_06 | 6 | None of the above | GO TO BOX R04_ANR06 |
| | -8 | DON'T KNOW | |
| | -7 | REFUSED | |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1) AND R04_AN0150 = 1.

DISPLAY: IF R04_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

PROGRAM: Option 6 cannot be selected if any options 1 through 5 are selected.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0165_NN; R04_AN0165_UN
In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill? 1 I__I__I DAYS 2 I__I__I WEEKS 3 I__I__I MONTHS -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used. ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0330_12ME = 1 OR R04_AN0330_12M = 1) AND R04_AN0150 = 1 AND R04_AN0160_06 != 1. DISPLAY: IF R04_AN0125 = 1, DISPLAY "during the time you tried to quit". ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "during the last time you tried to quit". ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND " completely". ELSE, DISPLAY "during the last time you tried to quit". PROGRAM: Display as Quantity/Units. NOTES: The value "1" refers to R04_AN0165_UN = Days; the value "2" refers to R04_AN0165_UN = Weeks; the value "3" refers to R04_AN0165_UN = Months.

BOX ID: R04_ANR06
Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R04_AN0170. Else, if R04_NDSKIP = 2, 3, go to Box R04_ANR29. IF R04_NDSKIP = 0, 1 AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0330_12M = 1, GO TO R04_AN0170. ELSE, IF R04_NDSKIP = 2, 3, GO TO BOX R04_ANR29.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0170**

Are you currently using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No GO TO R04_AN0307
- 8 DON'T KNOW GO TO R04_AN0307
- 7 REFUSED GO TO R04_AN0307

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04_NDSKIP = 0, 1 AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0330_12M = 1.

Variable(s): **R04_AN0251_NN; R04_AN0251_UN**

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 3 |__|__| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R04_NDSKIP = 0, 1 AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0330_12M = 1 AND R04_AN0170 = 1.

PROGRAM: Display as Quantity/Units. Allow 2 digits.

NOTES: The value "1" refers to R04_AN0251_UN = Days; the value "2" refers to R04_AN0251_UN = Weeks; the value "3" refers to R04_AN0251_UN = Months.

CHECK ID: R04_AN0251_LC1

The computer recorded that you have been using the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill to help you quit for [R04_AN0251_NN] [days/months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AN0251 |
| 2 | NEXT | GO TO R04_AN0251_LC2 |

ASK: IF R04_NDSKIP = 0, 1 AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0330_12M = 1 AND R04_AN0170 = 1 AND ((R04_AN0251_NN > 99 AND R04_AN0251_UN = 1) OR (R04_AN0251_NN > 60 AND R04_AN0251_UN = 2) AND (R04_AN0251_NN > 5 AND R04_AN0251_UN = 3)).

DISPLAY: IF R04_AN0251_UN = 1, DISPLAY "days".

ELSE, IF R04_AN0251_UN = 2, DISPLAY "months".

ELSE, IF R04_AN0251_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AN0251_NN > 99 AND R04_AN0251_UN = 1) OR (R04_AN0251_NN > 60 AND R04_AN0251_UN = 2) AND (R04_AN0251_NN > 5 AND R04_AN0251_UN = 3).

ELSE, GO TO R04_AN0251_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AN0251_LC2

The computer recorded "0" for how long you have been using a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to help you quit.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R04_AN0251 |
| 2 | NEXT | GO TO R04_AN0307 |

ASK: IF R04_NDSKIP = 0, 1 AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0330_12M = 1 AND R04_AN0170 = 1 AND R04_AN0251 = 0.

PROGRAM: TRIGGER CHECK IF R04_AN0251 = 0.

ELSE, GO TO R04_AN0307 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0307**

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------------------|----------------------|
| 1 | In the past hour | GO TO R04_AN0309 |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R04_AN0175 |
| -8 | DON'T KNOW | GO TO R04_AN0331_12M |
| -7 | REFUSED | GO TO R04_AN0331_12M |

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0330_12M = 1) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0330_12M = 1).

Variable(s): R04_AN0308

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 2, 3, 4) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R04_AN0307]:

IF R04_AN0307 = 2, DISPLAY "sometime today".

ELSE, IF R04_AN0307 = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0309**

When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307], how many did you use?

|_|_|_|

-8 DON'T KNOW

GO TO R04_AN0331_12M

-7 REFUSED

GO TO R04_AN0331_12M

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 1, 2, 3, 4) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 1, 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R04_AN0307]:

IF R04_AN0307 = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0307 = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

CHECK ID: **R04_AN0309_LC1**

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R04_AN0309] times. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0309

2 NEXT

GO TO R04_AN0309_LC2

ASK: IF ((R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 1, 2, 3, 4) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 1, 2, 3, 4)) AND R04_AN0309 > 5.

DISPLAY: IF R04_AN0307 = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0307 = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AN0309 > 5.

ELSE, GO TO R04_AN0309_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AN0309_LC2

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AN0309 |
| 2 | NEXT | GO TO R04_AN0331_12M |

ASK: IF ((R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 1, 2, 3, 4) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 1, 2, 3, 4)) AND R04_AN0309 = 0.

DISPLAY: IF R04_AN0307 = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0307 = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AN0309 = 0.

ELSE, GO TO R04_AN0331_12M AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0175_NN; R04_AN0175_UN

How long ago did you stop using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|---------------|----------------------|
| 1 | __ __ DAYS | |
| 2 | __ __ MONTHS | |
| 3 | __ __ YEARS | |
| -8 | DON'T KNOW | GO TO R04_AN0331_12M |
| -7 | REFUSED | GO TO R04_AN0331_12M |

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago, or

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used nicotine replacement therapy in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 5) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 5).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AN0175_UN = Days; the value "2" refers to R04_AN0175_UN = Weeks; the value "3" refers to R04_AN0175_UN = Months.

CHECK ID: R04_AN0175_LC1

The computer recorded that you stopped using the nicotine patch, gum, inhaler, nasal spray, lozenge or pill [R04_AN0175_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AN0175 |
| 2 | NEXT | GO TO BOX R04_ANR29 |

ASK: IF ((R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 5) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0330_12M = 1 AND R04_AN0307 = 5)) AND R04_AN0175_NN != -8, -7 AND (((R04_AN0175_NN > 31 OR R04_AN0175_NN < 3) AND R04_AN0175_UN = 1) OR (R04_AN0175_NN > 12 AND R04_AN0175_UN = 2) OR (R04_AN0175_NN > 1 AND R04_AN0175_UN = 3)).

DISPLAY: IF R04_AN0175_UN = 1, DISPLAY "days".

ELSE, IF R04_AN0175_UN = 2, DISPLAY "months".

ELSE, IF R04_AN0175_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF ((R04_AN0175_NN > 31 OR R04_AN0175_NN < 3) AND R04_AN0175_UN = 1) OR (R04_AN0175_NN > 12 AND R04_AN0175_UN = 2) OR (R04_AN0175_NN > 1 AND R04_AN0175_UN = 3).

ELSE, GO TO BOX R04_ANR29 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_ANR29

If R04_NDSKIP = 0 or 1:

Go to R04_AN0331_12M.

If R04_NDSKIP = 2 or 3:

Adult respondents who are completing Nicotine Dependence for both electronic nicotine products and non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months, go to R04_AN0180.

Else, go to Box R04_ANR18.

IF (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4), GO TO R04_AN0331_12M.

ELSE, IF R04_NDSKIP = 2, 3 AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0331_12ME = 1, GO TO R04_AN0180.

ELSE, GO TO BOX R04_ANR18.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AN0331_12M**
In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users. ASK Specification: IF (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4). NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

BOX ID: R04_ANR07
Adult respondents who are past 12 month non-electronic quitters or quit attempters and used a prescription drug in the past 12 months, go to R04_AN0180. Else, adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used a prescription drug in the past 12 months, go to R04_AN0327. Else, go to Box R04_ANR18. IF R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0331_12M = 1, GO TO R04_AN0180. ELSE, IF (R04_NDSKIP = 0,1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0331_12M = 1) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0331_12M = 1), GO TO R04_AN0327. ELSE, GO TO BOX R04_ANR18.

Variable(s): R04_AN0180

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R04_ANR08 |
| -8 | DON'T KNOW | GO TO BOX R04_ANR08 |
| -7 | REFUSED | GO TO BOX R04_ANR08 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0331_12ME = 1 OR R04_AN0331_12M = 1).

DISPLAY: IF R04_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): R04_AN0185

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit [ND FILL3] completely?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0331_12ME = 1 OR R04_AN0331_12M = 1) AND R04_AN0180 = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.	
R04_AN0190_01	1 Chantix or varenicline
R04_AN0190_02	2 Wellbutrin, Zyban, or bupropion
R04_AN0190_03	3 None of the above
	-8 DON'T KNOW
	-7 REFUSED
GO TO BOX R04_ANR08	
ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.	
ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0331_12ME = 1 OR R04_AN0331_12M = 1) AND R04_AN0180 = 1.	
DISPLAY: IF R04_AN0125 = 1, DISPLAY "the time you tried to quit".	
ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "the last time you tried to quit".	
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".	
ELSE, DISPLAY "the last time you tried to quit".	
PROGRAM: Option 3 cannot be selected if options 1 or 2 are selected.	

Variable(s):	R04_AN0195_NN; R04_AN0195_UN
In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?	
	1 I__I__I DAYS
	2 I__I__I WEEKS
	3 I__I__I MONTHS
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.	
ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1 AND (R04_AN0331_12ME = 1 OR R04_AN0331_12M = 1) AND R04_AN0180 = 1 AND R04_AN0190_03 != 1.	
DISPLAY: IF R04_AN0125 = 1, DISPLAY "during the time you tried to quit".	
ELSE, IF R04_AN0125 > 1 OR R04_AN0256 = 1, DISPLAY "during the last time you tried to quit".	
ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND " completely".	
ELSE, DISPLAY "during the last time you tried to quit".	
PROGRAM: Display as Quantity/Units.	
NOTES: The value "1" refers to R04_AN0195_UN = Days; the value "2" refers to R04_AN0195_UN = Weeks; the value "3" refers to R04_AN0195_UN = Months.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_ANR08

If R04_NDSKIP = 0 OR 1:

If the respondents attempted to quit in the past year and used a prescription drug to help them, go to R04_AN0200.

Else, if the respondent used a prescription drug in the past 12 months, go to R04_AN0327.

If R04_NDSKIP = 2 OR 3:

Go to Box R04_ANR18.

IF R04_NDSKIP = 0, 1 AND ((R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4) AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0331_12M = 1 AND R04_AN0180 = 1, GO TO R04_AN0200.

ELSE, IF R04_NDSKIP = 0, 1 AND R04_AN0331_12M = 1, GO TO R04_AN0327.

ELSE, IF R04_NDSKIP = 2, 3, GO TO BOX R04_ANR18.

Variable(s): R04_AN0200

Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

1 Yes

2 No

GO TO R04_AN0327

-8 DON'T KNOW

GO TO R04_AN0327

-7 REFUSED

GO TO R04_AN0327

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R04_NDSKIP = 0, 1 AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0331_12M = 1 AND R04_AN0180 = 1.

Variable(s): **R04_AN0252_NN; R04_AN0252_UN**

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

1 I__I__I DAYS

2 I__I__I MONTHS

3 I__I__I YEARS

-8 DON'T KNOW

GO TO R04_AN0327

-7 REFUSED

GO TO R04_AN0327

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R04_NDSKIP = 0, 1 AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0331_12M = 1 AND R04_AN0180 = 1 AND R04_AN0200 = 1.

PROGRAM: Display as Quantity/Units. Allow 2 digits.

NOTES: The value "1" refers to R04_AN0252_UN = Days; the value "2" refers to R04_AN0252_UN = Weeks; the value "3" refers to R04_AN0252_UN = Months.

CHECK ID: **R04_AN0252_LC1**

The computer recorded that you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion for [R04_AN0252_NN] [months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0252

2 NEXT

GO TO R04_AN0252_LC2

ASK: IF R04_NDSKIP = 0, 1 AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0331_12M = 1 AND R04_AN0180 = 1 AND R04_AN0200 = 1 AND ((R04_AN0252_NN > 60 AND R04_AN0252_UN = 2) OR (R04_AN0252_NN > 5 AND R04_AN0252_UN = 3)).

DISPLAY: IF R04_AN0252_UN = 2, DISPLAY "months".

ELSE, IF R04_AN0252_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AN0252_NN > 60 AND R04_AN0252_UN = 2) OR (R04_AN0252_NN > 5 AND R04_AN0252_UN = 3).

ELSE, GO TO R04_AN0252_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AN0252_LC2

The computer recorded "0" for how long you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AN0252

2 NEXT GO TO R04_AN0327

ASK: IF R04_NDSKIP = 0, 1 AND R04_TWELVEMONTHQUIT_STATUS = 1 AND R04_AN0331_12M = 1 AND R04_AN0180 = 1 AND R04_AN0200 = 1 AND R04_AN0252 = 0.

PROGRAM: TRIGGER CHECK IF R04_AN0252 = 0.

ELSE, GO TO R04_AN0327 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0327

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

1 In the past hour GO TO R04_AN0329

2 Sometime today

3 Yesterday

4 Day before yesterday

5 Three or more days ago GO TO R04_AN0205

-8 DON'T KNOW GO TO BOX R04_ANR18

-7 REFUSED GO TO BOX R04_ANR18

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used a prescription drug in the past 12 months.

ASK Specification: IF (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0331_12M = 1) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0331_12M = 1).

Variable(s): R04_AN0328

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0331_12M = 1 AND R04_AN0327 = 2, 3, 4) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0331_12M = 1 AND R04_AN0327 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R04_AN0327]:

IF R04_AN0327 = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327, MAKING FIRST LETTER LOWERCASE.

Variable(s): R04_AN0329

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327], how many did you take?

|_|_|_|

-8 DON'T KNOW

GO TO BOX R04_ANR18

-7 REFUSED

GO TO BOX R04_ANR18

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0331_12M = 1 AND R04_AN0327 = 1, 2, 3, 4) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0331_12M = 1 AND R04_AN0327 = 1, 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R04_AN0327]:

IF R04_AN0327 = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0327 = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0327 = 4, DISPLAY "the day before yesterday".

CHECK ID: R04_AN0329_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04_AN0329] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0329

2 NEXT

GO TO BOX R04_ANR18

ASK: IF ((R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0331_12M = 1 AND R04_AN0327 = 1, 2, 3, 4) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0331_12M = 1 AND R04_AN0327 = 1, 2, 3, 4)) AND (R04_AN0329 = 0 OR IF R04_AN0329 > 5).

DISPLAY: IF R04_AN0327 = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0327 = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0327 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AN0329 = 0 OR IF R04_AN0329 > 5.

ELSE, GO TO BOX R04_ANR18 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0205_NN; R04_AN0205_UN

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 3 |__|__| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established electronic nicotine product users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0331_12M = 1 AND R04_AN0327 = 5) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0331_12M = 1 AND R04_AN0327 = 5).

PROGRAM: Display as Quantity/Units.

NOTES: The value "1" refers to R04_AN0205_UN = Days; the value "2" refers to R04_AN0205_UN = Weeks; the value "3" refers to R04_AN0205_UN = Months.

CHECK ID: R04_AN0205_LC1

The computer recorded that you stopped using Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04_AN0205] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AN0205 |
| 2 | NEXT | GO TO BOX R04_ANR18 |

ASK: IF ((R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 1, 4 AND R04_EPROD_USER_STATUS != 1, 4 AND R04_AN0331_12M = 1 AND R04_AN0327 = 5) OR (R04_NDSKIP = 0, 1 AND R04_TOBXEPROD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_AN0331_12M = 1 AND R04_AN0327 = 5)) AND ((R04_AN0205_NN > 31 AND R04_AN0205_UN = 1) OR (R04_AN0205_NN > 12 AND R04_AN0205_UN = 2) OR (R04_AN0205_NN > 1 AND R04_AN0205_UN = 3)).

DISPLAY: IF R04_AN0205_UN = 1, DISPLAY "days".

ELSE, IF R04_AN0205_UN = 2, DISPLAY "months".

ELSE, IF R04_AN0205_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R04_AN0205_NN > 31 AND R04_AN0205_UN = 1) OR (R04_AN0205_NN > 12 AND R04_AN0205_UN = 2) OR (R04_AN0205_NN > 1 AND R04_AN0205_UN = 3).

ELSE, GO TO BOX R04_ANR18 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_ANR18

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers, go to Box R04_AND03.

Else, adult respondents who are current established non-electronic tobacco, go to R04_AN0230.

Else, adult respondents who are not current established or recent former established electronic nicotine product users and are current experimental non-electronic tobacco users, go to R04_AX0006.

Else, go to Box R04_ART01.

IF R04_TWELVEMONTHQUIT_STATUS = 1, 2, GO TO BOX R04_AND03.

ELSE, IF R04_TOBXEPROD_USER_STATUS = 1, GO TO R04_AN0230.

ELSE, IF R04_EPROD_USER_STATUS != 1, 4 AND R04_TOBXEPROD_USER_STATUS = 2, GO TO R04_AX0006.

ELSE, GO TO BOX R04_ART01.

BOX ID: R04_AND03

Display question R04_AN0804, R04_AN0805, R04_AN0806, R04_AN0807, R04_AN0808, R04_AN0809, R04_AN0810, on one screen. Show the transition text and question stem from R04_AN0804 first, then show each item with the yes/no responses. As each item is answered, show the next one.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AN0804**
The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3] in the past 12 months. Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Feel depressed? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers. ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1, 2. DISPLAY: IF R04_AN0125 = 1, DISPLAY "the time you tried to quit". ELSE, IF R04_TOBXEPROD_USER_STATUS = 1 AND R04_TWELVEMONTHQUIT_STATUS = 1, DISPLAY "the last time you tried to quit". ELSE, IF R04_TOBXEPROD_USER_STATUS = 4, DISPLAY "you quit". ELSE, IF R04_TWELVEMONTHQUIT_STATUS = 2, DISPLAY "cutting down on". NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.	

BOX ID:	R04_AND04
Randomize order of R04_AN0805 - R04_AN0809.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0805****

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Have difficulty falling asleep or staying asleep?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1, 2.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): **R04_AN0806****

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Have difficulty concentrating?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1, 2.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0807****

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Eat more than usual or gain weight?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1, 2.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): **R04_AN0808****

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Become easily irritated, angry, or frustrated?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1, 2.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AN0809**
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Feel anxious or nervous? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers. ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1, 2. NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.	

Variable(s):	R04_AN0810**
Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you... Feel more restless than usual? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers. ASK Specification: IF R04_TWELVEMONTHQUIT_STATUS = 1, 2. NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.	

BOX ID:	R04_ANR21
Adult respondents who are current established non-electronic tobacco users, go to R04_AN0230. Else, go to R04_AX0006. IF R04_TOBXEPROD_USER_STATUS = 1, GO TO R04_AN0230. ELSE, GO TO R04_AX0006.	

Variable(s): **R04_AN0230****

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting [ND FILL 4]? Please choose a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely Interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0235****

Do you plan to ever quit [ND FILL3] for good?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AX0006 |
| -8 | DON'T KNOW | GO TO R04_AX0006 |
| -7 | REFUSED | GO TO R04_AX0006 |

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

Variable(s): **R04_AN0240**

When do you plan to quit [ND FILL3] for good?

- | | | |
|----|-----------------------------|------------------|
| 1 | In the next 7 days | |
| 2 | In the next 30 days | |
| 3 | In the next 6 months | |
| 4 | In the next year | GO TO R04_AX0006 |
| 5 | More than one year from now | GO TO R04_AX0006 |
| -8 | DON'T KNOW | GO TO R04_AX0006 |
| -7 | REFUSED | GO TO R04_AX0006 |

ASK: Adult respondents who are current established non-electronic tobacco users and report planning to quit for good.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1 AND R04_AN0235 = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0245**

If you did try to quit [ND FILL3] altogether in the next 6 months, how likely do you think you would be to succeed?

- 1 Not at all likely
- 2 A little likely
- 3 Somewhat likely
- 4 Very likely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established non-electronic tobacco users and report planning to quit for good and are planning to quit in the next 7 days, in the next 30 days, or in the next 6 months.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1 AND R04_AN0235 = 1 AND R04_AN0240 = 1, 2, 3.

Variable(s): **R04_AX0006****

If you had to do it over again, would you have ever started using tobacco[(not including e-cigarettes or electronic nicotine products)]?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or

Adult respondents who are not current established or recent former established electronic nicotine product users and are current experimental non-electronic tobacco users, or

Adult respondents who are not current established, current experimental, or recent former established electronic nicotine product users and are former experimental non-electronic tobacco users.

ASK Specification: IF R04_TOBXEPROD_USER_STATUS = 1, 4 OR (R04_EPROD_USER_STATUS != 1, 4 AND R04_TOBXEPROD_USER_STATUS = 2) OR (R04_EPROD_USER_STATUS != 1, 2, 4 AND R04_TOBXEPROD_USER_STATUS = 3).

DISPLAY: IF R04_NDSKIP = 2, 3, DISPLAY " (not including e-cigarettes or electronic nicotine products)".

ELSE, DO NOT DISPLAY.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3). This issue was fixed in a field update on 12/29/2016.

PACKAGING AND HEALTH WARNINGS

BOX ID: R04_ART01

The next questions ask about things you may have seen or read about tobacco products.

Variable(s): R04_AR0141

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AR0142

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R04_ARR01

Adult respondents who are current established cigarette smokers and smoke roll-your-own cigarettes, go to R04_AR0095.

Else, go to R04_AR0005.

IF R04_CIG_USER_STATUS = 1 AND R04_AC9048 = 2, 3, GO TO R04_AR0095.

ELSE, GO TO R04_AR0005.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0095

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of roll-your-own tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and smoke roll-your-own cigarettes.

ASK Specification: IF R04_CIG_USER_STATUS = 1 AND R04_AC9048 = 2, 3.

Variable(s): R04_AR0005

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_ARR03

Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days, go to R04_AR0202.

Else, adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days, go to R04_AR0040.

Else, adult respondents who have never smoked a cigarette and have noticed the health warnings on cigarette packs in the past 30 days, go to R04_AR0055.

Else, go to R04_AR0110.

IF R04_CIG_USER_STATUS = 1, 2 AND R04_AR0005 > 1, GO TO R04_AR0202.

ELSE, IF R04_CIG_USER_STATUS = 3, 4, 5 AND R04_AR0005 > 1, GO TO R04_AR0040.

ELSE, IF R04_EVER_NEVER_CIGS = 2 AND R04_AR0005 > 1, GO TO R04_AR0055.

ELSE, GO TO R04_AR0110.

Variable(s): R04_AR0202

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AR0005 > 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0010

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AR0005 > 1.

Variable(s): R04_AR0015

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AR0005 > 1.

Variable(s): R04_AR0025

How believable do you consider the health warnings on cigarette packs to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AR0005 > 1.

Variable(s): R04_AR0035

To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2 AND R04_AR0005 > 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AR0040**

To what extent, if at all, do the health warnings on cigarette packs make you [more likely to quit smoking/more likely to not start smoking again]?

- | | | |
|----|------------|------------------|
| 1 | Not at all | GO TO R04_AR0110 |
| 2 | A little | GO TO R04_AR0110 |
| 3 | Somewhat | GO TO R04_AR0110 |
| 4 | A lot | GO TO R04_AR0110 |
| -8 | DON'T KNOW | GO TO R04_AR0110 |
| -7 | REFUSED | GO TO R04_AR0110 |

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2, 3, 4, 5 AND R04_AR0005 > 1.

DISPLAY: IF R04_CIG_USER_STATUS = 1, 2, DISPLAY "more likely to quit smoking".

ELSE, DISPLAY "more likely to not start smoking again".

Variable(s): **R04_AR0055**

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

- | | |
|----|------------|
| 1 | Not at all |
| 2 | A little |
| 3 | Somewhat |
| 4 | A lot |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have never smoked a cigarette and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_CIGS = 2 AND R04_AR0005 > 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0110

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

BOX ID: R04_ARR06

Adult respondents who are current established or current experimental electronic nicotine product users and have noticed the health warnings on electronic nicotine product packages in the past 30 days, go to R04_AR0222.

Else, go to R04_AR0115.

IF R04_EPROD_USER_STATUS = 1, 2 AND R04_AR0110 > 1, GO TO R04_AR0222.

ELSE, GO TO R04_AR0115.

Variable(s): R04_AR0222

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental electronic nicotine product users and have noticed the health warnings on electronic nicotine product packages in the past 30 days.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2 AND R04_AR0110 > 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0226

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products make you think about the health risks of using them?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental electronic nicotine product users and have noticed the health warnings on electronic nicotine product packages in the past 30 days.

ASK Specification: IF R04_EPROD_USER_STATUS = 1, 2 AND R04_AR0110 > 1.

Variable(s): R04_AR0115

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

BOX ID: R04_ARR07

Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days, go to R04_AR0229. Else, go to R04_AR0120.

IF R04_GTRAD_USER_STATUS = 1, 2 AND R04_AR0115 > 1, GO TO R04_AR0229.
ELSE, GO TO R04_AR0120.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AR0229**

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of traditional cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R04_GTRAD_USER_STATUS = 1, 2 AND R04_AR0115 > 1.

Variable(s): **R04_AR0233**

To what extent, if at all, do the health warnings on packages of traditional cigars make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R04_GTRAD_USER_STATUS = 1, 2 AND R04_AR0115 > 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0120

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS

BOX ID: R04_ARR08

Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days, go to R04_AR0236.

Else, go to R04_AR0125.

IF R04_GRILLO_USER_STATUS = 1, 2 AND R04_AR0120 > 1, GO TO R04_AR0236.

ELSE, GO TO R04_AR0125.

Variable(s): R04_AR0236

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of cigarillos?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R04_GRILLO_USER_STATUS = 1, 2 AND R04_AR0120 > 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0240

To what extent, if at all, do the health warnings on packages of cigarillos make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R04_GRILLO_USER_STATUS = 1, 2 AND R04_AR0120 > 1.

Variable(s): R04_AR0125

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

BOX ID: R04_ARR09

Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days, go to R04_AR0243.

Else, go to R04_AR0130.

IF R04_GFILTR_USER_STATUS = 1, 2 AND R04_AR0125 > 1, GO TO R04_AR0243.

ELSE, GO TO R04_AR0130.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0243

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of filtered cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R04_GFILTR_USER_STATUS = 1, 2 AND R04_AR0125 > 1.

Variable(s): R04_AR0247

To what extent, if at all, do the health warnings on packages of filtered cigars make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R04_GFILTR_USER_STATUS = 1, 2 AND R04_AR0125 > 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0130

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

[SHOW GENERIC IMAGE OF PIPES AND PIPE TOBACCO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF PIPES AND PIPE TOBACCO

Variable(s): R04_AR0135

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA

BOX ID: R04_APR35

Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days, go to R04_AR0250.

Else, go to R04_AR0206.

IF R04_HOOK_USER_STATUS = 1, 2 AND R04_AR0135 > 1, GO TO R04_AR0250.
ELSE, GO TO R04_AR0206.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0250

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of shisha or hookah tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2 AND R04_AR0135 > 1.

Variable(s): R04_AR0254

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R04_HOOK_USER_STATUS = 1, 2 AND R04_AR0135 > 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0206

In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES

BOX ID: R04_ARR04

Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days, go to R04_AR0207.

Else, adult respondents who are former experimental, recent former established, or long-term former established snus users and have noticed the health warnings on snus containers in the past 30 days, go to R04_AR0212.

Else, go to R04_AR0060.

IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AR0206 > 1, GO TO R04_AR0207.

ELSE, IF R04_SNUS_USER_STATUS = 3, 4, 5 AND R04_AR0206 > 1, GO TO R04_AR0212.

ELSE, GO TO R04_AR0060.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0207

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AR0206 > 1.

Variable(s): R04_AR0208

In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AR0206 > 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0209

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on containers of snus -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AR0206 > 1.

Variable(s): R04_AR0210

How believable do you consider the health warnings on snus containers to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AR0206 > 1.

Variable(s): **R04_AR0211**

To what extent, if at all, do the health warnings on snus containers make you think about the health risks of using snus?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2 AND R04_AR0206 > 1.

Variable(s): **R04_AR0212**

To what extent, if at all, do the health warnings on snus containers make you [more likely to quit using snus/ more likely to not start using snus again]?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R04_SNUS_USER_STATUS = 1, 2, 3, 4, 5 AND R04_AR0206 > 1.

DISPLAY: IF R04_SNUS_USER_STATUS = 1, 2, DISPLAY "more likely to quit using snus".

ELSE, DISPLAY "more likely to not start using snus again".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AR0060**

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of other smokeless tobacco products like dip, spit, chew and moist snuff?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO EXCLUDING SNUS

BOX ID: **R04_ARR05**

Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days, go to R04_AR0205.

Else, adult respondents who are former experimental, recent former established, or long-term former established smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days, go to R04_AR0090.

Else, go to Box R04_AXT03.

IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AR0060 > 1, GO TO R04_AR0205.

ELSE, IF R04_SMKLS_USER_STATUS = 3, 4, 5 AND R04_AR0060 > 1, GO TO R04_AR0090.

ELSE, GO TO BOX R04_R04_AXT03.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0205

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AR0060 > 1.

Variable(s): R04_AR0065

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AR0060 > 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AR0070**

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AR0060 > 1.

Variable(s): **R04_AR0075**

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AR0060 > 1.

Variable(s): R04_AR0085

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2 AND R04_AR0060 > 1.

Variable(s): R04_AR0090

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you [more likely to quit using smokeless tobacco products/ more likely to not start using smokeless tobacco products again]?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R04_SMKLS_USER_STATUS = 1, 2, 3, 4, 5 AND R04_AR0060 > 1.

DISPLAY: IF R04_SMKLS_USER_STATUS = 1, 2, DISPLAY "more likely to quit using smokeless tobacco products".

ELSE, DISPLAY "more likely to not start using smokeless tobacco products again".

RISK PERCEPTIONS AND ATTITUDES

BOX ID: R04_AXT03

The next questions ask about your opinions on using tobacco, including e-cigarettes and other electronic nicotine products.

Variable(s): R04_AX0722

How harmful do you think nicotine is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AN0250

Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0723

Do you think a tobacco product described as **additive-free** is less harmful, about the same, or more harmful than a regular tobacco product?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "additive-free".

Variable(s): R04_AX0724

Do you think a tobacco product described as **organic** is less harmful, about the same, or more harmful than a regular tobacco product?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "organic".

BOX ID: R04_AXR10

Adult respondents who are current established or current experimental tobacco users, go to R04_AX0004.

Else, go to R04_AC9050.

IF R04_TOBACCO_USER_STATUS = 1, 2, GO TO R04_AX0004.

ELSE, GO TO R04_AC9050.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0004

In the past 30 days, how often did you think about the harm your tobacco use might be doing to you?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2.

Variable(s): R04_AC9050

How harmful do you think cigarettes are to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AC1149

How harmful do you think the nicotine in cigarettes is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotine".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC9046

In your opinion, do you think that some types of cigarettes are less harmful to a person's health than other types?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R04_AXR78

New baseline adult respondents, go to R04_AC9040_NB.
Else, go to R04_AC9047.

IF R04_ADULTTYPE = 2, 3, GO TO R04_AC9040_NB.
ELSE, GO TO R04_AC9047.

Variable(s): R04_AC9040_NB

Do you think cigarettes flavored like menthol or mint are less harmful, no different, or more harmful than regular cigarettes?

- 1 Less harmful
- 2 No different
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

Variable(s): R04_AC9047

In your opinion, do you think that cigarettes with lower amounts of nicotine are less harmful, about the same, or more harmful to a person's health than regular cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC9051

In your opinion, do you think that cigarettes with lower amounts of nicotine are less addictive, about the same, or more addictive than regular cigarettes?

- 1 Less addictive
- 2 About the same
- 3 More addictive
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R04_AXR11

Adult respondents who are current established or current experimental cigarette smokers, go to R04_AC9055.

Else, go to R04_AC1170.

IF R04_CIG_USER_STATUS = 1, 2 GO TO R04_AC9055.

ELSE, GO TO R04_AC1170.

Variable(s): R04_AC9055

In the past 30 days, have you stubbed out a cigarette before you finished it because you thought about the harm of smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R04_CIG_USER_STATUS = 1, 2.

Variable(s): R04_AC1170

How much do you think people harm themselves when they smoke cigarettes some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC1110

How harmful do you think today's cigarettes are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AC9120

Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AE9050

How harmful do you think e-cigarettes or other electronic nicotine products are to health?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AV1149

How harmful do you think the nicotine in e-cigarettes or other electronic nicotine products is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotine".

Variable(s): R04_AV1170

How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AV1669

In the past 12 months, have you seen any e-cigarettes or other electronic nicotine products that claim to be less harmful?

- 1 Yes
- 2 No GO TO R04_AE1099
- 8 DON'T KNOW GO TO R04_AE1099
- 7 REFUSED GO TO R04_AE1099

ASK: All adult respondents.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products".

Variable(s): **R04_AV1670**

How likely is it that you will use one of these e-cigarettes or other electronic nicotine products that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen e-cigarettes or other electronic nicotine products that claim to be less harmful in the past 12 months.

ASK Specification: IF R04_AV1669 = 1.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products".

Variable(s): **R04_AE1099**

Is using e-cigarettes or other electronic nicotine products less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products" AND "cigarettes".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AV1148

Some e-cigarettes and other electronic nicotine products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts or other sweets. Other e-cigarettes or electronic nicotine products are tobacco-flavored or unflavored.

Do you think using menthol or mint flavored e-cigarettes is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "menthol", "mint", "tobacco-flavored" AND "unflavored".

Variable(s): R04_AV1152

Do you think using flavored e-cigarettes (other than menthol or mint) is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "flavored", "other than menthol or mint", "tobacco-flavored" AND "unflavored".

Variable(s): R04_AG9050

How harmful do you think traditional cigars are to health?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

Variable(s): R04_AG9060

How much do you think people harm themselves when they smoke traditional cigars some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AG1099

Is smoking traditional cigars less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "traditional cigars" AND "cigarettes".

Variable(s): R04_AG9054

How harmful do you think cigarillos are to health?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

Variable(s): R04_AG9061

How much do you think people harm themselves when they smoke cigarillos some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AG1106

Is smoking cigarillos less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "cigarillos" AND "cigarettes".

Variable(s): R04_AG9055

How harmful do you think filtered cigars are to health?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

Variable(s): R04_AG9062

How much do you think people harm themselves when they smoke filtered cigars some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AG1107

Is smoking filtered cigars less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "filtered cigars" AND "cigarettes".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AG1110

How harmful do you think today's traditional cigars, cigarillos or filtered cigars are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AP1170

How much do you think people harm themselves when they smoke pipe tobacco some days but not every day?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AP1099

Is smoking pipes filled with tobacco less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "pipes filled with tobacco" AND "cigarettes".

Variable(s): R04_AH9050

How harmful do you think shisha or hookah tobacco is to health?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA.

Variable(s): R04_AH9044

How harmful is it to be around people who are smoking shisha or hookah tobacco?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AH1170

How much do you think people harm themselves when they smoke hookah on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AH1099

Is smoking tobacco in a hookah less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "tobacco in a hookah" AND "cigarettes".

Variable(s): R04_AU9050

How harmful do you think snus is to health?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AU1105

Is using snus less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus" AND "cigarettes".

Variable(s): R04_AU1170

How much do you think people harm themselves when they use snus on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AU1669

In the past 12 months, have you seen any snus products that claim to be less harmful?

- 1 Yes
- 2 No GO TO R04_AU9040
- 8 DON'T KNOW GO TO R04_AU9040
- 7 REFUSED GO TO R04_AU9040

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus products".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AU1670

How likely is it that you will use one of these snus products that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen snus products that claim to be less harmful in the past 12 months.

ASK Specification: IF R04_AU1669 = 1.

DISPLAY: UNDERLINE "snus products".

Variable(s): R04_AU9040

Is using snus less harmful, about the same, or more harmful than other types of smokeless tobacco products (such as dip, spit or chew)?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus" AND "other types of smokeless tobacco products".

Variable(s): R04_AU1110

How harmful do you think today's snus products are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AS9050

How harmful do you think other smokeless tobacco products (such as dip, spit or chew) are to health?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS

Variable(s): R04_AS1170

How much do you think people harm themselves when they use other smokeless tobacco products (such as dip, spit or chew) on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AS1669

In the past 12 months, have you seen any smokeless tobacco products (such as dip, spit or chew) that claim to be less harmful?

- 1 Yes
- 2 No GO TO R04_AS1105
- 8 DON'T KNOW GO TO R04_AS1105
- 7 REFUSED GO TO R04_AS1105

ASK: All adult respondents.

DISPLAY: UNDERLINE "smokeless tobacco products".

Variable(s): R04_AS1670

How likely is it that you will use one of these smokeless tobacco products (such as dip, spit or chew) that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen smokeless tobacco products that claim to be less harmful in the past 12 months.

ASK Specification: IF R04_AS1669 = 1.

DISPLAY: UNDERLINE "smokeless tobacco products".

Variable(s): R04_AS1105

Is using smokeless tobacco (such as dip, spit or chew) less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "smokeless tobacco" AND "cigarettes".

Variable(s): R04_AS1110

How harmful do you think today's smokeless tobacco products (such as dip, spit or chew) are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0759

Sometimes people who are trying to quit using tobacco use nicotine replacement products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge, or pill.

How harmful do you think the nicotine in these products is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotine".

Variable(s): R04_AV9055

Do you think using e-cigarettes and other electronic nicotine products is less harmful, about the same, or more harmful than using a nicotine patch, gum, or lozenge?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R04_ACD02

Display question R04_AC9060, R04_AC9065, R04_AC9070, R04_AC9075, R04_AC9043, R04_AC9080, R04_AC9085, R04_AC9090, R04_AC9044, R04_AC9100, R04_AC9105, R04_AC9110, R04_AC9115 on one screen (if size allows) using the expanded WVB stem-leaf screen. Show the intro/transition text from R04_AC9060 first, then show each item with responses. As each item is answered, show the next one.

PROGRAMMER: If all leaves will not fit on one screen, please split series into two screens.

First screen includes: R04_AC9060, R04_AC9065, R04_AC9070, R04_AC9075, R04_AC9043, R04_AC9080, R04_AC9085, R04_AC9090, R04_AC9044.

Second screen includes: R04_AC9100, R04_AC9105, R04_AC9110, R04_AC9115

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC9060***

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

stroke in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AC9065***

lung cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC9070***

heart disease in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AC9075***

blindness in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC9043***

diabetes in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AC9080***

poor circulation (also called peripheral vascular disease) in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC9085***

bladder cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AC9090***

mouth cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC9044***

liver cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AC9100

lung disease (such as emphysema) in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AC9105

lung disease in non-smokers from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AC9110

heart attack in non-smokers from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AC9115

harm to fetuses (or unborn children) during pregnancy from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

MEDIA USE

BOX ID: R04_AXT04

The next questions ask about your TV, radio, internet and cell phone use.

Variable(s): R04_AX0494

On an average weekday, about how much time do you spend watching television and streaming videos that include commercials?

- 1 None
- 2 Half hour or less
- 3 About 1 hour
- 4 About 2 hours
- 5 About 3 hours
- 6 About 4 hours
- 7 About 5 hours
- 8 About 6 hours
- 9 7 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekday".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0474

On an average weekend day, how much time do you spend watching television and streaming videos that include commercials?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 5 to 6 hours
- 6 7 to 8 hours
- 7 9 to 10 hours
- 8 11 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekend".

Variable(s): R04_AX0060

On an average weekday, how much time do you spend listening to the radio or online radio stations that include commercials?

- 1 None
- 2 Half hour or less
- 3 About 1 hour
- 4 About 2 hours
- 5 About 3 hours
- 6 About 4 hours
- 7 About 5 hours
- 8 About 6 hours
- 9 7 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekday".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0061**

On an average weekend day, how much time do you spend listening to the radio or online radio stations that include commercials?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 5 to 6 hours
- 6 7 to 8 hours
- 7 9 to 10 hours
- 8 11 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekend".

Variable(s): **R04_AX0062**

Sometimes people use the Internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called social media.

Do you have a social media account?

- 1 Yes
- 2 No GO TO BOX R04_AXR12
- 8 DON'T KNOW GO TO BOX R04_AXR12
- 7 REFUSED GO TO BOX R04_AXR12

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0317**

About how often do you visit your social media accounts?

- 1 More than once a day
- 2 About once a day
- 3 3-5 days a week
- 4 1-2 days a week
- 5 Every few weeks
- 6 Less often
- 7 Never
- 8 DON'T KNOW
- 7 REFUSED

GO TO BOX R04_AXR12

ASK: Adult respondents who have a social media account.

ASK Specification: IF R04_AX0062 = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

- | | | |
|------------------------|----|---|
| R04_AX0686_00** | 0 | I have not liked or followed any brands on social media sites |
| R04_AX0686_01** | 1 | Camel |
| R04_AX0686_02** | 2 | Marlboro |
| R04_AX0686_03** | 3 | Newport |
| R04_AX0686_04** | 4 | American Spirit |
| R04_AX0686_05** | 5 | Vuse |
| R04_AX0686_06** | 6 | Blu |
| R04_AX0686_07** | 7 | Logic |
| R04_AX0686_08** | 8 | MarkTen |
| R04_AX0686_09** | 9 | NJOY |
| R04_AX0686_10** | 10 | eGo |
| R04_AX0686_11** | 11 | iTaste |
| R04_AX0686_12** | 12 | Black & Mild |
| R04_AX0686_13** | 13 | Swisher Sweets |
| R04_AX0686_14** | 14 | Dutch Masters |
| R04_AX0686_15** | 15 | Phillies Blunts |
| R04_AX0686_16** | 16 | Zig Zag |
| R04_AX0686_17** | 17 | Skoal |
| R04_AX0686_18** | 18 | Redman |
| R04_AX0686_19** | 19 | Grizzly |
| R04_AX0686_20** | 20 | Copenhagen |
| R04_AX0686_21** | 21 | Some other brand (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R04_AX0062 = 1 AND R04_AX0317 != 7.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.

NOTES: **SKIP ERROR: These items were skipped incorrectly by respondents who started and finished the ACASI interview in Spanish (R04_LAD01 = 2). This issue was fixed in a field update on 12/29/2016.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR12

Adult respondents who have ever used any tobacco products, go to R04_AX0505.
Else, go to Box R04_AXT05.

IF R04_EVER_NEVER_TOBACCO = 1, GO TO R04_AX0505.
ELSE, GO TO BOX R04_AXT05.

Variable(s): R04_AX0505

Have you ever used an app on a tablet computer or smartphone to help you quit using tobacco products, e-cigarettes or other electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco products.

ASK Specification: IF R04_EVER_NEVER_TOBACCO = 1.

SECONDHAND SMOKE EXPOSURE**BOX ID: R04_AXT05**

The next questions ask about tobacco use at your workplace and your home.

Variable(s): R04_AM0014

Which best describes your current job or paid employment status?

- | | | |
|----|--|----------------------|
| 1 | Work full-time at least 35 hours per week | |
| 2 | Work part-time 15 to 34 hours per week | |
| 3 | Work part-time less than 15 hours per week | |
| 4 | I don't currently work for pay | GO TO BOX R04_AXR117 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR117 |
| -7 | REFUSED | GO TO BOX R04_AXR117 |

ASK: All adult respondents.

Variable(s): SEE BELOW:

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

- | | | |
|----------------------|----|--------------|
| R04_AX0064_01 | 1 | Indoors |
| R04_AX0064_02 | 2 | Outdoors |
| R04_AX0064_03 | 3 | In a vehicle |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R04_AM0014 = 1, 2, 3.

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0747**

How recently did someone use e-cigarettes or other electronic nicotine products around you while you were at work?

- 1 Never
- 2 Today
- 3 In the past week
- 4 In the past two weeks
- 5 In the past month
- 6 Longer than a month ago but within the past year
- 7 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R04_AM0014 = 1, 2, 3.

Variable(s): **R04_AX0065**

How recently did someone smoke around you while you were at work?

- 1 Never
- 2 Today
- 3 In the past week
- 4 In the past two weeks
- 5 In the past month
- 6 Longer than a month ago but within the past year
- 7 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R04_AM0014 = 1, 2, 3.

BOX ID: **R04_AXR117**

New baseline adult respondents, go to R04_AR0144_NB.
Else, go to R04_AX0690.

IF R04_ADULTTYPE = 2, 3, GO TO R04_AR0144_NB.
ELSE, GO TO R04_AX0690.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR0144_NB

In your childhood, did you live with a regular smoker who smoked inside your home? Please think about anyone who smoked cigarettes, cigars, a pipe or hookah.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

DISPLAY: UNDERLINE "anyone".

Variable(s): R04_AX0690

Do you currently live alone?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R04_AXR15

Adult respondents who are 25 years old or older and did not already complete a parent interview, go to R04_AX0691.

Else, go to Box R04_AXR16.

IF R04R_A_AGE >= 25 AND R04_P_COMP_LD != 1, GO TO R04_AX0691.

ELSE, GO TO BOX R04_AXR16.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0691*****

In what type of living space do you currently live?

- 1 Single Family Home
- 2 Duplex
- 3 Double or Multi-Family Home
- 4 Condominium
- 5 Townhouse
- 6 Apartment Building
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 25 years old or older and did not already complete a parent interview.

ASK Specification: IF R04R_A_AGE >= 25 AND R04_P_COMP_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: **R04_AXR16**

Adult respondents who do not live alone or did not know or refused to report whether they live alone, go to R04_AX0066.

Else, go to Box R04_AXR105.

IF R04_AX0690 != 1, GO TO R04_AX0066.

ELSE, GO TO BOX R04_AXR105.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Not including yourself, does anyone who lives with you <u>now</u> do any of the following? Choose all that apply.	
R04_AX0066_01	1 Smoke cigarettes
R04_AX0066_02	2 Use e-cigarettes or other electronic nicotine products
R04_AX0066_03	3 Use snus
R04_AX0066_04	4 Use other types of smokeless tobacco such as dip, spit or chew
R04_AX0066_05	5 Smoke traditional cigars, cigarillos, or filtered cigars
R04_AX0066_06	6 Smoke hookah
R04_AX0066_07	7 Smoke pipe tobacco
R04_AX0066_08	8 Use any other form of tobacco
R04_AX0066_09	9 No one who lives with me now uses any form of tobacco
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who do not live alone or did not know or refused to report whether they live alone. ASK Specification: IF R04_AX0690 != 1. DISPLAY: UNDERLINE "now". PROGRAM: Allow respondent to choose all that apply. Option 9 cannot be selected if any option 1-8 is selected.	

BOX ID:	R04_AXR105
Adult respondents who did not already complete a parent interview, go to R04_AR1045. Else, go to R04_AX0068.	
IF R04_P_COMP_LD != 1, GO TO R04_AR1045. ELSE, GO TO R04_AX0068.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AR1045***

These next few questions ask about rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah, which statement best describes the rules about smoking a tobacco product inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04_P_COMP_LD != 1.

DISPLAY: UNDERLINE "inside" IN BOTH PARAGRAPHS.

UNDERLINE "burned".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AR1051***

Now think about e-cigarettes and other electronic nicotine products.

Which statement best describes the rules about using these products inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04_P_COMP_LD != 1.

DISPLAY: UNDERLINE "inside".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AR1050*****

Now think about other tobacco products that are not burned, like snus and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R04_P_COMP_LD != 1.

DISPLAY: UNDERLINE "not" AND "inside".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R04_AX0068**

During the past seven days, about how many hours were you around others who were smoking[, whether or not you were smoking yourself]? Include time in your home, in a car, at work, or outdoors.

I _ I _ I _ Number of hours

-8 DON'T KNOW GO TO R04_AX0008

-7 REFUSED GO TO R04_AX0008

ASK: All adult respondents.

DISPLAY: UNDERLINE "others".

IF R04_CIG_USER_STATUS = 1, 2, 3 OR (R04_GTRAD_USER_STATUS = 1, 2, 3 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_GRILLO_USER_STATUS = 1, 2, 3 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_GFILTR_USER_STATUS = 1, 2, 3 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR R04_PIPE_USER_STATUS = 1, 2, 3 OR R04_HOOK_USER_STATUS = 1, 2, 3, DISPLAY ", whether or not you were smoking yourself".

ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY "Number of hours" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AX0068_LC1

[There are 168 hours in a week.]You said that, during the last seven days, you were in close contact with others while they were smoking for [R04_AX0068_NN] hours.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AX0068

2 NEXT

GO TO R04_AX0008

ASK: IF R04_AX0068 != -8, -7 AND (R04_AX0068 > 120 OR R04_AX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999).

DISPLAY: IF R04_AX0068 > 168, DISPLAY "There are 168 hours in a week."

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R04_AX0068 > 120 OR R04_AX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999.

ELSE, GO TO R04_AX0008 AND DO NOT DISPLAY THIS SCREEN.

SOCIAL NORMS, PEER AND FAMILY INFLUENCES

Variable(s): R04_AX0008

In general, do you think most people disapprove of smoking **cigarettes**?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "cigarettes".

Variable(s): R04_AX0012

In general, do you think most people disapprove of using **e-cigarettes or other electronic nicotine products**?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "e-cigarettes or other electronic nicotine products".

BOX ID: R04_AXR80

Young adult respondents, or adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users, go to R04_AX0071.

Else, go to R04_AX0741.

IF 18 <= R04R_A_AGE < 25 OR R04_TOBACCO_USER_STATUS = 1, 2, 3, 4, GO TO R04_AX0071.
ELSE, GO TO R04_AX0741.

Variable(s): R04_AX0071***
Thinking about the <u>people who are important to you</u>, how would you describe their views on using tobacco in general? 1 Very positive 2 Positive 3 Neither positive nor negative 4 Negative 5 Very negative -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents, or adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users. ASK Specification: IF 18 <= R04R_A_AGE < 25 OR R04_TOBACCO_USER_STATUS = 1, 2, 3, 4. DISPLAY: UNDERLINE "people who are important to you". BOLD "tobacco in general". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_AXR05
Young adult respondents, go to Box R04_AXD89. Else, go to R04_AX0741.
IF 18 <= R04R_A_AGE < 25, GO TO BOX R04_AXD89. ELSE, GO TO R04_AX0741.

BOX ID: R04_AXD89
Display questions R04_AC1143 through R04_AS1143 using the expanded WVB stem-leaf screen. The introduction text from R04_AC1143 is the stem. Show all leaves on the screen at once.

Variable(s): R04_AC1143***

Thinking about the people who are important to you, how would you describe **their** views on....

Smoking cigarettes

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R_A_AGE < 25.

DISPLAY: UNDERLINE "people who are important to you".

BOLD "their".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AV1143***

Using e-cigarettes or other electronic nicotine products

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R_A_AGE < 25.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AG1143*****

Smoking traditional cigars, cigarillos, or filtered cigars

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R_A_AGE < 25.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R04_AP1143*****

Smoking pipe tobacco

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R_A_AGE < 25.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AH1143*****

Smoking shisha or hookah tobacco

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R_A_AGE < 25.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R04_AU1143*****

Using snus

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R_A_AGE < 25.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AS1143*****

Using other types of smokeless tobacco (such as dip, spit, or chew)

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R_A_AGE < 25.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **SEE BELOW:**

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

- R04_AX0741_01** 1 Cigarettes
- R04_AX0741_02** 2 E-cigarettes or other electronic nicotine products
- R04_AX0741_03** 3 Traditional cigars
- R04_AX0741_04** 4 Cigarillos
- R04_AX0741_05** 5 Filtered cigars
- R04_AX0741_06** 6 Pipe tobacco
- R04_AX0741_07** 7 Shisha or hookah tobacco
- R04_AX0741_08** 8 Snus
- R04_AX0741_09** 9 Other types of smokeless tobacco (such as dip, spit or chew)
- R04_AX0741_10** 10 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "people who are important to you"

PROGRAM: Option 10 cannot be selected if any option 1-9 is selected.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR02

Adult respondents who are current established or recent former established tobacco users, go to R04_AX0742.

Else, adult respondents who are current experimental or former experimental tobacco users, go to R04_AX0743.

Else, go to Box R04_AXT01.

IF R04_TOBACCO_USER_STATUS = 1, 4, GO TO R04_AX0742.

ELSE, IF R04_TOBACCO_USER_STATUS = 2, 3, GO TO R04_AX0743.

ELSE, GO TO BOX R04_AXT01.

Variable(s): R04_AX0742

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about quitting?

- | | | |
|----|------------|---------------------|
| 1 | Not at all | GO TO BOX R04_AXT01 |
| 2 | Somewhat | GO TO BOX R04_AXT01 |
| 3 | Very much | GO TO BOX R04_AXT01 |
| -8 | DON'T KNOW | GO TO BOX R04_AXT01 |
| -7 | REFUSED | GO TO BOX R04_AXT01 |

ASK: Adult respondents who are current established or recent former established tobacco users.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 4.

DISPLAY: IF R04_TOBACCO_USER_STATUS = 1, DISPLAY "has" AND "led".

ELSE, IF R04_TOBACCO_USER_STATUS = 4, DISPLAY "did" AND "lead".

UNDERLINE "close friends and family".

Variable(s): R04_AX0743

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about not using?

- | | |
|----|------------|
| 1 | Not at all |
| 2 | Somewhat |
| 3 | Very much |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current experimental or former experimental tobacco users.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 2, 3.

DISPLAY: IF R04_TOBACCO_USER_STATUS = 2, DISPLAY "has" AND "led".

ELSE, DISPLAY "did" AND "lead".

UNDERLINE "close friends and family".

HEALTH

BOX ID: R04_AXT01

The next questions ask about some basic medical information that is important for the study.

BOX ID: R04_AMD05

Display questions R04_AX0090 through R04_AX0088 using the expanded WVB stem-leaf screen. The introduction text from R04_AX0090 is the stem. Show all leaves on the screen at once.

Variable(s): R04_AX0090***

In general, how would you rate your...

physical health?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0091***

mental health, which includes stress, depression, and problems with emotions?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0088***

overall health?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_AMD06

Display questions R04_AX0090_12M through R04_AX0088_12M using the expanded WVB stem-leaf screen. The introduction text from R04_AX0090_12M is the stem. Show all leaves on the screen at once.

Variable(s): R04_AX0090_12M***

Compared with 12 months ago, would you say...

your physical health is now...

- 1 Better
- 2 Worse
- 3 About the same
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0091_12M***

your mental health is now...

- 1 Better
- 2 Worse
- 3 About the same
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0088_12M***

your overall health is now...

- 1 Better
- 2 Worse
- 3 About the same
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0185

In general, would you say your quality of life is...

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0185_12M

Compared with 12 months ago, would you say your quality of life is now...

- 1 Better,
- 2 Worse, or
- 3 About the same?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AX0092

In general, how satisfied are you with your social activities and relationships?

- 1 Extremely satisfied
- 2 Very satisfied
- 3 Moderately satisfied
- 4 A little satisfied
- 5 Not at all satisfied
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AX0092_12M

Compared with 12 months ago, would you say your social activities and relationships are now...

- 1 Better,
- 2 Worse, or
- 3 About the same?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0313	
The next questions ask about your height and weight. Do you want to answer these questions in...	
1 Feet and pounds, or	
2 Meters and kilograms	GO TO R04_AX0316
-8 DON'T KNOW	
-7 REFUSED	
ASK: All adult respondents.	

Variable(s): R04_AX0679_FT; R04_AX0679_IN	
About how tall are you without shoes?	
_ _ Feet	
_ _ Inches	
-8 DON'T KNOW	GO TO R04_AX0109
-7 REFUSED	GO TO R04_AX0109
ASK: Adult respondents who prefer to report their height in feet or did not know or refused to report how they they prefer to report their height.	
ASK Specification: IF R04_AX0313 = 1, -8, -7.	
DISPLAY: DISPLAY "Feet" AND "Inches" AS TITLES.	
PROGRAM: Display as Quantity/Quantity.	
Range check: Inches (0-11).	

CHECK ID: R04_AX0679_LC1	
The computer recorded that you are [R04_AX0679_FT] feet [and R04_AX0679_IN inches] tall.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0679
2 NEXT	GO TO R04_AX0109
ASK: IF R04_AX0313 = 1, -8, -7 AND R04_AX0679_FT != -8, -7 AND (R04_AX0679_FT < 5 OR (R04_AX0679_FT = 6 AND R04_AX0679_IN > 0) OR R04_AX0679_FT > 6).	
DISPLAY: IF R04_AX0679_FT > 0 AND R04_AX0679_IN = 0, DISPLAY "[R04_AX0679_FT] feet".	
ELSE, IF R04_AX0679_FT > 0 AND R04_AX0679_IN > 0, DISPLAY "[R04_AX0679_FT] feet and [R04_AX0679_IN] inches".	
PROGRAM: TRIGGER CHECK IF R04_AX0679_FT < 5 OR (R04_AX0679_FT = 6 AND R04_AX0679_IN > 0) OR R04_AX0679_FT > 6.	
ELSE, GO TO R04_AX0109 AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0316		
About how tall are you without shoes?		
I__I__I.I__I__I Meters		
-8	DON'T KNOW	GO TO R04_AX0312
-7	REFUSED	GO TO R04_AX0312
ASK: Adult respondents who prefer to report their height in meters.		
ASK Specification: IF R04_AX0313 = 2.		
DISPLAY: DISPLAY "Meters" AS A TITLE.		

CHECK ID: R04_AX0316_LC1		
The computer recorded that you are [R04_AX0316] meters tall.		
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.		
1	BACK	GO TO R04_AX0316
2	NEXT	GO TO R04_AX0312
ASK: IF R04_AX0313 = 2 AND R04_AX0316 != -8, -7 AND (R04_AX0316 < 1.5 OR R04_AX0316 > 1.8).		
PROGRAM: TRIGGER CHECK IF R04_AX0316 < 1.5 OR R04_AX0316 > 1.8.		
ELSE, GO TO R04_AX0312 AND DO NOT DISPLAY THIS SCREEN.		

Variable(s): R04_AX0109		
About how much do you weigh without clothes or shoes?		
I__I__I__I Pounds		
-8	DON'T KNOW	GO TO R04_AX0241
-7	REFUSED	GO TO R04_AX0241
ASK: Adult respondents who prefer to report their weight in pounds or did not know or refused to report how they prefer to report their weight.		
ASK Specification: IF R04_AX0313 = 1, -8, -7.		
DISPLAY: DISPLAY "Pounds" AS A TITLE.		

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AX0109_LC1

The computer recorded that you weigh [R04_AX0109] pounds.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AX0109

2 NEXT GO TO R04_AX0241

ASK: IF R04_AX0313 = 1, -8, -7 AND R04_AX0109 != -8, -7 AND (R04_AX0109 < 125 OR R04_AX0109 > 240).

PROGRAM: TRIGGER CHECK IF R04_AX0109 < 125 OR R04_AX0109 > 240.

ELSE, GO TO R04_AX0241 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0312

About how much do you weigh without clothes or shoes?

I _ _ _ . _ _ Kilograms

-8 DON'T KNOW GO TO R04_AX0241

-7 REFUSED GO TO R04_AX0241

ASK: Adult respondents who prefer to report their weight in kilograms.

ASK Specification: IF R04_AX0313 = 2.

DISPLAY: DISPLAY "Kilograms" AS A TITLE.

CHECK ID: R04_AX0312_LC1

The computer recorded that you weigh [R04_AX0312] kilograms.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AX0312

2 NEXT GO TO R04_AX0241

ASK: IF R04_AX0313 = 2 AND R04_AX0312 != -8, -7 AND (R04_AX0312 < 56.7 OR R04_AX0312 > 108.9).

PROGRAM: TRIGGER CHECK IF R04_AX0312 < 56.7 OR R04_AX0312 > 108.9.

ELSE, GO TO R04_AX0241 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0241**

In a typical week, how many days do you do any physical activity or exercise of at least moderate intensity, such as brisk walking, bicycling or swimming at a regular pace?

- | | | |
|----|-----------------|------------------|
| 0 | None | GO TO R04_AX0243 |
| 1 | 1 day per week | |
| 2 | 2 days per week | |
| 3 | 3 days per week | |
| 4 | 4 days per week | |
| 5 | 5 days per week | |
| 6 | 6 days per week | |
| 7 | 7 days per week | |
| -8 | DON'T KNOW | GO TO R04_AX0243 |
| -7 | REFUSED | GO TO R04_AX0243 |

ASK: All adult respondents.

DISPLAY: UNDERLINE "In a typical week".

Variable(s): **R04_AX0242_NN; R04_AX0242_UN**

On the days that you do any physical activity or exercise of at least moderate intensity, how long do you typically do these activities?

- | | | |
|----|---------------------|------------------|
| 1 | I ___ I ___ Hours | |
| 2 | I ___ I ___ Minutes | |
| -8 | DON'T KNOW | GO TO R04_AX0243 |
| -7 | REFUSED | GO TO R04_AX0243 |

ASK: Adult respondents who do any physical activity of moderate intensity at least 1 day per week.

ASK Specification: IF R04_AX0241 > 0.

PROGRAM: Display quantity/units.

Range <= 24 hours.

NOTES: The value "1" refers R04_AX0242_UN = Hours; the value "2" refers to R04_AX0242_UN = Minutes.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: **R04_AX0242_LC1**

The computer recorded [R04_AX0242_NN] [hours/minutes] for how long you typically do any physical activity or exercise of at least moderate intensity on the days you do these activities. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R04_AX0242 |
| 2 | NEXT | GO TO R04_AX0243 |

ASK: IF R04_AX0241 > 0 AND ((R04_AX0242_NN > 8 AND R04_AX0242_UN = 1) OR (R04_AX0242_NN > 200 AND R04_AX0242_UN = 2)).

DISPLAY: IF R04_AX0242_UN = 1, DISPLAY "hours".

ELSE, IF R04_AX0242_UN = 2, DISPLAY "minutes".

PROGRAM: TRIGGER CHECK IF (R04_AX0242_NN > 8 AND R04_AX0242_UN = 1) OR (R04_AX0242_NN > 200 AND R04_AX0242_UN = 2).

ELSE, GO TO R04_AX0243 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): **R04_AX0243**

In a typical week, outside of your job or work around the house, how many days do you do physical activities specifically designed to strengthen your muscles such as lifting weights or circuit training? Do not include cardio exercise such as walking, biking, or swimming.

- 0 None
- 1 1 day per week
- 2 2 days per week
- 3 3 days per week
- 4 4 days per week
- 5 5 days per week
- 6 6 days per week
- 7 7 days per week
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In a typical week".

Variable(s): **R04_AX0100**

In the past 7 days, how would you rate your pain on average on a scale from 0 to 10 where 0 is no pain and 10 is the worst pain imaginable?

- 0 No pain
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10 Worst pain imaginable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

Variable(s): **R04_AX0101**

In the past 7 days, how would you rate your fatigue on average? By fatigue, we mean feeling unrested or overly tired during the day, no matter how many hours of sleep you've had.

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Very severe
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0103

In the past 7 days, how often have you been bothered by emotional problems such as feeling anxious, depressed, or irritable?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

Variable(s): R04_AX0102

In general, please rate how well you carry out your usual social activities and roles. This includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0001

Please think about any health care you may have received in the past 12 months.

In the past 12 months, have you seen a medical doctor, nurse or other health professional?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "past 12 months".

Variable(s): R04_AX0002

In the past 12 months, have you seen a dentist?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AX0302

In the past 12 months, have you visited an emergency room or urgent care center for a health problem of your own?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR18

Adult respondents who visited an emergency room or urgent health center for their own health problem in the past 12 months, go to R04_AX0155.

Else, adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users and have seen a medical doctor, nurse, other health professional or dentist in the past 12 months, go to R04_AX0003.

Else, adult respondents who have ever used any tobacco product, go to R04_AX0104.

Else, new baseline adult respondents, go to R04_AX0186_NB.

Else, go to R04_AX0093.

IF R04_AX0302 = 1, GO TO R04_AX0155.

ELSE, IF R04_TOBACCO_USER_STATUS = 1, 2, 3, 4 AND (R04_AX0001 != 2 OR R04_AX0002 != 2), GO TO R04_AX0003.

ELSE, IF R04_EVER_NEVER_TOBACCO = 1, GO TO R04_AX0104.

ELSE, IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0186_NB.

ELSE, GO TO R04_AX0093.

Variable(s): R04_AX0155

In the past 12 months, how many times have you visited an emergency room or urgent care center for a health problem of your own?

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R04_AXR19

-7 REFUSED

GO TO BOX R04_AXR19

ASK: Adult respondents who visited an emergency room or urgent care center for their own health problem in the past 12 months.

ASK Specification: IF R04_AX0302 = 1.

PROGRAM: Allow 4 digits.

CHECK ID: R04_AX0155_LC1

The computer recorded that you have visited an emergency room or urgent care center [R04_AX0155] times in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AX0155

2 NEXT

GO TO R04_AX0155_LC2

ASK: IF R04_AX0302 = 1 AND R04_AX0155 > 15.

PROGRAM: TRIGGER CHECK IF R04_AX0155 > 15.

ELSE, GO TO R04_AX0155_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0155_LC2

The computer recorded "0" for the number of times you have visited an emergency room or urgent care center in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AX0155 |
| 2 | NEXT | GO TO BOX R04_AXR19 |

ASK: IF R04_AX0302 = 1 AND R04_AX0155 = 0.

PROGRAM: TRIGGER CHECK IF R04_AX0155 = 0.

ELSE, GO TO BOX R04_AXR19 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_AXR19

Adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users and have seen a medical doctor, nurse, other health professional or dentist in the past 12 months, go to R04_AX0003.

Else, adult respondents who have ever used any tobacco product, go to R04_AX0104.

Else, new baseline adult respondents, go to R04_AX0186_NB.

Else, go to R04_AX0093.

IF R04_TOBACCO_USER_STATUS = 1, 2, 3, 4 AND (R04_AX0001 != 2 OR R04_AX0002 != 2), GO TO R04_AX0003.

ELSE, IF R04_EVER_NEVER_TOBACCO = 1, GO TO R04_AX0104.

ELSE, IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0186_NB.

ELSE, GO TO R04_AX0093.

Variable(s): R04_AX0003

In the past 12 months, did any medical doctor, dentist or other health professional advise you to stop using tobacco[, including e-cigarettes or other electronic nicotine products]?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users and have seen a medical doctor, nurse, other health professional or dentist in the past 12 months.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2, 3, 4 AND (R04_AX0001 != 2 OR R04_AX0002 != 2).

DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, 3, 4, DISPLAY ", including e-cigarettes or other electronic nicotine products".

ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R04_AX0104

To what extent, if at all, has [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] damaged your health?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R04_EVER_NEVER_TOBACCO = 1.

DISPLAY: IF R04_TOBACCO_USER_STATUS = 1, 2, DISPLAY "using".

ELSE, DISPLAY "your past use of".

IF R04_EVER_NEVER_EPRODS = 1, DISPLAY ", including e-cigarettes or other electronic nicotine products".

ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R04_AX0105

To what extent, if at all, are you worried that [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] will damage your health in the future?

- 1 Not at all worried
- 2 A little worried
- 3 Moderately worried
- 4 Very worried
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R04_EVER_NEVER_TOBACCO = 1.

DISPLAY: IF R04_TOBACCO_USER_STATUS = 1, 2, DISPLAY "using".

ELSE, DISPLAY "your past use of".

IF R04_EVER_NEVER_EPRODS = 1, DISPLAY ", including e-cigarettes or other electronic nicotine products".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR20
New baseline adult respondents, go to R04_AX0186_NB. Else, go to R04_AX0093.	
IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0186_NB. ELSE, GO TO R04_AX0093.	

Variable(s):	R04_AX0186_NB
The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy].	
Do you have serious difficulty walking or climbing stairs?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
	GO TO R04_AX0094
	GO TO R04_AX0094
	GO TO R04_AX0094
ASK: New baseline adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 2, 3.	
DISPLAY: IF R04R_A_SEX != 1, DISPLAY ", or pregnancy".	
ELSE, IF R04R_A_SEX = 1, DISPLAY "or " AND DO NOT DISPLAY ", or pregnancy".	

Variable(s): R04_AX0093

[The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy].

]To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents, or new baseline adult respondents who have serious difficulty walking or climbing stairs.

ASK Specification: IF R04_ADULTTYPE = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0186_NB = 1).

DISPLAY: IF R04_ADULTTYPE = 1, DISPLAY INTRODUCTORY TEXT "The next set of questions asks about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy]."

IF R04_ADULTTYPE = 1 AND R04R_A_SEX != 1, DISPLAY ", or pregnancy".

ELSE, IF R04_ADULTTYPE = 1 AND R04R_A_SEX = 1, DISPLAY "or " AND DO NOT DISPLAY ", or pregnancy".

ELSE, IF R04_ADULTTYPE = 2, 3, DO NOT DISPLAY ANY INTRODUCTORY TEXT.

Variable(s): R04_AX0094

To what extent are you able to carry out your everyday activities such as using a telephone, paying bills, taking medications, preparing light meals, doing laundry, or going shopping?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR21
New baseline adult respondents, go to R04_AX0188_NB. Else, go to R04_AX0095.	
IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0188_NB. ELSE, GO TO R04_AX0095.	

Variable(s):	R04_AX0188_NB
Do you have difficulty dressing or bathing?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
	GO TO R04_AX0097
	GO TO R04_AX0097
	GO TO R04_AX0097
ASK: New baseline adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 2, 3.	

Variable(s):	R04_AX0095
To what extent are you able to carry out your everyday activities such as bathing, dressing, or getting around the house?	
1	Completely
2	Mostly
3	Moderately
4	A little
5	Not at all
-8	DON'T KNOW
-7	REFUSED
ASK: Continuing adult respondents, or new baseline adult respondents who have difficulty dressing or bathing.	
ASK Specification: IF R04_ADULTTYPE = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0188_NB = 1).	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
Does your health limit you in any of the following activities? Choose all that apply.	
R04_AX0097_01	1 Lifting 10 pounds
R04_AX0097_02	2 Walking up 10 steps
R04_AX0097_03	3 Walking 3 blocks
R04_AX0097_04	4 Walking 1 mile
R04_AX0097_05	5 Standing 20 minutes
R04_AX0097_06	6 Bending or stooping
R04_AX0097_07	7 Reaching overhead
R04_AX0097_08	8 Using fingers to grasp
R04_AX0097_09	9 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents.	
PROGRAM: Option 9 cannot be selected if any options 1 through 8 are selected.	

BOX ID:	R04_AXR22
New baseline adult respondents, go to R04_AX0187_NB.	
Else, continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months, go to R04_AX0111_12M.	
Else, go to Box R04_AXR82.	
IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0187_NB.	
ELSE, IF R04_ADULTTYPE = 1 AND R04_AX0001 != 2, GO TO R04_AX0111_12M.	
ELSE, GO TO BOX R04_AXR82.	

Variable(s):	R04_AX0187_NB
Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?	
	1 Yes
	2 No
	-8 DON'T KNOW
	-7 REFUSED
ASK: New baseline adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 2, 3.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0189_NB

Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

Variable(s): R04_AX0190_NB

Are you deaf or do you have serious difficulty hearing?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

Variable(s): R04_AX0191_NB

Are you blind or do you have serious difficulty seeing, even when wearing glasses?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.

- | | | |
|-------------------------|----|---|
| R04_AX0111_NB_01 | 1 | High blood pressure |
| R04_AX0111_NB_02 | 2 | High cholesterol |
| R04_AX0111_NB_03 | 3 | Congestive heart failure |
| R04_AX0111_NB_04 | 4 | A stroke |
| R04_AX0111_NB_05 | 5 | A heart attack (also called myocardial infarction) or needed bypass surgery |
| R04_AX0111_NB_06 | 6 | Some other heart condition |
| R04_AX0111_NB_07 | 7 | None of the above |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

PROGRAM: Option 7 cannot be selected if any option 1 through 6 is selected.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR23
	New baseline adult respondents who have ever been told they had high blood pressure, go to R04_AX0114_NB. Else, adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or continuing adult respondents who have been told they had high blood pressure in the past 12 months, go to R04_AX0744. Else, new baseline adult respondents who have ever been told they had high cholesterol, go to R04_AX0115_NB. Else, adult respondents who reported being diagnosed with high cholesterol as of their last completed interview and did not report never having high cholesterol, or continuing adult respondents who have been told they had high cholesterol in the past 12 months, go to R04_AX0746. Else, new baseline adult respondents who have ever been told they had congestive heart failure, go to R04_AX0116_NB. Else, new baseline adult respondents who have ever been told they had a stroke, go to R04_AX0117_NB. Else, new baseline adult respondents who have ever been told they had a heart attack, go to R04_AX0112_NB. Else, new baseline adult respondents who have ever been told they had some other heart condition, go to R04_AX0219. Else, new baseline adult respondents, go to Box R04_AXR115.
	IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_01 = 1, GO TO R04_AX0114_NB. ELSE, IF R03_HIGH_BLOOD_PRESSURE = 1 OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M_01 = 1), GO TO R04_AX0744. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_02 = 1, GO TO R04_AX0115_NB. ELSE, IF R03_HIGH_CHOLESTEROL = 1 OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M_02 = 1), GO TO R04_AX0746. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_03 = 1, GO TO R04_AX0116_NB. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_04 = 1, GO TO R04_AX0117_NB. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_05 = 1, GO TO R04_AX0112_NB. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_06 = 1, GO TO R04_AX0219. ELSE, IF R04_ADULTTYPE = 2, 3, GO TO BOX R04_AXR115.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following heart conditions? Choose all that apply.

- | | | |
|--------------------------|----|---|
| R04_AX0111_12M_01 | 1 | High blood pressure |
| R04_AX0111_12M_02 | 2 | High cholesterol |
| R04_AX0111_12M_03 | 3 | Congestive heart failure |
| R04_AX0111_12M_04 | 4 | A stroke |
| R04_AX0111_12M_05 | 5 | A heart attack (also called myocardial infarction) or needed bypass surgery |
| R04_AX0111_12M_06 | 6 | Some other heart condition |
| R04_AX0111_12M_07 | 7 | None of the above |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R04_AX0001 != 2.

PROGRAM: Option 7 cannot be selected if any option 1 through 6 is selected.

Suppress options 3, 4, and 5 if 18 <= R04R_A_AGE < 40.

BOX ID: **R04_AXR82**

Adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or continuing adult respondents who have been told they had high blood pressure in the past 12 months, go to R04_AX0744.

Else, continuing adult respondents who have been told they had high cholesterol in the past 12 months or reported being diagnosed with high cholesterol as of their last completed interview, go to R04_AX0160_12M.

Else, continuing adult respondents who have been told they had a stroke in the past 12 months or reported having had a stroke as of their last completed interview, go to R04_AX0745.

Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R04_AX0219.

Else, go to Box R04_AXR115.

IF R03_HIGH_BLOOD_PRESSURE = 1 OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M_01 = 1), GO TO R04_AX0744.

ELSE, IF R04_ADULTTYPE = 1 AND (R04_AX0111_12M_02 = 1 OR R03_HIGH_CHOLESTEROL = 1), GO TO R04_AX0160_12M.

ELSE, IF R04_ADULTTYPE = 1 AND (R04_AX0111_12M_04 = 1 OR R03_STROKE = 1), GO TO R04_AX0745.

ELSE, IF R03_ANY_HEART_CONDITION = 1 OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M_03/_05/_06 = 1), GO TO R04_AX0219.

ELSE, GO TO BOX R04_AXR115.

Variable(s): R04_AX0114_NB

How old were you when you were first told you had high blood pressure?

I ___ I ___ I ___ Years old

-8 DON'T KNOW

GO TO R04_AX0253_NB

-7 REFUSED

GO TO R04_AX0253_NB

ASK: New baseline adult respondents who have ever been told they had high blood pressure.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_01 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R04_AX0114_NB_LC1

The computer recorded that you were [R04_AX0114_NB] years old when you were first told that you had high blood pressure. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AX0114_NB

2 NEXT

GO TO R04_AX0744

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_01 = 1 AND R04_AX0114_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0114_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO R04_AX0744 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0253_NB

When you were first told you had high blood pressure, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had high blood pressure and did not know or refused to report the age they were first told they had high blood pressure.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_01 = 1 AND R04_AX0114_NB = -8, -7.

Variable(s): **R04_AX0744**

[In the past, you told us you had high blood pressure.

]In the past 12 months, has your high blood pressure been under control?

- 1 Yes
- 2 No
- 3 I have never had high blood pressure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or new baseline adult respondents who have ever been told they had high blood pressure, or continuing adult respondents who have been told they had high blood pressure in the past 12 months.

ASK Specification: IF R03_HIGH_BLOOD_PRESSURE = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_01 = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M_01 = 1).

DISPLAY: IF R03_HIGH_BLOOD_PRESSURE = 1 AND R04_AX0111_NB_01 != 1 AND R04_AX0111_12M_01 != 1, DISPLAY "In the past, you told us you had high blood pressure." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR24
New baseline adult respondents who have ever been told they had high cholesterol, go to R04_AX0115_NB. Else, continuing adult respondents who have been told they had high cholesterol in the past 12 months or reported being diagnosed with high cholesterol as of their last completed interview, go to R04_AX0160_12M. Else, aged-up adult respondents who reported being diagnosed with high cholesterol as of their last completed interview, go to R04_AX0746. Else, new baseline adult respondents who have ever been told they had congestive heart failure, go to R04_AX0116_NB. Else, new baseline adult respondents who have ever been told they had a stroke, go to R04_AX0117_NB. Else, adult respondents who reported having had a stroke as of their last completed interview, or continuing adult respondents who have been told they had a stroke in the past 12 months, go to R04_AX0745. Else, new baseline adult respondents who have ever been told they had a heart attack, go to R04_AX0112_NB. Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R04_AX0219.	
IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_02 = 1, GO TO R04_AX0115_NB. ELSE, IF R04_ADULTTYPE = 1 AND (R04_AX0111_12M_02 = 1 OR R03_HIGH_CHOLESTEROL = 1), GO TO R04_AX0160_12M. ELSE, IF R04_ADULTTYPE = 2 AND R03_HIGH_CHOLESTEROL = 1, GO TO R04_AX0746. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_03 = 1, GO TO R04_AX0116_NB. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_04 = 1, GO TO R04_AX0117_NB. ELSE, IF R03_STROKE = 1 OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M_04 = 1), GO TO R04_AX0745. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_05 = 1, GO TO R04_AX0112_NB. ELSE, IF R03_ANY_HEART_CONDITION = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB[01/_06] = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M[01/_03/_05/_06] = 1), GO TO R04_AX0219.	

Variable(s):	R04_AX0115_NB
How old were you when you were first told you had high cholesterol? I__I__I__I Years old -8 DON'T KNOW GO TO R04_AX0254_NB -7 REFUSED GO TO R04_AX0254_NB ASK: New baseline adult respondents who have ever been told they had high cholesterol. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_02 = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits for age.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID:	R04_AX0115_NB_LC1						
The computer recorded that you were [R04_AX0115_NB] years old when you were first told that you had high cholesterol. That is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AX0115_NB</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO R04_AX0160_NB</td> </tr> </table> ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_02 = 1 AND R04_AX0115_NB > R04R_A_AGE AND R04R_A_AGE >= 18. PROGRAM: TRIGGER CHECK IF R04_AX0115_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO R04_AX0160_NB AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AX0115_NB	2	NEXT	GO TO R04_AX0160_NB
1	BACK	GO TO R04_AX0115_NB					
2	NEXT	GO TO R04_AX0160_NB					

Variable(s):	R04_AX0254_NB																
When you were first told you had high cholesterol, were you... <table> <tr> <td>1</td> <td>Less than 18 years old,</td> </tr> <tr> <td>2</td> <td>18 to 24 years old,</td> </tr> <tr> <td>3</td> <td>25 to 34 years old,</td> </tr> <tr> <td>4</td> <td>35 to 44 years old,</td> </tr> <tr> <td>5</td> <td>45 to 54 years old, or</td> </tr> <tr> <td>6</td> <td>55 years old or older?</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: New baseline adult respondents who have ever been told they had high cholesterol and did not know or refused to report the age they were first told they had high cholesterol. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_02 = 1 AND R04_AX0115_NB = -8, -7.		1	Less than 18 years old,	2	18 to 24 years old,	3	25 to 34 years old,	4	35 to 44 years old,	5	45 to 54 years old, or	6	55 years old or older?	-8	DON'T KNOW	-7	REFUSED
1	Less than 18 years old,																
2	18 to 24 years old,																
3	25 to 34 years old,																
4	35 to 44 years old,																
5	45 to 54 years old, or																
6	55 years old or older?																
-8	DON'T KNOW																
-7	REFUSED																

Variable(s):	R04_AX0160_NB												
Have you ever taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)? <table> <tr> <td>1</td> <td>Yes</td> <td>GO TO R04_AX0746</td> </tr> <tr> <td>2</td> <td>No</td> <td>GO TO R04_AX0746</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO R04_AX0746</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO R04_AX0746</td> </tr> </table> ASK: New baseline adult respondents who have ever been told they had high cholesterol. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_02 = 1.		1	Yes	GO TO R04_AX0746	2	No	GO TO R04_AX0746	-8	DON'T KNOW	GO TO R04_AX0746	-7	REFUSED	GO TO R04_AX0746
1	Yes	GO TO R04_AX0746											
2	No	GO TO R04_AX0746											
-8	DON'T KNOW	GO TO R04_AX0746											
-7	REFUSED	GO TO R04_AX0746											

Variable(s):	R04_AX0160_12M
[In the past, you told us you had high cholesterol.]In the past 12 months, have you taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)? 1 Yes 2 No 3 I have never had high cholesterol GO TO BOX R04_AXR26 -8 DON'T KNOW -7 REFUSED ASK: Continuing adult respondents who have been told they had high cholesterol in the past 12 months or reported being diagnosed with high cholesterol as of their last completed interview. ASK Specification: IF R04_ADULTTYPE = 1 AND (R04_AX0111_12M_02 = 1 OR R03_HIGH_CHOLESTEROL = 1). DISPLAY: IF R04_ADULTTYPE = 1 AND R03_HIGH_CHOLESTEROL = 1 AND R04_AX0111_12M_02 != 1, DISPLAY "In the past, you told us you had high cholesterol." AND DISPLAY OPTION 3. ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.	

Variable(s):	R04_AX0746
[In the past, you told us you had high cholesterol.]In the past 12 months, has your high cholesterol been under control? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever been told they have high cholesterol. ASK Specification: IF (R03_HIGH_CHOLESTEROL = 1 OR R04_AX0111_NB_02 = 1 OR R04_AX0111_12M_02 = 1) AND R04_AX0160_12M != 3. DISPLAY: IF R04_ADULTTYPE = 2 AND R03_HIGH_CHOLESTEROL = 1 AND R04_AX0111_NB_02 != 1, DISPLAY "In the past, you told us you had high cholesterol." ELSE, DO NOT DISPLAY THIS TEXT.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR26

New baseline adult respondents who have ever been told they had congestive heart failure, go to R04_AX0116_NB.

Else, new baseline adult respondents who have ever been they they had a stroke, go to R04_AX0117_NB.

Else, adult respondents who reported having had a stroke as of their last completed interview, or continuing adult respondents who have been told they had a stroke in the past 12 months, go to R04_AX0745.

Else, new baseline adult respondents who have ever been told they had a heart attack, go to R04_AX0112_NB.

Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R04_AX0219.

IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_03 = 1, GO TO R04_AX0116_NB.

ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_04 = 1, GO TO R04_AX0117_NB.

ELSE, IF R03_STROKE = 1 OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M_04 = 1), GO TO R04_AX0745.

ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_05 = 1, GO TO R04_AX0112_NB.

ELSE, IF R03_ANY_HEART_CONDITION = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB[01/02/06] = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M[01/02/03/05/06] = 1), GO TO R04_AX0219.

Variable(s): R04_AX0116_NB

How old were you when you were first told you had congestive heart failure?

I__I__I__I Years old

-8 DON'T KNOW

GO TO R04_AX0255_NB

-7 REFUSED

GO TO R04_AX0255_NB

ASK: New baseline adult respondents who have ever been told they had congestive heart failure.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_03 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AX0116_NB_LC1

The computer recorded that you were [R04_AX0116_NB] years old when you were first told that you had congestive heart failure. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AX0116_NB |
| 2 | NEXT | GO TO BOX R04_AXR28 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_03 = 1 AND R04_AX0116_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0116_NB > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO BOX R04_AXR28 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0255_NB

When you were first told you had congestive heart failure, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had congestive heart failure and did not know or refused to report the age they were first told they had congestive heart failure.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_03 = 1 AND R04_AX0116_NB = -8, -7.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR28
New baseline adult respondents who have ever been told they had a stroke, go to R04_AX0117_NB. Else, adult respondents who reported having had a stroke as of their last completed interview, or continuing adult respondents who have been told they had a stroke in the past 12 months, go to R04_AX0745. Else, new baseline adult respondents who have ever been told they had a heart attack, go to R04_AX0112_NB. Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R04_AX0219.	
IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_04 = 1, GO TO R04_AX0117_NB. ELSE, IF R03_STROKE = 1 OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M_04 = 1), GO TO R04_AX0745. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_05 = 1, GO TO R04_AX0112_NB. ELSE, IF R03_ANY_HEART_CONDITION = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_01_02_03_06 = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M_01_02_03_05_06 = 1), GO TO R04_AX0219.	

Variable(s):	R04_AX0117_NB
How old were you when you were first told you had a stroke? I ___ I ___ I ___ Years old -8 DON'T KNOW GO TO R04_AX0256_NB -7 REFUSED GO TO R04_AX0256_NB ASK: New baseline adult respondents who have ever been told they had a stroke. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_04 = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits for age.	

CHECK ID:	R04_AX0117_NB_LC1
The computer recorded that you were [R04_AX0117_NB] years old when you were first told that you had a stroke. That is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. 1 BACK GO TO R04_AX0117_NB 2 NEXT GO TO R04_AX0745 ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_04 = 1 AND R04_AX0117_NB > R04R_A_AGE AND R04R_A_AGE >= 18. PROGRAM: TRIGGER CHECK IF R04_AX0117_NB > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO R04_AX0745 AND DO NOT DISPLAY THIS SCREEN.	

Variable(s): R04_AX0256_NB

When you were first told you had a stroke, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a stroke and did not know or refused to report the age they were first told they had a stroke.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_04 = 1 AND R04_AX0117_NB = -8, -7.

Variable(s): R04_AX0745

[In the past, you told us you had a stroke.

]Do you have any permanent disability as a result of the stroke?

- 1 Yes
- 2 No
- 3 I have never had a stroke
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported having had a stroke as of their last completed interview, or new baseline adult respondents who have ever been told they had a stroke, or continuing adult respondents who have been told they had a stroke in the past 12 months.

ASK Specification: IF R03_STROKE = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_04 = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M_04 = 1).

DISPLAY: IF R03_STROKE = 1 AND R04_AX0111_NB_04 != 1 AND R04_AX0111_12M_04 != 1, DISPLAY "In the past, you told us you had a stroke." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

BOX ID:	R04_AXR30
New baseline adult respondents who have ever been told they had a heart attack, go to R04_AX0112_NB. Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R04_AX0219.	
IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_05 = 1, GO TO R04_AX0112_NB. ELSE, IF R03_ANY_HEART_CONDITION = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB[01/ 02/ 03/ 04/ 06] = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M[01/ 02/ 03/ 04/ 05/ 06] = 1), GO TO R04_AX0219.	

Variable(s):	R04_AX0112_NB	
How old were you when you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery?		
	I__ __ __ Years old	
-8	DON'T KNOW	GO TO R04_AX0252_NB
-7	REFUSED	GO TO R04_AX0252_NB
ASK: New baseline adult respondents who have ever been told they had a heart attack.		
ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_05 = 1.		
DISPLAY: DISPLAY "Years old" AS A TITLE.		
PROGRAM: Allow 2 digits for age.		

CHECK ID: R04_AX0112_NB_LC1

The computer recorded that you were [R04_AX0112_NB] years old when you were first told that you had a heart attack. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R04_AX0112_NB
2	NEXT	GO TO R04_AX0219

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_05 = 1 AND R04_AX0112_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0112_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO R04_AX0219 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0252_NB**

When you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a heart attack and did not know or refused to report the age they were first told they had a heart attack.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB_05 = 1 AND R04_AX0112_NB = -8, -7.

Variable(s): **R04_AX0219**

In the past 12 months, did you take any [other]heart or blood pressure medications regularly? (Taken regularly means according to a health care provider's instructions.)

- 1 Yes
- 2 No GO TO BOX R04_AXR115
- 8 DON'T KNOW GO TO BOX R04_AXR115
- 7 REFUSED GO TO BOX R04_AXR115

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months.

ASK Specification: IF R03_ANY_HEART_CONDITION = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB[01/ 02/ 03/ 04/ 05/ 06] = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M[01/ 02/ 03/ 04/ 05/ 06] = 1).

DISPLAY: IF R04_AX0160_NB = 1 OR R04_AX0160_12M = 1, DISPLAY "other ".
ELSE, DO NOT DISPLAY.

BOX ID: **R04_AXD04**

DISPLAY INSTRUCTION:

For R04_AX0159, display a column on the right with a "Yes" and "No" option for each response category.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
What type of heart or blood pressure medications do you regularly take?	
R04_AX0159_01	1 Calcium Channel Blocker – for example: nifedipine (Procardia, Adalat), diltiazem (Cardizem), amlodipine (Norvasc), verapamil (Calan), nisoldipine (Sular)
R04_AX0159_02	2 Beta Blocker – for example: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal)
R04_AX0159_03	3 Angiotensin Receptor Blocker – for example: losartan (Cozaar), irbesartan (Avapro), valsartan (Diovan), candesartan (Atacand), telmisartan (Micardis), olmesartan (Benicar)
R04_AX0159_04	4 Ace Inhibitor – for example: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril)
R04_AX0159_05	5 Diuretic – for example: furosemide (Lasix), indapamide (Lozol), triamterene (Dyrenium), thiazides (HCTZ), triamterene/HCTZ (Dyazide)
R04_AX0159_06	6 Digoxin (Lanoxin)
R04_AX0159_07	7 Methyldopa (Aldomet) or Hydralazine (Apresoline)
R04_AX0159_08	8 Other antiarrhythmics
R04_AX0159_09	9 Some other heart or blood pressure medication
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months. ASK Specification: IF (R03_ANY_HEART_CONDITION = 1 AND R04_AX0219 = 1) OR (R04_ADULTTYPE = 2, 3 AND R04_AX0111_NB[01/02/03/04/05/06] = 1 AND R04_AX0219 = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0111_12M[01/02/03/04/05/06] = 1 AND R04_AX0219 = 1).	

BOX ID: R04_AXR115
New baseline adult respondents, go to R04_AX0046_NB. Else, continuing adult respondents, go to R04_AX0047_12M.
IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0046_NB. ELSE, IF R04_ADULTTYPE = 1, GO TO R04_AX0047_12M.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0046_NB	
Have you <u>ever</u> had wheezing or whistling in the chest at any time in the past?	
1 Yes	
2 No	GO TO R04_AX0052
-8 DON'T KNOW	GO TO R04_AX0052
-7 REFUSED	GO TO R04_AX0052
ASK: New baseline adult respondents.	
ASK Specification: IF R04_ADULTTYPE = 2, 3.	
DISPLAY: UNDERLINE "ever".	

Variable(s): R04_AX0047_12M	
Have you had wheezing or whistling in the chest in the <u>past 12 months</u> ?	
1 Yes	
2 No	GO TO R04_AX0052
-8 DON'T KNOW	GO TO R04_AX0052
-7 REFUSED	GO TO R04_AX0052
ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past, or continuing adult respondents.	
ASK Specification: IF (R04_ADULTTYPE = 2, 3 AND R04_AX0046_NB = 1) OR R04_ADULTTYPE = 1.	
DISPLAY: UNDERLINE "past 12 months".	

Variable(s): R04_AX0048	
How many attacks of wheezing have you had in the past 12 months?	
1 None	
2 1 to 3	
3 4 to 12	
4 More than 12	
-8 DON'T KNOW	
-7 REFUSED	
ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.	
ASK Specification: IF (R04_ADULTTYPE = 2, 3 AND R04_AX0046_NB = 1 AND R04_AX0047_12M = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0047_12M = 1).	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0049

In the past 12 months, how often, on average has your sleep been disturbed due to wheezing?

- 1 Never woken with wheezing
- 2 Less than one night per week
- 3 One or more nights per week
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R04_ADULTTYPE = 2, 3 AND R04_AX0046_NB = 1 AND R04_AX0047_12M = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0047_12M = 1).

Variable(s): R04_AX0050

In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R04_ADULTTYPE = 2, 3 AND R04_AX0046_NB = 1 AND R04_AX0047_12M = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0047_12M = 1).

Variable(s): R04_AX0052

In the past 12 months, has your chest sounded wheezy during or after exercise?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0053
A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: All adult respondents.

BOX ID: R04_AXR31
New baseline adult respondents, go to R04_AX0119_NB. Else, continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months, go to R04_AX0119_12M. Else, go to Box R04_AXR63.
IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0119_NB. ELSE, IF R04_ADULTTYPE = 1 AND R04_AX0001 != 2, GO TO R04_AX0119_12M. ELSE, GO TO BOX R04_AXR63.

Variable(s): SEE BELOW:
Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply. R04_AX0119_NB_01 1 COPD R04_AX0119_NB_02 2 Chronic bronchitis R04_AX0119_NB_03 3 Emphysema R04_AX0119_NB_04 4 Asthma R04_AX0119_NB_05 5 Some other lung or respiratory condition R04_AX0119_NB_06 6 None of the above -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R04_ADULTTYPE = 2, 3. PROGRAM: Option 6 cannot be selected if any option 1 through 5 is selected.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR32

New baseline adult respondents who have ever been told they had COPD, go to R04_AX0120_NB.
 Else, new baseline adult respondents who have ever been told they had chronic bronchitis, go to R04_AX0121_NB.
 Else, new baseline adult respondents who have ever been told they had emphysema, go to R04_AX0123_NB.
 Else, new baseline adult respondents who have ever been told they had asthma, go to R04_AX0124_NB.
 Else, go to Box R04_AXV09.

IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_01 = 1, GO TO R04_AX0120_NB.
 ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_02 = 1, GO TO R04_AX0121_NB.
 ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_03 = 1, GO TO R04_AX0123_NB.
 ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_04 = 1, GO TO R04_AX0124_NB.
 ELSE, GO TO BOX R04_AXV09.

Variable(s): SEE BELOW:

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

- | | | |
|--------------------------|----|--|
| R04_AX0119_12M_01 | 1 | COPD |
| R04_AX0119_12M_02 | 2 | Chronic bronchitis |
| R04_AX0119_12M_03 | 3 | Emphysema |
| R04_AX0119_12M_04 | 4 | Asthma |
| R04_AX0119_12M_05 | 5 | Some other lung or respiratory condition |
| R04_AX0119_12M_06 | 6 | None of the above |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R04_AX0001 != 2.

PROGRAM: Option 6 cannot be selected if any option 1 through 5 is selected.

BOX ID: R04_AXR63

Adult respondents who reported being diagnosed with COPD as of their last completed interview, or continuing adults who have ever been told they had COPD, go to R04_AX0733.
 Else, go to Box R04_AXV09.

IF R03_COPD = 1 OR (R04_ADULTTYPE = 1 AND R04_AX0119_12M_01 = 1), GO TO R04_AX0733.
 ELSE, GO TO BOX R04_AXV09.

Variable(s):	R04_AX0120_NB
How old were you when you were first told you had COPD?	
	I__I__I__I Years old
-8	DON'T KNOW
	GO TO R04_AX0257_NB
-7	REFUSED
	GO TO R04_AX0257_NB
ASK: New baseline adult respondents who have ever been told they had COPD.	
ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_01 = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

804

Variable(s): R04_AX0257_NB

When you were first told you had COPD, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had COPD and did not know or refused to report the age they were first told they had COPD.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_01 = 1 AND R04_AX0120_NB = -8, -7.

Variable(s): R04_AX0733

[In the past, you told us you had COPD.

]Are you troubled by shortness of breath when hurrying on level ground or walking up a slight hill?

- 1 Yes
- 2 No GO TO BOX R04_AXV09
- 3 I have never had COPD GO TO BOX R04_AXV09
- 8 DON'T KNOW GO TO BOX R04_AXV09
- 7 REFUSED GO TO BOX R04_AXV09

ASK: Adult respondents who reported being diagnosed with COPD as of their last completed interview, or new baseline adult respondents who have ever been told they had COPD, or continuing adult respondents who have been told they had COPD in the past 12 months.

ASK Specification: IF R03_COPD = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_01 = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0119_12M_01 = 1).

DISPLAY: IF R03_COPD = 1 AND R04_AX0119_NB_01 != 1 AND R04_AX0119_12M_01 != 1, DISPLAY "In the past, you told us you had COPD." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

BOX ID: R04_AXD15

BOX – DISPLAY INSTRUCTIONS

For R04_AX0734, display a "Yes" and "No" column with options for each response category.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):		SEE BELOW:
Do you ever...		
R04_AX0734_01	1	have to walk slower than people your age on level ground because of breathlessness?
R04_AX0734_02	2	have to stop for breath when walking at your own pace on level ground?
R04_AX0734_03	3	have to stop for breath after walking about 100 yards (or after a few minutes) on level ground?
R04_AX0734_04	4	get too breathless to leave the house or breathless on dressing or undressing?
	-8	DON'T KNOW
	-7	REFUSED
ASK: Adult respondents who reported being diagnosed with COPD as of their last completed interview and have shortness of breath, or new baseline adult respondents who have ever been told they had COPD and have shortness of breath, or continuing adult respondents who have been told they have COPD in the past 12 months and have shortness of breath. ASK Specification: IF (R03_COPD = 1 AND R04_AX0733 = 1) OR (R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_01 = 1 AND R04_AX0733 = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0119_12M_01 = 1 AND R04_AX0733 = 1).		

BOX ID:	R04_AXV09
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):	
R04_ADULT_COPD = Adult respondents who have ever had COPD.	
R04_ADULT_COPD: IF (R04_AX0119_NB_01 = 1 OR R04_AX0119_12M_01 = 1 OR R03_COPD = 1) AND R04_AX0733 != 3, THEN R04_ADULT_COPD = 1. ELSE, R04_ADULT_COPD = 2.	

BOX ID:	R04_AXR09
Adult respondents who have ever had COPD, go to R04_AX0735.	
Else, go to Box R04_AXR33.	
IF R04_ADULT_COPD = 1, GO TO R04_AX0735. ELSE, GO TO BOX R04_AXR33.	

Variable(s): R04_AX0735

In the past 2 weeks, on how many days or nights have you been troubled by shortness of breath?

- 1 None
- 2 1 to 2 days or nights
- 3 3 to 6 days or nights
- 4 7 to 13 days or nights
- 5 Every day or night
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R04_ADULT_COPD = 1.

DISPLAY: UNDERLINE "past 2 weeks".

Variable(s): R04_AX0736

In the past 5 years, have you been admitted to a hospital, emergency room or urgent care center due to COPD?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R04_ADULT_COPD = 1.

DISPLAY: UNDERLINE "past 5 years".

Variable(s): R04_AX0737

In the past 5 years, have you been intubated (had a tube inserted to assist with breathing) because of your COPD?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD.

ASK Specification: IF R04_ADULT_COPD = 1.

DISPLAY: UNDERLINE "past 5 years".

BOX ID:	R04_AXR33
New baseline adult respondents who have ever been told they had chronic bronchitis, go to R04_AX0121_NB. Else, new baseline adult respondents who have ever been told they had emphysema, go to R04_AX0123_NB. Else, new baseline adult respondents who have ever been told they had asthma, go to R04_AX0124_NB. Else, adult respondents who reported being diagnosed with asthma as of their last completed interview, or continuing adult respondents who have been told they have asthma in the past 12 months, go to R04_AX0227. Else, go to Box R04_AXV03.	
IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_02 = 1, GO TO R04_AX0121_NB. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_03 = 1, GO TO R04_AX0123_NB. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_04 = 1, GO TO R04_AX0124_NB. ELSE, IF R03_ASTHMA OR (R04_ADULTTYPE = 1 AND R04_AX0119_12M_04 = 1), GO TO R04_AX0227. ELSE, GO TO BOX R04_AXV03.	

How old were you when you were first told you had chronic bronchitis?

I ___ I ___ I ___ I Years old

-8 DON'T KNOW GO TO R04_AX0258_NB

-7 REFUSED GO TO R04_AX0258_NB

ASK: New baseline adult respondents who have ever been told they had chronic bronchitis.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_02 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

The computer recorded that you were [R04_AX0121_NB] years old when you were first told that you had chronic bronchitis. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R04_AX0121_NB
2	NEXT	GO TO BOX R04_AXR35

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_02 = 1 AND R04_AX0121_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0121_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO BOX R04_AXR35 AND DO NOT DISPLAY THIS SCREEN.

Variable(s):	R04_AX0258_NB
When you were first told you had chronic bronchitis, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever been told they had chronic bronchitis and did not know or refused to report the age they were first told they had chronic bronchitis. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_02 = 1 AND R04_AX0121_NB = -8, -7.	

BOX ID:	R04_AXR35
New baseline adult respondents who have ever been told they had emphysema, go to R04_AX0123_NB. Else, new baseline adult respondents who have ever been told they had asthma, go to R04_AX0124_NB. Else, adult respondents who reported being diagnosed with asthma as of their last completed interview, or continuing adult respondents who have been told they have asthma in the past 12 months, go to R04_AX0227. Else, go to Box R04_AXV03.	
IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_03 = 1, GO TO R04_AX0123_NB. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_04 = 1, GO TO R04_AX0124_NB. ELSE, IF R03_ASTHMA = 1 OR (R04_ADULTTYPE = 1 AND R04_AX0119_12M_04 = 1), GO TO R04_AX0227. ELSE, GO TO BOX R04_AXV03.	

Variable(s):	R04_AX0123_NB
How old were you when you were first told you had emphysema?	
	I ___ I ___ I ___ I Years old
-8	DON'T KNOW
	GO TO R04_AX0259_NB
-7	REFUSED
	GO TO R04_AX0259_NB
ASK: New baseline adult respondents who have ever been told they had emphysema.	
ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_03 = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

810

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0259_NB
When you were first told you had emphysema, were you... 1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents who have ever been told they had emphysema and did not know or refused to report the age they were first told they had emphysema. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_03 = 1 AND R04_AX0123_NB = -8, -7.

BOX ID: R04_AXR37
New baseline adult respondents who have ever been told they had asthma, go to R04_AX0124_NB. Else, adult respondents who reported being diagnosed with asthma as of their last completed interview, or continuing adult respondents who have been told they have asthma in the past 12 months, go to R04_AX0227. Else, go to Box R04_AXV03. IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_04 = 1, GO TO R04_AX0124_NB. ELSE, IF R03_ASTHMA = 1 OR (R04_ADULTTYPE = 1 AND R04_AX0119_12M_04 = 1), GO TO R04_AX0227. ELSE, GO TO BOX R04_AXV03.

Variable(s): R04_AX0124_NB
How old were you when you were first told you had asthma? I ___ I ___ I ___ Years old -8 DON'T KNOW GO TO R04_AX0260_NB -7 REFUSED GO TO R04_AX0260_NB ASK: New baseline adult respondents who have ever been told they had asthma. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_04 = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits for age.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AX0124_NB_LC1

The computer recorded that you were [R04_AX0124_NB] years old when you were first told that you had asthma. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AX0124_NB

2 NEXT

GO TO R04_AX0227

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_04 = 1 AND R04_AX0124 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0124 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0227 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0260_NB

When you were first told you had asthma, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had asthma and did not know or refused to report the age they were first told they had asthma.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_04 = 1 AND R04_AX0124_NB = -8, -7.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0227**

[In the past, you told us you had asthma.

]In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school or at home?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 6 I have never had asthma
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with asthma as of their last completed interview, or new baseline adult respondents who have ever been told they had asthma, or continuing adult respondents who have been told they have asthma in the past 12 months.

ASK Specification: IF R03_ASTHMA = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0119_NB_04 = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0119_12M_04 = 1).

DISPLAY: IF R03_ASTHMA = 1 AND R04_AX0119_NB_04 != 1 AND R04_AX0119_12M_04 != 1, DISPLAY "In the past, you told us you had asthma." AND DISPLAY OPTION 6.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 6.

BOX ID: **R04_AXV03**

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R04_ADULT_ASTHMA = Adult respondents who have ever had asthma

R04_ADULT_ASTHMA:

IF (R03_ASTHMA = 1 OR R04_AX0119_NB_04 = 1 OR R04_AX0119_12M_04 = 1) AND R04_AX0227 != 6, THEN R04_ADULT_ASTHMA = 1.

ELSE, R04_ADULT_ASTHMA = 2.

BOX ID: **R04_AXR08**

Adult respondents who have ever had asthma, go to R04_AX0228.

Else, adult respondents who have ever had COPD, go to R04_AX0283.

Else, go to R04_AX0726.

IF R04_ADULT_ASTHMA = 1, GO TO R04_AX0228.

ELSE, IF R04_ADULT_COPD = 1, GO TO R04_AX0283.

ELSE, GO TO R04_AX0726.

Variable(s): R04_AX0228

In the past 30 days, how often have you had shortness of breath?

- 1 More than once a day
- 2 Once a day
- 3 3-6 times a week
- 4 Once or twice a week
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R04_ADULT_ASTHMA = 1.

DISPLAY: UNDERLINE "past 30 days".

Variable(s): R04_AX0229

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness or pain) wake you up at night or earlier than usual in the morning?

- 1 4 or more nights a week
- 2 2 or 3 nights
- 3 Once a week
- 4 Once or twice
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R04_ADULT_ASTHMA = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0283	
In the <u>past 12 months</u> , did you take any medications regularly for COPD or asthma? (Taken regularly means according to a health care provider's instructions.)	
1 Yes	
2 No	GO TO BOX R04_AXR07
-8 DON'T KNOW	GO TO BOX R04_AXR07
-7 REFUSED	GO TO BOX R04_AXR07
ASK: Adult respondents who have ever had asthma or have ever had COPD.	
ASK Specification: IF R04_ADULT_ASTHMA = 1 OR R04_ADULT_COPD = 1.	
DISPLAY: UNDERLINE "past 12 months".	

BOX ID: R04_AXD05
DISPLAY INSTRUCTION: For R04_AX0128, display as a stem and leaf question. For each leaf, display a yes/no response.

Variable(s): SEE BELOW:	
In the past 12 months, which of the following medications did you regularly take for COPD or asthma?	
R04_AX0128_01	1 Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)
R04_AX0128_02	2 Controller or long-acting inhaler including steroid inhaler – for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)
R04_AX0128_03	3 Other controlling medication – for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)
R04_AX0128_05	5 Oxygen therapy
R04_AX0128_06	6 Some other COPD or asthma medication
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have ever had asthma or have ever had COPD and have taken any medications regularly for COPD or asthma in the past 12 months.	
ASK Specification: IF (R04_ADULT_ASTHMA = 1 OR R04_ADULT_COPD = 1) AND R04_AX0283 = 1.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR07
Adult respondents who have ever had COPD and have taken any medications regularly for COPD in the past 12 months, go to R04_AX0749. Else, adult respondents who have ever had COPD, go to R04_AX0751. Else, adult respondents who have ever had asthma, go to R04_AX0125. Else, go to R04_AX0726.	
IF R04_ADULT_COPD = 1 AND R04_AX0283 = 1, GO TO R04_AX0749. ELSE, IF R04_ADULT_COPD = 1, GO TO R04_AX0751. ELSE, IF R04_ADULT_ASTHMA = 1, GO TO R04_AX0125. ELSE, GO TO R04_AX0726.	

Variable(s):	SEE BELOW:
In the <u>past 2 weeks</u>, which of the following medications did you regularly take for COPD? Choose all that apply.	
R04_AX0749_01	1 Quick relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)
R04_AX0749_02	2 Long-acting inhaler – for example: salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)
R04_AX0749_03	3 Inhaled corticosteroid, such as – for example: beclomethasone (Qvar), fluticasone (Flovent), budesonide (Pulmicort) or mometasone (Asmanex)
R04_AX0749_04	4 Some other COPD medication
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have ever had COPD and have taken any medications regularly for COPD in the past 12 months. ASK Specification: IF R04_ADULT_COPD = 1 AND R04_AX0283 = 1. DISPLAY: UNDERLINE "past 2 weeks". PROGRAM: Allow respondents to choose all that apply.	

Variable(s):	R04_AX0751
Are you currently using home oxygen therapy (day or night) for your COPD?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who have ever had COPD.	
ASK Specification: IF R04_ADULT_COPD = 1.	

Variable(s):	R04_AX0750
In the <u>past 12 months</u> , how many times have you been on antibiotics for a lung-related infection such as bronchitis or pneumonia?	
	_ _ _
-8	DON'T KNOW
	GO TO BOX R04_AXR97
-7	REFUSED
	GO TO BOX R04_AXR97
ASK: Adult respondents who have ever had COPD.	
ASK Specification: IF R04_ADULT_COPD = 1.	
DISPLAY: UNDERLINE "past 12 months".	
PROGRAM: Allow 3 digits.	

CHECK ID: R04_AX0750_LC1
The computer recorded that you have been on antibiotics for a lung-related infection [R04_AX0750] times in the past 12 months. Is that correct?
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.
1 BACK GO TO R04_AX0750
2 NEXT GO TO BOX R04_AXR97
ASK: IF R04_ADULT_COPD = 1 AND R04_AX0750 > 50. PROGRAM: TRIGGER CHECK IF R04_AX0750 > 50. ELSE, GO TO BOX R04_AXR97 AND DO NOT DISPLAY THIS SCREEN.

BOX ID:	R04_AXR97
Adult respondents who have ever had asthma, go to R04_AX0125. Else, go to R04_AX0726.	
IF R04_ADULT_ASTHMA = 1, GO TO R04_AX0125. ELSE, GO TO R04_AX0726.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0125**

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?

Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AX0127 |
| -8 | DON'T KNOW | GO TO R04_AX0127 |
| -7 | REFUSED | GO TO R04_AX0127 |

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R04_ADULT_ASTHMA = 1.

Variable(s): **R04_AX0126**

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

|_|_|_|_|

- | | | |
|----|------------|------------------|
| -8 | DON'T KNOW | GO TO R04_AX0127 |
| -7 | REFUSED | GO TO R04_AX0127 |

ASK: Adult respondents who have ever had asthma and had an asthma attack in the past 12 months that required use of an oral or injected steroid medication.

ASK Specification: IF R04_ADULT_ASTHMA = 1 AND R04_AX0125 = 1.

PROGRAM: Allow 3 digits.

CHECK ID: **R04_AX0126_LC1**

The computer recorded that you had [R04_AX0126] asthma attacks in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AX0126 |
| 2 | NEXT | GO TO R04_AX0126_LC2 |

ASK: IF R04_ADULT_ASTHMA = 1 AND R04_AX0125 = 1 AND R04_AX0126 > 100.

PROGRAM: TRIGGER CHECK IF R04_AX0126 > 100.

ELSE, GO TO R04_AX0126_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AX0126_LC2

The computer recorded "0" for the number of asthma attacks you had in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R04_AX0126 |
| 2 | NEXT | GO TO R04_AX0127 |

ASK: IF R04_ADULT_ASTHMA = 1 AND R04_AX0125 = 1 AND R04_AX0126 = 0.

PROGRAM: TRIGGER CHECK IF R04_AX0126 = 0.

ELSE, GO TO R04_AX0127 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0127

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AX0230 |
| -8 | DON'T KNOW | GO TO R04_AX0230 |
| -7 | REFUSED | GO TO R04_AX0230 |

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R04_ADULT_ASTHMA = 1.

Variable(s): R04_AX0282

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

- | | | |
|----|------------|------------------|
| | _ _ _ | |
| -8 | DON'T KNOW | GO TO R04_AX0230 |
| -7 | REFUSED | GO TO R04_AX0230 |

ASK: Adult respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R04_ADULT_ASTHMA = 1 AND R04_AX0127 = 1.

PROGRAM: Allow 3 digits.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AX0282_LC1

The computer recorded that you have visited an emergency room or urgent care center [R04_AX0282] times in the past 12 months because of asthma. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R04_AX0282 |
| 2 | NEXT | GO TO R04_AX0230 |

ASK: IF R04_ADULT_ASTHMA = 1 AND R04_AX0127 = 1 AND R04_AX0282 > 20.

PROGRAM: TRIGGER CHECK IF R04_AX0282 > 20.

ELSE, GO TO R04_AX0230 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0230

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

- 1 3 or more times per day
- 2 1 or 2 times per day
- 3 2 or 3 times per week
- 4 Once a week or less
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R04_ADULT_ASTHMA = 1.

DISPLAY: UNDERLINE "In the past 30 days".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0231
How would you rate your asthma control during the past 30 days? 1 Not controlled at all 2 Poorly controlled 3 Somewhat controlled 4 Well controlled 5 Completely controlled -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever had asthma. ASK Specification: IF R04_ADULT_ASTHMA = 1.

Variable(s): R04_AX0726
Overall, how would you rate the health of your teeth and gums? 1 Excellent 2 Very good 3 Good 4 Fair 5 Poor -8 DON'T KNOW -7 REFUSED ASK: All adult respondents.

BOX ID: R04_AXR98
New baseline adult respondents, go to R04_AX0693_NB. Else, continuing adult respondents, go to R04_AX0693_12M.
IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0693_NB. ELSE, IF R04_ADULTTYPE = 1, GO TO R04_AX0693_12M.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0693_NB**

Have you ever observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

Variable(s): **R04_AX0694_NB**

Have you ever had any teeth become loose on their own, without an injury?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

Variable(s): **R04_AX0695_NB**

How many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics.

- | | |
|---------------|------------------|
| _ _ | GO TO R04_AX0725 |
| -8 DON'T KNOW | GO TO R04_AX0725 |
| -7 REFUSED | GO TO R04_AX0725 |

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0693_12M

In the past 12 months, have you observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R04_ADULTTYPE = 1.

Variable(s): R04_AX0694_12M

In the past 12 months, have you had any teeth become loose on their own, without an injury?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R04_ADULTTYPE = 1.

Variable(s): R04_AX0695_12M

In the past 12 months, how many of your permanent teeth have been removed because of tooth decay or gum disease? Do not include teeth lost for other reasons, such as injury or orthodontics.

- 1 1
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R04_ADULTTYPE = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0725
How many times do you brush your teeth in one day? -2 I do not brush my teeth every day I ___ I ___ I Times -8 DON'T KNOW -7 REFUSED ASK: All adult respondents. DISPLAY: DISPLAY "Times" AS A TITLE.

Variable(s): R04_AX0696
Aside from brushing your teeth with a toothbrush, in the last seven days, how many times did you use dental floss or any other device to clean between your teeth? I ___ I ___ I Times -8 DON'T KNOW -7 REFUSED ASK: All adult respondents. DISPLAY: DISPLAY "Times" AS A TITLE.

BOX ID: R04_AXR99
New baseline adult respondents, go to R04_AX0760_NB. Else, continuing adult respondents who have seen a dentist in the past 12 months, go to R04_AX0760_12M. Else, go to Box R04_AXR100.
IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0760_NB. ELSE, IF R04_ADULTTYPE = 1 AND R04_AX0002 != 2, GO TO R04_AX0760_12M. ELSE, GO TO BOX R04_AXR100.

Variable(s): R04_AX0760_NB								
Have you ever had your teeth cleaned by a dentist, hygienist, or other health professional? <table border="0"> <tr> <td align="center">1 Yes</td> <td align="center">GO TO R04_AX0729</td> </tr> <tr> <td align="center">2 No</td> <td align="center">GO TO BOX R04_AXR100</td> </tr> <tr> <td align="center">-8 DON'T KNOW</td> <td align="center">GO TO BOX R04_AXR100</td> </tr> <tr> <td align="center">-7 REFUSED</td> <td align="center">GO TO BOX R04_AXR100</td> </tr> </table> ASK: New baseline adult respondents. ASK Specification: IF R04_ADULTTYPE = 2, 3.	1 Yes	GO TO R04_AX0729	2 No	GO TO BOX R04_AXR100	-8 DON'T KNOW	GO TO BOX R04_AXR100	-7 REFUSED	GO TO BOX R04_AXR100
1 Yes	GO TO R04_AX0729							
2 No	GO TO BOX R04_AXR100							
-8 DON'T KNOW	GO TO BOX R04_AXR100							
-7 REFUSED	GO TO BOX R04_AXR100							

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AX0760_12M**
In the past 12 months, have you had your teeth cleaned by a dentist, hygienist, or other health professional?	
1	Yes
2	No
	GO TO BOX R04_AXR100
-8	DON'T KNOW
	GO TO BOX R04_AXR100
-7	REFUSED
	GO TO BOX R04_AXR100
ASK: Continuing adult respondents who have seen a dentist in the past 12 months.	
ASK Specification: IF R04_ADULTTYPE = 1 AND R04_AX0002 != 2.	
NOTES: **SKIP ERROR: These items were skipped incorrectly by continuing adult respondents (R04_ADULTTYPE = 1) who did not know or refused to report if they had seen a dentist in the past 12 months (R04_AX0002 = -8, -7). This issue was fixed in a field update on 01/31/2017.	

Variable(s):	R04_AX0729_NN; R04_AX0729_UN
How long has it been since you had your teeth cleaned by a dentist, hygienist, or other health professional? (If it was earlier today, enter 1 day)	
1	I ___ I ___ DAYS
2	I ___ I ___ MONTHS
3	I ___ I ___ YEARS
-8	DON'T KNOW
-7	REFUSED
ASK: New baseline adult respondents who have ever had their teeth cleaned, or continuing adult respondents who have had their teeth cleaned in the past 12 months.	
ASK Specification: IF (R04_ADULTTYPE = 2, 3 AND R04_AX0760_NB = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0760_12M = 1).	
PROGRAM: Display as Quantity/Units.	
NOTES: The value "1" refers R04_AX0729_UN = Days; the value "2" refers to R04_AX0729_UN = Months; the value "3" refers to R04_AX0729_UN = Years.	

BOX ID:	R04_AXR100
New baseline adult respondents, go to R04_AX0727_NB.	
Else, continuing adult respondents who have seen a dentist in the past 12 months, go to R04_AX0727_12M.	
Else, go to Box R04_AXR25.	
IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0727_NB.	
ELSE, IF R04_ADULTTYPE = 1 AND R04_AX0002 != 2, GO TO R04_AX0727_12M.	
ELSE, GO TO BOX R04_AXR25.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0727_NB**

Have you ever been told by a dentist, hygienist, or other health professional that you lost bone around your teeth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

Variable(s): **R04_AX0129_NB**

Have you ever been told by a dentist, hygienist, or other health professional that you have gum disease?

- 1 Yes
- 2 No GO TO R04_AX0132_NB
- 8 DON'T KNOW GO TO R04_AX0132_NB
- 7 REFUSED GO TO R04_AX0132_NB

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

Variable(s): **R04_AX0131_NB**

How old were you when you were first told you had gum disease?

I ___ I ___ I ___ Years old

- 8 DON'T KNOW GO TO R04_AX0261_NB
- 7 REFUSED GO TO R04_AX0261_NB

ASK: New baseline adult respondents who have ever been told they had gum disease.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0129_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AX0131_NB_LC1

The computer recorded that you were [R04_AX0131_NB] years old when you were first told that you had gum disease. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AX0131_NB |
| 2 | NEXT | GO TO R04_AX0132_NB |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0129_NB = 1 AND R04_AX0131_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0131_NB > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0132_NB AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0261_NB

When you were first told you had gum disease, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had gum disease and did not know or refused to report the age they were first told they had gum disease.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0129_NB = 1 AND R04_AX0131_NB = -8, -7.

Variable(s): R04_AX0132_NB

Have you ever been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R04_AXR25 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR25 |
| -7 | REFUSED | GO TO BOX R04_AXR25 |

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

Variable(s): R04_AX0133_NB

How old were you when you were first told you had pre-cancerous oral lesions?

I ___ I ___ I ___ Years old

-8 DON'T KNOW

GO TO R04_AX0262_NB

-7 REFUSED

GO TO R04_AX0262_NB

ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0132_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: R04_AX0133_NB_LC1

The computer recorded that you were [R04_AX0133_NB] years old when you were first told that you had pre-cancerous oral lesions. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AX0133_NB

2 NEXT

GO TO R04_AX0719

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0132_NB = 1 AND R04_AX0133_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0133_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO R04_AX0719 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0262_NB

When you were first told you had pre-cancerous oral lesions, were you...

1 Less than 18 years old,

GO TO R04_AX0719

2 18 to 24 years old,

GO TO R04_AX0719

3 25 to 34 years old,

GO TO R04_AX0719

4 35 to 44 years old,

GO TO R04_AX0719

5 45 to 54 years old, or

GO TO R04_AX0719

6 55 years old or older?

GO TO R04_AX0719

-8 DON'T KNOW

GO TO R04_AX0719

-7 REFUSED

GO TO R04_AX0719

ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions and did not know or refused to report the age they were first told they had pre-cancerous oral lesions.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0132_NB = 1 AND R04_AX0133_NB = -8, -7.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0727_12M**

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you lost bone around your teeth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R04_AX0002 != 2.

NOTES: **SKIP ERROR: These items were skipped incorrectly by continuing adult respondents (R04_ADULTTYPE = 1) who did not know or refused to report if they had seen a dentist in the past 12 months (R04_AX0002 = -8, -7). This issue was fixed in a field update on 01/31/2017.

Variable(s): R04_AX0129_12M**

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you have gum disease?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R04_AX0002 != 2.

NOTES: **SKIP ERROR: These items were skipped incorrectly by continuing adult respondents (R04_ADULTTYPE = 1) who did not know or refused to report if they had seen a dentist in the past 12 months (R04_AX0002 = -8, -7). This issue was fixed in a field update on 01/31/2017.

Variable(s): R04_AX0132_12M**

In the past 12 months, have you been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

- 1 Yes
- 2 No GO TO BOX R04_AXR25
- 8 DON'T KNOW GO TO BOX R04_AXR25
- 7 REFUSED GO TO BOX R04_AXR25

ASK: Continuing adult respondents who have seen a dentist in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R04_AX0002 != 2.

NOTES: **SKIP ERROR: These items were skipped incorrectly by continuing adult respondents (R04_ADULTTYPE = 1) who did not know or refused to report if they had seen a dentist in the past 12 months (R04_AX0002 = -8, -7). This issue was fixed in a field update on 01/31/2017.

Variable(s): R04_AX0719

Does your oral lesion require treatment?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions, or continuing adult respondents who have been told they had pre-cancerous oral lesions in the past 12 months.

ASK Specification: IF (R04_ADULTTYPE = 2, 3 AND R04_AX0132_NB = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0132_12M = 1).

BOX ID: R04_AXR25

New baseline adult respondents go to R04_AX0281_NB.

Else, continuing adult respondents go to R04_AX0281_12M.

IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0281_NB.

ELSE, IF R04_ADULTTYPE = 1, GO TO R04_AX0281_12M.

Variable(s): R04_AX0281_NB

Have you ever been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

- 1 Yes
- 2 No GO TO BOX R04_AXR83
- 8 DON'T KNOW GO TO BOX R04_AXR83
- 7 REFUSED GO TO BOX R04_AXR83

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0280_NB**

How old were you when you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

I ___ I ___ I ___ I Years old

-8 DON'T KNOW

GO TO R04_AX0263_NB

-7 REFUSED

GO TO R04_AX0263_NB

ASK: New baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0281_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits for age.

CHECK ID: **R04_AX0280_NB_LC1**

The computer recorded that you were [R04_AX0280_NB] years old when you were first told that you had diabetes. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AX0280_NB

2 NEXT

GO TO BOX R04_AXR83

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0281_NB = 1 AND R04_AX0280_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0280_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO BOX R04_AXR83 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0263_NB		
When you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, were you...		
1	Less than 18 years old,	GO TO BOX R04_AXR83
2	18 to 24 years old,	GO TO BOX R04_AXR83
3	25 to 34 years old,	GO TO BOX R04_AXR83
4	35 to 44 years old,	GO TO BOX R04_AXR83
5	45 to 54 years old, or	GO TO BOX R04_AXR83
6	55 years old or older?	GO TO BOX R04_AXR83
-8	DON'T KNOW	GO TO BOX R04_AXR83
-7	REFUSED	GO TO BOX R04_AXR83
ASK: New baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes and did not know or refused to report the age they were first told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes.		
ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0281_NB = 1 AND R04_AX0280_NB = -8, -7.		

Variable(s): R04_AX0281_12M		
In the past 12 months, have you been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?		
1	Yes	
2	No	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Continuing adult respondents.		
ASK Specification: IF R04_ADULTTYPE = 1.		

BOX ID: R04_AXR83
Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months, go to R04_AX0721.
Else, go to Box R04_AXR27.
IF R03_DIABETES = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0281_NB = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0281_12M = 1), GO TO R04_AX0721.
ELSE, GO TO BOX R04_AXR27.

Variable(s): R04_AX0721

[In the past, you told us you had diabetes.

]What type of diabetes do you have?

- 1 Type 1
- 2 Type 2
- 3 I don't know
- 4 I have never had diabetes GO TO BOX R04_AXR27
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF R03_DIABETES = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0281_NB = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0281_12M = 1).

DISPLAY: IF R03_DIABETES = 1 AND R04_AX0281_NB != 1 AND R04_AX0281_12M != 1, DISPLAY "In the past, you told us you had diabetes." AND DISPLAY OPTION 4.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 4.

Variable(s): SEE BELOW:

Are you currently taking any of the following medications to lower your blood sugar? Choose all that apply.

- R04_AX0697_01** 1 Insulin
- R04_AX0697_02** 2 Diabetic pills
- R04_AX0697_03** 3 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and did not report never having diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF (R03_DIABETES = 1 AND R04_AX0721 != 4) OR (R04_ADULTTYPE = 2, 3 AND R04_AX0281_NB = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0281_12M = 1).

PROGRAM: Allow respondent to choose all that apply. If option 3 is selected, options 1 and 2 may not be selected.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR27
New baseline adult respondents, go to Box R04_AXD19. Else, continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months, go to Box R04_AXD20. Else, go to Box R04_AXR42.	
IF R04_ADULTTYPE = 2,3, GO TO BOX R04_AXD19. ELSE, IF R04_ADULTTYPE = 1 AND R04_AX0001 != 2, GO TO BOX R04_AXD20. ELSE, GO TO BOX R04_AXR42.	

BOX ID:	R04_AXD19
Display questions R04_AX0141_NB, R04_AX0147_NB, R04_AX0151_NB, and R04_AX0144_NB on one screen. Show the transition text and question stem from R04_AX0141_NB first, then show each item with the yes/no responses. As each item is answered, show the next one.	

Variable(s):	R04_AX0141_NB
Have you ever been told by a doctor, nurse or other health professional that you had... An ulcer? Include stomach, duodenal or peptic ulcers. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R04_ADULTTYPE = 2, 3.	

Variable(s):	R04_AX0147_NB
Stomach or other gastro-intestinal bleeding? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R04_ADULTTYPE = 2, 3.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0151_NB**

A cataract or glaucoma?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

Variable(s): **R04_AX0144_NB**

Cancer?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

BOX ID: **R04_AXR29**

New baseline adult respondents who have ever been told they had an ulcer, go to R04_AX0143_NB.
Else, new baseline adult respondents who have ever been told they had stomach or gastrointestinal bleeding, go to R04_AX0148_NB.
Else, new baseline adult respondents who have ever been told they had a cataract or glaucoma, go to R04_AX0152_NB.
Else, new baseline adult respondents who have ever been told they had cancer, go to R04_AX0145.
Else, new baseline adult respondents, go to Box R04_AXR40.

IF R04_ADULTTYPE = 2, 3 AND R04_AX0141_NB = 1, GO TO R04_AX0143_NB.
ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0147_NB = 1, GO TO R04_AX0148_NB.
ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0151_NB = 1, GO TO R04_AX0152_NB.
ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1, GO TO R04_AX0145.
ELSE, IF R04_ADULTTYPE = 2, 3, GO TO BOX R04_AXR40.

BOX ID: **R04_AXD20**

Display questions R04_AX0141_12M, R04_AX0147_12M, R04_AX0151_12M, and R04_AX0144_12M on one screen. Show the transition text and question stem from R04_AX0141_12M first, then show each item with the yes/no responses. As each item is answered, show the next one.

Variable(s): R04_AX0141_12M**

In the past 12 months, have you been told by a doctor, nurse or other health professional that you had...

An ulcer? Include stomach, duodenal or peptic ulcers.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R04_AX0001 != 2.

NOTES: **SKIP ERROR: These items were skipped by continuing adult respondents (R04_ADULTTYPE = 1) who did not know or refused to report if they had seen a medical doctor, nurse or other health professional in the past 12 months (R04_AX0001 = -8, -7). This issue was fixed in a field update on 01/31/2017.

Variable(s): R04_AX0147_12M**

Stomach or other gastro-intestinal bleeding?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R04_AX0001 != 2.

NOTES: **SKIP ERROR: These items were skipped by continuing adult respondents (R04_ADULTTYPE = 1) who did not know or refused to report if they had seen a medical doctor, nurse or other health professional in the past 12 months (R04_AX0001 = -8, -7). This issue was fixed in a field update on 01/31/2017.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0151_12M****

A cataract or glaucoma?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R04_AX0001 != 2.

NOTES: **SKIP ERROR: These items were skipped by continuing adult respondents (R04_ADULTTYPE = 1) who did not know or refused to report if they had seen a medical doctor, nurse or other health professional in the past 12 months (R04_AX0001 = -8, -7). This issue was fixed in a field update on 01/31/2017.

Variable(s): **R04_AX0144_12M****

Cancer?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R04_AX0001 != 2.

NOTES: **SKIP ERROR: These items were skipped by continuing adult respondents (R04_ADULTTYPE = 1) who did not know or refused to report if they had seen a medical doctor, nurse or other health professional in the past 12 months (R04_AX0001 = -8, -7). This issue was fixed in a field update on 01/31/2017.

BOX ID:	R04_AXR42
Adult respondents who reported being diagnosed with an ulcer as of their last completed interview, or continuing adult respondents who have been told they had an ulcer in the past 12 months, go to R04_AX0698. Else, continuing adult respondents who have been told they had cancer in the past 12 months, go to R04_AX0145. Else, continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months, go to R04_AX0705. Else, continuing adult respondents, go to Box R04_AXR40.	
IF R03_ULCER = 1 OR (R04_ADULTTYPE = 1 AND R04_AX0141_12M = 1), GO TO R04_AX0698. ELSE, IF R04_ADULTTYPE = 1 AND R04_AX0144_12M = 1, GO TO R04_AX0145. ELSE, IF R04_ADULTTYPE = 1 AND R04_AX0144_12M != 1 AND R03_CANCER = 1, GO TO R04_AX0705. ELSE, IF R04_ADULTTYPE = 1, GO TO BOX R04_AXR40.	

Variable(s):	R04_AX0143_NB	
How old were you when you were first told you had an ulcer?		
	I__I__I Years old	
-8	DON'T KNOW	GO TO R04_AX0264_NB
-7	REFUSED	GO TO R04_AX0264_NB
ASK: New baseline adult respondents who have ever been told they had an ulcer.		
ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0141_NB = 1.		
DISPLAY: DISPLAY "Years old" AS A TITLE.		
PROGRAM: Allow 2 digits for age.		

CHECK ID:	R04_AX0143_NB_LC1
The computer recorded that you were [R04_AX0143_NB] years old when you were first told that you had an ulcer. That is older than you are now.	
If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.	
1 BACK	GO TO R04_AX0143_NB
2 NEXT	GO TO R04_AX0698
ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0141_NB = 1 AND R04_AX0143_NB > R04R_A_AGE AND R04R_A_AGE >= 18.	
PROGRAM: TRIGGER CHECK IF R04_AX0143_NB > R04R_A_AGE AND R04R_A_AGE >= 18.	
ELSE, GO TO R04_AX0698 AND DO NOT DISPLAY THIS SCREEN.	

Variable(s): R04_AX0264_NB

When you were first told you had an ulcer, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had an ulcer and did not know or refused to report the age they were first told they had an ulcer.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0141_NB = 1 AND R04_AX0143_NB = -8, -7.

Variable(s): R04_AX0698

[In the past, you told us you had an ulcer.

]Have you taken any medication for an ulcer in the past 30 days?

- 1 Yes
- 2 No GO TO R04_AX0699
- 3 I have never had an ulcer GO TO BOX R04_AXR34
- 8 DON'T KNOW GO TO R04_AX0699
- 7 REFUSED GO TO R04_AX0699

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview, or new baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who have been told they have an ulcer in the past 12 months.

ASK Specification: IF R03_ULCER = 1 OR (R04_ADULTTYPE = 2, 3 AND R04_AX0141_NB = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0141_12M = 1).

DISPLAY: IF R03_ULCER = 1 AND R04_AX0141_NB != 1 AND R04_AX0141_12M != 1, DISPLAY "In the past, you told us you had an ulcer." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
What types of medications have you taken for an ulcer in the past 30 days? Choose all that apply.	
R04_AX0738_01	1 Over the counter antacids
R04_AX0738_02	2 Prescription medications
R04_AX0738_03	3 Something else
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and have taken medications for ulcers in the past 30 days, or new baseline adult respondents who have ever been told they had an ulcer and have taken medications for ulcers in the past 30 days, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have taken medications for ulcers in the past 30 days. ASK Specification: IF (R03_ULCER = 1 AND R04_AX0698 = 1) OR (R04_ADULTTYPE = 2, 3 AND R04_AX0141_NB = 1 AND R04_AX0698 = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0141_12M = 1 AND R04_AX0698 = 1). PROGRAM: Allow respondent to choose all that apply.	

Variable(s): R04_AX0699	
Have you been tested for a bacterial infection, called H. Pylori, in your stomach?	
1 Yes	
2 No	GO TO BOX R04_AXR34
3 I don't know	GO TO BOX R04_AXR34
-8 DON'T KNOW	GO TO BOX R04_AXR34
-7 REFUSED	GO TO BOX R04_AXR34
ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and did not report never having an ulcer, or new baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who have been told they had an ulcer in the past 12 months. ASK Specification: IF (R03_ULCER = 1 AND R04_AX0698 != 3) OR (R04_ADULTTYPE = 2, 3 AND R04_AX0141_NB = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0141_12M = 1).	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AX0739
Did you test positive for H. Pylori? 1 Yes 2 No 3 I don't know -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and did not report never having an ulcer and have been tested for H. Pylori, or new baseline adult respondents who have ever been told they had an ulcer and have been tested for H. Pylori, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have been tested for H. Pylori. ASK Specification: IF (R03_ULCER = 1 AND R04_AX0698 != 3 AND R04_AX0699 = 1) OR (R04_ADULTTYPE = 2, 3 AND R04_AX0141_NB = 1 AND R04_AX0699 = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0141_12M = 1 AND R04_AX0699 = 1).	

BOX ID:	R04_AXR34
New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding, go to R04_AX0148_NB. Else, new baseline adult respondents who have ever been told they had a cataract or glaucoma, go to R04_AX0152_NB. Else, new baseline adult respondents who have ever been told they had cancer, go to R04_AX0145. Else, new baseline adult respondents go to Box R04_AXR40. Else, continuing adult respondents who have been told they had cancer in the past 12 months, go to R04_AX0145. Else, continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months, go to R04_AX0705. Else, continuing adult respondents, go to Box R04_AXR40.	
IF R04_ADULTTYPE = 2, 3 AND R04_AX0147_NB = 1, GO TO R04_AX0148_NB. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0151_NB = 1, GO TO R04_AX0152_NB. ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1, GO TO R04_AX0145. ELSE, IF R04_ADULTTYPE = 2, 3, GO TO BOX R04_AXR40. ELSE, IF R04_ADULTTYPE = 1 AND R04_AX0144_12M = 1, GO TO R04_AX0145. ELSE, IF R04_ADULTTYPE = 1 AND R03_CANCER = 1 AND R04_AX0144_12M != 1, GO TO R04_AX0705. ELSE, IF R04_ADULTTYPE = 1, GO TO BOX R04_AXR40.	

Variable(s):	R04_AX0148_NB
How old were you when you were first told you had stomach or other gastro-intestinal bleeding?	
I ___ I ___	Years old
-8	DON'T KNOW
	GO TO R04_AX0266_NB
-7	REFUSED
	GO TO R04_AX0266_NB
ASK: New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding.	
ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0147_NB = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

842

Variable(s): R04_AX0266_NB

When you were first told you had stomach or other gastro-intestinal bleeding, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding and did not know or refused to report the age they were first told they had stomach or other gastro-intestinal bleeding.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0147_NB = 1 AND R04_AX0148_NB = -8, -7.

BOX ID: R04_AXR36

New baseline adult respondents who have ever been told they had a cataract or glaucoma, go to R04_AX0152_NB.

Else, new baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months, go to R04_AX0145.

Else, continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months, go to R04_AX0705.

Else, go to Box R04_AXR40.

IF R04_ADULTTYPE = 2, 3 AND R04_AX0151_NB = 1, GO TO R04_AX0152_NB.

ELSE, IF (R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0144_12M = 1), GO TO R04_AX0145.

ELSE, IF R04_ADULTTYPE = 1 AND R03_CANCER = 1 AND R04_AX0144_12M != 1, GO TO R04_AX0705.

ELSE, GO TO BOX R04_AXR40.

Variable(s): R04_AX0152_NB

How old were you when you were first told you had a cataract or glaucoma?

I ___ I ___ I ___ I Years old

-8 DON'T KNOW

GO TO R04_AX0269_NB

-7 REFUSED

GO TO R04_AX0269_NB

ASK: New baseline adult respondents who have ever been told they had a cataract or glaucoma.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0151_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AX0152_NB_LC1

The computer recorded that you were [R04_AX0152_NB] years old when you were first told that you had a cataract or glaucoma. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AX0152_NB |
| 2 | NEXT | GO TO BOX R04_AXR39 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0151_NB = 1 AND R04_AX0152_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0152_NB > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO BOX R04_AXR39 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0269_NB

When you were first told you had a cataract or glaucoma, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a cataract or glaucoma and did not know or refused to report the age they were first told they had a cataract or glaucoma.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0151_NB = 1 AND R04_AX0152_NB = -8, -7.

BOX ID: R04_AXR39

New baseline adult respondents who have ever been told they had cancer, go to R04_AX0145.
Else, new baseline adult respondents, go to Box R04_AXR40.

IF R04_AX0144_NB = 1, GO TO R04_AX0145.
ELSE, IF R04_ADULTTYPE = 2, 3, GO TO BOX R04_AXR40.

Variable(s): **SEE BELOW:**

What kind of cancer were you told that you had? Choose all that apply.

[If you do not see the kind below, touch the button marked "NEXT"./If you do not see the kind below, touch the box marked "OTHER".]

- | | | |
|----------------------|----|-----------------------------|
| R04_AX0145_01 | 1 | BLADDER |
| R04_AX0145_02 | 2 | BLOOD |
| R04_AX0145_03 | 3 | BONE |
| R04_AX0145_04 | 4 | BRAIN |
| R04_AX0145_05 | 5 | BREAST |
| R04_AX0145_06 | 6 | CERVIX (CERVICAL) |
| R04_AX0145_07 | 7 | COLON |
| R04_AX0145_08 | 8 | ESOPHAGUS (ESOPHAGEAL) |
| R04_AX0145_09 | 9 | GALLBLADDER |
| R04_AX0145_10 | 10 | KIDNEY |
| R04_AX0145_11 | 11 | LARYNX/WINDPIPE |
| R04_AX0145_12 | 12 | LEUKEMIA |
| R04_AX0145_13 | 13 | LIVER |
| R04_AX0145_14 | 14 | LUNG |
| R04_AX0145_15 | 15 | LYMPHOMA/HODGKIN'S DISEASE |
| R04_AX0145_17 | 17 | MOUTH/TONGUE/LIP |
| R04_AX0145_18 | 18 | NERVOUS SYSTEM |
| R04_AX0145_19 | 19 | OVARY (OVARIAN) |
| R04_AX0145_20 | 20 | PANCREAS (PANCREATIC) |
| R04_AX0145_21 | 21 | PROSTATE |
| R04_AX0145_22 | 22 | RECTUM (RECTAL) |
| R04_AX0145_16 | 16 | SKIN (MELANOMA) |
| R04_AX0145_23 | 23 | SKIN (NON-MELANOMA) |
| R04_AX0145_24 | 24 | SKIN (DON'T KNOW WHAT KIND) |
| R04_AX0145_25 | 25 | SOFT TISSUE (MUSCLE OR FAT) |
| R04_AX0145_26 | 26 | STOMACH |
| R04_AX0145_27 | 27 | TESTIS (TESTICULAR) |
| R04_AX0145_28 | 28 | THROAT |
| R04_AX0145_29 | 29 | THYROID |
| R04_AX0145_30 | 30 | UTERUS (UTERINE) |
| R04_AX0145_31 | 31 | OTHER |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

ASK Specification: IF (R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1) OR (R04_ADULTTYPE = 1 AND R04_AX0144_12M = 1).

DISPLAY: IF SCREENS 1-3 DISPLAY: If you do not see the kind below, touch the button marked "NEXT".

ELSE, IF LAST SCREEN DISPLAY: If you do not see the kind below, touch the box marked "OTHER".

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R04_AXR41

New baseline adult respondents, go to Box R04_AXR46.

Else, go to Box R04_AXR40.

IF R04_ADULTTYPE = 2, 3, GO TO BOX R04_AXR46.

ELSE, IF R04_ADULTTYPE = 1, GO TO BOX R04_AXR40.

BOX ID: R04_AXR46

PROGRAM: CREATE LOOP:

Repeat R04_AX0146_NB[_01/.../_31] through R04_AX0265_NB[_01/.../_31] for each type of cancer the respondent reports they had in R04_AX0145. (This loop is only asked of new baseline adults who reported ever having cancer.)

IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1, THEN REPEAT R04_AX0146_NB[_01/.../_31] THROUGH R04_AX0265_NB[_01/.../_31] FOR EACH TYPE OF CANCER SELECTED IN R04_AX0145.

Variable(s): **R04_AX0146_NB_01 through R04_AX0146_NB_31**

At what age were you first diagnosed with [TYPE OF CANCER/cancer]?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R04_AX0265_NB[01/.../_31]

-7 REFUSED

GO TO R04_AX0265_NB[01/.../_31]

ASK: New baseline adult respondents who have ever been told they had cancer and reported the kind of cancer they were told they had.

ASK Specification: FOR R04_AX0146_NB_01: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_01 = 1.

FOR R04_AX0146_NB_02: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_02 = 1.

FOR R04_AX0146_NB_03: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_03 = 1.

FOR R04_AX0146_NB_04: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_04 = 1.

FOR R04_AX0146_NB_05: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_05 = 1.

FOR R04_AX0146_NB_06: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_06 = 1.

FOR R04_AX0146_NB_07: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_07 = 1.

FOR R04_AX0146_NB_08: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_08 = 1.

FOR R04_AX0146_NB_09: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_09 = 1.

FOR R04_AX0146_NB_10: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_10 = 1.

FOR R04_AX0146_NB_11: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_11 = 1.

FOR R04_AX0146_NB_12: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_12 = 1.

FOR R04_AX0146_NB_13: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_13 = 1.

FOR R04_AX0146_NB_14: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_14 = 1.

FOR R04_AX0146_NB_15: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_15 = 1.

FOR R04_AX0146_NB_16: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_16 = 1.

FOR R04_AX0146_NB_17: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_17 = 1.

FOR R04_AX0146_NB_18: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_18 = 1.

FOR R04_AX0146_NB_19: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_19 = 1.

FOR R04_AX0146_NB_20: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_20 = 1.

FOR R04_AX0146_NB_21: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_21 = 1.

FOR R04_AX0146_NB_22: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_22 = 1.

FOR R04_AX0146_NB_23: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_23 = 1.

FOR R04_AX0146_NB_24: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_24 = 1.

FOR R04_AX0146_NB_25: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_25 = 1.

FOR R04_AX0146_NB_26: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_26 = 1.

FOR R04_AX0146_NB_27: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_27 = 1.

FOR R04_AX0146_NB_28: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_28 = 1.

FOR R04_AX0146_NB_29: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_29 = 1.

FOR R04_AX0146_NB_30: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_30 = 1.

FOR R04_AX0146_NB_31: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_31 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R04_AX0145[_01/.../_31] AS FOLLOWS:

IF R04_AX0145_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cancer".

ELSE, IF R04_AX0145[_12/_15] = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cancer".

ELSE, IF R04_AX0145[_16/_23] = 1, DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES BEFORE "skin" AND DISPLAY "cancer" (EX. "melanoma skin cancer").

ELSE, IF R04_AX0145_24 = 1, DISPLAY AS "skin cancer (don't know what kind)".

ELSE, IF R04_AX0145[_06/_08/_19/_20/_22/_27/_30] = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cancer" (EX. "cervical cancer" INSTEAD OF "cervix (cervical) cancer").

ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cancer".

PROGRAM: IF MORE THAN ONE CANCER SELECTED, REPEAT THIS ITEM FOR EACH TYPE OF CANCER SELECTED.

Allow 2 digits for age.

CHECK ID: R04_AX0146_NB_01_LC1

The computer recorded that you were [R04_AX0146_NB_01] years old when you were first diagnosed with bladder cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_01 |
| 2 | NEXT | GO TO R04_AX0146_NB_02_LC1 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_01 = 1 AND R04_AX0146_NB_01 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_01 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_02_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_02_LC1

The computer recorded that you were [R04_AX0146_NB_02] years old when you were first diagnosed with blood cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_02 |
| 2 | NEXT | GO TO R04_AX0146_NB_03_LC1 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_02 = 1 AND R04_AX0146_NB_02 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_02 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_03_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_03_LC1

The computer recorded that you were [R04_AX0146_NB_03] years old when you were first diagnosed with bone cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_03 |
| 2 | NEXT | GO TO R04_AX0146_NB_04_LC1 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_03 = 1 AND R04_AX0146_NB_03 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_03 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_04_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_04_LC1

The computer recorded that you were [R04_AX0146_NB_04] years old when you were first diagnosed with brain cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_04 |
| 2 | NEXT | GO TO R04_AX0146_NB_05_LC1 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_04 = 1 AND R04_AX0146_NB_04 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_04 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_05_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_05_LC1

The computer recorded that you were [R04_AX0146_NB_05] years old when you were first diagnosed with breast cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_05 |
| 2 | NEXT | GO TO R04_AX0146_NB_06_LC1 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_05 = 1 AND R04_AX0146_NB_05 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_05 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_06_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_06_LC1

The computer recorded that you were [R04_AX0146_NB_06] years old when you were first diagnosed with cervical cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_06 |
| 2 | NEXT | GO TO R04_AX0146_NB_07_LC1 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_06 = 1 AND R04_AX0146_NB_06 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_06 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_07_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_07_LC1

The computer recorded that you were [R04_AX0146_NB_07] years old when you were first diagnosed with colon cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------------|
| 1 BACK | GO TO R04_AX0146_NB_07 |
| 2 NEXT | GO TO R04_AX0146_NB_08_LC1 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_07 = 1 AND R04_AX0146_NB_07 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_07 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_08_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_08_LC1

The computer recorded that you were [R04_AX0146_NB_08] years old when you were first diagnosed with esophageal cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------------|
| 1 BACK | GO TO R04_AX0146_NB_08 |
| 2 NEXT | GO TO R04_AX0146_NB_09_LC1 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_08 = 1 AND R04_AX0146_NB_08 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_08 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_09_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_09_LC1

The computer recorded that you were [R04_AX0146_NB_09] years old when you were first diagnosed with gallbladder cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------------|
| 1 BACK | GO TO R04_AX0146_NB_09 |
| 2 NEXT | GO TO R04_AX0146_NB_10_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_09 = 1 AND R04_AX0146_NB_09 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_09 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_10_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_10_LC

The computer recorded that you were [R04_AX0146_NB_10] years old when you were first diagnosed with kidney cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_10 |
| 2 | NEXT | GO TO R04_AX0146_NB_11_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_10 = 1 AND R04_AX0146_NB_10 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_10 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_11_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_11_LC

The computer recorded that you were [R04_AX0146_NB_11] years old when you were first diagnosed with larynx or windpipe cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_11 |
| 2 | NEXT | GO TO R04_AX0146_NB_12_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_11 = 1 AND R04_AX0146_NB_11 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_11 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_12_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_12_LC

The computer recorded that you were [R04_AX0146_NB_12] years old when you were first diagnosed with leukemia. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_12 |
| 2 | NEXT | GO TO R04_AX0146_NB_13_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_12 = 1 AND R04_AX0146_NB_12 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_12 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_13_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_13_LC

The computer recorded that you were [R04_AX0146_NB_13] years old when you were first diagnosed with liver cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_13 |
| 2 | NEXT | GO TO R04_AX0146_NB_14_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_13 = 1 AND R04_AX0146_NB_13 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_13 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_14_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_14_LC

The computer recorded that you were [R04_AX0146_NB_14] years old when you were first diagnosed with lung cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_14 |
| 2 | NEXT | GO TO R04_AX0146_NB_15_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_14 = 1 AND R04_AX0146_NB_14 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_14 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_15_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_15_LC

The computer recorded that you were [R04_AX0146_NB_15] years old when you were first diagnosed with lymphoma or Hodgkin's disease. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_15 |
| 2 | NEXT | GO TO R04_AX0146_NB_16_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_15 = 1 AND R04_AX0146_NB_15 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_15 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_16_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_16_LC

The computer recorded that you were [R04_AX0146_NB_16] years old when you were first diagnosed with melanoma skin cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_16 |
| 2 | NEXT | GO TO R04_AX0146_NB_17_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_16 = 1 AND R04_AX0146_NB_16 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_16 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_17_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_17_LC

The computer recorded that you were [R04_AX0146_NB_17] years old when you were first diagnosed with mouth, tongue or lip cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_17 |
| 2 | NEXT | GO TO R04_AX0146_NB_18_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_17 = 1 AND R04_AX0146_NB_17 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_17 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_18_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_18_LC

The computer recorded that you were [R04_AX0146_NB_18] years old when you were first diagnosed with nervous system cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_18 |
| 2 | NEXT | GO TO R04_AX0146_NB_19_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_18 = 1 AND R04_AX0146_NB_18 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_18 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_19_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_19_LC

The computer recorded that you were [R04_AX0146_NB_19] years old when you were first diagnosed with ovarian cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_19 |
| 2 | NEXT | GO TO R04_AX0146_NB_20_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_19 = 1 AND R04_AX0146_NB_19 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_19 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_20_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_20_LC

The computer recorded that you were [R04_AX0146_NB_20] years old when you were first diagnosed with pancreatic cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_20 |
| 2 | NEXT | GO TO R04_AX0146_NB_21_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_20 = 1 AND R04_AX0146_NB_20 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_20 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_21_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_21_LC

The computer recorded that you were [R04_AX0146_NB_21] years old when you were first diagnosed with prostate cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_21 |
| 2 | NEXT | GO TO R04_AX0146_NB_22_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_21 = 1 AND R04_AX0146_NB_21 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_21 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_22_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_22_LC

The computer recorded that you were [R04_AX0146_NB_22] years old when you were first diagnosed with rectal cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_22 |
| 2 | NEXT | GO TO R04_AX0146_NB_23_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_22 = 1 AND R04_AX0146_NB_22 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_22 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_23_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_23_LC

The computer recorded that you were [R04_AX0146_NB_23] years old when you were first diagnosed with non-melanoma skin cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_23 |
| 2 | NEXT | GO TO R04_AX0146_NB_24_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_23 = 1 AND R04_AX0146_NB_23 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_23 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_24_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_24_LC

The computer recorded that you were [R04_AX0146_NB_24] years old when you were first diagnosed with skin cancer (don't know what kind). That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_24 |
| 2 | NEXT | GO TO R04_AX0146_NB_25_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_24 = 1 AND R04_AX0146_NB_24 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_24 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_25_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_25_LC

The computer recorded that you were [R04_AX0146_NB_25] years old when you were first diagnosed with soft tissue (muscle or fat) cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_25 |
| 2 | NEXT | GO TO R04_AX0146_NB_26_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_25 = 1 AND R04_AX0146_NB_25 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_25 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_26_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_26_LC

The computer recorded that you were [R04_AX0146_NB_26] years old when you were first diagnosed with stomach cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_26 |
| 2 | NEXT | GO TO R04_AX0146_NB_27_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_26 = 1 AND R04_AX0146_NB_26 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_26 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_27_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_27_LC

The computer recorded that you were [R04_AX0146_NB_27] years old when you were first diagnosed with testicular cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_27 |
| 2 | NEXT | GO TO R04_AX0146_NB_28_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_27 = 1 AND R04_AX0146_NB_27 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_27 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_28_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_28_LC

The computer recorded that you were [R04_AX0146_NB_28] years old when you were first diagnosed with throat cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_28 |
| 2 | NEXT | GO TO R04_AX0146_NB_29_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_28 = 1 AND R04_AX0146_NB_28 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_28 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_29_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_29_LC

The computer recorded that you were [R04_AX0146_NB_29] years old when you were first diagnosed with thyroid cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_29 |
| 2 | NEXT | GO TO R04_AX0146_NB_30_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_29 = 1 AND R04_AX0146_NB_29 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_29 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_30_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_30_LC

The computer recorded that you were [R04_AX0146_NB_30] years old when you were first diagnosed with uterine cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------------|
| 1 | BACK | GO TO R04_AX0146_NB_30 |
| 2 | NEXT | GO TO R04_AX0146_NB_31_LC |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_30 = 1 AND R04_AX0146_NB_30 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_30 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0146_NB_31_LC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0146_NB_31_LC

The computer recorded that you were [R04_AX0146_NB_31] years old when you were first diagnosed with cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R04_AX0146_NB_31

2 NEXT GO TO BOX R04_AXR47

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_31 = 1 AND R04_AX0146_NB_31 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0146_NB_31 > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_AXR47 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0265_NB_01 through R04_AX0265_NB_31

When you were first diagnosed with [TYPE OF CANCER/cancer], were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had cancer and reported the kind of cancer they were told they had and did not know or refused to report the age they were first told they had that type of cancer.

ASK Specification: FOR R04_AX0265_NB_01: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_01 = 1 AND R04_AX0146_NB_01 = -8, -7.

FOR R04_AX0265_NB_02: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_02 = 1 AND R04_AX0146_NB_02 = -8, -7.

FOR R04_AX0265_NB_03: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_03 = 1 AND R04_AX0146_NB_03 = -8, -7.

FOR R04_AX0265_NB_04: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_04 = 1 AND R04_AX0146_NB_04 = -8, -7.

FOR R04_AX0265_NB_05: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_05 = 1 AND R04_AX0146_NB_05 = -8, -7.

FOR R04_AX0265_NB_06: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_06 = 1 AND R04_AX0146_NB_06 = -8, -7.

FOR R04_AX0265_NB_07: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_07 = 1 AND R04_AX0146_NB_07 = -8, -7.

FOR R04_AX0265_NB_08: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_08 = 1 AND R04_AX0146_NB_08 = -8, -7.

FOR R04_AX0265_NB_09: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_09 = 1 AND R04_AX0146_NB_09 = -8, -7.

FOR R04_AX0265_NB_10: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_10 = 1 AND R04_AX0146_NB_10 = -8, -7.

FOR R04_AX0265_NB_11: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_11 = 1 AND R04_AX0146_NB_11 = -8, -7.

FOR R04_AX0265_NB_12: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_12 = 1 AND R04_AX0146_NB_12 = -8, -7.

FOR R04_AX0265_NB_13: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_13 = 1 AND R04_AX0146_NB_13 = -8, -7.

FOR R04_AX0265_NB_14: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_14 = 1 AND R04_AX0146_NB_14 = -8, -7.

FOR R04_AX0265_NB_15: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_15 = 1 AND R04_AX0146_NB_15 = -8, -7.

FOR R04_AX0265_NB_16: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_16 = 1 AND R04_AX0146_NB_16 = -8, -7.

FOR R04_AX0265_NB_17: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_17 = 1 AND R04_AX0146_NB_17 = -8, -7.

FOR R04_AX0265_NB_18: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_18 = 1 AND R04_AX0146_NB_18 = -8, -7.

FOR R04_AX0265_NB_19: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_19 = 1 AND R04_AX0146_NB_19 = -8, -7.

FOR R04_AX0265_NB_20: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_20 = 1 AND R04_AX0146_NB_20 = -8, -7.

FOR R04_AX0265_NB_21: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_21 = 1 AND R04_AX0146_NB_21 = -8, -7.

FOR R04_AX0265_NB_22: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_22 = 1 AND R04_AX0146_NB_22 = -8, -7.

FOR R04_AX0265_NB_23: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_23 = 1 AND R04_AX0146_NB_23 = -8, -7.

FOR R04_AX0265_NB_24: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_24 = 1 AND R04_AX0146_NB_24 = -8, -7.

FOR R04_AX0265_NB_25: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_25 = 1 AND R04_AX0146_NB_25 = -8, -7.

FOR R04_AX0265_NB_26: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_26 = 1 AND R04_AX0146_NB_26 = -8, -7.

FOR R04_AX0265_NB_27: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_27 = 1 AND R04_AX0146_NB_27 = -8, -7.

FOR R04_AX0265_NB_28: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_28 = 1 AND R04_AX0146_NB_28 = -8, -7.

FOR R04_AX0265_NB_29: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_29 = 1 AND R04_AX0146_NB_29 = -8, -7.

FOR R04_AX0265_NB_30: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_30 = 1 AND R04_AX0146_NB_30 = -8, -7.

FOR R04_AX0265_NB_31: IF R04_ADULTTYPE = 2, 3 AND R04_AX0144_NB = 1 AND R04_AX0145_31 = 1 AND R04_AX0146_NB_31 = -8, -7.

DISPLAY: FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R04_AX0145[_01../_31] AS FOLLOWS:

IF R04_AX0145_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cancer".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

ELSE, IF R04_AX0145[12/ 15] = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cancer".

ELSE, IF R04_AX0145[16/ 23] = 1, DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES BEFORE "skin" AND DISPLAY "cancer" (EX. "melanoma skin cancer").

ELSE, IF R04_AX0145_24 = 1, DISPLAY AS "skin cancer (don't know what kind)".

ELSE, IF R04_AX0145[06/ 08/ 19/ 20/ 22/ 27/ 30] = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cancer" (EX. "cervical cancer" INSTEAD OF "cervix (cervical) cancer").

ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cancer".

PROGRAM: IF MORE THAN ONE CANCER SELECTED, REPEAT THIS ITEM FOR EACH TYPE OF CANCER SELECTED.

BOX ID: R04_AXR47

END NEW BASELINE CANCER LOOP:

If the respondent has loops to complete for other types of cancer, return to Box R04_AXR46 and loop through the subsection for any other types of cancer the respondent has had.

Else, if the respondent has no more remaining loops to complete, go to Box R04_AXR40.

IF THERE ARE REMAINING LOOPS TO BE COMPLETED, GO BACK TO BOX R04_AXR46 AND LOOP THROUGH THE SUBSECTION FOR ANY OTHER TYPES OF CANCER THE RESPONDENT HAS HAD.

ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED, GO TO BOX R04_AXR40.

Variable(s): R04_AX0705

In the past, you told us you had cancer.

Are you in remission for cancer?

1 Yes

2 No

3 I have never had cancer

GO TO BOX R04_AXR40

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R03_CANCER = 1 AND R04_AX0144_12M != 1.

Variable(s): R04_AX0748

In the past, you told us you had cancer.

Have you had a recurrence of cancer?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months and did not report never having cancer.

ASK Specification: IF R04_ADULTTYPE = 1 AND R03_CANCER = 1 AND R04_AX0144_12M != 1 AND R04_AX0705 != 3.

BOX ID: R04_AXR40

New baseline adult respondents, go to Box R04_AXD25.

Else, continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months, go to Box R04_AXD21.

Else, go to Box R04_AXR88.

IF R04_ADULTTYPE = 2, 3, GO TO BOX R04_AXD25.

ELSE, IF R04_ADULTTYPE = 1 AND R04R_A_AGE >= 40 AND R04_AX0001 != 2, GO TO BOX R04_AXD21.

ELSE, GO TO BOX R04_AXR88.

BOX ID: R04_AXD25

Display questions R04_AX0149_NB, R04_AX0196_NB, and R04_AX0400_NB on one screen. Show the transition text and question stem from R04_AX0149_NB first, then show each item with the yes/no responses. As each item is answered, show the next one.

Variable(s): R04_AX0149_NB

Have you ever been told by a doctor, nurse or other health professional that you have...

Osteoporosis, sometimes called thin or brittle bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0196_NB

Had a bone fracture because you have fragile bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

Variable(s): R04_AX0400_NB

Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

BOX ID: R04_AXR86

New baseline adult respondents who have ever been told they had osteoporosis, go to R04_AX0150_NB.

Else, new baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, go to R04_AX0198_NB.

Else, go to Box R04_AXR88.

IF R04_ADULTTYPE = 2, 3 AND R04_AX0149_NB = 1, GO TO R04_AX0150_NB.

ELSE, IF R04_ADULTTYPE = 2, 3 AND R04_AX0196_NB = 1, GO TO R04_AX0198_NB.

ELSE, GO TO BOX R04_AXR88.

BOX ID: R04_AXD21

Display questions R04_AX0149_12M, R04_AX0196_12M, and R04_AX0400_12M on one screen.

Show the transition text and question stem from R04_AX0149_12M first, then show each item with the yes/no responses. As each item is answered, show the next one.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0149_12M**/**

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have...

Osteoporosis, sometimes called thin or brittle bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R04R_A_AGE >= 40 AND R04_AX0001 != 2.

NOTES: **SKIP ERROR: These items were skipped incorrectly by continuing adult respondents (R04_ADULTTYPE = 1) who are 40 years old or older (R04R_A_AGE >= 40) and did not know or refused to report if they had seen a medical doctor, nurse or other health professional in the past 12 months (R04_AX0001 = -8, -7). This issue was fixed in a field update on 01/31/2017.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0196_12M**/**

Had a bone fracture because you have fragile bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R04_ADULTTYPE = 1 AND R04R_A_AGE >= 40 AND R04_AX0001 != 2.

NOTES: **SKIP ERROR: These items were skipped incorrectly by continuing adult respondents (R04_ADULTTYPE = 1) who are 40 years old or older (R04R_A_AGE >= 40) and did not know or refused to report if they had seen a medical doctor, nurse or other health professional in the past 12 months (R04_AX0001 = -8, -7). This issue was fixed in a field update on 01/31/2017.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AX0400_12M**/**
Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months. ASK Specification: IF R04_ADULTTYPE = 1 AND R04R_A_AGE >= 40 AND R04_AX0001 != 2. NOTES: **SKIP ERROR: These items were skipped incorrectly by continuing adult respondents (R04_ADULTTYPE = 1) who are 40 years old or older (R04R_A_AGE >= 40) and did not know or refused to report if they had seen a medical doctor, nurse or other health professional in the past 12 months (R04_AX0001 = -8, -7). This issue was fixed in a field update on 01/31/2017. ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R04_AXR17
Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had a bone fracture because they had fragile bones in the past 12 months, go to R04_AX0701. Else, adult respondents who are 40 years old or older and have ever been told they had osteoporosis, go to R04_AX0700. Else, go to Box R04_AXR88. IF R04_ADULTTYPE = 1 AND R04R_A_AGE >= 40 AND R04_AX0001 != 2 AND R04_AX0196_12M = 1, GO TO R04_AX0701. ELSE, IF R04_ADULTTYPE = 1 AND R04R_A_AGE >= 40 AND R04_AX0001 != 2 AND R04_AX0149_12M = 1, GO TO R04_AX0700. ELSE, GO TO BOX R04_AXR88.	

Variable(s):	R04_AX0150_NB
How old were you when you were first told you had osteoporosis, sometimes called thin or brittle bones? I ___ I ___ Years old -8 DON'T KNOW GO TO R04_AX0267_NB -7 REFUSED GO TO R04_AX0267_NB ASK: New baseline adult respondents who have ever been told they had osteoporosis. ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0149_NB = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits for age.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AX0150_NB_LC1

The computer recorded that you were [R04_AX0150_NB] years old when you were first told that you had osteoporosis. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R04_AX0150_NB |
| 2 | NEXT | GO TO BOX R04_AXR87 |

ASK: IF R04_ADULTTYPE = 2, 3 AND R04_AX0149_NB = 1 AND R04_AX0150_NB > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0150_NB > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO BOX R04_AXR87 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0267_NB

When you were first told you had osteoporosis, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had osteoporosis and did not know or refused to report the age they were first told they had osteoporosis.

ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0149_NB = 1 AND R04_AX0150_NB = -8, -7.

BOX ID: R04_AXR87

New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, go to R04_AX0198_NB.

Else, go to R04_AX0700.

IF R04_AX0196_NB = 1, GO TO R04_AX0198_NB.

ELSE, GO TO R04_AX0700.

Variable(s):	R04_AX0198_NB
How old were you when you were first told you had a bone fracture because you have fragile bones?	
I ___ I ___	Years old
-8	DON'T KNOW
	GO TO R04_AX0268_NB
-7	REFUSED
	GO TO R04_AX0268_NB
ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones.	
ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0196_NB = 1.	
DISPLAY: DISPLAY "Years old" AS A TITLE.	
PROGRAM: Allow 2 digits for age.	

867

Variable(s):	R04_AX0268_NB
When you were first told you had a bone fracture because of fragile bones, were you...	
1 Less than 18 years old, 2 18 to 24 years old, 3 25 to 34 years old, 4 35 to 44 years old, 5 45 to 54 years old, or 6 55 years old or older? -8 DON'T KNOW -7 REFUSED	
ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones and did not know or refused to report the age they were first told they had a bone fracture because they had fragile bones.	
ASK Specification: IF R04_ADULTTYPE = 2, 3 AND R04_AX0196_NB = 1 AND R04_AX0198_NB = -8, -7.	

Variable(s):	R04_AX0701
In the past 12 months, have you been told by a doctor, nurse or other health professional that the healing time for a fracture was longer than expected?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had a bone fracture because they had fragile bones in the past 12 months.	
ASK Specification: IF (R04_ADULTTYPE = 2, 3 AND R04_AX0196_NB = 1) OR (R04_ADULTTYPE = 1 AND R04R_A_AGE >= 40 AND R04_AX0001 != 2 AND R04_AX0196_12M = 1).	

Variable(s): R04_AX0700

Have you ever taken any prednisone or cortisone pills nearly every day for a month or longer?
Prednisone and cortisone are types of steroids.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had osteoporosis or had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse or other health professional in the past 12 months and have been told they had osteoporosis or had a bone fracture because they had fragile bones in the past 12 months.

ASK Specification: IF (R04_ADULTTYPE = 2, 3 AND (R04_AX0149_NB = 1 OR R04_AX0196_NB = 1)) OR (R04_ADULTTYPE = 1 AND R04R_A_AGE >= 40 AND R04_AX0001 != 2 AND (R04_AX0149_12M = 1 OR R04_AX0196_12M = 1)).

BOX ID: R04_AXR88

Adult respondents who are 40 years old or older, go to R04_AX0702.
Else, go to R04_AX0756.

IF R04R_A_AGE >= 40, GO TO R04_AX0702.
ELSE, GO TO R04_AX0756.

Variable(s): R04_AX0702**

Have you ever been told by a doctor, nurse or other health professional that you have macular degeneration?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R04_AX0756 |
| -8 DON'T KNOW | GO TO R04_AX0756 |
| -7 REFUSED | GO TO R04_AX0756 |

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R04R_A_AGE >= 40.

NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents aged 40 or over (R04R_A_AGE >= 40) who have not seen a medical doctor, nurse or other health professional in the past 12 months (R04_AX0001 = 2). This issue was fixed in a field update on 03/07/2017.

Variable(s): R04_AX0703

How old were you when you were first told you had macular degeneration?

I ___ I ___ I ___ Years old

-8 DON'T KNOW

GO TO R04_AX0704

-7 REFUSED

GO TO R04_AX0704

ASK: Adult respondents who are 40 years old or older and have ever been told they had macular degeneration.

ASK Specification: IF R04R_A_AGE >= 40 AND R04_AX0702 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

CHECK ID: R04_AX0703_LC1

The computer recorded that you were [R04_AX0703] years old when you were first told that you had macular degeneration That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AX0703

2 NEXT

GO TO R04_AX0756

ASK: IF R04R_A_AGE >= 40 AND R04_AX0702 = 1 AND R04_AX0703 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0703 > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO R04_AX0756 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0704

When you were first told you had macular degeneration, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are 40 years old or older and have ever been told they had macular degeneration and did not know or refused to report the age they were first told they had macular degeneration.

ASK Specification: IF R04R_A_AGE >= 40 AND R04_AX0702 = 1 AND R04_AX0703 = -8, -7.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0756		
Has a doctor, therapist, or other mental health professional ever told you that you have schizophrenia, schizoaffective disorder or psychosis?		
1	Yes	
2	No	GO TO R04_AX0761
-8	DON'T KNOW	GO TO R04_AX0761
-7	REFUSED	GO TO R04_AX0761
ASK: All adult respondents.		

Variable(s): R04_AX0757		
How old were you when a doctor, therapist, or other mental health professional first told you that you had schizophrenia, schizoaffective disorder or psychosis?		
	I ___ I ___ I ___ I Years old	GO TO BOX R04_AXR14
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who have ever been told they had schizophrenia, schizoaffective disorder or psychosis.		
ASK Specification: IF R04_AX0756 = 1.		
DISPLAY: DISPLAY "Years old" AS A TITLE.		

Variable(s): R04_AX0758		
When you were first told you had schizophrenia, schizoaffective disorder or psychosis, were you...		
1	Less than 18 years old,	GO TO BOX R04_AXR14
2	18 to 24 years old,	GO TO BOX R04_AXR14
3	25 to 34 years old,	GO TO BOX R04_AXR14
4	35 to 44 years old,	GO TO BOX R04_AXR14
5	45 to 54 years old, or	GO TO BOX R04_AXR14
6	55 years old or older?	GO TO BOX R04_AXR14
-8	DON'T KNOW	GO TO BOX R04_AXR14
-7	REFUSED	GO TO BOX R04_AXR14
ASK: Adult respondents who have ever been told they had schizophrenia, schizoaffective disorder or psychosis and did not know or refused to report the age they were first told they had schizophrenia, schizoaffective disorder or psychosis.		
ASK Specification: IF R04_AX0756 = 1 AND R04_AX0757 = -8, -7.		

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0761**

Has a doctor, therapist, or other mental health professional ever told you that you had a psychotic illness or episode?

1 Yes

2 No

GO TO BOX R04_AXR14

-8 DON'T KNOW

GO TO BOX R04_AXR14

-7 REFUSED

GO TO BOX R04_AXR14

ASK: Adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder or psychosis.

ASK Specification: IF R04_AX0756 = 2, -8, -7.

Variable(s): **R04_AX0762**

How old were you when a doctor, therapist, or other mental health professional first told you that you had a psychotic illness or episode?

I__I__I__I Years old

GO TO BOX R04_AXR14

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder or psychosis and have ever been told they had a psychotic illness or episode.

ASK Specification: IF R04_AX0756 = 2, -8, -7 AND R04_AX0761 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

Variable(s): **R04_AX0772**

When you were first told you had a psychotic illness or episode were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder or psychosis and have ever been told they had a psychotic illness or episode and did not know or refused to report the age they were first told they had a psychotic illness or episode.

ASK Specification: IF R04_AX0756 = 2, -8, -7 AND R04_AX0761 = 1 AND R04_AX0762 = -8, -7.

BOX ID: **R04_AXR14**

Adult male respondents who are 20 years old or older, go to R04_AX0730.
Else, go to Box R04_AXD06.

IF R04R_A_SEX = 1 AND R04R_A_AGE >= 20, GO TO R04_AX0730.
ELSE, GO TO BOX R04_AXD06.

Variable(s): **R04_AX0730*****

Many men experience problems with sexual intercourse. How would you describe your ability to get and keep an erection adequate for satisfactory intercourse? Would you say that you are...

- 1 Always able or almost always able to get and keep an erection
- 2 Usually able to get and keep an erection
- 3 Sometimes able to get and keep an erection
- 4 Never able to get and keep an erection
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult male respondents who are 20 years old or older.

ASK Specification: IF R04R_A_SEX = 1 AND R04R_A_AGE >= 20.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXD06
DISPLAY INSTRUCTION: For R04_AX0158, display a 'Yes' and 'No' column with options for each response category.	

Variable(s):	SEE BELOW:
In the past 12 months, did you take any of the following medications, even once?	
R04_AX0158_01	1 Aspirin
R04_AX0158_02	2 Tylenol (acetaminophen)
R04_AX0158_03	3 Cox-2 inhibitors, for example: Celebrex
R04_AX0158_04	4 Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents.	

BOX ID:	R04_AXR43
Adult respondents who have taken aspirin in the past 12 months, go to R04_AX0156. Else, adult respondents who are not current established, current experimental, or recent former established tobacco users, go to R04_AN0330_12MH. Else, go to Box R04_AXR102.	
IF R04_AX0158_01 = 1, GO TO R04_AX0156. ELSE, IF R04_TOBACCO_USER_STATUS != 1, 2, 4, GO TO R04_AN0330_12MH. ELSE, GO TO BOX R04_AXR102.	

Variable(s):	R04_AX0156
On average, in the past 12 months, how frequently did you take <u>aspirin</u> ? Please <u>do not</u> count other pain relievers such as ibuprofen and Tylenol.	
	1 Never
	2 Less than once a month
	3 1-3 days per month
	4 Weekly
	5 Daily
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have taken aspirin in the past 12 months.	
ASK Specification: IF R04_AX0158_01 = 1.	
DISPLAY: UNDERLINE "aspirin" AND "do not".	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR44

Adult respondents who have taken aspirin in the past 12 months and have taken aspirin less than once a month, 1-3 days per month, weekly, or daily, go to R04_AX0157.

Else, adult respondents who are not current established, current experimental, or recent former established tobacco users, go to R04_AN0330_12MH.

Else, go to Box R04_AXR102.

IF R04_AX0158_01 = 1 AND R04_AX0156 > 1, GO TO R04_AX0157.

ELSE, IF R04_TOBACCO_USER_STATUS != 1, 2, 4, GO TO R04_AN0330_12M.

ELSE, GO TO BOX R04_AXR102.

Variable(s): R04_AX0157

What type of aspirin do you usually take?

- 1 Baby aspirin (162 mg or less)
- 2 Regular or extra strength aspirin
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have taken aspirin in the past 12 months and have taken aspirin less than once a month, 1-3 days per month, weekly, or daily.

ASK Specification: IF R04_AX0158_01 = 1 AND R04_AX0156 > 1.

BOX ID: R04_AXR45

Adult respondents who are not current established, current experimental, or recent former established tobacco users, go to R04_AN0330_12MH.

Else, go to Box R04_AXR102.

IF R04_TOBACCO_USER_STATUS != 1, 2, 4, GO TO R04_AN0330_12MH.

ELSE, GO TO BOX R04_AXR102.

Variable(s): R04_AN0330_12MH

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- 1 Yes
- 2 No GO TO R04_AN0331_12MH
- 8 DON'T KNOW GO TO R04_AN0331_12MH
- 7 REFUSED GO TO R04_AN0331_12MH

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users.

ASK Specification: IF R04_TOBACCO_USER_STATUS != 1, 2, 4.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0307H**

When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill?

- | | | |
|----|------------------------|-----------------------|
| 1 | In the past hour | GO TO R04_AN0309H |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R04_AN0331_12MH |
| -8 | DON'T KNOW | GO TO R04_AN0331_12MH |
| -7 | REFUSED | GO TO R04_AN0331_12MH |

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04_TOBACCO_USER_STATUS != 1, 2, 4 AND R04_AN0330_12MH = 1.

Variable(s): **R04_AN0308H**

When you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307H], was it...

- | | |
|----|-------------------------------|
| 1 | Between midnight and 6AM |
| 2 | After 6AM but before noon |
| 3 | Between noon and 6PM |
| 4 | After 6PM but before midnight |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04_TOBACCO_USER_STATUS != 1, 2, 4 AND R04_AN0330_12MH = 1 AND R04_AN0307H = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R04_AN0307H]:

IF R04_AN0307H = 2, DISPLAY "sometime today".

ELSE, IF R04_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307H = 4, DISPLAY "the day before yesterday".

Variable(s): **R04_AN0309H**

When you used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill [FILL BASED ON R04_AN0307H], how many did you use?

|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04_TOBACCO_USER_STATUS != 1, 2, 4 AND R04_AN0330_12MH = 1 AND R04_AN0307H = 1, 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R04_AN0307H]:

IF R04_AN0307H = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307H = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

CHECK ID: **R04_AN0309H_LC1**

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill [R04_AN0309H] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AN0309H

2 NEXT

GO TO R04_AN0309H_LC2

ASK: IF R04_TOBACCO_USER_STATUS != 1, 2, 4 AND R04_AN0330_12MH = 1 AND R04_AN0307H = 1, 2, 3, 4 AND R04_AN0309H > 5.

DISPLAY: IF R04_AN0307H = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307H = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AN0309H > 5.

ELSE, GO TO R04_AN0309H_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AN0309H_LC2

The computer recorded that [today/yesterday/the day before yesterday], you used the nicotine patch, gum, inhaler, nasal spray, lozenge, or pill 0 times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-----------------------|
| 1 | BACK | GO TO R04_AN0309H |
| 2 | NEXT | GO TO R04_AN0331_12MH |

ASK: IF R04_TOBACCO_USER_STATUS != 1, 2, 4 AND R04_AN0330_12MH = 1 AND R04_AN0307H = 1, 2, 3, 4 AND R04_AN0309H = 0.

DISPLAY: IF R04_AN0307H = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0307H = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0307H = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_AN0309H = 0.

ELSE, GO TO R04_AN0331_12MH AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AN0331_12MH

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------|----------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R04_AXR102 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR102 |
| -7 | REFUSED | GO TO BOX R04_AXR102 |

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users.

ASK Specification: IF R04_TOBACCO_USER_STATUS != 1, 2, 4.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AN0327H**

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------------------|----------------------|
| 1 | In the past hour | GO TO R04_AN0329H |
| 2 | Sometime today | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO BOX R04_AXR102 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR102 |
| -7 | REFUSED | GO TO BOX R04_AXR102 |

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used a prescription drug in the past 12 months.

ASK Specification: IF R04_TOBACCO_USER_STATUS != 1, 2, 4 AND R04_AN0331_12MH = 1.

Variable(s): **R04_AN0328H**

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327H], was it...

- | | |
|----|-------------------------------|
| 1 | Between midnight and 6AM |
| 2 | After 6AM but before noon |
| 3 | Between noon and 6PM |
| 4 | After 6PM but before midnight |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used a prescription drug in the past 12 months and last used sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04_TOBACCO_USER_STATUS != 1, 2, 4 AND R04_AN0331_12MH = 1 AND R04_AN0327H = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R04_AN0327H]:

IF R04_AN0327H = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R04_AN0327H, MAKING FIRST LETTER LOWERCASE.

Variable(s): **R04_AN0329H**

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_AN0327H], how many did you take?

|_|_|_|_|

-8	DON'T KNOW	GO TO BOX R04_AXR102
-7	REFUSED	GO TO BOX R04_AXR102

ASK: Adult respondents who are not current established, current experimental, or recent former established tobacco users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R04_TOBACCO_USER_STATUS != 1, 2, 4 AND R04_AN0331_12MH = 1 AND R04_AN0327H = 1, 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R04_AN0327H]:

IF R04_AN0327H = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0327H = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0327H = 4, DISPLAY "the day before yesterday".

CHECK ID: R04_AN0329H_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R04_AN0329H] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1	BACK	GO TO R04_AN0329H
2	NEXT	GO TO BOX R04_AXR102

ASK: IF R04_TOBACCO_USER_STATUS != 1, 2, 4 AND R04_AN0331_12MH = 1 AND R04_AN0327H = 1, 2, 3, 4 AND (R04_AN0329H = 0 OR R04_AN0329H > 5).

DISPLAY: IF R04_AN0327H = 1, 2, DISPLAY "today".

ELSE, IF R04_AN0327H = 3, DISPLAY "yesterday".

ELSE, IF R04_AN0327H = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R04_WN0329H = 0 OR R04_WN0329H > 5.

ELSE, GO TO BOX R04_AXR102 AND DO NOT DISPLAY THIS SCREEN.

PATH – Wave 4 Adult
Public Use File Annotated Instrument

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0134_RS*****

The next questions are about your pregnancy history.

Have you ever been pregnant? Please include current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies and stillbirths.

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R04_AX0488 |
| -8 | DON'T KNOW | GO TO R04_AX0488 |
| -7 | REFUSED | GO TO R04_AX0488 |

ASK: New cohort adult female respondents.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04R_A_SEX = 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **SEE BELOW:**

Have any of your pregnancies ended in the following? Choose all that apply.

- | | | |
|-------------------------|----|----------------------------|
| R04_AX0135_RS_01 | 1 | Miscarriage |
| R04_AX0135_RS_02 | 2 | Abortion |
| R04_AX0135_RS_03 | 3 | Ectopic or tubal pregnancy |
| R04_AX0135_RS_04 | 4 | Stillbirth |
| R04_AX0135_RS_05 | 5 | None of the above |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New cohort adult female respondents who have ever been pregnant.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND R04_AX0134_RS = 1.

PROGRAM: Allow respondent to choose all that apply; If Option 5 is selected, options 1-4 may not be selected.

Variable(s): **R04_AX0308_RS**

How many of your pregnancies have resulted in a live birth?

- | | | | |
|----|----------------------|----------------------|----------------------|
| | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| -8 | DON'T KNOW | | |
| -7 | REFUSED | | |

ASK: New cohort adult female respondents who have ever been pregnant.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND R04_AX0134_RS = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR121
New cohort adult female respondents who have ever been pregnant and have had at least one pregnancy result in a live birth, go to R04_AX0300_RS. Else, go to Box R04_AXR52.	
IF R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND R04_AX0134_RS = 1 AND R04_AX0308_RS > 0, GO TO R04_AX0300_RS. ELSE, GO TO BOX R04_AXR52.	

Variable(s):	SEE BELOW:
For [that birth \ those #R04_AX0308_RS births], did any of the following occur? Choose all that apply.	
R04_AX0300_RS_01	1 Preterm birth (birth of baby less than 37 weeks gestational age)
R04_AX0300_RS_02	2 Baby with low birth weight (less than 5 pounds 8 ounces)
R04_AX0300_RS_03	3 Baby with birth defects
R04_AX0300_RS_04	4 Placenta previa
R04_AX0300_RS_05	5 Placenta abruption
R04_AX0300_RS_06	6 Pre-eclampsia
R04_AX0300_RS_07	7 None of the above
	-8 DON'T KNOW
	-7 REFUSED
ASK: New cohort adult female respondents who have ever been pregnant and have had at least one pregnancy result in a live birth.	
ASK Specification: IF R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND R04_AX0134_RS = 1 AND R04_AX0308_RS > 0.	
DISPLAY: IF R04_AX0308_RS = 1, DISPLAY "that birth".	
ELSE, IF R04_AX0308_RS > 1, DISPLAY "those #R04_AX0308_RS births".	
PROGRAM: Allow respondent to choose all that apply. If option 7 is selected, options 1-6 may not be selected.	

BOX ID:	R04_AXR52
New cohort adult female respondents who are less than 50 years old and have ever been pregnant, go to R04_AX0136. Else, go to R04_AX0488.	
IF R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1, GO TO R04_AX0136. ELSE, GO TO R04_AX0488.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0134_12M**

The next questions are about your pregnancy history.

In the past 12 months, have you been pregnant? Please include a current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies and stillbirths.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing and aged-up adult female respondents who are less than 50 years old.

ASK Specification: IF R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50.

BOX ID: **R04_AXR53**

Continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months, go to R04_AX0136.

Else, continuing and aged-up adult female respondents who are less than 50 years old and have not been pregnant in the past 12 months and were pregnant as of their last completed interview, go to R04_AX0135_12M.

Else, go to R04_AX0488.

IF R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_12M = 1, GO TO R04_AX0136.

ELSE, IF R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_12M = 2 AND R03_PREGNANT = 1, GO TO R04_AX0135_12M.

ELSE, GO TO R04_AX0488.

Variable(s): **R04_AX0136**

Are you pregnant now?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_12M = 1).

BOX ID:	R04_AXR54
New cohort adult female respondents who are less than 50 years old and have ever been pregnant and are now pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant, go to R04_AX0137. Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant, go to Box R04_AXR118. Else, continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant, go to R04_AX0135_12M. Else, go to R04_AX0488.	
IF ((R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND R04R_A_AGE < 50 AND R04_AX0134_12M = 1)) AND R04_AX0136 = 1, GO TO R04_AX0137. ELSE, IF R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1, GO TO BOX R04_AXR118. ELSE, IF R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_12M = 1 AND R04_AX0136 = 2, GO TO R04_AX0135_12M. ELSE, GO TO R04_AX0488.	

Variable(s):	R04_AX0137_UN; R04_AX0137_UN
How many months or weeks pregnant are you? Please enter the number of months or weeks.	
1	__ __ Months
2	__ __ Weeks
-8	DON'T KNOW GO TO BOX R04_AXR118
-7	REFUSED GO TO BOX R04_AXR118
ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and are now pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant.	
ASK Specification: IF ((R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_12M = 1)) AND R04_AX0136 = 1.	
PROGRAM: Display as Quantity/Units.	
NOTES: The value "1" refers R04_AX0137_UN = Months; the value "2" refers to R04_AX0137_UN = Weeks.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID: R04_AX0137_LC1

The computer recorded that you have been pregnant for [R04_AX0137] [months/weeks]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AX0137

2 NEXT

GO TO BOX R04_AXR118

ASK: IF (((R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_12M = 1)) AND R04_AX0136 = 1) AND ((R04_AX0137_NN > 10 AND R04_AX0137_UN = 1) OR (R04_AX0137_NN > 42 AND R04_AX0137_UN = 2)).

DISPLAY: IF R04_AX0137_UN = 1, DISPLAY "months".

ELSE, IF R04_AX0137_UN = 2, DISPLAY "weeks".

PROGRAM: TRIGGER CHECK IF (R04_AX0137_NN > 10 AND R04_AX0137_UN = 1) OR (R04_AX0137_NN > 42 AND R04_AX0137_UN = 2).

ELSE, GO TO BOX R04_AXR118 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R04_AXR118

New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have had at least one pregnancy result in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects, go to R04_AX0299.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant, go to R04_AX0340.

Else, go to R04_AX0488.

IF R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_AX0308_RS > 0 AND R04_AX0300_RS[01/02/03] = 1, GO TO R04_AX0299.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_12M = 1 AND R04_AX0136 = 1), GO TO R04_AX0340.

ELSE, GO TO R04_AX0488.

Variable(s):	R04_AX0135_12M
What was the outcome of your last pregnancy? 1 Live birth 2 Miscarriage 3 Abortion 4 Ectopic or tubal pregnancy 5 Stillbirth 6 None of the above -8 DON'T KNOW -7 REFUSED ASK: Continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview. ASK Specification: IF R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)).	

BOX ID:	R04_AXR55
Continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose pregnancy resulted in live birth, go to R04_AX0300_12M. Else, go to R04_AX0340. IF R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_AX0135_12M = 1, GO TO R04_AX0300_12M. ELSE, GO TO R04_AX0340.	

Variable(s): **SEE BELOW:**

For your last pregnancy, did any of the following occur? Choose all that apply.

- | | | |
|--------------------------|----|--|
| R04_AX0300_12M_01 | 1 | Preterm birth (birth of baby less than 37 weeks gestational age) |
| R04_AX0300_12M_02 | 2 | Baby with low birth weight (less than 5 pounds 8 ounces) |
| R04_AX0300_12M_03 | 3 | Baby with birth defects |
| R04_AX0300_12M_04 | 4 | Placenta previa |
| R04_AX0300_12M_05 | 5 | Placenta abruption |
| R04_AX0300_12M_06 | 6 | Pre-eclampsia |
| R04_AX0300_12M_07 | 7 | None of the above |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth.

ASK Specification: IF R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_AX0135_12M = 1.

PROGRAM: If Option 7 is selected, options 1-6 may not be selected.

BOX ID: **R04_AXR56**

Continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects, go to R04_AX0299.

Else, go to R04_AX0340.

IF R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_AX0135_12M = 1 AND R04_AX0300_12M[_01/_02/_03] = 1, GO TO R04_AX0299.
ELSE, GO TO R04_AX0340.

Variable(s): R04_AX0299**

Does your child have any developmental delays?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have had at least one pregnancy result in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects, or

Continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_AX0308_RS > 0 AND R04_AX0300_RS[_01/_02/_03] = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_AX0135_12M = 1 AND R04_AX0300_12M[_01/_02/_03] = 1).

NOTES: **SKIP ERROR: This item was skipped incorrectly by new cohort adult female respondents (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2) who are less than 50 years old (18 <= R04R_A_AGE < 50) and have ever been pregnant and have had at least one pregnancy result in a live birth (R04_AX0134_RS = 1 AND R04_AX0308_RS > 0) and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects (R04_AX0300_RS[_01/_02/_03] = 1). This issue was fixed in a field update on 01/31/2017.

BOX ID: R04_AXR57

New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have had at least one pregnancy result in a live birth and reported having a baby with birth defects, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a baby with birth defects, go to R04_AX0706.

Else, go to R04_AX0340.

IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_AX0308_RS > 0 AND R04_AX0300_RS[_03] = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_AX0135_12M = 1 AND R04_AX0300_12M[_03] = 1), GO TO R04_AX0706.
ELSE, GO TO R04_AX0340.

Variable(s): R04_AX0706

Was your child born with a cleft lip or a cleft palate?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have had at least one pregnancy result in a live birth and reported having a baby with birth defects, or

Continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a baby with birth defects.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_AX0308_RS > 0 AND R04_AX0300_RS_03 = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_AX0135_12M = 1 AND R04_AX0300_12M_03 = 1).

BOX ID: R04_AXR119

New cohort adult female respondents who are less than 50 years old and have ever been pregnant or are now pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, go to R04_AX0340.

Else, go to R04_AX0488.

IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND (R04_AX0134_RS = 1 OR R04_AX0136 = 1)) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND (R04_AX0136 = 1 OR R04_AX0134_12M = 1 OR R03_PREGNANT = 1)), GO TO R04_AX0340.
ELSE, GO TO R04_AX0488.

Variable(s): R04_AX0340

During the 3 months before your [most recent / current] pregnancy, how many alcoholic drinks did you have in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 14 drinks or more a week
- 2 7 to 13 drinks a week
- 3 4 to 6 drinks a week
- 4 1 to 3 drinks a week
- 5 Less than 1 drink a week
- 6 I didn't drink then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1))).

DISPLAY: UNDERLINE "before".

IF R04_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

Variable(s): R04_AX0341

During the last 3 months of your [most recent / current] pregnancy, how many alcoholic drinks [did you have/have you had] in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 1 14 drinks or more a week
- 2 7 to 13 drinks a week
- 3 4 to 6 drinks a week
- 4 1 to 3 drinks a week
- 5 Less than 1 drink a week
- 6 I didn't drink then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1))).

DISPLAY: UNDERLINE "last".

IF R04_AX0136 = 1, DISPLAY "current" AND "did you have".

ELSE, DISPLAY "most recent" AND "have you had".

PROGRAM: Suppress option 7 if R04_AX0136 != 1.

BOX ID: R04_AXV05

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R04_PASTUSE_CIGS - Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current established, current experimental, former experimental, or new former established cigarette smokers in Wave 3, or new baseline adult respondents who have ever smoked cigarettes.

R04_PASTUSE_EPRODS - Continuing adult respondents who used electronic nicotine products in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established electronic nicotine product users in Wave 3, or new baseline adult respondents who have ever used electronic nicotine products.

R04_PASTUSE_GTRAD - Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established traditional cigar smokers in Wave 3, or new baseline adult respondents who have ever smoked traditional cigars.

R04_PASTUSE_GRILLO - Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established cigarillo smokers in Wave 3, or new baseline adult respondents who have ever smoked cigarillos.

R04_PASTUSE_GFILTR - Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established filtered cigar smokers in Wave 3, or new baseline adult respondents who have ever smoked filtered cigars.

R04_PASTUSE_PIPE - Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established pipe smokers in Wave 3, or new baseline adult respondents who have ever smoked pipe tobacco.

R04_PASTUSE_HOOK - Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established hookah smokers in Wave 3, or new baseline adult respondents who have ever smoked hookah.

R04_PASTUSE_SNUS - Continuing adult respondents who used snus in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established snus users in Wave 3, or new baseline adult respondents who have ever used snus.

R04_PASTUSE_SMKLS - Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established smokeless tobacco users in Wave 3, or new baseline adult respondents who have ever used smokeless tobacco.

R04_PASTUSE_CIGS:

IF (R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R04_AC1002_RS = 1 OR R03_CIG_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_CIGS = 1)) AND R04_AC1010 != 3, THEN R04_PASTUSE_CIGS = 1.

ELSE, R04_PASTUSE_CIGS = 2.

R04_PASTUSE_EPRODS:

IF ((R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR R04_AV1002_RS = 1 OR R03_EPROD_USER_STATUS = 1, 2, 3, 4) OR (R04_EVER_NEVER_EPRODS = 1 AND R04_ADULTTYPE = 2, 3)) AND R04_AV1010 != 3, THEN R04_PASTUSE_EPRODS = 1.

ELSE, R04_PASTUSE_EPRODS = 2.

R04_PASTUSE_GTRAD:

IF (R04_AG9030 = 1 OR R04_AG9003_12M = 1 OR R04_AG9003_RS = 1 OR
R03_GTRAD_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND
R04_EVER_NEVER_GTRAD = 1)) AND R04_AG1010TC != 3, THEN R04_PASTUSE_GTRAD = 1.
ELSE, R04_PASTUSE_GTRAD = 2.

R04_PASTUSE_GRILLO:

IF (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR
R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR R04_AG9009_RS_01 = 1 OR
R04_AG9009_RS_03 = 1 OR R03_GRILLO_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3
AND R04_EVER_NEVER_GRILLO = 1)) AND R04_AG1010CG != 3, THEN R04_PASTUSE_GRILLO
= 1.

ELSE, R04_PASTUSE_GRILLO = 2.

R04_PASTUSE_GFILTR:

IF (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR
R04_AG9009_RS_02 = 1 OR R03_GFILTR_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3
AND R04_EVER_NEVER_GFILTR = 1)) AND R04_AG1010FC != 3, THEN R04_PASTUSE_GFILTR =
1.

ELSE, R04_PASTUSE_GFILTR = 2.

R04_PASTUSE_PIPE:

IF (R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR R04_AP1002_RS = 1 OR
R03_PIPE_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_PIPE
= 1)) AND R04_AP1010 != 3, THEN R04_PASTUSE_PIPE = 1.

ELSE, R04_PASTUSE_PIPE = 2.

R04_PASTUSE_HOOK:

IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR R04_AH1002_RS = 1 OR
R03_HOOK_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND
R04_EVER_NEVER_HOOK = 1)) AND R04_AH1010 != 3, THEN R04_PASTUSE_HOOK = 1.

ELSE, R04_PASTUSE_HOOK = 2.

R04_PASTUSE_SNUS:

IF (R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR R04_AU1002_RS = 1 OR
R03_SNUS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND
R04_EVER_NEVER_SNUS = 1)) AND R04_AU1010 != 3, THEN R04_PASTUSE_SNUS = 1.

ELSE, R04_PASTUSE_SNUS = 2.

R04_PASTUSE_SMKLS:

IF (R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR R04_AS1002_RS = 1 OR
R03_SMKLS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND
R04_EVER_NEVER_SMKLS = 1)) AND R04_AS1010 != 3, THEN R04_PASTUSE_SMKLS = 1.

ELSE, R04_PASTUSE_SMKLS = 2.

BOX ID: R04_AXR60

New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarettes, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarettes, go to R04_AX0342.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used electronic nicotine products, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used electronic nicotine products, go to R04_AX0344.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked traditional cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked traditional cigars, go to R04_AX0346.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarillos, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarillos, go to R04_AX0348.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked filtered cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked filtered cigars, go to R04_AX0350.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked a pipe, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked a pipe, go to R04_AX0352.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked hookah, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked hookah, go to R04_AX0354.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus, go to R04_AX0356.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco, go to R04_AX0358.

Else, go to R04_AX0488.

IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_CIGS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 =

1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_CIGS = 1), GO TO R04_AX0342.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_EPRODS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_EPRODS = 1), GO TO R04_AX0344.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GTRAD = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GTRAD = 1), GO TO R04_AX0346.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GRILLO = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GRILLO = 1), GO TO R04_AX0348.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GFILTR = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GFILTR = 1), GO TO R04_AX0350.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_PIPE = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_PIPE = 1), GO TO R04_AX0352.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_HOOK = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_HOOK = 1), GO TO R04_AX0354.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SNUS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SNUS = 1), GO TO R04_AX0356.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SMKLS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SMKLS = 1), GO TO R04_AX0358.

ELSE, GO TO R04_AX0488.

Variable(s): **R04_AX0342**

During the 3 months before your [most recent /current] pregnancy, how many cigarettes did you smoke on an average day? A pack usually has 20 cigarettes in it.

- 1 Less than 1 cigarette
- 2 1 to 5 cigarettes
- 3 6 to 10 cigarettes
- 4 11 to 20 cigarettes
- 5 21 to 40 cigarettes
- 6 41 cigarettes or more
- 7 None (0 cigarettes)
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarettes, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarettes.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_CIGS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_CIGS = 1).

DISPLAY: UNDERLINE "before".

IF R04_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

Variable(s): R04_AX0343

During the last 3 months of your [most recent / current] pregnancy, how many cigarettes [did you smoke/have you smoked] on an average day?

- 1 Less than 1 cigarette
- 2 1 to 5 cigarettes
- 3 6 to 10 cigarettes
- 4 11 to 20 cigarettes
- 5 21 to 40 cigarettes
- 6 41 cigarettes or more
- 7 None (0 cigarettes)
- 8 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarettes, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarettes.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_CIGS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_CIGS = 1).

DISPLAY: UNDERLINE "last".

IF R04_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 8 if R04_AX0136 != 1.

BOX ID: R04_AXR89

New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used electronic nicotine products, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used electronic nicotine products, go to R04_AX0344.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked traditional cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked traditional cigars, go to R04_AX0346.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarillos, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarillos, go to R04_AX0348.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked filtered cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked filtered cigars, go to R04_AX0350.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked a pipe, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked a pipe, go to R04_AX0352.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked hookah, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked hookah, go to R04_AX0354.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus, go to R04_AX0356.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco, go to R04_AX0358.

Else, go to R04_AX0488.

IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_EPRODS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_EPRODS = 1), GO TO R04_AX0344.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GTRAD = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GTRAD = 1), GO TO R04_AX0346.

```

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND
R04_AX0134_RS = 1 AND R04_PASTUSE_GRILLO = 1) OR (R04_ADULTTYPE = 1, 2 AND
R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 =
1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GRILLO = 1), GO
TO R04_AX0348.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND
R04_AX0134_RS = 1 AND R04_PASTUSE_GFILTR = 1) OR (R04_ADULTTYPE = 1, 2 AND
R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 =
1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GFILTR = 1), GO
TO R04_AX0350.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND
R04_AX0134_RS = 1 AND R04_PASTUSE_PIPE = 1) OR (R04_ADULTTYPE = 1, 2 AND
R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 =
1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_PIPE = 1), GO
TO R04_AX0352.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND
R04_AX0134_RS = 1 AND R04_PASTUSE_HOOK = 1) OR (R04_ADULTTYPE = 1, 2 AND
R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 =
1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_HOOK = 1), GO
TO R04_AX0354.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND
R04_AX0134_RS = 1 AND R04_PASTUSE_SNUS = 1) OR (R04_ADULTTYPE = 1, 2 AND
R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 =
1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SNUS = 1), GO
TO R04_AX0356.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND
R04_AX0134_RS = 1 AND R04_PASTUSE_SMKLS = 1) OR (R04_ADULTTYPE = 1, 2 AND
R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 =
1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SMKLS = 1), GO
TO R04_AX0358.

ELSE, GO TO R04_AX0488.

```

Variable(s): **R04_AX0344**

During the 3 months before your [most recent / current] pregnancy, how often did you use e-cigarettes or other electronic nicotine products?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use electronic nicotine products then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used electronic nicotine products, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used electronic nicotine products.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_EPRODS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_EPRODS = 1).

DISPLAY: UNDERLINE "before".

IF R04_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

Variable(s): **R04_AX0345**

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] e-cigarettes or other electronic nicotine products?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use electronic nicotine products then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used electronic nicotine products, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used electronic nicotine products.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_EPRODS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_EPRODS = 1).

DISPLAY: UNDERLINE "last".

IF R04_AX0136 = 1, DISPLAY "current" AND "have you used".

ELSE, DISPLAY "most recent" AND "did you use".

PROGRAM: Suppress option 7 if R04_AX0136 != 1.

BOX ID: R04_AXR90

New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked traditional cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked traditional cigars, go to R04_AX0346.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarillos, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarillos, go to R04_AX0348.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked filtered cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked filtered cigars, go to R04_AX0350.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked a pipe, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked a pipe, go to R04_AX0352.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked hookah, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked hookah, go to R04_AX0354.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus, go to R04_AX0356.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco, go to R04_AX0358.

Else, go to R04_AX0488.

IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GTRAD = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GTRAD = 1), GO TO R04_AX0346.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GRILLO = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GRILLO = 1), GO TO R04_AX0348.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GFILTR = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GFILTR = 1), GO TO R04_AX0350.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_PIPE = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_PIPE = 1), GO TO R04_AX0352.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_HOOK = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_HOOK = 1), GO TO R04_AX0354.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SNUS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SNUS = 1), GO TO R04_AX0356.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SMKLS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SMKLS = 1), GO TO R04_AX0358.

ELSE, GO TO BOX R04_AX0488.

Variable(s): R04_AX0346

During the 3 months before your [most recent / current] pregnancy, how often did you smoke traditional cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke traditional cigars then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked traditional cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked traditional cigars.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GTRAD = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GTRAD = 1).

DISPLAY: UNDERLINE "before".

IF R04_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

Variable(s): R04_AX0347

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] traditional cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke traditional cigars then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked traditional cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked traditional cigars.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GTRAD = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GTRAD = 1).

DISPLAY: UNDERLINE "last".

IF R04_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 7 if R04_AX0136 != 1.

BOX ID: R04_AXR91

New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarillos, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarillos, go to R04_AX0348.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked filtered cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked filtered cigars, go to R04_AX0350.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked a pipe, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked a pipe, go to R04_AX0352.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked hookah, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not

currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked hookah, go to R04_AX0354.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus, go to R04_AX0356.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco, go to R04_AX0358.

Else, go to R04_AX0488.

IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GRILLO = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GRILLO = 1), GO TO R04_AX0348.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GFILTR = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GFILTR = 1), GO TO R04_AX0350.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_PIPE = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_PIPE = 1), GO TO R04_AX0352.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_HOOK = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_HOOK = 1), GO TO R04_AX0354.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SNUS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SNUS = 1), GO TO R04_AX0356.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SMKLS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SMKLS = 1), GO TO R04_AX0358.

ELSE, GO TO R04_AX0488.

Variable(s): **R04_AX0348**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke cigarillos?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke cigarillos then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarillos, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarillos.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GRILLO = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GRILLO = 1).

DISPLAY: UNDERLINE "before".

IF R04_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

Variable(s): R04_AX0349

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] cigarillos?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke cigarillos then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked cigarillos, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked cigarillos.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GRILLO = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GRILLO = 1).

DISPLAY: UNDERLINE "last".

IF R04_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 7 if R04_AX0136 != 1.

BOX ID: R04_AXR92

New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked filtered cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked filtered cigars, go to R04_AX0350.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked a pipe, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked a pipe, go to R04_AX0352.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked hookah, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked hookah, go to R04_AX0354.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus, go to R04_AX0356.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco, go to R04_AX0358.

Else, go to R04_AX0488.

IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GFILTR = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GFILTR = 1), GO TO R04_AX0350.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_PIPE = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_PIPE = 1), GO TO R04_AX0352.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_HOOK = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_HOOK = 1), GO TO R04_AX0354.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SNUS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SNUS = 1), GO TO R04_AX0356.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SMKLS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SMKLS = 1), GO TO R04_AX0358.

ELSE, GO TO R04_AX0488.

Variable(s): **R04_AX0350**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke filtered cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke filtered cigars then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked filtered cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked filtered cigars.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GFILTR = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GFILTR = 1).

DISPLAY: UNDERLINE "before".

IF R04_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

Variable(s): **R04_AX0351**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] filtered cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke filtered cigars then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked filtered cigars, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked filtered cigars.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_GFILTR = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_GFILTR = 1).

DISPLAY: UNDERLINE "last".

IF R04_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 7 if R04_AX0136 != 1.

BOX ID:	R04_AXR93
New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked a pipe, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked a pipe, go to R04_AX0352. Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked hookah, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked hookah, go to R04_AX0354. Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus, go to R04_AX0356. Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco, go to R04_AX0358. Else, go to R04_AX0488.	
IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_PIPE = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_PIPE = 1), GO TO R04_AX0352. ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_HOOK = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_HOOK = 1), GO TO R04_AX0354. ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SNUS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SNUS = 1), GO TO R04_AX0356. ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SMKLS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SMKLS = 1), GO TO R04_AX0358. ELSE, GO TO R04_AX0488.	

Variable(s): **R04_AX0352**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke a pipe filled with tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke a pipe then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked a pipe, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked a pipe.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_PIPE = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_PIPE = 1).

DISPLAY: UNDERLINE "before".

IF R04_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

Variable(s): R04_AX0353

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] a pipe filled with tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke a pipe then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked a pipe, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked a pipe.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_PIPE = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_PIPE = 1).

DISPLAY: UNDERLINE "last".

IF R04_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 7 if R04_AX0136 != 1.

BOX ID: R04_AXR94

New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked hookah, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked hookah, go to R04_AX0354.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus, go to R04_AX0356.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco, go to R04_AX0358.

Else, go to R04_AX0488.

IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_HOOK = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_HOOK = 1), GO TO R04_AX0354.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SNUS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SNUS = 1), GO TO R04_AX0356.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SMKLS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SMKLS = 1), GO TO R04_AX0358.

ELSE, GO TO R04_AX0488.

Variable(s): **R04_AX0354**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke hookah?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke hookah then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked hookah, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked hookah.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_HOOK = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_HOOK = 1).

DISPLAY: UNDERLINE "before".

IF R04_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

Variable(s): R04_AX0355

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] hookah?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke hookah then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever smoked hookah, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever smoked hookah.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_HOOK = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_HOOK = 1).

DISPLAY: UNDERLINE "last".

IF R04_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 7 if R04_AX0136 != 1.

BOX ID: R04_AXR95

New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus, go to R04_AX0356.

Else, new cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco, go to R04_AX0358.

Else, go to R04_AX0488.

IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SNUS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SNUS = 1), GO TO R04_AX0356.

ELSE, IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SMKLS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SMKLS = 1), GO TO R04_AX0358.

ELSE, GO TO R04_AX0488.

Variable(s): **R04_AX0356**

During the 3 months before your [most recent / current] pregnancy, how often did you use snus?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use snus then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SNUS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SNUS = 1).

DISPLAY: UNDERLINE "before".

IF R04_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0357**

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] snus?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use snus then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used snus, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used snus.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SNUS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SNUS = 1).

DISPLAY: UNDERLINE "last".

IF R04_AX0136 = 1, DISPLAY "current" AND "have you used".

ELSE, DISPLAY "most recent" AND "did you use".

PROGRAM: Suppress option 7 if R04_AX0136 != 1.

BOX ID: **R04_AXR96**

New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco, go to R04_AX0358.

Else, go to R04_AX0488.

IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SMKLS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SMKLS = 1), GO TO R04_AX0358.

ELSE, GO TO R04_AX0488.

Variable(s): R04_AX0358

During the 3 months before your [most recent / current] pregnancy, how often did you use [other types of]smokeless tobacco (such as dip, spit, or chew)?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use smokeless tobacco then
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco.

ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SMKLS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SMKLS = 1).

DISPLAY: UNDERLINE "before".

IF R04_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

IF R04_PASTUSE_SNUS = 1, DISPLAY "other types of ".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AX0359
During the <u>last</u> 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] smokeless tobacco? 1 Every day 2 A few days a week 3 Once a week 4 Two or three days a month 5 Once a month or less 6 I did not use smokeless tobacco then 7 I have not yet reached the last 3 months of my pregnancy -8 DON'T KNOW -7 REFUSED ASK: New cohort adult female respondents who are less than 50 years old and have ever been pregnant and have ever used smokeless tobacco, or continuing and aged-up adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are now pregnant or not currently pregnant or have not been pregnant in the past 12 months and were pregnant as of their last completed interview and have ever used smokeless tobacco. ASK Specification: IF (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND R04_AX0134_RS = 1 AND R04_PASTUSE_SMKLS = 1) OR (R04_ADULTTYPE = 1, 2 AND R04R_A_SEX = 2 AND 18 <= R04R_A_AGE < 50 AND ((R04_AX0134_12M = 1 AND R04_AX0136 = 1, 2) OR (R04_AX0134_12M = 2 AND R03_PREGNANT = 1)) AND R04_PASTUSE_SMKLS = 1). DISPLAY: UNDERLINE "last". IF R04_AX0136 = 1, DISPLAY "current" AND "have you used". ELSE, DISPLAY "most recent" AND "did you use". PROGRAM: Suppress option 7 if R04_AX0136 != 1.	

PATH ID:	R04_AX0488
The next questions are about common psychological, behavioral, and personal problems. These problems are considered <u>significant</u> when you have them for two or more weeks, when they keep coming back, when they keep you from meeting your responsibilities, or when they make you feel like you can't go on. After each of the following questions, please tell us the last time, if ever, you had the problem, by answering whether it was in the past month, 2-12 months ago, over a year ago, or never. 1 NEXT ASK: All adult respondents. DISPLAY: UNDERLINE "significant". PROGRAM: Respondent should hit NEXT to continue. There is no actual question on this screen.	

BOX ID:	R04_AXD91
Display questions R04_AX0161 through R04_AX0164 using the expanded WVB stem-leaf screen. The introduction text from R04_AX0161 is the stem. As each question is answered, show the next one.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0161***

When was the last time that you had significant problems with...

feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant problems".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0162***

sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0163***

feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0164***

becoming very distressed and upset when something reminded you of the past?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_AXD92

Display questions R04_AX0165 through R04_AX0251 using the expanded WVB stem-leaf screen. The introduction text from R04_AX0165 is the stem. As each question is answered, show the next one.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0165***

When was the last time that you did any of the following things two or more times...

lied or conned to get things you wanted or to avoid having to do something?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "two or more times".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0166***

had a hard time paying attention at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0167***

had a hard time listening to instructions at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0168***

were a bully or threatened other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0169***

started physical fights with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0250***

felt restless or the need to run around or climb on things?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0251***
gave answers before the other person finished asking the question? 1 Past month 2 2 to 12 months ago 3 Over a year ago 4 Never -8 DON'T KNOW -7 REFUSED ASK: All adult respondents. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_AXR103
New cohort adult respondents, go to R04_AX0084_RS. Else, go to R04_AX0084_12M.
IF R04_ADULTTYPE = 3, GO TO R04_AX0084_RS. ELSE, GO TO R04_AX0084_12M.

Variable(s): R04_AX0084_RS
The next questions ask about your use of alcohol and other drugs. Remember all the information you give to the PATH Study will be kept private. Have you ever used alcohol <u>at all</u>, including sips of someone's drink or your own drink? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED GO TO BOX R04_AXR120 GO TO BOX R04_AXR120 GO TO BOX R04_AXR120 ASK: New cohort adult respondents. ASK Specification: IF R04_ADULTTYPE = 3. DISPLAY: UNDERLINE "at all".

Variable(s):	R04_AX0086_RS	
About how old were you when you first drank alcohol <u>at all</u> , counting small tastes or sips?		
	_ _ Years old	
-8	DON'T KNOW	GO TO R04_AX0087_RS
-7	REFUSED	GO TO R04_AX0087_RS
ASK: New cohort adult respondents who have ever used alcohol.		
ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1.		
DISPLAY: UNDERLINE "at all".		
DISPLAY "Years old" AS A TITLE.		

928

Variable(s): **R04_AX0087_RS**

When you first drank alcohol at all, counting small tastes or sips, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever used alcohol and did not know or refused to report the age they first drank alcohol.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1 AND R04_AX0086_RS = -8, -7.

DISPLAY: UNDERLINE "at all".

Variable(s): **R04_AX0074_RS**

About how old were you when you had your first alcoholic drink, other than small tastes or sips?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

- 2 I have never had an alcoholic drink other than small tastes or sips

I ___ I ___ Years old

- 8 DON'T KNOW

GO TO R04_AX0270_RS

- 7 REFUSED

GO TO R04_AX0270_RS

ASK: New cohort adult respondents who have ever used alcohol.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1.

DISPLAY: UNDERLINE "first alcoholic drink".

DISPLAY "Years old" AS A TITLE.

CHECK ID: R04_AX0074_RS_LC1

The computer recorded that you first started drinking alcohol at age [R04_AX0074_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|-------------------------|
| 1 | BACK | GO TO R04_AX0074_RS |
| 2 | NEXT | GO TO R04_AX0074_RS_LC2 |

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1 AND R04_AX0074_RS = 0.

PROGRAM: TRIGGER CHECK IF R04_AX0074_RS = 0.

ELSE, GO TO R04_AX0074_RS_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0074_RS_LC2

The computer recorded that you were [R04_AX0074_RS] years old when you first drank alcohol. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------|
| 1 | BACK | GO TO R04_AX0074_RS |
| 2 | NEXT | GO TO R04_AX0084_12M |

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1 AND R04_AX0074_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0074_RS > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO R04_AX0084_12M AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AX0270_RS
When you had your <u>first alcoholic drink</u> , were you...	
1	Less than 18 years old,
2	18 to 24 years old,
3	25 to 34 years old,
4	35 to 44 years old,
5	45 to 54 years old, or
6	55 years old or older?
-8	DON'T KNOW
-7	REFUSED
ASK: New cohort adult respondents who have ever used alcohol and did not know or refused to report the age they first had an alcoholic drink.	
ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1 AND R04_AX0074_RS = -8, -7.	
DISPLAY: UNDERLINE "first alcoholic drink".	

Variable(s):	R04_AX0084_12M
[The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.]	
In the past 12 months, have you used any alcohol, including small tastes or sips?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
	GO TO BOX R04_AXR120
	GO TO BOX R04_AXR120
	GO TO BOX R04_AXR120
ASK: Continuing and aged-up adult respondents, or new cohort adult respondents who have ever used alcohol.	
ASK Specification: IF R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1).	
DISPLAY: IF R04_ADULTTYPE = 1, 2 DISPLAY "The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private."	
ELSE, DO NOT DISPLAY THIS TEXT.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AX0673
Have you used alcohol within the <u>past 30 days</u> ?	
1	Yes
2	No
	GO TO BOX R04_AXR120
-8	DON'T KNOW
	GO TO BOX R04_AXR120
-7	REFUSED
	GO TO BOX R04_AXR120
ASK: Continuing and aged-up adult respondents who have used alcohol in the past 12 months, or new cohort adult respondents who have ever used alcohol and have used alcohol in the past 12 months.	
ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AX0084_12M = 1) OR (R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1 AND R04_AX0084_12M = 1).	
DISPLAY: UNDERLINE "past 30 days".	

Variable(s):	R04_AX0075
In the past 30 days, on how many days did you have one or more alcoholic drinks?	
A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.	
	I ___ I ___ DAYS
-8	DON'T KNOW
-7	REFUSED
ASK: Continuing and aged-up adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days, or new cohort adult respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days.	
ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AX0084_12M = 1 AND R04_AX0673 = 1) OR (R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1 AND R04_AX0084_12M = 1 AND R04_AX0673 = 1).	
PROGRAM: RANGE: 0 - 30	

BOX ID:	R04_AXR48
Continuing and aged-up adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks, or new cohort adult respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks, go to R04_AX0076.	
Else, go to Box R04_AXR120.	
IF (R04_ADULTTYPE = 1, 2 AND R04_AX0084_12M = 1 AND R04_AX0673 = 1 AND (R04_AX0075 > 0 OR R04_AX0075 = -8, -7)) OR (R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1 AND R04_AX0084_12M = 1 AND R04_AX0673 = 1 AND (R04_AX0075 > 0 OR R04_AX0075 = -8, -7)), GO TO R04_AX0076.	
ELSE, GO TO BOX R04_AXR120.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0076**

On average, on those [days that you drank in the past 30 days / NUMBER OF DAYS FROM R04_AX0075 days], how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

|_|_|_|

-8 DON'T KNOW

GO TO BOX R04_AXR120

-7 REFUSED

GO TO BOX R04_AXR120

ASK: Continuing and aged-up adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks, or new cohort adult respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks.

ASK Specification: IF (R04_ADULTTYPE = 1, 2 AND R04_AX0084_12M = 1 AND R04_AX0673 = 1 AND (R04_AX0075 > 0 OR R04_AX0075 = -8, -7)) OR (R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1 AND R04_AX0084_12M = 1 AND R04_AX0673 = 1 AND (R04_AX0075 > 0 OR R04_AX0075 = -8, -7)).

DISPLAY: IF R04_AX0075 = 1, -8, -7, DISPLAY "days that you drank in the past 30 days".

ELSE, IF R04_AX0075 > 1, FILL NUMBER OF DAYS WITH NUMBER REPORTED IN R04_AX0075 AND "days".

PROGRAM: RANGE: 1 - 90

CHECK ID: **R04_AX0076_LC1**

The computer recorded that you usually drank [R04_AX0076] alcoholic beverages on the days that you drank during the last 30 days. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AX0076

2 NEXT

GO TO BOX R04_AXR120

ASK: IF ((R04_ADULTTYPE = 1, 2 AND R04_AX0084_12M = 1 AND R04_AX0673 = 1 AND (R04_AX0075 > 0 OR R04_AX0075 = -8, -7)) OR (R04_ADULTTYPE = 3 AND R04_AX0084_RS = 1 AND R04_AX0084_12M = 1 AND R04_AX0673 = 1 AND (R04_AX0075 > 0 OR R04_AX0075 = -8, -7))) AND R04_AX0076 > 30.

PROGRAM: TRIGGER CHECK IF R04_AX0076 > 30.

ELSE, GO TO BOX R04_AXR120 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR120

New cohort adult respondents who have not ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report whether they ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it, and have not ever smoked marijuana from a hookah or did not know or refused to report whether they ever smoked marijuana from a hookah, and have not ever used marijuana in an electronic product or did not know or refused to report whether they ever used marijuana in an electronic product, go to R04_AX0085_RS.

Else, new cohort adult respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana in an electronic product, go to R04_AX0079_RS.

Else, go to Box R04_AXR49.

IF R04_ADULTTYPE = 3 AND R04_AG9105_RS != 1 AND R04_AH9031 != 1 AND R04_AV9042 != 1, GO TO R04_AX0085_RS.

ELSE, IF R04_ADULTTYPE = 3 AND (R04_AG9105 = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1), GO TO R04_AX0079_RS.

ELSE, GO TO BOX R04_AXR49.

Variable(s): R04_AX0085_RS

Have you ever used marijuana, hash, THC, grass, pot or weed?

1 Yes

2 No

GO TO BOX R04_AXR106

-8 DON'T KNOW

GO TO BOX R04_AXR106

-7 REFUSED

GO TO BOX R04_AXR106

ASK: New cohort adult respondents who have not ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report whether they ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it, and have not ever smoked marijuana from a hookah or did not know or refused to report whether they ever smoked marijuana from a hookah, and have not ever used marijuana in an electronic product or did not know or refused to report whether they ever used marijuana in an electronic product.

ASK Specification: IF R04_ADULTTYPE = 3 AND R04_AG9105_RS != 1 AND R04_AH9031 != 1 AND R04_AV9042 != 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0079_RS****

How old were you when you first used marijuana, hash, THC, grass, pot, or weed?

I__I__I__I Years old

-8 DON'T KNOW

GO TO R04_AX0271_RS

-7 REFUSED

GO TO R04_AX0271_RS

ASK: New cohort adult respondents who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana in an electronic product.

ASK Specification: IF R04_ADULTTYPE = 3 AND (R04_AX0085_RS = 1 OR R04_AG9105_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1).

DISPLAY: DISPLAY "Years old" AS A TITLE.

NOTES: **SKIP ERROR: This item was skipped incorrectly by new cohort respondents (R04_ADULTTYPE = 3) who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana in an electronic product (R04_AX0085_RS = 1 OR R04_AG9105_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1). This issue was fixed in a field update on 12/29/2016.

CHECK ID: **R04_AX0079_RS_LC1**

The computer recorded that you first started using marijuana, hash, THC, grass, pot, or weed at age [R04_AX0079_RS]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AX0079_RS

2 NEXT

GO TO R04_AX0079_RS_LC2

ASK: IF (R04_ADULTTYPE = 3 AND (R04_AX0085_RS = 1 OR R04_AG9105_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1)) AND R04_AX0079_RS != -8, -7 AND R04_AX0079_RS <= 10.

PROGRAM: TRIGGER CHECK IF R04_AX0079_RS <= 10.

ELSE, GO TO R04_AX0079_RS_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

CHECK ID:	R04_AX0079_RS_LC2						
The computer recorded that you were [R04_AX0079_RS] years old when you first used marijuana, hash, THC, grass, pot, or weed. That is older than you are now. If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table border="0"> <tr> <td>1</td> <td>BACK</td> <td>GO TO R04_AX0079_RS</td> </tr> <tr> <td>2</td> <td>NEXT</td> <td>GO TO BOX R04_AXR49</td> </tr> </table> ASK: IF (R04_ADULTTYPE = 3 AND (R04_AX0085_RS = 1 OR R04_AG9105_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1)) AND R04_AX0079_RS > R04R_A_AGE AND R04R_A_AGE >= 18. PROGRAM: TRIGGER CHECK IF R04_AX0079_RS > R04R_A_AGE AND R04R_A_AGE >= 18. ELSE, GO TO BOX R04_AXR49 AND DO NOT DISPLAY THIS SCREEN.		1	BACK	GO TO R04_AX0079_RS	2	NEXT	GO TO BOX R04_AXR49
1	BACK	GO TO R04_AX0079_RS					
2	NEXT	GO TO BOX R04_AXR49					

Variable(s):	R04_AX0271_RS																
When you first used marijuana, hash, THC, grass, pot, or weed, were you... <table border="0"> <tr> <td>1</td> <td>Less than 18 years old,</td> </tr> <tr> <td>2</td> <td>18 to 24 years old,</td> </tr> <tr> <td>3</td> <td>25 to 34 years old,</td> </tr> <tr> <td>4</td> <td>35 to 44 years old,</td> </tr> <tr> <td>5</td> <td>45 to 54 years old, or</td> </tr> <tr> <td>6</td> <td>55 years old or older?</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: New cohort adult respondents who have ever used marijuana or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana in an electronic product and did not know or refused to report the age they first used marijuana. ASK Specification: IF (R04_AX0085_RS = 1 OR R04_AG9105_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1) AND R04_AX0079_RS = -8, -7.		1	Less than 18 years old,	2	18 to 24 years old,	3	25 to 34 years old,	4	35 to 44 years old,	5	45 to 54 years old, or	6	55 years old or older?	-8	DON'T KNOW	-7	REFUSED
1	Less than 18 years old,																
2	18 to 24 years old,																
3	25 to 34 years old,																
4	35 to 44 years old,																
5	45 to 54 years old, or																
6	55 years old or older?																
-8	DON'T KNOW																
-7	REFUSED																

BOX ID:	R04_AXR49
Adult respondents who have smoked a blunt in the past 12 months, go to R04_AX0675. Else, go to R04_AX0085_12M. IF R04_AG9107 = 1, GO TO R04_AX0675. ELSE, GO TO R04_AX0085_12M.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	R04_AX0085_12M
In the past 12 months, have you used marijuana, hash, THC, grass, pot or weed?	
1	Yes
2	No
	GO TO BOX R04_AXR106
-8	DON'T KNOW
	GO TO BOX R04_AXR106
-7	REFUSED
	GO TO BOX R04_AXR106
ASK: Continuing and aged-up adult respondents who did not previously report smoking cigars as blunts in the past 12 months, and new cohort adults who have ever used marijuana and did not previously report smoking cigars as blunts in the past 12 months.	
ASK Specification: IF R04_AG9107 != 1 AND (R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND (R04_AX0085_RS = 1 OR R04_AG9105_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1))).	

Variable(s):	R04_AX0675
Have you used marijuana, hash, THC, grass, pot or weed within the <u>past 30 days</u> ?	
1	Yes
2	No
-8	DON'T KNOW
-7	REFUSED
ASK: Adult respondents who have used marijuana in the past 12 months.	
ASK Specification: IF (R04_AX0085_12M = 1 OR R04_AG9107 = 1) AND (R04_ADULTTYPE = 1, 2 OR (R04_ADULTTYPE = 3 AND (R04_AX0085_RS = 1 OR R04_AG9105_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1))).	
DISPLAY: UNDERLINE "past 30 days".	

BOX ID:	R04_AXR106
New cohort adult respondents, go to Box R04_AXD90.	
Else, go to Box R04_AXD07.	
IF R04_ADULTTYPE = 3, GO TO BOX R04_AXD90.	
ELSE, GO TO BOX R04_AXD07.	

BOX ID:	R04_AXD90
DISPLAY INSTRUCTION:	
For R04_AX0089_RS and R04_AX0220_RS, display each question with a "Yes" and "No" column with options for each response category.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

- | | | |
|-------------------------|----|--|
| R04_AX0089_RS_01 | 1 | Ritalin® or Adderall® |
| R04_AX0089_RS_02 | 2 | Painkillers, sedatives, or tranquilizers |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New cohort adult respondents.

ASK Specification: IF R04_ADULTTYPE = 3.

DISPLAY: UNDERLINE "not" AND "only".

Variable(s): **SEE BELOW:**

Have you ever used any of the following substances?

- | | | |
|----------------------------|----|--|
| R04_AX0220_RS_01*** | 1 | Cocaine or crack |
| R04_AX0220_RS_02*** | 2 | Stimulants like methamphetamine or speed |
| R04_AX0220_RS_03*** | 3 | Any other drugs like heroin, inhalants, solvents, or hallucinogens |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New cohort adult respondents.

ASK Specification: IF R04_ADULTTYPE = 3.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR104

Items R04_AX0082_RS[_01/_.../_05] and R04_AX0272_RS[_01/_.../_05] are asked for each substance reported in R04_AX0089_RS[_01/_02] and R04_AX0220_RS[_01/_02/_03]. If respondent uses more than one substance, repeat items in a loop.

Else, if no substances reported, go to Box R04_AXV04.

REPEAT R04_AX0082_RS[_01/_.../_05] AND R04_AX0272_RS[_01/_.../_05] UP TO 5 TIMES FOR EACH SUBSTANCE REPORTED IN R04_AX0089_RS[_01/_02] AND R04_AX0220_RS[_01/_02/_03]:

IF R04_AX0089_RS_01 = 1, ASK R04_AX0082_RS_01 AND R04_AX0272_RS_01 ABOUT "Ritalin® or Adderall®".

IF R04_AX0089_RS_02 = 1, ASK R04_AX0082_RS_02 AND R04_AX0272_RS_02 ABOUT "painkillers, sedatives, or tranquilizers".

IF R04_AX0220_RS_01 = 1, ASK R04_AX0082_RS_03 AND R04_AX0272_RS_03 ABOUT "cocaine or crack".

IF R04_AX0220_RS_02 = 1, ASK R04_AX0082_RS_04 AND R04_AX0272_RS_04 ABOUT "stimulants like methamphetamine or speed".

IF R04_AX0220_RS_03 = 1, ASK R04_AX0082_RS_05 AND R04_AX0272_RS_05 ABOUT "other drugs like heroin, inhalants, solvents, or hallucinogens".

ELSE, IF R04_AX0089_RS_01 != 1 AND R04_AX0089_RS_02 != 1 AND R04_AX0220_RS_01 != 1 AND R04_AX0220_RS_02 != 1 AND R04_AX0220_RS_03 != 1, GO TO BOX R04_AXV04.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0082_RS_01; R04_AX0082_RS_02; R04_AX0082_RS_03; R04_AX0082_RS_04; R04_AX0082_RS_05

How old were you when you first used [SUBSTANCEFILL]?

I ____ I ____ I ____ Years old

-8 DON'T KNOW

GO TO R04_AX0272_RS[_01/.../_05]

-7 REFUSED

GO TO R04_AX0272_RS[_01/.../_05]

ASK: New cohort adult respondents who have ever used a substance.

ASK Specification: FOR R04_AX0082_RS_01: IF R04_ADULTTYPE = 3 AND R04_AX0089_RS_01 = 1.

FOR R04_AX0082_RS_02: IF R04_ADULTTYPE = 3 AND R04_AX0089_RS_02 = 1.

FOR R04_AX0082_RS_03: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_01 = 1.

FOR R04_AX0082_RS_04: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_02 = 1.

FOR R04_AX0082_RS_05: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_03 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

FOR [SUBSTANCEFILL]:

FOR R04_AX0082_RS_01: IF R04_AX0089_RS_01 = 1, DISPLAY "Ritalin® or Adderall®".

FOR R04_AX0082_RS_02: IF R04_AX0089_RS_02 = 1, DISPLAY "painkillers, sedatives, or tranquilizers".

FOR R04_AX0082_RS_03: IF R04_AX0220_RS_01 = 1, DISPLAY "cocaine or crack".

FOR R04_AX0082_RS_04: IF R04_AX0220_RS_02 = 1, DISPLAY "stimulants like methamphetamine or speed".

FOR R04_AX0082_RS_05: IF R04_AX0220_RS_03 = 1, DISPLAY "other drugs like heroin, inhalants, solvents, or hallucinogens".

CHECK ID: R04_AX0082_RS_01_LC1

The computer recorded that you first started using Ritalin® or Adderall® at age [R04_AX0082_RS_01]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R04_AX0082_RS_01

2 NEXT

GO TO R04_AX0082_RS_01_LC2

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0089_RS_02 = 1 AND R04_AX0082_RS_01 != -8, -7 AND R04_AX0082_RS_01 <= 10.

PROGRAM: TRIGGER CHECK IF R04_AX0082_RS_01 <= 10.

ELSE, GO TO R04_AX0082_RS_01_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0082_RS_01_LC2

The computer recorded that you were [R04_AX0082_RS_01] years old when you first used Ritalin® or Adderall®. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_01 |
| 2 | NEXT | GO TO R04_AX0082_RS_02_LC1 |

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0089_RS_02 = 1 AND R04_AX0082_RS_01 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0082_RS_01 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0082_RS_02_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0082_RS_02_LC1

The computer recorded that you first started using painkillers, sedatives, or tranquilizers at age [R04_AX0082_RS_02]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_02 |
| 2 | NEXT | GO TO R04_AX0082_RS_02_LC2 |

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0089_RS_02 = 1 AND R04_AX0082_RS_02 != -8, -7 AND R04_AX0082_RS_02 <= 10.

PROGRAM: TRIGGER CHECK IF R04_AX0082_RS_02 <= 10.
ELSE, GO TO R04_AX0082_RS_02_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0082_RS_02_LC2

The computer recorded that you were [R04_AX0082_RS_02] years old when you first used painkillers, sedatives, or tranquilizers. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_02 |
| 2 | NEXT | GO TO R04_AX0082_RS_03_LC1 |

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0089_RS_02 = 1 AND R04_AX0082_RS_02 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0082_RS_02 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0082_RS_03_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0082_RS_03_LC1

The computer recorded that you first started using cocaine or crack at age [R04_AX0082_RS_03]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_03 |
| 2 | NEXT | GO TO R04_AX0082_RS_03_LC2 |

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_01 = 1 AND R04_AX0082_RS_03 != -8, -7 AND R04_AX0082_RS_03 <= 10.

PROGRAM: TRIGGER CHECK IF R04_AX0082_RS_03 <= 10.

ELSE, GO TO R04_AX0082_RS_03_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0082_RS_03_LC2

The computer recorded that you were [R04_AX0082_RS_03] years old when you first used cocaine or crack. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_03 |
| 2 | NEXT | GO TO R04_AX0082_RS_04_LC1 |

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_01 = 1 AND R04_AX0082_RS_03 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0082_RS_03 > R04R_A_AGE AND R04R_A_AGE >= 18.

ELSE, GO TO R04_AX0082_RS_04_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0082_RS_04_LC1

The computer recorded that you first started using stimulants like methamphetamine, or speed at age [R04_AX0082_RS_04]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_04 |
| 2 | NEXT | GO TO R04_AX0082_RS_04_LC2 |

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_02 = 1 AND R04_AX0082_RS_04 != -8, -7 AND R04_AX0082_RS_04 <= 10.

PROGRAM: TRIGGER CHECK IF R04_AX0082_RS_04 <= 10.

ELSE, GO TO R04_AX0082_RS_04_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0082_RS_04_LC2

The computer recorded that you were [R04_AX0082_RS_04] years old when you first used stimulants like methamphetamine or speed. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_04 |
| 2 | NEXT | GO TO R04_AX0082_RS_05_LC1 |

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_02 = 1 AND R04_AX0082_RS_04 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0082_RS_04 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO R04_AX0082_RS_05_LC1 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0082_RS_05_LC1

The computer recorded that you first started using other drugs like heroin, inhalants, solvents, or hallucinogens at age [R04_AX0082_RS_05]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|----------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_05 |
| 2 | NEXT | GO TO R04_AX0082_RS_05_LC2 |

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_03 = 1 AND R04_AX0082_RS_05 != -8, -7 AND R04_AX0082_RS_05 <= 10.

PROGRAM: TRIGGER CHECK IF R04_AX0082_RS_05 <= 10.
ELSE, GO TO R04_AX0082_RS_05_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R04_AX0082_RS_05_LC2

The computer recorded that you were [R04_AX0082_RS_05] years old when you first used other drugs like heroin, inhalants, solvents, or hallucinogens. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------------|
| 1 | BACK | GO TO R04_AX0082_RS_05 |
| 2 | NEXT | GO TO BOX R04_AXD07 |

ASK: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_03 = 1 AND R04_AX0082_RS_05 > R04R_A_AGE AND R04R_A_AGE >= 18.

PROGRAM: TRIGGER CHECK IF R04_AX0082_RS_05 > R04R_A_AGE AND R04R_A_AGE >= 18.
ELSE, GO TO BOX R04_AXD07 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R04_AX0272_RS_01; R04_AX0272_RS_02; R04_AX0272_RS_03; R04_AX0272_RS_04; R04_AX0272_RS_05

When you first used [SUBSTANCEFILL], were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New cohort adult respondents who have ever used a substance and did not know or refused to report the age they first used a substance.

ASK Specification: FOR R04_AX0272_RS_01: IF R04_ADULTTYPE = 3 AND R04_AX0089_RS_01 = 1 AND R04_AX0082_RS_01 = -8, -7.

FOR R04_AX0272_RS_02: IF R04_ADULTTYPE = 3 AND R04_AX0089_RS_02 = 1 AND R04_AX0082_RS_02 = -8, -7.

FOR R04_AX0272_RS_03: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_01 = 1 AND R04_AX0082_RS_03 = -8, -7.

FOR R04_AX0272_RS_04: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_02 = 1 AND R04_AX0082_RS_04 = -8, -7.

FOR R04_AX0272_RS_05: IF R04_ADULTTYPE = 3 AND R04_AX0220_RS_03 = 1 AND R04_AX0082_RS_05 = -8, -7.

DISPLAY: FOR [SUBSTANCEFILL]:

FOR R04_AX0272_RS_01: IF R04_AX0089_RS_01 = 1, DISPLAY "Ritalin® or Adderall®".

FOR R04_AX0272_RS_02: IF R04_AX0089_RS_02 = 1, DISPLAY "painkillers, sedatives, or tranquilizers".

FOR R04_AX0272_RS_03: IF R04_AX0220_RS_01 = 1, DISPLAY "cocaine or crack".

FOR R04_AX0272_RS_04: IF R04_AX0220_RS_02 = 1, DISPLAY "stimulants like methamphetamine or speed".

FOR R04_AX0272_RS_05: IF R04_AX0220_RS_03 = 1, DISPLAY "other drugs like heroin, inhalants, solvents, or hallucinogens".

BOX ID: R04_AXD07

DISPLAY INSTRUCTION:

For R04_AX0089_12M and R04_AX0220_12M, display a "Yes" and "No" column with options for each response category.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR122

New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers, or continuing and aged-up adult respondents, go to R04_AX0089_12M.

Else, new cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs, go to R04_AX0220_12M.

IF (R04_ADULTTYPE = 3 AND (R04_AX0089_RS_01 = 1 OR R04_AX0089_RS_02 = 1)) OR R04_ADULTTYPE = 1, 2, GO TO R04_AX0089_12M.

ELSE, IF R04_ADULTTYPE = 3 AND (R04_AX0220_RS_01 = 1 OR R04_AX0220_RS_02 = 1 OR R04_AX0220_RS_03 = 1), GO TO R04_AX0220_12M.

Variable(s): SEE BELOW:

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

- | | | |
|-----------------------------|----|--|
| R04_AX0089_12M_01*** | 1 | Ritalin® or Adderall® |
| R04_AX0089_12M_02*** | 2 | Painkillers, sedatives, or tranquilizers |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New cohort adult respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers, or continuing and aged-up adult respondents.

ASK Specification: IF (R04_ADULTTYPE = 3 AND (R04_AX0089_RS_01 = 1 OR R04_AX0089_RS_02 = 1)) OR R04_ADULTTYPE = 1, 2.

DISPLAY: UNDERLINE "not" AND "only".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_AXR123

New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing and aged-up adult respondents, go to R04_AX0220_12M.

Else, go to Box R04_AXR06.

IF (R04_ADULTTYPE = 3 AND (R04_AX0220_RS_01 = 1 OR R04_AX0220_RS_02 = 1 OR R04_AX0220_RS_03 = 1)) OR R04_ADULTTYPE = 1, 2, GO TO R04_AX0220_12M.

ELSE, GO TO BOX R04_AXR06.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
In the past 12 months, have you used any of the following substances?	
R04_AX0220_12M_01***	1 Cocaine or crack
R04_AX0220_12M_02***	2 Stimulants like methamphetamine or speed
R04_AX0220_12M_03***	3 Any other drugs like heroin, inhalants, solvents, or hallucinogens
	-8 DON'T KNOW
	-7 REFUSED
ASK: New cohort adult respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing and aged-up adult respondents.	
ASK Specification: IF (R04_ADULTTYPE = 3 AND (R04_AX0220_RS_01 = 1 OR R04_AX0220_RS_02 = 1 OR R04_AX0220_RS_03 = 1)) OR R04_ADULTTYPE = 1, 2.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R04_AXR06
Repeat R04_AX0676[_01/.../_05] up to five times for each substance reported in R04_AX0089_12M and R04_AX0220_12M.	
Else, if no substances reported, go to Box R04_AXV04.	
REPEAT R04_AX0676[_01/.../_05] UP TO 5 TIMES FOR EACH SUBSTANCE REPORTED IN RS, R04_AX0089_12M AND R04_AX0220_12M:	
IF R04_AX0089_12M_01 = 1, ASK R04_AX0676_01 ABOUT "Ritalin® or Adderall®".	
IF R04_AX0089_12M_02 = 1, ASK R04_AX0676_02 ABOUT "painkillers, sedatives, or tranquilizers".	
IF R04_AX0220_12M_01 = 1, ASK R04_AX0676_03 ABOUT "cocaine or crack".	
IF R04_AX0220_12M_02 = 1, ASK R04_AX0676_04 ABOUT "stimulants like methamphetamine or speed".	
IF R04_AX0220_12M_03 = 1, ASK R04_AX0676_05 ABOUT "other drugs like heroin, inhalants, solvents, or hallucinogens".	
WHEN ALL R04_AX0676[_01/.../_05] HAS BEEN ASKED ABOUT ALL SELECTED SUBSTANCES, GO TO BOX R04_AXV04.	
ELSE, IF R04_AX0089_12M_01 != 1 AND R04_AX0089_12M_02 != 1 AND R04_AX0220_12M_01 != 1 AND R04_AX0220_12M_02 != 1 AND R04_AX0220_12M_03 != 1, GO TO BOX R04_AXV04.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0676_01; R04_AX0676_02; R04_AX0676_03; R04_AX0676_04; R04_AX0676_05

Have you used [SUBSTANCEFILL] within the past 30 days?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used a substance in the past 12 months.

ASK Specification: FOR R04_AX0676_01: IF R04_AX0089_12M_01 = 1.

FOR R04_AX0676_02: IF R04_AX0089_12M_02 = 1.

FOR R04_AX0676_03: IF R04_AX0220_12M_01 = 1.

FOR R04_AX0676_04: IF R04_AX0220_12M_02 = 1.

FOR R04_AX0676_05: IF R04_AX0220_12M_03 = 1.

DISPLAY: UNDERLINE "past 30 days".

FOR [SUBSTANCEFILL]:

FOR R04_AX0676_01: IF R04_AX0089_12M_01 = 1, DISPLAY "Ritalin® or Adderall®".

FOR R04_AX0676_02: IF R04_AX0089_12M_02 = 1, DISPLAY "painkillers, sedatives, or tranquilizers".

FOR R04_AX0676_03: IF R04_AX0220_12M_01 = 1, DISPLAY "cocaine or crack".

FOR R04_AX0676_04: IF R04_AX0220_12M_02 = 1, DISPLAY "stimulants like methamphetamine or speed".

FOR R04_AX0676_05: IF R04_AX0220_12M_03 = 1, DISPLAY "other drugs like heroin, inhalants, solvents, or hallucinogens".

BOX ID: R04_AXR50

If more than one substance is selected in R04_AX0089_12M or R04_AX0220_12M, go back to box R04_AXR06, until R04_AX0676 has been asked about for all selected substances.

Else, go to Box R04_AXV04.

IF R04_AX0089_12M[01/ 02] = 1 OR R04_AX0220_12M[01/ 02/ 03] = 1, GO BACK TO BOX R04_AXR06 UNTIL R04_AX0676 HAS BEEN ASKED ABOUT FOR ALL SELECTED SUBSTANCES.

WHEN THERE ARE NO REMAINING SUBSTANCES, GO TO BOX R04_AXV04.

BOX ID: R04_AXV04

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R04_EVER_USER_ALC = Adult respondents who have ever used alcohol.

R04_EVER_USER_MJ = Adult respondents who have ever used marijuana.

R04_EVER_USER_RIT = Adult respondents who have ever used Ritalin® or Adderall®.

R04_EVER_USER_PK = Adult respondents who have ever used painkillers, sedatives, or tranquilizers.

R04_EVER_USER_COC = Adult respondents who have ever used cocaine or crack.

R04_EVER_USER_STIM = Adult respondents who have ever used stimulants like methamphetamine or speed.

R04_EVER_USER_OTH = Adult respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens.

R04_SUBSTANCE_COUNT = Number of substances the respondent has ever used.

R04_EVER_USER_ALC:

IF R04_AX0084_RS = 1 OR R04_AX0084_12M = 1 OR R03_EVER_USER_ALCOHOL = 1, THEN
R04_EVER_USER_ALC = 1.

ELSE, R04_EVER_USER_ALC = 2.

R04_EVER_USER_MJ:

IF R04_AG9107 = 1 OR R04_AG9105_RS = 1 OR R04_AX0085_12M = 1 OR R04_AX0085_RS = 1
OR R04_AH9031 = 1 OR R04_AV9042 = 1 OR R03_EVER_USER_MARIJUANA = 1, THEN
R04_EVER_USER_MJ = 1.

ELSE, R04_EVER_USER_MJ = 2.

R04_EVER_USER_RIT:

IF R04_AX0089_12M_01 = 1 OR R04_AX0089_RS_01 = 1 OR R03_EVER_USER_RITALIN = 1,
THEN R04_EVER_USER_RIT = 1.

ELSE, R04_EVER_USER_RIT = 2.

R04_EVER_USER_PK:

IF R04_AX0089_12M_02 = 1 OR R04_AX0089_RS_02 = 1 OR R03_EVER_USER_PAINKILLERS = 1,
THEN R04_EVER_USER_PK = 1.

ELSE, R04_EVER_USER_PK = 2.

R04_EVER_USER_COC:

IF R04_AX0220_12M_01 = 1 OR R04_AX0220_RS_01 = 1 OR R03_EVER_USER_COCAINE = 1,
THEN R04_EVER_USER_COC = 1.

ELSE, R04_EVER_USER_COC = 2.

R04_EVER_USER_STIM:

IF R04_AX0220_12M_02 = 1 OR R04_AX0220_RS_02 = 1 OR R03_EVER_USER_STIMULANTS = 1,
THEN R04_EVER_USER_STIM = 1.

ELSE, R04_EVER_USER_STIM = 2.

R04_EVER_USER_OTH:

IF R04_AX0220_12M_03 = 1 OR R04_AX0220_RS_03 = 1 OR R03_EVER_USER_OTHERDRUG = 1,
THEN R04_EVER_USER_OTH = 1.

ELSE, R04_EVER_USER_OTH = 2.

R04_SUBSTANCE_COUNT:

R04_SUBSTANCE_COUNT = 0;

IF R04_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;

IF R04_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;

IF R04_EVER_USER_RIT = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;

IF R04_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;

IF R04_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;

IF R04_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1;

IF R04_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR03
Adult respondents who report ever using alcohol or ever using drugs, go to R04_AX0170. Else, go to Box R04_AXT06.	
IF R04_SUBSTANCE_COUNT >= 1, GO TO R04_AX0170. ELSE, GO TO BOX R04_AXT06.	

Variable(s):	R04_AX0170
When was the last time that...	
You used alcohol or other drugs weekly or more often?	
1 Past month 2 2 to 12 months ago 3 Over a year ago 4 Never -8 DON'T KNOW -7 REFUSED	
ASK: Adult respondents who report ever using alcohol or ever using drugs.	
ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.	

BOX ID:	R04_AXR04
Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R04_AX0175. Else, go to R04_AX0171.	
IF R04_AX0170 = 1, 2, 3 AND R04_SUBSTANCE_COUNT >= 2, GO TO R04_AX0175. ELSE, GO TO R04_AX0171.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.	
R04_AX0175_01	1 Alcohol
R04_AX0175_02	2 Marijuana, hash, THC, or grass, pot, or weed
R04_AX0175_03	3 Ritalin® or Adderall®
R04_AX0175_04	4 Painkillers, sedatives, or tranquilizers
R04_AX0175_05	5 Cocaine or crack
R04_AX0175_06	6 Stimulants like methamphetamine or speed
R04_AX0175_07	7 Any other drugs like heroin, inhalants, solvents, or hallucinogens
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.	
ASK Specification: IF R04_AX0170 = 1, 2, 3 AND R04_SUBSTANCE_COUNT >= 2.	
PROGRAM: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.	
IF R04_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.	
IF R04_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.	
IF R04_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.	
IF R04_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.	
IF R04_EVER_USER_COC = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.	
IF R04_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.	
IF R04_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.	

Variable(s):	R04_AX0171
When was the last time that...	
You spent a lot of time getting alcohol or other drugs?	
	1 Past month
	2 2 to 12 months ago
	3 Over a year ago
	4 Never
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who report ever using alcohol or ever using drugs.	
ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.	

Variable(s): **R04_AX0172**

When was the last time that...

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

Variable(s): **R04_AX0173**

When was the last time that...

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0193

When was the last time that...

You spent a lot of time using or recovering from alcohol or other drugs?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

Variable(s): R04_AX0174

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0194**

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

BOX ID: **R04_AXR51**

Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, go to R04_AX0176.

Else, go to Box R04_AXT06.

IF R04_SUBSTANCE_COUNT >= 2 AND (R04_AX0193 = 1, 2, 3 OR R04_AX0172 = 1, 2, 3 OR R04_AX0173 = 1, 2, 3 OR R04_AX0174 = 1, 2, 3 OR R04_AX0194 = 1, 2, 3), GO TO R04_AX0176.
ELSE, GO TO BOX R04_AXT06.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s):	SEE BELOW:
You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.	
R04_AX0176_01	1 Alcohol
R04_AX0176_02	2 Marijuana, hash, THC, grass, pot, or weed
R04_AX0176_03	3 Ritalin® or Adderall®
R04_AX0176_04	4 Painkillers, sedatives, or tranquilizers
R04_AX0176_05	5 Cocaine or crack
R04_AX0176_06	6 Stimulants like methamphetamine or speed
R04_AX0176_07	7 Any other drugs like heroin, inhalants, solvents, or hallucinogens
	-8 DON'T KNOW
	-7 REFUSED
ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago. ASK Specification: IF R04_SUBSTANCE_COUNT >= 2 AND (R04_AX0193 = 1, 2, 3 OR R04_AX0172 = 1, 2, 3 OR R04_AX0173 = 1, 2, 3 OR R04_AX0174 = 1, 2, 3 OR R04_AX0194 = 1, 2, 3). PROGRAM: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply. IF R04_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1. IF R04_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2. IF R04_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3. IF R04_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4. IF R04_EVER_USER_COC = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5. IF R04_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6. IF R04_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.	

BOX ID:	R04_AXT06
The next questions ask about your relatives, including your father, mother, brothers or sisters, sons or daughters, both living and deceased.	

BOX ID:	R04_AXR79
New baseline adult respondents, go to Box R04_AXD13. Else, continuing adult respondents, go to Box R04_AXD14.	
IF R04_ADULTTYPE = 2, 3, GO TO BOX R04_AXD13. ELSE, IF R04_ADULTTYPE = 1, GO TO BOX R04_AXD14.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXD13
DISPLAY INSTRUCTION: For R04_AX0689_NB, display a 'Yes' and 'No' column with options for each response category.	

Variable(s):	SEE BELOW:
Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?	
R04_AX0689_NB_01	1 Asthma
R04_AX0689_NB_02	2 High blood pressure
R04_AX0689_NB_03	3 High cholesterol
R04_AX0689_NB_04	4 A heart attack or needed bypass surgery
	-8 DON'T KNOW
	-7 REFUSED
ASK: New baseline adult respondents. ASK Specification: IF R04_ADULTTYPE = 2, 3.	

BOX ID:	R04_AXR84
New baseline adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, go to R04_AX0195. Else, go to R04_AX0707.	
IF R04_AX0689_NB_04 = 1, GO TO R04_AX0195. ELSE, GO TO R04_AX0707.	

BOX ID:	R04_AXD14
DISPLAY INSTRUCTION: For R04_AX0689_12M, display a 'Yes' and 'No' column with options for each response category.	

Variable(s):	SEE BELOW:
In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?	
R04_AX0689_12M_01	1 Asthma
R04_AX0689_12M_02	2 High blood pressure
R04_AX0689_12M_03	3 High cholesterol
R04_AX0689_12M_04	4 A heart attack or needed bypass surgery
	-8 DON'T KNOW
	-7 REFUSED
ASK: Continuing adult respondents. ASK Specification: IF R04_ADULTTYPE = 1.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR85
Continuing adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, go to R04_AX0195. Else, go to R04_AX0707.	
IF R04_AX0689_12M_04 = 1, GO TO R04_AX0195. ELSE, GO TO R04_AX0707.	

Variable(s):	R04_AX0195
Were they told they had a heart attack or needed bypass surgery <u>before the age of 50</u> ?	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: New baseline adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, or continuing adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery.	
ASK Specification: IF R04_AX0689_NB_04 = 1 OR R04_AX0689_12M_04 = 1.	
DISPLAY: UNDERLINE "before the age of 50".	

Variable(s):	R04_AX0707
Have any of your close biological or blood relatives used any tobacco products? By this we mean cigarettes, e-cigarettes or other electronic nicotine products, cigars, pipe, hookah, snus or other types of smokeless tobacco (such as dip, spit or chew), and dissolvable tobacco.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: All adult respondents.	

Variable(s):	R04_AX0731
Have any of your close biological or blood relatives ever been an alcoholic or problem drinker? By this we mean a person whose drinking causes problems with their physical or emotional health, family or friends, work or school, or the police.	
1 Yes 2 No -8 DON'T KNOW -7 REFUSED	
ASK: All adult respondents.	

Variable(s): **R04_AX0732**

Have any of your close biological or blood relatives ever had problems with drugs? By this we mean a person whose drug use causes problems with their physical or emotional health, family or friends, work or school, or the police.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: **R04_AXR101**

New baseline adult respondents, go to R04_AX0401_NB.
Else, go to Box R04_AXT02.

IF R04_ADULTTYPE = 2, 3, GO TO R04_AX0401_NB.
ELSE, GO TO BOX R04_AXT02.

Variable(s): **R04_AX0401_NB**

Did your mother use tobacco while she was pregnant with you?

- 1 I don't know
- 2 Yes
- 3 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R04_ADULTTYPE = 2, 3.

MARKETING, ADVERTISING AND PROMOTION

BOX ID: R04_AXT02

The next questions ask about tobacco advertising that you may have seen or received.

Variable(s): SEE BELOW:

In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

- | | | |
|---------------|----|---|
| R04_AX0708_01 | 1 | Cigarettes |
| R04_AX0708_02 | 2 | E-cigarettes or other electronic nicotine products (including e-liquid) |
| R04_AX0708_03 | 3 | Cigars |
| R04_AX0708_04 | 4 | Shisha or hookah tobacco |
| R04_AX0708_05 | 5 | Snus |
| R04_AX0708_06 | 6 | Other types of smokeless tobacco (such as dip, spit or chew) |
| R04_AX0708_07 | 7 | Some other type of tobacco product |
| R04_AX0708_08 | 8 | None of the above |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: All adult respondents.

PROGRAM: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.

Variable(s): R04_AX0178

In the past 30 days, have you noticed tobacco ads or promotions on store windows or inside stores where tobacco is sold?

- | | | |
|--|----|------------|
| | 1 | Yes |
| | 2 | No |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: All adult respondents.

BOX ID:	R04_AXV10
CREATE DERIVED VARIABLE:	
R04_REGULAR_BRAND = Adult respondents has who have a regular brand of any tobacco product. R04_NO_REGULAR_BRAND = Adult respondents who uses a tobacco product and does not have a regular brand of that tobacco product.	
R04_REGULAR_BRAND: IF R04_AC1047MC = 1 OR R04_AC1047RY = 1 OR R04_AV1047 = 1 OR R04_AG1047TC = 1 OR R04_AG1047CG = 1 OR R04_AG1047FC = 1 OR R04_AP1047 = 1 OR R04_AH1047 = 1 OR R04_AU1047 = 1 OR R04_AS1047 = 1, THEN R04_REGULAR_BRAND = 1. ELSE, R04_REGULAR_BRAND = 2. R04_NO_REGULAR_BRAND: IF (R04_AC1047MC = 2, -8, -7 OR R04_AC1047RY = 2, -8, -7 OR R04_AV1047 = 2, -8, -7 OR R04_AG1047TC = 2, -8, -7 OR R04_AG1047CG = 2, -8, -7 OR R04_AG1047FC = 2, -8, -7 OR R04_AP1047 = 2, -8, -7 OR R04_AH1047 = 2, -8, -7 OR R04_AS1047 = 2, -8, -7 OR R04_AU1047 = 2, -8, -7), THEN R04_NO_REGULAR_BRAND = 1. ELSE, R04_NO_REGULAR_BRAND = 2.	

BOX ID:	R04_AXR64
Adult respondents who are current established tobacco users and have a regular brand of any product, go to R04_AX0715. Else, go to Box R04_AXR67.	
IF R04_TOBACCO_USER_STATUS = 1 AND R04_REGULAR_BRAND = 1, GO TO R04_AX0715. ELSE, GO TO BOX R04_AXR67.	

Variable(s):	R04_AX0715												
In the past 30 days, have you bought a brand of tobacco product other than your usual brand? <table border="0"> <tr> <td>1</td> <td>Yes</td> <td></td> </tr> <tr> <td>2</td> <td>No</td> <td>GO TO BOX R04_AXR67</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO BOX R04_AXR67</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO BOX R04_AXR67</td> </tr> </table> ASK: Adult respondents who are current established tobacco users and have a regular brand of any product. ASK Specification: IF R04_TOBACCO_USER_STATUS = 1 AND R04_REGULAR_BRAND = 1.		1	Yes		2	No	GO TO BOX R04_AXR67	-8	DON'T KNOW	GO TO BOX R04_AXR67	-7	REFUSED	GO TO BOX R04_AXR67
1	Yes												
2	No	GO TO BOX R04_AXR67											
-8	DON'T KNOW	GO TO BOX R04_AXR67											
-7	REFUSED	GO TO BOX R04_AXR67											

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0716

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1 AND R04_REGULAR_BRAND = 1 AND R04_AX0715 = 1.

Variable(s): R04_AX0210

In the past 30 days, have you bought a brand of tobacco product other than your usual brand because you noticed it displayed in the store or on signs?

- 1 Yes
- 2 No GO TO R04_AX0717
- 8 DON'T KNOW GO TO R04_AX0717
- 7 REFUSED GO TO R04_AX0717

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1 AND R04_REGULAR_BRAND = 1 AND R04_AX0715 = 1.

Variable(s): R04_AX0211

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days because they noticed it displayed in the store or on signs.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1 AND R04_REGULAR_BRAND = 1 AND R04_AX0715 = 1 AND R04_AX0210 = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AX0717**

In the past 30 days, when you were in a store that sells tobacco, did you buy a brand of tobacco product other than your usual brand because you noticed it was on sale or there was a deal like 2-for-1?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R04_AXR67 |
| -8 | DON'T KNOW | GO TO BOX R04_AXR67 |
| -7 | REFUSED | GO TO BOX R04_AXR67 |

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1 AND R04_REGULAR_BRAND = 1 AND R04_AX0715 = 1.

Variable(s): **R04_AX0718**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days because it was on sale or there was a deal.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1 AND R04_REGULAR_BRAND = 1 AND R04_AX0715 = 1 AND R04_AX0717 = 1.

BOX ID: **R04_AXR67**

Young adult respondents who are current established or current experimental tobacco users and use a product for which they do not have a regular brand and have bought a brand of tobacco product other than their usual brand in the past 30 days, go to R04_AX0209.

Else, adult respondents who are former experimental, recent former established, or long-term former established users of tobacco, go to R04_AX0212.

Else, go to R04_AX0678.

IF 18 <= R04R_A_AGE < 25 AND R04_TOBACCO_USER_STATUS = 1, 2 AND R04_NO_REGULAR_BRAND = 1, GO TO R04_AX0209.

ELSE, IF R04_TOBACCO_USER_STATUS = 3, 4, 5, GO TO R04_AX0212.

ELSE, GO TO R04_AX0678.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0209***		
In the past 30 days, have you bought a brand of tobacco product because you noticed a promotion for it?		
1	Yes	GO TO R04_AX0678
2	No	GO TO R04_AX0678
-8	DON'T KNOW	GO TO R04_AX0678
-7	REFUSED	GO TO R04_AX0678
ASK: Young adult respondents who are current established or current tobacco users and use a product for which they do not have a regular brand and have bought a brand of tobacco product other than their usual brand in the past 30 days.		
ASK Specification: IF 18 <= R04R_A_AGE < 25 AND R04_TOBACCO_USER_STATUS = 1, 2 AND R04_NO_REGULAR_BRAND = 1.		
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		

Variable(s): R04_AX0212		
Since you quit using tobacco, has there been a time when seeing a tobacco product display or other signs that tobacco is sold there, has given you an urge to buy tobacco?		
1	Yes	
2	No	GO TO R04_AX0678
-8	DON'T KNOW	GO TO R04_AX0678
-7	REFUSED	GO TO R04_AX0678
ASK: Adult respondents who are former experimental, recent former established, or long-term former established users of tobacco.		
ASK Specification: IF R04_TOBACCO_USER_STATUS = 3, 4, 5.		

Variable(s): R04_AX0213		
In the past 30 days, has this happened just once or twice, a few times, or quite regularly?		
1	Once or twice	
2	A few times	
3	Quite regularly	
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who are former experimental, recent former established, or long-term former established users of tobacco and had the urge to buy tobacco when seeing a tobacco product display since quitting using tobacco.		
ASK Specification: IF R04_TOBACCO_USER_STATUS = 3, 4, 5 AND R04_AX0212 = 1.		

Variable(s): **R04_AX0678**

In the past 30 days, have you gotten a free sample of an **e-cigarette or other electronic nicotine product** (including e-liquid)?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarette or other electronic nicotine product".

Variable(s): **SEE BELOW:**

In the past 30 days, have you noticed **e-cigarettes or other electronic nicotine products** being advertised in any of the following places? Choose all that apply.

- R04_AX0203_01** 1 I have not seen any advertisements in the past 30 days
- R04_AX0203_02** 2 At gas stations, convenience stores, or other retail stores
- R04_AX0203_03** 3 On billboards
- R04_AX0203_04** 4 In newspapers or magazines
- R04_AX0203_05** 5 On radio
- R04_AX0203_06** 6 On television
- R04_AX0203_07** 7 At events like fairs, festivals, or sporting events
- R04_AX0203_08** 8 At nightclubs, bars, or music concerts
- R04_AX0203_09** 9 On websites or social media sites
- R04_AX0203_10;**
R04_AX0203_OS 10 Somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarettes or other electronic nicotine products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0709

Do you have a favorite e-cigarette or electronic nicotine product advertisement?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): SEE BELOW:

In the past 30 days, have you noticed **cigarettes or other tobacco products** (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

- R04_AX0677_01 1 I haven't seen any advertisements in the past 30 days
- R04_AX0677_02 2 At gas stations, convenience stores, or other retail stores
- R04_AX0677_03 3 On billboards
- R04_AX0677_04 4 In newspapers or magazines
- R04_AX0677_05 5 On radio
- R04_AX0677_06 6 On television
- R04_AX0677_07 7 At events like fairs, festivals, or sporting events
- R04_AX0677_08 8 At nightclubs, bars, or music concerts
- R04_AX0677_09 9 On websites or social media sites
- R04_AX0677_10; R04_AX0677_OS 10 Somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "cigarettes or other tobacco products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

BOX ID: R04_AXR66

Young adult respondents, go to R04_AX0710.

Else, go to R04_AX0777.

IF 18 <= R04R_A_AGE < 25, GO TO R04_AX0710.

ELSE, GO TO R04_AX0777.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0710***

Do you have a favorite tobacco advertisement?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R_A_AGE < 25.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0777

In the past 12 months, how often did you see an anti-tobacco advertising campaign?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

ADDITIONAL DEMOGRAPHICS

BOX ID: R04_AMT01

Finally, we have a few additional questions about you, your work, education and health insurance.

BOX ID: R04_AMR01

Adult respondents who do not currently work for pay, go to R04_AM0017.
Else, go to Box R04_AMR17.

IF R04_AM0014 = 4, GO TO R04_AM0017.
ELSE, GO TO BOX R04_AMR17.

Variable(s): R04_AM0017

Are you currently...

- 1 Looking for paid work
- 2 A student not looking for paid work
- 3 A homemaker or caregiver not looking for paid work
- 4 Retired
- 5 Unable to work for physical or mental health reasons
- 6 Unable to work due to other reasons
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently work for pay.

ASK Specification: IF R04_AM0014 = 4.

BOX ID: R04_AMR17

Adult respondents who did not already completed a parent interview, go to R04_AM0018.
Else, go to R04_AM0019.

IF R04_P_COMP_LD != 1, GO TO R04_AM0018.
ELSE, GO TO R04_AM0019.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AM0018***		
What is the highest grade or level of school you have completed?		
1	Less than high school	
2	Some high school, no diploma	
3	GED	GO TO R04_AM0019
4	High school graduate—diploma	GO TO R04_AM0019
5	Some college but no degree	GO TO R04_AM0019
6	Associate degree—occupational/vocational	GO TO R04_AM0019
7	Associate degree—academic program	GO TO R04_AM0019
8	Bachelor's degree (ex: BA, AB, BS)	GO TO R04_AM0019
9	Master's degree (ex: MA, MS, MEng, MEd, MSW)	GO TO R04_AM0019
10	Professional school degree (ex: MD, DDS, DVM, JD)	GO TO R04_AM0019
11	Doctorate degree (ex: PhD, EdD)	GO TO R04_AM0019
-8	DON'T KNOW	GO TO R04_AM0019
-7	REFUSED	GO TO R04_AM0019
ASK: Adult respondents who did not already complete a parent interview.		
ASK Specification: IF R04_P_COMP_LD != 1.		
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		

Variable(s): R04_AM0067**		
Are you currently enrolled in high school?		
1	Yes	
2	No	GO TO R04_AM0019
-8	DON'T KNOW	GO TO R04_AM0019
-7	REFUSED	GO TO R04_AM0019
ASK: Adult respondents who did not already complete a parent interview whose highest level of education is less than high school or some high school, no diploma.		
ASK Specification: IF R04_P_COMP_LD != 1 AND R04_AM0018 = 1, 2.		
NOTES: **SKIP ERROR: This item was skipped incorrectly by respondents who completed a parent interview before completing an adult interview (R04_P_COMP_LD = 1). The error was not corrected during Wave 4 Data Collection.		

Variable(s): R04_AM0068

What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.

- 6 9th
- 7 10th
- 8 11th
- 9 12th
- 12 I am home-schooled
- 13 My school does not separate students into grades
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview whose highest level of education is less than high school or some high school, no diploma and are currently enrolled in high school.

ASK Specification: IF R04_P_COMP_LD != 1 AND R04_AM0018 = 1, 2 AND R04_AM0067 = 1.

Variable(s): R04_AM0019

Are you [also]currently enrolled in a degree program?

- 1 Yes
- 2 No GO TO R04_AM0015
- 8 DON'T KNOW GO TO R04_AM0015
- 7 REFUSED GO TO R04_AM0015

ASK: All adult respondents.

DISPLAY: IF R04_AM0067 = 1, DISPLAY "also".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AM0020; R04_AM0020_OS

Which type of degree program are you currently enrolled in?

- 1 Technical/vocational program
- 2 2-year degree program
- 3 4-year degree program
- 4 Graduate/professional program
- 5 Other type of degree program (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are currently enrolled in a degree program.

ASK Specification: IF R04_AM0019 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R04_AM0015

In the past 30 days, because of a shortage of money, were you unable to pay any important bills on time, such as rent, electricity or telephone bills?

- 1 Yes
- 2 No
- 7 Not applicable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R04_AM0039

In the past 12 months, have you received assistance or income from any federal, state or local programs, such as food stamps, welfare, cash aid, unemployment benefits, housing assistance, child care, or Medicaid?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AMR16
Adult respondents who did not already completed a parent interview, go to R04_AM0030. Else, go to Box R04_ALR05.	
IF R04_P_COMP_LD != 1, GO TO BOX R04_AM0030. ELSE, GO TO BOX R04_ALR05.	

Variable(s):		R04_AM0030***
Which of the following categories best describes your total <u>household</u> income in the past 12 months?		
This is the total income before taxes of <u>all persons in your household combined</u> . Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.		
1	Less than \$10,000	GO TO R04_AL0040
2	\$10,000 to \$14,999	GO TO R04_AL0040
3	\$15,000 to \$24,999	GO TO R04_AL0040
4	\$25,000 to \$34,999	GO TO R04_AL0040
5	\$35,000 to \$49,999	GO TO R04_AL0040
6	\$50,000 to \$74,999	GO TO R04_AL0040
7	\$75,000 to \$99,999	GO TO R04_AL0040
8	\$100,000 to \$149,999	GO TO R04_AL0040
9	\$150,000 to \$199,999	GO TO R04_AL0040
10	\$200,000 or more	GO TO R04_AL0040
-8	DON'T KNOW	
-7	REFUSED	
ASK: Adult respondents who did not already complete a parent interview.		
ASK Specification: IF R04_P_COMP_LD != 1.		
DISPLAY: BOLD AND UNDERLINE "household".		
UNDERLINE "all persons in your household combined".		
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.		

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AM0031
Is your total household income during the past 12 months above or below \$50,000? 1 Above \$50,000 2 Below \$50,000 -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who did not already complete a parent interview and did not know or refused to report their household income. ASK Specification: IF R04_P_COMP_LD != 1 AND R04_AM0030 = -8, -7.

Variable(s): R04_AL0040***
Do you own or rent your home? (Ownership includes having a mortgage or loan.) 1 Own 2 Rent 3 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who did not already complete a parent interview. ASK Specification: IF R04_P_COMP_LD != 1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_ALR05
Young adult respondents, go to R04_AM0042. Else, go to Box R04_AMR02.
IF 18 <= R04R_A_AGE < 25, GO TO R04_AM0042. ELSE, GO TO BOX R04_AMR02.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): **R04_AM0042*****

Where do you currently live? If you live in more than one place throughout the year, please answer for where you are currently staying.

- | | | |
|----|-----------------------------------|------------------|
| 1 | Apartment, condo or house | |
| 2 | In a dorm or other campus housing | GO TO R04_AM0040 |
| 3 | In a fraternity or sorority house | GO TO R04_AM0040 |
| 4 | Someplace else | GO TO R04_AM0040 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R_A_AGE < 25.

DISPLAY: UNDERLINE SECOND INSTANCE OF "currently".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **SEE BELOW:**

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

- | | | |
|----------------------|----|-----------------------------------|
| R04_AM0041_01 | 1 | Parents or guardians |
| R04_AM0041_02 | 2 | Friends or other roommates |
| R04_AM0041_03 | 3 | A spouse or romantic partner |
| R04_AM0041_04 | 4 | My children |
| R04_AM0041_05 | 5 | Another relative or family friend |
| R04_AM0041_06 | 6 | On my own |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Young adult respondents who currently live in an apartment, condo or house or did not know or refused to report where they currently live.

ASK Specification: IF 18 <= R04R_A_AGE < 25 AND R04_AM0042 = 1, -8, -7.

DISPLAY: UNDERLINE SECOND INSTANCE OF "currently".

PROGRAM: Allow respondent to choose all that apply.

Variable(s): **R04_AM0040*****

Think of this ladder as representing where people stand in the United States.

At the top of the ladder (step 10) are the people who have the most money and education, and the most respected jobs.

At the bottom of the ladder (step 1) are the people who have the least money and education, and the least respected jobs or no job.

Where would you place yourself on this ladder? Pick the number for the step that shows where you think you stand at this time in your life, relative to other people in the United States.

[SHOW IMAGE OF LADDER]

- 1 10
- 2 9
- 3 8
- 4 7
- 5 6
- 6 5
- 7 4
- 8 3
- 9 2
- 10 1
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R_A_AGE < 25.

IMAGE: SHOW IMAGE OF LADDER

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): **R04_AM0033*****

The next questions ask about your parents. Please think about your parents or parental figures (step-parents, foster parents, guardians, etc.) who you lived with most of the time when you were 17 years old and younger.

What is the highest grade or level of school that your **mother**, **step-mother** or **mother-figure** completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate—diploma
- 5 Some college but no degree
- 6 Associate degree—occupational/vocational
- 7 Associate degree—academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, MEd, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R04R_A_AGE < 25.

DISPLAY: UNDERLINE THE FIRST OCCURRENCE OF "parents".

BOLD "mother", "step-mother", AND "mother-figure".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AM0034***
What is the highest grade or level of school that your father, step-father or father-figure completed? 1 Less than high school 2 Some high school, no diploma 3 GED 4 High school graduate—diploma 5 Some college but no degree 6 Associate degree—occupational/vocational 7 Associate degree—academic program 8 Bachelor's degree (ex: BA, AB, BS) 9 Master's degree (ex: MA, MS, MEng, MEd, MSW) 10 Professional school degree (ex: MD, DDS, DVM, JD) 11 Doctorate degree (ex: PhD, EdD) -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents. ASK Specification: IF 18 <= R04R_A_AGE < 25. DISPLAY: BOLD "father", "step-father", AND "father-figure". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_AMR04
Young adult respondents who do not live with their parents, go to R04_AM0036. Else, go to Box R04_AMR02.
IF 18 <= R04R_A_AGE < 25 AND R04_AM0041_01 != 1, GO TO R04_AM0036. ELSE, GO TO BOX R04_AMR02.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AM0036***

Which of the following categories best describes your parents' total household income in the past 12 months?

This is the total income before taxes of all persons in your parents' household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- | | | |
|----|------------------------|---------------------|
| 1 | Less than \$10,000 | GO TO BOX R04_AMR02 |
| 2 | \$10,000 to \$14,999 | GO TO BOX R04_AMR02 |
| 3 | \$15,000 to \$24,999 | GO TO BOX R04_AMR02 |
| 4 | \$25,000 to \$34,999 | GO TO BOX R04_AMR02 |
| 5 | \$35,000 to \$49,999 | GO TO BOX R04_AMR02 |
| 6 | \$50,000 to \$74,999 | GO TO BOX R04_AMR02 |
| 7 | \$75,000 to \$99,999 | GO TO BOX R04_AMR02 |
| 8 | \$100,000 to \$149,999 | GO TO BOX R04_AMR02 |
| 9 | \$150,000 to \$199,999 | GO TO BOX R04_AMR02 |
| 10 | \$200,000 or more | GO TO BOX R04_AMR02 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Young adult respondents who do not live with their parents.

ASK Specification: IF 18 <= R04R_A_AGE < 25 AND R04_AM0041_01 != 1.

DISPLAY: UNDERLINE "parents' total household income" AND "all persons in your parents' household combined".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AM0037

Is your parents' total household income during the past 12 months above or below \$50,000?

- 1 Above \$50,000
- 2 Below \$50,000
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who do not live with their parents and did not know or refused to report their parents' total household income.

ASK Specification: IF 18 <= R04R_A_AGE < 25 AND R04_AM0036 = -8, -7.

DISPLAY: UNDERLINE "parents".

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AMR02
New baseline adult respondents who are on active duty or have been on active duty, go to R04_AM0012_NB. Else, continuing adult respondents who are on active duty or have been on active duty in the past and have not reported being enrolled in VA health care as of their last completed interview, go to R04_AM0012_12M. Else, go to BOX R04_AMD02.	
IF R04_ADULTTYPE = 2 AND R04_AM0007 = 1, 2, GO TO R04_AM0012_NB. ELSE, IF R04_ADULTTYPE = 1 AND R04_AM0007 = 1, 2 AND R03_VA_HEALTHCARE != 1, GO TO R04_AM0012_12M. ELSE, GO TO BOX R04_AMD02.	

Variable(s):	R04_AM0012_NB												
Have you ever been enrolled in VA health care? <table border="0"> <tr> <td>1</td> <td>Yes</td> <td>GO TO BOX R04_AMD02</td> </tr> <tr> <td>2</td> <td>No</td> <td>GO TO BOX R04_AMD02</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> <td>GO TO BOX R04_AMD02</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> <td>GO TO BOX R04_AMD02</td> </tr> </table> ASK: New baseline adult respondents who are on active duty or have been on active duty. ASK Specification: IF (R04_ADULTTYPE = 2 AND R04_AM0007 = 1, 2) OR (R04_ADULTTYPE = 3 AND R04_AM0007 = 2).		1	Yes	GO TO BOX R04_AMD02	2	No	GO TO BOX R04_AMD02	-8	DON'T KNOW	GO TO BOX R04_AMD02	-7	REFUSED	GO TO BOX R04_AMD02
1	Yes	GO TO BOX R04_AMD02											
2	No	GO TO BOX R04_AMD02											
-8	DON'T KNOW	GO TO BOX R04_AMD02											
-7	REFUSED	GO TO BOX R04_AMD02											

Variable(s):	R04_AM0012_12M								
In the past 12 months, have you been enrolled in VA health care? <table border="0"> <tr> <td>1</td> <td>Yes</td> </tr> <tr> <td>2</td> <td>No</td> </tr> <tr> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td>-7</td> <td>REFUSED</td> </tr> </table> ASK: Continuing adult respondents who are on active duty or have been on active duty in the past and have not reported being enrolled in VA health care as of their last completed interview. ASK Specification: IF R04_ADULTTYPE = 1 AND R04_AM0007 = 1, 2 AND R03_VA_HEALTHCARE != 1.		1	Yes	2	No	-8	DON'T KNOW	-7	REFUSED
1	Yes								
2	No								
-8	DON'T KNOW								
-7	REFUSED								

BOX ID:	R04_AMD02
BOX – DISPLAY INSTRUCTIONS For R04_AM0026, DISPLAY A “Yes” AND “No” COLUMN WITH OPTION FOR EACH RESPONSE CATEGORY.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:	
Are you currently covered by any of the following types of health insurance or health coverage plans?	
R04_AM0026_01***	1 Insurance through a current or former employer or union (of yourself, a spouse or other family member)
R04_AM0026_02***	2 Insurance purchased directly from an insurance company (by yourself, a spouse or other family member)
R04_AM0026_03***	3 Medicare, for people 65 and older, or people with certain disabilities
R04_AM0026_04***	4 Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability
R04_AM0026_05***	5 VA Health Care
R04_AM0026_06***	6 TRICARE or other military health care
R04_AM0026_07***	7 Indian Health Service
R04_AM0026_08***	8 Any other type of health insurance or health coverage plan
	-8 DON'T KNOW
	-7 REFUSED
ASK: All adult respondents.	
NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s): **R04_AM0021**

The next question asks about your level of sexual attraction to BOTH males and females.

Please consider the response choices carefully, as it is important that you understand them and are as honest as you can be in your answer.

To whom have you felt sexually attracted, even if you did not take any action based on feeling attracted?

- 1 Only to females, never to males
- 2 Mostly to females, and at least once to a male
- 3 About equally often to females and to males
- 4 Mostly to males, and at least once to a female
- 5 Only to males, never to females
- 6 I have never felt sexually attracted to anyone at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: FOR MALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN THE SPECIFIED ORDER.

FOR FEMALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN REVERSE ORDER, WHERE RESPONSE OPTION 5 IS PRESENTED FIRST, OPTION 4 SECOND, ETC.

IF SEX IS UNKNOWN, DEFAULT TO ORDER SHOWN FOR MALE RESPONDENTS.

PROGRAM: Store value according to listed categories specified above; do not store value according to the display order.

Variable(s): **R04_AM0063**

Do you consider yourself to be...

- 1 Straight
- 2 Lesbian or gay
- 3 Bisexual
- 4 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AM0061

Some people describe themselves as transgender when they experience a different gender identity from their sex at birth. For example, a person born into a male body, but who feels female or lives as a woman would be transgender.

Do you consider yourself to be transgender?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R04_AMR06

Adult respondents who are transgender, go to R04_AM0062.
Else, go to Box R04_AMR07.

IF R04_AM0061 = 1, GO TO R04_AM0062.
ELSE, GO TO BOX R04_AMR07.

Variable(s): R04_AM0062

Do you consider yourself to be male-to-female, female-to-male, or non-conforming?

- 1 Yes, Transgender, male to female
- 2 Yes, Transgender, female to male
- 3 Yes, Transgender, gender nonconforming
- 4 No
- 5 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are transgender.

ASK Specification: IF R04_AM0061 = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AMR07
Adult respondents who are current established or current experimental tobacco users, go to R04_AX0214. Else, go to R04_AL3000.	
IF R04_TOBACCO_USER_STATUS = 1, 2, GO TO R04_AX0214. ELSE, GO TO R04_AL3000.	

Variable(s):	R04_AX0214
Finally, we would like to scan the barcode on any tobacco products that you have right now for your own use[, including your [EPRODFILL2]]. Researchers will use this information to learn about the different types of products that people are using.	
We are only interested in the products that you have used or intend to use soon.	
Our interviewer will do the scanning for you. The interviewer will also ask you a couple of questions about the products we are scanning. Other people in your home might see the products as you hand them to the interviewer or hear the questions we ask you about the products.	
Is it OK to scan your tobacco products now?	
1	Yes
2	No
-7	REFUSED
	GO TO R04_AL3000
	GO TO R04_AL3000
ASK: Adult respondents who are current established or current experimental tobacco users.	
ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2.	
DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY ", including your [EPRODFILL2]".	
ELSE, DO NOT DISPLAY THIS TEXT.	

Variable(s):	R04_AX0215
Thank you. Please hand the computer to the interviewer. Then get any tobacco products you have right now for your own use[, including your [EPRODFILL2],] and give them to the interviewer. The interviewer will give them right back to you. ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning. ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1. DISPLAY: IF R04_EPROD_USER_STATUS = 1, 2, DISPLAY ", including your [EPRODFILL2]". ELSE, DO NOT DISPLAY THIS TEXT.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AL3004

The interviewer must now enter the Monitor Password into the computer.

Monitor Password: _____

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1.

PROGRAM: THE MONITOR PASSWORD IS 8954. AFTER THE INTERVIEWER ENTERS THE PASSWORD, SWITCH TO CAPI MODE.

BOX ID: R04_ALR13

Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and the interviewer entered the monitor password incorrectly, go to R04_ERR_AL3004.

Else, adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and the interviewer entered the monitor password correctly, go to R04_AX0218.

IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND R04_AL3003 != 8954, GO TO R04_ERR_AL3004.

ELSE, IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND R04_AL3003 = 8954, GO TO R04_AX0218.

CHECK ID: R04_ERR_AL3004

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R04_AL3004

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and the interviewer entered the monitor password incorrectly.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND R04_AL3004 != 8954.

PROGRAM: Message should appear in English for all field interviewers.

PRODUCT BARCODE SCANNING MODULE

Variable(s): R04_AX0218
HOW MANY PRODUCTS DID THE RESPONDENT GIVE YOU TO SCAN? ENTER A NUMBER BETWEEN 0 AND 10. _ _ ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning. ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1. DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

BOX ID: R04_AXR81
Adult respondents who are current established or current experimental tobacco users and gave no products to scan, go to R04_AL3009. Else, go to R04_AX0217_1.
IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0218 = 0, GO TO R04_AL3009. ELSE, GO TO R04_AX0217_1.

Variable(s): R04_AL3009				
THE RESPONDENT GAVE YOU ZERO PRODUCTS TO SCAN. IF THIS IS CORRECT, PRESS THE NEXT BUTTON TO CONTINUE. IF THIS IS INCORRECT, GO BACK AND MAKE A CORRECTION. <table style="width: 100%; border: none;"> <tr> <td style="width: 60%; text-align: center;">1 BACK</td> <td style="width: 40%; text-align: right;">GO TO R04_AX0218</td> </tr> <tr> <td style="text-align: center;">2 NEXT</td> <td style="text-align: right;">GO TO R04_AX0217_1</td> </tr> </table> ASK: Adult respondents who are current established or current experimental tobacco users and gave no products to scan. ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0218 = 0. DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	1 BACK	GO TO R04_AX0218	2 NEXT	GO TO R04_AX0217_1
1 BACK	GO TO R04_AX0218			
2 NEXT	GO TO R04_AX0217_1			

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0217_1A; R04_AX0217_1B***

THIS IS PRODUCT BARCODE SCAN #1. YOU CAN SCAN UP TO 10 PRODUCTS TOTAL.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R04_AXR68

Adult respondents who are current established or current experimental tobacco users and agreed to scanning and have no more products left to scan, go to R04_AL3006.

Else, go to R04_AX0233_1.

IF R04_AX0217_1_01 = -1 AND R04_AX0217_1_02 = -1, GO TO R04_AL3006.

ELSE, GO TO R04_AX0233_1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0233_01***

Think about the very last time you used this type of product. Was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0217_1_01 != -1 OR R04_AX0217_1_02 != -1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0217_2A; R04_AX0217_2B***

THIS IS PRODUCT BARCODE SCAN #2.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND (R04_AX0217_1_01 != -1 OR R04_AX0217_1_02 != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR69

Adult respondents who are current established or current experimental tobacco users and agreed to scanning and have no more products left to scan, go to R04_AL3006.

Else, go to R04_AX0233_2.

IF R04_AX0217_2_01 = -1 AND R04_AX0217_2_02 = -1, GO TO R04_AL3006.

ELSE, GO TO R04_AX0233_2.

Variable(s): R04_AX0233_02***

The last time you used this type of product, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0217_2_01 != -1 OR R04_AX0217_2_02 != -1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s):	R04_AX0217_3A; R04_AX0217_3B***
THIS IS PRODUCT BARCODE SCAN #3. SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED. SCAN EACH BARCODE TWICE. IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS. IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS. WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT. 1 [FIRST SCAN] 2 [SECOND SCAN] ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning. ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND (R04_AX0217_2_01 != -1 OR R04_AX0217_2_02 != -1). DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R04_AXR70
Adult respondents who are current established or current experimental tobacco users and agreed to scanning and have no more products left to scan, go to R04_AL3006. Else, go to R04_AX0233_3.	
IF R04_AX0217_3_01 = -1 AND R04_AX0217_3_02 = -1, GO TO R04_AL3006. ELSE, GO TO R04_AX0233_3.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0233_03***

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental current tobacco users whose product barcode was scanned successfully.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0217_2_01 != -1 OR R04_AX0217_2_02 != -1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0217_4A; R04_AX0217_4B***

THIS IS PRODUCT BARCODE SCAN #4.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND (R04_AX0217_3_01 != -1 OR R04_AX0217_3_02 != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR71
Adult respondents who are current established or current experimental tobacco users and agreed to scanning and have no more products left to scan, go to R04_AL3006. Else, go to R04_AX0233_4.	
IF R04_AX0217_4_01 = -1 AND R04_AX0217_4_02 = -1, GO TO R04_AL3006. ELSE, GO TO R04_AX0233_4.	

Variable(s):	R04_AX0233_04***
The last time you used this type of product, was it from this specific package or container? 1 YES 2 NO -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully. ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0217_4_01 != -1 OR R04_AX0217_4_02 != -1. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

Variable(s):	R04_AX0217_5A; R04_AX0217_5B***
THIS IS PRODUCT BARCODE SCAN #5. SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED. SCAN EACH BARCODE TWICE. IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS. IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS. WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT. 1 [FIRST SCAN] 2 [SECOND SCAN] ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning. ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND (R04_AX0217_4_01 != -1 OR R04_AX0217_4_02 != -1). DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R04_AXR72
Adult respondents who are current established or current experimental tobacco users and agreed to scanning and have no more products left to scan, go to R04_AL3006. Else, go to R04_AX0233_5.	
IF R04_AX0217_5_01 = -1 AND R04_AX0217_5_02 = -1, GO TO R04_AL3006. ELSE, GO TO R04_AX0233_5.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0233_05***

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0217_5_01 != -1 OR R04_AX0217_5_02 != -1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0217_6A; R04_AX0217_6B***

THIS IS PRODUCT BARCODE SCAN #6.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND (R04_AX0217_5_01 != -1 OR R04_AX0217_5_02 != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR73

Adult respondents who are current established or current experimental tobacco users and agreed to scanning and have no more products left to scan, go to R04_AL3006.

Else, go to R04_AX0233_6.

IF R04_AX0217_6_01 = -1 AND R04_AX0217_6_02 = -1, GO TO R04_AL3006.

ELSE, GO TO R04_AX0233_6.

Variable(s): R04_AX0233_06***

The last time you used this type of product, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0217_6_01 != -1 OR R04_AX0217_6_02 != -1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s):	R04_AX0217_7A; R04_AX0217_7B***
THIS IS PRODUCT BARCODE SCAN #7. SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED. SCAN EACH BARCODE TWICE. IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS. IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS. WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT. 1 [FIRST SCAN] 2 [SECOND SCAN] ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning. ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND (R04_AX0217_6_01 != -1 OR R04_AX0217_6_02 != -1). DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT. NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.	

BOX ID:	R04_AXR74
Adult respondents who are current established or current experimental tobacco users and agreed to scanning and have no more products left to scan, go to R04_AL3006. Else, go to R04_AX0233_7.	
IF R04_AX0217_7_01 = -1 AND R04_AX0217_7_02 = -1, GO TO R04_AL3006. ELSE, GO TO R04_AX0233_7.	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Variable(s): R04_AX0233_07***

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0217_7_01 != -1 OR R04_AX0217_7_02 != -1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R04_AX0217_8A; R04_AX0217_8B

THIS IS PRODUCT BARCODE SCAN #8.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND (R04_AX0217_7_01 != -1 OR R04_AX0217_7_02 != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID: R04_AXR75

Adult respondents who are current established or current experimental tobacco users and agreed to scanning and have no more products left to scan, go to R04_AL3006.

Else, go to R04_AX0233_8.

IF R04_AX0217_8_01 = -1 AND R04_AX0217_8_02 = -1, GO TO R04_AL3006.

ELSE, GO TO R04_AX0233_8.

Variable(s): R04_AX0233_08

The last time you used this type of product, was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0217_8_01 != -1 OR R04_AX0217_8_02 != -1.

Variable(s):	R04_AX0217_9A; R04_AX0217_9B
THIS IS PRODUCT BARCODE SCAN #9. SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED. SCAN EACH BARCODE TWICE. IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS. IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS. WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT. 1 [FIRST SCAN] 2 [SECOND SCAN] ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning. ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND (R04_AX0217_8_01 != -1 OR R04_AX0217_8_02 != -1). DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.	

BOX ID:	R04_AXR76
Adult respondents who are current established or current experimental tobacco users and agreed to scanning and have no more products left to scan, go to R04_AL3006. Else, go to R04_AX0233_9.	
IF R04_AX0217_9_01 = -1 AND R04_AX0217_9_02 = -1, GO TO R04_AL3006. ELSE, GO TO R04_AX0233_9.	

Variable(s): R04_AX0233_09

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0217_9_01 != -1 OR R04_AX0217_9_02 != -1.

Variable(s): R04_AX0217_10A; R04_AX0217_10B

THIS IS PRODUCT BARCODE SCAN #10.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning.

ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1 AND (R04_AX0217_9_01 != -1 OR R04_AX0217_9_02 != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

BOX ID:	R04_AXR77
Adult respondents who are current established or current experimental tobacco users and agreed to scanning and have no more products left to scan, go to R04_AL3006. Else, go to R04_AX0233_10.	
IF R04_AX0217_10_01 = -1 AND R04_AX0217_10_02 = -1, GO TO R04_AL3006. ELSE, GO TO R04_AX0233_10.	

Variable(s):	R04_AX0233_10
The last time you used this type of product, was it from this specific package or container?	
1 YES	GO TO R04_AL3006
2 NO	GO TO R04_AL3006
-8 DON'T KNOW	GO TO R04_AL3006
-7 REFUSED	GO TO R04_AL3006
ASK: Adult respondents who are current established or current experimental tobacco users whose product barcode was scanned successfully.	
ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0217_10_01 != -1 OR R04_AX0217_10_02 != -1.	

PATH ID:	R04_AL3000
You have finished this part of the questionnaire. Please hand the computer to the interviewer.	
ASK: Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning.	
ASK Specification: IF R04_TOBACCO_USER_STATUS != 1, 2 OR (R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 2, -7).	

PATH ID:	R04_AL3003
Monitor Password: _____	
The interviewer must now enter the Monitor Password into the computer.	
ASK: Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning.	
ASK Specification: IF R04_TOBACCO_USER_STATUS != 1, 2 OR (R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 2, -7).	
PROGRAM: THE MONITOR PASSWORD IS 8954. AFTER THE INTERVIEWER ENTERS THE PASSWORD, SWITCH TO CAPI MODE.	

BOX ID:	R04_ALR12
Adult respondents who are not current established or current experimental tobacco users and the interviewer entered the monitor password incorrectly, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning and the interviewer entered the monitor password incorrectly, go to R04_ERR_AL3003. Else, adult respondents who are not current established or current experimental tobacco users and the interviewer entered the monitor password correctly, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning and the interviewer entered the monitor password correctly, go to R04_AL3007.	
IF (R04_TOBACCO_USER_STATUS != 1, 2 AND R04_AL3003 != 8954) OR (R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 2, -7 AND R04_AL3003 != 8954), GO TO R04_ERR_AL3003. ELSE, IF (R04_TOBACCO_USER_STATUS != 1, 2 AND R04_AL3003 = 8954) OR (R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 2, -7 AND R04_AL3003 = 8954), GO TO R04_AL3007.	

CHECK ID:	R04_ERR_AL3003
The password you entered was incorrect. Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer. 1 BACK GO TO R04_AL3003 ASK: Adult respondents who are not current established or current experimental tobacco users and the interviewer entered the monitor password incorrectly, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning and the interviewer entered the monitor password incorrectly. ASK Specification: IF (R04_TOBACCO_USER_STATUS != 1, 2 AND R04_AL3003 != 8954) OR (R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 2, -7 AND R04_AL3003 != 8954). PROGRAM: Message should appear in English for all respondents.	

PATH ID: R04_AL3007
[DO NOT SCAN BARCODES FOR THIS RESPONDENT.] [COLLECT CONTACT INFORMATION FOR THIS RESPONDENT THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION] 1 PRESS 1 TO CONTINUE GO TO BOX R04_ALV03 ASK: Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning. ASK Specification: IF R04_TOBACCO_USER_STATUS != 1, 2 OR (R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 2, -7). DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT. PROGRAM: If R04_AX0214 = 2, -7, display "DO NOT SCAN BARCODES FOR THIS RESPONDENT." Else, do not display this text. If respondent has completed a parent interview and provided contact information (R04_CONTACTFLAG_LD = 1), display "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION" and DO NOT go to the contact information section, and GO TO R04_LCAD01. If this respondent has NOT completed a parent interview (R04_PARENT_COMPLETE = 2), display "COLLECT CONTACT INFORMATION FOR THIS RESPONDENT" and GO TO the contact information section.

PATH ID: R04_AL3006
[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION] PRESS 1 TO CONTINUE ASK: Adult respondents who are current established or current experimental tobacco users and agreed to scanning. ASK Specification: IF R04_TOBACCO_USER_STATUS = 1, 2 AND R04_AX0214 = 1. DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT. PROGRAM: If this respondent has not provided contact information (R04_CONTACTFLAG_LD != 1), display "COLLECT CONTACT INFORMATION FOR THIS RESPONDENT". If this respondent has already provided contact information (R04_CONTACTFLAG_LD = 1), display "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION".

CLOSING ADMINISTRATIVE DATA

Variable(s): R04_LCAD01		
INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW?		
1	ENGLISH	END INTERVIEW AND RETURN TO IMS
2	SPANISH	END INTERVIEW AND RETURN TO IMS
ASK: All adult respondents (asked of Interviewer).		
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.		
PROGRAM: Blaise sets Task 412 as CPE (Completed Adult Interview).		

** = Denotes a skip error. For additional information, see Appendix - Adult Instrument Skip Error Summary. This appendix summarizes skip errors in the data collection instrument that resulted in missing data on these items for some respondents.

*** = Denotes a data error. For additional information, see Appendix – Adult Instrument Data Error Summary. This appendix summarizes the items with missing data for some respondents.

APPENDIX – ADULT GENERIC IMAGES

Section	PATH ID	Generic Image
Tobacco Use	R04_AVT01	 E-cigarettes and other Electronic Nicotine Products
Tobacco Use	R04_AV1001_RS	
Tobacco Use	R04_AV1002_RS	
Tobacco Use	R04_AV1004	
Tobacco Use	R04_AV1002_12M	
Electronic Nicotine Products	R04_AVT02	
Packaging and Health Warnings	R04_AR0110	
Risk Perceptions and Attitudes	R04_AE9050	
Tobacco Use	R04_AGT06	 Traditional Cigars
Tobacco Use	R04_AG9003_RS	
Tobacco Use	R04_AGT01	
Tobacco Use	R04_AG9030	
Tobacco Use	R04_AG9003_12M	
Tobacco Use	R04_AGT04	
Cigar	R04_AJT03	
Cigar	R04_AGT03	
Packaging and Health Warnings	R04_AR0115	
Risk Perceptions and Attitudes	R04_AG9050	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R04_AGT05	 Cigarillos Filtered Cigars
Tobacco Use	R04_AG9004_RS	
Tobacco Use	R04_AGT02	
Tobacco Use	R04_AG9031	
Tobacco Use	R04_AG9004_12M	
Tobacco Use	R04_AG1001_RS	 Traditional Cigars Cigarillos Filtered Cigars
Tobacco Use	R04_AG9009_RS	 With a tip With a filter Without a tip or filter
Tobacco Use	R04_AG9049	
Tobacco Use	R04_AG9009_12M	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R04_AG9051	 With a tip
Tobacco Use	R04_AG9052	 With a filter
Tobacco Use	R04_AG9053	 Without a tip or filter

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R04_AG1095	 Group 1 Group 2 Group 3
Tobacco Use	R04_AG9106 (BTRAD) If R04_AG1095 = 1, show traditional cigars	
Tobacco Use	R04_AG9106 (BRILLO) If R04_AG1095 = 2, show cigarillos	
Tobacco Use	R04_AG9106 (BFILTR) If R04_AG1095 = 3, show filtered cigars	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R04_AGT04	 Cigarillos
Cigar	R04_AJT03	
Cigar	R04_AGT03	
Packaging and Health Warnings	R04_AR0120	
Risk Perceptions and Attitudes	R04_AG9054	
Tobacco Use	R04_AGT04	 Filtered Cigars
Cigar	R04_AJT03	
Cigar	R04_AGT03	
Packaging and Health Warnings	R04_AR0125	
Risk Perceptions and Attitudes	R04_AG9055	
Tobacco Use	R04_APT01	 Pipe
Tobacco Use	R04_AP1001_RS	
Tobacco Use	R04_AP1002_RS	
Tobacco Use	R04_AP1004	
Tobacco Use	R04_AP1002_12M	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R04_AHT01	 Hookah
Tobacco Use	R04_AH1001_RS	
Tobacco Use	R04_AH1002_RS	
Tobacco Use	R04_AH1004	
Tobacco Use	R04_AH1002_12M	
Tobacco Use	R04_AST01	 Smokeless Tobacco
Tobacco Use	R04_AUT03	 Snus
Tobacco Use	R04_AU1001_RS	
Tobacco Use	R04_AU1002_RS	
Tobacco Use	R04_AU1004	
Tobacco Use	R04_AU1002_12M	
Snus	R04_AUT02	
Packaging and Health Warnings	R04_AR0206	
Risk Perceptions and Attitudes	R04_AU9050	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R04_AST03	 Smokeless Tobacco
Tobacco Use	R04_AS1001_RS	
Tobacco Use	R04_AS1002_RS	
Tobacco Use	R04_AS1004	
Tobacco Use	R04_AS1002_12M	
Smokeless Tobacco	R04_AST02	
Packaging and Health Warnings	R04_AR0060	
Risk Perceptions and Attitudes	R04_AS9050	 Dissolvable Tobacco
Tobacco Use	R04_ADT01	
Tobacco Use	R04_AD1001_RS	
Tobacco Use	R04_AD1002_RS	
Tobacco Use	R04_AD1002_12M	 E-cigarettes E-cigars E-pipes E-hookahs
Electronic Nicotine Products	R04_AV9035	
Electronic Nicotine Products	R04_AV9044	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Electronic Nicotine Products	R04_AV9040	 Group 1 Group 2 Group 3 Group 4 Group 5 Group 6
Cigar	R04_AG9040	 Group 1 Group 2 Group 3 Group 4
Pipe	R04_APT02	 Pipe and Pipe Tobacco
Packaging and Health Warnings	R04_AR0130	
Risk Perceptions and Attitudes	R04_AP1170	
Hookah	R04_AHT02	 Hookah Shisha Tobacco
Packaging and Health Warnings	R04_AR0135	
Risk Perceptions and Attitudes	R04_AH9050	

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Snus	R04_AU9041	 
Snus	R04_AU9042	  Snus pouches Loose snus
Smokeless Tobacco	R04_AS9041	  
Smokeless Tobacco	R04_AS9042	Loose smokeless tobacco (such as dip, spit, or chewing tobacco) Smokeless tobacco pouches (not including snus)
Additional Demographics	R04_AM0040	

APPENDIX – ADULT USER GROUP DEFINITIONS

NOTE: The User Group Variable specifications defined in this appendix are for questionnaire routing purposes only and are included in this document for reference. These variables are excluded from the data file. It is not recommended to use these definitions for analytical purposes.

User Group Name	User Group Description	User Group Definition
CIGARETTES		
Ever or Never users - Cigarettes R04_EVER_NEVER_CIGS	(1) Ever user = Adult respondents who have ever smoked a cigarette and did not recant prior use. (2) Never user = Adult respondents who have never smoked a cigarette.	IF (R03_EVER_NEVER_CIGS = 1 OR R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R04_AC1002_RS = 1 OR R04_AC1003 = 1, 2) AND R04_AC1010 != 3, THEN R04_EVER_NEVER_CIGS = 1. ELSE, R04_EVER_NEVER_CIGS = 2.
Initiators - Cigarettes R04_INIT_CIGS_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview or new cohort adult respondents who have ever smoked a cigarette. (2) Non-initiator = Continuing and aged-up adult respondents who did not initiate cigarette smoking since their last completed interview or new cohort adult respondents who have never smoked a cigarette.	IF R03_EVER_NEVER_CIGS != 1 AND R04_EVER_NEVER_CIGS = 1, THEN R04_INIT_CIGS_ADULT = 1. ELSE, R04_INIT_CIGS_ADULT = 2.
Cigarette user status R04_CIG_USER_STATUS	(1) Current established user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have not smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days.	IF (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND R04_AC1003 = 1, 2, THEN R04_CIG_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_CIGS = 1 AND R03_NUMLIFE_CIGS != 1 AND R04_AC1005 != 6 AND R04_AC1003 = 1, 2, THEN R04_CIG_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3) AND R03_NUMLIFE_CIGS != 1 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	(3) Former experimental user = Adult respondents who have ever smoked a cigarette and have not smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental cigarette smokers as of their last completed interview, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever smoked cigarettes as of their last completed interview, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated cigarette smoking since their last completed interview, have smoked at least 100 cigarettes in their entire life, have smoked in the past 12 months and currently smoke not at all; and new cohort adult respondents who have smoked at least 100 cigarettes in their entire life, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing and aged-up adult respondents who were new former established or still former established cigarette smokers as of their last completed interview and did not smoke in the past 12 months or currently	R04_AC1005 != 6, THEN R04_CIG_USER_STATUS = 3. ELSE, IF (R03_CIG_USER_STATUS = 1, 2, 3 OR (R04_INIT_CIGS_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_CIGS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AC1009_NN <= 365 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN <= 12 AND R04_AC1009_UN = 2) OR (R04_AC1009_NN <= 1 AND R04_AC1009_UN = 3)))) AND R04_EVER_NEVER_CIGS = 1 AND (R03_NUMLIFE_CIGS = 1 OR R04_AC1005 = 6) AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN R04_CIG_USER_STATUS = 4. ELSE, IF (R03_CIG_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AC1005 = 6 AND ((R04_AC1009_NN > 365 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN > 12 AND R04_AC1009_UN = 2) OR (R04_AC1009_NN > 1 AND R04_AC1009_UN = 3)))) AND R04_EVER_NEVER_CIGS = 1 AND (R04_AC1002_12M = 2 OR R04_AC1003 = 3), THEN R04_CIG_USER_STATUS = 5. ELSE, R04_CIG_USER_STATUS = 8.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	smoke not at all, and new cohort adult respondents who have smoked at least 100 cigarettes in their entire life and did not smoke in the past 12 months. (8) Unknown / missing = Unknown or missing	
Every day or Some day use - Cigarettes R04_CURRENT_CIG_USE	(1) Every day established user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day. (2) Some day established user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R04_CIG_USER_STATUS = 1 AND R04_AC1003 = 1, THEN R04_CURRENT_CIG_USE = 1. ELSE, IF R04_CIG_USER_STATUS = 1 AND R04_AC1003 = 2, THEN R04_CURRENT_CIG_USE = 2. ELSE, R04_CURRENT_CIG_USE = 8.
Former but Past 30 Day Users - Cigarettes R04_FORMER_THIRTYDAY_USER_CIGS	(1) Former 30 day user = Adult respondents who are former experimental, recent former established, or long-term former established cigarette smokers who have smoked any cigarettes in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established cigarette smokers who have smoked any cigarettes in the past 30 days.	IF R04_CIG_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AC1009_NN <= 30 AND R04_AC1009_UN = 1) OR (R04_AC1009_NN = 1 AND R04_AC1009_UN = 2) OR R04_AC1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_CIGS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_CIGS = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
ELECTRONIC NICOTINE PRODUCTS		
Ever or Never users - Electronic nicotine products R04_EVER_NEVER_EPRODS	(1) Ever user = Adult respondents who have ever used any electronic nicotine products and did not recant prior use. (2) Never user = Adult respondents who have never used any electronic nicotine products.	IF (R03_EVER_NEVER_EPRODS = 1 OR R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR (R04_AV1001_RS = 1 AND R04_AV1002_RS = 1) OR R04_AV1003 = 1, 2) AND R04_AV1010 != 3, THEN R04_EVER_NEVER_EPRODS = 1. ELSE, R04_EVER_NEVER_EPRODS = 2.
Initiator - Electronic nicotine products R04_INIT_EPRODS_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated electronic nicotine product use since their last completed interview or new cohort adult respondents who have ever used an electronic nicotine product. (2) Non-initiator = Continuing and aged-up adult respondents who did not initiate electronic nicotine product use since their last completed interview or new cohort adult respondents who have never used an electronic nicotine product.	IF R03_EVER_NEVER_EPRODS != 1 AND R04_EVER_NEVER_EPRODS = 1, THEN R04_INIT_EPRODS_ADULT = 1. ELSE, R04_INIT_EPRODS_ADULT = 2.
Electronic nicotine product user status R04_EPROD_USER_STATUS	(1) Current established user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day or some days. (2) Current experimental user = Adult respondents who have never used electronic nicotine products fairly regularly, and currently use them every day or some days. (3) Former experimental user = Adult respondents who have ever used electronic nicotine products and have never used electronic nicotine products fairly regularly, and did not use them in	IF (R03_REGUSE_EPROD = 1 OR R04_AV1100 = 1) AND R04_AV1003 = 1, 2, THEN R04_EPROD_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_EPRODS = 1 AND R03_REGUSE_EPROD != 1 AND R04_AV1100 != 1 AND R04_AV1003 = 1, 2, THEN R04_EPROD_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3) AND R03_REGUSE_EPROD != 1 AND R04_AV1100 != 1, THEN R04_EPROD_USER_STATUS = 3. ELSE, IF (R03_EPROD_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	the past 12 months or currently use them not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental electronic nicotine product users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and aged-up adult respondents who have ever used electronic nicotine products as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and continuing and aged-up adult respondents who initiated electronic nicotine product use since their last completed interview, have ever used electronic nicotine products fairly regularly, have used in the past 12 months and currently use not at all; and new cohort adult respondents who have ever used electronic nicotine products fairly regularly, have used in the past 12 months and currently use not at all. (5) Long-term former established user = Continuing and aged-up adult respondents who were new former established or still former established electronic nicotine product users as of their last completed interview and did not use in the past 12 months or currently use not at all, and new cohort adult respondents who have ever used electronic nicotine products fairly	R04_INIT_EPRODS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_EPRODS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AV1009_NN <= 365 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN <= 12 AND R04_AV1009_UN = 2) OR (R04_AV1009_NN <= 1 AND R04_AV1009_UN = 3)))) AND (R03_REGUSE_EPROD = 1 OR R04_AV1100 = 1) AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3), THEN R04_EPROD_USER_STATUS = 4. ELSE, IF (R03_EPROD_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AV1100 = 1 AND ((R04_AV1009_NN > 365 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN > 12 AND R04_AV1009_UN = 2) OR (R04_AV1009_NN > 1 AND R04_AV1009_UN = 3)))) AND R04_EVER_NEVER_EPRODS = 1 AND (R04_AV1002_12M = 2 OR R04_AV1003 = 3), THEN R04_EPROD_USER_STATUS = 5. ELSE, R04_EPROD_USER_STATUS = 8.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	regularly, and have not used in the past 12 months. (8) Unknown / missing = Unknown or missing	
Every day or Some day use - Electronic nicotine products R04_CURRENT_EPROD_USE	(1) Every day established user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them every day. (2) Some day established user = Adult respondents who have ever used electronic nicotine products fairly regularly, and currently use them some days. (8) Unknown / missing = Unknown or missing	IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 1, THEN R04_CURRENT_EPROD_USE = 1. ELSE, IF R04_EPROD_USER_STATUS = 1 AND R04_AV1003 = 2, THEN R04_CURRENT_EPROD_USE = 2. ELSE, R04_CURRENT_EPROD_USE = 8.
Former but Past 30 Day Users – Electronic nicotine products R04_FORMER_THIRTYDAY_USER_EPROD	(1) Former 30 day user = Adult respondents who are former experimental, recent former established, or long-term former established users who have used any electronic nicotine products in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established users who have used any electronic nicotine products in the past 30 days.	IF R04_EPROD_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AV1009_NN <= 30 AND R04_AV1009_UN = 1) OR (R04_AV1009_NN = 1 AND R04_AV1009_UN = 2) OR R04_AV1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_EPROD = 1. ELSE, R04_FORMER_THIRTYDAY_USER_EPROD = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
CIGARS		
Ever or Never users - Traditional cigars R04_EVER_NEVER_GTRAD	(1) Ever user = Adult respondents who have ever smoked a traditional cigar and did not recant prior use. (2) Never user = Adult respondents who have never smoked a traditional cigar.	IF (R03_EVER_NEVER_GTRAD = 1 OR R04_AG9030 = 1 OR R04_AG9003_12M = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_01 = 1, -8, -7 AND R04_AG9003_RS = 1) OR R04_AG1003TC = 1, 2) AND R04_AG1010TC != 3, THEN R04_EVER_NEVER_GTRAD = 1. ELSE, R04_EVER_NEVER_GTRAD = 2.
Ever or Never users - Cigarillos R04_EVER_NEVER_GRILLO	(1) Ever user = Adult respondents who have ever smoked a cigarillo and did not recant prior use. (2) Never user = Adult respondents who have never smoked a cigarillo.	IF (R03_EVER_NEVER_GRILLO = 1 OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1 AND (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1)) OR R04_AG1003CG = 1, 2) AND R04_AG1010CG != 3, THEN R04_EVER_NEVER_GRILLO = 1. ELSE, R04_EVER_NEVER_GRILLO = 2.
Ever or Never users - Filtered cigars R04_EVER_NEVER_GFILTR	(1) Ever user = Adult respondents who have ever smoked a filtered cigar and did not recant prior use. (2) Never user = Adult respondents who have never smoked a filtered cigar.	IF (R03_EVER_NEVER_GFILTR = 1 OR R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR (R04_AG1001_RS = 1 AND R04_AG9002_RS_02 = 1, -8, -7 AND R04_AG9004_RS = 1 AND R04_AG9009_RS_02 = 1) OR R04_AG1003FC = 1, 2) AND R04_AG1010FC != 3, THEN R04_EVER_NEVER_GFILTR = 1. ELSE, R04_EVER_NEVER_GFILTR = 2.
Initiators – Traditional Cigars R04_INIT_GTRAD_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated traditional cigar smoking since their last	IF R03_EVER_NEVER_GTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	completed interview or new cohort adult respondents who have ever smoked a traditional cigar. (2) Non-initiator = Continuing and aged-up adult respondents who did not initiate traditional cigar smoking since their last completed interview or new cohort adult respondents who have never smoked a traditional cigar.	R04_12MBLUNT_ONLY_BTRAD != 1, THEN R04_INIT_GTRAD_ADULT = 1. ELSE, R04_INIT_GTRAD_ADULT = 2.
Initiators – Cigarillos R04_INIT_GRILLO_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated cigarillo smoking since their last completed interview or new cohort adult respondents who have ever smoked a cigarillo. (2) Non-initiator = Continuing and aged-up adult respondents who did not initiate cigarillo smoking since their last completed interview or new cohort adult respondents who have never smoked a cigarillo.	IF R03_EVER_NEVER_GRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1, THEN R04_INIT_GRILLO_ADULT = 1. ELSE, R04_INIT_GRILLO_ADULT = 2.
Initiators – Filtered Cigars R04_INIT_GFILTR_ADULT	(1) Initiator = Continuing and aged-up adult respondents who initiated filtered cigar smoking since their last completed interview or new cohort adult respondents who have ever smoked a filtered cigar. (2) Non-initiator = Continuing and aged-up adult respondents who did not initiate filtered cigar smoking since their last completed interview or new cohort adult respondents who have never smoked a filtered cigar.	IF R03_EVER_NEVER_GFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1, THEN R04_INIT_GFILTR_ADULT = 1. ELSE, R04_INIT_GFILTR_ADULT = 2.
Past 12 Month Blunt-Only Users – Traditional Cigars R04_12MBLUNT_ONLY_BTRAD	(1) Past 12 month blunt-only smoker = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.	IF R04_AG1095_01 = 1 AND R04_AG9106_01 = 1, THEN R04_12MBLUNT_ONLY_BTRAD = 1. ELSE, R04_12MBLUNT_ONLY_BTRAD = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	(2) Not a blunt-only smoker = Adult respondents who did not smoke traditional cigars as blunts every time when smoked in the past 12 months.	
Past 12 Month Blunt-Only Users – Cigarillos R04_12MBLUNT_ONLY_BRILLO	(1) Past 12 month blunt-only smoker = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke cigarillos as blunts every time when smoked in the past 12 months.	IF R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN R04_12MBLUNT_ONLY_BRILLO = 1. ELSE, R04_12MBLUNT_ONLY_BRILLO = 2.
Past 12 Month Blunt-Only Users – Filtered Cigars R04_12MBLUNT_ONLY_BFILTR	(1) Past 12 month blunt-only smoker = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke filtered cigars as blunts every time when smoked in the past 12 months.	IF R04_AG1095_03 = 1 AND R04_AG9106_03 = 1, THEN R04_12MBLUNT_ONLY_BFILTR = 1. ELSE, R04_12MBLUNT_ONLY_BFILTR = 2.
Initiators – Blunt-only Traditional Cigars R04_INIT_BLUNT_BTRAD_ADULT	(1) Initiator = Continuing and aged-up respondents who initiated smoking traditional cigars as blunts since their last completed interview and smoked traditional cigars as blunts every time they smoked traditional cigars in the past 12 months, or new cohort adult respondents who have ever smoked traditional cigars as blunts every time they smoked traditional cigars in the past 12 months. (2) Non-initiator = Continuing and aged-up respondents who did not initiate smoking traditional cigars as blunts since their last completed interview and smoked traditional cigars as blunts every time they smoked traditional cigars in the past 12 months,	IF R03_EVER_NEVER_BTRAD != 1 AND (R04_AG1095_01 = 1 AND R04_AG9106_01 = 1), THEN R04_INIT_BLUNT_BTRAD_ADULT = 1. ELSE, R04_INIT_BLUNT_BTRAD_ADULT = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	or new cohort adult respondents who have not smoked traditional cigars as blunts every time they smoked traditional cigars in the past 12 months.	
Initiators – Blunt-only Cigarillos R04_INIT_BLUNT_BRILLO_ADULT	(1) Initiator = Continuing and aged-up respondents who initiated smoking cigarillos as blunts since their last completed interview and smoked cigarillos as blunts every time they smoked cigarillos in the past 12 months, or new cohort adult respondents who have ever smoked cigarillos as blunts every time they smoked cigarillos in the past 12 months. (2) Non-initiator = Continuing and aged-up respondents who did not initiate smoking cigarillos as blunts since their last completed interview and smoked cigarillos as blunts every time they smoked cigarillos in the past 12 months, or new cohort adult respondents who have not smoked cigarillos as blunts every time they smoked cigarillos in the past 12 months.	IF R03_EVER_NEVER_BRILLO != 1 AND R04_AG1095_02 = 1 AND R04_AG9106_02 = 1, THEN R04_INIT_BLUNT_BRILLO_ADULT = 1. ELSE, R04_INIT_BLUNT_BRILLO_ADULT = 2.
Initiators – Blunt-only Filtered Cigars R04_INIT_BLUNT_BFILTR_ADULT	(1) Initiator = Continuing and aged-up respondents who initiated smoking filtered cigars as blunts since their last completed interview and smoked filtered cigars as blunts every time they smoked filtered cigars in the past 12 months, or new cohort adult respondents who have ever smoked filtered cigars as blunts every time they smoked filtered cigars in the past 12 months.	IF R03_EVER_NEVER_BFILTR != 1 AND R04_AG1095_03 = 1 AND R04_AG9106_03 = 1, THEN R04_INIT_BLUNT_BFILTR_ADULT = 1. ELSE, R04_INIT_BLUNT_BFILTR_ADULT = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	(2) Non-initiator = Continuing and aged-up respondents who did not initiate smoking filtered cigars as blunts since their last completed interview and smoked filtered cigars as blunts every time they smoked filtered cigars in the past 12 months, or new cohort adult respondents who have not smoked filtered cigars as blunts every time they smoked filtered cigars in the past 12 months.	
Traditional cigar user status R04_GTRAD_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked traditional cigars fairly regularly, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a traditional cigar and have never smoked traditional cigars fairly regularly and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental traditional cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever smoked traditional cigars as of their	IF (R03_REGUSE_GTRAD = 1 OR R04_AG1100TC = 1) AND R04_AG1003TC = 1, 2, THEN R04_GTRAD_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND R04_AG1003TC = 1, 2, THEN R04_GTRAD_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GTRAD = 1 AND R03_REGUSE_GTRAD != 1 AND R04_AG1100TC != 1 AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_12MBLUNT_ONLY_BTRAD != 1, THEN R04_GTRAD_USER_STATUS = 3. ELSE, IF (R03_GTRAD_USER_STATUS = 1, 2, 3 OR (R04_INIT_GTRAD_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GTRAD = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AG1009TC_NN <= 365 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN <= 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN <= 1 AND R04_AG1009TC_UN = 3)))) AND (R03_REGUSE_GTRAD = 1 OR

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated traditional cigar smoking since their last completed interview, have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing and aged-up adult respondents who were new former established or still former established traditional cigar smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all; and new cohort adult respondents who have ever smoked traditional cigars fairly regularly and have not smoked traditional cigars in the past 12 months. (8) Unknown / missing = Unknown or missing	R04_AG1100TC = 1) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1, THEN R04_GTRAD_USER_STATUS = 4. ELSE, IF (R03_GTRAD_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100TC = 1 AND ((R04_AG1009TC_NN > 365 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN > 12 AND R04_AG1009TC_UN = 2) OR (R04_AG1009TC_NN > 1 AND R04_AG1009TC_UN = 3)))) AND (R04_AG9003_12M = 2 OR R04_AG1003TC = 3) AND R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1, THEN R04_GTRAD_USER_STATUS = 5. ELSE, R04_GTRAD_USER_STATUS = 8.
Cigarillo user status R04_GRILLO_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked cigarillos fairly regularly, and currently smoke every day or some days.	IF (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND R04_AG1003CG = 1, 2, THEN R04_GRILLO_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GRILLO = 1 AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND R04_AG1003CG = 1, 2, THEN R04_GRILLO_USER_STATUS = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	(3) Former experimental user = Adult respondents who have ever smoked a cigarillo and have never smoked cigarillos fairly regularly and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental cigarillo smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever smoked cigarillos as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated cigarillo smoking since their last completed interview, have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and currently smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing and aged-up adult respondents who were new former established or still former established cigarillo smokers as of their last completed interview and did not smoke in the past 12 months or currently	ELSE, IF R04_EVER_NEVER_GRILLO = 1 AND R04_AG1100CG != 1 AND R03_REGUSE_GRILLO != 1 AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_12MBLUNT_ONLY_BRILLO != 1, THEN R04_GRILLO_USER_STATUS = 3. ELSE, IF (R03_GRILLO_USER_STATUS = 1, 2, 3 OR (R04_INIT_GRILLO_ADULT = 1 AND R04_ADULTTYPE != 3) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GRILLO = 1) OR (R04_ADULTTYPE = 3 AND (((R04_AG1009CG_NN <= 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN <= 12 AND R04_AG1009CG_UN = 2) OR (R04_AG1009CG_NN <= 1 AND R04_AG1009CG_UN = 3)))) AND (R03_REGUSE_GRILLO = 1 OR R04_AG1100CG = 1) AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1, THEN R04_GRILLO_USER_STATUS = 4. ELSE, IF (R03_GRILLO_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100CG = 1 AND ((R04_AG1009CG_NN > 365 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN > 12 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	smoke not at all; and new cohort adult respondents who have ever smoked cigarillos fairly regularly and did not smoke in the past 12 months. (8) Unknown / missing = Unknown or missing	R04_AG1009CG_UN = 2) OR (R04_AG1009CG_NN > 1 AND R04_AG1009CG_UN = 3))) AND ((R04_AG9009_12M_01 != 1 AND R04_AG9009_12M_03 != 1 AND R04_AG9051 != 1 AND R04_AG9053 != 1 AND R04_AG9049_01 != 1 AND R04_AG9049_03 != 1) OR R04_AG1003CG = 3) AND R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1, THEN R04_GRILLO_USER_STATUS = 5. ELSE, R04_GRILLO_USER_STATUS = 8.
Filtered cigar user status R04_GFILTR_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked filtered cigars fairly regularly, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a filtered cigar and have never smoked filtered cigars fairly regularly and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental filtered cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever	IF (R03_REGUSE_GFILTR = 1 OR R04_AG1100FC = 1) AND R04_AG1003FC = 1, 2, THEN R04_GFILTR_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND R04_AG1003FC = 1, 2, THEN R04_GFILTR_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_GFILTR = 1 AND R04_AG1100FC != 1 AND R03_REGUSE_GFILTR != 1 AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_12MBLUNT_ONLY_BFILTR != 1, THEN R04_GFILTR_USER_STATUS = 3. ELSE, IF (R03_GFILTR_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_GFILTR_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_GFILTR = 1) OR (R04_ADULTTYPE = 3 AND (((R04_AG1009FC_NN <= 365 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN <= 12 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	smoked filtered cigars as of their last completed interview, who have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated filtered cigar smoking since their last completed interview, have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing and aged-up adult respondents who were new former established or still former established filtered cigar smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all; and new cohort adult respondents who have ever smoked filtered cigars fairly regularly and did not smoke in the past 12 months. (8) Unknown / missing = Unknown or missing	R04_AG1009FC_UN = 2) OR (R04_AG1009FC_NN <= 1 AND R04_AG1009FC_UN = 3)))) AND (R03_REGUSE_GFILTR = 1 OR R04_AG1100FC = 1) AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1, THEN R04_GFILTR_USER_STATUS = 4. ELSE, IF (R03_GFILTR_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AG1100FC = 1 AND ((R04_AG1009FC_NN > 365 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN > 12 AND R04_AG1009FC_UN = 2) OR (R04_AG1009FC_NN > 1 AND R04_AG1009FC_UN = 3)))) AND ((R04_AG9009_12M_02 != 1 AND R04_AG9052 != 1 AND R04_AG9049_02 != 1) OR R04_AG1003FC = 3) AND R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1, THEN R04_GFILTR_USER_STATUS = 5. ELSE, R04_GFILTR_USER_STATUS = 8.
Every day or Some day use - Traditional cigars R04_CURRENT_GTRAD_USE	(1) Every day established user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R04_GTRAD_USER_STATUS = 1 AND R04_AG1003TC = 1, THEN R04_CURRENT_GTRAD_USE = 1. ELSE, IF R04_GTRAD_USER_STATUS = 1 AND R04_AG1003TC = 2, THEN R04_CURRENT_GTRAD_USE = 2. ELSE, R04_CURRENT_GTRAD_USE = 8.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Every day or Some day use - Cigarillos R04_CURRENT_GRILLO_USE	(1) Every day established user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 1, THEN R04_CURRENT_GRILLO_USE = 1. ELSE, IF R04_GRILLO_USER_STATUS = 1 AND R04_AG1003CG = 2, THEN R04_CURRENT_GRILLO_USE = 2. ELSE, R04_CURRENT_GRILLO_USE = 8.
Every day or Some day use - Filtered cigars R04_CURRENT_GFILTR_USE	(1) Every day established user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R04_GFILTR_USER_STATUS = 1 AND R04_AG1003FC = 1, THEN R04_CURRENT_GFILTR_USE = 1. ELSE, IF R04_GFILTR_USER_STATUS = 1 AND R04_AG1003FC = 2, THEN R04_CURRENT_GFILTR_USE = 2. ELSE, R04_CURRENT_GFILTR_USE = 8.
Former but Past 30 Day Users – Traditional Cigars R04_FORMER_THIRTYDAY_USER_GTRAD	(1) Former 30 day user = Adult respondents who are former experimental, recent former established, or long-term former established traditional cigar smokers who have smoked traditional cigars in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established traditional cigar smokers who have smoked traditional cigars in the past 30 days.	IF R04_GTRAD_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AG1009TC_NN <= 30 AND R04_AG1009TC_UN = 1) OR (R04_AG1009TC_NN = 1 AND R04_AG1009TC_UN = 2) OR R04_AG9030 = 1) AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN R04_FORMER_THIRTYDAY_USER_GTRAD = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GTRAD = 2.
Former but Past 30 Day Users – Cigarillos R04_FORMER_THIRTYDAY_USER_GRILLO	(1) Former 30 day user = Adult respondents who are former experimental, recent former established, or long-term former	IF R04_GRILLO_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AG1009CG_NN <= 30 AND R04_AG1009CG_UN = 1) OR (R04_AG1009CG_NN = 1 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	established cigarillo smokers who have smoked cigarillos in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established cigarillo smokers who have smoked cigarillos in the past 30 days.	R04_AG1009CG_UN = 2) OR R04_AG9049_01 = 1 OR R04_AG9049_03 = 1) AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN R04_FORMER_THIRTYDAY_USER_GRILLO = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GRILLO = 2.
Former but Past 30 Day Users – Filtered Cigars R04_FORMER_THIRTYDAY_USER_GFILTR	(1) Former 30 day user = Adult respondents who are former experimental, recent former established, or long-term former established filtered cigar smokers who have smoked filtered cigars in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established filtered cigar smokers who have smoked filtered cigars in the past 30 days.	IF R04_GFILTR_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AG1009FC_NN <= 30 AND R04_AG1009FC_UN = 1) OR (R04_AG1009FC_NN = 1 AND R04_AG1009FC_UN = 2) OR R04_AG9049_02 = 1) AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN R04_FORMER_THIRTYDAY_USER_GFILTR = 1. ELSE, R04_FORMER_THIRTYDAY_USER_GFILTR = 2.
PIPES		
Ever or Never users - Pipes R04_EVER_NEVER_PIPE	(1) Ever user = Adult respondents who have ever smoked a pipe and did not recant prior use. (2) Never user = Adult respondents who have never smoked a pipe.	IF (R03_EVER_NEVER_PIPE = 1 OR R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR (R04_AP1001_RS = 1 AND R04_AP1002_RS = 1) OR R04_AP1003 = 1, 2) AND R04_AP1010 != 3, THEN R04_EVER_NEVER_PIPE = 1. ELSE, R04_EVER_NEVER_PIPE = 2.
Initiators - Pipes R04_INIT_PIPE_ADULT	(1) Initiator = Continuing and aged-up respondents who initiated pipe smoking since their last completed interview or new cohort adult respondents who have ever smoked a pipe.	IF R03_EVER_NEVER_PIPE != 1 AND R04_EVER_NEVER_PIPE = 1, THEN R04_INIT_PIPE_ADULT = 1. ELSE, R04_INIT_PIPE_ADULT = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	(2) Non-initiator = Continuing and aged-up respondents who did not initiate pipe smoking since their last completed interview or new cohort adult respondents who have never smoked a pipe.	
Pipe user status R04_PIPE_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked a pipe fairly regularly, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a pipe and have never smoked a pipe fairly regularly and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental pipe smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever smoked a pipe as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated pipe smoking since their last completed interview, have ever smoked a pipe fairly regularly, have smoked in the	IF (R03_REGUSE_PIPE = 1 OR R04_AP1100 = 1) AND R04_AP1003 = 1, 2, THEN R04_PIPE_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_PIPE = 1 AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1 AND R04_AP1003 = 1, 2, THEN R04_PIPE_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3) AND R03_REGUSE_PIPE != 1 AND R04_AP1100 != 1, THEN R04_PIPE_USER_STATUS = 3. ELSE, IF (R03_PIPE_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_PIPE_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_PIPE = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AP1009_NN <= 365 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN <= 12 AND R04_AP1009_UN = 2) OR (R04_AP1009_NN <= 1 AND R04_AP1009_UN = 3)))) AND (R03_REGUSE_PIPE = 1 OR R04_AP1100 = 1) AND R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3), THEN R04_PIPE_USER_STATUS = 4. ELSE, IF (R03_PIPE_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AP1100 = 1 AND ((R04_AP1009_NN > 365 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN > 12 AND R04_AP1009_UN = 2) OR (R04_AP1009_NN > 1 AND R04_AP1009_UN

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	past 12 months and currently smoke not at all; and new cohort adult respondents who have ever smoked a pipe fairly regularly, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing and aged-up adult respondents who were new former established or still former established pipe smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all, and new cohort adult respondents who have ever smoked a pipe and have smoked a pipe fairly regularly, and have not smoked in the past 12 months. (8) Unknown / missing = Unknown or missing	= 3)))) AND R04_EVER_NEVER_PIPE = 1 AND (R04_AP1002_12M = 2 OR R04_AP1003 = 3), THEN R04_PIPE_USER_STATUS = 5. ELSE, R04_PIPE_USER_STATUS = 8.
Every day or Some day use - Pipes R04_CURRENT_PIPE_USE	(1) Every day established user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R04_PIPE_USER_STATUS = 1 AND R04_AP1003 = 1, THEN R04_CURRENT_PIPE_USE = 1. ELSE, IF R04_PIPE_USER_STATUS = 1 AND R04_AP1003 = 2, THEN R04_CURRENT_PIPE_USE = 2. ELSE, R04_CURRENT_PIPE_USE = 8.
Former but Past 30 Day Users – Pipes R04_FORMER_THIRTYDAY_USER_PIPE	(1) Former 30 day user = Adult respondents who are former experimental, recent former established, or long-term former established pipe smokers who have smoked a pipe in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT former	IF R04_PIPE_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AP1009_NN <= 30 AND R04_AP1009_UN = 1) OR (R04_AP1009_NN = 1 AND R04_AP1009_UN = 2) OR R04_AP1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_PIPE = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	experimental, recent former established, or long-term former established pipe smokers who have smoked a pipe in the past 30 days.	ELSE, R04_FORMER_THIRTYDAY_USER_PIPE = 2.
HOOKAH		
Ever or Never users - Hookah R04_EVER_NEVER_HOOK	(1) Ever user = Adult respondents who have ever smoked tobacco in a hookah and did not recant prior use. (2) Never user = Adult respondents who have never smoked tobacco in a hookah.	IF (R03_EVER_NEVER_HOOK = 1 OR R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR (R04_AH1001_RS = 1 AND R04_AH1002_RS = 1) OR R04_AH1003 = 1, 2) AND R04_AH1010 != 3, THEN R04_EVER_NEVER_HOOK = 1. ELSE, R04_EVER_NEVER_HOOK = 2.
Initiators - Hookah R04_INIT_HOOK_ADULT	(1) Initiator = Continuing and aged-up respondents who initiated hookah smoking since their last completed interview or new cohort adult respondents who have ever smoked tobacco in a hookah. (2) Non-initiator = Continuing and aged-up respondents who did not initiate hookah smoking since their last completed interview or new cohort adult respondents who have never smoked tobacco in a hookah.	IF R03_EVER_NEVER_HOOK != 1 AND R04_EVER_NEVER_HOOK = 1, THEN R04_INIT_HOOK_ADULT = 1. ELSE, R04_INIT_HOOK_ADULT = 2.
Hookah user status R04_HOOK_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked hookah fairly regularly, and currently smoke monthly or more frequently. (2) Current experimental user = Adult respondents who have never smoked hookah fairly regularly, and currently smoke hookah every day, some days, weekly, monthly or in the past 30 days. (3) Former experimental user = Adult respondents who have ever smoked a hookah and have never smoked fairly	IF (R03_REGUSE_HOOK = 1 OR R04_AH1100 = 1) AND (R04_AH1003 = 1, 2 OR R04_AH9003 = 1, 2, 3), THEN R04_HOOK_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_HOOK = 1 AND R03_REGUSE_HOOK != 1 AND R04_AH1100 != 1 AND (R04_AH1003 = 1, 2 OR R04_AH9003 = 1, 2, 3 OR (1 <= R04_AH1009_NN <= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2) OR

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	regularly and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental hookah smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and aged-up adult respondents who have ever smoked hookah as of their last completed interview, have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and continuing and aged-up adult respondents who initiated hookah smoking since their last completed interview, have ever smoked fairly regularly, have smoked in the past 12 months and currently smoke not at all; and new cohort adult respondents who have ever smoked hookah fairly regularly, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing and aged-up adult respondents who were new former established or still former established hookah smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all, and new cohort adult respondents who have ever smoked hookah fairly regularly and have not smoked in the past 12 months.	R04_AH1004 = 1), THEN R04_HOOK_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3) AND R04_AH1100 != 1 AND R03_REGUSE_HOOK != 1, THEN R04_HOOK_USER_STATUS = 3. ELSE, IF (R03_HOOK_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_HOOK_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_HOOK = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AH1009_NN <= 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN <= 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN <= 1 AND R04_AH1009_UN = 3)))) AND (R03_REGUSE_HOOK = 1 OR R04_AH1100 = 1) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 4. ELSE, IF (R03_HOOK_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AH1100 = 1 AND ((R04_AH1009_NN > 365 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN > 12 AND R04_AH1009_UN = 2) OR (R04_AH1009_NN > 1 AND R04_AH1009_UN = 3)))) AND R04_EVER_NEVER_HOOK = 1 AND (R04_AH1002_12M = 2 OR R04_AH1003 = 3), THEN R04_HOOK_USER_STATUS = 5. ELSE, R04_HOOK_USER_STATUS = 8.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	(8) Unknown / missing = Unknown or missing	
Every day or Some day use - Hookah R04_CURRENT_HOOK_USE	(1) Every day established user = Adult respondents who have ever smoked hookah fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked hookah fairly regularly, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R04_HOOK_USER_STATUS = 1 AND (R04_AH1003 = 1 OR R04_AH9003 = 1), THEN R04_CURRENT_HOOK_USE = 1. ELSE, IF R04_HOOK_USER_STATUS = 1 AND (R04_AH1003 = 2 OR R04_AH9003 = 2, 3) THEN R04_CURRENT_HOOK_USE = 2. ELSE, R04_CURRENT_HOOK_USE = 8.
Past 30 Day Users - Hookah R04_THIRTY_DAY_USER_HOOK	(1) Past 30 day user = Adult respondents who have smoked hookah in the past 30 days. (2) Not a past 30 day user = Adult respondents who have not smoked hookah in the past 30 days.	IF R04_EVER_NEVER_HOOK = 1 AND (((1 <= R04_AH1009_NN <= 30 AND R04_AH1009_UN = 1) OR (R04_AH1009_NN = 1 AND R04_AH1009_UN = 2)) OR R04_AH1004 = 1), THEN R04_THIRTY_DAY_USER_HOOK = 1. ELSE, R04_THIRTY_DAY_USER_HOOK = 2.
SNUS		
Ever or Never users - Snus R04_EVER_NEVER_SNUS**	(1) Ever user = Adult respondents who have ever used snus and did not recant prior use. (2) Never user = Adult respondents who have never used snus.	IF (R03_EVER_NEVER_SNUS = 1 OR R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR (R04_AU1001_RS = 1 AND R04_AU1002_RS = 1) OR R04_AU1003 = 1, 2) AND R04_AU1010 != 3, THEN R04_EVER_NEVER_SNUS = 1. ELSE, R04_EVER_NEVER_SNUS = 2.
Initiators – Snus R04_INIT_SNUS_ADULT	(1) Initiator = Continuing and aged-up respondents who initiated snus use since their last completed interview or new cohort adult respondents who have ever used snus. (2) Non-initiator = Continuing and aged-up respondents who did not initiate snus use since their last completed interview or new cohort	IF R03_EVER_NEVER_SNUS != 1 AND R04_EVER_NEVER_SNUS = 1, THEN R04_INIT_SNUS_ADULT = 1. ELSE, R04_INIT_SNUS_ADULT = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	adult respondents who have never used snus.	
Snus user status R04_SNUS_USER_STATUS	(1) Current established user = Adult respondents who have ever used snus fairly regularly, and currently use it every day or some days. (2) Current experimental user = Adult respondents who have never used snus fairly regularly, and currently use it every day or some days. (3) Former experimental user = Adult respondents who have ever used snus and have never used snus fairly regularly and did not use in the past 12 months or currently use not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental snus users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and aged-up adult respondents who have ever used snus as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and continuing and aged-up adult respondents who initiated snus use since their last completed interview, have ever used snus fairly regularly, have used in the past 12 months and currently use not at all; and new cohort adult respondents who have ever used snus fairly regularly, have used in the past 12 months and currently use not at all.	IF (R03_REGUSE_SNUS = 1 OR R04_AU1100 = 1) AND R04_AU1003 = 1, 2, THEN R04_SNUS_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_SNUS = 1 AND R03_REGUSE_SNUS != 1 AND R04_AU1100 != 1 AND R04_AU1003 = 1, 2, THEN R04_SNUS_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3) AND R03_REGUSE_SNUS != 1 AND R04_AU1100 != 1, THEN R04_SNUS_USER_STATUS = 3. ELSE, IF (R03_SNUS_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_SNUS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_SNUS = 1) OR (R04_ADULTTYPE = 3 AND ((R04_AU1009_NN <= 365 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN <= 12 AND R04_AU1009_UN = 2) OR (R04_AU1009_NN <= 1 AND R04_AU1009_UN = 3)))) AND (R03_REGUSE_SNUS = 1 OR R04_AU1100 = 1) AND R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR R04_AU1003 = 3), THEN R04_SNUS_USER_STATUS = 4. ELSE, IF (R03_SNUS_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AU1100 = 1 AND ((R04_AU1009_NN > 365 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN > 12 AND R04_AU1009_UN = 2) OR (R04_AU1009_NN > 1 AND R04_AU1009_UN = 3)))) AND R04_EVER_NEVER_SNUS = 1 AND (R04_AU1002_12M = 2 OR

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	(5) Long-term former established user = Continuing adult respondents who were new former established or still former established snus users as of their last completed interview and did not use in the past 12 months or currently use not at all, and new cohort adult respondents who have ever used snus fairly regularly and have not used snus in the past 12 months. (8) Unknown / missing = Unknown or missing	R04_AU1003 = 3), THEN R04_SNUS_USER_STATUS = 5. ELSE, R04_SNUS_USER_STATUS = 8.
Every day or Some day use - Snus R04_CURRENT_SNUS_USE	(1) Every day established user = Adult respondents who have ever used snus fairly regularly, and currently use it every day. (2) Some day established user = Adult respondents who have ever used snus fairly regularly, and currently use it some days. (8) Unknown / missing = Unknown or missing	IF R04_SNUS_USER_STATUS = 1 AND R04_AU1003 = 1, THEN R04_CURRENT_SNUS_USE = 1. ELSE, IF R04_SNUS_USER_STATUS = 1 AND R04_AU1003 = 2, THEN R04_CURRENT_SNUS_USE = 2. ELSE, R04_CURRENT_SNUS_USE = 8.
Former but Past 30 Day Users – Snus R04_FORMER_THIRTYDAY_USER_SNUS	(1) Former 30 day user = Adult respondents who are former experimental, recent former established, or long-term former established snus users who have used any snus in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established snus users who have used any snus in the past 30 days.	IF R04_SNUS_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AU1009_NN <= 30 AND R04_AU1009_UN = 1) OR (R04_AU1009_NN = 1 AND R04_AU1009_UN = 2) OR R04_AU1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_SNUS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_SNUS = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
SMOKELESS TOBACCO		
Ever or Never users - Smokeless tobacco R04_EVER_NEVER_SMKLS**	(1) Ever user = Adult respondents who have ever used smokeless tobacco and did not recant prior use. (2) Never user = Adult respondents who have never used smokeless tobacco.	IF (R03_EVER_NEVER_SMKLS = 1 OR R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR (R04_AS1001_RS = 1 AND R04_AS1002_RS = 1) OR R04_AS1003 = 1, 2) AND R04_AS1010 != 3, THEN R04_EVER_NEVER_SMKLS = 1. ELSE, R04_EVER_NEVER_SMKLS = 2.
Initiators – Smokeless Tobacco R04_INIT_SMKLS_ADULT	(1) Initiator = Continuing and aged-up respondents who initiated smokeless tobacco use since their last completed interview or new cohort adult respondents who have ever used smokeless tobacco. (2) Non-initiator = Continuing and aged-up respondents who did not initiate smokeless tobacco use since their last completed interview or new cohort adult respondents who have never used smokeless tobacco.	IF R03_EVER_NEVER_SMKLS != 1 AND R04_EVER_NEVER_SMKLS = 1, THEN R04_INIT_SMKLS_ADULT = 1. ELSE, R04_INIT_SMKLS_ADULT = 2.
Smokeless tobacco user status R04_SMKLS_USER_STATUS	(1) Current established user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use it every day or some days. (2) Current experimental user = Adult respondents who have never used smokeless tobacco fairly regularly, and currently use it every day or some days. (3) Former experimental user = Adult respondents who have ever used smokeless tobacco and have never used smokeless tobacco fairly regularly and did not use in the past 12 months or currently use not at all.	IF (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND R04_AS1003 = 1, 2, THEN R04_SMKLS_USER_STATUS = 1. ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1 AND R04_AS1003 = 1, 2, THEN R04_SMKLS_USER_STATUS = 2. ELSE, IF R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3) AND R03_REGUSE_SMKLS != 1 AND R04_AS1100 != 1, THEN R04_SMKLS_USER_STATUS = 3. ELSE, IF (R03_SMKLS_USER_STATUS = 1, 2, 3 OR (R04_ADULTTYPE != 3 AND R04_INIT_SMKLS_ADULT = 1) OR (R04_ADULTTYPE = 2 AND R03_EVER_NEVER_SMKLS = 1) OR

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	(4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental smokeless tobacco users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and aged-up adult respondents who have ever used smokeless tobacco as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and continuing and aged-up adult respondents who initiated smokeless tobacco use since their last completed interview, have ever used smokeless tobacco fairly regularly, have used in the past 12 months and currently use not at all; and new cohort adult respondents who have ever used smokeless tobacco fairly regularly, have used in the past 12 months and currently use not at all. (5) Long-term former established user = Continuing adult respondents who were new former established or still former established smokeless tobacco users as of their last completed interview and did not use in the past 12 months or currently use not at all, and new cohort adult respondents who have ever used smokeless tobacco fairly regularly and have not used smokeless tobacco in the past 12 months. (8) Unknown / missing = Unknown or missing	(R04_ADULTTYPE = 3 AND ((R04_AS1009_NN <= 365 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN <= 12 AND R04_AS1009_UN = 2) OR (R04_AS1009_NN <= 1 AND R04_AS1009_UN = 3)))) AND (R03_REGUSE_SMKLS = 1 OR R04_AS1100 = 1) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), THEN R04_SMKLS_USER_STATUS = 4. ELSE, IF (R03_SMKLS_USER_STATUS = 4, 5 OR (R04_ADULTTYPE = 3 AND R04_AS1100 = 1 AND ((R04_AS1009_NN > 365 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN > 12 AND R04_AS1009_UN = 2) OR (R04_AS1009_NN > 1 AND R04_AS1009_UN = 3)))) AND R04_EVER_NEVER_SMKLS = 1 AND (R04_AS1002_12M = 2 OR R04_AS1003 = 3), THEN R04_SMKLS_USER_STATUS = 5. ELSE, R04_SMKLS_USER_STATUS = 8.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Every day or Some day use - Smokeless tobacco R04_CURRENT_SMKLS_USE	(1) Every day established user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use it every day. (2) Some day established user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use it some days. (8) Unknown / missing = Unknown or missing	IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 1, THEN R04_CURRENT_SMKLS_USE = 1. ELSE, IF R04_SMKLS_USER_STATUS = 1 AND R04_AS1003 = 2, THEN R04_CURRENT_SMKLS_USE = 2. ELSE, R04_CURRENT_SMKLS_USE = 8.
Former but Past 30 Day Users – Smokeless Tobacco R04_FORMER_THIRTYDAY_USER_SMKLS	(1) Former 30 day user = Adult respondents who are former experimental, recent former established, or long-term former established smokeless tobacco users who have used any smokeless tobacco in the past 30 days. (2) Not a former 30 day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established smokeless tobacco users who have used any smokeless tobacco in the past 30 days.	IF R04_SMKLS_USER_STATUS = 3, 4, 5 AND ((1 <= R04_AS1009_NN <= 30 AND R04_AS1009_UN = 1) OR (R04_AS1009_NN = 1 AND R04_AS1009_UN = 2) OR R04_AS1004 = 1), THEN R04_FORMER_THIRTYDAY_USER_SMKLS = 1. ELSE, R04_FORMER_THIRTYDAY_USER_SMKLS = 2.
DISSOLVABLE TOBACCO		
Ever or Never users - Dissolvable tobacco R04_EVER_NEVER_DISSBL	(1) Ever user = Adult respondents who have ever used dissolvable tobacco. (2) Never user = Adult respondents who have never used dissolvable tobacco.	IF (R04_AD1001_RS = 1 AND R04_AD1002_RS = 1) OR R03_EVER_NEVER_DISSBL = 1 OR R04_AD1002_12M = 1, THEN R04_EVER_NEVER_DISSBL = 1. ELSE, R04_EVER_NEVER_DISSBL = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
TOBACCO (GENERAL)		
Ever Users - Tobacco R04_EVER_NEVER_TOBACCO	(1) Ever user = Adult respondents who have ever used any tobacco product(s). (2) Never user = Adult respondents who have never used any tobacco product(s).	IF R04_EVER_NEVER_CIGS = 1 OR R04_EVER_NEVER_EPRODS = 1 OR R04_EVER_NEVER_GTRAD = 1 OR R04_EVER_NEVER_GRILLO = 1 OR R04_EVER_NEVER_GFILTR = 1 OR R04_EVER_NEVER_PIPE = 1 OR R04_EVER_NEVER_HOOK = 1 OR R04_EVER_NEVER_SMKLS = 1 OR R04_EVER_NEVER_SNUS = 1 OR R04_EVER_NEVER_DISSBL = 1, THEN R04_EVER_NEVER_TOBACCO = 1. ELSE, R04_EVER_NEVER_TOBACCO = 2.
Tobacco user status R04_TOBACCO_USER_STATUS**	(1) Current established user = Adult respondents who are current users of at least one tobacco product (including electronic nicotine products). (2) Current experimental user = Adult respondents who are current experimental users of at least one tobacco product, and not current established or recent former established users of any other product (including electronic nicotine products). (3) Former experimental user = Adult respondents who are former experimental users of at least one tobacco product, and not current established, current experimental, recent former established, or long-term former established users of any other product (including electronic nicotine products). (4) Recent former established user = Adult respondents who are recent	IF (R04_CIG_USER_STATUS = 1 OR R04_EPROD_USER_STATUS = 1 OR (R04_GTRAD_USER_STATUS = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2) OR (R04_GRILLO_USER_STATUS = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2) OR (R04_GFILTR_USER_STATUS = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2) OR R04_PIPE_USER_STATUS = 1 OR R04_HOOK_USER_STATUS = 1 OR R04_SNUS_USER_STATUS = 1 OR R04_SMKLS_USER_STATUS = 1), THEN R04_TOBACCO_USER_STATUS = 1. ELSE, IF (R04_CIG_USER_STATUS = 4 OR R04_EPROD_USER_STATUS = 4 OR (R04_GTRAD_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BTRAD = 2) OR (R04_GRILLO_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BRILLO = 2) OR (R04_GFILTR_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BFILTR = 2) OR R04_PIPE_USER_STATUS = 4 OR R04_HOOK_USER_STATUS = 4 OR R04_SNUS_USER_STATUS = 4 OR

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	former established users of any tobacco product (including electronic nicotine products), and are not current established users of any other tobacco products (including electronic nicotine products). (5) Long-term former established user = Adult respondents who are long-term former established users of any tobacco product (including electronic nicotine products), and are not current established, current experimental, or recent former established users of any other tobacco products (including electronic nicotine products). (8) Unknown / missing = Unknown or missing	R04_SMKLS_USER_STATUS = 4), THEN R04_TOBACCO_USER_STATUS = 4. ELSE, IF (R04_CIG_USER_STATUS = 2 OR R04_EPROD_USER_STATUS = 2 OR (R04_GTRAD_USER_STATUS = 2 AND R04_12MBLUNT_ONLY_BTRAD = 2) OR (R04_GRILLO_USER_STATUS = 2 AND R04_12MBLUNT_ONLY_BRILLO = 2) OR (R04_GFILTR_USER_STATUS = 2 AND R04_12MBLUNT_ONLY_BFILTR = 2) OR R04_PIPE_USER_STATUS = 2 OR R04_HOOK_USER_STATUS = 2 OR R04_SNUS_USER_STATUS = 2 OR R04_SMKLS_USER_STATUS = 2), THEN R04_TOBACCO_USER_STATUS = 2. ELSE, IF (R04_CIG_USER_STATUS = 5 OR R04_EPROD_USER_STATUS = 5 OR (R04_GTRAD_USER_STATUS = 5 AND R04_12MBLUNT_ONLY_BTRAD = 2) OR (R04_GRILLO_USER_STATUS = 5 AND R04_12MBLUNT_ONLY_BRILLO = 2) OR (R04_GFILTR_USER_STATUS = 5 AND R04_12MBLUNT_ONLY_BFILTR = 2) OR R04_PIPE_USER_STATUS = 5 OR R04_HOOK_USER_STATUS = 5 OR R04_SNUS_USER_STATUS = 5 OR R04_SMKLS_USER_STATUS = 5), THEN R04_TOBACCO_USER_STATUS = 5. ELSE, IF (R04_CIG_USER_STATUS = 3 OR R04_EPROD_USER_STATUS = 3 OR (R04_GTRAD_USER_STATUS = 3 AND R04_12MBLUNT_ONLY_BTRAD = 2) OR (R04_GRILLO_USER_STATUS = 3 AND R04_12MBLUNT_ONLY_BRILLO = 2) OR (R04_GFILTR_USER_STATUS = 3 AND R04_12MBLUNT_ONLY_BFILTR = 2) OR R04_PIPE_USER_STATUS = 3 OR R04_HOOK_USER_STATUS = 3 OR R04_SNUS_USER_STATUS = 3 OR

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R04_SMKLS_USER_STATUS = 3), THEN R04_TOBACCO_USER_STATUS = 3. ELSE, R04_TOBACCO_USER_STATUS = 8.
Tobacco user status (excluding electronic nicotine products) R04_TOBXEPROD_USER_STATUS**	(1) Current established user = Adult respondents who are current established users of at least one tobacco product other than electronic nicotine products. The respondent may have any electronic nicotine product user status. (2) Current experimental user = Adult respondents who are current experimental users of any tobacco product other than electronic nicotine products, and are not current established or recent former established users of any tobacco products. The respondent may have any electronic nicotine product user status. (3) Former experimental user = Adult respondents who are former experimental users of any tobacco product other than electronic nicotine products, and are not current established, current experimental, recent former established, or long-term former established users of any tobacco products. The respondent may have any electronic nicotine product user status. (4) Recent former established user = Adult respondents who are recent former established users of any tobacco product other than electronic nicotine products, and are not current established users of any tobacco products other than electronic nicotine	IF (R04_CIG_USER_STATUS = 1 OR R04_GTRAD_USER_STATUS = 1 OR R04_GRILLO_USER_STATUS = 1 OR R04_GFILTR_USER_STATUS = 1 OR R04_PIPE_USER_STATUS = 1 OR R04_HOOK_USER_STATUS = 1 OR R04_SMKLS_USER_STATUS = 1 OR R04_SNUS_USER_STATUS = 1), THEN R04_TOBXEPROD_USER_STATUS = 1. ELSE, IF (R04_CIG_USER_STATUS = 4 OR (R04_GTRAD_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_GRILLO_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_GFILTR_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR R04_PIPE_USER_STATUS = 4 OR R04_HOOK_USER_STATUS = 4 OR R04_SMKLS_USER_STATUS = 4 OR R04_SNUS_USER_STATUS = 4), THEN R04_TOBXEPROD_USER_STATUS = 4. ELSE, IF (R04_CIG_USER_STATUS = 2 OR R04_GTRAD_USER_STATUS = 2 OR R04_GRILLO_USER_STATUS = 2 OR R04_GFILTR_USER_STATUS = 2 OR R04_PIPE_USER_STATUS = 2 OR R04_HOOK_USER_STATUS = 2 OR R04_SMKLS_USER_STATUS = 2 OR R04_SNUS_USER_STATUS = 2), THEN R04_TOBXEPROD_USER_STATUS = 2. ELSE, IF (R04_CIG_USER_STATUS = 5 OR (R04_GTRAD_USER_STATUS = 5 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_GRILLO_USER_STATUS = 5 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	products. The respondent may have any electronic nicotine product user status. (5) Long-term former established user = Adult respondents who are long-term former established users of any tobacco product other than electronic nicotine products, and are not current established, current experimental, or recent former established users of any tobacco products other than electronic nicotine products. The respondent may have any electronic nicotine product user status. (8) Unknown / missing = Unknown or missing	(R04_GFILTR_USER_STATUS = 5 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR R04_PIPE_USER_STATUS = 5 OR R04_HOOK_USER_STATUS = 5 OR R04_SMKLS_USER_STATUS = 5 OR R04_SNUS_USER_STATUS = 5), THEN R04_TOBXEPROD_USER_STATUS = 5. ELSE, IF (R04_CIG_USER_STATUS = 3 OR (R04_GTRAD_USER_STATUS = 3 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_GRILLO_USER_STATUS = 3 AND R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_GFILTR_USER_STATUS = 3 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR R04_PIPE_USER_STATUS = 3 OR R04_HOOK_USER_STATUS = 3 OR R04_SMKLS_USER_STATUS = 3 OR R04_SNUS_USER_STATUS = 3), THEN R04_TOBXEPROD_USER_STATUS = 3. ELSE, R04_TOBXEPROD_USER_STATUS = 8.
Every day or Some day use - tobacco R04_CURRENT_TOBACCO_USE	(1) Every day established user = Adult respondents who are every day established users of at least one tobacco product, or who are someday users of multiple products and use at least one each day. (2) Some day established user = Adult respondents who are some day established users of at least one tobacco product and do not use tobacco every day. (8) Unknown / missing = Unknown or missing	IF (R04_CURRENT_CIG_USE = 1 OR R04_CURRENT_EPROD_USE = 1 OR R04_CURRENT_GTRAD_USE = 1 OR R04_CURRENT_GRILLO_USE = 1 OR R04_CURRENT_GFILTR_USE = 1 OR R04_CURRENT_PIPE_USE = 1 OR R04_CURRENT_HOOK_USE = 1 OR R04_CURRENT_SMKLS_USE = 1 OR R04_CURRENT_SNUS_USE = 1) OR R04_AY0005 = 1, THEN R04_CURRENT_TOBACCO_USE = 1. ELSE, IF R04_CURRENT_CIG_USE = 2 OR R04_CURRENT_EPROD_USE = 2 OR R04_CURRENT_GTRAD_USE = 2 OR R04_CURRENT_GRILLO_USE = 2 OR R04_CURRENT_GFILTR_USE = 2 OR R04_CURRENT_PIPE_USE = 2 OR

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R04_CURRENT_HOOK_USE = 2 OR R04_CURRENT_SMKLS_USE = 2 OR R04_CURRENT_SNUS_USE = 2, THEN R04_CURRENT_TOBACCO_USE = 2. ELSE, R04_CURRENT_TOBACCO_USE = 8.
DERIVED QUESTIONNAIRE VARIABLES		
R04_ADULTTYPE**	(1) Continuing adult respondent = Adult respondent whose last completed interview in a previous wave was in the Adult cohort, and they continue to be in the Adult cohort. This is not their first interview in the Adult cohort or the PATH Study. (2) Aged-up adult respondent = Adult respondents whose last completed interview in a previous wave was in the Youth cohort, and have now aged-up into the Adult cohort. This is their first interview in the Adult cohort, but not their first interview in the PATH Study. (3) New cohort adult respondent = Adult respondents who are new to the PATH Study as part of the replenishment sample. This is their first interview in the Adult cohort and in the PATH Study.	IF R04_ACHIEVEDAGE > 17 AND (Int112_AssignmentStatus !NULL or Int212_AssignmentStatus !NULL or R03_Scrn312_AssignmentStatus !NULL), THEN R04_ADULTTYPE = 1. ELSE, IF R04_ACHIEVEDAGE >17 AND (Int333_AssignmentStatus !NULL OR ((Int133_AssignmentStatus !NULL OR Int233_AssignmentStatus !NULL) AND Int212_AssignmentStatus = NULL AND R03_Scrn312_AssignmentStatus = NULL)), THEN R04_ADULTTYPE = 2. ELSE, IF R04_ACHIEVEDAGE > 17 AND R04_CaseType = 2, SET R04_ADULTTYPE = 3.
R04_CIGSPERDAY	Number of cigarettes smoked per day.	IF R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN != -7, -8 AND R04_AC1021_UN = 1, THEN R04_CIGSPERDAY = R04_AC1021_NN. IF R04_CURRENT_CIG_USE = 2 AND R04_AC1023_NN != -8, -7 AND R04_AC1023_UN = 1, THEN R04_CIGSPERDAY = R04_AC1023_NN. IF R04_CIG_USER_STATUS = 4 AND R04_AC9003_NN != -8, -7 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R04_AC9003_UN = 1, THEN R04_CIGSPERDAY = R04_AC9003_NN.
R04_CIGSPERDAY2	Estimate of cigarettes smoked per day when actual number is DK/RF.	IF R04_AC1090 = 1, THEN R04_CIGSPERDAY2 = "more than 20 cigarettes each day". IF R04_AC1090 = 2, THEN R04_CIGSPERDAY2 = "about 20 cigarettes each day". IF R04_AC1090 = 3, THEN R04_CIGSPERDAY2 = "less than 20 cigarettes each day".
R04_PCKSPERDAY	Number of packs smoked per day.	IF R04_CURRENT_CIG_USE = 1 AND R04_AC1021_NN != -7, -8 AND R04_AC1021_UN = 2, THEN R04_PCKSPERDAY = R04_AC1021_NN. IF R04_CURRENT_CIG_USE = 2 AND R04_AC1023_NN != -8, -7 AND R04_AC1023_UN = 2, THEN R04_PCKSPERDAY = R04_AC1023_NN. IF R04_CIG_USER_STATUS = 4 AND R04_AC9003_NN != -8, -7 AND R04_AC9003_UN = 2, THEN R04_PCKSPERDAY = R04_AC9003_NN.
R04_EPRODCOUNT	Number of electronic nicotine products used.	R04_EPRODCOUNT = 0 IF R04_AV9035_01 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_02 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_03 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_04 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1; IF R04_AV9035_05 = 1, SET R04_EPRODCOUNT = R04_EPRODCOUNT + 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R04_EDEVICETYPE	Electronic nicotine product device type.	IF R04_AV9005 = 2, -8, -7 AND R04_AV9008 = 2, -8, -7 AND R04_AV9038 = 2, -8, -7 AND R04_AV9009 = 2, -8, -7, THEN R04_EDEVICETYPE = 1 (Disposable). ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 = 2, -8, -7 AND R04_AV9009 = 2, -8, -7, THEN R04_EDEVICETYPE = 2 (Non-Refillable Cartridge). ELSE, IF R04_AV9005 = 1 AND R04_AV9008 = 1 AND R04_AV9038 != 1 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 3 (Refillable Cartridge). ELSE, IF R04_AV9005 = 1 AND R04_AV9038 = 1 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 4 (Refillable Tank System). ELSE, IF R04_AV9005 = 1, 2, -8, -7 AND R04_AV9008 = 2, -8, -7 AND R04_AV9038 = 2, -8, -7 AND R04_AV9009 = 1, THEN R04_EDEVICETYPE = 5 (Refillable Mod System). ELSE, R04_EDEVICETYPE = 6 (Unknown).
CIGARLOOP1	Cigars as Non-Blunts: CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06. GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts everytime when smoked in the past 12 months. GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts everytime when smoked in the past 12 months.	Cigars as Non-Blunts: CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06. GTRAD: IF R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. GRILLO: IF R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. GFILTR: IF R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR. Cigars as Blunts-Only:

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months. Cigars as Blunts-Only: CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06. DO NOT ASK ITEM R04_AG1010. BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	CIGARLOOP1 = BOX R04_AGR05 THROUGH BOX_R04_AGR06. DO NOT ASK ITEM R04_AG1010. BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD. BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO. BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.
CIGARLOOP2	Cigars as Non-Blunts: CIGARLOOP2 = BOX R04_AGT03 THROUGH R04_AG1080. GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months. GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months.	Cigars as Non-Blunts: CIGARLOOP2 = BOX R04_AGT03 THROUGH R04_AG1080. GTRAD: IF R04_EVER_NEVER_GTRAD = 1 AND R04_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. GRILLO: IF R04_EVER_NEVER_GRILLO = 1 AND R04_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. GFILTR: IF R04_EVER_NEVER_GFILTR = 1 AND R04_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR. Cigars as Blunts-Only:

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months. Cigars as Blunts-Only: CIGARLOOP2 = R04_AGT03, R04_AGR01, R04_AG1008, R04_AG1011, R04_AG1030, R04_AG1032, R04_AG1033, R04_AG1039, R04_AG1040, R04_AG1042, R04_AG1043, R04_AG1047, R04_AG1048, R04_AG1070, R04_AG1071, R04_AG1049, R04_AG1050, R04_AG1012, and R04_AGR04 BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	CIGARLOOP2 = R04_AGT03, R04_AGR01, R04_AG1008, R04_AG1011, R04_AG1030, R04_AG1032, R04_AG1033, R04_AG1039, R04_AG1040, R04_AG1042, R04_AG1043, R04_AG1047, R04_AG1048, R04_AG1070, R04_AG1049, R04_AG1071, R04_AG1050, R04_AG1012, and R04_AGR04 BTRAD: IF R04_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD. BRILLO: IF R04_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO. BFILTR: IF R04_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.
R04_TOBACCO_PRODUCT_LIST	A list of all the tobacco products the respondent currently uses. DISPLAY: For [TOBACCO PRODUCT LIST] embedded in the question text, display the product names in lowercase letters. If [TOBACCO PRODUCT LIST] has two products, connect the products with "and". If	IF R04_CIG_USER_STATUS = 1, INCLUDE "cigarettes" IN THE LIST. IF R04_EPROD_USER_STATUS = 1, INCLUDE "electronic nicotine products" IN THE LIST. IF R04_GTRAD_USER_STATUS = 1, INCLUDE "traditional cigars" IN THE LIST. IF R04_GRILLO_USER_STATUS = 1, INCLUDE "cigarillos" IN THE LIST.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	[TOBACCO PRODUCT LIST] has three or more products, connect the products with commas and include "and" before the final product in the list.	IF R04_GFILTR_USER_STATUS= 1, INCLUDE "filtered cigars" IN THE LIST. IF R04_PIPE_USER_STATUS = 1, INCLUDE "a pipe" IN THE LIST. IF R04_HOOK_USER_STATUS = 1, INCLUDE "hookah" IN THE LIST. IF R04_SNUS_USER_STATUS = 1, INCLUDE "snus" IN THE LIST. IF R04_SMKLS_USER_STATUS = 1, INCLUDE "smokeless tobacco" IN THE LIST.
R04_CURRENT_PRODUCT_COUNT	Number of tobacco products for which the respondent is an every day or some day user.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY OR SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_EVERY_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses every day.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES EVERY DAY [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_SOME_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses some days.	0 +1 FOR EVERY PRODUCT THE RESPONDENT USES SOME DAYS [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R04_EXPERIMENTAL_PRODUCT_COUNT	Number of tobacco products the respondent currently uses experimentally.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS AN EXPERIMENTAL CURRENT USER OF [CIGARETTES, CIGARS, CIGARILLOS, FILTERED CIGARS, PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_RECENT_FORMER_PRODUCT_COUNT**	Number of tobacco products the respondent is a recent former established user of.	0 +1 FOR EVERY PRODUCT THE RESPONDENT IS A RECENT FORMER USER OF [CIGARETTES, TRADITIONAL CIGARS (IF R04_12MBLUNT_ONLY_BTRAD != 1), CIGARILLOS (IF R04_12MBLUNT_ONLY_BRILLO != 1), FILTERED CIGARS (IF R04_12MBLUNT_ONLY_BFILTER != 1), PIPE, HOOKAH, SMOKELESS, SNUS, ELECTRONIC NICOTINE PRODUCTS (IF R04_EPRODCOUNT >1, ONLY COUNT ELECTRONIC NICOTINE PRODUCTS AS 1 IN THE COUNT)]. Range 0 to 9.
R04_NDSKIP	Type of product use -- polyusers or multiple product users R04_NDSKIP = 0 (Respondents who are current established or recent former established users of only one product. Or respondents who are current experimental users of only one product and are not current established or recent former established users of any other products. If R04_NDSKIP = 0, only the electronic nicotine product ND module or the tobacco ND module will be asked, not both, with fills tailored to their specific product.) R04_NDSKIP = 1 (Respondents who are current established or recent	R04_NDSKIP: IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 2) AND R04_EPROD_USER_STATUS != 1, 4, THEN R04_NDSKIP = 1. ELSE, IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT >= 3) AND R04_EPROD_USER_STATUS = 1, 4, THEN R04_NDSKIP = 2. ELSE, IF (R04_CURRENT_PRODUCT_COUNT + R04_RECENT_FORMER_PRODUCT_COUNT = 2) AND R04_EPROD_USER_STATUS = 1, 4, THEN R04_NDSKIP = 3. ELSE, IF R04_CURRENT_PRODUCT_COUNT +

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	former established users of two or more products, where none of those products is/was electronic nicotine products. Or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and are not current established or recent former established users of any other products. If R04_NDSKIP = 1, only the tobacco ND module will be asked, with fills tailored to their tobacco use overall.) R04_NDSKIP = 2 (Respondents who are current established or recent former established users of three or more products, where one of those products is/was electronic nicotine products. Or respondents who are current experimental users of three or more products, where one of those products is electronic nicotine products, and are not current established or recent former established users of any other products. If R04_NDSKIP = 2, both ND modules will be asked, first the electronic nicotine product ND module and second the tobacco ND module with fills tailored to their tobacco use overall. R04_NDSKIP = 3 (Respondents who are current established or recent former established users of two products, where one of those products is/was electronic nicotine products. Or respondents who are current experimental users of two products,	R04_RECENT_FORMER_PRODUCT_COUNT = 1, THEN R04_NDSKIP = 0. ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS != 2, THEN R04_NDSKIP = 1. ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT >= 3 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2, THEN R04_NDSKIP = 2. ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R04_TOBACCO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2, THEN R04_NDSKIP = 3. ELSE, IF R04_EXPERIMENTAL_PRODUCT_COUNT = 1 AND R04_TOBACCO_USER_STATUS = 2, THEN R04_NDSKIP = 0.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	where one of those products is electronic nicotine products, and are not current established or recent former established users of any other products. If R04_NDSKIP = 3, both ND modules will be asked, first the electronic nicotine product ND module and second the tobacco ND module with fills tailored to their other specific product.)	
R04_GROUP	Type of product use -- single product users IF R04_NDSKIP = 0, 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS: R04_GROUP = NC (Cigarettes) R04_GROUP = NG (Traditional cigars) R04_GROUP = NL (Cigarillos) R04_GROUP = NF (Filtered cigars) R04_GROUP = NP (Pipes) R04_GROUP = NH (Hookah) R04_GROUP = NU (Snus) R04_GROUP = NS (Smokeless Tobacco)	IF R04_NDSKIP = 0: IF (R04_CIG_USER_STATUS = 1 OR 4) AND (R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NC. ELSE, IF (R04_GTRAD_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BTRAD != 1) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R04_EPROD_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NG. ELSE, IF (R04_GRILLO_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BRILLO != 1) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NL.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, IF (R04_GFILTR_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BFILTR != 1) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NF. ELSE, IF R04_PIPE_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NP. ELSE, IF R04_HOOK_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NH. ELSE, IF R04_SNUS_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NU. ELSE, IF R04_SMKLS_USER_STATUS = 1 OR 4 AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_EPROD_USER_STATUS != 1 AND R04_EPROD_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1)), THEN R04_GROUP = NS. ELSE, IF R04_CIG_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4), THEN R04_GROUP = NC.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, IF R04_GTRAD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NG. ELSE, IF R04_GRILLO_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NL. ELSE, IF R04_GFILTR_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NF. ELSE, IF R04_PIPE_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NP. ELSE, IF R04_HOOK_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NH. ELSE, IF R04_SNUS_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NU. ELSE, IF R04_SMKLS_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS != 1 AND R04_TOBACCO_USER_STATUS != 4) THEN R04_GROUP = NS. IF R04_NDSKIP = 3: IF (R04_CIG_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		(R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NC. ELSE, IF ((R04_GTRAD_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BTRAD != 1) AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NG.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, IF ((R04_GRILLO_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BRILLO != 1) AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NL. ELSE, IF ((R04_GFILTR_USER_STATUS = 1 OR 4 AND R04_12MBLUNT_ONLY_BFILTR != 1) AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NF. ELSE, IF (R04_PIPE_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NP. ELSE, IF (R04_HOOK_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_PIPE_USER_STATUS != 1 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R04_PIPE_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NH. ELSE, IF (R04_SNUS_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BRILLO = 1) AND R04_SMKLS_USER_STATUS != 1 AND R04_SMKLS_USER_STATUS != 4), THEN R04_GROUP = NU. ELSE, IF (R04_SMKLS_USER_STATUS = 1 OR 4 AND R04_EPROD_USER_STATUS = 1 OR 4) AND (R04_CIG_USER_STATUS != 1 AND R04_CIG_USER_STATUS != 4 AND R04_GTRAD_USER_STATUS != 1 AND (R04_GTRAD_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1) AND R04_GFILTR_USER_STATUS != 1 AND (R04_GFILTR_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BFILTR = 1) AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R04_PIPE_USER_STATUS != 1 AND R04_PIPE_USER_STATUS != 4 AND R04_HOOK_USER_STATUS != 1 AND R04_HOOK_USER_STATUS != 4 AND R04_SNUS_USER_STATUS != 1 AND R04_SNUS_USER_STATUS != 4 AND R04_GRILLO_USER_STATUS != 1 AND (R04_GRILLO_USER_STATUS != 4 OR R04_12MBLUNT_ONLY_BTRAD = 1)), THEN R04_GROUP = NS. ELSE, IF R04_CIG_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NC. ELSE, IF R04_GTRAD_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NG. ELSE, IF R04_GRILLO_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NL. ELSE, IF R04_GFILTR_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NF. ELSE, IF R04_PIPE_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NP. ELSE, IF R04_HOOK_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4), THEN R04_GROUP = NH. ELSE, IF R04_SNUS_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4) THEN R04_GROUP = NU. ELSE, IF R04_SMKLS_USER_STATUS = 2 AND R04_EPROD_USER_STATUS = 2 AND (R04_TOBACCO_USER_STATUS !=1 AND R04_TOBACCO_USER_STATUS !=4) THEN R04_GROUP = NS.
R04_VALID_TIME_LASTUSED	Respondent is a recent former user of a product and answered R04_A*1009 with a valid response (excluding electronic nicotine products).	IF (R04_CIG_USER_STATUS = 4 AND R04_AC1009_NN > 0) OR (R04_AG1009TC_NN > 0 AND R04_GTRAD_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_GRILLO_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_AG1009CG_NN > 0) OR (R04_GFILTR_USER_STATUS = 4 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_AG1009FC_NN > 0) OR (R04_HOOK_USER_STATUS = 4 AND R04_AH1009_NN > 0) OR (R04_PIPE_USER_STATUS = 4 AND R04_AP1009_NN > 0) OR (R04_SNUS_USER_STATUS = 4 AND R04_AU1009_NN > 0) OR (R04_SMKLS_USER_STATUS = 4 AND

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R04_AS1009_NN > 0), THEN R04_VALID_TIME_LASTUSED = 1. ELSE, R04_VALID_TIME_LASTUSED = 2.
Twelve month quit status (electronic nicotine products) R04_TWELVEMONTHQUIT_STATUS_EPROD	(1) Past 12 month quitter or quit attempter = Adult respondents who have quit or attempted to quit electronic nicotine products in the past 12 months. (2) Past 12 month reducer = Adult respondents who have cut down their electronic nicotine product use in the past 12 months, but have not tried to quit. (8) Unknown / missing = Unknown or missing	IF R04_AN0105E = 1 OR R04_EPROD_USER_STATUS = 4, THEN R04_TWELVEMONTHQUIT_STATUS_EPROD = 1. ELSE, IF R04_AN0334E = 1, THEN R04_TWELVEMONTHQUIT_STATUS_EPROD = 2. ELSE, R04_TWELVEMONTHQUIT_STATUS_EPROD = 8.
Twelve month quit status (excluding electronic nicotine products) R04_TWELVEMONTHQUIT_STATUS	(1) Past 12 month quitter or quit attempter = Adult respondents who have quit or attempted to quit non-electronic tobacco in the past 12 months. (2) Past 12 month reducer = Adult respondents who have cut down their non-electronic tobacco use in the past 12 months, but have not tried to quit. (8) Unknown / missing = Unknown or missing	IF R04_AN0105 = 1 OR R04_TOBXEPROD_USER_STATUS = 4, THEN R04_TWELVEMONTHQUIT_STATUS = 1. ELSE, IF R04_AN0334 = 1, THEN R04_TWELVEMONTHQUIT_STATUS = 2. ELSE, R04_TWELVEMONTHQUIT_STATUS = 8.
R04_ADULT_COPD	Adult respondents who have ever had COPD.	IF (R04_AX0119_NB_01 = 1 OR R04_AX0119_12M_01 = 1 OR R03_COPD = 1) AND R04_AX0733 != 3, THEN R04_ADULT_COPD = 1. ELSE, R04_ADULT_COPD = 2.
R04_ADULT_ASTHMA	Adult respondents who have ever had asthma.	IF (R03_ASTHMA = 1 OR R04_AX0119_NB_04 = 1 OR R04_AX0119_12M_04 = 1) AND R04_AX0227 != 6, THEN R04_ADULT_ASTHMA = 1. ELSE, R04_ADULT_ASTHMA = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R04_EVER_USER_ALC	Adult respondents who have ever used alcohol.	IF R04_AX0084_RS = 1 OR R04_AX0084_12M = 1 OR R03_EVER_USER_ALCOHOL = 1, THEN R04_EVER_USER_ALC = 1. ELSE, R04_EVER_USER_ALC = 2.
R04_EVER_USER_MJ	Adult respondents who have ever used marijuana.	IF R04_AG9107 = 1 OR R04_AG9105_RS = 1 OR R04_AX0085_12M = 1 OR R04_AX0085_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1 OR R03_EVER_USER_MARIJUANA = 1, THEN R04_EVER_USER_MJ = 1. ELSE, R04_EVER_USER_MJ = 2.
R04_EVER_USER_RIT	Adult respondents who have ever used Ritalin® or Adderall®.	IF R04_AX0089_12M_01 = 1 OR R04_AX0089_RS_01 = 1 OR R03_EVER_USER_RITALIN = 1, THEN R04_EVER_USER_RIT = 1. ELSE, R04_EVER_USER_RIT = 2.
R04_EVER_USER_PK	Adult respondents who have ever used painkillers, sedatives, or tranquilizers.	IF R04_AX0089_12M_02 = 1 OR R04_AX0089_RS_02 = 1 OR R03_EVER_USER_PAINKILLERS = 1, THEN R04_EVER_USER_PK = 1. ELSE, R04_EVER_USER_PK = 2.
R04_EVER_USER_COC	Adult respondents who have ever used cocaine or crack.	IF R04_AX0220_12M_01 = 1 OR R04_AX0220_RS_01 = 1 OR R03_EVER_USER_COCAINE = 1, THEN R04_EVER_USER_COC = 1. ELSE, R04_EVER_USER_COC = 2.
R04_EVER_USER_STIM	Adult respondents who have ever used stimulants like methamphetamine or speed.	IF R04_AX0220_12M_02 = 1 OR R04_AX0220_RS_02 = 1 OR R03_EVER_USER_STIMULANTS = 1, THEN R04_EVER_USER_STIM = 1. ELSE, R04_EVER_USER_STIM = 2.
R04_EVER_USER_OTH	Adult respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens.	IF R04_AX0220_12M_03 = 1 OR R04_AX0220_RS_03 = 1 OR R03_EVER_USER_OTHERDRUG = 1, THEN R04_EVER_USER_OTH = 1. ELSE, R04_EVER_USER_OTH = 2.
R04_SUBSTANCE_COUNT	Number of substances the respondent has ever used.	R04_SUBSTANCE_COUNT = 0;

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		IF R04_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_RIT = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1; IF R04_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R04_SUBSTANCE_COUNT + 1.
R04_PASTUSE_CIGS	Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current established, current experimental, former experimental, or new former established cigarette smokers in Wave 3, or new baseline adult respondents who have ever smoked cigarettes.	IF (R04_AC1004 = 1 OR R04_AC1002_12M = 1 OR R04_AC1002_RS = 1 OR R03_CIG_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_CIGS = 1)) AND R04_AC1010 != 3, THEN R04_PASTUSE_CIGS = 1. ELSE, R04_PASTUSE_CIGS = 2.
R04_PASTUSE_EPRODS**	Continuing adult respondents who used electronic nicotine products in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established electronic nicotine product users in Wave 3, or new baseline adult respondents who	IF ((R04_AV1004 = 1 OR R04_AV1002_12M = 1 OR R04_AV1002_RS = 1 OR R03_EPROD_USER_STATUS = 1, 2, 3, 4) OR (R04_EVER_NEVER_EPRODS = 1 AND R04_ADULTTYPE = 2, 3)) AND R04_AV1010 != 3, THEN R04_PASTUSE_EPRODS = 1. ELSE, R04_PASTUSE_EPRODS = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	have ever used electronic nicotine products.	
R04_PASTUSE_GTRAD	Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established traditional cigar smokers in Wave 3, or new baseline adult respondents who have ever smoked traditional cigars.	IF (R04_AG9030 = 1 OR R04_AG9003_12M = 1 OR R04_AG9003_RS = 1 OR R03_GTRAD_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GTRAD = 1)) AND R04_AG1010TC != 3, THEN R04_PASTUSE_GTRAD = 1. ELSE, R04_PASTUSE_GTRAD = 2.
R04_PASTUSE_GRILLO	Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established cigarillo smokers in Wave 3, or new baseline adult respondents who have ever smoked cigarillos.	IF (R04_AG9049_01 = 1 OR R04_AG9049_03 = 1 OR R04_AG9051 = 1 OR R04_AG9053 = 1 OR R04_AG9009_12M_01 = 1 OR R04_AG9009_12M_03 = 1 OR R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1 OR R03_GRILLO_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GRILLO = 1)) AND R04_AG1010CG != 3, THEN R04_PASTUSE_GRILLO = 1. ELSE, R04_PASTUSE_GRILLO = 2.
R04_PASTUSE_GFILTR	Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established filtered cigar smokers in Wave 3, or new baseline adult respondents who have ever smoked filtered cigars.	IF (R04_AG9049_02 = 1 OR R04_AG9052 = 1 OR R04_AG9009_12M_02 = 1 OR R04_AG9009_RS_02 = 1 OR R03_GFILTR_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR = 1)) AND R04_AG1010FC != 3, THEN R04_PASTUSE_GFILTR = 1. ELSE, R04_PASTUSE_GFILTR = 2.
R04_PASTUSE_PIPE	Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established pipe smokers in Wave 3, or new baseline adult	IF (R04_AP1004 = 1 OR R04_AP1002_12M = 1 OR R04_AP1002_RS = 1 OR R03_PIPE_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_PIPE = 1)) AND R04_AP1010 != 3, THEN R04_PASTUSE_PIPE = 1.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	respondents who have ever smoked pipe tobacco.	ELSE, R04_PASTUSE_PIPE = 2.
R04_PASTUSE_HOOK	Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established hookah smokers in Wave 3, or new baseline adult respondents who have ever smoked hookah.	IF (R04_AH1004 = 1 OR R04_AH1002_12M = 1 OR R04_AH1002_RS = 1 OR R03_HOOK_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_HOOK = 1)) AND R04_AH1010 != 3, THEN R04_PASTUSE_HOOK = 1. ELSE, R04_PASTUSE_HOOK = 2.
R04_PASTUSE_SNUS	Continuing adult respondents who used snus in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established snus users in Wave 3, or new baseline adult respondents who have ever used snus.	IF (R04_AU1004 = 1 OR R04_AU1002_12M = 1 OR R04_AU1002_RS = 1 OR R03_SNUS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_SNUS = 1)) AND R04_AU1010 != 3, THEN R04_PASTUSE_SNUS = 1. ELSE, R04_PASTUSE_SNUS = 2.
R04_PASTUSE_SMKLS	Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current established, current experimental, former experimental, new former established smokeless tobacco users in Wave 3, or new baseline adult respondents who have ever used smokeless tobacco.	IF (R04_AS1004 = 1 OR R04_AS1002_12M = 1 OR R04_AS1002_RS = 1 OR R03_SMKLS_USER_STATUS = 1, 2, 3, 4 OR (R04_ADULTTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS = 1)) AND R04_AS1010 != 3, THEN R04_PASTUSE_SMKLS = 1. ELSE, R04_PASTUSE_SMKLS = 2.
R04_REGULAR_BRAND	Adult respondents who have a regular brand of any tobacco product.	IF R04_AC1047MC = 1 OR R04_AC1047RY = 1 OR R04_AV1047 = 1 OR R04_AG1047TC = 1 OR R04_AG1047CG = 1 OR R04_AG1047FC = 1 OR R04_AP1047 = 1 OR R04_AH1047 = 1 OR R04_AU1047 = 1 OR R04_AS1047 = 1, THEN R04_REGULAR_BRAND = 1. ELSE, R04_REGULAR_BRAND = 2.

PATH Study Wave 4 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R04_NO_REGULAR_BRAND**	Adult respondents who use a tobacco product and do not have a regular brand of that tobacco product.	IF (R04_AC1047MC = 2, -8, -7 OR R04_AC1047RY = 2, -8, -7 OR R04_AV1047 = 2, -8, -7 OR R04_AG1047TC = 2, -8, -7 OR R04_AG1047CG = 2, -8, -7 OR R04_AG1047FC = 2, -8, -7 OR R04_AP1047 = 2, -8, -7 OR R04_AH1047 = 2, -8, -7 OR R04_AS1047 = 2, -8, -7 OR R04_AU1047 = 2, - 8, -7), THEN R04_NO_REGULAR_BRAND = 1. ELSE, R04_NO_REGULAR_BRAND = 2.

APPENDIX – ADULT INSTRUMENT SKIP ERROR SUMMARY

This table summarizes skip errors in the data collection instruments that resulted in missing data on these items for some respondents. Items that were fixed during data collection will have some missing data and some non-missing data.

Item(s)**	Description of Issue	Issue Fixed during Wave 4 Data Collection?	Date Issue was Fixed
R04_ADULTTYPE	Values for this data collection variable were not set correctly for respondents who aged up in Wave 3 and did not complete the Wave 3 interview. The incorrect setting of R04_ADULTTYPE also caused the following items to be skipped incorrectly: R04_AM0011_NB_01 -- R04_AM0011_NB_05, R04_AC9040_NB, R04_AR0144_NB, R04_AX0186_NB, R04_AX0188_NB, R04_AX0187_NB, R04_AX0189_NB, R04_AX0190_NB, R04_AX0191_NB, R04_AX0111_NB_01 -- R04_AX0111_NB_07, R04_AX0046_NB, R04_AX0119_NB_01 -- R04_AX0119_NB_06, R04_AX0693_NB, R04_AX0694_NB, R04_AX0695_NB, R04_AX0760_NB, R04_AX0727_NB, R04_AX0129_NB, R04_AX0132_NB, R04_AX0281_NB, R04_AX0141_NB, R04_AX0147_NB, R04_AX0151_NB, R04_AX0144_NB, R04_AX0149_NB, R04_AX0196_NB, R04_AX0400_NB, R04_AX0689_NB_01 -- R04_AX0689_NB_04, R04_AX0401_NB, R04_AM0012_NB.	Yes	1/31/2017
R04_AM0011_NB_01 – R04_AM0011_NB_05	This item was skipped incorrectly by new cohort adult respondents who are currently on active duty or have been on active duty in the past (R04_ADULTTYPE = 3 AND R04_AM0007 = 1 AND R04_AM0050_RS != 3, 4, -8, -7).	Yes	1/31/2017
R04_AG1003CG	This item was skipped incorrectly by continuing adult respondents (R04_ADULTTYPE = 1) who have ever smoked a cigarillo (R03_EVER_NEVER_GRILLO = 1) and did not know or refused to report the kind of cigarillo or filtered cigar smoked in the past 12 months (R04_AG9009_12M_[01/03] = -8, -7).	Yes	3/7/2017

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 4 Data Collection?	Date Issue was Fixed
R04_AG1009CG_NN	This item was skipped incorrectly by continuing and aged-up adult respondents (R04_ADULTTYPE = 1, 2) who are not blunt-only cigarillo smokers (R04_12MBLUNT_ONLY_BRILLO != 1) and did not smoke a cigarillo in the past 30 days or past 12 months (R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) and have ever smoked a cigarillo (R03_EVER_NEVER_GRILLO = 1) and were not former experimental, new former established, or still former established cigarillo smokers as of their last completed interview (R03_GRILLO_USER_STATUS != 3, 4, 5), and by new cohort adult respondents (R04_ADULTTYPE = 3) who did not smoke a cigarillo in the past 30 days or past 12 months (R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) and have ever smoked a cigarillo (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1).	Yes	3/7/2017
R04_AG1010CG	This item was skipped incorrectly by continuing and aged-up adult respondents (R04_ADULTTYPE = 1, 2) who are not blunt-only cigarillo smokers (R04_12MBLUNT_ONLY_BRILLO != 1) and did not smoke a cigarillo in the past 30 days or past 12 months (R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) and have ever smoked a cigarillo (R03_EVER_NEVER_GRILLO = 1) and were not former experimental cigarillo smokers as of their last completed interview (R03_GRILLO_USER_STATUS != 3), and by new cohort adult respondents (R04_ADULTTYPE = 3) who did not smoke a cigarillo in the past 30 days or past 12 months (R04_AG9049_01 = 2 AND R04_AG9049_03 = 2 AND R04_AG9051 = 2 AND R04_AG9053 = 2) and have ever smoked a cigarillo (R04_AG9009_RS_01 = 1 OR R04_AG9009_RS_03 = 1).	Yes	3/7/2017
R04_AG1003FC	This item was skipped incorrectly by new cohort adults (R04_ADULTTYPE = 3) who have smoked a filtered cigar (R04_AG9009_RS_02 = 1) and did	Yes	3/7/2017

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 4 Data Collection?	Date Issue was Fixed
	not know or refused to report if they had smoked a filtered cigar in the past 12 months (AG9052 = -8, -7).		
R04_AG1009FC_NN	This item was skipped incorrectly by continuing and aged-up adult respondents (R04_ADULTTYPE = 1, 2) who are not blunt-only filtered cigar smokers (R04_12MBLUNT_ONLY_BFILTR != 1) and did not smoke a filtered cigar in the past 30 days or past 12 months (R04_AG9049_02 = 2 AND R04_AG9052 = 2) and have ever smoked a filtered cigar (R03_EVER_NEVER_GFILTR = 1) and were not former experimental, new former established, or still former established filtered cigar smokers as of their last completed interview (R03_GFILTR_USER_STATUS != 3, 4, 5), and by new cohort adult respondents (R04_ADULTTYPE = 3) and have ever smoked a filtered cigar (R04_AG9009_RS_02 = 1) and did not smoke a filtered cigar in the past 30 days or past 12 months (R04_AG9049_02 = 2 AND R04_AG9052 = 2).	Yes	3/7/2017
R04_AG1010FC	This item was skipped incorrectly by continuing and aged-up adult respondents (R04_ADULTTYPE = 1,2) who are not blunt-only filtered cigar smokers (R04_12MBLUNT_ONLY_BFILTR != 1) and did not smoke a filtered cigar in the past 30 days or past 12 months (R04_AG9049_02 = 2 AND R04_AG9052 = 2) and have ever smoked a filtered cigar (R03_EVER_NEVER_GFILTR = 1) and were not former experimental filtered cigar smokers as of their last completed interview (R03_GFILTR_USER_STATUS != 3), and by new cohort adult respondents (R04_ADULTTYPE = 3) and have ever smoked a filtered cigar (R04_AG9009_RS_02 = 1) and did not smoke a filtered cigar in the past 30 days or past 12 months (R04_AG9049_02 = 2 AND R04_AG9052 = 2).	Yes	3/7/2017
R04_AH1009_NN, R04_AH1010	These items were skipped incorrectly by adult respondents who now smoke tobacco in a hookah not at all (R04_AH1003 = 3).	Yes	4/18/2017
R04_EVER_NEVER_SNUS	Values for this data collection variable were not set correctly for some respondents who had not ever used snus pouches in Wave 3	Yes	1/31/2017

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 4 Data Collection?	Date Issue was Fixed
	(R03_EVER_NEVER_SNUS = 2) and did not use snus pouches in the past 12 months (R04_AU1002_12M = 2). The incorrect setting of R04_EVER_NEVER_SNUS also caused the following items to be skipped incorrectly: R04_AU1103, R04_AU1104, R04_AU1205.		
R04_EVER_NEVER_SMKLS	Values for this data collection variable were not set correctly for respondents who had not ever used smokeless tobacco in Wave 3 (R03_EVER_NEVER_SMKLS = 2) and did not use snus pouches in the past 12 months (R04_AS1002_12M = 2). The incorrect setting of R04_EVER_NEVER_SMKLS also caused the following items to be skipped incorrectly: R04_AS1103, R04_AS1104, R04_AS1205.	Yes	1/31/2017
R04_AU1206	This item was skipped incorrectly by young adult respondents (18 <= R04R_A_AGE < 25) who have ever used snus pouches (R04_EVER_NEVER_SNUS = 1) and did not use snus pouches in the past 12 months (R04_AU1002_12M = 2).	Yes	5/2/2017
R04_AS1206	This item was skipped incorrectly by young adult respondents (18 <= R04R_A_AGE < 25) who have ever used smokeless tobacco (R04_EVER_NEVER_SMKLS = 1) and did not use smokeless tobacco in the past 12 months (R04_AS1002_12M = 2).	Yes	5/2/2017
R04_AU1104	This item was skipped incorrectly by adult respondents who have never used smokeless tobacco (R04_EVER_NEVER_SMKLS = 2) and did not use snus in the past 12 months (R04_AU1002_12M = 2).	Yes	1/31/2017
R04_AC1007_NB	This item was skipped incorrectly by aged-up adult respondents (R04_ADULTTYPE = 2) who have ever smoked 100 or more cigarettes as of their last completed interview (R03_NUMLIFE_CIGS = 1) and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly (R03_REGUSE_CIGS != 1 AND R04_AC1100 = 1).	No	
R04_AC0104	This item was skipped incorrectly by some adult respondents who last smoked roll-your-own cigarettes sometime today or yesterday (R04_AC0100RY = 2, 3) and provided valid roll your own brand/product	Yes	5/2/2017

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 4 Data Collection?	Date Issue was Fixed
	information (R04_AC1048RY_BRAND != 9995, -8, -7 AND R04_AC1070RY_PRODUCT != 99990, 99995, -8, -7) and did not use manufactured cigarettes or did not provide a product for manufactured cigarettes (R04_AC9048 = 3 OR R04_AC1070MC_PRODUCT = 99995).		
R04_AV9044	This item was skipped incorrectly by respondents who selected “something else” in R04_AV9035 in addition to e-cigarette, e-cigar, e-pipe, and/or e-hookah.	No	
R04_AV0104	This item is was incorrectly skipped when the following brands were selected in R04_AV1048_BRAND: eGo (R04_AV1048_BRAND = 1254), MarkTen (R04_AV1048_BRAND = 1256), Eleaf (R04_AV1048_BRAND = 1259) and VaporFi (R04_AV1048_BRAND = 1261).	Yes	4/18/2017
R04_AV0100, R04_AV1131_01 – R04_AV1131_09	These items were skipped incorrectly by respondents who have ever used electronic nicotine products fairly regularly and currently use them some days (R04_CURRENT_EPROD_USE = 2) and used an electronic nicotine product on one or more days in the past 30 days (R04_AV1022 > 0).	Yes	1/31/2017
R04_AH0104	This item was skipped incorrectly by respondents who selected Starbuzz as the brand of shisha or hookah tobacco they usually smoke (R04_AH1048_BRAND = 1198) and Starbuzz Blue Mist or Starbuzz Double Apple as the kind of Starbuzz they usually smoke (R04_AH1070_PRODUCT = 11619 or 11637).	Yes	5/2/2017
R04_AP1030	This item was skipped incorrectly by some respondents who were recent former pipe smokers (R04_PIPE_USER_STATUS = 4) and smoked pipe tobacco in the past 30 days (R04_FORMER_THIRTYDAY_USER_PIPE = 1).	Yes	4/18/2017
R04_AP0100, R04_AP1130	These items were skipped incorrectly by adult respondents who were some day established pipe smokers (R04_CURRENT_PIPE_USE = 2) and did not know or refused to report on how many of the past 30 days they smoked (R04_AP1022 = -8, -7).	Yes	1/31/2017

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 4 Data Collection?	Date Issue was Fixed
R04_AU1086	This item was skipped incorrectly by respondents who were current established, current experimental, or non-current 30-day snus users (R04_SNUS_USER_STATUS = 1, 2 OR R04_FORMER_THIRTYDAY_USER_SNUS = 1) and current experimental cigarette users (R04_CIG_USER_STATUS = 2).	Yes	1/31/2017
R04_TOBACCO_USER_STATUS, R04_TOBXEPROD_USER_STATUS, R04_RECENT_FORMER_PRODUCT_COUNT	Values for these data collection variables were not set correctly for respondents who were past 12 month blunt-only users who were not current established, current experimental, or recent former users of another tobacco product (R04_TOBACCO_USER_STATUS != 1, 2, 4). The incorrect setting of these items also caused the following items to be skipped incorrectly: R04_AN0330_12MH, R04_AN0331_12MH , R04_AX0071, R04_AX0743, R04_AX0003, R04_AX0212, R04_AX0006	Yes	1/31/2017
R04_AN0010, R04_AN0015, R04_AN0020, R04_AN0055, R04_AN0025, R04_AN0030, R04_AN0035, R04_AN0045, R04_AN0060, R04_AN0065, R04_AN0050, R04_AN0070, R04_AN0075, R04_AN0255, R04_AN0080, R04_AN0085, R04_AN0090, R04_AN0095, R04_AN0100, R04_AN0110, R04_AN0813, R04_AN0812, R04_AN0105, R04_AN0334, R04_AN0115, R04_AN0330_12M, R04_AN0331_12M, R04_AN0804, R04_AN0805, R04_AN0806, R04_AN0807, R04_AN0808, R04_AN0809, R04_AN0810,	These items were skipped incorrectly by respondents who are current established or recent former established users of two or more products, where none of those products is/was electronic nicotine products, or respondents who are current experimental users of two or more products, where none of those products are electronic nicotine products, and who are not current established or recent former established users of any products (NDSKIP = 0) and former experimental users of electronic nicotine products (R04_EPROD_USER_STATUS = 3).	Yes	12/29/2016

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 4 Data Collection?	Date Issue was Fixed
R04_AN0811, R04_AN0230, R04_AN0235, R04_AX0006			
R04_AN0255E	This item was skipped incorrectly by respondents who smoked traditional cigars as blunts every time when smoked in the past 12 months or smoked cigarillos as blunts every time when smoked in the past 12 months (R04_12MBLUNT_ONLY_BTRAD = 1 or R04_12MBLUNT_ONLY_BRILLO = 1) and were experimental current users of tobacco products other than electronic nicotine products (R04_TOBXEPROD_USER_STATUS = 2) and were current established electronic nicotine product users (R04_EPROD_USER_STATUS = 1).	Yes	1/31/2017
R04_AN0811E	This item was skipped incorrectly by respondents who are current established electronic nicotine product users (R04_EPROD_USER_STATUS = 1) and have quit or attempted to quit electronic nicotine product in the past 12 months (R04_TWELVEMONTHQUIT_STATUS_EPROD = 1) and used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill to try to quit (R04_AN0150E = 1).	Yes	1/31/2017
R04_AX0006E	This item was skipped incorrectly by respondents who last used hookah 0 days or months ago (R04_AH1009_NN = 0 and R04_AH1009_UN = 1, 2) and were not current established, current experimental, or recent former established non-electronic tobacco product users (R04_TOBXEPROD_USER_STATUS != 1, 2, 4) and were former experimental electronic nicotine product users (R04_EPROD_USER_STATUS = 3).	Yes	1/31/2017
R04_AX0686_00 -- R04_AX0686_21	These items were skipped incorrectly by respondents who started and finished the ACASI interview in Spanish (R04_LAD01 = 2).	Yes	12/29/2016
R04_AX0760_12M, R04_AX0727_12M, R04_AX0129_12M, R04_AX0132_12M	These items were skipped incorrectly by continuing adult respondents (R04_ADULTTYPE = 1) who did not know or refused to report if they had seen a dentist in the past 12 months (R04_AX0002 = -8, -7).	Yes	1/31/2017

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 4 Data Collection?	Date Issue was Fixed
R04_AX0141_12M, R04_AX0147_12M, R04_AX0151_12M, R04_AX0144_12M	These items were skipped by continuing adult respondents (R04_ADULTTYPE = 1) who did not know or refused to report if they had seen a medical doctor, nurse or other health professional in the past 12 months (R04_AX0001 = -8, -7).	Yes	1/31/2017
R04_AX0149_12M, R04_AX0196_12M, R04_AX0400_12M	These items were skipped incorrectly by continuing adult respondents (R04_ADULTTYPE = 1) who are 40 years old or older (R04R_A_AGE >= 40) and did not know or refused to report if they had seen a medical doctor, nurse or other health professional in the past 12 months (R04_AX0001 = -8, -7).	Yes	1/31/2017
R04_AX0702	This item was skipped incorrectly by respondents aged 40 or over (R04R_A_AGE >= 40) who have not seen a medical doctor, nurse or other health professional in the past 12 months (R04_AX0001 = 2).	Yes	3/7/2017
R04_AX0299	This item was skipped incorrectly by new cohort adult female respondents (R04_ADULTTYPE = 3 AND R04R_A_SEX = 2) who are less than 50 years old (18 <= R04R_A_AGE < 50) and have ever been pregnant and have had at least one pregnancy result in a live birth (R04_AX0134_RS = 1 AND R04_AX0308_RS > 0) and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects (R04_AX0300_RS[_01/_02/_03] = 1).	Yes	1/31/2017
R04_PASTUSE_EPRODS	Values for this data collection variable were not set correctly for continuing respondents who were current, experimental current, experimental former, or new former electronic nicotine product users in Wave 3 (R03_EPROD_USER_STATUS = 1, 2, 3, 4) but not current, experimental current, experimental former, or new former e-cigarette users in Wave 3 (R03_EGIC_USER_STATUS != 1, 2, 3, 4). The incorrect setting of R04_PASTUSE_EPRODS also caused the following items to be skipped incorrectly: R04_AX0344, R04_AX0345	Yes	12/29/2016
R04_AX0079_RS	This item was skipped incorrectly by new cohort respondents (R04_ADULTTYPE = 3) who have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked	Yes	12/29/2016

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Item(s)**	Description of Issue	Issue Fixed during Wave 4 Data Collection?	Date Issue was Fixed
	marijuana from a hookah or have ever used marijuana in an electronic product (R04_AX0085_RS = 1 OR R04_AG9105_RS = 1 OR R04_AH9031 = 1 OR R04_AV9042 = 1).		
R04_NO_REGULAR_BRAND	Values for this data collection variable were not set correctly for respondents who did not have a regular brand of manufactured or roll your own cigarettes (R04_AC1047MC = 2 OR R04_AC1047RY = 2) and did not report not having a regular brand of electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipe tobacco, hookah tobacco, snus pouches or smokeless tobacco (R04_AV1047 != 2 and R04_AV1047TC != 2 and R04_AV1047CG != 2 and R04_AG1047FC != 2 and R04_AP1047 != 2 and R04_AU1047 != 2 and R04_AS1047 != 2). The incorrect setting of R04_NO_REGULAR_BRAND also caused R04_AX0209 to be skipped incorrectly.	Yes	1/31/2017
R04_AM0067	This item was skipped incorrectly by respondents who completed a parent interview before completing an adult interview (R04_P_COMP_LD = 1).	No	

APPENDIX – ADULT INSTRUMENT DATA ERROR SUMMARY

This table summarizes variables with data errors that are not attributed to any skip errors in the data collection instruments. For some respondents, these variables have missing data. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (other-specify text response coding, interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.).

Section	Items***
Introductory Demographics	R04_AT0047, R04_AM0011_NB_01 -- R04_AM0011_NB_05, R04_AM0069, R04_AM0065, R04_AM0066, R04_AM0070, R04_AM0073, R04_AM0071
Tobacco Use	R04_AC1103, R04_AC1206, R04_AC1205, R04_AV1103, R04_AV1206, R04_AV1105, R04_AH1103, R04_AH1206, R04_AH1205, R04_AU1103, R04_AU1206, R04_AU1205, R04_AS1103, R04_AS1206, R04_AS1205
Cigarettes	R04_AC0104, R04_AC0105
Electronic Nicotine Products	R04_AV1060, R04_AV1085, R04_AV1062, R04_AV1075, R04_AV1063, R04_AV1064, R04_AV1065, R04_AV1066, R04_AV1067, R04_AV1147, R04_AV1157, R04_AV0104
Cigars	R04_AG0104TC, R04_AG0104CG, R04_AG0104FC
Hookah	R04_AH9041
Snus	R04_AU0104
Smokeless	R04_AS0104
Nicotine Dependence	R04_AN0145E_NN, R04_AN0225_01 -- R04_AN0225_11
Risk Perceptions and Attitudes	R04_AC9060, R04_AC9065, R04_AC9070, R04_AC9075, R04_AC9043, R04_AC9080, R04_AC9085, R04_AC9090, R04_AC9044
Secondhand Smoke Exposure	R04_AX0691, R04_AR1045, R04_AR1051, R04_AR1050
Social Norms, Peer and Family Influences	R04_AX0071, R04_AC1143, R04_AV1143, R04_AG1143, R04_AP1143, R04_AH1143, R04_AU1143, R04_AS1143

PATH Study Wave 4 Adult Public Use File Annotated Instrument

Section	Items***
Health	R04_AX0149_12M, R04_AX0196_12M, R04_AX0400_12M, R04_AX0161, R04_AX0162, R04_AX0163, R04_AX0164, R04_AX0165, R04_AX0166, R04_AX0167, R04_AX0168, R04_AX0169, R04_AX0250, R04_AX0251, R04_AX0220_RS_01 -- R04_AX0220_RS_03, R04_AX0089_12M_01, R04_AX0089_12M_02, R04_AX0220_12M_01 -- R04_AX0220_12M_03, R04_AX0088, R04_AX0088_12M, R04_AX0090, R04_AX0090_12M, R04_AX0091, R04_AX0091_12M, R04_AX0730, R04_AX0134_RS
Marketing, Advertising, and Promotion	R04_AX0209
Additional Demographics	R04_AM0018, R04_AM0030, R04_AL0040, R04_AM0026_01 - R04_AM0026_08, R04_AX0710, R04_AM0042, R04_AM0040, R04_AM0033, R04_AM0034, R04_AM0036
Barcode Scanning Module	R04_AX0217_1B, R04_AX0233_01, R04_AX0217_2B, R04_AX0233_02, R04_AX0217_3B, R04_AX0233_03, R04_AX0217_4B, R04_AX0233_04, R04_AX0217_5B, R04_AX0233_05, R04_AX0217_6B, R04_AX0233_06, R04_AX0217_7B, R04_AX0233_07