

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

ICPSR Codebook for Wave 4: Youth/Parent Questionnaire Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

CODEBOOK DISPLAY NOTES
PATH STUDY
YOUTH / PARENT QUESTIONNAIRE DATA
ICPSR #36498-4002

1. ICPSR customized the display of the variables in this codebook. Most variables contain a frequency table displaying value labels and unweighted counts. Some numeric variables show summary statistics (arithmetic mean, mode, median, minimum, maximum, and standard deviation) instead of a frequency table. The median and mode may not display in the summary statistics if a variable has a very large number of distinct categories or values. These numeric variables do not have value labels for valid data. The third type of variable display does not show either a frequency table or summary statistics. These variables usually fall into one of three categories:

- A. Character (String) variables: Free text responses have been omitted when there are more than 10 to 15 unique responses.
- B. Lengthy Categorical variables: Variables with more than 25 valid value labels such as variables that end in “_BRAND” and “_PRODUCT”.
- C. Identification variables: Variables for which univariate statistics are not meaningful, such as CASEID and PERSONID.

Unless a variable falls into the above categories of A or C, a missing values table will be present if the valid cases have been presented in a frequency table, display summary statistics, or have been suppressed.

2. A variable with the same PATH ID (see description in the Public-Use Files User Guide) can display differently over time as a frequency table, summary statistics, or neither of these in the codebook depending on the range of valid values or the number of valid values or the number of valid cases present for that variable for that wave.
3. Frequencies or summary statistics are not displayed for the valid cases for variables ending in “_C” that ask about “cents” for the cost of a product, or “_IN” that ask about “inches” for a person’s height. These variables are paired with a preceding variable ending in “_D” (dollars) and “_FT” (feet), respectively. Summary statistics or a frequency table may be displayed for that preceding “_D” or “_FT” variable. Both variables in the

pair should be used together to accurately estimate the cost of a product or a person's height.

4. Some variables contain lengthy universal lists of values for a particular type of question or section. Examples of this are the “_BRAND” and “_PRODUCT” variables that are in each tobacco type section. Not all of the values listed in the data file apply to that type of tobacco. Frequency tables for these variables have been suppressed in the codebooks.
5. As noted above, the frequency tables of the “_BRAND” and “_PRODUCT” variables have been suppressed in the main section of the codebook. However, the top 20 most frequent responses are provided for each variable, with all other coded responses grouped into a separate category. These condensed frequency tables appear in the appendix of this codebook.
6. Variables ending in “_NN” do not have frequencies or summary statistics displayed for valid cases because the valid values correspond to different units. The “_NN” variables are paired with variables ending in “_UN” that specify the units used in the “_NN” responses. For example, see variables R04_YC1051_NN and R04_YC1051_UN.
7. The questionnaire contains numerous boxes of information that precede certain sections or individual variables. When utilizing this codebook, users should refer to the questionnaire and pay special attention to the content of these boxes. Using the questionnaire side by side with the codebook when reviewing the content will help in understanding the information in the data file. The question text of the first variable directly after one of these “boxes” contains the text from the box or a reference to that box. Boxes containing descriptive text are repeated. Boxes containing programming information for system routing variables are referenced. The text or reference following that information for the first variable also applies to the remaining variables in that questionnaire section.
8. In multiple sections of the interview, the order of a series of questions is automatically randomized for the respondent. Information about the order of randomization is included in the variables containing “_RANDOM_” in the variable name. Cases coded as “-1” indicate that the question was not applicable to the respondent and was skipped during the interview.

9. Users should consult Table 1 and Table 2 in the front of the questionnaire for specific variables that have been entirely removed from or revised in this public-use version of the data.

10. The codebook provides frequency tables for valid and missing values. The displayed percentages are rounded to one decimal place. Due to rounding, not all individual percentages in the sub-tables sum exactly to the total. Likewise, the total percentages when combined may not sum to 100%.

11. Each variable contains the following statement:

“This variable has XXXXX valid cases out of XXXXX total cases.”

This statement describes how many valid cases for a variable were used for the calculation of percents for the frequency tables and in the calculations of summary statistics for continuous variables. Users can also quickly understand the amount of missing data for a particular variable. All percents and summary statistics are unweighted.

12. Data may be missing for a multitude of reasons. The codebook contains a statement as the last piece of information in the display of a variable that lists all user-defined missing values assigned to that variable. Most variables will contain four user-defined missing values. For these variables, the codebook will display, “(Range of) Missing Values: -9, -8, -7, -1”. Some variables may contain additional negative numbers assigned as missing values. The (Range of . . .) statement will not display for any variable where missing values are not assigned, such as CASEID, PERSONID, and weight variables.

13. Users should consult Section 6.7 of the Public-Use Files User Guide for further information about Missing Values. As with numeric variables, character (string) variables contain numerical values to signify why a case is missing but these values are not labeled. All missing values still correspond to the descriptions listed in the following table.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 4: Youth / Parent Questionnaire Data

CASEID: Case Identification Number

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

PERSONID: Participant ID

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6-25 (width: 20; decimal: 0)

Variable Type: character

R04_PARENT_PERSONID: Parent / guardian Participant ID

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 26-45 (width: 20; decimal: 0)

Variable Type: character

R04R_Y_PT0001: DERIVED - Recoded parent or guardian relationship to youth (4 levels)

Long Description: What is your relationship to [Child's first name]?

Algorithm: IF R04_PT0001 = 1 THEN R04R_Y_PT0001 = 1 ; ELSE IF R04_PT0001 = 2 THEN R04R_Y_PT0001 = 2 ; ELSE IF R04_PT0001 IN (3,4,5,6) THEN R04R_Y_PT0001 = 3 ; ELSE IF R04_PT0001 IN (7,8,9,10,11,12,91,92) THEN R04R_Y_PT0001 = 4; ELSE IF R04_PT0001 = -9 THEN R04R_Y_PT0001 = -99999 ; ELSE IF R04_PT0001 = -8 THEN R04R_Y_PT0001 = -99988 ; ELSE IF R04_PT0001 = -7 THEN R04R_Y_PT0001 = -99977 ; ELSE IF R04_PT0001 = -1 THEN R04R_Y_PT0001 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	4535	30.6 %
2	2 = Biological father	1567	10.6 %
3	3 = Adopted or step parent	509	3.4 %
4	4 = Other	943	6.4 %
	Total	7,554	51.0%

This variable has 7,554 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	7244	49.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	7,244	49.0%

Percentages for both tables are based on 14,798 total cases.

Location: 46-53 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_Y_PT0047: DERIVED - Recoded parent or guardian marital status (3 levels)

Long Description: What is your marital status? Are you now married, widowed, divorced, separated or never married?

Algorithm: IF R04_PT0047 = 1 THEN R04R_Y_PT0047 = 1 ; ELSE IF R04_PT0047 IN (2,3,4) THEN R04R_Y_PT0047 = 2 ; ELSE IF R04_PT0047 = 5 THEN R04R_Y_PT0047 = 3 ; ELSE IF R04_PT0047 = -9 THEN R04R_Y_PT0047 = -99999 ; ELSE IF R04_PT0047 = -8 THEN R04R_Y_PT0047 = -99988 ; ELSE IF R04_PT0047 = -7 THEN R04R_Y_PT0047 = -99977 ; ELSE IF R04_PT0047 = -1 THEN R04R_Y_PT0047 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Married	9258	62.6 %
2	2 = Widowed, divorced or separated	3104	21.0 %
3	3 = Never married	2312	15.6 %
	Total	14,674	99.2%

This variable has 14,674 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	14	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	89	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	124	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 54-61 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_Y_PT0002: DERIVED - Recoded parent's spouse or partner relationship to youth (4 levels)

Long Description: What is [Spouse's first name]'s relationship to [Child's first name]?

Algorithm: IF R04_PT0002 = 1 THEN R04R_Y_PT0002 = 1 ; ELSE IF R04_PT0002 = 2 THEN R04R_Y_PT0002 = 2 ; ELSE IF R04_PT0002 IN (3,4,5,6) THEN R04R_Y_PT0002 = 3 ; ELSE IF R04_PT0002 IN (7,8,9,10,11,12,91,92) THEN R04R_Y_PT0002 = 4; ELSE IF R04_PT0002 = -9 THEN R04R_Y_PT0002 = -99999 ; ELSE IF R04_PT0002 = -8 THEN R04R_Y_PT0002 = -99988 ; ELSE IF R04_PT0002 = -7 THEN R04R_Y_PT0002 = -99977 ; ELSE IF R04_PT0002 = -1 THEN R04R_Y_PT0002 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	2192	14.8 %
2	2 = Biological father	5069	34.3 %
3	3 = Adopted or step parent	1437	9.7 %
4	4 = Other	327	2.2 %
	Total	9,025	61.0%

This variable has 9,025 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	13	0.1 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	5756	38.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	5,773	39.0%

Percentages for both tables are based on 14,798 total cases.

Location: 62-69 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04_PM0058_PERSONID: Other parental figure/guardian Participant ID

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 70-89 (width: 20; decimal: 0)

Variable Type: character

R04R_Y_PM0059: DERIVED - Recoded other parental figure/guardian's relationship to youth (4 levels)

Long Description: What is [Parental figure/guardian's first name]'s relationship to [Child's first name]?

Algorithm: IF R04_PM0059 = 1 THEN R04R_Y_PM0059 = 1 ; ELSE IF R04_PM0059 = 2 THEN R04R_Y_PM0059 = 2 ; ELSE IF R04_PM0059 IN (3,4,5,6) THEN R04R_Y_PM0059 = 3 ; ELSE IF R04_PM0059 IN (7,8,9,10,11,12,91,92) THEN R04R_Y_PM0059 = 4; ELSE IF R04_PM0059 = -9 THEN R04R_Y_PM0059 = -99999 ; ELSE IF R04_PM0059 = -8 THEN R04R_Y_PM0059 = -99988 ; ELSE IF R04_PM0059 = -7 THEN R04R_Y_PM0059 = -99977 ; ELSE IF R04_PM0059 = -1 THEN R04R_Y_PM0059 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	649	4.4 %
2	2 = Biological father	536	3.6 %
3	3 = Adopted or step parent	413	2.8 %
4	4 = Other	777	5.3 %
	Total	2,375	16.0%

This variable has 2,375 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12423	84.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,423	84.0%

Percentages for both tables are based on 14,798 total cases.

Location: 90-97 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04_PM0061_PERSONID: Second other parental figure/guardian Participant ID

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 98-117 (width: 20; decimal: 0)

Variable Type: character

R04R_Y_PM0062: DERIVED - Recoded second other parental figure/guardian's relationship to youth (4 levels)

Long Description: What is [Parental figure/guardian's first name/AGE]'s relationship to [Child's first name]? In other words, [Parental figure/guardian's first name/AGE] is [Child's first name]'s. . .

Algorithm: IF R04_PM0062 = 1 THEN R04R_Y_PM0062 = 1 ; ELSE IF R04_PM0062 = 2 THEN R04R_Y_PM0062 = 2 ; ELSE IF R04_PM0062 IN (3,4,5,6) THEN R04R_Y_PM0062 = 3 ; ELSE IF R04_PM0062 IN (7,8,9,10,11,12,91,92) THEN R04R_Y_PM0062 = 4; ELSE IF R04_PM0062 = -9 THEN R04R_Y_PM0062 = -99999 ; ELSE IF R04_PM0062 = -8 THEN R04R_Y_PM0062 = -99988 ; ELSE IF R04_PM0062 = -7 THEN R04R_Y_PM0062 = -99977 ; ELSE IF R04_PM0062 = -1 THEN R04R_Y_PM0062 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	97	0.7 %
2	2 = Biological father	145	1.0 %
3	3 = Adopted or step parent	51	0.3 %
4	4 = Other	228	1.5 %
	Total	521	3.5%

This variable has 521 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14277	96.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,277	96.5%

Percentages for both tables are based on 14,798 total cases.

Location: 118-125 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04_PT0003: Youth has another parent who lives somewhere else

Does {Child's first name} have another parent who lives somewhere else?

[If No (2), Don't know (-8), or Refused (-7), Go to Box R04_PXR01.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5867	39.6 %
2	2 = No	8833	59.7 %
	Total	14,700	99.3%

This variable has 14,700 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	98	0.7%

Percentages for both tables are based on 14,798 total cases.

Location: 126-133 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0006: How often youth stays with other parent who lives somewhere else

How often does {Child's first name} stay there? Would you say never, less than half the time, about half the time, or more than half the time?

ASK: Parent/guardian respondents of youth respondents who have another parent/guardian who lives somewhere else.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_PT0003 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	2871	19.4 %
2	2 = Less than half the time	1888	12.8 %
3	3 = About half the time	710	4.8 %
4	4 = More than half the time	397	2.7 %
	Total	5,866	39.6%

This variable has 5,866 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	8931	60.4 %
	Total	8,932	60.4%

Percentages for both tables are based on 14,798 total cases.

Location: 134-141 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0009: Youth has a curfew or set time to be home on school nights

The next series of questions ask about {Child's first name}'s life at home and in school.

In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on school nights?

IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12380	83.7 %
2	2 = No	2319	15.7 %
	Total	14,699	99.3%

This variable has 14,699 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	99	0.7%

Percentages for both tables are based on 14,798 total cases.

Location: 142-149 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0011: Youth has a curfew or set time to be home on weekend nights

In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on weekend nights?

IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11975	80.9 %
2	2 = No	2722	18.4 %
	Total	14,697	99.3%

This variable has 14,697 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	101	0.7%

Percentages for both tables are based on 14,798 total cases.

Location: 150-157 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0019: In past 12 months, youth's grade performance in school

Please look at this list. How would you describe how {Child's first name} has performed at school in the past 12 months? Would you say {Child's first name}'s grades are...

READ RESPONSE OPTIONS ALOUD.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Mostly A's	3996	27.0 %
2	2 = A's and B's	4870	32.9 %
3	3 = Mostly B's	1281	8.7 %

Value	Label	Unweighted Frequency	%
4	4 = B's and C's	2656	17.9 %
5	5 = Mostly C's	633	4.3 %
6	6 = C's and D's	752	5.1 %
7	7 = Mostly D's	109	0.7 %
8	8 = D's and F's	202	1.4 %
9	9 = Mostly F's	56	0.4 %
10	10 = Your child's school is ungraded	125	0.8 %
	Total	14,680	99.2%

This variable has 14,680 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	118	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 158-165 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0021: Youth has ever used a tobacco product (parent or guardian report)

As far as you know, has {Child's first name} ever smoked a cigarette, used e-cigarettes or other electronic nicotine products, smoked cigars, a pipe, a hookah, used snus or other smokeless tobacco?

Please look at this list. Would you say...

READ RESPONSE OPTIONS ALOUD.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = You know that she / he / he or she has	1058	7.1 %
2	2 = You strongly suspect she / he / he or she has	387	2.6 %
3	3 = You don't think she / he / he or she has	2301	15.5 %
4	4 = You are confident she / he / he or she has not	10954	74.0 %
	Total	14,700	99.3%

This variable has 14,700 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	98	0.7%

Percentages for both tables are based on 14,798 total cases.

Location: 166-173 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PR1045: Rules about using tobacco products that are burned inside home

These next few questions ask about the rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes or hookah, which statement best describes the rules about smoking these products inside your home?

Please look at this list. Would you say...

READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	12626	85.3 %
2	2 = It is allowed in some places or at some times inside my home	1387	9.4 %
3	3 = It is allowed anywhere and at any time inside my home	661	4.5 %
	Total	14,674	99.2%

This variable has 14,674 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	124	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 174-181 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PR1051: Rules about using e-cigarettes or other electronic nicotine products inside home

Now think about e-cigarettes and other electronic nicotine products.

Which statement best describes the rules about using these products inside your home?

Please look at this list. Would you say...

READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	12247	82.8 %
2	2 = It is allowed in some places or at some times inside my home	1421	9.6 %
3	3 = It is allowed anywhere and at any time inside my home	992	6.7 %
	Total	14,660	99.1%

This variable has 14,660 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	138	0.9%

Percentages for both tables are based on 14,798 total cases.

Location: 182-189 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PR1050: Rules about using other not burned tobacco products inside home

Now think about other tobacco products that are not burned, like snus and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?

Please look at this list. Would you say...

READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	11892	80.4 %
2	2 = It is allowed in some places or at some times inside my home	1427	9.6 %
3	3 = It is allowed anywhere and at any time inside my home	1336	9.0 %
	Total	14,655	99.0%

This variable has 14,655 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	143	1.0%

Percentages for both tables are based on 14,798 total cases.

Location: 190-197 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0029: Cigarettes or tobacco might be available to youth at parent or guardian's home

Do you think any tobacco products or electronic nicotine products (such as e-cigarettes) might be available to {Child's first name} at your home?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1864	12.6 %
2	2 = No	12837	86.7 %
	Total	14,701	99.3%

This variable has 14,701 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	97	0.7%

Percentages for both tables are based on 14,798 total cases.

Location: 198-205 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0005: Parent thinks youth might have access to cigarettes or tobacco at another parent's home

Do you think any tobacco products or electronic nicotine products (such as e-cigarettes) might be available to {Child's first name} when {he/she} is at the other parent's home?

ASK: Parent/guardian respondents of youth respondents who have another parent/guardian who lives somewhere else and spend time living with another parent/guardian in another household.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_PT0003 = 1 AND R04_PT0006 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	784	5.3 %
2	2 = No	2144	14.5 %
	Total	2,928	19.8%

This variable has 2,928 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	62	0.4 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11803	79.8 %
	Total	11,870	80.2%

Percentages for both tables are based on 14,798 total cases.

Location: 206-213 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0035: Youth's overall health status

The next series of questions ask about {Child's first name}'s health.

In general, would you say {Child's first name}'s overall health is excellent, very good, good, fair, or poor?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	8525	57.6 %
2	2 = Very good	4044	27.3 %
3	3 = Good	1739	11.8 %
4	4 = Fair	361	2.4 %
5	5 = Poor	36	0.2 %
	Total	14,705	99.4%

This variable has 14,705 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	93	0.6%

Percentages for both tables are based on 14,798 total cases.

Location: 214-221 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PX0188_NB: Youth has difficulty dressing or bathing

Does {Child's first name} have difficulty dressing or bathing?

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.2 %
2	2 = No	5366	36.3 %
	Total	5,398	36.5%

This variable has 5,398 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9398	63.5 %
	Total	9,400	63.5%

Percentages for both tables are based on 14,798 total cases.

Location: 222-229 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PX0189_NB: Youth has serious difficulty concentrating, remembering or making decisions because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, does {Child's first name} have serious difficulty concentrating, remembering, or making decisions?

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	531	3.6 %
2	2 = No	4862	32.9 %
	Total	5,393	36.4%

This variable has 5,393 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	9398	63.5 %
	Total	9,405	63.6%

Percentages for both tables are based on 14,798 total cases.

Location: 230-237 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PX0187_NB: Youth has difficulty doing errands alone because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, does {Child's first name} have difficulty doing

errands alone such as visiting a doctor's office or shopping?

ASK: Parent/guardian respondents of new baseline youth respondents who are 15 years old or older.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04R_Y_AGE >= 15.

Value	Label	Unweighted Frequency	%
1	1 = Yes	71	0.5 %
2	2 = No	1735	11.7 %
	Total	1,806	12.2%

This variable has 1,806 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12991	87.8 %
	Total	12,992	87.8%

Percentages for both tables are based on 14,798 total cases.

Location: 238-245 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0050_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has high blood pressure

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has high blood pressure?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to R04_PT0050_NB.]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	116	0.8 %
2	2 = No	9187	62.1 %
	Total	9,303	62.9%

This variable has 9,303 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	5489	37.1 %
	Total	5,495	37.1%

Percentages for both tables are based on 14,798 total cases.

Location: 246-253 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0050_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has high blood pressure

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has high blood pressure?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_PT0051_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	59	0.4 %
2	2 = No	5339	36.1 %
	Total	5,398	36.5%

This variable has 5,398 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9398	63.5 %
	Total	9,400	63.5%

Percentages for both tables are based on 14,798 total cases.

Location: 254-261 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_PT0041_NB: DERIVED - Age range youth was first told he/she had high blood pressure (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had high blood pressure?

Algorithm: IF R04_PT0253_NB = 1 OR (0<=R04_PT0041_NB<=11) THEN R04R_Y_PT0041_NB = 1; ELSE IF R04_PT0253_NB = 2 OR (12<=R04_PT0041_NB<=14) THEN R04R_Y_PT0041_NB = 2; ELSE IF R04_PT0253_NB = 3 OR (15<=R04_PT0041_NB<=17) THEN R04R_Y_PT0041_NB = 3; ELSE IF R04_PT0041_NB = -9 OR R04_PT0253_NB = -9 THEN R04R_Y_PT0041_NB = -99999; ELSE IF R04_PT0041_NB = -8 OR R04_PT0253_NB = -8 THEN R04R_Y_PT0041_NB = -99988; ELSE IF R04_PT0041_NB = -7 OR R04_PT0253_NB = -7 THEN R04R_Y_PT0041_NB = -99977; ELSE IF R04_PT0041_NB = -5 THEN R04R_Y_PT0041_NB = -99955; ELSE IF R04_PT0041_NB = -1 OR R04_PT0253_NB = -1 THEN R04R_Y_PT0041_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	15	0.1 %
2	2 = 12 to 14 years old	23	0.2 %
3	3 = 15 to 17 years old	21	0.1 %
	Total	59	0.4%

This variable has 59 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14739	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,739	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 262-269 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_PT0051_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has high cholesterol

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has high cholesterol?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to R04_PT0031_12M.]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	147	1.0 %
2	2 = No	9155	61.9 %
	Total	9,302	62.9%

This variable has 9,302 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	5489	37.1 %
	Total	5,496	37.1%

Percentages for both tables are based on 14,798 total cases.

Location: 270-277 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0051_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has high cholesterol

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has high cholesterol?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_PT0031_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	118	0.8 %
2	2 = No	5281	35.7 %
	Total	5,399	36.5%

This variable has 5,399 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9398	63.5 %
	Total	9,399	63.5%

Percentages for both tables are based on 14,798 total cases.

Location: 278-285 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_PT0043_NB: DERIVED - Age range youth was first told he/she has high cholesterol (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had high cholesterol?

Algorithm: IF R04_PT0254_NB = 1 OR (0<=R04_PT0043_NB<=11) THEN R04R_Y_PT0043_NB = 1; ELSE IF R04_PT0254_NB = 2 OR (12<=R04_PT0043_NB<=14) THEN R04R_Y_PT0043_NB = 2; ELSE IF R04_PT0254_NB = 3 OR (15<=R04_PT0043_NB<=17) THEN R04R_Y_PT0043_NB = 3; ELSE IF R04_PT0043_NB = -9 OR R04_PT0254_NB = -9 THEN R04R_Y_PT0043_NB = -99999; ELSE IF R04_PT0043_NB = -8 OR R04_PT0254_NB = -8 THEN R04R_Y_PT0043_NB = -99988; ELSE IF R04_PT0043_NB = -7 OR R04_PT0254_NB = -7 THEN R04R_Y_PT0043_NB = -99977; ELSE IF R04_PT0043_NB = -5 THEN R04R_Y_PT0043_NB = -99955; ELSE IF R04_PT0043_NB = -1 OR R04_PT0254_NB = -1 THEN R04R_Y_PT0043_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	56	0.4 %
2	2 = 12 to 14 years old	43	0.3 %
3	3 = 15 to 17 years old	19	0.1 %
	Total	118	0.8%

This variable has 118 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14680	99.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,680	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 286-293 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_PT0031_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has asthma

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has asthma?

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	864	5.8 %
2	2 = No	8437	57.0 %
	Total	9,301	62.9%

This variable has 9,301 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	5489	37.1 %
	Total	5,497	37.1%

Percentages for both tables are based on 14,798 total cases.

Location: 294-301 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0031_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has asthma

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has asthma?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_PT0033.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	988	6.7 %
2	2 = No	4408	29.8 %
	Total	5,396	36.5%

This variable has 5,396 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9398	63.5 %
	Total	9,402	63.5%

Percentages for both tables are based on 14,798 total cases.

Location: 302-309 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_PT0038_NB: DERIVED - Age range youth was first told he/she has asthma (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had asthma?

Algorithm: IF R04_PT0260_NB = 1 OR (0<=R04_PT0038_NB<=11) THEN
R04R_Y_PT0038_NB = 1; ELSE IF R04_PT0260_NB = 2 OR (12<=R04_PT0038_NB<=14)
THEN R04R_Y_PT0038_NB = 2; ELSE IF R04_PT0260_NB = 3 OR (15<=R04_PT0038_NB<=17)
THEN R04R_Y_PT0038_NB = 3; ELSE IF R04_PT0038_NB = -9 OR R04_PT0260_NB = -9
THEN R04R_Y_PT0038_NB = -99999; ELSE IF R04_PT0038_NB = -8 OR R04_PT0260_NB = -8
THEN R04R_Y_PT0038_NB = -99988; ELSE IF R04_PT0038_NB = -7 OR R04_PT0260_NB = -7
THEN R04R_Y_PT0038_NB = -99977; ELSE IF R04_PT0038_NB = -5 THEN R04R_Y_PT0038_NB
= -99955; ELSE IF R04_PT0038_NB = -1 OR R04_PT0260_NB = -1 THEN
R04R_Y_PT0038_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	922	6.2 %
2	2 = 12 to 14 years old	58	0.4 %
3	3 = 15 to 17 years old	8	0.1 %
	Total	988	6.7%

This variable has 988 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	13810	93.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	13,810	93.3%

Percentages for both tables are based on 14,798 total cases.

Location: 310-317 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_PT0022: In past 12 months, youth has taken medications regularly for asthma

[In a previous interview, it was reported that {Child's first name} had asthma.

]In the past 12 months, has {Child's first name} taken medications regularly for asthma?

[Taken regularly means according to a health care provider's instructions.]

[If No (2), Go to R04_PT0125; If Youth SP has ever had asthma (3), Go to R04_PT0033; If Don't know (-8) or Refused (-7), Go to R04_PT0125.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0031_NB = 1 OR R04_PT0031_12M = 1 OR R03_PARREPT_ASTHMA = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	886	6.0 %
2	2 = No	2033	13.7 %
3	3 = Youth has never had asthma	39	0.3 %
	Total	2,958	20.0%

This variable has 2,958 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11838	80.0 %
	Total	11,840	80.0%

Percentages for both tables are based on 14,798 total cases.

Location: 318-325 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0036_01: In past 12 months, medications youth has taken for asthma: Quick-relief inhaler

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

READ TEXT BEFORE THE HYPHEN ALOUD.

Quick-relief inhaler - FOR EXAMPLE: ALBUTEROL (PROAIR, VENTOLIN, XOPENEX), IPRATROPIUM (ATROVENT), OR A COMBINATION INHALER (COMBIVENT)

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0031_NB = 1 OR R04_PT0031_12M = 1 OR R03_PARREPT_ASTHMA = 1) AND R04_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	772	5.2 %
2	2 = Not Marked	112	0.8 %
	Total	884	6.0%

This variable has 884 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13912	94.0 %
	Total	13,914	94.0%

Percentages for both tables are based on 14,798 total cases.

Location: 326-333 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0036_02: In past 12 months, medications youth has taken for asthma: Controller/long-acting inhaler

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

READ TEXT BEFORE THE HYPHEN ALOUD.

Controller or long-acting inhaler including steroid inhaler - FOR EXAMPLE: BECLOMETHASONE (QVAR), FLUTICASONE (FLOVENT), SALMETEROL (SEREVENT), TIOTROPIUM (SPIRIVA), OR A COMBINATION INHALER (ADVAIR)

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0031_NB = 1 OR R04_PT0031_12M = 1 OR R03_PARREPT_ASTHMA = 1) AND R04_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	289	2.0 %
2	2 = Not Marked	595	4.0 %
	Total	884	6.0%

This variable has 884 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13912	94.0 %
	Total	13,914	94.0%

Percentages for both tables are based on 14,798 total cases.

Location: 334-341 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0036_03: In past 12 months, medications youth has taken for asthma: Other controlling medication

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

READ TEXT BEFORE THE HYPHEN ALOUD.

Other controlling medication - FOR EXAMPLE: MONTELUKAST (SINGULAIR), ZAFIRLUKAST (ACCOLATE), THEOPHYLLINE, ROFLUMILAST (DALIRESP)

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0031_NB = 1 OR R04_PT0031_12M = 1 OR R03_PARREPT_ASTHMA = 1) AND R04_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	194	1.3 %
2	2 = Not Marked	690	4.7 %
	Total	884	6.0%

This variable has 884 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13912	94.0 %
	Total	13,914	94.0%

Percentages for both tables are based on 14,798 total cases.

Location: 342-349 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0036_04: In past 12 months, medications youth has taken for asthma: Other asthma medication

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

READ TEXT BEFORE THE HYPHEN ALOUD.

Other asthma medication

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0031_NB = 1 OR R04_PT0031_12M = 1 OR R03_PARREPT_ASTHMA = 1) AND R04_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	83	0.6 %
2	2 = Not Marked	801	5.4 %
	Total	884	6.0%

This variable has 884 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13912	94.0 %
	Total	13,914	94.0%

Percentages for both tables are based on 14,798 total cases.

Location: 350-357 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0125: In past 12 months, youth had an asthma attack that required use of an oral or injected steroid medication

In the past 12 months, has {Child's first name} had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?

[Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).]

[If No (2), Don't know (-8), or Refused (-7), Go to R04_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0031_NB = 1 OR R04_PT0031_12M = 1 OR R03_PARREPT_ASTHMA = 1) AND R04_PT0022 = 1, 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	324	2.2 %
2	2 = No	2591	17.5 %
	Total	2,915	19.7%

This variable has 2,915 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11877	80.3 %
	Total	11,883	80.3%

Percentages for both tables are based on 14,798 total cases.

Location: 358-365 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0039: In past 12 months, number of asthma attacks youth has had that required use of an oral or injected steroid medication

In the past 12 months, how many asthma attacks has {Child's first name} had that required use of an oral or injected steroid medication at the time of the attack?

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and have had an asthma attack in the past 12 months that required use of an oral or injected steroid medication at the time of the attack.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0031_NB = 1 OR R04_PT0031_12M = 1 OR R03_PARREPT_ASTHMA = 1) AND R04_PT0022 = 1, 2, -8, -7 AND R04_PT0125 = 1.

[PROGRAM NOTE: Range check: 0-999.]

This variable has 324 valid cases out of 14,798 total cases.

- Mean: 4.17
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 365.00
- Standard Deviation: 21.34

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14474	97.8 %
	Total	14,474	97.8%

Percentages for both tables are based on 14,798 total cases.

Location: 366-373 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_PT0127: In past 12 months, youth has visited an emergency room or urgent care center because of asthma

In the past 12 months, has {Child's first name} had to visit an emergency room or urgent care center because of asthma?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_PT0033.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0031_NB = 1 OR R04_PT0031_12M = 1 OR R03_PARREPT_ASTHMA = 1) AND R04_PT0022 = 1, 2, -8, -7.

[PROGRAM NOTE: UNDERLINE "past 12 months". DISPLAY QxQ WORDS "urgent care center" AND "asthma" IN BOLD/GREEN.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	188	1.3 %
2	2 = No	2731	18.5 %
	Total	2,919	19.7%

This variable has 2,919 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11877	80.3 %
	Total	11,879	80.3%

Percentages for both tables are based on 14,798 total cases.

Location: 374-381 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0282: In past 12 months, number of times youth has visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times has {Child's first name} had to visit an emergency room or urgent care center because of asthma?

[If Don't know (-8), or Refused (-7), Go to R04_PXR07.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0031_NB = 1 OR R04_PT0031_12M = 1 OR R03_PARREPT_ASTHMA = 1) AND R04_PT0022 = 1, 2, -8, -7 AND R04_PT0127 = 1.

[PROGRAM NOTE: Range check: 0-999.]

This variable has 188 valid cases out of 14,798 total cases.

- Mean: 1.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.40

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14610	98.7 %
	Total	14,610	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 382-389 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_PX0692: In past 12 months, single visit to emergency room or urgent care center was due to an asthma attack (reported by parent respondent)

Was that visit due to an asthma attack?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to R04_PT0033.]

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0031_NB = 1 OR R04_PT0031_12M = 1 OR R03_PARREPT_ASTHMA = 1) AND R04_PT0022 = 1, 2, -8, -7 AND R04_PT0127 = 1 AND R04_PT0282 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	85	0.6 %
2	2 = No	29	0.2 %
	Total	114	0.8%

This variable has 114 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14684	99.2 %
	Total	14,684	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 390-397 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PX0720: Number of visits to emergency room due to asthma attack (reported by parent respondent)

How many of those visits were due to an asthma attack?

ASK: Parent/guardian respondents of youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0031_NB = 1 OR R04_PT0031_12M = 1 OR R03_PARREPT_ASTHMA = 1) AND R04_PT0022 = 1, 2, -8, -7 AND R04_PT0127 = 1 AND R04_PT0282 > 1.

This variable has 72 valid cases out of 14,798 total cases.

- Mean: 2.65
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.52

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14726	99.5 %
	Total	14,726	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 398-405 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_PT0033: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has bronchitis, pneumonia or chronic cough

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has bronchitis, pneumonia, or chronic cough?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	423	2.9 %
2	2 = No	14281	96.5 %
	Total	14,704	99.4%

This variable has 14,704 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	94	0.6%

Percentages for both tables are based on 14,798 total cases.

Location: 406-413 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0040_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has bronchitis, pneumonia or chronic cough

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} had bronchitis, pneumonia, or chronic cough?

ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had bronchitis in the past 12 months or did not know if they had been told they had bronchitis in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_PT0033 = 2, -8.

Value	Label	Unweighted Frequency	%
1	1 = Yes	589	4.0 %
2	2 = No	4631	31.3 %
	Total	5,220	35.3%

This variable has 5,220 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9572	64.7 %
	Total	9,578	64.7%

Percentages for both tables are based on 14,798 total cases.

Location: 414-421 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0052_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has ADHD or ADD

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has ADHD or ADD?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1494	10.1 %
2	2 = No	13198	89.2 %
	Total	14,692	99.3%

This variable has 14,692 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %

	Missing Data		
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	106	0.7%

Percentages for both tables are based on 14,798 total cases.

Location: 422-429 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0052_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has ADHD or ADD

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has ADHD or ADD?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_PT0049.]

ASK: Parent/guardian respondents of new baseline youth respondents who were not told they had ADD/ADHD in the past 12 months or did not know if they had been told they had ADD/ADHD in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_PT0052_12M = 2, -8.

Value	Label	Unweighted Frequency	%
1	1 = Yes	223	1.5 %
2	2 = No	4584	31.0 %
	Total	4,807	32.5%

This variable has 4,807 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9986	67.5 %
	Total	9,991	67.5%

Percentages for both tables are based on 14,798 total cases.

Location: 430-437 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0048: In past 12 months, youth has taken medications regularly for ADHD or ADD

[In a previous interview, it was reported that {Child's first name} had ADHD or ADD.

]In the past 12 months, has {Child's first name} taken medications regularly for ADHD or

ADD?

[Taken regularly means according to a health care provider's instructions.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had ADD/ADHD.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R04_PT0052_NB = 1 OR R04_PT0052_12M = 1 OR R03_PARREPT_ADHD = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1200	8.1 %
2	2 = No	1138	7.7 %
3	3 = Youth has never had ADHD or ADD	21	0.1 %
	Total	2,359	15.9%

This variable has 2,359 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12436	84.0 %
	Total	12,439	84.1%

Percentages for both tables are based on 14,798 total cases.

Location: 438-445 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0049: In past 12 months, youth has been told by a doctor, dentist or other health professional that he/she has dental health issues

In the past 12 months, has {Child's first name} been told by a doctor, dentist or other health professional that {he/she} has dental health issues, such as cavities, gum disease or dental stains?

[Dental health issues do NOT include orthodontia or braces.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2923	19.8 %
2	2 = No	11771	79.5 %
	Total	14,694	99.3%

This variable has 14,694 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	104	0.7%

Percentages for both tables are based on 14,798 total cases.

Location: 446-453 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0044_NB: Youth has ever been told by a doctor, dentist or other health professional that he/she has dental health issues

Has {Child's first name} ever been told by a doctor, dentist, or other health professional that {he/she} has dental health issues, such as cavities, gum disease, or dental stains?

[Dental health issues do NOT include orthodontia or braces.]

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to R04_PT0281_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents who were not told they had dental issues in the past 12 months or did not know or refused to report if they were told they had dental issues in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_PT0049 = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1035	7.0 %
2	2 = No	3170	21.4 %
	Total	4,205	28.4%

This variable has 4,205 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10586	71.5 %
	Total	10,593	71.6%

Percentages for both tables are based on 14,798 total cases.

Location: 454-461 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0281_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes

In the past 12 months, has {Child's first name} been told by a doctor, nurse or other health professional that {he/she} has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to box R04_PTR10.]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	149	1.0 %
2	2 = No	9153	61.9 %
	Total	9,302	62.9%

This variable has 9,302 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	5489	37.1 %
	Total	5,496	37.1%

Percentages for both tables are based on 14,798 total cases.

Location: 462-469 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0281_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes

Has {Child's first name} ever been told by a doctor, nurse or other health professional that {he/she} has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_PTR10.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	96	0.6 %
2	2 = No	5301	35.8 %
	Total	5,397	36.5%

This variable has 5,397 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9398	63.5 %
	Total	9,401	63.5%

Percentages for both tables are based on 14,798 total cases.

Location: 470-477 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_PT0042_NB: DERIVED - Age range youth was first told by a doctor or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes (3 levels)

Long Description: Has [Child's first name] ever been told by a doctor, nurse or other health professional that [he/she] has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

Algorithm: IF R04_PT0263_NB = 1 OR (0<=R04_PT0042_NB<=11) THEN R04R_Y_PT0042_NB = 1; ELSE IF R04_PT0263_NB = 2 OR (12<=R04_PT0042_NB<=14) THEN R04R_Y_PT0042_NB = 2; ELSE IF R04_PT0263_NB = 3 OR (15<=R04_PT0042_NB<=17) THEN R04R_Y_PT0042_NB = 3; ELSE IF R04_PT0042_NB = -9 OR R04_PT0263_NB = -9 THEN R04R_Y_PT0042_NB = -99999; ELSE IF R04_PT0042_NB = -8 OR R04_PT0263_NB = -8 THEN R04R_Y_PT0042_NB = -99988; ELSE IF R04_PT0042_NB = -7 OR R04_PT0263_NB = -7 THEN R04R_Y_PT0042_NB = -99977; ELSE IF R04_PT0042_NB = -5 THEN R04R_Y_PT0042_NB = -99955; ELSE IF R04_PT0042_NB = -1 OR R04_PT0263_NB = -1 THEN R04R_Y_PT0042_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	45	0.3 %
2	2 = 12 to 14 years old	36	0.2 %
3	3 = 15 to 17 years old	15	0.1 %
	Total	96	0.6%

This variable has 96 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14702	99.4 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,702	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 478-485 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_PX0721: Youth has Type 1 or Type 2 diabetes

[In a previous interview, it was reported that {Child's first name} had diabetes.

]Does [Child's first name] have Type 1 or Type 2 diabetes?

ASK: Parent/guardian respondents of youth respondents who have ever been told they have diabetes.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND (R03_PARREPT_DIABETES = 1 OR R04_PT0281_12M = 1 OR R04_PT0281_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Type 1	84	0.6 %
2	2 = Type 2	59	0.4 %
3	3 = Youth has never had diabetes	224	1.5 %
	Total	367	2.5%

This variable has 367 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14411	97.4 %
	Total	14,431	97.5%

Percentages for both tables are based on 14,798 total cases.

Location: 486-493 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PX0756: Youth has ever been told by a doctor, therapist or other mental health professional that he/she has schizophrenia, schizoaffective disorder or psychosis

Has {Child's first name} ever been told by a doctor, therapist or other mental health professional that {he/she} had schizophrenia, schizoaffective disorder or psychosis?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_PX0761.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	62	0.4 %
2	2 = No	14641	98.9 %
	Total	14,703	99.4%

This variable has 14,703 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	95	0.6%

Percentages for both tables are based on 14,798 total cases.

Location: 494-501 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_PX0757: DERIVED - Age range when youth was first told by a doctor, therapist or other mental health professional that he/she had schizophrenia, schizoaffective disorder or psychosis (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told by a doctor, therapist, or other mental health professional that [he/she] had schizophrenia, schizoaffective disorder or psychosis?

Algorithm: IF R04_PX0758 = 1 OR (0 <= R04_PX0757 <= 11) THEN R04R_Y_PX0757 = 1;

```

ELSE IF R04_PX0758 = 2 OR (12 <= R04_PX0757
<=14) THEN R04R_Y_PX0757 = 2; ELSE IF R04_PX0758 = 3 OR (15 <= R04_PX0757 <=17)
THEN R04R_Y_PX0757 = 3; ELSE IF R04_PX0757
= -9 OR R04_PX0758 = -9 THEN R04R_Y_PX0757 = -99999; ELSE IF R04_PX0757 = -8 OR
R04_PX0758 = -8 THEN R04R_Y_PX0757 = -99988;
ELSE IF R04_PX0757 = -7 OR R04_PX0758 = -7 THEN R04R_Y_PX0757 = -99977; ELSE IF
R04_PX0757 = -5 THEN R04R_Y_PX0757 = -99955;
ELSE IF R04_PX0757 = -1 OR R04_PX0758 = -1 THEN R04R_Y_PX0757 = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	18	0.1 %
2	2 = 12 to 14 years old	30	0.2 %
3	3 = 15 to 17 years old	13	0.1 %
	Total	61	0.4%

This variable has 61 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14736	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,737	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 502-509 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_PX0761: Youth has ever been told by a doctor, therapist or other mental health professional that he/she had a psychotic illness or episode

Has {Child's first name} ever been told by a doctor, therapist or other mental health professional that {he/she} had a psychotic illness or episode?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_PX0221.]

ASK: Parent/guardian respondents of youth respondents who have not been told they have schizophrenia, schizoaffective disorder or psychosis or did not know or refused to report if they have ever been told they have schizophrenia, schizoaffective disorder or psychosis.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_PX0756 = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	87	0.6 %
2	2 = No	14548	98.3 %
	Total	14,635	98.9%

This variable has 14,635 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	151	1.0 %
	Total	163	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 510-517 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_PX0762: DERIVED - Age range when youth was first told by a doctor, therapist or other mental health professional that he/she had a psychotic illness or episode (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told by a doctor, therapist, or other mental health professional that [he/she] had a psychotic illness or episode?

Algorithm: IF R04_PX0772 = 1 OR (0 <= R04_PX0762 <= 11) THEN R04R_Y_PX0762 = 1; ELSE IF R04_PX0772 = 2 OR (12 <= R04_PX0762 <= 14) THEN R04R_Y_PX0762 = 2; ELSE IF R04_PX0772 = 3 OR (15 <= R04_PX0762 <= 17) THEN R04R_Y_PX0762 = 3; ELSE IF R04_PX0762 = -9 OR R04_PX0772 = -9 THEN R04R_Y_PX0762 = -99999; ELSE IF R04_PX0762 = -8 OR R04_PX0772 = -8 THEN R04R_Y_PX0762 = -99988; ELSE IF R04_PX0762 = -7 OR R04_PX0772 = -7 THEN R04R_Y_PX0762 = -99977; ELSE IF R04_PX0762 = -5 THEN R04R_Y_PX0762 = -99955; ELSE IF R04_PX0762 = -1 OR R04_PX0772 = -1 THEN R04R_Y_PX0762 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	37	0.3 %
2	2 = 12 to 14 years old	33	0.2 %
3	3 = 15 to 17 years old	17	0.1 %
	Total	87	0.6%

This variable has 87 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14711	99.4 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,711	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 518-525 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_PX0221: Youth's close biological relatives have ever been told by a health professional that they had high blood pressure

The next questions ask about {Child's first name}'s close biological or blood relatives, including {his|her} father, mother, or brothers or sisters, both living and deceased.

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high blood pressure?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6285	42.5 %
2	2 = No	8216	55.5 %
	Total	14,501	98.0%

This variable has 14,501 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	189	1.3 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	297	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 526-533 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PX0222: Youth's close biological relatives have ever been told by a health professional that they had high cholesterol

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high cholesterol?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5512	37.2 %
2	2 = No	8908	60.2 %
	Total	14,420	97.4%

This variable has 14,420 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	268	1.8 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	378	2.6%

Percentages for both tables are based on 14,798 total cases.

Location: 534-541 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PX0707: Youth's close biological relatives have used any tobacco products

Have any of {Child's first name}'s close biological or blood relatives used any tobacco products? By this we mean cigarettes, e-cigarettes or other electronic nicotine products, cigars, pipe, hookah, snus or other types of smokeless tobacco (such as dip, spit or chew), and dissolvable tobacco.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9007	60.9 %
2	2 = No	5559	37.6 %
	Total	14,566	98.4%

This variable has 14,566 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	0.9 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	232	1.6%

Percentages for both tables are based on 14,798 total cases.

Location: 542-549 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PX0731: Youth's close biological relatives have ever been an alcoholic or problem drinker

Have any of {Child's first name}'s close biological or blood relatives ever been an alcoholic or problem drinker? By this we mean a person whose drinking causes problems with their physical or emotional health, family or friends, work or school, or the police.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3503	23.7 %
2	2 = No	11065	74.8 %
	Total	14,568	98.4%

This variable has 14,568 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	123	0.8 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	230	1.6%

Percentages for both tables are based on 14,798 total cases.

Location: 550-557 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PX0732: Youth's close biological relatives have ever had problems with drugs

Have any of {Child's first name}'s close biological or blood relatives ever had problems with drugs? By this we mean a person whose drug use causes problems with their physical or emotional health, family or friends, work or school, or the police.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2770	18.7 %
2	2 = No	11806	79.8 %
	Total	14,576	98.5%

This variable has 14,576 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	114	0.8 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	222	1.5%

Percentages for both tables are based on 14,798 total cases.

Location: 558-565 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_PM0069: DERIVED - Recoded parent respondent is a citizen of the United States (2 levels)

Long Description: Are you a citizen of the United States?

Algorithm: IF 1 <= R04_PM0069 <= 4 THEN R04R_Y_PM0069 = 1; ELSE IF R04_PM0069 > 4 THEN R04R_Y_PM0069 = 2; ELSE IF R04_PM0069 = -9 THEN R04R_Y_PM0069 = -99999; ELSE IF R04_PM0069 = -8 THEN R04R_Y_PM0069 = -99988; ELSE IF R04_PM0069 = -7 THEN R04R_Y_PM0069 = -99977; ELSE IF R04_PM0069 = -1 THEN R04R_Y_PM0069 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes, a U.S. citizen	12844	86.8 %
2	2 = No, not a U.S. citizen	1779	12.0 %
	Total	14,623	98.8%

This variable has 14,623 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	25	0.2 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	44	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	89	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	175	1.2%

Percentages for both tables are based on 14,798 total cases.

Location: 566-573 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_Y_PM0065_V2: DERIVED - Recoded number of years parents lived in the United States (2 levels)

Long Description: About how many years have you lived in the United States?

Algorithm: IF R04_PM0065 = 1 Then R04R_Y_PM0065_V2 = 1; ELSE IF R04_PM0065_NN >= 1 Then R04R_Y_PM0065_V2 = 2; ELSE IF R04_PM0065 = -9 OR R04_PM0065_NN = -9 THEN R04R_Y_PM0065_V2 = -99999; ELSE IF R04_PM0065 = -8 OR R04_PM0065_NN = -8 THEN R04R_Y_PM0065_V2 = -99988; ELSE IF R04_PM0065 = -7 OR R04_PM0065_NN = -7 THEN R04R_Y_PM0065_V2 = -99977; ELSE IF R04_PM0065_NN = -5 THEN R04R_Y_PM0065_V2 = -99955; ELSE IF R04_PM0065 = -1 OR R04_PM0065_NN = -1 THEN R04R_Y_PM0065_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Lived in the U.S. entire life	10294	69.6 %
2	2 = Not lived in the U.S. entire life	4299	29.1 %
	Total	14,593	98.6%

This variable has 14,593 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	25	0.2 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	70	0.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	89	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	205	1.4%

Percentages for both tables are based on 14,798 total cases.

Location: 574-581 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_PM0066: How well you speak English (parent respondent)

How well do you speak English? Would you say very well, well, not well, or not at all?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Very well	11881	80.3 %
2	2 = Well	1257	8.5 %
3	3 = Not well	1079	7.3 %
4	4 = Not at all	460	3.1 %
	Total	14,677	99.2%

This variable has 14,677 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	121	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 582-589 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PM0070: How well you read English (parent respondent)

How well do you read English? Would you say very well, well, not well, or not at all?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Very well	11827	79.9 %
2	2 = Well	1325	9.0 %
3	3 = Not well	1012	6.8 %
4	4 = Not at all	510	3.4 %
	Total	14,674	99.2%

This variable has 14,674 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	124	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 590-597 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PM0073: How well you write in English (parent respondent)

How well do you write in English? Would you say very well, well, not well, or not at all?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Very well	11458	77.4 %

Value	Label	Unweighted Frequency	%
2	2 = Well	1480	10.0 %
3	3 = Not well	1018	6.9 %
4	4 = Not at all	720	4.9 %
	Total	14,676	99.2%

This variable has 14,676 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	122	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 598-605 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PM0071: Speak a language other than English at home (parent respondent)

Do you speak a language other than English at home?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_PM0001.]

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4300	29.1 %
2	2 = No	10379	70.1 %
	Total	14,679	99.2%

This variable has 14,679 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	89	0.6 %

	Missing Data		
	Total	119	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 606-613 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PM0072_01: Other language spoken at home: Spanish (parent respondent)

What other languages do you speak at home?

CODE ALL THAT APPLY.

Spanish

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent and speak a language other than English at home.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1 AND R04_PM0071 = 1.

[PROGRAM NOTE: Allow interviewer to code all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3434	23.2 %
2	2 = Not Marked	847	5.7 %
	Total	4,281	28.9%

This variable has 4,281 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	10498	70.9 %
	Total	10,517	71.1%

Percentages for both tables are based on 14,798 total cases.

Location: 614-621 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_PM0072_02: DERIVED - Recoded other language(s) spoken at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language (parent respondent)

Long Description: What other languages do you speak at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language?

Algorithm: IF R04_PM0072_02 = 1 OR R04_PM0072_03 = 1 OR R04_PM0072_04 = 1 OR R04_PM0072_05 = 1 OR R04_PM0072_06 = 1 OR R04_PM0072_07 = 1 OR R04_PM0072_08 = 1 OR R04_PM0072_09 = 1 OR R04_PM0072_10 = 1 THEN R04R_Y_PM0072_02 = 1; ELSE
if R04_PM0072_02 = 2 AND R04_PM0072_03 = 2 AND R04_PM0072_04 = 2 AND R04_PM0072_05 = 2 AND R04_PM0072_06 = 2 AND R04_PM0072_07 = 2 AND R04_PM0072_08 = 2 AND R04_PM0072_09 = 2 AND R04_PM0072_10 = 2 THEN R04R_Y_PM0072_02 = 2; ELSE
IF R04_PM0072_02 = -9 THEN R04R_Y_PM0072_02 = -99999; ELSE IF R04_PM0072_02 = -8 THEN R04R_Y_PM0072_02 = -99988; ELSE IF R04_PM0072_02 = -7 THEN R04R_Y_PM0072_02 = -99977; ELSE IF R04_PM0072_02 = -1 THEN R04R_Y_PM0072_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Marked	929	6.3 %
2	2 = Not Marked	3352	22.7 %
	Total	4,281	28.9%

This variable has 4,281 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	10498	70.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	10,517	71.1%

Percentages for both tables are based on 14,798 total cases.

Location: 622-629 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_Y_PM0001: DERIVED - Recoded highest grade or year of school completed by parent (6 levels)

Long Description: What is the highest grade or year of school that you have completed?

Algorithm: IF R04_PM0001 IN (1,2) THEN R04R_Y_PM0001 = 1 ; ELSE IF R04_PM0001 = 3 THEN R04R_Y_PM0001 = 2 ; ELSE IF

```

R04_PM0001 = 4 THEN R04R_Y_PM0001 = 3 ; ELSE IF R04_PM0001 IN (5,6,7)
THEN R04R_Y_PM0001 = 4 ; ELSE IF R04_PM0001 = 8
THEN R04R_Y_PM0001 = 5 ; ELSE IF R04_PM0001 >= 9 THEN R04R_Y_PM0001 =
6; ELSE IF R04_PM0001 = -9 THEN R04R_Y_PM0001 =
-99999 ; ELSE IF R04_PM0001 = -8 THEN R04R_Y_PM0001 = -99988 ; ELSE IF
R04_PM0001 = -7 THEN R04R_Y_PM0001 = -99977 ; ELSE IF
R04_PM0001 = -1 THEN R04R_Y_PM0001 = -99911 ;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than High School	2137	14.4 %
2	2 = GED	682	4.6 %
3	3 = High school graduate	2687	18.2 %
4	4 = Some college (no degree) or associates degree	4682	31.6 %
5	5 = Bachelor's degree	2779	18.8 %
6	6 = Advanced degree	1688	11.4 %
	Total	14,655	99.0%

This variable has 14,655 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	25	0.2 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	89	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	143	1.0%

Percentages for both tables are based on 14,798 total cases.

Location: 630-637 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_Y_PM0118: DERIVED - Recoded highest grade or year of school completed by spouse/guardian (6 levels)

Long Description: What is the highest grade or year of school that [Spouse/Guardian's First name] has completed?

```

Algorithm: IF R04_PM0118 IN (1,2) THEN R04R_Y_PM0118 = 1 ; ELSE IF R04_PM0118
= 3 THEN R04R_Y_PM0118 = 2 ; ELSE IF
R04_PM0118 = 4 THEN R04R_Y_PM0118 = 3 ; ELSE IF R04_PM0118 IN (5,6,7) THEN
R04R_Y_PM0118 = 4 ; ELSE IF R04_PM0118 = 8
THEN R04R_Y_PM0118 = 5 ; ELSE IF R04_PM0118 >= 9 THEN R04R_Y_PM0118 = 6; ELSE
IF R04_PM0118 = -9 THEN R04R_Y_PM0118 =

```

-99999 ; ELSE IF R04_PM0118 = -8 THEN R04R_Y_PM0118 = -99988 ; ELSE IF R04_PM0118 = -7 THEN R04R_Y_PM0118 = -99977 ; ELSE IF R04_PM0118 = -1 THEN R04R_Y_PM0118 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Less than High School	1541	10.4 %
2	2 = GED	353	2.4 %
3	3 = High school graduate	2077	14.0 %
4	4 = Some college (no degree) or associates degree	2495	16.9 %
5	5 = Bachelor's degree	2024	13.7 %
6	6 = Advanced degree	1504	10.2 %
	Total	9,994	67.5%

This variable has 9,994 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	47	0.3 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	33	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4716	31.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	4,804	32.5%

Percentages for both tables are based on 14,798 total cases.

Location: 638-645 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_Y_PM0130: DERIVED - Recoded total household income in past 12 months (5 levels)

Long Description: Which of the following categories best describes your total household income in the past 12 months? This is the total income before taxes of all persons in your household combined.

Algorithm: IF R04_PM0130 = 1 THEN R04R_Y_PM0130 = 1 ; ELSE IF R04_PM0130 IN (2,3) THEN R04R_Y_PM0130 = 2; ELSE IF R04_PM0130 IN (4,5) THEN R04R_Y_PM0130 = 3; ELSE IF R04_PM0130 IN (6,7) THEN R04R_Y_PM0130 = 4; ELSE IF R04_PM0130 >=8 THEN R04R_Y_PM0130 = 5; ELSE IF R04_PM0130 = -9 THEN R04R_Y_PM0130 = -99999 ; ELSE IF R04_PM0130 = -8 THEN R04R_Y_PM0130 = -99988 ; ELSE IF R04_PM0130 = -7 THEN R04R_Y_PM0130 = -99977 ; ELSE IF R04_PM0130 = -1 THEN R04R_Y_PM0130 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Less than \$10,000	1227	8.3 %
2	2 = \$10,000 to \$24,999	2262	15.3 %
3	3 = \$25,000 to \$49,999	3306	22.3 %
4	4 = \$50,000 to \$99,999	3665	24.8 %
5	5 = \$100,000 or more	3580	24.2 %
	Total	14,040	94.9%

This variable has 14,040 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	25	0.2 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	309	2.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	335	2.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	89	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	758	5.1%

Percentages for both tables are based on 14,798 total cases.

Location: 646-653 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04_PM0031: In past 12 months, total household income is above or below \$50,000

Is your total household income during the past 12 months above or below \$50,000?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent and did not know or refused to report their total household income.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1 AND R04_PM0130 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Above \$50,000	171	1.2 %
2	2 = Below \$50,000	161	1.1 %
	Total	332	2.2%

This variable has 332 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	172	1.2 %
-7	-7 = Refused	140	0.9 %
-1	-1 = Inapplicable	14154	95.6 %
	Total	14,466	97.8%

Percentages for both tables are based on 14,798 total cases.

Location: 654-661 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_PL0040: DERIVED - Recoded home is owned or rented (2 levels)

Long Description: Do you own or rent your home?

Algorithm: IF R04_PL0040 = 1 THEN R04R_Y_PL0040 = 1; ELSE IF R04_PL0040
IN (2,3) THEN R04R_Y_PL0040 = 2; ELSE IF R04_PL0040 = -9
THEN R04R_Y_PL0040 = -99999; ELSE IF R04_PL0040 = -8 THEN R04R_Y_PL0040
= -99988; ELSE IF R04_PL0040 = -7 THEN R04R_Y_PL0040
= -99977; ELSE IF R04_PL0040 = -1 THEN R04R_Y_PL0040 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Owned	8684	58.7 %
2	2 = Not Owned	5979	40.4 %
	Total	14,663	99.1%

This variable has 14,663 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	25	0.2 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	89	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	135	0.9%

Percentages for both tables are based on 14,798 total cases.

Location: 662-669 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04_PX0691: Type of living space where you currently live

Please look at this list. In what type of living space do you currently live?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Single Family Home	11252	76.0 %
2	2 = Duplex	465	3.1 %
3	3 = Double or Multi-Family Home	505	3.4 %
4	4 = Condominium	163	1.1 %
5	5 = Townhouse	442	3.0 %
6	6 = Apartment Building	1443	9.8 %
7	7 = None of the above	205	1.4 %
	Total	14,475	97.8%

This variable has 14,475 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	221	1.5 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	323	2.2%

Percentages for both tables are based on 14,798 total cases.

Location: 670-677 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PN0335_01: In past 30 days, parent respondent used even one or two times: Cigarettes

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

READ RESPONSE OPTIONS ALOUD.

Cigarettes

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2648	17.9 %
2	2 = No	12032	81.3 %
	Total	14,680	99.2%

This variable has 14,680 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	118	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 678-685 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PN0335_02: In past 30 days, parent respondent used even one or two times: Traditional cigars

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

READ RESPONSE OPTIONS ALOUD.

Traditional cigars

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	225	1.5 %
2	2 = No	14453	97.7 %
	Total	14,678	99.2%

This variable has 14,678 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	120	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 686-693 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PN0335_03: In past 30 days, parent respondent used even one or two times: Cigarillos

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

READ RESPONSE OPTIONS ALOUD.

Cigarillos

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	334	2.3 %
2	2 = No	14342	96.9 %
	Total	14,676	99.2%

This variable has 14,676 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	122	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 694-701 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PN0335_04: In past 30 days, parent respondent used even one or two times: Filtered cigars

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two

times?

READ RESPONSE OPTIONS ALOUD.

Filtered cigars

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	121	0.8 %
2	2 = No	14555	98.4 %
	Total	14,676	99.2%

This variable has 14,676 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	122	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 702-709 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PN0335_05: In past 30 days, parent respondent used even one or two times: Pipe

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

READ RESPONSE OPTIONS ALOUD.

Pipe

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	51	0.3 %
2	2 = No	14629	98.9 %

Value	Label	Unweighted Frequency	%
	Total	14,680	99.2%

This variable has 14,680 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	118	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 710-717 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PN0335_06: In past 30 days, parent respondent used even one or two times: Hookah

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

READ RESPONSE OPTIONS ALOUD.

Hookah

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	141	1.0 %
2	2 = No	14538	98.2 %
	Total	14,679	99.2%

This variable has 14,679 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	119	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 718-725 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PN0336_01: In past 30 days, parent respondent used even one or two times: Snus

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

READ RESPONSE OPTIONS ALOUD.

Snus

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.5 %
2	2 = No	14605	98.7 %
	Total	14,680	99.2%

This variable has 14,680 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	118	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 726-733 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PN0336_02: In past 30 days, parent respondent used even one or two times: Other types of smokeless tobacco

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

READ RESPONSE OPTIONS ALOUD.

Other types of smokeless tobacco (such as moist snuff, dip, spit, chewing tobacco, or smokeless tobacco pouches)

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	238	1.6 %
2	2 = No	14441	97.6 %
	Total	14,679	99.2%

This variable has 14,679 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	119	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 734-741 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PN0337_01: In past 30 days, parent respondent used even one or two times: E-cigarettes or other electronic nicotine products

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

READ RESPONSE OPTIONS ALOUD.

E-cigarettes or other electronic nicotine products (IF NEEDED: [Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.])

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	617	4.2 %
2	2 = No	14059	95.0 %
	Total	14,676	99.2%

This variable has 14,676 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	25	0.2 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	122	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 742-749 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PN0337_02: In past 30 days, parent respondent used even one or two times: Dissolvable tobacco

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

READ RESPONSE OPTIONS ALOUD.

Dissolvable tobacco

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview or a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_ADULT_COMPLETE_LD != 1 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.1 %
2	2 = No	14653	99.0 %
	Total	14,673	99.2%

This variable has 14,673 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	29	0.2 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	89	0.6 %
	Total	125	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 750-757 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0060: Parent respondent's general perception: How much people harm themselves when they smoke tobacco products that are burned

How much do you think people harm themselves when they smoke tobacco products that are burned (such as cigarettes, cigars, pipes or hookah)?

Would you say no harm, a little harm, some harm, or a lot of harm?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = No harm	91	0.6 %
2	2 = Little harm	244	1.6 %
3	3 = Some harm	1979	13.4 %
4	4 = A lot of harm	12338	83.4 %
	Total	14,652	99.0%

This variable has 14,652 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	17	0.1 %
-8	-8 = Don't know	32	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	146	1.0%

Percentages for both tables are based on 14,798 total cases.

Location: 758-765 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0061: Parent respondent's general perception: How much people harm themselves when they use e-cigarettes or other electronic nicotine products

Now think about e-cigarettes and other electronic nicotine products. How much do you think people harm themselves when they use these products?

Would you say no harm, a little harm, some harm, or a lot of harm?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = No harm	166	1.1 %
2	2 = Little harm	981	6.6 %
3	3 = Some harm	4680	31.6 %
4	4 = A lot of harm	8630	58.3 %
	Total	14,457	97.7%

This variable has 14,457 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	17	0.1 %
-8	-8 = Don't know	203	1.4 %
-7	-7 = Refused	32	0.2 %
-1	-1 = Inapplicable	89	0.6 %
	Total	341	2.3%

Percentages for both tables are based on 14,798 total cases.

Location: 766-773 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_PT0062: Parent respondent's general perception: How much people harm themselves when they use smokeless tobacco products

And finally, how much do you think people harm themselves when they use smokeless tobacco products (products in which you chew, suck or spit such as snus pouches, loose snus, moist snuff, dip, spit, and chewing tobacco)?

Would you say no harm, a little harm, some harm, or a lot of harm?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R04_YOUTHTYPE = 1, 2, 3 AND R04_PARENT_COMPLETE_LD != 1.

Value	Label	Unweighted Frequency	%
1	1 = No harm	69	0.5 %
2	2 = Little harm	389	2.6 %
3	3 = Some harm	2748	18.6 %
4	4 = A lot of harm	11406	77.1 %
	Total	14,612	98.7%

This variable has 14,612 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	17	0.1 %
-8	-8 = Don't know	70	0.5 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	89	0.6 %
	Total	186	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 774-781 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_P_SPOUSE_PERSONID: DERIVED - Wave 4 parent respondent spouse Participant ID

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 782-801 (width: 20; decimal: 0)

Variable Type: character

R04R_P_OTHPAR_INHH: DERIVED - Wave 4 Recoded youth has any parental figures/guardians other than the parent/guardian in the house (2 levels)

Long Description: Wave 4 youth has any parental figures/guardians other than the parent/guardian in the house

Algorithm: IF R04_PT0045 = 1 OR R04_PM0057 = 1 OR R04_PM0060 = 1 THEN R04R_P_OTHPAR_INHH = 1; ELSE IF R04_PT0045 IN (-1, 2) AND (R04_PM0057 = 2 OR R04_PM0060 = 2) THEN R04R_P_OTHPAR_INHH = 2; ELSE IF R04_PT0045 = -9 OR R04_PM0057 = -9 OR R04_PM0060 = -9 THEN R04R_P_OTHPAR_INHH = -99999; ELSE IF R04_PT0045 = -8 OR R04_PM0057 = -8 OR R04_PM0060 = -8 THEN R04R_P_OTHPAR_INHH = -99988; ELSE IF R04_PT0045 = -7 OR R04_PM0057 = -7 OR R04_PM0060 = -7 THEN R04R_P_OTHPAR_INHH = -99977; ELSE IF R04_PT0045 = -1 OR R04_PM0057 = -1 OR R04_PM0060 = -1 THEN R04R_P_OTHPAR_INHH = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	11020	74.5 %
2	2 = No	3683	24.9 %
	Total	14,703	99.4%

This variable has 14,703 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	89	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	95	0.6%

Percentages for both tables are based on 14,798 total cases.

Location: 802-809 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04_YOUTHTYPE: Wave 4 youth type classification

Long Description: Flag to indicate whether respondent is a: continuing youth, new baseline (aged-up) youth or new cohort youth.

Value	Label	Unweighted Frequency	%
1	1 = Continuing youth	9365	63.3 %
2	2 = Aged-up youth	1694	11.4 %
3	3 = New cohort youth	3739	25.3 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 14,798 total cases.

Location: 810-817 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R04R_Y_YM0069: DERIVED - Recoded citizen of the United States (2 levels)

Long Description: Are you a citizen of the United States?

Algorithm: IF 1 <= R04_YM0069 <= 4 THEN R04R_Y_YM0069 = 1; ELSE IF R04_YM0069 > 4 THEN R04R_Y_YM0069 = 2; ELSE IF R04_YM0069 = -9 THEN R04R_Y_YM0069 = -99999; ELSE IF R04_YM0069 = -8 THEN R04R_Y_YM0069 = -99988; ELSE IF R04_YM0069 = -7 THEN R04R_Y_YM0069 = -99977; ELSE IF R04_YM0069 = -1 THEN R04R_Y_YM0069 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes, a U.S. citizen	5491	37.1 %
2	2 = No, not a U.S. citizen	381	2.6 %

Value	Label	Unweighted Frequency	%
	Total	5,872	39.7%

This variable has 5,872 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	8881	60.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	8,926	60.3%

Percentages for both tables are based on 14,798 total cases.

Location: 818-825 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_Y_YM0065_V2: DERIVED - Recoded number of years youth lived in the United States (2 levels)

Long Description: About how many years have you lived in the United States?

Algorithm: IF R04_YM0065 = -2 THEN R04R_Y_YM0065_V2 = 1; ELSE IF R04_YM0065 >= 1 Then R04R_Y_YM0065_V2 = 2; ELSE IF R04_YM0065 = -9 THEN R04R_Y_YM0065_V2 = -99999; ELSE IF R04_YM0065 = -8 THEN R04R_Y_YM0065_V2 = -99988; ELSE IF R04_YM0065 = -7 THEN R04R_Y_YM0065_V2 = -99977; ELSE IF R04_YM0065 = -5 THEN R04R_Y_YM0065_V2 = -99955; ELSE IF R04_YM0065 = -1 THEN R04R_Y_YM0065_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Lived in the U.S. entire life	11220	75.8 %
2	2 = Not lived in the U.S. entire life	3510	23.7 %
	Total	14,730	99.5%

This variable has 14,730 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	30	0.2 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	18	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	68	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 826-833 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YM0071: Speak a language other than English at home (youth)

Do you speak a language other than English at home?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YCT01.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4314	29.2 %
2	2 = No	10461	70.7 %
	Total	14,775	99.8%

This variable has 14,775 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	23	0.2%

Percentages for both tables are based on 14,798 total cases.

Location: 834-841 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YM0072_01: Other language spoken at home: Spanish (youth)

What other languages do you speak at home? Choose all that apply.

Spanish

ASK: Youth respondents who speak another language at home.

ASK Specification: IF R04_YM0071 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3378	22.8 %
2	2 = Not Marked	807	5.5 %
	Total	4,185	28.3%

This variable has 4,185 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	95	0.6 %
-7	-7 = Refused	34	0.2 %
-1	-1 = Inapplicable	10484	70.8 %
	Total	10,613	71.7%

Percentages for both tables are based on 14,798 total cases.

Location: 842-849 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YM0072_02: DERIVED - Recoded other language(s) spoken at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language (youth)

Long Description: What other languages do you speak at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language?

Algorithm: IF R04_YM0072_02 = 1 OR R04_YM0072_03 = 1 OR R04_YM0072_04 = 1 OR R04_YM0072_05 = 1 OR R04_YM0072_06 = 1 OR R04_YM0072_07 = 1 OR R04_YM0072_08 = 1 OR R04_YM0072_09 = 1 OR R04_YM0072_10 = 1 THEN R04R_Y_YM0072_02 = 1; ELSE IF R04_YM0072_02 = 2 AND R04_YM0072_03 = 2 AND R04_YM0072_04 = 2 AND R04_YM0072_05 = 2 AND R04_YM0072_06 = 2 AND R04_YM0072_07 = 2 AND R04_YM0072_08 = 2 AND R04_YM0072_09 = 2 AND R04_YM0072_10 = 2 THEN R04R_Y_YM0072_02 = 2; ELSE IF R04_YM0072_02 = -9 THEN R04R_Y_YM0072_02 = -99999; ELSE IF R04_YM0072_02 = -8 THEN R04R_Y_YM0072_02 = -99988; ELSE IF R04_YM0072_02 = -7 THEN R04R_Y_YM0072_02 = -99977; ELSE IF R04_YM0072_02 = -1 THEN R04R_Y_YM0072_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Marked	985	6.7 %
2	2 = Not Marked	3200	21.6 %
	Total	4,185	28.3%

This variable has 4,185 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	95	0.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	34	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	10484	70.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	10,613	71.7%

Percentages for both tables are based on 14,798 total cases.

Location: 850-857 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04_YC1002_NB: Ever tried cigarette smoking, even one or two puffs

Have you ever tried cigarette smoking, even one or two puffs?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to box R04_YCV02.]

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	464	3.1 %
2	2 = No	4967	33.6 %
	Total	5,431	36.7%

This variable has 5,431 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %

	Missing Data		
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,367	63.3%

Percentages for both tables are based on 14,798 total cases.

Location: 858-865 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1002_12M: In past 12 months, tried cigarette smoking, even one or two puffs

In the past 12 months, have you smoked a cigarette, even one or two puffs?

ASK: Continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	626	4.2 %
2	2 = No	8729	59.0 %
	Total	9,355	63.2%

This variable has 9,355 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	5433	36.7 %
	Total	5,443	36.8%

Percentages for both tables are based on 14,798 total cases.

Location: 866-873 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1103: Ever been curious about smoking a cigarette

Have you ever been curious about smoking a cigarette?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	135	0.9 %
2	2 = Somewhat curious	507	3.4 %
3	3 = A little curious	2079	14.0 %
4	4 = Not at all curious	10551	71.3 %
	Total	13,272	89.7%

This variable has 13,272 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	1508	10.2 %
	Total	1,526	10.3%

Percentages for both tables are based on 14,798 total cases.

Location: 874-881 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1206: Think you will smoke a cigarette in the next year

Do you think you will smoke a cigarette in the next year?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	9	0.1 %
2	2 = Probably yes	70	0.5 %
3	3 = Probably not	1388	9.4 %
4	4 = Definitely not	11810	79.8 %
	Total	13,277	89.7%

This variable has 13,277 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	5	0.0 %

	Missing Data		
-1	-1 = Inapplicable	1508	10.2 %
	Total	1,521	10.3%

Percentages for both tables are based on 14,798 total cases.

Location: 882-889 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1104: Think you will try a cigarette soon

Do you think that you will try a cigarette soon?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	7	0.0 %
2	2 = Probably yes	82	0.6 %
3	3 = Probably not	1228	8.3 %
4	4 = Definitely not	11964	80.8 %
	Total	13,281	89.7%

This variable has 13,281 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	1508	10.2 %
	Total	1,517	10.3%

Percentages for both tables are based on 14,798 total cases.

Location: 890-897 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1105: Would smoke a cigarette if one of your best friends offered you one

If one of your best friends were to offer you a cigarette, would you smoke it?

[If any/all answers, Go to box R04_YVT01.]

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	15	0.1 %
2	2 = Probably yes	174	1.2 %
3	3 = Probably not	1654	11.2 %
4	4 = Definitely not	11429	77.2 %
	Total	13,272	89.7%

This variable has 13,272 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	1508	10.2 %
	Total	1,526	10.3%

Percentages for both tables are based on 14,798 total cases.

Location: 898-905 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YC1006_NB: DERIVED - Age range when first tried cigarette smoking, even one or two puffs (3 levels)

Long Description: How old were you when you first tried cigarette smoking, even one or two puffs?

Algorithm: IF R04_YC1120_NB = 1 OR (0<=R04_YC1006_NB<=11) THEN R04R_Y_YC1006_NB = 1; ELSE IF R04_YC1120_NB = 2 OR (12<=R04_YC1006_NB<=14) THEN R04R_Y_YC1006_NB = 2; ELSE IF R04_YC1120_NB = 3 OR (15<=R04_YC1006_NB<=17) THEN R04R_Y_YC1006_NB = 3; ELSE IF R04_YC1006_NB = -9 OR R04_YC1120_NB = -9 THEN R04R_Y_YC1006_NB = -99999; ELSE IF R04_YC1006_NB = -8 OR R04_YC1120_NB = -8 THEN R04R_Y_YC1006_NB = -99988; ELSE IF R04_YC1006_NB = -7 OR R04_YC1120_NB = -7 THEN R04R_Y_YC1006_NB = -99977; ELSE IF R04_YC1006_NB = -5 THEN R04R_Y_YC1006_NB = -99955; ELSE IF R04_YC1006_NB = -1 OR R04_YC1120_NB = -1 THEN R04R_Y_YC1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	111	0.8 %
2	2 = 12 to 14 years old	224	1.5 %

Value	Label	Unweighted Frequency	%
3	3 = 15 to 17 years old	126	0.9 %
	Total	461	3.1%

This variable has 461 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14334	96.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,337	96.9%

Percentages for both tables are based on 14,798 total cases.

Location: 906-913 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YC1108: First cigarette smoked flavored to taste like menthol or mint

Was the first cigarette you smoked flavored to taste like menthol or mint?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_CIGS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_CIGS_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	194	1.3 %
2	2 = No	285	1.9 %
3	3 = I don't know	288	1.9 %
	Total	767	5.2%

This variable has 767 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14028	94.8 %
	Total	14,031	94.8%

Percentages for both tables are based on 14,798 total cases.

Location: 914-921 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9104: Pleasant sensations experienced first time you smoked a cigarette

How much did you experience pleasant sensations the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_CIGS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_CIGS_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Not at all	418	2.8 %
2	2 = A little	162	1.1 %
3	3 = Somewhat	138	0.9 %
4	4 = A lot	48	0.3 %
	Total	766	5.2%

This variable has 766 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14028	94.8 %
	Total	14,032	94.8%

Percentages for both tables are based on 14,798 total cases.

Location: 922-929 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9105: Unpleasant sensations experienced first time you smoked a cigarette

How much did you experience unpleasant sensations the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who

have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_CIGS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_CIGS_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Not at all	213	1.4 %
2	2 = A little	192	1.3 %
3	3 = Somewhat	149	1.0 %
4	4 = A lot	203	1.4 %
	Total	757	5.1%

This variable has 757 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14028	94.8 %
	Total	14,041	94.9%

Percentages for both tables are based on 14,798 total cases.

Location: 930-937 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9106: Felt sick to stomach after smoking cigarette for the first time

How much did you feel sick to your stomach the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_CIGS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_CIGS_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Not at all	374	2.5 %
2	2 = A little	148	1.0 %
3	3 = Somewhat	129	0.9 %
4	4 = A lot	111	0.8 %
	Total	762	5.1%

This variable has 762 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14028	94.8 %
	Total	14,036	94.9%

Percentages for both tables are based on 14,798 total cases.

Location: 938-945 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1005: Number of cigarettes smoked in entire life

How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and have initiated cigarette smoking since their last completed interview or had not smoked 100 or more cigarettes as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_CIGS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_CIGS_YOUTH = 1 AND (R04_INIT_CIGS_YOUTH = 1 OR R03_NUMLIFE_CIGS != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole cigarette	493	3.3 %
2	2 = 1 cigarette	202	1.4 %
3	3 = 2 to 10 cigarettes (about 1/2 pack total)	269	1.8 %
4	4 = 11 to 20 cigarettes (about 1/2 pack to 1 pack)	103	0.7 %
5	5 = 21 to 50 cigarettes (more than 1 pack but less than 3 packs)	86	0.6 %
6	6 = 51 to 99 cigarettes (more than 2 1/2 packs but less than 5 packs)	52	0.4 %
7	7 = 100 or more cigarettes (5 packs or more)	121	0.8 %
	Total	1,326	9.0%

This variable has 1,326 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	62	0.4 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	13386	90.5 %
	Total	13,472	91.0%

Percentages for both tables are based on 14,798 total cases.

Location: 946-953 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1100: Ever smoked cigarettes fairly regularly

Have you ever smoked cigarettes fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YC9022.]

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and had not reported ever smoking cigarettes fairly regularly as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_CIGS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_CIGS_YOUTH = 1 AND R03_REGUSE_CIGS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	202	1.4 %
2	2 = No	1124	7.6 %
	Total	1,326	9.0%

This variable has 1,326 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13469	91.0 %
	Total	13,472	91.0%

Percentages for both tables are based on 14,798 total cases.

Location: 954-961 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YC1007: DERIVED - Age range when first started smoking cigarettes fairly regularly (3 levels)

Long Description: How old were you when you first started smoking cigarettes fairly regularly?

Algorithm: IF R04_YC1121 = 1 OR (0<=R04_YC1007<=11) THEN R04R_Y_YC1007 = 1; ELSE IF R04_YC1121 = 2 OR (12<=R04_YC1007<=14) THEN R04R_Y_YC1007 = 2; ELSE IF R04_YC1121 = 3 OR (15<=R04_YC1007<=17) THEN R04R_Y_YC1007 = 3; ELSE IF R04_YC1007 = -9 OR R04_YC1121 = -9 THEN R04R_Y_YC1007 = -99999; ELSE IF R04_YC1007 = -8 OR R04_YC1121 = -8 THEN R04R_Y_YC1007 = -99988; ELSE IF

R04_YC1007 = -7 OR R04_YC1121 = -7 THEN R04R_Y_YC1007 = -99977; ELSE IF
R04_YC1007 = -5 THEN R04R_Y_YC1007= -99955; ELSE IF
R04_YC1007 = -1 OR R04_YC1121 = -1 THEN R04R_Y_YC1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	17	0.1 %
2	2 = 12 to 14 years old	83	0.6 %
3	3 = 15 to 17 years old	100	0.7 %
	Total	200	1.4%

This variable has 200 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14596	98.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,598	98.6%

Percentages for both tables are based on 14,798 total cases.

Location: 962-969 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YC9022: Consider yourself a smoker

Do you consider yourself a smoker?

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	205	1.4 %
2	2 = No	1294	8.7 %
	Total	1,499	10.1%

This variable has 1,499 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	13290	89.8 %
	Total	13,299	89.9%

Percentages for both tables are based on 14,798 total cases.

Location: 970-977 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1112: Last time smoked a cigarette, even one or two puffs

When was the last time you smoked a cigarette, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), Go to box R04_YCV01.]

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents that have smoked in the past year (R04_YC1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	133	0.9 %
2	2 = Not today but sometime in the past 7 days	184	1.2 %
3	3 = Not in the past 7 days but sometime in the past 30 days	157	1.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	229	1.5 %
5	5 = Not in the past 6 months but sometime in the past year	221	1.5 %
6	6 = 1 to 4 years ago	317	2.1 %
7	7 = 5 or more years ago	183	1.2 %
	Total	1,424	9.6%

This variable has 1,424 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	53	0.4 %
-7	-7 = Refused	31	0.2 %
-1	-1 = Inapplicable	13290	89.8 %
	Total	13,374	90.4%

Percentages for both tables are based on 14,798 total cases.

Location: 978-985 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC0100: When last smoked a cigarette

When did you last smoke a cigarette?

[If In the past hour (1), Go to R04_YC0103; If Three or more days ago (5), Don't know (-8), or Refused (-7), Go to box R04_YCV01.]

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or in the past 7 days.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1 AND R04_YC1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	62	0.4 %
2	2 = Sometime today	62	0.4 %
3	3 = Yesterday	65	0.4 %
4	4 = Day before yesterday	35	0.2 %
5	5 = Three or more days ago	91	0.6 %
	Total	315	2.1%

This variable has 315 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14481	97.9 %
	Total	14,483	97.9%

Percentages for both tables are based on 14,798 total cases.

Location: 986-993 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC0102: Time period of day when you last smoked a cigarette

When you last smoked a cigarette [FILL BASED ON R04_YC0100], was it...

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or in the past 7 days and last smoked a cigarette sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1 AND R04_YC1112 = 1, 2 AND R04_YC0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	29	0.2 %
2	2 = After 6AM but before noon	38	0.3 %
3	3 = Between noon and 6PM	57	0.4 %
4	4 = After 6PM but before midnight	37	0.3 %
	Total	161	1.1%

This variable has 161 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14636	98.9 %
	Total	14,637	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 994-1001 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC0103: Number of cigarettes smoked today/yesterday/day before yesterday

How many cigarettes [have/did] you [smoked/smoke] [FILL BASED ON R04_YC0100]? A pack usually has 20 cigarettes in it.

___ Number of cigarettes

[If Don't know (-8), or Refused (-7), Go to box R04_YCV01.]

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or in the past 7 days and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1 AND R04_YC1112 = 1, 2 AND R04_YC0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits]

This variable has 224 valid cases out of 14,798 total cases.

- Mean: 2.94
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 25.00
- Standard Deviation: 3.19

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14574	98.5 %
	Total	14,574	98.5 %

Percentages for both tables are based on 14,798 total cases.

Location: 1002-1009 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YC1022: In past 30 days, number of days smoked cigarettes

In the past 30 days, on how many days did you smoke cigarettes?

__ Days

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R04_PAST30DAY_CIGS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 459 valid cases out of 14,798 total cases.

- Mean: 9.75
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.88

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	5	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,339	96.9 %

Percentages for both tables are based on 14,798 total cases.

Location: 1010-1017 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YC1023: In past 30 days, number of cigarettes smoked per day on the days that you smoked

In the past 30 days, on the days you smoked, how many cigarettes did you smoke per day? A pack usually has 20 cigarettes in it.

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R04_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarette per day	165	1.1 %
2	2 = 1 cigarette per day	98	0.7 %
3	3 = 2 to 5 cigarettes per day	143	1.0 %
4	4 = 6 to 10 cigarettes per day	33	0.2 %
5	5 = 11 to 20 cigarettes per day	14	0.1 %
6	6 = More than 20 cigarettes per day	9	0.1 %
	Total	462	3.1%

This variable has 462 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,336	96.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1018-1025 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9048: In past 30 days, smoked manufactured cigarettes or roll-your-own cigarettes

In the past 30 days, did you smoke manufactured cigarettes or did you smoke roll-your-own cigarettes?

[If Roll-your-own cigarettes (2), Go to box R04_YCR20.]

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R04_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Manufactured cigarettes	338	2.3 %
2	2 = Roll-your-own cigarettes	30	0.2 %
3	3 = Both manufactured and roll-your-own cigarettes	52	0.4 %
4	4 = I don't know	49	0.3 %
	Total	469	3.2%

This variable has 469 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,329	96.8%

Percentages for both tables are based on 14,798 total cases.

Location: 1026-1033 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1130: In past 30 days, smoked cigarettes flavored to taste like menthol or mint

In the past 30 days, were any of the cigarettes you smoked flavored to taste like menthol or mint?

ASK: Youth respondents who are past 30 day cigarette smokers and smoked manufactured cigarettes in the past 30 days or did not know or refused to report the type of cigarettes they smoked in the past 30 days.

ASK Specification: IF R04_PAST30DAY_CIGS = 1 AND R04_YC9048 = 1, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	224	1.5 %
2	2 = No	169	1.1 %
3	3 = I don't know	48	0.3 %
	Total	441	3.0%

This variable has 441 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14354	97.0 %

	Missing Data		
	Total	14,357	97.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1034-1041 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9045: In past 30 days, smoked roll-your-own tobacco flavored like menthol or mint

In the past 30 days, was any of the roll-your-own tobacco you smoked flavored to taste like menthol or mint?

ASK: Youth respondents who are past 30 day cigarette smokers and smoked roll-your-own cigarettes in the past 30 days.

ASK Specification: IF R04_PAST30DAY_CIGS = 1 AND R04_YC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.1 %
2	2 = No	52	0.4 %
3	3 = I don't know	8	0.1 %
	Total	82	0.6%

This variable has 82 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14716	99.4 %
	Total	14,716	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1042-1049 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1142: In past 30 days, anyone sold you cigarettes

In the past 30 days, did anyone sell you cigarettes?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R04_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	79	0.5 %
2	2 = No	392	2.6 %
	Total	471	3.2%

This variable has 471 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,327	96.8%

Percentages for both tables are based on 14,798 total cases.

Location: 1050-1057 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1123: In the past 30 days, someone refused to sell you cigarettes because of your age

In the past 30 days, did anyone refuse to sell you cigarettes because of your age?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R04_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	65	0.4 %
2	2 = No	398	2.7 %
	Total	463	3.1%

This variable has 463 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,335	96.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1058-1065 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1118: In past 30 days, how you usually got your own cigarettes

In the past 30 days, how did you usually get your own cigarettes?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R04_PAST30DAY_CIGS = 1

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy cigarettes for me	107	0.7 %
2	2 = I bought cigarettes myself from a store	53	0.4 %
3	3 = I asked someone to give me a cigarette	104	0.7 %
4	4 = Someone offered me a cigarette	112	0.8 %
5	5 = I bought cigarettes from another person	16	0.1 %
6	6 = I took cigarettes from a store or another person	42	0.3 %
7	7 = I got cigarettes some other way	26	0.2 %
	Total	460	3.1%

This variable has 460 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,338	96.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1066-1073 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1030: How you usually buy your cigarettes

[When you give money to someone else, how do they/How do you] usually buy your cigarettes?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), Go to R04_YC1039.]

ASK: Youth respondents who are past 30 day cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_CIGS = 1 AND R04_YC1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	152	1.0 %
2	2 = From the internet	3	0.0 %
3	3 = By telephone	1	0.0 %
	Total	156	1.1%

This variable has 156 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14638	98.9 %
	Total	14,642	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1074-1081 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1032: Geographic area where you usually buy cigarettes

Do [you/they] usually buy cigarettes...

ASK: Youth respondents who are past 30 day cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and usually buy cigarettes in person.

ASK Specification: IF R04_PAST30DAY_CIGS = 1 AND R04_YC1118 = 1, 2 AND R04_YC1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	145	1.0 %
2	2 = In another state	2	0.0 %
3	3 = Outside the US	4	0.0 %
	Total	151	1.0%

This variable has 151 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14646	99.0 %
	Total	14,647	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1082-1089 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1033: Retail location where your cigarettes are purchased most of the time

Where do [you/they] buy your cigarettes most of the time?

ASK: Youth respondents who are past 30 day cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and usually buy cigarettes in person.

ASK Specification: IF R04_PAST30DAY_CIGS = 1 AND R04_YC1118 = 1, 2 AND R04_YC1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	137	0.9 %
2	2 = A supermarket, grocery store, or drug store	3	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	3	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	3	0.0 %
5	5 = A duty free shop or military commissary	1	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	4	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = A store on an Indian reservation	0	0.0 %
10	10 = Somewhere else	1	0.0 %
	Total	152	1.0%

This variable has 152 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14646	99.0 %
	Total	14,646	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1090-1097 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1039: Usually buy cigarettes by carton, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] cigarettes. Did you buy them by the carton, pack, or as a single cigarette?

[If Don't know (-8), or Refused (-7), Go to box R04_YCR23.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2 AND R04_YC1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Carton	6	0.0 %
2	2 = Pack	116	0.8 %
3	3 = Single cigarettes	13	0.1 %
	Total	135	0.9%

This variable has 135 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14661	99.1 %
	Total	14,663	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1098-1105 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1034_D: Amount paid when last time bought a carton of cigarettes/pack of cigarettes/single cigarette - Dollars

How much did you pay for a [carton of cigarettes/pack of cigarettes/single cigarette]?

___ Dollars

[If Don't know (-8), or Refused, Go to box R04_YCR23.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and usually buy cigarettes by the carton, pack, or as single cigarettes.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2 AND R04_YC1118 = 1, 2 AND R04_YC1039 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 133 valid cases out of 14,798 total cases.

- Mean: 6.23

- Median: 6.00
- Mode: 5.00
- Minimum: 0.00
- Maximum: 64.00
- Standard Deviation: 6.84

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14663	99.1 %
	Total	14,665	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1106-1113 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YC1034_C: Amount paid when last time bought a carton of cigarettes/pack of cigarettes/single cigarette - Cents

How much did you pay for a [carton of cigarettes/pack of cigarettes/single cigarette]?

__ Cents

[If Don't know (-8), or Refused, Go to box R04_YCR23.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and usually buy cigarettes by the carton, pack, or as single cigarettes.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2 AND R04_YC1118 = 1, 2 AND R04_YC1039 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 133 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14665	99.1 %
	Total	14,665	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1114-1121 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YC1047: Have a regular brand of cigarettes you usually smoke

Do you have a regular brand of cigarettes that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	174	1.2 %
2	2 = No	117	0.8 %
	Total	291	2.0%

This variable has 291 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14502	98.0 %
	Total	14,507	98.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1122-1129 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1945: Know the name of brand of cigarettes last smoked

Do you know the name of the brand of cigarettes you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YCR07.]

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R04_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	311	2.1 %
2	2 = No	163	1.1 %
	Total	474	3.2%

This variable has 474 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,324	96.8%

Percentages for both tables are based on 14,798 total cases.

Location: 1130-1137 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1048_BRAND: Brand of cigarettes usually/last smoked

What brand of cigarette [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day cigarette smokers and know the name of the brand of cigarettes they usually smoke or last smoked.

ASK Specification: IF R04_PAST30DAY_CIGS = 1 AND R04_YC1945 = 1.

[PROGRAM NOTE: Show pictures of the major brands on the touchscreen.]

This variable has 311 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14487	97.9 %
	Total	14,487	97.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1138-1145 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1070_PRODUCT: Sub-brand of cigarette product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day cigarette smokers and know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand of cigarettes.

ASK Specification: IF R04_PAST30DAY_CIGS = 1 AND R04_YC1945 = 1 AND R04_YC1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: Fill BRANDFILL with brand selected in R04_YC1048_BRAND. Show pictures or text on the touchscreen of the major products associated with the brand selected.]

This variable has 306 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14489	97.9 %
	Total	14,492	97.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1146-1153 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1051_NN: How long smoked regular brand of cigarettes - Number

About how long have you been smoking your regular brand of cigarettes?

[If Don't know (-8), or Refused (-7), Go to R04_YC9019.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2 AND R04_YC1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units.]

This variable has 169 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14624	98.8 %
	Total	14,629	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1154-1161 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YC1051_UN: How long smoked regular brand of cigarettes - Unit

About how long have you been smoking your regular brand of cigarettes?

[If Don't know (-8), or Refused (-7), Go to R04_YC9019.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2 AND R04_YC1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units.]

Value	Label	Unweighted Frequency	%
1	1 = Days	13	0.1 %
2	2 = Months	67	0.5 %
3	3 = Years	89	0.6 %
	Total	169	1.1%

This variable has 169 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14629	98.9 %
	Total	14,629	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1162-1169 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9019: Harmfulness of brand of cigarettes usually smoked compared to other cigarette brands

Do you think the brand of cigarettes you usually smoke might be less harmful, no different, or more harmful, compared to other cigarette brands?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2 AND R04_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	17	0.1 %
2	2 = No different	134	0.9 %
3	3 = More harmful	23	0.2 %
	Total	174	1.2%

This variable has 174 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14624	98.8 %
	Total	14,624	98.8%

Percentages for both tables are based on 14,798 total cases.

Location: 1170-1177 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9010: In choosing regular brand of cigarettes, part of your decision was based on the following: It is affordable

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

It is affordable.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2 AND R04_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	86	0.6 %
2	2 = No	88	0.6 %
	Total	174	1.2%

This variable has 174 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14624	98.8 %

	Missing Data		
	Total	14,624	98.8%

Percentages for both tables are based on 14,798 total cases.

Location: 1178-1185 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9014: In choosing regular brand of cigarettes, part of your decision was based on the following: The taste

The taste.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2 AND R04_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	139	0.9 %
2	2 = No	35	0.2 %
	Total	174	1.2%

This variable has 174 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14624	98.8 %
	Total	14,624	98.8%

Percentages for both tables are based on 14,798 total cases.

Location: 1186-1193 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC0104: Brand of very last cigarette smoked is same as brand regularly/last smoked

We just have one more question about [your regular brand / the last brand] of cigarettes[you smoked].

You said earlier that you smoked a cigarette [TIME OF LAST USE].

Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand and subbrand of cigarettes.

ASK Specification: IF R04_PAST30DAY_CIGS = 1 AND R04_YC0100 = 1, 2, 3, 4 AND R04_YC1945 = 1 AND R04_YC1048_BRAND != 9995, -8, -7 AND R04_YC1070_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	126	0.9 %
2	2 = No	50	0.3 %
	Total	176	1.2%

This variable has 176 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14620	98.8 %
	Total	14,622	98.8%

Percentages for both tables are based on 14,798 total cases.

Location: 1194-1201 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1001_NB: Ever seen or heard of electronic nicotine products before this study

Have you ever seen or heard of electronic nicotine products before this study? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YVV02.]

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4513	30.5 %
2	2 = No	910	6.1 %
	Total	5,423	36.6%

This variable has 5,423 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,375	63.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1202-1209 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1002_NB: Ever used an electronic nicotine product, even one or two times

Have you ever used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to box R04_YVV02.]

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	561	3.8 %
2	2 = No	3948	26.7 %
	Total	4,509	30.5%

This variable has 4,509 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10285	69.5 %
	Total	10,289	69.5%

Percentages for both tables are based on 14,798 total cases.

Location: 1210-1217 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1002_12M: In the past 12 months, used an electronic nicotine product, even one or two times

In the past 12 months, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YVV02.]

ASK: Continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	905	6.1 %
2	2 = No	8439	57.0 %
	Total	9,344	63.1%

This variable has 9,344 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	5433	36.7 %
	Total	5,454	36.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1218-1225 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9035_01: Ever used an e-cigarette including a vape pen, personal vaporizer, or mod

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-cigarette including a vape pen, personal vaporizer, or mod

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product, or continuing youth respondents who have used an electronic nicotine product in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV1002_NB = 1) OR (R04_YOUTHTYPE = 1 AND R04_YV1002_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1260	8.5 %
2	2 = Not Marked	179	1.2 %
	Total	1,439	9.7%

This variable has 1,439 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	13332	90.1 %
	Total	13,359	90.3%

Percentages for both tables are based on 14,798 total cases.

Location: 1402-1409 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9035_02: Ever used an e-cigar

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-cigar

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product, or continuing youth respondents who have used an electronic nicotine product in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV1002_NB = 1) OR (R04_YOUTHTYPE = 1 AND R04_YV1002_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	71	0.5 %
2	2 = Not Marked	1368	9.2 %
	Total	1,439	9.7%

This variable has 1,439 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	13332	90.1 %
	Total	13,359	90.3%

Percentages for both tables are based on 14,798 total cases.

Location: 1410-1417 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9035_03: Ever used an e-pipe

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-pipe

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product, or continuing youth respondents who have used an electronic nicotine product in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV1002_NB = 1) OR (R04_YOUTHTYPE = 1 AND R04_YV1002_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.2 %
2	2 = Not Marked	1412	9.5 %
	Total	1,439	9.7%

This variable has 1,439 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	13332	90.1 %
	Total	13,359	90.3%

Percentages for both tables are based on 14,798 total cases.

Location: 1418-1425 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9035_04: Ever used an e-hookah including a hookah pen

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

E-hookah including a hookah pen

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product, or continuing youth respondents who have used an electronic nicotine product in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV1002_NB = 1) OR (R04_YOUTHTYPE = 1 AND R04_YV1002_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	297	2.0 %
2	2 = Not Marked	1142	7.7 %
	Total	1,439	9.7%

This variable has 1,439 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	13332	90.1 %
	Total	13,359	90.3%

Percentages for both tables are based on 14,798 total cases.

Location: 1426-1433 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9035_05: Ever used some other electronic nicotine product

Which of the following electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

Something else (SPECIFY)

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product, or continuing youth respondents who have used an electronic nicotine product in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND

R04_YV1002_NB = 1) OR (R04_YOUTHTYPE = 1 AND R04_YV1002_12M = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	56	0.4 %
2	2 = Not Marked	1383	9.3 %
	Total	1,439	9.7%

This variable has 1,439 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	13332	90.1 %
	Total	13,359	90.3%

Percentages for both tables are based on 14,798 total cases.

Location: 1434-1441 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9060_01: Use more than one kind of e-cigarette including a vape pen, personal vaporizer, or mod

Do you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R04_YV9035]?

e-cigarette

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and have used e-cigarettes/e-cigar/e-pipe/e-hookah, or continuing youth respondents who have used an electronic nicotine product in the past 12 months and have used e-cigarettes/e-cigar/e-pipe/e-hookah.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV1002_NB = 1 AND R04_YV9035_01 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YV1002_12M = 1 AND R04_YV9035_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	132	0.9 %
2	2 = No	1123	7.6 %
	Total	1,255	8.5%

This variable has 1,255 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13538	91.5 %
	Total	13,543	91.5%

Percentages for both tables are based on 14,798 total cases.

Location: 1442-1449 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9060_02: Use more than one kind of e-cigar

Do you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R04_YV9035]?

e-cigar

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and have used e-cigarettes/e-cigar/e-pipe/e-hookah, or continuing youth respondents who have used an electronic nicotine product in the past 12 months and have used e-cigarettes/e-cigar/e-pipe/e-hookah.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV1002_NB = 1 AND R04_YV9035_02 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YV1002_12M = 1 AND R04_YV9035_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	61	0.4 %
	Total	71	0.5%

This variable has 71 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14727	99.5 %
	Total	14,727	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 1450-1457 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9060_03: Use more than one kind of e-pipe

Do you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R04_YV9035]?

e-pipe

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and have used e-cigarettes/e-cigar/e-pipe/e-hookah, or continuing youth respondents who have used an electronic nicotine product in the past 12 months and have used e-cigarettes/e-cigar/e-pipe/e-hookah.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV1002_NB = 1 AND R04_YV9035_03 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YV1002_12M = 1 AND R04_YV9035_03 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	21	0.1 %
	Total	27	0.2%

This variable has 27 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14771	99.8 %
	Total	14,771	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 1458-1465 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9060_04: Use more than one kind of e-hookah including a hookah pen

Do you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R04_YV9035]?

e-hookah

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have ever used an electronic nicotine product and have used e-cigarettes/e-cigar/e-pipe/e-hookah, or continuing youth respondents who have used an electronic nicotine product in the past 12 months and have used e-cigarettes/e-cigar/e-pipe/e-hookah.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV1002_NB = 1 AND R04_YV9035_04 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YV1002_12M = 1 AND R04_YV9035_04 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.3 %
2	2 = No	250	1.7 %
	Total	296	2.0%

This variable has 296 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14501	98.0 %
	Total	14,502	98.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1466-1473 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9044: Type of electronic nicotine product used most often

You mentioned that you have used more than one type of electronic nicotine product.

Which type of electronic nicotine product do you use most often?

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

ASK: Youth respondents who have used more than one type of electronic nicotine product.

ASK Specification: IF R04_EPRODCOUNT > 1.

Value	Label	Unweighted Frequency	%
1	1 = E-cigarette including a vape pen, personal vaporizer, or mod	158	1.1 %
2	2 = E-cigar	3	0.0 %
3	3 = E-pipe	0	0.0 %
4	4 = E-hookah including a hookah pen	41	0.3 %
	Total	202	1.4%

This variable has 202 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	9	0.1 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14577	98.5 %
	Total	14,596	98.6%

Percentages for both tables are based on 14,798 total cases.

Location: 1474-1481 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9140: Group most like electronic nicotine product you use most often

Please look at this picture. Which group is most like the electronic nicotine product you use most often?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	410	2.8 %
2	2 = Group 2	100	0.7 %
3	3 = Group 3	17	0.1 %
4	4 = Group 4	2	0.0 %
5	5 = Group 5	0	0.0 %
6	6 = Group 6	18	0.1 %
7	7 = None of the above	46	0.3 %
	Total	593	4.0%

This variable has 593 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,205	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1482-1489 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1103: Ever been curious about using an electronic nicotine product

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs and hookah pens.)

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_EVER_NEVER_EPRODS_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	142	1.0 %
2	2 = Somewhat curious	509	3.4 %
3	3 = A little curious	1778	12.0 %
4	4 = Not at all curious	9251	62.5 %
	Total	11,680	78.9%

This variable has 11,680 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	3096	20.9 %
	Total	3,118	21.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1226-1233 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1206: Think you will use electronic nicotine products in the next year

Do you think you will try an electronic nicotine product in the next year?

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_EVER_NEVER_EPRODS_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	14	0.1 %
2	2 = Probably yes	147	1.0 %

Value	Label	Unweighted Frequency	%
3	3 = Probably not	1546	10.4 %
4	4 = Definitely not	9980	67.4 %
	Total	11,687	79.0%

This variable has 11,687 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	3096	20.9 %
	Total	3,111	21.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1234-1241 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1104: Think you will try an electronic nicotine product soon

Do you think that you will try an electronic nicotine product soon?

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_EVER_NEVER_EPRODS_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	8	0.1 %
2	2 = Probably yes	90	0.6 %
3	3 = Probably not	1346	9.1 %
4	4 = Definitely not	10246	69.2 %
	Total	11,690	79.0%

This variable has 11,690 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	4	0.0 %

	Missing Data		
-1	-1 = Inapplicable	3096	20.9 %
	Total	3,108	21.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1242-1249 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1105: Would use an electronic nicotine product if one of your best friends offered you one

If one of your best friends were to offer you an electronic nicotine product, would you try it?

[If Definitely yes (1), Probably yes (2), Probably not (3), Definitely not (4), Don't know (-8), or Refused (-7),

Go to R04_YV9041.]

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have never used electronic nicotine products, or continuing youth respondents who have never used electronic nicotine products.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_EVER_NEVER_EPRODS_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	24	0.2 %
2	2 = Probably yes	356	2.4 %
3	3 = Probably not	1695	11.5 %
4	4 = Definitely not	9609	64.9 %
	Total	11,684	79.0%

This variable has 11,684 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	3096	20.9 %
	Total	3,114	21.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1250-1257 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YV1006_NB: DERIVED - Age range when first tried [primary electronic nicotine product], even one or two times, even one or two puffs (3 levels)

Long Description: How old were you when you first tried
[primary electronic nicotine product],
even one or two times?

Algorithm: IF R04_YV1120_NB = 1 OR (0 <= R04_YV1006_NB <= 11) THEN R04R_Y_YV1006_NB = 1; ELSE IF R04_YV1120_NB = 2 OR (12 <= R04_YV1006_NB <= 14) THEN R04R_Y_YV1006_NB = 2; ELSE IF R04_YV1120_NB = 3 OR (15 <= R04_YV1006_NB <= 17) THEN R04R_Y_YV1006_NB = 3; ELSE IF R04_YV1006_NB = -9 OR R04_YV1120_NB = -9 THEN R04R_Y_YV1006_NB = -99999; ELSE IF R04_YV1006_NB = -8 OR R04_YV1120_NB = -8 THEN R04R_Y_YV1006_NB = -99988; ELSE IF R04_YV1006_NB = -7 OR R04_YV1120_NB = -7 THEN R04R_Y_YV1006_NB = -99977; ELSE IF R04_YV1006_NB = -5 THEN R04R_Y_YV1006_NB = -99955; ELSE IF R04_YV1006_NB = -1 OR R04_YV1120_NB = -1 THEN R04R_Y_YV1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	42	0.3 %
2	2 = 12 to 14 years old	260	1.8 %
3	3 = 15 to 17 years old	251	1.7 %
	Total	553	3.7%

This variable has 553 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	2	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	4	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14237	96.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,245	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 1258-1265 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YV1011_01: Flavor of first electronic nicotine product used: Tobacco-flavored

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Tobacco flavored

ASK: New baseline youth respondents who have ever used an electronic nicotine product, or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_EPRODS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_EPRODS_YOUTH = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	92	0.6 %
2	2 = Not Marked	886	6.0 %
	Total	978	6.6%

This variable has 978 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	13787	93.2 %
	Total	13,820	93.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1266-1273 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1011_02: Flavor of first electronic nicotine product used: Menthol or mint

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used an electronic nicotine product, or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_EPRODS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_EPRODS_YOUTH = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	169	1.1 %
2	2 = Not Marked	809	5.5 %

Value	Label	Unweighted Frequency	%
	Total	978	6.6%

This variable has 978 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	13787	93.2 %
	Total	13,820	93.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1274-1281 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1011_03: Flavor of first electronic nicotine product used: Clove or spice

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used an electronic nicotine product, or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_EPRODS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_EPRODS_YOUTH = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	964	6.5 %
	Total	978	6.6%

This variable has 978 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	13787	93.2 %
	Total	13,820	93.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1282-1289 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1011_04: Flavor of first electronic nicotine product used: Fruit

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used an electronic nicotine product, or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_EPRODS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_EPRODS_YOUTH = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	622	4.2 %
2	2 = Not Marked	356	2.4 %
	Total	978	6.6%

This variable has 978 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	13787	93.2 %
	Total	13,820	93.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1290-1297 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1011_05: Flavor of first electronic nicotine product used: Chocolate

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used an electronic nicotine product, or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_EPRODS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND

R04_INIT_EPRODS_YOUTH = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	55	0.4 %
2	2 = Not Marked	923	6.2 %
	Total	978	6.6%

This variable has 978 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	13787	93.2 %
	Total	13,820	93.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1298-1305 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1011_06: Flavor of first electronic nicotine product used: Alcoholic drink

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever used an electronic nicotine product, or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_EPRODS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_EPRODS_YOUTH = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	957	6.5 %
	Total	978	6.6%

This variable has 978 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	13787	93.2 %
	Total	13,820	93.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1306-1313 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1011_07: Flavor of first electronic nicotine product used: Non-alcoholic drink

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: New baseline youth respondents who have ever used an electronic nicotine product, or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_EPRODS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_EPRODS_YOUTH = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	52	0.4 %
2	2 = Not Marked	926	6.3 %
	Total	978	6.6%

This variable has 978 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	13787	93.2 %
	Total	13,820	93.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1314-1321 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1011_08: Flavor of first electronic nicotine product used: Candy, desserts or other sweets

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Candy, desserts or other sweets

ASK: New baseline youth respondents who have ever used an electronic nicotine product, or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_EPRODS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_EPRODS_YOUTH = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	366	2.5 %
2	2 = Not Marked	612	4.1 %
	Total	978	6.6%

This variable has 978 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	13787	93.2 %
	Total	13,820	93.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1322-1329 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1011_09: Flavor of first electronic nicotine product used: Some other flavor

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever used an electronic nicotine product, or continuing youth respondents who have initiated electronic nicotine product use since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_EPRODS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_EPRODS_YOUTH = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	40	0.3 %
2	2 = Not Marked	938	6.3 %
	Total	978	6.6%

This variable has 978 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	13787	93.2 %
	Total	13,820	93.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1330-1337 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1005: Number of times used an electronic nicotine product in entire life

How many times have you used an electronic nicotine product in your entire life?

ASK: New baseline youth respondents who have ever used an electronic nicotine product, or continuing youth respondents who have ever used an electronic nicotine product and had not used electronic nicotine products 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_EPRODS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_EPRODS_YOUTH = 1 AND R03_NUMLIFE_EPROD != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 time, even just a few puffs	805	5.4 %
2	2 = 2 to 10 times	531	3.6 %
3	3 = 11 to 20 times	194	1.3 %
4	4 = 21 to 50 times	152	1.0 %
5	5 = 51 to 99 times	75	0.5 %
6	6 = 100 or more times	156	1.1 %
	Total	1,913	12.9%

This variable has 1,913 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	111	0.8 %
-7	-7 = Refused	55	0.4 %
-1	-1 = Inapplicable	12719	86.0 %
	Total	12,885	87.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1338-1345 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1100: Ever used electronic nicotine products fairly regularly

Have you ever used electronic nicotine products fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YV1112.]

ASK: New baseline youth respondents who have ever used an electronic nicotine product, or continuing youth respondents who have ever used an electronic nicotine product and had not reported ever using electronic nicotine products fairly regularly as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_EPRODS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_EPRODS_YOUTH = 1 AND R03_REGUSE_EPROD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	242	1.6 %
2	2 = No	1708	11.5 %
	Total	1,950	13.2%

This variable has 1,950 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12843	86.8 %
	Total	12,848	86.8%

Percentages for both tables are based on 14,798 total cases.

Location: 1346-1353 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YV1007: DERIVED - Age range when first started using electronic nicotine products fairly regularly (3 levels)

Long Description: How old were you when you first started using e-cigarettes fairly regularly?

Algorithm: IF R04_YV1121 = 1 OR (0 <= R04_YV1007 <= 11) THEN R04R_Y_YV1007 = 1; ELSE IF R04_YV1121 = 2 OR (12 <= R04_YV1007 <= 14) THEN R04R_Y_YV1007 = 2; ELSE IF R04_YV1121 = 3 OR (15 <= R04_YV1007 <= 17) THEN R04R_Y_YV1007 = 3; ELSE IF R04_YV1007 = -9 OR R04_YV1121 = -9 THEN R04R_Y_YV1007 = -99999; ELSE IF R04_YV1007 = -8 OR R04_YV1121 = -8 THEN R04R_Y_YV1007 = -99988; ELSE IF R04_YV1007 = -7 OR R04_YV1121 = -7 THEN R04R_Y_YV1007 = -99977; ELSE IF R04_YV1007 = -5 THEN R04R_Y_YV1007 = -99955; ELSE IF R04_YV1007 = -1 OR R04_YV1121 = -1 THEN R04R_Y_YV1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	11	0.1 %
2	2 = 12 to 14 years old	86	0.6 %
3	3 = 15 to 17 years old	142	1.0 %
	Total	239	1.6%

This variable has 239 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14556	98.4 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,559	98.4%

Percentages for both tables are based on 14,798 total cases.

Location: 1354-1361 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YV1112: Last time you used an electronic nicotine product, even one or two times

When was the last time you used an electronic nicotine product, even one or two times?

[If Not in the past 7 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), Go to box R04_YVV01.]

ASK: Youth respondents who have ever used an electronic nicotine product.

ASK Specification: IF R04_EVER_NEVER_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents that have used in the past year (R04_YV1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	99	0.7 %
2	2 = Not today but sometime in the past 7 days	221	1.5 %
3	3 = Not in the past 7 days but sometime in the past 30 days	278	1.9 %
4	4 = Not in the past 30 days but sometime in the past 6 months	420	2.8 %
5	5 = Not in the past 6 months but sometime in the past year	399	2.7 %
6	6 = 1 to 4 years ago	440	3.0 %
7	7 = 5 or more years ago	128	0.9 %
	Total	1,985	13.4%

This variable has 1,985 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	130	0.9 %
-7	-7 = Refused	61	0.4 %
-1	-1 = Inapplicable	12622	85.3 %
	Total	12,813	86.6%

Percentages for both tables are based on 14,798 total cases.

Location: 1362-1369 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV0100: When last used an electronic nicotine product

When did you last use an electronic nicotine product?

[If In the past hour (1), Go to R04_YV0103; If Three or more days ago (5), Don't know (-8), or Refused (-7), Go to box R04_YVV01.]

ASK: Youth respondents who have ever used an electronic nicotine product and last used an electronic nicotine product earlier today or in the past 7 days.

ASK Specification: IF R04_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_YV1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	39	0.3 %
2	2 = Sometime today	52	0.4 %

Value	Label	Unweighted Frequency	%
3	3 = Yesterday	65	0.4 %
4	4 = Day before yesterday	42	0.3 %
5	5 = Three or more days ago	114	0.8 %
	Total	312	2.1%

This variable has 312 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14478	97.8 %
	Total	14,486	97.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1370-1377 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV0102: Time period of day when you last used an electronic nicotine product

When you last used an electronic nicotine product [FILL BASED ON R04_YV0100], was it...

ASK: Youth respondents who have ever used an electronic nicotine product and last used an electronic nicotine product earlier today or in the past 7 days and last used an electronic nicotine product sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_YV1112 = 1, 2 AND R04_YV0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	15	0.1 %
2	2 = After 6AM but before noon	32	0.2 %
3	3 = Between noon and 6PM	74	0.5 %
4	4 = After 6PM but before midnight	32	0.2 %
	Total	153	1.0%

This variable has 153 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14639	98.9 %
	Total	14,645	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1378-1385 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV0103: Number of puffs taken from an electronic nicotine product today/yesterday/day before yesterday

How many puffs from an electronic nicotine product [have/did] you [taken/take] [FILL BASED ON R04_YV0100]?

[If Don't know (-8), or Refused (-7), Go to box R04_YVV01.]

ASK: Youth respondents who have ever used an electronic nicotine product and last used an electronic nicotine product earlier today or in the past 7 days and last used an electronic nicotine product in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_YV1112 = 1, 2 AND R04_YV0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 181 valid cases out of 14,798 total cases.

- Mean: 26.68
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 888.00
- Standard Deviation: 76.30

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	14600	98.7 %
	Total	14,617	98.8%

Percentages for both tables are based on 14,798 total cases.

Location: 1386-1393 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV9041: Someone else in home owns an e-cigarette or other electronic nicotine product

Not including yourself, does anyone living in your home own an e-cigarette or other electronic nicotine product?

ASK: New baseline youth respondents who have seen or heard of electronic nicotine product, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1547	10.5 %
2	2 = No	12273	82.9 %
	Total	13,820	93.4%

This variable has 13,820 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.3 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	920	6.2 %
	Total	978	6.6%

Percentages for both tables are based on 14,798 total cases.

Location: 1394-1401 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9005: Electronic nicotine product used most often is rechargeable

For the following questions, please think about the electronic nicotine product you use most often.

Is it rechargeable?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	459	3.1 %
2	2 = No	34	0.2 %
	Total	493	3.3%

This variable has 493 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14300	96.6 %
	Total	14,305	96.7%

Percentages for both tables are based on 14,798 total cases.

Location: 1490-1497 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9038: Electronic nicotine product used most often uses a tank system

Does it use a tank system?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	392	2.6 %
2	2 = No	96	0.6 %
3	3 = I don't know	0	0.0 %
	Total	488	3.3%

This variable has 488 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14300	96.6 %
	Total	14,310	96.7%

Percentages for both tables are based on 14,798 total cases.

Location: 1498-1505 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9008: Electronic nicotine product used most often uses cartridges

Does it use cartridges?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	218	1.5 %
2	2 = No	268	1.8 %
	Total	486	3.3%

This variable has 486 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14300	96.6 %
	Total	14,312	96.7%

Percentages for both tables are based on 14,798 total cases.

Location: 1506-1513 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9009: Electronic nicotine product used most often can be refilled with e-liquid

Can you refill it with "e-liquid"?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YVV03.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	419	2.8 %
2	2 = No	74	0.5 %
	Total	493	3.3%

This variable has 493 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14300	96.6 %
	Total	14,305	96.7%

Percentages for both tables are based on 14,798 total cases.

Location: 1514-1521 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9046: How often electronic nicotine product is refilled with e-liquid

How often do you refill your electronic nicotine product with e-liquid?

[If Never (8), Go to box R04_YVV03.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and refill their electronic nicotine product with e-liquid.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV9009 = 1.

Value	Label	Unweighted Frequency	%
1	1 = At least once a day	58	0.4 %
2	2 = Once every couple of days	90	0.6 %
3	3 = Once a week	47	0.3 %
4	4 = A few times a month	29	0.2 %
5	5 = Once a month	28	0.2 %
6	6 = A few times a year	11	0.1 %
7	7 = Once a year	7	0.0 %
8	8 = Never	123	0.8 %
	Total	393	2.7%

This variable has 393 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	14379	97.2 %
	Total	14,405	97.3%

Percentages for both tables are based on 14,798 total cases.

Location: 1522-1529 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9036: Method through which electronic nicotine product is refilled with e-liquid

Who refills it with e-liquid?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and refill their electronic nicotine product with e-liquid and have refilled their electronic nicotine product or did not know or refused to report how often they refill their electronic nicotine product.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV9009 = 1 AND R04_YV9046 != 8.

Value	Label	Unweighted Frequency	%
1	1 = I refill it myself	210	1.4 %
2	2 = I get it refilled at a vape shop or vapor lounge	8	0.1 %
3	3 = I buy it already filled	11	0.1 %
4	4 = I get it refilled some other way	49	0.3 %
	Total	278	1.9%

This variable has 278 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14502	98.0 %
	Total	14,520	98.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1530-1537 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9010: Electronic nicotine product used most often contains nicotine

Please think about the [EPRODFILL3] you use most often.

Does it contain nicotine?

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	273	1.8 %
2	2 = No	220	1.5 %

Value	Label	Unweighted Frequency	%
3	3 = I don't know	103	0.7 %
	Total	596	4.0%

This variable has 596 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,202	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1538-1545 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1022: In past 30 days, number of days used an electronic nicotine product

In the past 30 days, on how many days did you use an electronic nicotine product?

___ Days

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 577 valid cases out of 14,798 total cases.

- Mean: 7.08
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 9.10

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,221	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1546-1553 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV9040: In past 30 days, number of [electronic nicotine products/nicotine cartridges/milliliters of e-liquid] used per day on days used an electronic nicotine product

In the past 30 days, on the days you used an electronic nicotine product, how many [EPRODFILL1] did you use per day?

[If Less than 1 per day (-2), Don't know (-8), or Refused (-7), go to R04_YV1026.]

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 544 valid cases out of 14,798 total cases.

- Mean: 1.23
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 96.00
- Standard Deviation: 8.27

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	48	0.3 %
-7	-7 = Refused	5	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,254	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 1554-1561 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1026: Average number of times you pick up your electronic nicotine product to use it for one or more puffs on days that you use

On average, on the days that you use, how many times each day do you pick up your electronic nicotine product to use it, whether you take one puff or several?

[If Don't know (-8), or Refused (-7), Go to R04_YV1027.]

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

This variable has 220 valid cases out of 14,798 total cases.

- Mean: 15.09
- Median: 3.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 855.00
- Standard Deviation: 61.57

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	373	2.5 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,578	98.5%

Percentages for both tables are based on 14,798 total cases.

Location: 1562-1569 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1027: Number of puffs you take each time you pick up your electronic nicotine product to use it

Each time you pick up your electronic nicotine product to use it, about how many puffs do you take?

[If Don't know (-8), or Refused (-7), Go to R04_YV1131.]

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

This variable has 223 valid cases out of 14,798 total cases.

- Mean: 7.29
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 10.81

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	373	2.5 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,575	98.5%

Percentages for both tables are based on 14,798 total cases.

Location: 1570-1577 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1131_01: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Tobacco-flavor

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Tobacco-flavored

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	64	0.4 %
2	2 = Not Marked	517	3.5 %
	Total	581	3.9%

This variable has 581 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,217	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1578-1585 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1131_02: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Menthol or mint

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	142	1.0 %
2	2 = Not Marked	439	3.0 %
	Total	581	3.9%

This variable has 581 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,217	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1586-1593 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1131_03: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Clove or spice

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	574	3.9 %
	Total	581	3.9%

This variable has 581 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,217	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1594-1601 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1131_04: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Fruit

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	403	2.7 %
2	2 = Not Marked	178	1.2 %
	Total	581	3.9%

This variable has 581 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14200	96.0 %

	Missing Data		
	Total	14,217	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1602-1609 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1131_05: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Chocolate

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	43	0.3 %
2	2 = Not Marked	538	3.6 %
	Total	581	3.9%

This variable has 581 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,217	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1610-1617 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1131_06: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: An alcoholic drink

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1 %
2	2 = Not Marked	566	3.8 %
	Total	581	3.9%

This variable has 581 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,217	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1618-1625 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1131_07: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: A non-alcoholic drink

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	42	0.3 %
2	2 = Not Marked	539	3.6 %
	Total	581	3.9%

This variable has 581 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,217	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1626-1633 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1131_08: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Candy, desserts or other sweets

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Candy, desserts, or other sweets

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	276	1.9 %
2	2 = Not Marked	305	2.1 %
	Total	581	3.9%

This variable has 581 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,217	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1634-1641 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1131_09: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Some other flavor

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	563	3.8 %
	Total	581	3.9%

This variable has 581 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,217	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1642-1649 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1147: In past 30 days, on days used, how often electronic nicotine product used was flavored to taste like menthol or mint

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like menthol or mint?

ASK: Youth respondents who are past 30 day electronic nicotine product users and have used menthol or mint flavored electronic nicotine products in the past 30 days.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1 AND R04_YV1131_02 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	21	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = Most of the time	28	0.2 %
3	3 = Sometimes	51	0.3 %
4	4 = Rarely	34	0.2 %
5	5 = Never	7	0.0 %
	Total	141	1.0%

This variable has 141 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14656	99.0 %
	Total	14,657	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1650-1657 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1157: In the past 30 days, on days used, how often electronic nicotine product used was flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts or other sweets

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts or other sweets?

ASK: Youth respondents who are past 30 day electronic nicotine product users and have used flavored electronic nicotine products other than tobacco-flavored or menthol or mint flavored electronic nicotine products in the past 30 days.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1 AND R04_YV1131[_03/_04/_05/_06/_07/_08] = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	243	1.6 %
2	2 = Most of the time	104	0.7 %
3	3 = Sometimes	78	0.5 %
4	4 = Rarely	36	0.2 %
5	5 = Never	45	0.3 %
	Total	506	3.4%

This variable has 506 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	5	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14282	96.5 %
	Total	14,292	96.6%

Percentages for both tables are based on 14,798 total cases.

Location: 1658-1665 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1142: In the past 30 days, did anyone sell you [electronic nicotine products/electronic nicotine cartridges/e-liquid]

In the past 30 days, did anyone sell you [EPRODFILL2]?

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	79	0.5 %
2	2 = No	517	3.5 %
	Total	596	4.0%

This variable has 596 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,202	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1666-1673 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1123: In the past 30 days, someone refused to sell you [electronic nicotine products/electronic nicotine cartridges/e-liquid] because of your age

In the past 30 days, did anyone refuse to sell you [EPRODFILL2] because of your age?

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	43	0.3 %
2	2 = No	544	3.7 %
	Total	587	4.0%

This variable has 587 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,211	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1674-1681 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1118: In past 30 days, how you usually got your own [electronic nicotine products/electronic nicotine cartridges/e-liquid]

In the past 30 days, how did you usually get your own [EPRODFILL2]?

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	104	0.7 %
2	2 = I bought them myself from a store (including a vape shop or vapor lounge)	48	0.3 %
3	3 = I asked someone to give me one	76	0.5 %
4	4 = Someone offered it to me	217	1.5 %
5	5 = I bought them from another person	50	0.3 %
6	6 = I took them from a store or another person	11	0.1 %
7	7 = I got them some other way	46	0.3 %
	Total	552	3.7%

This variable has 552 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.2 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,246	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 1682-1689 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1030: How you usually buy your [electronic nicotine products/electronic nicotine cartridges/e-liquid]

[When you give money to someone else, how do they/How do you] usually buy your [EPRODFILL2]?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), Go to box R04YVR06.]

ASK: Youth respondents who are past 30 day electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1 AND R04_YV1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	137	0.9 %
2	2 = From the internet	14	0.1 %
3	3 = By telephone	0	0.0 %
	Total	151	1.0%

This variable has 151 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14646	99.0 %
	Total	14,647	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1690-1697 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1033: Retail location where your [electronic nicotine products/electronic nicotine cartridges/e-liquid] are purchased most of the time

Where do [you/they] buy your [EPRODFILL2] most of the time?

ASK: Youth respondents who are past 30 day electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and usually buy electronic nicotine products in person.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1 AND R04_YV1118 = 1, 2 AND R04_YV1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A mall kiosk	0	0.0 %
2	2 = A convenience store or gas station	18	0.1 %
3	3 = A supermarket, grocery store, or drug store	4	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	7	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	4	0.0 %
9	9 = A swap meet or flea market	2	0.0 %
10	10 = Somewhere else	2	0.0 %
11	11 = A vape shop or vapor lounge	100	0.7 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14661	99.1 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 1698-1705 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1136: Usually buy electronic nicotine products cartridges by box, pack or as single electronic nicotine products

Think about the last time you [bought/gave money to someone else to buy you] electronic nicotine products. Did you buy them by the box or pack, or as single electronic nicotine products?

[If Single electronic nicotine products (2), Don't know (-8), or Refused (-7), Go to R04_YV1034.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use a disposable or unknown electronic nicotine product.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 1, 6.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	6	0.0 %
2	2 = Single (e-cigarette/e-cigar/e-pipe/e-hookah/electronic nicotine product)	13	0.1 %
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1706-1713 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1137: Number of electronic nicotine products in box or pack you last bought

How many electronic nicotine products came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 1, 6 AND R04_YV1136 = 1.

[PROGRAM NOTE: Allow for 2 digits.]

This variable has 6 valid cases out of 14,798 total cases.

- Mean: 7.83
- Median: 4.50
- Mode: 4.00
- Minimum: 2.00

- Maximum: 20.00
- Standard Deviation: 6.88

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,792	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1714-1721 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1138_D: Amount paid last time bought a box of electronic nicotine products - Dollars

How much did you pay for a box or pack of electronic nicotine products?

___ Dollars

[If Don't know (-8), or Refused (-7), Go to box R04_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 1, 6 AND R04_YV1136 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 6 valid cases out of 14,798 total cases.

- Mean: 22.83
- Median: 17.50
- Minimum: 10.00
- Maximum: 50.00
- Standard Deviation: 15.11

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %

	Missing Data		
	Total	14,792	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1722-1729 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1138_C: Amount paid last time bought a box of electronic nicotine products -Cents

How much did you pay for a box or pack of electronic nicotine products?

__ Cents

[If Don't know (-8), or Refused (-7), Go to box R04_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use a disposable or unknown electronic nicotine product and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 1, 6 AND R04_YV1136 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 6 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,792	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1730-1737 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1034_D: Amount paid when last time bought a single electronic nicotine product - Dollars

How much did you pay for a single electronic nicotine product?

__ Dollars

[If Don't know (-8), or Refused (-7), Go to box R04_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use a disposable or unknown electronic nicotine product and usually buy single electronic nicotine products or did not know or refused to report whether they usually buy them in a box or pack or as single electronic nicotine products.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 1, 6 AND R04_YV1136 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 13 valid cases out of 14,798 total cases.

- Mean: 14.46
- Median: 10.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 12.28

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1738-1745 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1034_C: Amount paid when last time bought a single electronic nicotine product - Cents

How much did you pay for a single electronic nicotine product?

__ Cents

[If Don't know (-8), or Refused (-7), Go to box R04_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use a disposable or unknown electronic nicotine product and usually buy single electronic nicotine products or did not know or refused to report whether they usually buy them in a box or pack or as single electronic nicotine products.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 1, 6 AND R04_YV1136 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 1746-1753 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1041_D: Amount paid when last time bought e-liquid - Dollars

Think about the last time you [bought/gave money to someone else to buy you] e-liquid.

How much did you pay for a bottle or container of e-liquid?

___ Dollars

[If Don't know (-8), or Refused (-7), Go to box R04_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a refillable cartridge, refillable tank system, or refillable mod system.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 3, 4, 5.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 115 valid cases out of 14,798 total cases.

- Mean: 15.32
- Median: 15.00
- Mode: 10.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 11.22

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14680	99.2 %
	Total	14,683	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 1754-1761 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1041_C: Amount paid when last time bought e-liquid - Cents

Think about the last time you [bought/gave money to someone else to buy you] e-liquid.

How much did you pay for a bottle or container of e-liquid?

__ Cents

[If Don't know (-8), or Refused (-7), Go to box R04_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a refillable cartridge, refillable tank system, or refillable mod system.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 3, 4, 5.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 115 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14682	99.2 %
	Total	14,683	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 1762-1769 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1039: Usually buy electronic nicotine product cartridges by box, pack or as single cartridges

Think about the last time you [bought/gave money to someone else to buy you] electronic nicotine product cartridges.

Did you buy them by the box or pack, or as single cartridges?

[If Single cartridges (2), Don't know (-8), or Refused (-7), Go to R04_YV1043.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	5	0.0 %
2	2 = Single cartridges	1	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,792	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1770-1777 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1040: Number of electronic nicotine product cartridges in box or pack you last bought

How many electronic nicotine product cartridges came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 2 AND R04_YV1039 = 1.

[PROGRAM NOTE: Allow for 2 digits.]

This variable has 5 valid cases out of 14,798 total cases.

- Mean: 3.40
- Median: 4.00
- Mode: 4.00

- Minimum: 2.00
- Maximum: 4.00
- Standard Deviation: 0.89

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14793	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1778-1785 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1042_D: Amount paid for a box or pack of electronic nicotine product cartridges - Dollars

How much did you pay for a box or pack of electronic nicotine product cartridges?

___ Dollars

[If Don't know (-8), or Refused (-7), Go to box R04_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 2 AND R04_YV1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 5 valid cases out of 14,798 total cases.

- Mean: 16.00
- Median: 17.00
- Minimum: 10.00
- Maximum: 20.00
- Standard Deviation: 3.81

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14793	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1786-1793 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1042_C: Amount paid for a box or pack of electronic nicotine product cartridges - Cents

How much did you pay for a box or pack of electronic nicotine product cartridges?

___ Cents

[If Don't know (-8), or Refused (-7), Go to box R04_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge and usually buy their electronic nicotine products in a box or pack.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 2 AND R04_YV1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14793	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1794-1801 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1043_D: Amount paid for a single electronic nicotine product cartridge - Dollars

How much did you pay for a single electronic nicotine product cartridge?

___ Dollars

[If Don't know (-8), or Refused (-7), Go to box R04_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge and usually buy single electronic nicotine products or did not know or refused to report whether they usually buy them in a box or pack or as single electronic nicotine products.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 2 AND R04_YV1039 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 1 valid cases out of 14,798 total cases.

- Mean: 5.00
- Median: 5.00
- Mode: 5.00
- Minimum: 5.00
- Maximum: 5.00
- Standard Deviation: 0.00

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14797	100.0 %
	Total	14,797	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1802-1809 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1043_C: Amount paid for a single electronic nicotine product cartridge - Cents

How much did you pay for a single electronic nicotine product cartridge?

__ Cents

[If Don't know (-8), or Refused (-7), Go to box R04_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and usually get electronic nicotine products by giving someone else money to buy for them or buying themselves from a store and use an electronic nicotine product with a non-refillable cartridge and usually buy single electronic nicotine products or did not know or refused to report whether they usually buy them in a box or pack or as single electronic nicotine products.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YV1118 = 1, 2 AND R04_EDEVICETYPE = 2 AND R04_YV1039 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 1 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14797	100.0 %
	Total	14,797	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1810-1817 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YV1047: Have a regular brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] you usually use

Do you have a regular brand of [EPRODFILL2] that you usually use?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	94	0.6 %
2	2 = No	305	2.1 %
3	3 = I don't know	93	0.6 %
	Total	492	3.3%

This variable has 492 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14300	96.6 %
	Total	14,306	96.7%

Percentages for both tables are based on 14,798 total cases.

Location: 1818-1825 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1945: Know the name of brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] you usually use

Do you know the name of the brand of [EPRODFILL2] you [usually use/last used]?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YVD02.]

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	113	0.8 %
2	2 = No	483	3.3 %
	Total	596	4.0%

This variable has 596 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,202	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1826-1833 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1048_BRAND: Brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] usually/last used

What brand of [EPRODFILL2] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

ASK: Youth respondents who are past 30 day electronic nicotine product users and know the name of the brand of electronic nicotine products they usually use or last used.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1 AND R04_YV1945 = 1.

[PROGRAM NOTE: Show pictures of the major brands on the touchscreen.]

This variable has 99 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	14685	99.2 %
	Total	14,699	99.3%

Percentages for both tables are based on 14,798 total cases.

Location: 1834-1841 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV0104: Brand of very last electronic nicotine product puff is same as brand regularly/last used

You said earlier that you last used an electronic nicotine product [TIME OF LAST USE].

Think about the very last puff you took. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day electronic nicotine product users and last used an electronic nicotine product in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of electronic nicotine products they usually use or last used and selected a brand of electronic nicotine products.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1 AND R04_YV0100 = 1, 2, 3, 4 AND R04_YV1945 = 1 AND R04_YV1048_BRAND != 9995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	9	0.1 %
	Total	25	0.2%

This variable has 25 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	16	0.1 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14757	99.7 %
	Total	14,773	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 1842-1849 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1060_RANDOM_01: YV1060 series random question 1

Value	Label	Unweighted Frequency	%
-1	-	14200	96.0 %
R04_YV1060	-	78	0.5 %
R04_YV1062	-	72	0.5 %
R04_YV1063	-	77	0.5 %
R04_YV1064	-	32	0.2 %
R04_YV1065	-	69	0.5 %
R04_YV1066	-	71	0.5 %
R04_YV1067	-	63	0.4 %
R04_YV1075	-	68	0.5 %
R04_YV1085	-	68	0.5 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 1850-1864 (width: 15; decimal: 0)

Variable Type: character

R04_YV1060_RANDOM_02: YV1060 series random question 2

Value	Label	Unweighted Frequency	%
-1	-	14200	96.0 %
R04_YV1060	-	67	0.5 %
R04_YV1062	-	53	0.4 %
R04_YV1063	-	74	0.5 %
R04_YV1064	-	31	0.2 %
R04_YV1065	-	69	0.5 %
R04_YV1066	-	78	0.5 %
R04_YV1067	-	85	0.6 %
R04_YV1075	-	77	0.5 %
R04_YV1085	-	64	0.4 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 1865-1879 (width: 15; decimal: 0)

Variable Type: character

R04_YV1060_RANDOM_03: YV1060 series random question 3

Value	Label	Unweighted Frequency	%
-1	-	14200	96.0 %
R04_YV1060	-	62	0.4 %
R04_YV1062	-	83	0.6 %
R04_YV1063	-	65	0.4 %
R04_YV1064	-	27	0.2 %
R04_YV1065	-	58	0.4 %
R04_YV1066	-	66	0.4 %
R04_YV1067	-	81	0.5 %
R04_YV1075	-	77	0.5 %
R04_YV1085	-	79	0.5 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 1880-1894 (width: 15; decimal: 0)

Variable Type: character

R04_YV1060_RANDOM_04: YV1060 series random question 4

Value	Label	Unweighted Frequency	%
-1	-	14200	96.0 %
R04_YV1060	-	72	0.5 %
R04_YV1062	-	89	0.6 %
R04_YV1063	-	64	0.4 %
R04_YV1064	-	32	0.2 %
R04_YV1065	-	54	0.4 %
R04_YV1066	-	63	0.4 %
R04_YV1067	-	72	0.5 %
R04_YV1075	-	72	0.5 %
R04_YV1085	-	80	0.5 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 1895-1909 (width: 15; decimal: 0)

Variable Type: character

R04_YV1060_RANDOM_05: YV1060 series random question 5

Value	Label	Unweighted Frequency	%
-1	-	14200	96.0 %
R04_YV1060	-	83	0.6 %
R04_YV1062	-	74	0.5 %

Value	Label	Unweighted Frequency	%
R04_YV1063	-	78	0.5 %
R04_YV1064	-	21	0.1 %
R04_YV1065	-	72	0.5 %
R04_YV1066	-	75	0.5 %
R04_YV1067	-	61	0.4 %
R04_YV1075	-	70	0.5 %
R04_YV1085	-	64	0.4 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 1910-1924 (width: 15; decimal: 0)

Variable Type: character

R04_YV1060_RANDOM_06: YV1060 series random question 6

Value	Label	Unweighted Frequency	%
-1	-	14200	96.0 %
R04_YV1060	-	60	0.4 %
R04_YV1062	-	69	0.5 %
R04_YV1063	-	80	0.5 %
R04_YV1064	-	40	0.3 %
R04_YV1065	-	90	0.6 %
R04_YV1066	-	61	0.4 %
R04_YV1067	-	68	0.5 %
R04_YV1075	-	54	0.4 %
R04_YV1085	-	76	0.5 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 1925-1939 (width: 15; decimal: 0)

Variable Type: character

R04_YV1060_RANDOM_07: YV1060 series random question 7

Value	Label	Unweighted Frequency	%
-1	-	14200	96.0 %
R04_YV1060	-	69	0.5 %
R04_YV1062	-	71	0.5 %
R04_YV1063	-	72	0.5 %
R04_YV1064	-	32	0.2 %
R04_YV1065	-	73	0.5 %

Value	Label	Unweighted Frequency	%
R04_YV1066	-	73	0.5 %
R04_YV1067	-	59	0.4 %
R04_YV1075	-	73	0.5 %
R04_YV1085	-	76	0.5 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 1940-1954 (width: 15; decimal: 0)

Variable Type: character

R04_YV1060_RANDOM_08: YV1060 series random question 8

Value	Label	Unweighted Frequency	%
-1	-	14200	96.0 %
R04_YV1060	-	79	0.5 %
R04_YV1062	-	60	0.4 %
R04_YV1063	-	64	0.4 %
R04_YV1064	-	32	0.2 %
R04_YV1065	-	70	0.5 %
R04_YV1066	-	83	0.6 %
R04_YV1067	-	82	0.6 %
R04_YV1075	-	70	0.5 %
R04_YV1085	-	58	0.4 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 1955-1969 (width: 15; decimal: 0)

Variable Type: character

R04_YV1060_RANDOM_09: YV1060 series random question 9

Value	Label	Unweighted Frequency	%
-1	-	14519	98.1 %
R04_YV1060	-	28	0.2 %
R04_YV1062	-	27	0.2 %
R04_YV1063	-	24	0.2 %
R04_YV1064	-	32	0.2 %
R04_YV1065	-	43	0.3 %
R04_YV1066	-	28	0.2 %
R04_YV1067	-	27	0.2 %
R04_YV1075	-	37	0.3 %

Value	Label	Unweighted Frequency	%
R04_YV1085	-	33	0.2 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 1970-1984 (width: 15; decimal: 0)

Variable Type: character

R04_YV1060: Use electronic nicotine products because: They are affordable

The next questions are about the reasons people use electronic nicotine products. Please select which reasons apply to you.

I use electronic nicotine products because...

They are affordable.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	214	1.4 %
2	2 = No	372	2.5 %
	Total	586	4.0%

This variable has 586 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,212	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1985-1992 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1085: Use electronic nicotine products because: Electronic nicotine products can be used in places where smoking cigarettes is not allowed

I can use electronic nicotine products at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	239	1.6 %
2	2 = No	347	2.3 %
	Total	586	4.0%

This variable has 586 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,212	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 1993-2000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1062: Use electronic nicotine products because: They might be less harmful to me than cigarettes

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	393	2.7 %
2	2 = No	197	1.3 %
	Total	590	4.0%

This variable has 590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14200	96.0 %

	Missing Data		
	Total	14,208	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 2001-2008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1075: Use electronic nicotine products because: They might be less harmful to people around me than cigarettes

They might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	385	2.6 %
2	2 = No	205	1.4 %
	Total	590	4.0%

This variable has 590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,208	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 2009-2016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1063: Use electronic nicotine products because: E-liquid comes in flavors I like

E-liquid comes in flavors I like.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	421	2.8 %
2	2 = No	171	1.2 %
	Total	592	4.0%

This variable has 592 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,206	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 2017-2024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1064: Use electronic nicotine products because: Using electronic nicotine products helps people quit smoking cigarettes

Using electronic nicotine products helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day electronic nicotine product users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1 AND R04_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	142	1.0 %
2	2 = No	134	0.9 %
	Total	276	1.9%

This variable has 276 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14519	98.1 %
	Total	14,522	98.1%

Percentages for both tables are based on 14,798 total cases.

Location: 2025-2032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1065: Use electronic nicotine products because: Electronic nicotine products don't smell

Electronic nicotine products don't smell.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	243	1.6 %
2	2 = No	347	2.3 %
	Total	590	4.0%

This variable has 590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,208	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 2033-2040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1066: Use electronic nicotine products because: Using an electronic nicotine product feels like smoking a regular cigarette

Using an electronic nicotine product feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	102	0.7 %
2	2 = No	480	3.2 %

Value	Label	Unweighted Frequency	%
	Total	582	3.9%

This variable has 582 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,216	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 2041-2048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1067: Use electronic nicotine products because: electronic nicotine products don't bother non-tobacco users

Electronic nicotine products don't bother non-tobacco users.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	233	1.6 %
2	2 = No	348	2.4 %
	Total	581	3.9%

This variable has 581 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,217	96.1%

Percentages for both tables are based on 14,798 total cases.

Location: 2049-2056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1086: In past 30 days, used electronic nicotine product at times when or in places you could not smoke cigarettes

In the past 30 days, have you used an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

ASK: Youth respondents who are past 30 day electronic nicotine product users and are past 30 day cigarette smokers.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1 AND R04_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.5 %
2	2 = No	95	0.6 %
	Total	170	1.1%

This variable has 170 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14627	98.8 %
	Total	14,628	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2057-2064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1139: Level of agreement: It is easier to talk and get along with people when using an electronic nicotine product

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when using an electronic nicotine product.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	357	2.4 %
2	2 = 2 on a scale of 1 to 4	118	0.8 %

Value	Label	Unweighted Frequency	%
3	3 = 3 on a scale of 1 to 4	72	0.5 %
4	4 = Very true of me	43	0.3 %
	Total	590	4.0%

This variable has 590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,208	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 2065-2072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1140: Level of agreement: Feel more confident with other people when using an electronic nicotine product

While using an electronic nicotine product, I feel more confident with other people.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	401	2.7 %
2	2 = 2 on a scale of 1 to 4	89	0.6 %
3	3 = 3 on a scale of 1 to 4	66	0.4 %
4	4 = Very true of me	33	0.2 %
	Total	589	4.0%

This variable has 589 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,209	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 2073-2080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1141: Level of agreement: Use electronic nicotine products more when with other people

I use electronic nicotine products much more when I am with other people.

ASK: Youth respondents who are past 30 day electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	229	1.5 %
2	2 = 2 on a scale of 1 to 4	86	0.6 %
3	3 = 3 on a scale of 1 to 4	122	0.8 %
4	4 = Very true of me	156	1.1 %
	Total	593	4.0%

This variable has 593 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,205	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 2081-2088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9042: Used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product

Have you ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

(Remember all information you give to the PATH Study will be kept private.)

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YGT01.]

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1283	8.7 %
2	2 = No	12556	84.8 %
	Total	13,839	93.5%

This variable has 13,839 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	920	6.2 %
	Total	959	6.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2089-2096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV9106: When used an electronic nicotine product, how often use it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils

When you have used an electronic product, how often were you using it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils?

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have used marijuana in an electronic nicotine product, or continuing youth respondents who have used marijuana in an electronic nicotine product.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV9042 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YV9042 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every time	100	0.7 %
2	2 = Most of the time	85	0.6 %
3	3 = Sometimes	169	1.1 %
4	4 = Rarely	413	2.8 %
5	5 = Never	509	3.4 %
	Total	1,276	8.6%

This variable has 1,276 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	13515	91.3 %
	Total	13,522	91.4%

Percentages for both tables are based on 14,798 total cases.

Location: 2097-2104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YM0100: When last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product

When did you last use marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

[If in the past hour (1), Go to R04_YM0103; If three or more days ago (5), Don't know (-8), or Refused (-7), Go to box R04_YGT01.]

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have used marijuana in an electronic nicotine product, or continuing youth respondents who have used marijuana in an electronic nicotine product.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV9042 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YV9042 = 1).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	41	0.3 %
2	2 = Sometime today	45	0.3 %
3	3 = Yesterday	112	0.8 %
4	4 = Day before yesterday	56	0.4 %
5	5 = Three or more days ago	872	5.9 %
	Total	1,126	7.6%

This variable has 1,126 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	97	0.7 %
-7	-7 = Refused	60	0.4 %
-1	-1 = Inapplicable	13515	91.3 %
	Total	13,672	92.4%

Percentages for both tables are based on 14,798 total cases.

Location: 2105-2112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YM0102: Time period of day when you last used marijuana in an electronic nicotine product

When you last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product [FILL BASED ON R04_YM0100], was it...

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have used marijuana in an electronic nicotine product and last used marijuana in an electronic nicotine product sometime today, yesterday, or the day before yesterday, or continuing youth respondents who have used marijuana in an electronic nicotine product and last used marijuana in an electronic nicotine product sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV9042 = 1 AND R04_YM0100 = 2, 3, 4) OR (R04_YOUTHTYPE = 1 AND R04_YV9042 = 1 AND R04_YM0100 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	32	0.2 %
2	2 = After 6AM but before noon	28	0.2 %
3	3 = Between noon and 6PM	79	0.5 %
4	4 = After 6PM but before midnight	65	0.4 %
	Total	204	1.4%

This variable has 204 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	14585	98.6 %
	Total	14,594	98.6%

Percentages for both tables are based on 14,798 total cases.

Location: 2113-2120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YM0103: Number of puffs of marijuana taken from an electronic nicotine product today/yesterday/day before yesterday

How many puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils from an electronic product [have/did] you [taken/take] [FILL BASED ON R04_YM0100]?

[If Don't know (-8), or Refused (-7), Go to box R04_YGT01.]

ASK: New baseline youth respondents who have ever seen or heard of electronic nicotine products and have used marijuana in an electronic nicotine product and last used marijuana in an electronic nicotine product in the past hour, sometime today, yesterday, or the day before yesterday, or continuing youth respondents who have used marijuana in an electronic nicotine product and last used marijuana in an electronic nicotine product in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YV1001_NB = 1 AND R04_YV9042 = 1 AND R04_YM0100 = 1, 2, 3, 4) OR (R04_YOUTHTYPE = 1 AND R04_YV9042 = 1 AND R04_YM0100 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 243 valid cases out of 14,798 total cases.

- Mean: 23.19
- Median: 6.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 800.00
- Standard Deviation: 79.50

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14544	98.3 %
	Total	14,555	98.4%

Percentages for both tables are based on 14,798 total cases.

Location: 2121-2128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG9101_NB: Ever seen or heard of a traditional cigar, cigarillo or filtered cigar before this study

Have you ever seen or heard of a traditional cigar, cigarillo, or filtered cigar before this study?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YGV04.]

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4001	27.0 %
2	2 = No	1418	9.6 %
	Total	5,419	36.6%

This variable has 5,419 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,379	63.4%

Percentages for both tables are based on 14,798 total cases.

Location: 2129-2136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1002_NB: Ever smoked a traditional cigar, cigarillo or filtered cigar, even one or two puffs

Have you ever smoked a traditional cigar, cigarillo, or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	218	1.5 %
2	2 = No	3781	25.6 %
	Total	3,999	27.0%

This variable has 3,999 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	10797	73.0 %
	Total	10,799	73.0%

Percentages for both tables are based on 14,798 total cases.

Location: 2137-2144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9104_NB_01: Type of cigar ever smoked: Traditional cigars

Which type of cigar have you ever smoked?

Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG1002_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	76	0.5 %
2	2 = No	139	0.9 %
	Total	215	1.5%

This variable has 215 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14580	98.5 %
	Total	14,583	98.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2145-2152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9104_NB_02: Type of cigar ever smoked: Cigarillos or filtered cigars

Which type of cigar have you ever smoked?

Cigarillos or filtered cigars like Black and Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne, or others

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered

cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG1002_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	167	1.1 %
2	2 = No	49	0.3 %
	Total	216	1.5%

This variable has 216 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14580	98.5 %
	Total	14,582	98.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2153-2160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9009_NB_01: Type of cigarillos or filtered cigars ever smoked: With a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind... With a plastic or wooden tip

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

[If With a plastic or wooden tip (1), Don't know (-8), or Refused (-7), Go to box R04_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG1002_NB = 1 AND R04_YG9104_NB_02 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	111	0.8 %
2	2 = Not Marked	56	0.4 %

Value	Label	Unweighted Frequency	%
	Total	167	1.1%

This variable has 167 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14631	98.9 %
	Total	14,631	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2161-2168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9009_NB_02: Type of cigarillos or filtered cigars ever smoked: With a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind... With a filter (like a cigarette filter)

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

[If With a filter (like a cigarette filter) (2), Don't know (-8), or Refused (-7), Go to box R04_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG1002_NB = 1 AND R04_YG9104_NB_02 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	58	0.4 %
2	2 = Not Marked	109	0.7 %
	Total	167	1.1%

This variable has 167 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14631	98.9 %
	Total	14,631	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2169-2176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9009_NB_03: Type of cigarillos or filtered cigars ever smoked: Without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind... Without a tip or filter

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

[If Without a tip or filter (3), Don't know (-8), or Refused (-7), Go to box R04_YGV04.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked a traditional cigar, cigarillo, or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG1002_NB = 1 AND R04_YG9104_NB_02 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	99	0.7 %
2	2 = Not Marked	68	0.5 %
	Total	167	1.1%

This variable has 167 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14631	98.9 %
	Total	14,631	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2177-2184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1002_12M: In past 12 months, smoked a traditional cigar, cigarillo or filtered cigar, even one or two puffs

In the past 12 months, have you smoked a traditional cigar, cigarillo, or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS AND FILTERED CIGARS]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YGV04.]

ASK: Continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	332	2.2 %
2	2 = No	9002	60.8 %
	Total	9,334	63.1%

This variable has 9,334 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	5433	36.7 %
	Total	5,464	36.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2185-2192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9104_12M_01: In past 12 months, type of cigar smoked: Traditional cigars

Which type of cigar have you smoked in the past 12 months?

Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1 AND R04_YG1002_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	75	0.5 %
2	2 = No	249	1.7 %
	Total	324	2.2%

This variable has 324 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14466	97.8 %
	Total	14,474	97.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2193-2200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9104_12M_02: In past 12 months, type of cigar smoked: Cigarillos or filtered cigars

Which type of cigar have you smoked in the past 12 months?

Cigarillos or filtered cigars like Black and Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne, or others

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1 AND R04_YG1002_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	260	1.8 %
2	2 = No	67	0.5 %
	Total	327	2.2%

This variable has 327 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14466	97.8 %
	Total	14,471	97.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2201-2208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9009_12M_01: In past 12 months, type of cigarillos or filtered cigars smoked: With a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind... With a plastic or wooden tip

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1 AND R04_YG1002_12M = 1 AND R04_YG9104_12M_02 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	152	1.0 %
2	2 = Not Marked	108	0.7 %
	Total	260	1.8%

This variable has 260 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14538	98.2 %
	Total	14,538	98.2%

Percentages for both tables are based on 14,798 total cases.

Location: 2209-2216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9009_12M_02: In past 12 months, type of cigarillos or filtered cigars smoked: With a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind... With a filter (like a cigarette filter)

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1 AND R04_YG1002_12M = 1 AND R04_YG9104_12M_02 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	74	0.5 %
2	2 = Not Marked	186	1.3 %
	Total	260	1.8%

This variable has 260 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14538	98.2 %
	Total	14,538	98.2%

Percentages for both tables are based on 14,798 total cases.

Location: 2217-2224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9009_12M_03: In past 12 months, type of cigarillos or filtered cigars smoked: Without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind... Without a tip or filter

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

ASK: Continuing youth respondents who have smoked a traditional cigar, cigarillo, or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF R04_YOUTHTYPE = 1 AND R04_YG1002_12M = 1 AND R04_YG9104_12M_02 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	108	0.7 %
2	2 = Not Marked	152	1.0 %
	Total	260	1.8%

This variable has 260 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14538	98.2 %
	Total	14,538	98.2%

Percentages for both tables are based on 14,798 total cases.

Location: 2225-2232 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9010: Ever been curious about smoking a traditional cigar

Have you ever been curious about smoking a traditional cigar?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GTRAD_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	144	1.0 %
2	2 = Somewhat curious	332	2.2 %
3	3 = A little curious	1186	8.0 %
4	4 = Not at all curious	11452	77.4 %
	Total	13,114	88.6%

This variable has 13,114 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	1664	11.2 %
	Total	1,684	11.4%

Percentages for both tables are based on 14,798 total cases.

Location: 2233-2240 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9020: Think you will smoke a traditional cigar in the next year

Do you think you will smoke a traditional cigar in the next year?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GTRAD_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	19	0.1 %
2	2 = Probably yes	144	1.0 %
3	3 = Probably not	1112	7.5 %
4	4 = Definitely not	11846	80.1 %
	Total	13,121	88.7%

This variable has 13,121 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	1664	11.2 %
	Total	1,677	11.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2241-2248 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9013: Think you will try a traditional cigar soon

Do you think that you will try a traditional cigar soon?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GTRAD_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	19	0.1 %
2	2 = Probably yes	125	0.8 %
3	3 = Probably not	1113	7.5 %
4	4 = Definitely not	11863	80.2 %
	Total	13,120	88.7%

This variable has 13,120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1664	11.2 %
	Total	1,678	11.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2249-2256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9016: Would smoke a traditional cigar if one of your friends offered you one

If one of your best friends were to offer you a traditional cigar, would you smoke it?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GTRAD_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	68	0.5 %
2	2 = Probably yes	394	2.7 %
3	3 = Probably not	1263	8.5 %
4	4 = Definitely not	11397	77.0 %
	Total	13,122	88.7%

This variable has 13,122 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	1664	11.2 %
	Total	1,676	11.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2257-2264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9011: Ever been curious about smoking a cigarillo

Have you ever been curious about smoking a cigarillo?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GRILLO_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	72	0.5 %
2	2 = Somewhat curious	164	1.1 %
3	3 = A little curious	673	4.5 %
4	4 = Not at all curious	11887	80.3 %
	Total	12,796	86.5%

This variable has 12,796 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1991	13.5 %
	Total	2,002	13.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2265-2272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9021: Think you will smoke a cigarillo in the next year

Do you think you will smoke a cigarillo in the next year?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GRILLO_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	19	0.1 %
2	2 = Probably yes	103	0.7 %
3	3 = Probably not	850	5.7 %
4	4 = Definitely not	11825	79.9 %
	Total	12,797	86.5%

This variable has 12,797 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	1991	13.5 %
	Total	2,001	13.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2273-2280 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9014: Think you will try a cigarillo soon

Do you think that you will try a cigarillo soon?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GRILLO_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	14	0.1 %
2	2 = Probably yes	86	0.6 %
3	3 = Probably not	850	5.7 %
4	4 = Definitely not	11842	80.0 %
	Total	12,792	86.4%

This variable has 12,792 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	1991	13.5 %
	Total	2,006	13.6%

Percentages for both tables are based on 14,798 total cases.

Location: 2281-2288 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9017: Would smoke a cigarillo if one of your friends offered you one

If one of your best friends were to offer you a cigarillo, would you smoke it?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GRILLO_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	31	0.2 %

Value	Label	Unweighted Frequency	%
2	2 = Probably yes	244	1.6 %
3	3 = Probably not	1067	7.2 %
4	4 = Definitely not	11447	77.4 %
	Total	12,789	86.4%

This variable has 12,789 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	1991	13.5 %
	Total	2,009	13.6%

Percentages for both tables are based on 14,798 total cases.

Location: 2289-2296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9012: Ever been curious about smoking a filtered cigar

Have you ever been curious about smoking a filtered cigar?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GFILTR_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	58	0.4 %
2	2 = Somewhat curious	141	1.0 %
3	3 = A little curious	622	4.2 %
4	4 = Not at all curious	12332	83.3 %
	Total	13,153	88.9%

This variable has 13,153 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1631	11.0 %
	Total	1,645	11.1%

Percentages for both tables are based on 14,798 total cases.

Location: 2297-2304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9022: Think you will smoke a filtered cigar in the next year

Do you think you will smoke a filtered cigar in the next year?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GFILTR_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	19	0.1 %
2	2 = Probably yes	86	0.6 %
3	3 = Probably not	905	6.1 %
4	4 = Definitely not	12139	82.0 %
	Total	13,149	88.9%

This variable has 13,149 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	1631	11.0 %
	Total	1,649	11.1%

Percentages for both tables are based on 14,798 total cases.

Location: 2305-2312 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9015: Think you will try a filtered cigar soon

Do you think that you will try a filtered cigar soon?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GFILTR_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	14	0.1 %
2	2 = Probably yes	70	0.5 %
3	3 = Probably not	907	6.1 %
4	4 = Definitely not	12159	82.2 %
	Total	13,150	88.9%

This variable has 13,150 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	1631	11.0 %
	Total	1,648	11.1%

Percentages for both tables are based on 14,798 total cases.

Location: 2313-2320 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9018: Would smoke a filtered cigar if one of your best friends offered you one

If one of your best friends were to offer you a filtered cigar, would you smoke it?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_EVER_NEVER_GFILTR_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	46	0.3 %
2	2 = Probably yes	245	1.7 %
3	3 = Probably not	1089	7.4 %
4	4 = Definitely not	11774	79.6 %
	Total	13,154	88.9%

This variable has 13,154 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	1631	11.0 %
	Total	1,644	11.1%

Percentages for both tables are based on 14,798 total cases.

Location: 2321-2328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9105_NB: Ever smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it (blunt)

Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YGV01.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	326	2.2 %
2	2 = No	3666	24.8 %
	Total	3,992	27.0%

This variable has 3,992 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	10797	73.0 %
	Total	10,806	73.0%

Percentages for both tables are based on 14,798 total cases.

Location: 2329-2336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9107: In past 12 months, smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it

[Sometimes people take tobacco out of a traditional cigar, cigarillo or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".]

In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it? [(Remember all information you give to the PATH Study will be kept private.)]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YGV01.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG9105_NB = 1) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	973	6.6 %
2	2 = No	8698	58.8 %
	Total	9,671	65.4%

This variable has 9,671 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	5107	34.5 %
	Total	5,127	34.6%

Percentages for both tables are based on 14,798 total cases.

Location: 2337-2344 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1095_01: Type of cigar usually smoked as a blunt: Group 1 (Traditional cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

Group 1

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG9105_NB = 1 AND R04_YG9107 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	135	0.9 %
2	2 = Not Marked	827	5.6 %
	Total	962	6.5%

This variable has 962 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	13825	93.4 %
	Total	13,836	93.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2345-2352 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9106_01: In past 12 months, frequency with which the tobacco in traditional cigars was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF Traditional Cigars]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it

and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG9105_NB = 1 AND R04_YG9107 = 1 AND R04_YG1095_01 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YG9107 = 1 AND R04_YG1095_01 = 1).

[PROGRAM NOTE: Repeat this question for every cigar type identified in R04_YG1095[01/02/03]. If R04_YG1095_01 = 1, show image of traditional cigars. If R04_YG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips. If R04_YG1095_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	70	0.5 %
2	2 = Most of the time	16	0.1 %
3	3 = Sometimes	12	0.1 %
4	4 = Rarely	25	0.2 %
5	5 = Never	11	0.1 %
	Total	134	0.9%

This variable has 134 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14663	99.1 %
	Total	14,664	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 2369-2376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1095_02: Type of cigar usually smoked as a blunt: Group 2 (Cigarillos with and without tips)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

Group 2

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or

filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG9105_NB = 1 AND R04_YG9107 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	833	5.6 %
2	2 = Not Marked	129	0.9 %
	Total	962	6.5%

This variable has 962 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	13825	93.4 %
	Total	13,836	93.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2353-2360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9106_02: In past 12 months, frequency with which the tobacco in cigarillos with or without tips was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF cigarillos with tips and cigarillos without tips.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG9105_NB = 1 AND R04_YG9107 = 1 AND R04_YG1095_02 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YG9107 = 1 AND R04_YG1095_02 = 1).

[PROGRAM NOTE: Repeat this question for every cigar type identified in R04_YG1095[_01/_02/_03]. If R04_YG1095_01 = 1, show image of traditional cigars. If R04_YG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips. If R04_YG1095_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	430	2.9 %
2	2 = Most of the time	121	0.8 %
3	3 = Sometimes	103	0.7 %
4	4 = Rarely	144	1.0 %
5	5 = Never	33	0.2 %
	Total	831	5.6%

This variable has 831 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13965	94.4 %
	Total	13,967	94.4%

Percentages for both tables are based on 14,798 total cases.

Location: 2377-2384 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1095_03: Type of cigar usually smoked as a blunt: Group 3 (Filtered cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

Group 3

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG9105_NB = 1 AND R04_YG9107 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	92	0.6 %
2	2 = Not Marked	870	5.9 %
	Total	962	6.5%

This variable has 962 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	13825	93.4 %
	Total	13,836	93.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2361-2368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9106_03: In past 12 months, frequency with which the tobacco in filtered cigars was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF filtered cigars]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YG9101_NB = 1 AND R04_YG9105_NB = 1 AND R04_YG9107 = 1 AND R04_YG1095_03 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YG9107 = 1 AND R04_YG1095_03 = 1).

[PROGRAM NOTE: Repeat this question for every cigar type identified in R04_YG1095[_01/_02/_03].

If R04_YG1095_01 = 1, show image of traditional cigars. If R04_YG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips. If R04_YG1095_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	41	0.3 %
2	2 = Most of the time	6	0.0 %
3	3 = Sometimes	13	0.1 %
4	4 = Rarely	20	0.1 %
5	5 = Never	12	0.1 %
	Total	92	0.6%

This variable has 92 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14706	99.4 %
	Total	14,706	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 2385-2392 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1108TC: First traditional cigar smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first traditional cigar you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BTRAD = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BTRAD_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.2 %
2	2 = No	25	0.2 %
3	3 = I don't know	7	0.0 %
	Total	63	0.4%

This variable has 63 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14735	99.6 %
	Total	14,735	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 2393-2400 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011TC_01: Flavor of first traditional cigar smoked as a blunt: Menthol or mint

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_YJ1108TC =1) OR
(R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BTRAD_YOUTH = 1 AND
R04_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14767	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2401-2408 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011TC_02: Flavor of first traditional cigar smoked as a blunt: Clove or spice

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_YJ1108TC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BTRAD_YOUTH = 1 AND R04_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14767	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2409-2416 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011TC_03: Flavor of first traditional cigar smoked as a blunt: Fruit

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_YJ1108TC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BTRAD_YOUTH = 1 AND R04_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.1 %
2	2 = Not Marked	9	0.1 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14767	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2417-2424 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011TC_04: Flavor of first traditional cigar smoked as a blunt: Chocolate

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_YJ1108TC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BTRAD_YOUTH = 1 AND R04_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14767	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2425-2432 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011TC_05: Flavor of first traditional cigar smoked as a blunt: An alcoholic drink

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_YJ1108TC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BTRAD_YOUTH = 1 AND R04_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14767	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2433-2440 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011TC_06: Flavor of first traditional cigar smoked as a blunt: Candy or other sweets

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_YJ1108TC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BTRAD_YOUTH = 1 AND R04_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	19	0.1 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14767	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2441-2448 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011TC_07: Flavor of first traditional cigar smoked as a blunt: Some other flavor

What flavor was that first [CIGARFILL] you smoked as a blunt? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional

cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_YJ1108TC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BTRAD_YOUTH = 1 AND R04_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14767	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2449-2456 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1112TC: Last time smoked a traditional cigar as a blunt, even one or two puffs

When was the last time you smoked a tradiitonal cigar as a blunt, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), Don't know (-8), or Refused (-7), Go to box R04_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_12MBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	9	0.1 %
2	2 = Not today but sometime in the past 7 days	18	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	9	0.1 %

Value	Label	Unweighted Frequency	%
4	4 = Not in the past 30 days but sometime in the past 6 months	20	0.1 %
5	5 = Not in the past 6 months but sometime in the past year	12	0.1 %
	Total	68	0.5%

This variable has 68 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14728	99.5 %
	Total	14,730	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2457-2464 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ0100TC: When last smoked a traditional cigar as a blunt

When did you last smoke a traditional cigar as a blunt?

[If In the past hour, Go to R04_YJ0103TC; If Three or more days ago (5), Don't know (-8), or Refused (-7), Go to box R04_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or in the past 7 days.

ASK Specification: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_YJ1112TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	3	0.0 %
2	2 = Sometime today	2	0.0 %
3	3 = Yesterday	7	0.0 %
4	4 = Day before yesterday	3	0.0 %
5	5 = Three or more days ago	10	0.1 %
	Total	25	0.2%

This variable has 25 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14771	99.8 %
	Total	14,773	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2465-2472 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ0102TC: Time period of day when you last smoked a traditional cigar as a blunt

When you last smoked a traditional cigar as a blunt [FILL BASED ON R04_YJ0100TC], was it...

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_YJ1112TC = 1, 2 AND R04_YJ0100TC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	2	0.0 %
2	2 = After 6AM but before noon	2	0.0 %
3	3 = Between noon and 6PM	5	0.0 %
4	4 = After 6PM but before midnight	3	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14786	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2473-2480 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ0103TC: Number of traditional cigars as a blunt smoked today/yesterday/day before yesterday

How many traditional cigars [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R04_YJ0100TC]? (If less than 1, enter 1.)

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_YJ1112TC = 1, 2 AND R04_YJ0100TC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 15 valid cases out of 14,798 total cases.

- Mean: 4.67
- Median: 3.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 5.02

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14783	99.9 %
	Total	14,783	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2481-2488 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1022TC: In past 30 days, number of days smoked a traditional cigar as a blunt

In the past 30 days, on how many days did you smoke a traditional cigar as a blunt?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 36 valid cases out of 14,798 total cases.

- Mean: 10.83
- Median: 7.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.93

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2489-2496 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1023TC: In past 30 days, number of traditional cigars smoked as a blunt per day on the days that you smoked

In the past 30 days, on the days you smoked traditional cigars as blunts, how many traditional cigars did you smoke as a blunt per day?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 traditional cigar per day	10	0.1 %
2	2 = 1 traditional cigar per day	10	0.1 %
3	3 = 2 to 5 traditional cigars per day	13	0.1 %
4	4 = 6 to 10 traditional cigars per day	2	0.0 %
5	5 = 11 to 20 traditional cigars per day	0	0.0 %
6	6 = More than 20 traditional cigars per day	0	0.0 %
	Total	35	0.2%

This variable has 35 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,763	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2497-2504 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1130TC: In past 30 days, smoked traditional cigars as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the traditional cigars that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	14	0.1 %
3	3 = I don't know	5	0.0 %
	Total	36	0.2%

This variable has 36 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2505-2512 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131TC_01: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	12	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,782	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2513-2520 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131TC_02: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	15	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,782	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2521-2528 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131TC_03: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day blunt-onlytraditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	3	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,782	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2529-2536 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131TC_04: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	14	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,782	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2537-2544 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131TC_05: In past 30 days, smoked traditional cigars as blunts flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	14	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,782	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2545-2552 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131TC_06: In past 30 days, smoked traditional cigars as a blunt flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	7	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,782	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2553-2560 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131TC_07: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	16	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,782	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2561-2568 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1147TC: How often smoked flavored traditional cigars as blunts on days smoked in past 30 days

On the days you smoked traditional cigars as blunts in the past 30 days, how often did you smoke flavored traditional cigars?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND
R04_YJ1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	8	0.1 %
2	2 = Most of the time	4	0.0 %
3	3 = Sometimes	3	0.0 %
4	4 = Rarely	1	0.0 %
5	5 = Never	1	0.0 %
	Total	17	0.1%

This variable has 17 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,781	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2569-2576 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1142TC: In past 30 days, anyone sell you traditional cigars

In the past 30 days, did anyone sell you traditional cigars?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	28	0.2 %
	Total	36	0.2%

This variable has 36 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2577-2584 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1123TC: In the past 30 days, someone refused to sell you traditional cigars as blunts because of your age

In the past 30 days, did anyone refuse to sell you traditional cigars because of your age?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	31	0.2 %
	Total	36	0.2%

This variable has 36 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2585-2592 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1118TC: In past 30 days, how you usually got your own traditional cigars as a blunt

In the past 30 days, how did you usually get your own traditional cigars for when you smoke blunts?

[If I asked someone to give me one (3), Someone offered it to me (4), I bought them from another person (5), I took them from a store or another person (6), I got them some other way (Specify) (7), Don't know (-8), or Refused, Go to R04_YJ1047TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	12	0.1 %
2	2 = I bought them myself from a store (including a cigar bar)	7	0.0 %
3	3 = I asked someone to give me one	3	0.0 %
4	4 = Someone offered it to me	5	0.0 %
5	5 = I bought them from another person	1	0.0 %
6	6 = I took them from a store or another person	1	0.0 %
7	7 = I got them some other way	5	0.0 %
	Total	34	0.2%

This variable has 34 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,764	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2593-2600 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1030TC: How you usually buy your traditional cigars for blunts

How do [you/they] usually buy your traditional cigars for when you smoke blunts?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), Go to R04_YJ1039TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1118TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	19	0.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2601-2608 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1033TC: Retail location where your traditional cigars for blunts are purchased most of the time

Where do [you/they] buy your traditional cigars for blunts most of the time?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1118TC = 1, 2 AND R04_YJ1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	2	0.0 %
2	2 = A convenience store or gas station	15	0.1 %
3	3 = A supermarket, grocery store, or drug store	0	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	18	0.1%

This variable has 18 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,780	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2609-2616 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1039TC: Usually buy traditional cigars for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] traditional cigars for blunts. Did you buy them by the box or pack, or as single traditional cigars?

[If Single traditional cigars (2), Don't know (-8), or Refused (-7), Go to R04_YJ1034TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1118TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	10	0.1 %
2	2 = Single traditional cigars	9	0.1 %
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2617-2624 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1040TC: Number of traditional cigars that come in box or pack usually bought for blunts

How many traditional cigars came in the box or pack that you last bought for blunts?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1118TC = 1, 2 AND R04_YJ1039TC = 1.

This variable has 10 valid cases out of 14,798 total cases.

- Mean: 6.70
- Median: 3.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 30.00
- Standard Deviation: 8.77

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,788	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2625-2632 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1034TC_D: Amount paid when last time bought a box of traditional cigars for blunts/pack of traditional cigars for blunts/single traditional cigar for blunts - Dollars

How much did you pay for a [box or pack of traditional cigars/single traditional cigar] for blunts?

___ Dollars

[If Don't know (-8), or Refused (-7), Go to R04_YJ1047TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1118TC = 1, 2 AND R04_YJ1039TC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 18 valid cases out of 14,798 total cases.

- Mean: 4.06
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 5.53

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,780	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2633-2640 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1034TC_C: Amount paid when last time bought a box of traditional cigars for blunts/pack of traditional cigars for blunts/single traditional cigar for blunts - Cents

How much did you pay for a [box or pack of traditional cigars/single traditional cigar] for blunts?

__ Cents

[If Don't know (-8), or Refused (-7), Go to R04_YJ1047TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04_30DBLUNT_ONLY_BTRAD = 1 AND R04_YJ1118TC = 1, 2 AND R04_YJ1039TC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 18 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14780	99.9 %
	Total	14,780	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2641-2648 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1047TC: Have a regular brand of traditional cigars you usually smoke as blunts

Do you have a regular brand of traditional cigars that you usually smoke as blunts?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_12MBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	41	0.3 %
	Total	70	0.5%

This variable has 70 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14728	99.5 %
	Total	14,728	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2649-2656 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1945TC: Know the name of brand of traditional cigars usually smoke/last smoked as blunts

Do you know the name of the brand of traditional cigars you [usually smoke/last smoked] as blunts?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YJR08.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_12MBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.2 %
2	2 = No	36	0.2 %
	Total	70	0.5%

This variable has 70 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14728	99.5 %
	Total	14,728	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2657-2664 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1048TC_BRAND: Brand of traditional cigars usually/last smoked as blunts

What brand of traditional cigar [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND R04_YJ1945TC = 1.

This variable has 34 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14764	99.8 %
	Total	14,764	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2665-2672 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04_12MBLUNT_ONLY_BTRAD = 1 AND (R04_YJ1945TC = 1 AND R04_YJ1048TC_BRAND != 9995, -8, -7).

This variable has 34 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14764	99.8 %
	Total	14,764	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 2673-2680 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1108CG: First cigarillo smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first cigarillo you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

ASK: New baseline youth respondents who are past 12 month blunt-only traditional

cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BRILLO = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BRILLO_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	187	1.3 %
2	2 = No	78	0.5 %
3	3 = I don't know	49	0.3 %
	Total	314	2.1%

This variable has 314 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14483	97.9 %
	Total	14,484	97.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2681-2688 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011CG_01: Flavor of first cigarillo smoked as a blunt: Menthol or mint

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_YJ1108CG = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BRILLO_YOUTH = 1 AND R04_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	170	1.1 %
	Total	186	1.3%

This variable has 186 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14611	98.7 %
	Total	14,612	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 2689-2696 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011CG_02: Flavor of first cigarillo smoked as a blunt: Clove or spice

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_YJ1108CG = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BRILLO_YOUTH = 1 AND R04_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	178	1.2 %
	Total	186	1.3%

This variable has 186 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14611	98.7 %
	Total	14,612	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 2697-2704 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011CG_03: Flavor of first cigarillo smoked as a blunt: Fruit

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_YJ1108CG = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BRILLO_YOUTH = 1 AND R04_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	144	1.0 %
2	2 = Not Marked	42	0.3 %
	Total	186	1.3%

This variable has 186 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14611	98.7 %
	Total	14,612	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 2705-2712 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011CG_04: Flavor of first cigarillo smoked as a blunt: Chocolate

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_YJ1108CG = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BRILLO_YOUTH = 1 AND R04_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	174	1.2 %
	Total	186	1.3%

This variable has 186 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14611	98.7 %
	Total	14,612	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 2713-2720 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011CG_05: Flavor of first cigarillo smoked as a blunt: An alcoholic drink

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar

smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_YJ1108CG = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BRILLO_YOUTH = 1 AND R04_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	179	1.2 %
	Total	186	1.3%

This variable has 186 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14611	98.7 %
	Total	14,612	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 2721-2728 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011CG_06: Flavor of first cigarillo smoked as a blunt: Candy or other sweets

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_YJ1108CG = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BRILLO_YOUTH = 1 AND R04_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	55	0.4 %
2	2 = Not Marked	131	0.9 %
	Total	186	1.3%

This variable has 186 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14611	98.7 %
	Total	14,612	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 2729-2736 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011CG_07: Flavor of first cigarillo smoked as a blunt: Some other flavor

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_YJ1108CG = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BRILLO_YOUTH = 1 AND R04_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	183	1.2 %
	Total	186	1.3%

This variable has 186 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14611	98.7 %
	Total	14,612	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 2737-2744 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1112CG: Last time smoked a cigarillo as a blunt, even one or two puffs

When was the last time you smoked a cigarillo as a blunt, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), Don't know (-8), or Refused (-7), Go to box R04_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_12MBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	41	0.3 %
2	2 = Not today but sometime in the past 7 days	123	0.8 %
3	3 = Not in the past 7 days but sometime in the past 30 days	87	0.6 %
4	4 = Not in the past 30 days but sometime in the past 6 months	111	0.8 %
5	5 = Not in the past 6 months but sometime in the past year	65	0.4 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14368	97.1 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 2745-2752 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ0100CG: When last smoked a cigarillo as a blunt

When did you last smoke a cigarillo as a blunt?

[If In the past hour, Go to R04_YJ0103CG; If Three or more days ago (5), Don't know (-8), or Refused (-7), Go to box R04_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or in the past 7 days.

ASK Specification: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND
R04_YJ1112CG = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	15	0.1 %
2	2 = Sometime today	21	0.1 %
3	3 = Yesterday	43	0.3 %
4	4 = Day before yesterday	28	0.2 %
5	5 = Three or more days ago	56	0.4 %
	Total	163	1.1%

This variable has 163 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14634	98.9 %
	Total	14,635	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2753-2760 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ0102CG: Time period of day when you last smoked a cigarillo as a blunt

When you last smoked a cigarillo as a blunt [FILL BASED ON R04_YJ0100CG], was it...

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND
R04_YJ1112CG = 1, 2 AND R04_YJ0100CG = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	17	0.1 %
2	2 = After 6AM but before noon	11	0.1 %
3	3 = Between noon and 6PM	31	0.2 %
4	4 = After 6PM but before midnight	33	0.2 %
	Total	92	0.6%

This variable has 92 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14706	99.4 %
	Total	14,706	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 2761-2768 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ0103CG: Number of cigarillos as blunts smoked today/yesterday/day before yesterday

How many cigarillos [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R04_YJ0100CG]? (If less than 1, enter 1.)

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND R04_YJ1112CG = 1, 2 AND R04_YJ0100CG = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 107 valid cases out of 14,798 total cases.

- Mean: 2.59
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 3.21

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14691	99.3 %
	Total	14,691	99.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2769-2776 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1022CG: In past 30 days, number of days smoked a cigarillo as a blunt

In the past 30 days, on how many days did you smoke a cigarillo as a blunt?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 246 valid cases out of 14,798 total cases.

- Mean: 9.30
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.11

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14547	98.3 %
	Total	14,552	98.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2777-2784 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1023CG: In past 30 days, number of cigarillos smoked as a blunt per day on the days that you smoked

In the past 30 days, on the days you smoked cigarillos as blunts, how many cigarillos did you smoke as a blunt per day?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarillo per day	92	0.6 %
2	2 = 1 cigarillo per day	73	0.5 %
3	3 = 2 to 5 cigarillos per day	72	0.5 %
4	4 = 6 to 10 cigarillos per day	8	0.1 %
5	5 = 11 to 20 cigarillos per day	2	0.0 %
6	6 = More than 20 cigarillos per day	2	0.0 %
	Total	249	1.7%

This variable has 249 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14547	98.3 %
	Total	14,549	98.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2785-2792 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1130CG: In past 30 days, smoked cigarillos as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the cigarillos that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	166	1.1 %
2	2 = No	50	0.3 %
3	3 = I don't know	35	0.2 %

Value	Label	Unweighted Frequency	%
	Total	251	1.7%

This variable has 251 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14547	98.3 %
	Total	14,547	98.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2793-2800 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131CG_01: In past 30 days, smoked cigarillos as blunts flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	148	1.0 %
	Total	166	1.1%

This variable has 166 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14632	98.9 %
	Total	14,632	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2801-2808 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131CG_02: In past 30 days, smoked cigarillos as blunts flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	161	1.1 %
	Total	166	1.1%

This variable has 166 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14632	98.9 %
	Total	14,632	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2809-2816 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131CG_03: In past 30 days, smoked cigarillos as blunts flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	129	0.9 %
2	2 = Not Marked	37	0.3 %
	Total	166	1.1%

This variable has 166 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14632	98.9 %
	Total	14,632	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2817-2824 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131CG_04: In past 30 days, smoked cigarillos as blunts flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.2 %
2	2 = Not Marked	136	0.9 %
	Total	166	1.1%

This variable has 166 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14632	98.9 %
	Total	14,632	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2825-2832 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131CG_05: In past 30 days, smoked cigarillos as blunts flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	158	1.1 %
	Total	166	1.1%

This variable has 166 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14632	98.9 %
	Total	14,632	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2833-2840 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131CG_06: In past 30 days, smoked cigarillos as a blunt flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R04_YJ1131TC: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	75	0.5 %
2	2 = Not Marked	91	0.6 %
	Total	166	1.1%

This variable has 166 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14632	98.9 %
	Total	14,632	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2841-2848 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131CG_07: In past 30 days, smoked cigarillos as blunts flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1130CG = 1.
R04_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	162	1.1 %
	Total	166	1.1%

This variable has 166 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14632	98.9 %
	Total	14,632	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2849-2856 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1147CG: How often smoked flavored cigarillos as blunts on days smoked in past 30 days

On the days you smoked cigarillos as blunts in the past 30 days, how often did you smoke flavored cigarillos?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	100	0.7 %
2	2 = Most of the time	35	0.2 %
3	3 = Sometimes	18	0.1 %
4	4 = Rarely	7	0.0 %
5	5 = Never	5	0.0 %
	Total	165	1.1%

This variable has 165 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14632	98.9 %
	Total	14,633	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2857-2864 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1142CG: In past 30 days, anyone sell you cigarillos

In the past 30 days, did anyone sell you cigarillos?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	72	0.5 %
2	2 = No	178	1.2 %
	Total	250	1.7%

This variable has 250 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14547	98.3 %
	Total	14,548	98.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2865-2872 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1123CG: In the past 30 days, someone refused to sell you cigarillos as blunts because of your age

In the past 30 days, did anyone refuse to sell you cigarillos because of your age?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	41	0.3 %
2	2 = No	207	1.4 %
	Total	248	1.7%

This variable has 248 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14547	98.3 %
	Total	14,550	98.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2873-2880 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1118CG: In past 30 days, how you usually got your own cigarillo as a blunt

In the past 30 days, how did you usually get your own cigarillos for when you smoke blunts?

[If I asked someone to give me one (3), Someone offered it to me (4), I bought them from another person (5), I took them from a store or another person (6), I got them some other way (Specify) (7), Don't know (-8), or Refused, Go to R04_YJ1047CG.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	81	0.5 %
2	2 = I bought them myself from a store (including a cigar bar)	33	0.2 %
3	3 = I asked someone to give me one	20	0.1 %
4	4 = Someone offered it to me	71	0.5 %
5	5 = I bought them from another person	19	0.1 %
6	6 = I took them from a store or another person	3	0.0 %
7	7 = I got them some other way	17	0.1 %
	Total	244	1.6%

This variable has 244 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	14547	98.3 %
	Total	14,554	98.4 %

Percentages for both tables are based on 14,798 total cases.

Location: 2881-2888 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1030CG: How you usually buy your cigarillos for blunts

How do [you/they] usually buy your cigarillos for when you smoke blunts?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), Go to R04_YJ1039CG.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND
R04_YJ1118CG = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	113	0.8 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	1	0.0 %
	Total	114	0.8%

This variable has 114 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14684	99.2 %
	Total	14,684	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 2889-2896 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1033CG: Retail location where your cigarillos for blunts are purchased most of the time

Where do [you/they] buy your cigarillos for blunts most of the time?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1118CG = 1, 2 AND R04_YJ1030CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	1	0.0 %
2	2 = A convenience store or gas station	86	0.6 %
3	3 = A supermarket, grocery store, or drug store	5	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	1	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	11	0.1 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	3	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	3	0.0 %
	Total	110	0.7%

This variable has 110 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14685	99.2 %
	Total	14,688	99.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2897-2904 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1039CG: Usually buy cigarillos for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] cigarillos for blunts. Did you buy them by the box or pack, or as single cigarillos?

[If Single cigarillos (2), Don't know (-8), or Refused (-7), Go to R04_YJ1034CG.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1118CG = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	68	0.5 %
2	2 = Single cigarillos	46	0.3 %
	Total	114	0.8%

This variable has 114 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14684	99.2 %
	Total	14,684	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 2905-2912 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1040CG: Number of cigarillos that come in box or pack usually bought for blunts

How many cigarillos came in the box or pack that you last bought for blunts?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1118CG = 1, 2 AND R04_YJ1039CG = 1.

This variable has 68 valid cases out of 14,798 total cases.

- Mean: 2.54
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 1.92

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14730	99.5 %
	Total	14,730	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 2913-2920 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1034CG_D: Amount paid when last time bought a box of cigarillos for blunts/pack of cigarillos for blunts/single cigarillo for blunts - Dollars

How much did you pay for a [box or pack of cigarillos/single cigarillo] for blunts?

___ Dollars

[If Don't know (-8), or Refused (-7), Go to R04_YJ1047CG.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1118CG = 1, 2 AND R04_YJ1039CG = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 109 valid cases out of 14,798 total cases.

- Mean: 1.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.86

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14684	99.2 %

	Missing Data		
	Total	14,689	99.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2921-2928 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1034CG_C: Amount paid when last time bought a box of cigarillos for blunts/pack of cigarillos for blunts/single cigarillo for blunts - Cents

How much did you pay for a [box or pack of cigarillos/single cigarillo] for blunts?

__ Cents

[If Don't know (-8), or Refused (-7), Go to R04_YJ1047TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04_30DBLUNT_ONLY_BRILLO = 1 AND R04_YJ1118CG = 1, 2 AND R04_YJ1039CG = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 109 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14689	99.3 %
	Total	14,689	99.3%

Percentages for both tables are based on 14,798 total cases.

Location: 2929-2936 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1047CG: Have a regular brand of cigarillos you usually smoke as blunts

Do you have a regular brand of cigarillos that you usually smoke as blunts?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_12MBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	197	1.3 %
2	2 = No	233	1.6 %
	Total	430	2.9%

This variable has 430 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14368	97.1 %
	Total	14,368	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 2937-2944 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1945CG: Know the name of brand of cigarillos usually smoke/last smoked as blunts

Do you know the name of the brand of cigarillos you [usually smoke/last smoked] as blunts?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YJR08.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_12MBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	239	1.6 %
2	2 = No	189	1.3 %
	Total	428	2.9%

This variable has 428 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14368	97.1 %

	Missing Data		
	Total	14,370	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 2945-2952 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1048CG_BRAND: Brand of cigarillos usually/last smoked as blunts

What brand of cigarillo [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF R04_12MBLUNT_ONLY_BRILLO = 1 AND
R04_YJ1945CG = 1.

This variable has 239 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14559	98.4 %
	Total	14,559	98.4%

Percentages for both tables are based on 14,798 total cases.

Location: 2953-2960 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1070CG_PRODUCT: Sub-brand of cigarillo product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04_12MBLUNT_ONLY_BRILLO = 1
AND (R04_YJ1945CG = 1 AND R04_YJ1048CG_BRAND != 9995, -8, -7).

This variable has 235 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14559	98.4 %
	Total	14,563	98.4%

Percentages for both tables are based on 14,798 total cases.

Location: 2961-2968 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1108FC: First filtered cigar smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first filtered cigar you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BFILTR = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BFILTR_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	15	0.1 %
3	3 = I don't know	11	0.1 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14757	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 2969-2976 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011FC_01: Flavor of first filtered cigar smoked as a blunt: Menthol or mint

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_YJ1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BFILTR_YOUTH = 1 AND R04_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	12	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14784	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2977-2984 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011FC_02: Flavor of first filtered cigar smoked as a blunt: Clove or spice

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional

cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_YJ1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BFILTR_YOUTH = 1 AND R04_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	14	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14784	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2985-2992 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011FC_03: Flavor of first filtered cigar smoked as a blunt: Fruit

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_YJ1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BFILTR_YOUTH = 1 AND R04_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	3	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14784	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 2993-3000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011FC_04: Flavor of first filtered cigar smoked as a blunt: Chocolate

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_YJ1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BFILTR_YOUTH = 1 AND R04_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	13	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14784	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3001-3008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011FC_05: Flavor of first filtered cigar smoked as a blunt: An alcoholic drink

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_YJ1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BFILTR_YOUTH = 1 AND R04_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	13	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14784	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3009-3016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011FC_06: Flavor of first filtered cigar smoked as a blunt: Candy or other sweets

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_YJ1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BFILTR_YOUTH = 1 AND R04_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14784	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3017-3024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1011FC_07: Flavor of first filtered cigar smoked as a blunt: Some other flavor

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional

cigars/cigarillos/filtered cigars, or continuing youth respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking with flavored traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_YJ1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_BLUNT_BFILTR_YOUTH = 1 AND R04_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	14	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14784	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3025-3032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1112FC: Last time smoked a filtered cigar as a blunt, even one or two puffs

When was the last time you smoked a filtered cigar as a blunt, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), Don't know (-8), or Refused (-7), Go to box R04_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	5	0.0 %
2	2 = Not today but sometime in the past 7 days	8	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	2	0.0 %

Value	Label	Unweighted Frequency	%
4	4 = Not in the past 30 days but sometime in the past 6 months	17	0.1 %
5	5 = Not in the past 6 months but sometime in the past year	8	0.1 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14757	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3033-3040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ0100FC: When last smoked a filtered cigar as a blunt

When did you last smoke a filtered cigar as a blunt?

[If In the past hour, Go to R04_YJ0103FC; If Three or more days ago (5), Don't know (-8), or Refused (-7), Go to box R04_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or in the past 7 days.

ASK Specification: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_YJ1112FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	2	0.0 %
2	2 = Sometime today	2	0.0 %
3	3 = Yesterday	6	0.0 %
4	4 = Day before yesterday	0	0.0 %
5	5 = Three or more days ago	3	0.0 %
	Total	13	0.1%

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3041-3048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ0102FC: Time period of day when you last smoked a filtered cigar as a blunt

When you last smoked a filtered cigar as a blunt [FILL BASED ON R04_YJ0100FC], was it...

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_YJ1112FC = 1, 2 AND R04_YJ0100FC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	1	0.0 %
2	2 = After 6AM but before noon	2	0.0 %
3	3 = Between noon and 6PM	1	0.0 %
4	4 = After 6PM but before midnight	4	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3049-3056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ0103FC: Number of filtered cigars as blunts smoked today/yesterday/day before yesterday

How many filtered cigars [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R04_YJ0100FC]? (If less than 1, enter 1.)

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND R04_YJ1112FC = 1, 2 AND R04_YJ0100FC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 10 valid cases out of 14,798 total cases.

- Mean: 2.60
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.88

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,788	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3057-3064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1022FC: In past 30 days, number of days smoked a filtered cigar as a blunt

In the past 30 days, on how many days did you smoke a filtered cigar as a blunt?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 14 valid cases out of 14,798 total cases.

- Mean: 11.29
- Median: 5.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.76

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14783	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3065-3072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1023FC: In past 30 days, number of filtered cigars smoked as a blunt per day on the days that you smoked

In the past 30 days, on the days you smoked filtered cigars as blunts, how many filtered cigars did you smoke as a blunt per day?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 filtered cigar per day	5	0.0 %
2	2 = 1 filtered cigar per day	5	0.0 %
3	3 = 2 to 5 filtered cigars per day	2	0.0 %
4	4 = 6 to 10 filtered cigars per day	0	0.0 %
5	5 = 11 to 20 filtered cigars per day	1	0.0 %
6	6 = More than 20 filtered cigars per day	0	0.0 %
	Total	13	0.1%

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14783	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3073-3080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1130FC: In past 30 days, smoked filtered cigars as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the filtered cigars that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	2	0.0 %
3	3 = I don't know	2	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14783	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3081-3088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131FC_01: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND R04_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,789	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3089-3096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131FC_02: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND R04_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %

Value	Label	Unweighted Frequency	%
	Total	9	0.1%

This variable has 9 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,789	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3097-3104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131FC_03: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND

R04_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	2	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %

	Missing Data		
	Total	14,789	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3105-3112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131FC_04: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND R04_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	7	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,789	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3113-3120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131FC_05: In past 30 days, smoked filtered cigars as blunts flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND R04_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	7	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,789	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3121-3128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131FC_06: In past 30 days, smoked filtered cigars as a blunt flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND R04_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	4	0.0 %

Value	Label	Unweighted Frequency	%
	Total	9	0.1%

This variable has 9 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,789	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3129-3136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1131FC_07: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND

R04_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %

	Missing Data		
	Total	14,789	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3137-3144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1147FC: How often smoked flavored filtered cigars as blunts on days smoked in past 30 days

On the days you smoked filtered cigars as blunts in the past 30 days, how often did you smoke flavored filtered cigars?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND
R04_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	7	0.0 %
2	2 = Most of the time	1	0.0 %
3	3 = Sometimes	2	0.0 %
4	4 = Rarely	0	0.0 %
5	5 = Never	0	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,788	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3145-3152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1142FC: In past 30 days, anyone sell you filtered cigars

In the past 30 days, did anyone sell you filtered cigars?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	8	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14783	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3153-3160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1123FC: In the past 30 days, someone refused to sell you filtered cigars as blunts because of your age

In the past 30 days, did anyone refuse to sell you filtered cigars because of your age?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	13	0.1 %
	Total	15	0.1%

This variable has 15 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14783	99.9 %
	Total	14,783	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3161-3168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1118FC: In past 30 days, how you usually got your own filtered cigars as a blunt

In the past 30 days, how did you usually get your own filtered cigars for when you smoke blunts?

[If I asked someone to give me one (3), Someone offered it to me (4), I bought them from another person (5), I took them from a store or another person (6), I got them some other way (Specify) (7), Don't know (-8), or Refused, Go to R04_YJ1047FC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	5	0.0 %
2	2 = I bought them myself from a store (including a cigar bar)	3	0.0 %
3	3 = I asked someone to give me one	1	0.0 %
4	4 = Someone offered it to me	3	0.0 %
5	5 = I bought them from another person	2	0.0 %
6	6 = I took them from a store or another person	0	0.0 %
7	7 = I got them some other way	0	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14783	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3169-3176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1030FC: How you usually buy your filtered cigars for blunts

How do [you/they] usually buy your filtered cigars for when you smoke blunts?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), Go to R04_YJ1039FC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND
R04_YJ1118FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	8	0.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3177-3184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1033FC: Retail location where your filtered cigars for blunts are purchased most of the time

Where do [you/they] buy your filtered cigars for blunts most of the time?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND
R04_YJ1118FC = 1, 2 AND R04_YJ1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	6	0.0 %
3	3 = A supermarket, grocery store, or drug store	1	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	1	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3185-3192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1039FC: Usually buy filtered cigars for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] filtered cigars for blunts. Did you buy them by the box or pack, or as single filtered cigars?

[If Single filtered cigars (2), Don't know (-8), or Refused (-7), Go to R04_YJ1034FC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND R04_YJ1118FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	6	0.0 %
2	2 = Single filtered cigars	2	0.0 %

Value	Label	Unweighted Frequency	%
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3193-3200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1040FC: Number of filtered cigars that come in box or pack usually bought for blunts

How many filtered cigars came in the box or pack that you last bought for blunts?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND R04_YJ1118FC = 1, 2 AND R04_YJ1039FC = 1.

This variable has 6 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,792	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 3201-3208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1034FC_D: Amount paid when last time bought a box of filtered cigars for blunts/pack of filtered cigars for blunts/single filtered cigar for blunts - Dollars

How much did you pay for a [box or pack of filtered cigars/single filtered cigar] for blunts?

___ Dollars

[If Don't know (-8), or Refused (-7), Go to R04_YJ1047FC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND R04_YJ1118FC = 1, 2 AND R04_YJ1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 8 valid cases out of 14,798 total cases.

- Mean: 3.50
- Median: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 6.87

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3209-3216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1034FC_C: Amount paid when last time bought a box of filtered cigars for blunts/pack of filtered cigars for blunts/single filtered cigar for blunts - Cents

How much did you pay for a [box or pack of filtered cigars/single filtered cigar] for blunts?

___ Cents

[If Don't know (-8), or Refused (-7), Go to R04_YJ1047FC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar/cigarillo/filtered cigar smokers and

usually get traditional cigars/cigarillos/filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04_30DBLUNT_ONLY_BFILTR = 1 AND R04_YJ1118FC = 1, 2 AND R04_YJ1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3217-3224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YJ1047FC: Have a regular brand of filtered cigars you usually smoke as blunts

Do you have a regular brand of filtered cigars that you usually smoke as blunts?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	29	0.2 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14757	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3225-3232 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1945FC: Know the name of brand of filtered cigars usually smoke/last smoked as blunts

Do you know the name of the brand of filtered cigars you [usually smoke/last smoked] as blunts?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	28	0.2 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14757	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3233-3240 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1048FC_BRAND: Brand of filtered cigars usually/last smoked as blunts

What brand of filtered cigar [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND
R04_YJ1945FC = 1.

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14786	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3241-3248 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YJ1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: IF R04_12MBLUNT_ONLY_BFILTR = 1 AND
(R04_YJ1945FC = 1 AND R04_YJ1048FC_BRAND != 9995, -8, -7).

This variable has 11 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14786	99.9 %
	Total	14,787	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3249-3256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YG1006TC_NB: DERIVED - Age range when first tried a traditional cigar, even one or two puffs (3 levels)

Long Description: How old were you when you first tried
a traditional cigar, even one or two

puffs?

Algorithm: IF R04_YG1120TC_NB = 1 OR (0<=R04_YG1006TC_NB<=11) THEN R04R_Y_YG1006TC_NB = 1; ELSE IF R04_YG1120TC_NB = 2 OR (12<=R04_YG1006TC_NB<=14) THEN R04R_Y_YG1006TC_NB = 2; ELSE IF R04_YG1120TC_NB = 3 OR (15<=R04_YG1006TC_NB<=17) THEN R04R_Y_YG1006TC_NB = 3; ELSE IF R04_YG1006TC_NB = -9 OR R04_YG1120TC_NB = -9 THEN R04R_Y_YG1006TC_NB = -99999; ELSE IF R04_YG1006TC_NB = -8 OR R04_YG1120TC_NB = -8 THEN R04R_Y_YG1006TC_NB = -99988; ELSE IF R04_YG1006TC_NB = -7 OR R04_YG1120TC_NB = -7 THEN R04R_Y_YG1006TC_NB = -99977; ELSE IF R04_YG1006TC_NB = -5 THEN R04R_Y_YG1006TC_NB = -99955; ELSE IF R04_YG1006TC_NB = -1 OR R04_YG1120TC_NB = -1 THEN R04R_Y_YG1006TC_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	7	0.0 %
2	2 = 12 to 14 years old	29	0.2 %
3	3 = 15 to 17 years old	32	0.2 %
	Total	68	0.5%

This variable has 68 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14728	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,730	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 3257-3264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YG1108TC: First traditional cigar smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first traditional cigar you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), Go to box R04_YGR09.]

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not

past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	36	0.2 %
2	2 = No	64	0.4 %
3	3 = I don't know	31	0.2 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14666	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 3265-3272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011TC_01: Flavor of first traditional cigar smoked: Menthol or mint

What flavor was that first traditional cigar you smoked? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	24	0.2 %
	Total	36	0.2%

This variable has 36 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 3273-3280 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011TC_02: Flavor of first traditional cigar smoked: Clove or spice

What flavor was that first traditional cigar you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GTRAD_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1) OR
(R04_YOUTHTYPE = 1 AND R04_INIT_GTRAD_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	32	0.2 %
	Total	36	0.2%

This variable has 36 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 3281-3288 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011TC_03: Flavor of first traditional cigar smoked: Fruit

What flavor was that first traditional cigar you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GTRAD_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1) OR
(R04_YOUTHTYPE = 1 AND R04_INIT_GTRAD_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	20	0.1 %
	Total	36	0.2%

This variable has 36 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %

	Missing Data		
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 3289-3296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011TC_04: Flavor of first traditional cigar smoked: Chocolate

What flavor was that first traditional cigar you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GTRAD_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1) OR
(R04_YOUTHTYPE = 1 AND R04_INIT_GTRAD_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	31	0.2 %
	Total	36	0.2%

This variable has 36 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 3297-3304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011TC_05: Flavor of first traditional cigar smoked: An alcoholic drink

What flavor was that first traditional cigar you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GTRAD_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1) OR
(R04_YOUTHTYPE = 1 AND R04_INIT_GTRAD_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	32	0.2 %
	Total	36	0.2%

This variable has 36 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 3305-3312 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011TC_06: Flavor of first traditional cigar smoked: Candy or other sweets

What flavor was that first traditional cigar you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional

cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	33	0.2 %
	Total	36	0.2%

This variable has 36 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 3313-3320 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011TC_07: Flavor of first traditional cigar smoked: Some other flavor

What flavor was that first traditional cigar you smoked? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional \ cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1) OR

(R04_YOUTHTYPE = 1 AND R04_INIT_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	34	0.2 %
	Total	36	0.2%

This variable has 36 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 3321-3328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1005TC: Number of traditional cigars smoked in entire life

How many traditional cigars have you smoked in your entire life?

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_NUMLIFE_GTRAD != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	81	0.5 %
2	2 = 1	32	0.2 %
3	3 = 2 to 10	52	0.4 %
4	4 = 11 to 20	19	0.1 %

Value	Label	Unweighted Frequency	%
5	5 = 21 to 50	7	0.0 %
6	6 = 51 to 99	6	0.0 %
7	7 = 100 or more	7	0.0 %
	Total	204	1.4%

This variable has 204 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	14579	98.5 %
	Total	14,594	98.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3329-3336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9040TC: Group most like traditional cigar usually smoked

Please look at this picture. Which group is most like the traditional cigar you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	105	0.7 %
2	2 = Group 2	56	0.4 %
3	3 = Group 3	29	0.2 %
4	4 = Group 4	20	0.1 %
	Total	210	1.4%

This variable has 210 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %

	Missing Data		
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14576	98.5 %
	Total	14,588	98.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3337-3344 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1100TC: Ever smoked traditional cigars fairly regularly

Have you ever smoked traditional cigars fairly regularly?

[If No (2), Don't know (-8), or Refused, Go to R04_YG1112TC.]

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GTRAD_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1) OR (R04_YOUTHTYPE = 1 AND
R04_EVER_NEVER_GTRAD_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R03_REGUSE_GTRAD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.1 %
2	2 = No	185	1.3 %
	Total	207	1.4%

This variable has 207 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14591	98.6 %
	Total	14,591	98.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3345-3352 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YG1007TC: DERIVED - Age range when first started smoking traditional cigars fairly regularly (3 levels)

Long Description: How old were you when you first started smoking traditional cigars fairly regularly?

Algorithm: IF R04_YG1121TC = 1 OR (0<=R04_YG1007TC<=11) THEN R04R_Y_YG1007TC = 1; ELSE IF R04_YG1121TC = 2 OR (12<=R04_YG1007TC<=14) THEN R04R_Y_YG1007TC = 2; ELSE IF R04_YG1121TC = 3 OR (15<=R04_YG1007TC<=17) THEN R04R_Y_YG1007TC = 3; ELSE IF R04_YG1007TC = -9 OR R04_YG1121TC = -9 THEN R04R_Y_YG1007TC = -99999; ELSE IF R04_YG1007TC = -8 OR R04_YG1121TC = -8 THEN R04R_Y_YG1007TC = -99988; ELSE IF R04_YG1007TC = -7 OR R04_YG1121TC = -7 THEN R04R_Y_YG1007TC = -99977; ELSE IF R04_YG1007TC = -5 THEN R04R_Y_YG1007TC = -99955; ELSE IF R04_YG1007TC = -1 OR R04_YG1121TC = -1 THEN R04R_Y_YG1007TC = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	8	0.1 %
2	2 = 12 to 14 years old	7	0.0 %
3	3 = 15 to 17 years old	6	0.0 %
	Total	21	0.1%

This variable has 21 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14776	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,777	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3353-3360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YG112TC: Last time smoked a traditional cigar, even one or two puffs

When was the last time you smoked a traditional cigar, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), Go to box R04_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents that have smoked in the past year (R04_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	2	0.0 %
2	2 = Not today but sometime in the past 7 days	17	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	28	0.2 %
4	4 = Not in the past 30 days but sometime in the past 6 months	52	0.4 %
5	5 = Not in the past 6 months but sometime in the past year	51	0.3 %
6	6 = 1 to 4 years ago	44	0.3 %
7	7 = 5 or more years ago	19	0.1 %
	Total	213	1.4%

This variable has 213 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14576	98.5 %
	Total	14,585	98.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3361-3368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0100TC: When last smoked a traditional cigar

When did you last smoke a traditional cigar?

[If In the past hour, Go to R04_YG0103TC; If Three or more days ago (5), Don't know (-8), or Refused (-7); Go to box R04_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or in the past 7 days.

ASK Specification: IF R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1112TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	1	0.0 %
2	2 = Sometime today	2	0.0 %
3	3 = Yesterday	4	0.0 %
4	4 = Day before yesterday	0	0.0 %
5	5 = Three or more days ago	12	0.1 %
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3369-3376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0102TC: Time period of day when you last smoked a traditional cigar

When you last smoked a traditional cigar [FILL BASED ON R04_YG0100TC], was it...

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1112TC = 1, 2 AND R04_YG0100TC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0 %
2	2 = After 6AM but before noon	2	0.0 %
3	3 = Between noon and 6PM	3	0.0 %
4	4 = After 6PM but before midnight	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	6	0.0%

This variable has 6 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,792	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 3377-3384 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0103TC: Number of traditional cigars smoked today/yesterday/day before yesterday

How many traditional cigars [have/did] you [smoked/smoke] [FILL BASED ON R04_YG0100TC]?
(If less than 1, enter 1.)

[If Don't know (-8), or Refused (-7), Go to box R04_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_GTRAD_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BTRAD != 1 AND R04_YG1112TC = 1, 2 AND
R04_YG0100TC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 7 valid cases out of 14,798 total cases.

- Mean: 5.00
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 5.20

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14791	100.0 %
	Total	14,791	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 3385-3392 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1022TC: In past 30 days, number of days smoked a traditional cigar

In the past 30 days, on how many days did you smoke a traditional cigar?

__ Days

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 46 valid cases out of 14,798 total cases.

- Mean: 4.48
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 6.28

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,752	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3393-3400 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1023TC: In past 30 days, number of traditional cigars smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a traditional cigar, how many traditional cigars did you smoke per day?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 traditional cigar per day	23	0.2 %
2	2 = 1 traditional cigar per day	11	0.1 %
3	3 = 2 to 5 traditional cigars per day	8	0.1 %
4	4 = 6 to 10 traditional cigars per day	2	0.0 %
5	5 = 11 to 20 traditional cigars per day	1	0.0 %
6	6 = More than 20 traditional cigars per day	1	0.0 %
	Total	46	0.3%

This variable has 46 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,752	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3401-3408 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1130TC: In past 30 days, smoked traditional cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the traditional cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), Refused (-7), Go to R04_YG1142TC.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	24	0.2 %

Value	Label	Unweighted Frequency	%
3	3 = I don't know	10	0.1 %
	Total	47	0.3%

This variable has 47 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,751	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3409-3416 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131TC_01: In past 30 days, smoked traditional cigars flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	13	0.1%

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3417-3424 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131TC_02: In past 30 days, smoked traditional cigars flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	13	0.1 %
	Total	13	0.1%

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3425-3432 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131TC_03: In past 30 days, smoked traditional cigars flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	13	0.1%

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3433-3440 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131TC_04: In past 30 days, smoked traditional cigars flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	10	0.1 %

Value	Label	Unweighted Frequency	%
	Total	13	0.1%

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3441-3448 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131TC_05: In past 30 days, smoked traditional cigars flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	10	0.1 %
	Total	13	0.1%

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %

	Missing Data		
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3449-3456 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131TC_06: In past 30 days, smoked traditional cigars flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	12	0.1 %
	Total	13	0.1%

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3457-3464 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131TC_07: In past 30 days, smoked traditional cigars flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	13	0.1%

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3465-3472 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1147TC: How often smoked flavored traditional cigars on days smoked in past 30 days

On the days you smoked traditional cigars in the past 30 days, how often did you smoke flavored traditional cigars?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	5	0.0 %
2	2 = Most of the time	2	0.0 %
3	3 = Sometimes	5	0.0 %
4	4 = Rarely	1	0.0 %
5	5 = Never	0	0.0 %

Value	Label	Unweighted Frequency	%
	Total	13	0.1%

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3473-3480 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1142TC: In past 30 days, anyone sold you traditional cigars

In the past 30 days, did anyone sell you traditional cigars?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	37	0.3 %
	Total	46	0.3%

This variable has 46 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,752	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3481-3488 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1123TC: In the past 30 days, someone refused to sell you traditional cigars because of your age

In the past 30 days, did anyone refuse to sell you traditional cigars because of your age?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	37	0.3 %
	Total	45	0.3%

This variable has 45 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,753	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3489-3496 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1118TC: In past 30 days, how you usually got your own traditional cigars

In the past 30 days, how did you usually get your own traditional cigars?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	13	0.1 %
2	2 = I bought them myself from a store (including a cigar bar)	5	0.0 %
3	3 = I asked someone to give me one	7	0.0 %
4	4 = Someone offered it to me	14	0.1 %
5	5 = I bought them from another person	3	0.0 %
6	6 = I took them from a store or another person	3	0.0 %

Value	Label	Unweighted Frequency	%
7	7 = I got them some other way	2	0.0 %
	Total	47	0.3%

This variable has 47 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,751	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3497-3504 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1030TC: How you usually buy your traditional cigars

How do [you/they] usually buy your traditional cigars?

[If From the internet (2), By telephone (3), Don't know (-8), Refused (-7), Go to box R04_YGR22.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YG1118TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	17	0.1 %
2	2 = From the internet	1	0.0 %
3	3 = By telephone	0	0.0 %
	Total	18	0.1%

This variable has 18 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14780	99.9 %

	Missing Data		
	Total	14,780	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3505-3512 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1033TC: Retail location where your traditional cigars are purchased most of the time

Where do [you/they] buy your traditional cigars most of the time?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND R04_YG1118TC = 1, 2 AND R04_YG1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	13	0.1 %
3	3 = A supermarket, grocery store, or drug store	0	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	3	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	1	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	17	0.1%

This variable has 17 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,781	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3513-3520 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1039TC: Usually buy traditional cigars by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] traditional cigars. Did you buy them by the box or pack, or as single traditional cigars?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_GTRAD_LEVEL = 2 AND
R04_YG1118TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	2	0.0 %
2	2 = Single traditional cigars	5	0.0 %
	Total	7	0.0%

This variable has 7 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14791	100.0 %
	Total	14,791	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 3521-3528 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1040TC: Number of traditional cigars that come in box or pack usually bought

How many traditional cigars came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF R04_PAST30DAY_GTRAD_LEVEL = 2 AND
R04_YG1118TC = 1, 2 AND R04_YG1039TC = 1.

This variable has 2 valid cases out of 14,798 total cases.

- Mean: 7.50
- Median: 7.50
- Minimum: 5.00

- Maximum: 10.00
- Standard Deviation: 3.54

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14796	100.0 %
	Total	14,796	100.0 %

Percentages for both tables are based on 14,798 total cases.

Location: 3529-3536 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1034TC_D: Amount paid when last time bought a box of traditional cigars/pack of traditional cigars/single traditional cigar - Dollars

How much did you pay for a [box or pack of traditional cigars/single traditional cigar]?

___ Dollars

[If Don't know (-8), or refused (-7), Go to R04_YG1047TC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GTRAD_LEVEL = 2 AND R04_YG1118TC = 1, 2 AND R04_YG1039TC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 7 valid cases out of 14,798 total cases.

- Mean: 2.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.73

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14791	100.0 %
	Total	14,791	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 3537-3544 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1034TC_C: Amount paid when last time bought a box of traditional cigars/pack of traditional cigars/single traditional cigar - Cents

How much did you pay for a [box or pack of traditional cigars/single traditional cigar]?

__ Cents

[If Don't know (-8), or refused (-7), Go to R04_YG1047TC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GTRAD_LEVEL = 2 AND R04_YG1118TC = 1, 2 AND R04_YG1039TC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 7 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14791	100.0 %
	Total	14,791	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 3545-3552 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1047TC: Have a regular brand of traditional cigars you usually smoke

Do you have a regular brand of traditional cigars that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	8	0.1 %
	Total	17	0.1%

This variable has 17 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,781	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3553-3560 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1945TC: Know the name of brand of traditional cigars you usually/last smoked

Do you know the name of the brand of traditonal cigars you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YGR11.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.1 %
2	2 = No	26	0.2 %
	Total	47	0.3%

This variable has 47 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,751	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3561-3568 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1048TC_BRAND: Brand of traditional cigars usually/last smoked

What brand of traditional cigar [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND R04_YG1945TC = 1.

This variable has 21 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14777	99.9 %
	Total	14,777	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3569-3576 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YG1945TC = 1 AND R04_YG1048TC_BRAND != 9995, -8, -7.

This variable has 21 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14777	99.9 %
	Total	14,777	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 3577-3584 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0104TC: Brand of very last traditional cigar smoked is same as brand regularly/last smoked

You said earlier that you smoked a [traditional cigar] [TIME OF LAST USE].

Think about the very last [traditional cigar] you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YG0100TC = 1, 2, 3, 4 AND R04_YG1945TC = 1 AND
R04_YG1048TC_BRAND != 9995, -8, -7 AND
R04_YG1070TC_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	2	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14794	100.0 %
	Total	14,794	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 3585-3592 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1060TC_RANDOM_01: YG1060TC series random question 1

Value	Label	Unweighted Frequency	%
-1	-	14751	99.7 %
R04_YG1060TC	-	3	0.0 %
R04_YG1062TC	-	5	0.0 %
R04_YG1063TC	-	8	0.1 %
R04_YG1064TC	-	5	0.0 %
R04_YG1066TC	-	12	0.1 %
R04_YG1075TC	-	9	0.1 %
R04_YG1085TC	-	5	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 3593-3607 (width: 15; decimal: 0)
Variable Type: character

R04_YG1060TC_RANDOM_02: YG1060TC series random question 2

Value	Label	Unweighted Frequency	%
-1	-	14751	99.7 %
R04_YG1060TC	-	11	0.1 %
R04_YG1062TC	-	10	0.1 %
R04_YG1063TC	-	2	0.0 %
R04_YG1064TC	-	3	0.0 %
R04_YG1066TC	-	12	0.1 %
R04_YG1075TC	-	5	0.0 %
R04_YG1085TC	-	4	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 3608-3622 (width: 15; decimal: 0)
Variable Type: character

R04_YG1060TC_RANDOM_03: YG1060TC series random question 3

Value	Label	Unweighted Frequency	%
-1	-	14751	99.7 %
R04_YG1060TC	-	8	0.1 %
R04_YG1062TC	-	6	0.0 %

Value	Label	Unweighted Frequency	%
R04_YG1063TC	-	9	0.1 %
R04_YG1064TC	-	10	0.1 %
R04_YG1066TC	-	5	0.0 %
R04_YG1075TC	-	7	0.0 %
R04_YG1085TC	-	2	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 3623-3637 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060TC_RANDOM_04: YG1060TC series random question 4

Value	Label	Unweighted Frequency	%
-1	-	14751	99.7 %
R04_YG1060TC	-	12	0.1 %
R04_YG1062TC	-	9	0.1 %
R04_YG1063TC	-	3	0.0 %
R04_YG1064TC	-	4	0.0 %
R04_YG1066TC	-	3	0.0 %
R04_YG1075TC	-	8	0.1 %
R04_YG1085TC	-	8	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 3638-3652 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060TC_RANDOM_05: YG1060TC series random question 5

Value	Label	Unweighted Frequency	%
-1	-	14751	99.7 %
R04_YG1060TC	-	6	0.0 %
R04_YG1062TC	-	7	0.0 %
R04_YG1063TC	-	7	0.0 %
R04_YG1064TC	-	3	0.0 %
R04_YG1066TC	-	7	0.0 %
R04_YG1075TC	-	4	0.0 %
R04_YG1085TC	-	13	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 3653-3667 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060TC_RANDOM_06: YG1060TC series random question 6

Value	Label	Unweighted Frequency	%
-1	-	14751	99.7 %
R04_YG1060TC	-	5	0.0 %
R04_YG1062TC	-	4	0.0 %
R04_YG1063TC	-	14	0.1 %
R04_YG1064TC	-	4	0.0 %
R04_YG1066TC	-	3	0.0 %
R04_YG1075TC	-	8	0.1 %
R04_YG1085TC	-	9	0.1 %
	Total	14,798	100.0 %

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 3668-3682 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060TC_RANDOM_07: YG1060TC series random question 7

Value	Label	Unweighted Frequency	%
-1	-	14764	99.8 %
R04_YG1060TC	-	2	0.0 %
R04_YG1062TC	-	6	0.0 %
R04_YG1063TC	-	4	0.0 %
R04_YG1064TC	-	5	0.0 %
R04_YG1066TC	-	5	0.0 %
R04_YG1075TC	-	6	0.0 %
R04_YG1085TC	-	6	0.0 %
	Total	14,798	100.0 %

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 3683-3697 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060TC: Smoke traditional cigars because: They are affordable

The next questions are about the reasons people smoke traditional cigars. Please select which reasons apply to you.

I smoke traditional cigars because...

They are affordable.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.1 %
2	2 = No	28	0.2 %
	Total	47	0.3%

This variable has 47 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,751	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3698-3705 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1085TC: Smoke traditional cigars because: I can smoke them in places where smoking cigarettes is not allowed

I can smoke traditional cigars at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	37	0.3 %
	Total	47	0.3%

This variable has 47 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,751	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3706-3713 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1062TC: Smoke traditional cigars because: They might be less harmful than cigarettes

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	30	0.2 %
	Total	47	0.3%

This variable has 47 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,751	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3714-3721 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1075TC: Smoke traditional cigars because: Might be less harmful to people around me than smoking cigarettes

They might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.1 %
2	2 = No	32	0.2 %
	Total	47	0.3%

This variable has 47 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,751	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3722-3729 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1063TC: Smoke traditional cigars because: They come in flavors I like

Traditional cigars come in flavors I like.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	22	0.1 %
	Total	46	0.3%

This variable has 46 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,752	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3730-3737 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1064TC: Smoke traditional cigars because: It helps people to quit smoking cigarettes

Smoking traditional cigars helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1 AND
R04_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	25	0.2 %
	Total	33	0.2%

This variable has 33 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14764	99.8 %
	Total	14,765	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 3738-3745 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1066TC: Smoke traditional cigars because: It feels like smoking a regular cigarette

Smoking a traditional cigars feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	34	0.2 %
	Total	47	0.3%

This variable has 47 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,751	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3746-3753 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1139TC: Level of agreement: Easier to talk and get along with other people when smoking a traditional cigar

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a traditional cigar.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	21	0.1 %
2	2 = 2 on a scale of 1 to 4	13	0.1 %
3	3 = 3 on a scale of 1 to 4	7	0.0 %
4	4 = Very true of me	6	0.0 %
	Total	47	0.3%

This variable has 47 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,751	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3754-3761 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1140TC: Level of agreement: Feel more confident with other people while smoking a traditional cigar

While smoking a traditional cigar, I feel more confident with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	19	0.1 %
2	2 = 2 on a scale of 1 to 4	13	0.1 %
3	3 = 3 on a scale of 1 to 4	10	0.1 %
4	4 = Very true of me	5	0.0 %
	Total	47	0.3%

This variable has 47 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,751	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3762-3769 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1141TC: Level of agreement: Smoke traditional cigars much more when with other people

I smoke traditional cigars much more when I am with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	15	0.1 %
2	2 = 2 on a scale of 1 to 4	15	0.1 %

Value	Label	Unweighted Frequency	%
3	3 = 3 on a scale of 1 to 4	7	0.0 %
4	4 = Very true of me	10	0.1 %
	Total	47	0.3%

This variable has 47 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,751	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3770-3777 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YG1006CL_NB: DERIVED - Age range when first tried a cigarillo, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a cigarillo, even one or two puffs?

Algorithm: IF R04_YG1120CL_NB = 1 OR (0<=R04_YG1006CL_NB<=11) THEN
R04R_Y_YG1006CL_NB = 1; ELSE IF R04_YG1120CL_NB = 2
OR (12<=R04_YG1006CL_NB<=14) THEN R04R_Y_YG1006CL_NB = 2; ELSE IF R04_YG1120CL_NB
= 3 OR (15<=R04_YG1006CL_NB<=17)
THEN R04R_Y_YG1006CL_NB = 3; ELSE IF R04_YG1006CL_NB = -9 OR R04_YG1120CL_NB =
-9 THEN R04R_Y_YG1006CL_NB = -99999;
ELSE IF R04_YG1006CL_NB = -8 OR R04_YG1120CL_NB = -8 THEN R04R_Y_YG1006CL_NB =
-99988; ELSE IF R04_YG1006CL_NB = -7 OR
R04_YG1120CL_NB = -7 THEN R04R_Y_YG1006CL_NB = -99977; ELSE IF R04_YG1006CL_NB
= -5 THEN R04R_Y_YG1006CL_NB = -99955;
ELSE IF R04_YG1006CL_NB = -1 OR R04_YG1120CL_NB = -1 THEN R04R_Y_YG1006CL_NB
= -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	11	0.1 %
2	2 = 12 to 14 years old	39	0.3 %
3	3 = 15 to 17 years old	68	0.5 %
	Total	118	0.8%

This variable has 118 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14679	99.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,680	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 3778-3785 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YG1108CL: First cigarillo smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first cigarillo you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), Go to box R04_YGR09.]

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1) OR
(R04_YOUTHTYPE = 1 AND R04_INIT_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	131	0.9 %
2	2 = No	60	0.4 %
3	3 = I don't know	42	0.3 %
	Total	233	1.6%

This variable has 233 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14564	98.4 %
	Total	14,565	98.4%

Percentages for both tables are based on 14,798 total cases.

Location: 3786-3793 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011CL_01: Flavor of first cigarillo smoked: Menthol or mint

What flavor was that first cigarillo you smoked? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1) OR
(R04_YOUTHTYPE = 1 AND R04_INIT_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.1 %
2	2 = Not Marked	109	0.7 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 3794-3801 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011CL_02: Flavor of first cigarillo smoked: Clove or spice

What flavor was that first cigarillo you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1) OR
(R04_YOUTHTYPE = 1 AND R04_INIT_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	129	0.9 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 3802-3809 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011CL_03: Flavor of first cigarillo smoked: Fruit

What flavor was that first cigarillo you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1) OR
(R04_YOUTHTYPE = 1 AND R04_INIT_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	82	0.6 %
2	2 = Not Marked	49	0.3 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 3810-3817 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011CL_04: Flavor of first cigarillo smoked: Chocolate

What flavor was that first cigarillo you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GRILLO_YOUTH = 1 AND

R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1) OR
 (R04_YOUTHTYPE = 1 AND R04_INIT_GRILLO_YOUTH = 1 AND
 R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	120	0.8 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 3818-3825 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011CL_05: Flavor of first cigarillo smoked: An alcoholic drink

What flavor was that first cigarillo you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
 R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
 R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1) OR
 (R04_YOUTHTYPE = 1 AND R04_INIT_GRILLO_YOUTH = 1 AND
 R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	110	0.7 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 3826-3833 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011CL_06: Flavor of first cigarillo smoked: Candy or other sweets

What flavor was that first cigarillo you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_GRILLO_YOUTH = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	21	0.1 %
2	2 = Not Marked	110	0.7 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 3834-3841 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011CL_07: Flavor of first cigarillo smoked: Some other flavor

What flavor was that first cigarillo you smoked? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1) OR
(R04_YOUTHTYPE = 1 AND R04_INIT_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	130	0.9 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 3842-3849 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1005CL: Number of cigarillos smoked in entire life

How many cigarillos have you smoked in your entire life?

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_YOUTHTYPE = 1 AND
R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_NUMLIFE_GRILLO != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	117	0.8 %
2	2 = 1	38	0.3 %
3	3 = 2 to 10	122	0.8 %
4	4 = 11 to 20	51	0.3 %
5	5 = 21 to 50	32	0.2 %
6	6 = 51 to 99	20	0.1 %
7	7 = 100 or more	16	0.1 %
	Total	396	2.7%

This variable has 396 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	14372	97.1 %
	Total	14,402	97.3%

Percentages for both tables are based on 14,798 total cases.

Location: 3850-3857 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9040CL: Group most like cigarillo usually smoked

Please look at this picture. Which group is most like the cigarillo you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	22	0.1 %
2	2 = Group 2	216	1.5 %
3	3 = Group 3	128	0.9 %
4	4 = Group 4	32	0.2 %
	Total	398	2.7%

This variable has 398 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.2 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	14367	97.1 %
	Total	14,400	97.3%

Percentages for both tables are based on 14,798 total cases.

Location: 3858-3865 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1100CL: Ever smoked cigarillos fairly regularly

Have you ever smoked cigarillos fairly regularly?

[If No (2), Don't know (-8), or Refused, Go to R04_YG1112CL.]

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1) OR (R04_YOUTHTYPE = 1 AND

R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R03_REGUSE_GRILLO != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	72	0.5 %
2	2 = No	332	2.2 %
	Total	404	2.7%

This variable has 404 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14392	97.3 %
	Total	14,394	97.3%

Percentages for both tables are based on 14,798 total cases.

Location: 3866-3873 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YG1007CL: DERIVED - Age range when first started smoking cigarillos fairly regularly (3 levels)

Long Description: How old were you when you first started smoking cigarillos fairly regularly?

Algorithm: IF R04_YG1121CL = 1 OR (0<=R04_YG1007CL<=11) THEN R04R_Y_YG1007CL = 1; ELSE IF R04_YG1121CL = 2 OR (12<=R04_YG1007CL<=14) THEN R04R_Y_YG1007CL = 2; ELSE IF R04_YG1121CL = 3 OR (15<=R04_YG1007CL<=17) THEN R04R_Y_YG1007CL = 3; ELSE IF R04_YG1007CL = -9 OR R04_YG1121CL = -9 THEN R04R_Y_YG1007CL = -99999; ELSE IF R04_YG1007CL = -8 OR R04_YG1121CL = -8 THEN R04R_Y_YG1007CL = -99988; ELSE IF R04_YG1007CL = -7 OR R04_YG1121CL = -7 THEN R04R_Y_YG1007CL = -99977; ELSE IF R04_YG1007CL = -5 THEN R04R_Y_YG1007CL = -99955; ELSE IF R04_YG1007CL = -1 OR R04_YG1121CL = -1 THEN R04R_Y_YG1007CL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	7	0.0 %
2	2 = 12 to 14 years old	26	0.2 %
3	3 = 15 to 17 years old	39	0.3 %
	Total	72	0.5%

This variable has 72 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14726	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,726	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 3874-3881 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YG112CL: Last time smoked a cigarillo, even one or two puffs

When was the last time you smoked a cigarillo, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), Go to box R04_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents that have smoked in the past year (R04_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	19	0.1 %
2	2 = Not today but sometime in the past 7 days	64	0.4 %
3	3 = Not in the past 7 days but sometime in the past 30 days	60	0.4 %
4	4 = Not in the past 30 days but sometime in the past 6 months	87	0.6 %
5	5 = Not in the past 6 months but sometime in the past year	76	0.5 %
6	6 = 1 to 4 years ago	70	0.5 %
7	7 = 5 or more years ago	31	0.2 %
	Total	407	2.8%

This variable has 407 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	14367	97.1 %
	Total	14,391	97.2%

Percentages for both tables are based on 14,798 total cases.

Location: 3882-3889 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0100CL: When last smoked a cigarillo

When did you last smoke a cigarillo?

[If In the past hour, Go to R04_YG0103TC; If Three or more days ago (5), Don't know (-8), or Refused (-7); Go to box R04_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or in the past 7 days.

ASK Specification: IF R04_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1112CL = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	4	0.0 %
2	2 = Sometime today	13	0.1 %
3	3 = Yesterday	16	0.1 %
4	4 = Day before yesterday	12	0.1 %
5	5 = Three or more days ago	33	0.2 %
	Total	78	0.5%

This variable has 78 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14715	99.4 %
	Total	14,720	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 3890-3897 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0102CL: Time period of day when you last smoked a cigarillo

When you last smoked a cigarillo [FILL BASED ON R04_YG0100CL], was it...

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_GRILLO_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1112CL = 1, 2 AND
R04_YG0100CL = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	8	0.1 %
2	2 = After 6AM but before noon	5	0.0 %
3	3 = Between noon and 6PM	20	0.1 %
4	4 = After 6PM but before midnight	8	0.1 %
	Total	41	0.3%

This variable has 41 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14757	99.7 %
	Total	14,757	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3898-3905 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0103CL: Number of cigarillos smoked today/yesterday/day before yesterday

How many cigarillos [have/did] you [smoked/smoke] [FILL BASED ON R04_YG0100CL]? (If less than 1, enter 1.)

[If Don't know (-8), or Refused (-7), Go to box R04_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_12MBLUNT_ONLY_BRILLO != 1 AND R04_YG1112CL = 1, 2 AND R04_YG0100CL = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 45 valid cases out of 14,798 total cases.

- Mean: 3.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 77.00
- Standard Deviation: 11.28

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14753	99.7 %
	Total	14,753	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 3906-3913 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1022CL: In past 30 days, number of days smoked a cigarillo

In the past 30 days, on how many days did you smoke a cigarillo?

___ Days

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 138 valid cases out of 14,798 total cases.

- Mean: 6.13
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 7.32

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,660	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 3914-3921 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1023CL: In past 30 days, number of cigarillos smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a cigarillo, how many cigarillos did you smoke per day?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarillo per day	62	0.4 %
2	2 = 1 cigarillo per day	34	0.2 %
3	3 = 2 to 5 cigarillos per day	40	0.3 %
4	4 = 6 to 10 cigarillos per day	2	0.0 %
5	5 = 11 to 20 cigarillos per day	0	0.0 %
6	6 = More than 20 cigarillos per day	0	0.0 %
	Total	138	0.9%

This variable has 138 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,660	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 3922-3929 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1130CL: In past 30 days, smoked cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), Refused (-7), Go to R04_YG1142CL.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	66	0.4 %
2	2 = No	50	0.3 %
3	3 = I don't know	27	0.2 %
	Total	143	1.0%

This variable has 143 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,655	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 3930-3937 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131CL_01: In past 30 days, smoked cigarillos flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND
R04_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	50	0.3 %
	Total	66	0.4%

This variable has 66 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14732	99.6 %
	Total	14,732	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3938-3945 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131CL_02: In past 30 days, smoked cigarillos flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND
R04_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	62	0.4 %
	Total	66	0.4%

This variable has 66 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14732	99.6 %
	Total	14,732	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3946-3953 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131CL_03: In past 30 days, smoked cigarillos flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND
R04_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	42	0.3 %
2	2 = Not Marked	24	0.2 %
	Total	66	0.4%

This variable has 66 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14732	99.6 %
	Total	14,732	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3954-3961 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131CL_04: In past 30 days, smoked cigarillos flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND
R04_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	61	0.4 %
	Total	66	0.4%

This variable has 66 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14732	99.6 %
	Total	14,732	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3962-3969 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131CL_05: In past 30 days, smoked cigarillos flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND
R04_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	48	0.3 %

Value	Label	Unweighted Frequency	%
	Total	66	0.4%

This variable has 66 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14732	99.6 %
	Total	14,732	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3970-3977 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131CL_06: In past 30 days, smoked cigarillos flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND

R04_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	48	0.3 %
	Total	66	0.4%

This variable has 66 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14732	99.6 %

	Missing Data		
	Total	14,732	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3978-3985 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131CL_07: In past 30 days, smoked cigarillos flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND
R04_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	64	0.4 %
	Total	66	0.4%

This variable has 66 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14732	99.6 %
	Total	14,732	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3986-3993 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1147CL: How often smoked flavored cigarillos on days smoked in past 30 days

On the days you smoked cigarillos in the past 30 days, how often did you smoke flavored cigarillos?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND
R04_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	26	0.2 %
2	2 = Most of the time	11	0.1 %
3	3 = Sometimes	13	0.1 %
4	4 = Rarely	10	0.1 %
5	5 = Never	6	0.0 %
	Total	66	0.4%

This variable has 66 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14732	99.6 %
	Total	14,732	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 3994-4001 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1142CL: In past 30 days, anyone sold you cigarillos

In the past 30 days, did anyone sell you cigarillos

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	27	0.2 %
2	2 = No	115	0.8 %
	Total	142	1.0%

This variable has 142 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,656	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4002-4009 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1123CL: In the past 30 days, someone refused to sell you cigarillos because of your age

In the past 30 days, did anyone refuse to sell you cigarillos because of your age?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.1 %
2	2 = No	122	0.8 %
	Total	142	1.0%

This variable has 142 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,656	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4010-4017 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1118CL: In past 30 days, how you usually got your own cigarillos

In the past 30 days, how did you usually get your own cigarillos?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	40	0.3 %
2	2 = I bought them myself from a store (including a cigar bar)	21	0.1 %
3	3 = I asked someone to give me one	21	0.1 %
4	4 = Someone offered it to me	38	0.3 %
5	5 = I bought them from another person	6	0.0 %
6	6 = I took them from a store or another person	6	0.0 %
7	7 = I got them some other way	4	0.0 %
	Total	136	0.9%

This variable has 136 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,662	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 4018-4025 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1030CL: How you usually buy your cigarillos

How do [you/they] usually buy your cigarillos?

[If From the internet (2), By telephone (3), Don't know (-8), Refused (-7), Go to box R04_YGR22.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND
R04_YG1118CL = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	60	0.4 %
2	2 = From the internet	1	0.0 %
3	3 = By telephone	0	0.0 %
	Total	61	0.4%

This variable has 61 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14737	99.6 %
	Total	14,737	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 4026-4033 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1033CL: Retail location where your cigarillos are purchased most of the time

Where do [you/they] buy your cigarillos most of the time?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND

R04_YG1118CL = 1, 2 AND R04_YG1030CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	4	0.0 %
2	2 = A convenience store or gas station	47	0.3 %
3	3 = A supermarket, grocery store, or drug store	5	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	2	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	1	0.0 %
	Total	59	0.4%

This variable has 59 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14738	99.6 %

	Missing Data		
	Total	14,739	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 4034-4041 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1039CL: Usually buy cigarillos by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] cigarillos. Did you buy them by the box or pack, or as single cigarillos?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_GRILLO_LEVEL = 2 AND
R04_YG1118CL = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	19	0.1 %
2	2 = Single cigarillos	18	0.1 %
	Total	37	0.3%

This variable has 37 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,761	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4042-4049 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1040CL: Number of cigarillos that come in box or pack usually bought

How many cigarillos came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF R04_PAST30DAY_GRILLO_LEVEL = 2 AND

R04_YG1118CL = 1, 2 AND R04_YG1039CL = 1.

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4050-4057 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1034CL_D: Amount paid when last time bought a box of cigarillos/pack of cigarillos/single cigarillo - Dollars

How much did you pay for a [box or pack of cigarillos/single cigarillo]?

___ Dollars

[If Don't know (-8), or refused (-7), Go to R04_YG1047CL.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GRILLO_LEVEL = 2 AND R04_YG1118CL = 1, 2 AND R04_YG1039CL = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 37 valid cases out of 14,798 total cases.

- Mean: 1.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 2.18

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14761	99.7 %
	Total	14,761	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4058-4065 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1034CL_C: Amount paid when last time bought a box of cigarillos/pack of cigarillos/single cigarillo - Cents

How much did you pay for a [box or pack of cigarillos/single cigarillo]?

__ Cents

[If Don't know (-8), or refused (-7), Go to R04_YG1047CL.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GRILLO_LEVEL = 2 AND R04_YG1118CL = 1, 2 AND R04_YG1039CL = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 37 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14761	99.7 %
	Total	14,761	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4066-4073 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1047CL: Have a regular brand of cigarillos you usually smoke

Do you have a regular brand of cigarillos that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.3 %
2	2 = No	26	0.2 %
	Total	73	0.5%

This variable has 73 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14725	99.5 %
	Total	14,725	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 4074-4081 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1945CL: Know the name of brand of cigarillos you usually/last smoked

Do you know the name of the brand of cigarillos you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YGR11.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	92	0.6 %
2	2 = No	51	0.3 %
	Total	143	1.0%

This variable has 143 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,655	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4082-4089 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1048CL_BRAND: Brand of cigarillos usually/last smoked

What brand of cigarillo [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND R04_YG1945CL = 1.

This variable has 91 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14706	99.4 %
	Total	14,707	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 4090-4097 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1070CL_PRODUCT: Sub-brand of cigarillo product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND

R04_YG1945CL = 1 AND R04_YG1048CL_BRAND != 9995, -8, -7.

This variable has 88 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14708	99.4 %
	Total	14,710	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 4098-4105 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0104CL: Brand of very last cigarillo smoked is same as brand regularly/last smoked

You said earlier that you smoked a [cigarillo] [TIME OF LAST USE].

Think about the very last [cigarillo] you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND
R04_YG0100CL = 1, 2, 3, 4 AND R04_YG1945CL = 1 AND
R04_YG1048CL_BRAND != 9995, -8, -7 AND
R04_YG1070CL_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.1 %
2	2 = No	5	0.0 %
	Total	24	0.2%

This variable has 24 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14773	99.8 %
	Total	14,774	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4106-4113 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1060CL_RANDOM_01: YG1060CL series random question 1

Value	Label	Unweighted Frequency	%
-1	-	14655	99.0 %
R04_YG1060CL	-	30	0.2 %
R04_YG1062CL	-	20	0.1 %
R04_YG1063CL	-	19	0.1 %
R04_YG1064CL	-	16	0.1 %
R04_YG1066CL	-	22	0.1 %
R04_YG1075CL	-	20	0.1 %
R04_YG1085CL	-	16	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4114-4128 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060CL_RANDOM_02: YG1060CL series random question 2

Value	Label	Unweighted Frequency	%
-1	-	14655	99.0 %
R04_YG1060CL	-	18	0.1 %
R04_YG1062CL	-	24	0.2 %
R04_YG1063CL	-	23	0.2 %
R04_YG1064CL	-	19	0.1 %
R04_YG1066CL	-	22	0.1 %
R04_YG1075CL	-	23	0.2 %
R04_YG1085CL	-	14	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4129-4143 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060CL_RANDOM_03: YG1060CL series random question 3

Value	Label	Unweighted Frequency	%
-1	-	14655	99.0 %
R04_YG1060CL	-	15	0.1 %

Value	Label	Unweighted Frequency	%
R04_YG1062CL	-	23	0.2 %
R04_YG1063CL	-	20	0.1 %
R04_YG1064CL	-	15	0.1 %
R04_YG1066CL	-	23	0.2 %
R04_YG1075CL	-	22	0.1 %
R04_YG1085CL	-	25	0.2 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4144-4158 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060CL_RANDOM_04: YG1060CL series random question 4

Value	Label	Unweighted Frequency	%
-1	-	14655	99.0 %
R04_YG1060CL	-	25	0.2 %
R04_YG1062CL	-	15	0.1 %
R04_YG1063CL	-	23	0.2 %
R04_YG1064CL	-	16	0.1 %
R04_YG1066CL	-	25	0.2 %
R04_YG1075CL	-	16	0.1 %
R04_YG1085CL	-	23	0.2 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4159-4173 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060CL_RANDOM_05: YG1060CL series random question 5

Value	Label	Unweighted Frequency	%
-1	-	14655	99.0 %
R04_YG1060CL	-	16	0.1 %
R04_YG1062CL	-	18	0.1 %
R04_YG1063CL	-	23	0.2 %
R04_YG1064CL	-	13	0.1 %
R04_YG1066CL	-	21	0.1 %
R04_YG1075CL	-	23	0.2 %
R04_YG1085CL	-	29	0.2 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4174-4188 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060CL_RANDOM_06: YG1060CL series random question 6

Value	Label	Unweighted Frequency	%
-1	-	14655	99.0 %
R04_YG1060CL	-	20	0.1 %
R04_YG1062CL	-	31	0.2 %
R04_YG1063CL	-	16	0.1 %
R04_YG1064CL	-	12	0.1 %
R04_YG1066CL	-	20	0.1 %
R04_YG1075CL	-	23	0.2 %
R04_YG1085CL	-	21	0.1 %
	Total	14,798	100.0 %

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4189-4203 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060CL_RANDOM_07: YG1060CL series random question 7

Value	Label	Unweighted Frequency	%
-1	-	14700	99.3 %
R04_YG1060CL	-	19	0.1 %
R04_YG1062CL	-	12	0.1 %
R04_YG1063CL	-	19	0.1 %
R04_YG1064CL	-	7	0.0 %
R04_YG1066CL	-	10	0.1 %
R04_YG1075CL	-	16	0.1 %
R04_YG1085CL	-	15	0.1 %
	Total	14,798	100.0 %

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4204-4218 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060CL: Smoke cigarillos because: They are affordable

The next questions are about the reasons people smoke cigarillos. Please select which reasons apply to you.

I smoke cigarillos because...

They are affordable.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	81	0.5 %
2	2 = No	61	0.4 %
	Total	142	1.0%

This variable has 142 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,656	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4219-4226 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1085CL: Smoke cigarillos because: I can smoke them in places where smoking cigarettes is not allowed

I can smoke cigarillos at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.1 %
2	2 = No	119	0.8 %
	Total	141	1.0%

This variable has 141 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,657	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4227-4234 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1062CL: Smoke cigarillos because: They might be less harmful than cigarettes

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.3 %
2	2 = No	99	0.7 %
	Total	141	1.0%

This variable has 141 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,657	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4235-4242 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1075CL: Smoke cigarillos because: Might be less harmful to people around me than smoking cigarettes

They might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	112	0.8 %
	Total	141	1.0%

This variable has 141 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,657	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4243-4250 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1063CL: Smoke cigarillos because: They come in flavors I like

Cigarillos come in flavors I like.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	87	0.6 %
2	2 = No	55	0.4 %
	Total	142	1.0%

This variable has 142 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,656	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4251-4258 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1064CL: Smoke cigarillos because: It helps people to quit smoking cigarettes

Smoking cigarillos helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1 AND R04_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	82	0.6 %
	Total	98	0.7%

This variable has 98 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14700	99.3 %
	Total	14,700	99.3%

Percentages for both tables are based on 14,798 total cases.

Location: 4259-4266 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1066CL: Smoke cigarillos because: It feels like smoking a regular cigarette

Smoking a cigarillos feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.2 %
2	2 = No	109	0.7 %
	Total	142	1.0%

This variable has 142 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,656	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4267-4274 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1139CL: Level of agreement: Easier to talk and get along with other people when smoking a cigarillo

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a cigarillo.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	69	0.5 %
2	2 = 2 on a scale of 1 to 4	32	0.2 %
3	3 = 3 on a scale of 1 to 4	26	0.2 %
4	4 = Very true of me	13	0.1 %
	Total	140	0.9%

This variable has 140 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,658	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 4275-4282 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1140CL: Level of agreement: Feel more confident with other people while smoking a cigarillo

While smoking a cigarillo, I feel more confident with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	86	0.6 %
2	2 = 2 on a scale of 1 to 4	28	0.2 %
3	3 = 3 on a scale of 1 to 4	21	0.1 %
4	4 = Very true of me	8	0.1 %
	Total	143	1.0%

This variable has 143 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,655	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4283-4290 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1141CL: Level of agreement: Smoke cigarillos much more when with other people

I smoke cigarillos much more when I am with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	61	0.4 %
2	2 = 2 on a scale of 1 to 4	34	0.2 %
3	3 = 3 on a scale of 1 to 4	23	0.2 %

Value	Label	Unweighted Frequency	%
4	4 = Very true of me	25	0.2 %
	Total	143	1.0%

This variable has 143 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,655	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4291-4298 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YG1006FC_NB: DERIVED - Age range when first tried a filtered cigar, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a filtered cigar, even one or two puffs?

Algorithm: IF R04_YG1120FC_NB = 1 OR (0<=R04_YG1006FC_NB<=11) THEN R04R_Y_YG1006FC_NB = 1; ELSE IF R04_YG1120FC_NB = 2 OR (12<=R04_YG1006FC_NB<=14) THEN R04R_Y_YG1006FC_NB = 2; ELSE IF R04_YG1120FC_NB = 3 OR (15<=R04_YG1006FC_NB<=17) THEN R04R_Y_YG1006FC_NB = 3; ELSE IF R04_YG1006FC_NB = -9 OR R04_YG1120FC_NB = -9 THEN R04R_Y_YG1006FC_NB = -99999; ELSE IF R04_YG1006FC_NB = -8 OR R04_YG1120FC_NB = -8 THEN R04R_Y_YG1006FC_NB = -99988; ELSE IF R04_YG1006FC_NB = -7 OR R04_YG1120FC_NB = -7 THEN R04R_Y_YG1006FC_NB = -99977; ELSE IF R04_YG1006FC_NB = -5 THEN R04R_Y_YG1006FC_NB = -99955; ELSE IF R04_YG1006FC_NB = -1 OR R04_YG1120FC_NB = -1 THEN R04R_Y_YG1006FC_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	5	0.0 %
2	2 = 12 to 14 years old	16	0.1 %
3	3 = 15 to 17 years old	33	0.2 %
	Total	54	0.4%

This variable has 54 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14740	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,744	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 4299-4306 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YG1108FC: First filtered cigar smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first filtered cigar you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GFILTR_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BFILTR != 1) OR
(R04_YOUTHTYPE = 1 AND R04_INIT_GFILTR_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	40	0.3 %
2	2 = No	42	0.3 %
3	3 = I don't know	36	0.2 %
	Total	118	0.8%

This variable has 118 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14680	99.2 %
	Total	14,680	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 4307-4314 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011FC_01: Flavor of first filtered cigar smoked: Menthol or mint

What flavor was that first filtered cigar you smoked? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	28	0.2 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14758	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4315-4322 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011FC_02: Flavor of first filtered cigar smoked: Clove or spice

What flavor was that first filtered cigar you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND
R04_YG1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_GFILTR_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	36	0.2 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14758	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4323-4330 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011FC_03: Flavor of first filtered cigar smoked: Fruit

What flavor was that first filtered cigar you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only

traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2 %
2	2 = Not Marked	16	0.1 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14758	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4331-4338 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011FC_04: Flavor of first filtered cigar smoked: Chocolate

What flavor was that first filtered cigar you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	36	0.2 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14758	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4339-4346 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011FC_05: Flavor of first filtered cigar smoked: An alcoholic drink

What flavor was that first filtered cigar you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	39	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14758	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4347-4354 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011FC_06: Flavor of first filtered cigar smoked: Candy or other sweets

What flavor was that first filtered cigar you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	33	0.2 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14758	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4355-4362 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1011FC_07: Flavor of first filtered cigar smoked: Some other flavor

What flavor was that first filtered cigar you smoked? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored, or continuing youth respondents who have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	40	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14758	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4363-4370 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1005FC: Number of filtered cigars smoked in entire life

How many filtered cigars have you smoked in your entire life?

ASK: New baseline youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars/cigarillos/filtered cigars in their lifetime as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND
R04_EVER_NEVER_GFILTR_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BFILTR != 1) OR (R04_YOUTHTYPE = 1 AND
R04_EVER_NEVER_GFILTR_YOUTH = 1 AND
R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_NUMLIFE_GFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	57	0.4 %
2	2 = 1	25	0.2 %
3	3 = 2 to 10	51	0.3 %
4	4 = 11 to 20	22	0.1 %
5	5 = 21 to 50	12	0.1 %
6	6 = 51 to 99	7	0.0 %
7	7 = 100 or more	7	0.0 %
	Total	181	1.2%

This variable has 181 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14609	98.7 %
	Total	14,617	98.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4371-4378 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9040FC: Group most like filtered cigar usually smoked

Please look at this picture. Which group is most like the filtered cigar you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_EVER_NEVER_GFILTR_YOUTH = 1 AND

R04_12MBLUNT_ONLY_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	9	0.1 %
2	2 = Group 2	48	0.3 %
3	3 = Group 3	34	0.2 %
4	4 = Group 4	97	0.7 %
	Total	188	1.3%

This variable has 188 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14603	98.7 %
	Total	14,610	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4379-4386 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1100FC: Ever smoked filtered cigars fairly regularly

Have you ever smoked filtered cigars fairly regularly?

[If No (2), Don't know (-8), or Refused, Go to R04_YG1112FC.]

ASK: New baseline youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or continuing youth respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R03_REGUSE_GFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	154	1.0 %
	Total	178	1.2%

This variable has 178 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14620	98.8 %
	Total	14,620	98.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4387-4394 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YG1007FC: DERIVED - Age range when first started smoking filtered cigars fairly regularly (3 levels)

Long Description: How old were you when you first started smoking filtered cigars fairly regularly?

Algorithm: IF R04_YG1121FC = 1 OR (0<=R04_YG1007FC<=11) THEN R04R_Y_YG1007FC = 1; ELSE IF R04_YG1121FC = 2 OR (12<=R04_YG1007FC<=14) THEN R04R_Y_YG1007FC = 2; ELSE IF R04_YG1121FC = 3 OR (15<=R04_YG1007FC<=17) THEN R04R_Y_YG1007FC = 3; ELSE IF R04_YG1007FC = -9 OR R04_YG1121FC = -9 THEN R04R_Y_YG1007FC = -99999; ELSE IF R04_YG1007FC = -8 OR R04_YG1121FC = -8 THEN R04R_Y_YG1007FC = -99988; ELSE IF R04_YG1007FC = -7 OR R04_YG1121FC = -7 THEN R04R_Y_YG1007FC = -99977; ELSE IF R04_YG1007FC = -5 THEN R04R_Y_YG1007FC = -99955; ELSE IF R04_YG1007FC = -1 OR R04_YG1121FC = -1 THEN R04R_Y_YG1007FC = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	6	0.0 %
2	2 = 12 to 14 years old	11	0.1 %
3	3 = 15 to 17 years old	6	0.0 %
	Total	23	0.2%

This variable has 23 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %

	Missing Data		
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14774	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,775	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4395-4402 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YG112FC: Last time smoked a filtered cigar, even one or two puffs

When was the last time you smoked a filtered cigar, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), Go to box R04_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents that have smoked in the past year (R04_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	6	0.0 %
2	2 = Not today but sometime in the past 7 days	15	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	22	0.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	48	0.3 %
5	5 = Not in the past 6 months but sometime in the past year	47	0.3 %
6	6 = 1 to 4 years ago	34	0.2 %
7	7 = 5 or more years ago	17	0.1 %
	Total	189	1.3%

This variable has 189 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14603	98.7 %

	Missing Data		
	Total	14,609	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4403-4410 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0100FC: When last smoked a filtered cigar

When did you last smoke a filtered cigar?

[If In the past hour, Go to R04_YG0103TC; If Three or more days ago (5), Don't know (-8), or Refused (-7); Go to box R04_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or in the past 7 days.

ASK Specification: IF R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1112FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	3	0.0 %
2	2 = Sometime today	6	0.0 %
3	3 = Yesterday	5	0.0 %
4	4 = Day before yesterday	1	0.0 %
5	5 = Three or more days ago	6	0.0 %
	Total	21	0.1%

This variable has 21 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14777	99.9 %
	Total	14,777	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4411-4418 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0102FC: Time period of day when you last smoked a filtered cigar

When you last smoked a filtered cigar [FILL BASED ON R04_YG0100FC], was it...

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1112FC = 1, 2 AND R04_YG0100FC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	1	0.0 %
2	2 = After 6AM but before noon	4	0.0 %
3	3 = Between noon and 6PM	3	0.0 %
4	4 = After 6PM but before midnight	4	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14786	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4419-4426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0103FC: Number of filtered cigars smoked today/yesterday/day before yesterday

How many filtered cigars [have/did] you [smoked/smoke] [FILL BASED ON R04_YG0100FC]? (If less than 1, enter 1.)

[If Don't know (-8), or Refused (-7), Go to box R04_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar/cigarillo/filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar earlier today or in the past 7 days and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_12MBLUNT_ONLY_BFILTR != 1 AND R04_YG1112FC = 1, 2 AND R04_YG0100FC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 15 valid cases out of 14,798 total cases.

- Mean: 2.73
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 2.19

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14783	99.9 %
	Total	14,783	99.9 %

Percentages for both tables are based on 14,798 total cases.

Location: 4427-4434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1022FC: In past 30 days, number of days smoked a filtered cigar

In the past 30 days, on how many days did you smoke a filtered cigar?

___ Days

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 42 valid cases out of 14,798 total cases.

- Mean: 7.83
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 8.91

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,756	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4435-4442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1023FC: In past 30 days, number of filtered cigars smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a filtered cigar, how many filtered cigars did you smoke per day?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 filtered cigar per day	13	0.1 %
2	2 = 1 filtered cigar per day	6	0.0 %
3	3 = 2 to 5 filtered cigars per day	20	0.1 %
4	4 = 6 to 10 filtered cigars per day	3	0.0 %
5	5 = 11 to 20 filtered cigars per day	1	0.0 %
6	6 = More than 20 filtered cigars per day	0	0.0 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4443-4450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1130FC: In past 30 days, smoked filtered cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the filtered cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), Refused (-7), Go to R04_YG1142FC.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.1 %
2	2 = No	17	0.1 %
3	3 = I don't know	7	0.0 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4451-4458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131FC_01: In past 30 days, smoked filtered cigars flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND
R04_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	13	0.1 %
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4459-4466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131FC_02: In past 30 days, smoked filtered cigars flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND
R04_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	19	0.1 %
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4467-4474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131FC_03: In past 30 days, smoked filtered cigars flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND

R04_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	5	0.0 %
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4475-4482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131FC_04: In past 30 days, smoked filtered cigars flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND R04_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	17	0.1 %
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4483-4490 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131FC_05: In past 30 days, smoked filtered cigars flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND R04_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	17	0.1 %

Value	Label	Unweighted Frequency	%
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4491-4498 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131FC_06: In past 30 days, smoked filtered cigars flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND

R04_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	14	0.1 %
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %

	Missing Data		
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4499-4506 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1131FC_07: In past 30 days, smoked filtered cigars flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND
R04_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	19	0.1 %
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4507-4514 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1147FC: How often smoked flavored filtered cigars on days smoked in past 30 days

On the days you smoked filtered cigars in the past 30 days, how often did you smoke flavored filtered cigars?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and have smoked

flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND
R04_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	6	0.0 %
2	2 = Most of the time	3	0.0 %
3	3 = Sometimes	7	0.0 %
4	4 = Rarely	3	0.0 %
5	5 = Never	0	0.0 %
	Total	19	0.1%

This variable has 19 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4515-4522 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1142FC: In past 30 days, anyone sold you filtered cigars

In the past 30 days, did anyone sell you cigarillos?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	34	0.2 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4523-4530 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1123FC: In the past 30 days, someone refused to sell you filtered cigars because of your age

In the past 30 days, did anyone refuse to sell you filtered cigars because of your age?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	37	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4531-4538 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1118FC: In past 30 days, how you usually got your own filtered cigars

In the past 30 days, how did you usually get your own filtered cigars?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	11	0.1 %
2	2 = I bought them myself from a store (including a cigar bar)	6	0.0 %
3	3 = I asked someone to give me one	8	0.1 %
4	4 = Someone offered it to me	10	0.1 %
5	5 = I bought them from another person	2	0.0 %
6	6 = I took them from a store or another person	2	0.0 %
7	7 = I got them some other way	2	0.0 %
	Total	41	0.3%

This variable has 41 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,757	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4539-4546 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1030FC: How you usually buy your filtered cigars

How do [you/they] usually buy your filtered cigars?

[If From the internet (2), By telephone (3), Don't know (-8), Refused (-7), Go to box R04_YGR22.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND
R04_YG1118FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	15	0.1 %
2	2 = From the internet	1	0.0 %
3	3 = By telephone	0	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,782	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4547-4554 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1033FC: Retail location where your filtered cigars are purchased most of the time

Where do [you/they] buy your filtered cigars most of the time?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND
R04_YG118FC = 1, 2 AND R04_YG1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	12	0.1 %
3	3 = A supermarket, grocery store, or drug store	0	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	2	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14783	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4555-4562 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1039FC: Usually buy filtered cigars by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] filtered cigars. Did you buy them by the box or pack, or as single filtered cigars?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_GFILTR_LEVEL = 2 AND
R04_YG1118FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	6	0.0 %
2	2 = Single filtered cigars	5	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14786	99.9 %
	Total	14,787	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4563-4570 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1040FC: Number of filtered cigars that come in box or pack usually bought

How many filtered cigars came in the box or pack that you last bought?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: IF R04_PAST30DAY_GFILTR_LEVEL = 2 AND R04_YG1118FC = 1, 2 AND R04_YG1039FC = 1.

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4571-4578 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1034FC_D: Amount paid when last time bought a box of filtered cigars/pack of filtered cigars/single filtered cigar - Dollars

How much did you pay for a [box or pack of filtered cigars/single filtered cigar]?

___ Dollars

[If Don't know (-8), or refused (-7), Go to R04_YG1047FC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GFILTR_LEVEL = 2 AND R04_YG1118FC = 1, 2 AND R04_YG1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 11 valid cases out of 14,798 total cases.

- Mean: 3.91
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 4.68

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14787	99.9 %
	Total	14,787	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4579-4586 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1034FC_C: Amount paid when last time bought a box of filtered cigars/pack of filtered cigars/single filtered cigar - Cents

How much did you pay for a [box or pack of filtered cigars/single filtered cigar]?

__ Cents

[If Don't know (-8), or refused (-7), Go to R04_YG1047FC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers and usually get traditional cigars/cigarillos/filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack or usually buy single traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GFILTR_LEVEL = 2 AND R04_YG1118FC = 1, 2 AND R04_YG1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 11 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14787	99.9 %
	Total	14,787	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4587-4594 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YG1047FC: Have a regular brand of filtered cigars you usually smoke

Do you have a regular brand of filtered cigars that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.1 %
2	2 = No	9	0.1 %
	Total	24	0.2%

This variable has 24 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14774	99.8 %
	Total	14,774	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4595-4602 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1945FC: Know the name of brand of filtered cigars you usually/last smoked

Do you know the name of the brand of filtered cigars you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YGR11.]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	18	0.1 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4603-4610 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1048FC_BRAND: Brand of filtered cigars usually/last smoked

What brand of filtered cigar [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND R04_YG1945FC = 1.

This variable has 25 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14773	99.8 %
	Total	14,773	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4611-4618 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND

R04_YG1945FC = 1 AND R04_YG1048FC_BRAND != 9995, -8, -7.

This variable has 24 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14774	99.8 %
	Total	14,774	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4619-4626 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG0104FC: Brand of very last filtered cigar smoked is same as brand regularly/last smoked

You said earlier that you smoked a [filtered cigar] [TIME OF LAST USE].

Think about the very last [filtered cigar] you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND
R04_YG0100FC = 1, 2, 3, 4 AND R04_YG1945FC = 1 AND
R04_YG1048FC_BRAND != 9995, -8, -7 AND
R04_YG1070FC_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	1	0.0 %
	Total	7	0.0%

This variable has 7 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14791	100.0 %

	Missing Data		
	Total	14,791	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4627-4634 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1060FC_RANDOM_01: YG1060FC series random question 1

Value	Label	Unweighted Frequency	%
-1	-	14755	99.7 %
R04_YG1060FC	-	5	0.0 %
R04_YG1062FC	-	6	0.0 %
R04_YG1063FC	-	6	0.0 %
R04_YG1064FC	-	6	0.0 %
R04_YG1066FC	-	7	0.0 %
R04_YG1075FC	-	6	0.0 %
R04_YG1085FC	-	7	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4635-4649 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060FC_RANDOM_02: YG1060FC series random question 2

Value	Label	Unweighted Frequency	%
-1	-	14755	99.7 %
R04_YG1060FC	-	8	0.1 %
R04_YG1062FC	-	10	0.1 %
R04_YG1063FC	-	3	0.0 %
R04_YG1064FC	-	5	0.0 %
R04_YG1066FC	-	6	0.0 %
R04_YG1075FC	-	5	0.0 %
R04_YG1085FC	-	6	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4650-4664 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060FC_RANDOM_03: YG1060FC series random question 3

Value	Label	Unweighted Frequency	%
-1	-	14755	99.7 %
R04_YG1060FC	-	8	0.1 %
R04_YG1062FC	-	7	0.0 %
R04_YG1063FC	-	11	0.1 %
R04_YG1064FC	-	2	0.0 %
R04_YG1066FC	-	5	0.0 %
R04_YG1075FC	-	5	0.0 %
R04_YG1085FC	-	5	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4665-4679 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060FC_RANDOM_04: YG1060FC series random question 4

Value	Label	Unweighted Frequency	%
-1	-	14755	99.7 %
R04_YG1060FC	-	7	0.0 %
R04_YG1062FC	-	5	0.0 %
R04_YG1063FC	-	6	0.0 %
R04_YG1064FC	-	4	0.0 %
R04_YG1066FC	-	7	0.0 %
R04_YG1075FC	-	7	0.0 %
R04_YG1085FC	-	7	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4680-4694 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060FC_RANDOM_05: YG1060FC series random question 5

Value	Label	Unweighted Frequency	%
-1	-	14755	99.7 %
R04_YG1060FC	-	6	0.0 %
R04_YG1062FC	-	6	0.0 %
R04_YG1063FC	-	4	0.0 %
R04_YG1064FC	-	8	0.1 %
R04_YG1066FC	-	8	0.1 %
R04_YG1075FC	-	6	0.0 %

Value	Label	Unweighted Frequency	%
R04_YG1085FC	-	5	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4695-4709 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060FC_RANDOM_06: YG1060FC series random question 6

Value	Label	Unweighted Frequency	%
-1	-	14755	99.7 %
R04_YG1060FC	-	5	0.0 %
R04_YG1062FC	-	6	0.0 %
R04_YG1063FC	-	9	0.1 %
R04_YG1064FC	-	3	0.0 %
R04_YG1066FC	-	7	0.0 %
R04_YG1075FC	-	6	0.0 %
R04_YG1085FC	-	7	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4710-4724 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060FC_RANDOM_07: YG1060FC series random question 7

Value	Label	Unweighted Frequency	%
-1	-	14766	99.8 %
R04_YG1060FC	-	4	0.0 %
R04_YG1062FC	-	3	0.0 %
R04_YG1063FC	-	4	0.0 %
R04_YG1064FC	-	4	0.0 %
R04_YG1066FC	-	3	0.0 %
R04_YG1075FC	-	8	0.1 %
R04_YG1085FC	-	6	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 4725-4739 (width: 15; decimal: 0)

Variable Type: character

R04_YG1060FC: Smoke filtered cigars because: They are affordable

The next questions are about the reasons people smoke filtered cigars. Please select which reasons apply to you.

I smoke filtered cigars because...

They are affordable.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	23	0.2 %
2	2 = No	20	0.1 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4740-4747 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1085FC: Smoke filtered cigars because: I can smoke them in places where smoking cigarettes is not allowed

I can smoke filtered cigars at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	35	0.2 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4748-4755 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1062FC: Smoke filtered cigars because: They might be less harmful than cigarettes

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	34	0.2 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4756-4763 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1075FC: Smoke filtered cigars because: Might be less harmful to people around me than smoking cigarettes

They might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	33	0.2 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4764-4771 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1063FC: Smoke filtered cigars because: They come in flavors I like

Filtered cigars come in flavors I like.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	18	0.1 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %

	Missing Data		
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4772-4779 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1064FC: Smoke filtered cigars because: It helps people to quit smoking cigarettes

Smoking filtered cigars helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1 AND
R04_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	23	0.2 %
	Total	32	0.2%

This variable has 32 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14766	99.8 %
	Total	14,766	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4780-4787 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1066FC: Smoke filtered cigars because: It feels like smoking a regular cigarette

Smoking a filtered cigars feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	27	0.2 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4788-4795 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1139FC: Level of agreement: Easier to talk and get along with other people when smoking a filtered cigar

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a filtered cigar.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	21	0.1 %
2	2 = 2 on a scale of 1 to 4	9	0.1 %
3	3 = 3 on a scale of 1 to 4	10	0.1 %
4	4 = Very true of me	3	0.0 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4796-4803 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1140FC: Level of agreement: Feel more confident with other people while smoking a filtered cigar

While smoking a filtered cigar, I feel more confident with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	21	0.1 %
2	2 = 2 on a scale of 1 to 4	10	0.1 %
3	3 = 3 on a scale of 1 to 4	9	0.1 %
4	4 = Very true of me	3	0.0 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4804-4811 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1141FC: Level of agreement: Smoke filtered cigars much more when with other people

I smoke filtered cigars much more when I am with other people.

ASK: Youth respondents who are past 30 day traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: IF R04_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	15	0.1 %
2	2 = 2 on a scale of 1 to 4	11	0.1 %
3	3 = 3 on a scale of 1 to 4	10	0.1 %
4	4 = Very true of me	7	0.0 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 4812-4819 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP1001_NB: Ever seen or heard of a pipe before this study

Have you ever seen or heard of a pipe before this study?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YPV01.]

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4237	28.6 %
2	2 = No	1190	8.0 %
	Total	5,427	36.7%

This variable has 5,427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,371	63.3%

Percentages for both tables are based on 14,798 total cases.

Location: 4820-4827 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP1002_NB: Ever smoked a pipe filled with tobacco, even one or two puffs

Have you ever smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to box R04_YPV01.]

ASK: New baseline youth respondents who have ever seen or heard of a pipe.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YP1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	50	0.3 %
2	2 = No	4187	28.3 %
	Total	4,237	28.6%

This variable has 4,237 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10561	71.4 %
	Total	10,561	71.4%

Percentages for both tables are based on 14,798 total cases.

Location: 4828-4835 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP1002_12M: In past 12 months, smoked a pipe filled with tobacco, even one or two puffs

In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

ASK: Continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	58	0.4 %
2	2 = No	9289	62.8 %
	Total	9,347	63.2%

This variable has 9,347 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	5433	36.7 %
	Total	5,451	36.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4836-4843 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP1112: Last time smoked a pipe, even one or two puffs

When was the last time you smoked a pipe, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), Go to box R04_YPV02.]

ASK: Youth respondents who have ever smoked a pipe.

ASK Specification: IF R04_EVER_NEVER_PIPE_YOUTH = 1

[PROGRAM NOTE: Suppress options 6 & 7 for respondents that have smoked in the past year (R04_YP1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	6	0.0 %
2	2 = Not today but sometime in the past 7 days	4	0.0 %
3	3 = Not in the past 7 days but sometime in the past 30 days	23	0.2 %
4	4 = Not in the past 30 days but sometime in the past 6 months	27	0.2 %
5	5 = Not in the past 6 months but sometime in the past year	37	0.3 %

Value	Label	Unweighted Frequency	%
6	6 = 1 to 4 years ago	30	0.2 %
7	7 = 5 or more years ago	41	0.3 %
	Total	168	1.1%

This variable has 168 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.2 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	14598	98.6 %
	Total	14,630	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4844-4851 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP0100: When last smoked a pipe filled with tobacco

When did you last smoke a pipe filled with tobacco?

[If In the past hour (1), Go to R04_YP0103; If Three or more days ago (5), Don't know (-8), or Refused (-7), Go to box R04_YPV02.]

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or in the past 7 days.

ASK Specification: IF R04_EVER_NEVER_PIPE_YOUTH = 1 AND R04_YP1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	3	0.0 %
2	2 = Sometime today	2	0.0 %
3	3 = Yesterday	0	0.0 %
4	4 = Day before yesterday	1	0.0 %
5	5 = Three or more days ago	3	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,789	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 4852-4859 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP0102: Time period of day when you last smoked a pipe filled with tobacco

When you last smoked a pipe filled with tobacco [FILL BASED ON R04_YP0100], was it...

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or in the past 7 days and last smoked a pipe sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_PIPE_YOUTH = 1 AND R04_YP1112 = 1, 2 AND R04_YP0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0 %
2	2 = After 6AM but before noon	1	0.0 %
3	3 = Between noon and 6PM	2	0.0 %
4	4 = After 6PM but before midnight	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14795	100.0 %
	Total	14,795	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4860-4867 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP0103: Number of bowls filled with pipe tobacco smoked today/yesterday/day before yesterday

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke] [FILL BASED ON R04_YP0100]? (If less than 1, enter 1.)

[If Don't know (-8), or Refused (-7), Go to box R04_YPV02.]

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or in the past 7 days and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_PIPE_YOUTH = 1 AND R04_YP1112 = 1, 2 AND R04_YP0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 6 valid cases out of 14,798 total cases.

- Mean: 18.00
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 26.06

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,792	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4868-4875 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YP1022: In past 30 days, number of days smoked a pipe

In the past 30 days, on how many days did you smoke a pipe?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R04_PAST30DAY_PIPE = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 33 valid cases out of 14,798 total cases.

- Mean: 6.58
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 7.54

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,765	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4876-4883 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YP1023: In past 30 days, number of bowls filled with pipe tobacco smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a pipe, how many bowls filled with tobacco did you smoke per day?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R04_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 bowl per day	14	0.1 %
2	2 = 1 bowl per day	10	0.1 %
3	3 = 2 to 5 bowls per day	6	0.0 %
4	4 = 6 to 10 bowls per day	1	0.0 %
5	5 = 11 to 20 bowls per day	0	0.0 %
6	6 = More than 20 bowls per day	2	0.0 %
	Total	33	0.2%

This variable has 33 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,765	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4884-4891 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP1142: In the past 30 days, did anyone sell you pipe tobacco

In the past 30 days, did anyone sell you pipe tobacco?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R04_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	29	0.2 %
	Total	33	0.2%

This variable has 33 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,765	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4892-4899 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP1123: In the past 30 days, someone refused to sell you pipe tobacco because of your age

In the past 30 days, did anyone refuse to sell you pipe tobacco because of your age?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R04_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	29	0.2 %
	Total	33	0.2%

This variable has 33 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,765	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4900-4907 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP1118: In past 30 days, how you usually got your own pipe tobacco

In the past 30 days, how did you usually get your own pipe tobacco?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R04_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	4	0.0 %
2	2 = I bought it myself from a store	2	0.0 %
3	3 = I asked someone to give me some	5	0.0 %
4	4 = Someone offered it to me	10	0.1 %
5	5 = I bought it from another person	5	0.0 %
6	6 = I took it from a store or another person	2	0.0 %
7	7 = I got it some other way	4	0.0 %
	Total	32	0.2%

This variable has 32 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,766	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4908-4915 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP1030: How you usually buy your pipe tobacco

[When you give money to someone else, how do they/How do you] usually buy your pipe tobacco?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), Go to R04_YP1034.]

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_PIPE = 1 AND R04_YP1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	5	0.0 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	1	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,792	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4916-4923 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP1033: Retail location where your pipe tobacco is purchased most of the time

Where do [you/they] buy your pipe tobacco most of the time?

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store and usually buy pipe tobacco in person.

ASK Specification: IF R04_PAST30DAY_PIPE = 1 AND R04_YP1118 = 1, 2 AND R04_YP1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	4	0.0 %
2	2 = A supermarket, grocery store, or drug store	0	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %

Value	Label	Unweighted Frequency	%
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	1	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	0	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	0	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14793	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4924-4931 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YP1034_D: Amount paid when last time bought pipe tobacco - Dollars

Think about the last time you [bought/gave money to someone else to buy you] pipe tobacco. How much did you pay for it?

___ Dollars

[If Don't know (-8), or Refused (-7), Go to R04_YHT01

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_PIPE = 1 AND R04_YP1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 6 valid cases out of 14,798 total cases.

- Mean: 21.83
- Median: 10.00
- Mode: 10.00
- Minimum: 1.00
- Maximum: 85.00
- Standard Deviation: 31.59

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,792	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4932-4939 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YP1034_C: Amount paid when last time bought pipe tobacco - Cents

Think about the last time you [bought/gave money to someone else to buy you] pipe tobacco. How much did you pay for it?

__ Cents

[If Don't know (-8), or Refused (-7), Go to R04_YHT01

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_PIPE = 1 AND R04_YP1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 6 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,792	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4940-4947 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YH1001_NB: Ever seen or heard of a hookah before this study

Have you ever seen or heard of a hookah before this study?

[SHOW GENERIC IMAGE OF HOOKAH]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YHV01.]

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2885	19.5 %
2	2 = No	2540	17.2 %
	Total	5,425	36.7%

This variable has 5,425 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,373	63.3%

Percentages for both tables are based on 14,798 total cases.

Location: 4948-4955 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1002_NB: Ever smoked tobacco in a hookah, even one or two puffs

Have you ever smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to box R04_YHV01.]

ASK: New baseline youth respondents who have ever seen or heard of hookah.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YH1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	119	0.8 %
2	2 = No	2766	18.7 %
	Total	2,885	19.5%

This variable has 2,885 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11913	80.5 %
	Total	11,913	80.5%

Percentages for both tables are based on 14,798 total cases.

Location: 4956-4963 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1002_12M: In past 12 months, smoked tobacco in a hookah, even one or two puffs

In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

ASK: Continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	176	1.2 %
2	2 = No	9177	62.0 %
	Total	9,353	63.2%

This variable has 9,353 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	5433	36.7 %
	Total	5,445	36.8%

Percentages for both tables are based on 14,798 total cases.

Location: 4964-4971 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1103: Ever been curious about smoking tobacco in a hookah

Have you ever been curious about smoking tobacco in a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YH1001_NB = 1 AND R04_EVER_NEVER_HOOK_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	181	1.2 %
2	2 = Somewhat curious	408	2.8 %
3	3 = A little curious	1274	8.6 %
4	4 = Not at all curious	9824	66.4 %
	Total	11,687	79.0%

This variable has 11,687 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	3090	20.9 %
	Total	3,111	21.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4972-4979 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1206: Think you will smoke hookah tobacco in the next year

Do you think you will smoke tobacco in a hookah in the next year?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YH1001_NB = 1 AND R04_EVER_NEVER_HOOK_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	17	0.1 %
2	2 = Probably yes	134	0.9 %
3	3 = Probably not	1152	7.8 %
4	4 = Definitely not	10385	70.2 %

Value	Label	Unweighted Frequency	%
	Total	11,688	79.0%

This variable has 11,688 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	3090	20.9 %
	Total	3,110	21.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4980-4987 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1104: Think you will try smoking tobacco in a hookah soon

Do you think you will try smoking tobacco in a hookah soon?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YH1001_NB = 1 AND R04_EVER_NEVER_HOOK_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	15	0.1 %
2	2 = Probably yes	111	0.8 %
3	3 = Probably not	1070	7.2 %
4	4 = Definitely not	10491	70.9 %
	Total	11,687	79.0%

This variable has 11,687 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	3090	20.9 %
	Total	3,111	21.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4988-4995 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1105: Would smoke a hookah if one of your best friends offered you one

If one of your best friends were to offer you a hookah, would you try it?

[If Definitely Yes (1), Probably yes (2), Probably not (3), Definitely not (4), Don't know (-8), or Refused (-7),
Go to R04_YH9041.]

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YH1001_NB = 1 AND R04_EVER_NEVER_HOOK_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	102	0.7 %
2	2 = Probably yes	507	3.4 %
3	3 = Probably not	1344	9.1 %
4	4 = Definitely not	9739	65.8 %
	Total	11,692	79.0%

This variable has 11,692 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	3090	20.9 %
	Total	3,106	21.0%

Percentages for both tables are based on 14,798 total cases.

Location: 4996-5003 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YH1006_NB: DERIVED - Age range when first tried smoking hookah, even one or two puffs (3 levels)

Long Description: How old were you when you first tried smoking hookah, even one or two puffs?

Algorithm: IF R04_YH1120_NB = 1 OR (0<=R04_YH1006_NB<=11) THEN R04R_Y_YH1006_NB

```

= 1; ELSE IF R04_YH1120_NB = 2 OR
(12<=R04_YH1006_NB<=14) THEN R04R_Y_YH1006_NB = 2; ELSE IF R04_YH1120_NB = 3
OR (15<=R04_YH1006_NB<=17) THEN
R04R_Y_YH1006_NB = 3; ELSE IF R04_YH1006_NB = -9 OR R04_YH1120_NB = -9 THEN
R04R_Y_YH1006_NB = -99999; ELSE IF
R04_YH1006_NB = -8 OR R04_YH1120_NB = -8 THEN R04R_Y_YH1006_NB = -99988;
ELSE IF R04_YH1006_NB = -7 OR R04_YH1120_NB = -7
THEN R04R_Y_YH1006_NB = -99977; ELSE IF R04_YH1006_NB = -5 THEN
R04R_Y_YH1006_NB = -99955; ELSE IF R04_YH1006_NB = -1 OR
R04_YH1120_NB = -1 THEN R04R_Y_YH1006_NB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	11	0.1 %
2	2 = 12 to 14 years old	38	0.3 %
3	3 = 15 to 17 years old	69	0.5 %
	Total	118	0.8%

This variable has 118 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14679	99.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,680	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 5004-5011 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YH1108: First shisha or hookah tobacco used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), Go to box R04_YHR13.]

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have initiated hookah smoking since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_HOOK_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND

R04_INIT_HOOK_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	153	1.0 %
2	2 = No	31	0.2 %
3	3 = I don't know	41	0.3 %
	Total	225	1.5%

This variable has 225 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14573	98.5 %
	Total	14,573	98.5%

Percentages for both tables are based on 14,798 total cases.

Location: 5012-5019 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1011_01: Flavor of first shisha or hookah tobacco smoked: Menthol or mint

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_HOOK_YOUTH = 1 AND R04_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	37	0.3 %
2	2 = Not Marked	115	0.8 %
	Total	152	1.0%

This variable has 152 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14645	99.0 %
	Total	14,646	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 5020-5027 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1011_02: Flavor of first shisha or hookah tobacco smoked: Clove or spice

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_HOOK_YOUTH = 1 AND R04_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	148	1.0 %
	Total	152	1.0%

This variable has 152 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14645	99.0 %
	Total	14,646	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 5028-5035 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1011_03: Flavor of first shisha or hookah tobacco smoked: Fruit

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_HOOK_YOUTH = 1 AND R04_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	118	0.8 %
2	2 = Not Marked	34	0.2 %
	Total	152	1.0%

This variable has 152 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14645	99.0 %
	Total	14,646	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 5036-5043 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1011_04: Flavor of first shisha or hookah tobacco smoked: Chocolate

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_HOOK_YOUTH = 1 AND R04_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	142	1.0 %
	Total	152	1.0%

This variable has 152 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14645	99.0 %
	Total	14,646	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 5044-5051 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1011_05: Flavor of first shisha or hookah tobacco smoked: An alcoholic drink

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_HOOK_YOUTH = 1 AND R04_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	146	1.0 %
	Total	152	1.0%

This variable has 152 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14645	99.0 %
	Total	14,646	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 5052-5059 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1011_06: Flavor of first shisha or hookah tobacco smoked: Candy or other sweets

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_HOOK_YOUTH = 1 AND R04_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	35	0.2 %
2	2 = Not Marked	117	0.8 %
	Total	152	1.0%

This variable has 152 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14645	99.0 %
	Total	14,646	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 5060-5067 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1011_07: Flavor of first shisha or hookah tobacco smoked: Some other flavor

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_HOOK_YOUTH = 1 AND R04_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	151	1.0 %
	Total	152	1.0%

This variable has 152 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14645	99.0 %
	Total	14,646	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 5068-5075 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1005: Number of times smoked tobacco in a hookah in entire life

How many times have you smoked tobacco in a hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and had not smoked hookah 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_HOOK_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_HOOK_YOUTH = 1 AND R03_NUMLIFE_HOOK != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1	213	1.4 %
2	2 = 2 to 10	168	1.1 %
3	3 = 11 to 20	32	0.2 %
4	4 = 21 to 50	20	0.1 %

Value	Label	Unweighted Frequency	%
5	5 = 51 to 99	8	0.1 %
6	6 = 100 or more	12	0.1 %
	Total	453	3.1%

This variable has 453 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	57	0.4 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	14272	96.4 %
	Total	14,345	96.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5076-5083 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1100: Ever smoked tobacco in a hookah fairly regularly

Have you ever smoked tobacco in a hookah fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YH1112.]

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_HOOK_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_HOOK_YOUTH = 1 AND R03_REGUSE_HOOK != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	466	3.1 %
	Total	490	3.3%

This variable has 490 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14306	96.7 %
	Total	14,308	96.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5084-5091 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YH1007: DERIVED - Age range when first started smoking a hookah fairly regularly (3 levels)

Long Description: How old were you when you first started smoking hookah fairly regularly?

Algorithm: IF R04_YH1121 = 1 OR (0<=R04_YH1007<=11) THEN R04R_Y_YH1007 = 1; ELSE IF R04_YH1121 = 2 OR (12<=R04_YH1007<=14) THEN R04R_Y_YH1007 = 2; ELSE IF R04_YH1121 = 3 OR (15<=R04_YH1007<=17) THEN R04R_Y_YH1007 = 3; ELSE IF R04_YH1007 = -9 OR R04_YH1121 = -9 THEN R04R_Y_YH1007 = -99999; ELSE IF R04_YH1007 = -8 OR R04_YH1121 = -8 THEN R04R_Y_YH1007 = -99988; ELSE IF R04_YH1007 = -7 OR R04_YH1121 = -7 THEN R04R_Y_YH1007 = -99977; ELSE IF R04_YH1007 = -5 THEN R04R_Y_YH1007 = -99955; ELSE IF R04_YH1007 = -1 OR R04_YH1121 = -1 THEN R04R_Y_YH1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	6	0.0 %
2	2 = 12 to 14 years old	12	0.1 %
3	3 = 15 to 17 years old	6	0.0 %
	Total	24	0.2%

This variable has 24 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14774	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,774	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5092-5099 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YH1112: Last time smoked tobacco in a hookah, even one or two puffs

When was the last time you smoked tobacco in a hookah, even one or two puffs?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents that have smoked in the past year (R04_YH1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	13	0.1 %
2	2 = Not today but sometime in the past 7 days	15	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	28	0.2 %
4	4 = Not in the past 30 days but sometime in the past 6 months	92	0.6 %
5	5 = Not in the past 6 months but sometime in the past year	123	0.8 %
6	6 = 1 to 4 years ago	133	0.9 %
7	7 = 5 or more years ago	71	0.5 %
	Total	475	3.2%

This variable has 475 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	53	0.4 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	14256	96.3 %
	Total	14,323	96.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5100-5107 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH0100: When last smoked hookah

When did you last smoke tobacco in a hookah?

[If In the past hour (1), Go to R04_YH0103; If Three or more days ago (5), Don't know (-8), or Refused (-7), Go to R04_YH9003.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or in the past 7 days.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	4	0.0 %
2	2 = Sometime today	5	0.0 %
3	3 = Yesterday	4	0.0 %
4	4 = Day before yesterday	4	0.0 %
5	5 = Three or more days ago	11	0.1 %
	Total	28	0.2%

This variable has 28 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14770	99.8 %
	Total	14,770	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5108-5115 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH0102: Time period of day when you last smoked hookah

When you last smoked tobacco in a hookah [FILL BASED ON R04_YH0100], was it...

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or in the past 7 days and last smoked hookah sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1112 = 1, 2 AND R04_YH0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	2	0.0 %
2	2 = After 6AM but before noon	3	0.0 %
3	3 = Between noon and 6PM	5	0.0 %
4	4 = After 6PM but before midnight	3	0.0 %
	Total	13	0.1%

This variable has 13 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,785	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5116-5123 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH0103: Number of puffs taken from a hookah today/yesterday/day before yesterday

How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R04_YH0100]?

[If Don't know (-8), or Refused (-7), Go to R04_YH9003.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or in the past 7 days and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1112 = 1, 2 AND R04_YH0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 16 valid cases out of 14,798 total cases.

- Mean: 20.06
- Median: 11.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 81.00
- Standard Deviation: 23.10

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,782	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5124-5131 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YH9003: How often you usually smoke hookah tobacco in a hookah

Which of the following choices best describes your hookah smoking? Usually I smoke hookah tobacco in a hookah...

[If Weekly (2), Monthly (3), Every couple of months (4), About once a year (5), Don't know (-8), or Refused (-7), Go to R04_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, in the past 7 days, in the past 30 days, in the past 6 months, in the past year, or did not know or refused to report when they last smoked hookah.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1112 = 1, 2, 3, 4, 5, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Every day	10	0.1 %
2	2 = Weekly	12	0.1 %
3	3 = Monthly	18	0.1 %
4	4 = Every couple of months	76	0.5 %
5	5 = About once a year	150	1.0 %
	Total	266	1.8%

This variable has 266 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	58	0.4 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	14460	97.7 %
	Total	14,532	98.2%

Percentages for both tables are based on 14,798 total cases.

Location: 5132-5139 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9006: Average number of times you smoke tobacco in a hookah each day

On average, about how many times do you smoke tobacco in a hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[If Don't know (-8), or Refused (-7), Go to R04_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, in the past 7 days, in the past 30 days, in the past 6 months, in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah every day.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R04_YH9003 = 1.

This variable has 9 valid cases out of 14,798 total cases.

- Mean: 8.11
- Median: 5.00
- Minimum: 0.00
- Maximum: 42.00
- Standard Deviation: 13.11

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,789	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5140-5147 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YH9005: Average number of times you smoke tobacco in a hookah in a week

On average, about how many times do you smoke tobacco in a hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[If Don't know (-8), or Refused (-7), Go to R04_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, in the past 7 days, in the past 30 days, in the past 6 months, in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah weekly.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R04_YH9003 = 2.

This variable has 12 valid cases out of 14,798 total cases.

- Mean: 3.00
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.71

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14786	99.9 %

	Missing Data		
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5148-5155 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YH9004: Average number of times you smoke tobacco in a hookah in a month

On average, about how many times do you smoke tobacco in a hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

[If Don't know (-8), or Refused (-7), Go to R04_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, in the past 7 days, in the past 30 days, in the past 6 months, in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah monthly.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R04_YH9003 = 3.

This variable has 18 valid cases out of 14,798 total cases.

- Mean: 9.50
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 23.33

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14780	99.9 %
	Total	14,780	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5156-5163 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YH1090: Owns a hookah

Do you own a hookah?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.2 %
2	2 = No	510	3.4 %
	Total	541	3.7%

This variable has 541 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14256	96.3 %
	Total	14,257	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 5164-5171 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9041: Someone else in home owns a hookah

Does anyone[else] living in your home own a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YH1001_NB = 1) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	246	1.7 %
2	2 = No	11965	80.9 %
	Total	12,211	82.5%

This variable has 12,211 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	2548	17.2 %
	Total	2,587	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 5172-5179 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9012: Usually share the same hookah with others

Do you usually share a hookah with others when you smoke?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YH9014.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	18	0.1 %
	Total	56	0.4%

This variable has 56 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,742	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5180-5187 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9013: Number of people hookah is usually shared with

How many people do you usually share a hookah with?

ASK: Youth respondents who are past 30 day hookah smokers and share a hookah with others when they smoke.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH9012 = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 other person	5	0.0 %
2	2 = 2 other people	7	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = 3 other people	15	0.1 %
4	4 = 4 or more other people	11	0.1 %
	Total	38	0.3%

This variable has 38 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5188-5195 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9014: Average length of hookah session

On average, how long is one hookah session for you[and the people you share it with]?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1

Value	Label	Unweighted Frequency	%
1	1 = Less than 30 minutes	17	0.1 %
2	2 = More than 30 minutes up to 1 hour	18	0.1 %
3	3 = 1 to 2 hours	10	0.1 %
4	4 = More than 2 hours	9	0.1 %
	Total	54	0.4%

This variable has 54 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,744	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5196-5203 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9015: Number of times hookah is refilled with tobacco

On average, when you [smoke/share a] hookah, how many times is the hookah refilled with tobacco during a session?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = 0 times	16	0.1 %
2	2 = 1 time	17	0.1 %
3	3 = 2 to 3 times	15	0.1 %
4	4 = 4 or more times	6	0.0 %
	Total	54	0.4%

This variable has 54 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,744	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5204-5211 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9016: How often you personally set up the hookah

How often do you personally set up the hookah?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	7	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Most of the time	3	0.0 %
3	3 = Some of the time	9	0.1 %
4	4 = Rarely	15	0.1 %
5	5 = Never, someone else always sets it up for me	21	0.1 %
	Total	55	0.4%

This variable has 55 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,743	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5212-5219 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9011_01: Usually smoke hookah: At home

Where do you usually smoke hookah? Choose all that apply.

In your home

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	44	0.3 %
	Total	53	0.4%

This variable has 53 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,745	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5220-5227 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9011_02: Usually smoke hookah: In someone else's home

Where do you usually smoke hookah? Choose all that apply.

In someone else's home

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.2 %
2	2 = Not Marked	23	0.2 %
	Total	53	0.4%

This variable has 53 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,745	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5228-5235 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9011_03: Usually smoke hookah: In a hookah bar or café

Where do you usually smoke hookah? Choose all that apply.

In a hookah bar or hookah café

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	39	0.3 %
	Total	53	0.4%

This variable has 53 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,745	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5236-5243 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9011_04: Usually smoke hookah: In a dance club or lounge

Where do you usually smoke hookah? Choose all that apply.

In a dance club or lounge

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	45	0.3 %
	Total	53	0.4%

This variable has 53 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,745	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5244-5251 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9011_05: Usually smoke hookah: Somewhere else

Where do you usually smoke hookah? Choose all that apply.

Somewhere else (SPECIFY)

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	45	0.3 %
	Total	53	0.4%

This variable has 53 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,745	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5252-5259 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1130: In past 30 days, used shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint,

clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), Refused (-7), Go to R04_YH1142.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.2 %
2	2 = No	19	0.1 %
3	3 = I don't know	5	0.0 %
	Total	56	0.4%

This variable has 56 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,742	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5260-5267 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1131_01: In past 30 days, smoked hookah tobacco flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	19	0.1 %
	Total	32	0.2%

This variable has 32 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14766	99.8 %
	Total	14,766	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5268-5275 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1131_02: In past 30 days, smoked hookah tobacco flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	32	0.2%

This variable has 32 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14766	99.8 %
	Total	14,766	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5276-5283 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1131_03: In past 30 days, smoked hookah tobacco flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.2 %
2	2 = Not Marked	9	0.1 %
	Total	32	0.2%

This variable has 32 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14766	99.8 %
	Total	14,766	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5284-5291 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1131_04: In past 30 days, smoked hookah tobacco flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	32	0.2%

This variable has 32 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14766	99.8 %
	Total	14,766	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5292-5299 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1131_05: In past 30 days, smoked hookah tobacco flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	32	0.2%

This variable has 32 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14766	99.8 %
	Total	14,766	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5300-5307 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1131_06: In past 30 days, smoked hookah tobacco flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	20	0.1 %
	Total	32	0.2%

This variable has 32 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14766	99.8 %
	Total	14,766	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5308-5315 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1131_07: In past 30 days, smoked hookah tobacco flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	32	0.2%

This variable has 32 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14766	99.8 %
	Total	14,766	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5316-5323 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1147: How often smoked flavored hookah tobacco on days smoked in past 30 days

On the days you smoked shisha or hookah tobacco in the past 30 days, how often did you smoke flavored shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	15	0.1 %
2	2 = Most of the time	5	0.0 %
3	3 = Sometimes	6	0.0 %
4	4 = Rarely	4	0.0 %
5	5 = Never	2	0.0 %
	Total	32	0.2%

This variable has 32 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14766	99.8 %
	Total	14,766	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5324-5331 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1142: In past 30 days, anyone sold you shisha or hookah tobacco

In the past 30 days, did anyone sell you shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	42	0.3 %
	Total	55	0.4%

This variable has 55 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,743	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5332-5339 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1123: In the past 30 days, someone refused to sell you shisha or hookah tobacco because of your age

In the past 30 days, did anyone refuse to sell you shisha or hookah tobacco because of your age?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	44	0.3 %
	Total	55	0.4%

This variable has 55 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,743	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5340-5347 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1118: In past 30 days, how you usually got your own shisha or hookah tobacco

In the past 30 days, how did you usually get your own shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	9	0.1 %
2	2 = I bought it myself from a store (including a hookah bar or café)	7	0.0 %
3	3 = I asked someone to give me some	9	0.1 %
4	4 = Someone offered it to me	11	0.1 %
5	5 = I bought it from another person	8	0.1 %
6	6 = I took it from a store or another person	4	0.0 %
7	7 = I got it some other way	2	0.0 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5348-5355 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1030: How you usually buy your shisha or hookah tobacco

[When you give money to someone else, how do they/How do you] usually buy your shisha or hookah tobacco?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), Go to R04_YH1047.]

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or hookah bar)	12	0.1 %
2	2 = From the internet	2	0.0 %
3	3 = By telephone	1	0.0 %
	Total	15	0.1%

This variable has 15 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14782	99.9 %
	Total	14,783	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5356-5363 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1033: Retail location where your shisha or hookah tobacco is purchased most of the time

Where do [you/they] buy your shisha or hookah tobacco most of the time?

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store and usually buy shisha or hookah tobacco in person.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1118 = 1, 2 AND R04_YH1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A hookah bar or café	4	0.0 %
2	2 = A convenience store or gas station	3	0.0 %
3	3 = A supermarket, grocery store, or drug store	1	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	4	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14786	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5364-5371 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1047: Have a regular brand of shisha or hookah tobacco you usually smoke

Do you have a regular brand of shisha or hookah tobacco that you usually smoke?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	42	0.3 %
	Total	56	0.4%

This variable has 56 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,742	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5372-5379 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1945: Know the name of brand of shisha or hookah tobacco you [usually smoke/last smoked]

Do you know the name of the brand of shisha or hookah tobacco you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YHD01.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	46	0.3 %
	Total	56	0.4%

This variable has 56 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,742	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5380-5387 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1048_BRAND: Brand of shisha or hookah tobacco usually / last smoked

What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1945 = 1.

This variable has 10 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,788	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5388-5395 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1070_PRODUCT: Sub-brand of hookah tobacco product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1945 = 1 AND R04_YH1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: Fill BRANDFILL with brand selected in R04_YH1048_BRAND. Show pictures or text on the touchscreen of the major products associated with the brand selected.]

This variable has 9 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14789	99.9 %
	Total	14,789	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5396-5403 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9108: This brand of shisha contains tobacco

Does this brand of shisha contain tobacco?

ASK: Youth respondents who are past 30 day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH1945 = 1 AND (R04_YH1048_BRAND != 9995, -8, -7 OR (R04_YH1048_BRAND = 9995 AND R04_YH1049 != -1, -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	2	0.0 %
3	3 = I don't know	1	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14789	99.9 %
	Total	14,789	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5404-5411 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH0104: Brand of very last puff of hookah smoked is same as brand regularly/last smoked

You said earlier that you last smoked hookah [TIME OF LAST USE].

Think about the very last puff you took. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand and subbrand of shisha or hookah tobacco.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YH0100 = 1, 2, 3, 4 AND R04_YH1945 = 1 AND R04_YH1048_BRAND != 9995, -8, -7 AND R04_YH1070_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	1	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14794	100.0 %
	Total	14,794	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 5412-5419 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1060_RANDOM_01: YH1060 series random question 1

Value	Label	Unweighted Frequency	%
-1	-	14742	99.6 %
R04_YH1060	-	11	0.1 %
R04_YH1062	-	14	0.1 %
R04_YH1063	-	6	0.0 %
R04_YH1064	-	2	0.0 %
R04_YH1069	-	6	0.0 %
R04_YH1073	-	3	0.0 %
R04_YH1075	-	6	0.0 %

Value	Label	Unweighted Frequency	%
R04_YH1085	-	8	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 5420-5434 (width: 15; decimal: 0)

Variable Type: character

R04_YH1060_RANDOM_02: YH1060 series random question 2

Value	Label	Unweighted Frequency	%
-1	-	14742	99.6 %
R04_YH1060	-	7	0.0 %
R04_YH1062	-	7	0.0 %
R04_YH1063	-	7	0.0 %
R04_YH1069	-	10	0.1 %
R04_YH1073	-	4	0.0 %
R04_YH1075	-	12	0.1 %
R04_YH1085	-	9	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 5435-5449 (width: 15; decimal: 0)

Variable Type: character

R04_YH1060_RANDOM_03: YH1060 series random question 3

Value	Label	Unweighted Frequency	%
-1	-	14742	99.6 %
R04_YH1060	-	7	0.0 %
R04_YH1062	-	4	0.0 %
R04_YH1063	-	7	0.0 %
R04_YH1064	-	6	0.0 %
R04_YH1069	-	10	0.1 %
R04_YH1073	-	5	0.0 %
R04_YH1075	-	11	0.1 %
R04_YH1085	-	6	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 5450-5464 (width: 15; decimal: 0)

Variable Type: character

R04_YH1060_RANDOM_04: YH1060 series random question 4

Value	Label	Unweighted Frequency	%
-1	-	14742	99.6 %
R04_YH1060	-	10	0.1 %
R04_YH1062	-	5	0.0 %
R04_YH1063	-	9	0.1 %
R04_YH1064	-	3	0.0 %
R04_YH1069	-	8	0.1 %
R04_YH1073	-	7	0.0 %
R04_YH1075	-	6	0.0 %
R04_YH1085	-	8	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 5465-5479 (width: 15; decimal: 0)

Variable Type: character

R04_YH1060_RANDOM_05: YH1060 series random question 5

Value	Label	Unweighted Frequency	%
-1	-	14742	99.6 %
R04_YH1060	-	7	0.0 %
R04_YH1062	-	6	0.0 %
R04_YH1063	-	8	0.1 %
R04_YH1064	-	2	0.0 %
R04_YH1069	-	9	0.1 %
R04_YH1073	-	16	0.1 %
R04_YH1075	-	4	0.0 %
R04_YH1085	-	4	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 5480-5494 (width: 15; decimal: 0)

Variable Type: character

R04_YH1060_RANDOM_06: YH1060 series random question 6

Value	Label	Unweighted Frequency	%
-1	-	14742	99.6 %
R04_YH1060	-	4	0.0 %
R04_YH1062	-	8	0.1 %

Value	Label	Unweighted Frequency	%
R04_YH1063	-	7	0.0 %
R04_YH1064	-	2	0.0 %
R04_YH1069	-	5	0.0 %
R04_YH1073	-	14	0.1 %
R04_YH1075	-	9	0.1 %
R04_YH1085	-	7	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 5495-5509 (width: 15; decimal: 0)

Variable Type: character

R04_YH1060_RANDOM_07: YH1060 series random question 7

Value	Label	Unweighted Frequency	%
-1	-	14742	99.6 %
R04_YH1060	-	8	0.1 %
R04_YH1062	-	9	0.1 %
R04_YH1063	-	8	0.1 %
R04_YH1064	-	4	0.0 %
R04_YH1069	-	6	0.0 %
R04_YH1073	-	3	0.0 %
R04_YH1075	-	5	0.0 %
R04_YH1085	-	13	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 5510-5524 (width: 15; decimal: 0)

Variable Type: character

R04_YH1060_RANDOM_08: YH1060 series random question 8

Value	Label	Unweighted Frequency	%
-1	-	14772	99.8 %
R04_YH1060	-	2	0.0 %
R04_YH1062	-	3	0.0 %
R04_YH1063	-	4	0.0 %
R04_YH1064	-	7	0.0 %
R04_YH1069	-	2	0.0 %
R04_YH1073	-	4	0.0 %
R04_YH1075	-	3	0.0 %

Value	Label	Unweighted Frequency	%
R04_YH1085	-	1	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 5525-5539 (width: 15; decimal: 0)

Variable Type: character

R04_YH1060: Smoke hookah because: It is affordable

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because...

It is affordable.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	27	0.2 %
2	2 = No	28	0.2 %
	Total	55	0.4%

This variable has 55 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,743	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5540-5547 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1085: Smoke hookah because: It can be smoked in places where smoking cigarettes is not allowed

I can smoke hookah at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	39	0.3 %
	Total	55	0.4%

This variable has 55 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,743	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5548-5555 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1062: Smoke hookah because: It might be less harmful than smoking cigarettes

It might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.1 %
2	2 = No	36	0.2 %
	Total	55	0.4%

This variable has 55 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,743	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5556-5563 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1075: Smoke hookah because: It might be less harmful to people around me than smoking cigarettes

It might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.1 %
2	2 = No	32	0.2 %
	Total	54	0.4%

This variable has 54 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,744	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5564-5571 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1063: Smoke hookah because: It comes in flavors I like

Shisha or hookah tobacco comes in flavors I like.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.2 %
2	2 = No	25	0.2 %
	Total	55	0.4%

This variable has 55 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,743	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5572-5579 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1064: Smoke hookah because: It helps people to quit smoking cigarettes

Smoking hookah helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R04_PAST30DAY_HOOK = 1 AND R04_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	20	0.1 %
	Total	26	0.2%

This variable has 26 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14772	99.8 %
	Total	14,772	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5580-5587 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1069: Smoke hookah because: I like socializing while smoking it

I like socializing while smoking hookah.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R04_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	35	0.2 %
2	2 = No	21	0.1 %
	Total	56	0.4%

This variable has 56 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,742	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5588-5595 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9042: Ever used another liquid besides water in the bowl of the hookah

Have you ever used another liquid besides water in the bowl of the hookah?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	49	0.3 %
2	2 = No	489	3.3 %
	Total	538	3.6%

This variable has 538 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14256	96.3 %
	Total	14,260	96.4%

Percentages for both tables are based on 14,798 total cases.

Location: 5596-5603 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9031: Ever smoked marijuana in a hookah

Have you ever smoked marijuana in a hookah? (Remember all information you give to the PATH Study will be kept private.)

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YH1001_NB = 1) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	270	1.8 %
2	2 = No	11967	80.9 %
	Total	12,237	82.7%

This variable has 12,237 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	2548	17.2 %
	Total	2,561	17.3%

Percentages for both tables are based on 14,798 total cases.

Location: 5604-5611 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9040: Ever smoked herbal or tobacco-free shisha in a hookah

Have you ever smoked herbal or tobacco-free shisha in a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YH1001_NB = 1) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	136	0.9 %
2	2 = No	12094	81.7 %
	Total	12,230	82.6%

This variable has 12,230 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	2548	17.2 %
	Total	2,568	17.4%

Percentages for both tables are based on 14,798 total cases.

Location: 5612-5619 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1001_NB: Have you ever seen or heard of snus, before this study

Have you ever seen or heard of snus, before this study?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YUV03.]

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1203	8.1 %
2	2 = No	4221	28.5 %
	Total	5,424	36.7%

This variable has 5,424 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,374	63.3%

Percentages for both tables are based on 14,798 total cases.

Location: 5620-5627 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1002_NB: Have you ever used snus, even one or two times

Have you ever used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to box R04_YUV03.]

ASK: New baseline youth respondents who have ever seen or heard of snus.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YU1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	55	0.4 %
2	2 = No	1148	7.8 %
	Total	1,203	8.1%

This variable has 1,203 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	13595	91.9 %
	Total	13,595	91.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5628-5635 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1002_12M: In the past 12 months, have you used snus, even one or two times

In the past 12 months, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

ASK: Continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	79	0.5 %
2	2 = No	9256	62.5 %
	Total	9,335	63.1%

This variable has 9,335 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	5433	36.7 %
	Total	5,463	36.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5636-5643 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1103: Ever been curious about using snus

Have you ever been curious about using snus?

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YU1001_NB = 1 AND R04_EVER_NEVER_SNUS_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SNUS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	26	0.2 %
2	2 = Somewhat curious	68	0.5 %
3	3 = A little curious	335	2.3 %
4	4 = Not at all curious	9914	67.0 %
	Total	10,343	69.9%

This variable has 10,343 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	4444	30.0 %

	Missing Data		
	Total	4,455	30.1%

Percentages for both tables are based on 14,798 total cases.

Location: 5644-5651 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1206: Think you will use snus in the next year

Do you think you will try snus in the next year?

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YU1001_NB = 1 AND R04_EVER_NEVER_SNUS_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SNUS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	5	0.0 %
2	2 = Probably yes	22	0.1 %
3	3 = Probably not	385	2.6 %
4	4 = Definitely not	9929	67.1 %
	Total	10,341	69.9%

This variable has 10,341 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	4444	30.0 %
	Total	4,457	30.1%

Percentages for both tables are based on 14,798 total cases.

Location: 5652-5659 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1104: Think you will try snus soon

Do you think you will try snus soon?

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YU1001_NB = 1 AND R04_EVER_NEVER_SNUS_YOUTH = 2) OR

(R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SNUS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3	0.0 %
2	2 = Probably yes	18	0.1 %
3	3 = Probably not	369	2.5 %
4	4 = Definitely not	9949	67.2 %
	Total	10,339	69.9%

This variable has 10,339 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	4444	30.0 %
	Total	4,459	30.1%

Percentages for both tables are based on 14,798 total cases.

Location: 5660-5667 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1105: Would use snus if one of your best friends offered you one

If one of your best friends were to offer you snus, would you try it?

[If Definitely yes (1), Probably yes (2), Probably not (3), Definitely not (4), Don't know (-8), or Refused (-7), go to box R04_YST01.]

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YU1001_NB = 1 AND R04_EVER_NEVER_SNUS_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SNUS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	15	0.1 %
2	2 = Probably yes	92	0.6 %
3	3 = Probably not	531	3.6 %
4	4 = Definitely not	9700	65.5 %
	Total	10,338	69.9%

This variable has 10,338 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	4444	30.0 %
	Total	4,460	30.1%

Percentages for both tables are based on 14,798 total cases.

Location: 5668-5675 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YU1006_NB: DERIVED - Age range when first tried snus pouches, even one or two times (3 levels)

Long Description: How old were you when you first tried snus pouches, even one or two times?

Algorithm: IF R04_YU1120_NB = 1 OR (0 <= R04_YU1006_NB <= 11) THEN R04R_Y_YU1006_NB = 1; ELSE IF R04_YU1120_NB = 2 OR (12 <= R04_YU1006_NB <= 14) THEN R04R_Y_YU1006_NB = 2; ELSE IF R04_YU1120_NB = 3 OR (15 <= R04_YU1006_NB <= 17) THEN R04R_Y_YU1006_NB = 3; ELSE IF R04_YU1006_NB = -9 OR R04_YU1120_NB = -9 THEN R04R_Y_YU1006_NB = -99999; ELSE IF R04_YU1006_NB = -8 OR R04_YU1120_NB = -8 THEN R04R_Y_YU1006_NB = -99988; ELSE IF R04_YU1006_NB = -7 OR R04_YU1120_NB = -7 THEN R04R_Y_YU1006_NB = -99977; ELSE IF R04_YU1006_NB = -5 THEN R04R_Y_YU1006_NB = -99955; ELSE IF R04_YU1006_NB = -1 OR R04_YU1120_NB = -1 THEN R04R_Y_YU1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	6	0.0 %
2	2 = 12 to 14 years old	24	0.2 %
3	3 = 15 to 17 years old	24	0.2 %
	Total	54	0.4%

This variable has 54 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14743	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,744	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 5676-5683 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YU1108: First snus used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, candy, fruit, chocolate, alcohol or other sweets

Was the first snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), Go to box R04_YUR16.]

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have initiated snus use since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SNUS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SNUS_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	79	0.5 %
2	2 = No	12	0.1 %
3	3 = I don't know	9	0.1 %
	Total	100	0.7%

This variable has 100 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14698	99.3 %
	Total	14,698	99.3%

Percentages for both tables are based on 14,798 total cases.

Location: 5684-5691 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1011_01: Flavor of first snus used: Menthol or mint

What flavor was that first snus you used? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used snus and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YU1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SNUS_YOUTH = 1 AND R04_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.2 %
2	2 = Not Marked	45	0.3 %
	Total	79	0.5%

This variable has 79 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14719	99.5 %
	Total	14,719	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 5692-5699 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1011_02: Flavor of first snus used: Wintergreen, spearmint or frost

What flavor was that first snus you used? Choose all that apply.

Wintergreen, spearmint or frost

ASK: New baseline youth respondents who have ever used snus and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YU1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SNUS_YOUTH = 1 AND R04_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	55	0.4 %
2	2 = Not Marked	24	0.2 %
	Total	79	0.5%

This variable has 79 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14719	99.5 %
	Total	14,719	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 5700-5707 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1011_03: Flavor of first snus used: Clove or spice

What flavor was that first snus you used? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used snus and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YU1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SNUS_YOUTH = 1 AND R04_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	77	0.5 %
	Total	79	0.5%

This variable has 79 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14719	99.5 %
	Total	14,719	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 5708-5715 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1011_04: Flavor of first snus used: Fruit

What flavor was that first snus you used? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used snus and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YU1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SNUS_YOUTH = 1 AND R04_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	76	0.5 %
	Total	79	0.5%

This variable has 79 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14719	99.5 %
	Total	14,719	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 5716-5723 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1011_05: Flavor of first snus used: Chocolate

What flavor was that first snus you used? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used snus and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YU1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SNUS_YOUTH = 1 AND R04_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	77	0.5 %
	Total	79	0.5%

This variable has 79 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14719	99.5 %
	Total	14,719	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 5724-5731 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1011_06: Flavor of first snus used: An alcoholic drink

What flavor was that first snus you used? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: New baseline youth respondents who have ever used snus and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YU1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SNUS_YOUTH = 1 AND R04_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	76	0.5 %
	Total	79	0.5%

This variable has 79 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14719	99.5 %
	Total	14,719	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 5732-5739 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1011_07: Flavor of first snus used: Candy or other sweets

What flavor was that first snus you used? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever used snus and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YU1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SNUS_YOUTH = 1 AND R04_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	75	0.5 %
	Total	79	0.5%

This variable has 79 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14719	99.5 %

	Missing Data		
	Total	14,719	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 5740-5747 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1011_08: Flavor of first snus used: Some other flavor

What flavor was that first snus you used? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever used snus and whose first snus pouch was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus pouch was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YU1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SNUS_YOUTH = 1 AND R04_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

This variable has 79 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14719	99.5 %
	Total	14,719	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 5748-5755 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1005: Number of times used snus in your entire life

How many times have you used snus in your entire life?

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have ever used snus and had not used snus 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SNUS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SNUS_YOUTH = 1 AND R03_NUMLIFE_SNUS != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1	73	0.5 %
2	2 = 2 to 10	44	0.3 %
3	3 = 11 to 20	27	0.2 %
4	4 = 21 to 50	19	0.1 %
5	5 = 51 to 99	6	0.0 %
6	6 = 100 or more	21	0.1 %
	Total	190	1.3%

This variable has 190 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14591	98.6 %
	Total	14,608	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5756-5763 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1100: Ever used snus fairly regularly

Have you ever used snus fairly regularly?

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview.

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YU1112.]

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SNUS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SNUS_YOUTH = 1 AND R03_REGUSE_SNUS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.2 %
2	2 = No	150	1.0 %
	Total	184	1.2%

This variable has 184 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14612	98.7 %
	Total	14,614	98.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5764-5771 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YU1007: DERIVED - Age range when first started using snus pouches fairly regularly (3 levels)

Long Description: How old were you when you first started using snus pouches fairly regularly?

Algorithm: IF R04_YU1121 = 1 OR (0 <= R04_YU1007 <= 11) THEN R04R_Y_YU1007 = 1; ELSE IF R04_YU1121 = 2 OR (12 <= R04_YU1007 <= 14) THEN R04R_Y_YU1007 = 2; ELSE IF R04_YU1121 = 3 OR (15 <= R04_YU1007 <= 17) THEN R04R_Y_YU1007 = 3; ELSE IF R04_YU1007 = -9 OR R04_YU1121 = -9 THEN R04R_Y_YU1007 = -99999; ELSE IF R04_YU1007 = -8 OR R04_YU1121 = -8 THEN R04R_Y_YU1007 = -99988; ELSE IF R04_YU1007 = -7 OR R04_YU1121 = -7 THEN R04R_Y_YU1007 = -99977; ELSE IF R04_YU1007 = -5 THEN R04R_Y_YU1007 = -99955; ELSE IF R04_YU1007 = -1 OR R04_YU1121 = -1 THEN R04R_Y_YU1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	7	0.0 %
2	2 = 12 to 14 years old	17	0.1 %
3	3 = 15 to 17 years old	10	0.1 %
	Total	34	0.2%

This variable has 34 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14764	99.8 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,764	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5772-5779 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YU1112: Last time used snus, even one or two times

When did you last use snus even one or two times?

[If Not in the past 7 days but sometime in the past 30 days (3), Go to box R04_YUV04; Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), Go to box R04_YST01

ASK: Youth respondents who have ever used snus.

ASK Specification: IF R04_EVER_NEVER_SNUS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents that have used in the past year (R04_YU1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	15	0.1 %
2	2 = Not today but sometime in the past 7 days	12	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	23	0.2 %
4	4 = Not in the past 30 days but sometime in the past 6 months	39	0.3 %
5	5 = Not in the past 6 months but sometime in the past year	41	0.3 %
6	6 = 1 to 4 years ago	43	0.3 %
7	7 = 5 or more years ago	23	0.2 %
	Total	196	1.3%

This variable has 196 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	14584	98.6 %
	Total	14,602	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5780-5787 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU0100: When last used snus

When did you last use snus?

[If In the past hour, Go to R04_YU0103; If Three or more days ago (5), Don't know (-8), or Refused (-7), Go to box R04_YUV04.]

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days.

ASK Specification: IF R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YU1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	7	0.0 %
2	2 = Sometime today	9	0.1 %
3	3 = Yesterday	1	0.0 %
4	4 = Day before yesterday	2	0.0 %
5	5 = Three or more days ago	8	0.1 %
	Total	27	0.2%

This variable has 27 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14771	99.8 %
	Total	14,771	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 5788-5795 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU0102: Time period of day when you last used snus

When you last used snus [FILL BASED ON R04_YU0100], was it...

[If Don't know (-8), or Refused (-7), Go to box R04_YUV04.]

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days and last used snus sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YU1112 = 1, 2 AND R04_YU0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0 %
2	2 = After 6AM but before noon	4	0.0 %
3	3 = Between noon and 6PM	6	0.0 %
4	4 = After 6PM but before midnight	2	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14786	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5796-5803 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU0103: Number of times used snus today/yesterday/day before yesterday

How many times [have/did] you [used/use] snus [FILL BASED ON R04_YU0100]?

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days and last used snus in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YU1112 = 1, 2 AND R04_YU0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 19 valid cases out of 14,798 total cases.

- Mean: 4.26
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 18.00
- Standard Deviation: 4.21

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14779	99.9 %
	Total	14,779	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5804-5811 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YU1022: In past 30 days, number of days used snus

In the past 30 days, on how many days did you use snus?

___ Days

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 48 valid cases out of 14,798 total cases.

- Mean: 10.10
- Median: 5.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.99

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,750	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5812-5819 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YU1023: In past 30 days, number of times used snus per day on the days that you used

In the past 30 days, on the days you used snus, how many times did you use snus per day?

[If Don't know (-8), or Refused (-7), Go to R04_YU1130.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

This variable has 49 valid cases out of 14,798 total cases.

- Mean: 3.61
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 10.00
- Standard Deviation: 2.68

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5820-5827 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YU1130: In past 30 days, used snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, candy, fruit, chocolate, alcohol or other sweets

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know, or Refused (-7), Go to R04_YU1142.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	6	0.0 %
3	3 = I don't know	5	0.0 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5828-5835 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1131_01: In past 30 days, used snus flavored to taste like: Menthol or mint

Which flavors have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	18	0.1 %
	Total	38	0.3%

This variable has 38 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5836-5843 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1131_02: In past 30 days, used snus flavored to taste like: Wintergreen, spearmint or frost

Which flavors have you used in the past 30 days? Choose all that apply.

Wintergreen, spearmint or frost

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.2 %
2	2 = Not Marked	12	0.1 %
	Total	38	0.3%

This variable has 38 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5844-5851 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1131_03: In past 30 days, used snus flavored to taste like: Clove or spice

Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	38	0.3 %
	Total	38	0.3%

This variable has 38 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5852-5859 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1131_04: In past 30 days, used snus flavored to taste like: Fruit

Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	35	0.2 %
	Total	38	0.3%

This variable has 38 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5860-5867 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1131_05: In past 30 days, used snus flavored to taste like: Chocolate

Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	38	0.3 %
	Total	38	0.3%

This variable has 38 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5868-5875 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1131_06: In past 30 days, used snus flavored to taste like: An alcoholic drink

Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	38	0.3 %
	Total	38	0.3%

This variable has 38 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5876-5883 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1131_07: In past 30 days, used snus flavored to taste like: Candy or other sweets

Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	35	0.2 %
	Total	38	0.3%

This variable has 38 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5884-5891 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1131_08: In past 30 days, used snus flavored to taste like: Some other flavor

Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	36	0.2 %
	Total	38	0.3%

This variable has 38 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5892-5899 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1147: How often used flavored snus on days used in past 30 days

On the days you used snus in the past 30 days, how often did you use flavored snus?

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	20	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = Most of the time	3	0.0 %
3	3 = Sometimes	5	0.0 %
4	4 = Rarely	8	0.1 %
5	5 = Never	2	0.0 %
	Total	38	0.3%

This variable has 38 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5900-5907 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1142: In the past 30 days, did anyone sell you snus

In the past 30 days, did anyone sell you snus?

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	39	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5908-5915 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1123: In the past 30 days, someone refused to sell you snus because of your age

In the past 30 days, did anyone refuse to sell you snus because of your age?

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.0 %
2	2 = No	43	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5916-5923 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU9041: Type of snus used in past 30 days

In the past 30 days, what type of snus have you used?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

[If Snus pouches (1), Loose snus (2), Don't know (-8), or Refused, Go to R04_YU1118.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Snus pouches	22	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = Loose snus	12	0.1 %
3	3 = Both snus pouches and loose snus	14	0.1 %
	Total	48	0.3%

This variable has 48 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,750	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5924-5931 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU9042: Type of snus used most often in past 30 days

You mentioned you have used both loose snus and snus pouches. Which type of snus do you use most often?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

ASK: Youth respondents who are past 30 day snus users and have used both loose snus and snus pouches in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU9041 = 3.

Value	Label	Unweighted Frequency	%
1	1 = Snus pouches	8	0.1 %
2	2 = Loose snus	6	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14784	99.9 %
	Total	14,784	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5932-5939 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1118: In past 30 days, how you usually got your own snus

[Please think of the type of snus you use most often when answering these questions.

]In the past 30 days, how did you usually get your own snus?

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	11	0.1 %
2	2 = I bought it myself from a store	7	0.0 %
3	3 = I asked someone to give me some	7	0.0 %
4	4 = Someone offered it to me	14	0.1 %
5	5 = I bought it from another person	6	0.0 %
6	6 = I took it from a store or another person	1	0.0 %
7	7 = I got it some other way	3	0.0 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5940-5947 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1030: How you usually buy your snus

[When you give money to someone else, how do they/How do you] usually buy your snus?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), Go to box R04_YUR20.]

ASK: Youth respondents who are past 30 day snus users and usually get snus by giving someone else money to buy for

them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	18	0.1 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	18	0.1%

This variable has 18 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14780	99.9 %
	Total	14,780	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5948-5955 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1033: Retail location where your snus is purchased most of the time

Where do [you/they] buy your snus most of the time?

ASK: Youth respondents who are past 30 day snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store and usually buy snus in person.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1118 = 1, 2 AND R04_YU1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	16	0.1 %
2	2 = A supermarket, grocery store, or drug store	1	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	0	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	1	0.0 %

Value	Label	Unweighted Frequency	%
	Total	18	0.1%

This variable has 18 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14780	99.9 %
	Total	14,780	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5956-5963 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1034_D: Amount paid when last time bought snus - Dollars

Think about the last time you [bought/gave money to someone else to buy you] snus. How much did you pay for a container of snus?

___ Dollars

[If Don't know (-8), or Refused (-7), Go to box R04_YUR18.]

ASK: Youth respondents who are past 30 day "not-light" snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_SNUS_LEVEL = 2 AND R04_YU1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 17 valid cases out of 14,798 total cases.

- Mean: 3.88
- Median: 4.00
- Mode: 5.00
- Minimum: 2.00
- Maximum: 6.00
- Standard Deviation: 1.32

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,781	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5964-5971 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YU1034_C: Amount paid when last time bought snus - Cents

Think about the last time you [bought/gave money to someone else to buy you] snus. How much did you pay for a container of snus?

__ Cents

[If Don't know (-8), or Refused (-7), Go to box R04_YUR18.]

ASK: Youth respondents who are past 30 day "not-light" snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_SNUS_LEVEL = 2 AND R04_YU1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 17 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14781	99.9 %
	Total	14,781	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 5972-5979 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YU9001: Number of pouches in container of snus you usually buy

How many pouches are in the container of snus that you usually buy?

ASK: Youth respondents who are past 30 day "not-light" snus users and have only or most often used snus pouches in the past 30 days and usually get snus by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_SNUS_LEVEL = 2 AND (R04_YU9041 = 1 OR R04_YU9042 = 1) AND R04_YU1118 = 1, 2.

This variable has 10 valid cases out of 14,798 total cases.

- Mean: 18.10
- Median: 15.00
- Mode: 15.00
- Minimum: 4.00
- Maximum: 50.00
- Standard Deviation: 11.95

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14788	99.9 %
	Total	14,788	99.9 %

Percentages for both tables are based on 14,798 total cases.

Location: 5980-5987 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YU1047: Have a regular brand of snus you usually use

Do you have a regular brand of snus that you usually use?

ASK: Youth respondents who are past 30 day "not-light" snus users.

ASK Specification: IF R04_PAST30DAY_SNUS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	15	0.1 %
	Total	40	0.3 %

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14758	99.7 %
	Total	14,758	99.7 %

Percentages for both tables are based on 14,798 total cases.

Location: 5988-5995 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1945: Know the name of brand of snus you usually use

Do you know the name of the brand of snus you [usually use/last used]?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YUD02.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.2 %
2	2 = No	18	0.1 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 5996-6003 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1048_BRAND: Brand of snus usually / last used

What brand of snus [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1945 = 1.

[PROGRAM NOTE: Show pictures of the major brands on the touchscreen.]

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14766	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 6004-6011 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1070_PRODUCT: Sub-brand of snus usually / last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used and selected a brand of snus pouches.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU1945 = 1 AND R04_YU1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: Fill BRANDFILL with brand selected in R04_YU1048_BRAND. Show pictures or text on the touchscreen of the major products associated with the brand selected.]

This variable has 29 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14769	99.8 %
	Total	14,769	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 6012-6019 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU0104: Brand of very last snus used is same as brand regularly/last used

You said earlier that you last used snus [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and subbrand of snus.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YU0100 = 1, 2, 3, 4 AND R04_YU1945 = 1 AND R04_YU1048_BRAND != 9995, -8, -7 AND R04_YU1070_PRODUCT != 99990, 99995, -8, -7.

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14793	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 6020-6027 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1060_RANDOM_01: YU1060 series random question 1

Value	Label	Unweighted Frequency	%
-1	-	14748	99.7 %
R04_YU1060	-	9	0.1 %
R04_YU1062	-	5	0.0 %
R04_YU1063	-	4	0.0 %
R04_YU1064	-	5	0.0 %
R04_YU1065	-	4	0.0 %
R04_YU1067	-	5	0.0 %
R04_YU1075	-	6	0.0 %
R04_YU1076	-	4	0.0 %
R04_YU1085	-	8	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6028-6042 (width: 15; decimal: 0)

Variable Type: character

R04_YU1060_RANDOM_02: YU1060 series random question 2

Value	Label	Unweighted Frequency	%
-1	-	14748	99.7 %
R04_YU1060	-	7	0.0 %
R04_YU1062	-	4	0.0 %
R04_YU1063	-	4	0.0 %
R04_YU1064	-	2	0.0 %
R04_YU1065	-	7	0.0 %
R04_YU1067	-	5	0.0 %
R04_YU1075	-	10	0.1 %
R04_YU1076	-	4	0.0 %
R04_YU1085	-	7	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6043-6057 (width: 15; decimal: 0)

Variable Type: character

R04_YU1060_RANDOM_03: YU1060 series random question 3

Value	Label	Unweighted Frequency	%
-1	-	14748	99.7 %
R04_YU1060	-	6	0.0 %
R04_YU1062	-	6	0.0 %
R04_YU1063	-	3	0.0 %
R04_YU1064	-	2	0.0 %
R04_YU1065	-	3	0.0 %
R04_YU1067	-	9	0.1 %
R04_YU1075	-	6	0.0 %
R04_YU1076	-	9	0.1 %
R04_YU1085	-	6	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6058-6072 (width: 15; decimal: 0)

Variable Type: character

R04_YU1060_RANDOM_04: YU1060 series random question 4

Value	Label	Unweighted Frequency	%
-1	-	14748	99.7 %

Value	Label	Unweighted Frequency	%
R04_YU1060	-	4	0.0 %
R04_YU1062	-	8	0.1 %
R04_YU1063	-	5	0.0 %
R04_YU1064	-	4	0.0 %
R04_YU1065	-	3	0.0 %
R04_YU1067	-	7	0.0 %
R04_YU1075	-	7	0.0 %
R04_YU1076	-	5	0.0 %
R04_YU1085	-	7	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6073-6087 (width: 15; decimal: 0)

Variable Type: character

R04_YU1060_RANDOM_05: YU1060 series random question 5

Value	Label	Unweighted Frequency	%
-1	-	14748	99.7 %
R04_YU1060	-	8	0.1 %
R04_YU1062	-	6	0.0 %
R04_YU1063	-	8	0.1 %
R04_YU1064	-	2	0.0 %
R04_YU1065	-	6	0.0 %
R04_YU1067	-	5	0.0 %
R04_YU1075	-	5	0.0 %
R04_YU1076	-	4	0.0 %
R04_YU1085	-	6	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6088-6102 (width: 15; decimal: 0)

Variable Type: character

R04_YU1060_RANDOM_06: YU1060 series random question 6

Value	Label	Unweighted Frequency	%
-1	-	14748	99.7 %
R04_YU1060	-	3	0.0 %
R04_YU1062	-	3	0.0 %
R04_YU1063	-	7	0.0 %

Value	Label	Unweighted Frequency	%
R04_YU1064	-	6	0.0 %
R04_YU1065	-	7	0.0 %
R04_YU1067	-	7	0.0 %
R04_YU1075	-	7	0.0 %
R04_YU1076	-	8	0.1 %
R04_YU1085	-	2	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6103-6117 (width: 15; decimal: 0)

Variable Type: character

R04_YU1060_RANDOM_07: YU1060 series random question 7

Value	Label	Unweighted Frequency	%
-1	-	14748	99.7 %
R04_YU1060	-	5	0.0 %
R04_YU1062	-	9	0.1 %
R04_YU1063	-	5	0.0 %
R04_YU1064	-	4	0.0 %
R04_YU1065	-	7	0.0 %
R04_YU1067	-	6	0.0 %
R04_YU1075	-	5	0.0 %
R04_YU1076	-	7	0.0 %
R04_YU1085	-	2	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6118-6132 (width: 15; decimal: 0)

Variable Type: character

R04_YU1060_RANDOM_08: YU1060 series random question 8

Value	Label	Unweighted Frequency	%
-1	-	14748	99.7 %
R04_YU1060	-	4	0.0 %
R04_YU1062	-	6	0.0 %
R04_YU1063	-	11	0.1 %
R04_YU1064	-	4	0.0 %
R04_YU1065	-	5	0.0 %
R04_YU1067	-	5	0.0 %

Value	Label	Unweighted Frequency	%
R04_YU1075	-	2	0.0 %
R04_YU1076	-	8	0.1 %
R04_YU1085	-	5	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6133-6147 (width: 15; decimal: 0)

Variable Type: character

R04_YU1060_RANDOM_09: YU1060 series random question 9

Value	Label	Unweighted Frequency	%
-1	-	14765	99.8 %
R04_YU1060	-	4	0.0 %
R04_YU1062	-	3	0.0 %
R04_YU1063	-	3	0.0 %
R04_YU1064	-	4	0.0 %
R04_YU1065	-	8	0.1 %
R04_YU1067	-	1	0.0 %
R04_YU1075	-	2	0.0 %
R04_YU1076	-	1	0.0 %
R04_YU1085	-	7	0.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6148-6162 (width: 15; decimal: 0)

Variable Type: character

R04_YU1060: Use snus because: It is affordable

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

It is affordable.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	21	0.1 %

Value	Label	Unweighted Frequency	%
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6163-6170 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1085: Use snus because: I can use snus in places where smoking cigarettes is not allowed

I can use snus at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	20	0.1 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6171-6178 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1062: Use snus because: They might be less harmful to me than cigarettes

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	25	0.2 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6179-6186 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1075: Use snus because: They might be less harmful to people around me than cigarettes

They might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.2 %
2	2 = No	16	0.1 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6187-6194 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1063: Use snus because: They come in flavors I like

Snus comes in flavors I like.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	36	0.2 %
2	2 = No	14	0.1 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6195-6202 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1064: Use snus because: It helps people to quit smoking cigarettes

Using snus helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day snus users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	16	0.1 %
	Total	33	0.2%

This variable has 33 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,765	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 6203-6210 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1065: Use snus because: They don't smell

Snus doesn't smell.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	25	0.2 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6211-6218 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1067: Use snus because: They don't bother non-tobacco users

Snus doesn't bother non-tobacco users.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	26	0.2 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6219-6226 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1076: Use snus because: No one can tell when I am using it

No one can tell when I am using snus.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R04_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.2 %
2	2 = No	18	0.1 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6227-6234 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1086: In past 30 days, used snus at times when or in places you could not smoke cigarettes

In the past 30 days, have you used snus at times when or in places where you could not smoke cigarettes?

ASK: Youth respondents who are past 30 day snus users and are past 30 day cigarette smokers.

ASK Specification: IF R04_PAST30DAY_SNUS = 1 AND R04_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	11	0.1 %
	Total	23	0.2%

This variable has 23 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14775	99.8 %
	Total	14,775	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 6235-6242 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1001_NB: Ever seen or heard of smokeless tobacco before this study

Have you ever seen or heard of smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, before this study?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YSV03.]

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3336	22.5 %
2	2 = No	2086	14.1 %
	Total	5,422	36.6%

This variable has 5,422 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,376	63.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6243-6250 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_Y1002_NB: Ever used smokeless tobacco products, even one or two times

Have you ever used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to box R04_YSV03.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_Y1001_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	126	0.9 %
2	2 = No	3210	21.7 %

Value	Label	Unweighted Frequency	%
	Total	3,336	22.5%

This variable has 3,336 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11462	77.5 %
	Total	11,462	77.5%

Percentages for both tables are based on 14,798 total cases.

Location: 6251-6258 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1002_12M: In the past 12 months, used smokeless tobacco products, even one or two times

In the past 12 months, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

ASK: Continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	189	1.3 %
2	2 = No	9162	61.9 %
	Total	9,351	63.2%

This variable has 9,351 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	5433	36.7 %
	Total	5,447	36.8%

Percentages for both tables are based on 14,798 total cases.

Location: 6259-6266 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1103: Ever been curious about using smokeless tobacco

Have you ever been curious about using smokeless tobacco?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YS1001_NB = 1 AND R04_EVER_NEVER_SMKLS_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	42	0.3 %
2	2 = Somewhat curious	140	0.9 %
3	3 = A little curious	584	3.9 %
4	4 = Not at all curious	11425	77.2 %
	Total	12,191	82.4%

This variable has 12,191 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	2590	17.5 %
	Total	2,607	17.6%

Percentages for both tables are based on 14,798 total cases.

Location: 6267-6274 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1206: Think you will use a smokeless tobacco in the next year

Do you think you will try smokeless tobacco in the next year?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YS1001_NB = 1 AND R04_EVER_NEVER_SMKLS_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	5	0.0 %
2	2 = Probably yes	32	0.2 %
3	3 = Probably not	501	3.4 %
4	4 = Definitely not	11656	78.8 %
	Total	12,194	82.4%

This variable has 12,194 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	2590	17.5 %
	Total	2,604	17.6%

Percentages for both tables are based on 14,798 total cases.

Location: 6275-6282 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1104: Think you will try smokeless tobacco soon

Do you think you will try smokeless tobacco soon?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YS1001_NB = 1 AND R04_EVER_NEVER_SMKLS_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3	0.0 %
2	2 = Probably yes	33	0.2 %
3	3 = Probably not	490	3.3 %
4	4 = Definitely not	11669	78.9 %
	Total	12,195	82.4%

This variable has 12,195 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %

	Missing Data		
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	2590	17.5 %
	Total	2,603	17.6%

Percentages for both tables are based on 14,798 total cases.

Location: 6283-6290 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1105: Would use smokeless tobacco if one of your best friends offered you one

If one of your best friends were to offer you smokeless tobacco, would you try it?

[If Definitely yes (1), Probably yes (2), Probably not (3), Definitely not (4), Don't know (-8), or Refused (-7),
Go to box R04_YDT01.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YS1001_NB = 1 AND R04_EVER_NEVER_SMKLS_YOUTH = 2) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	10	0.1 %
2	2 = Probably yes	119	0.8 %
3	3 = Probably not	660	4.5 %
4	4 = Definitely not	11411	77.1 %
	Total	12,200	82.4%

This variable has 12,200 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	2590	17.5 %
	Total	2,598	17.6%

Percentages for both tables are based on 14,798 total cases.

Location: 6291-6298 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YS1006_NB: DERIVED - Age range when first tried smokeless tobacco, even one or two times (3 levels)

Long Description: How old were you when you first tried smokeless tobacco, even one or two times?

Algorithm: IF R04_YS1120_NB = 1 OR (0 <= R04_YS1006_NB <= 11) THEN R04R_Y_YS1006_NB = 1; ELSE IF R04_YS1120_NB = 2 OR (12 <= R04_YS1006_NB <= 14) THEN R04R_Y_YS1006_NB = 2; ELSE IF R04_YS1120_NB = 3 OR (15 <= R04_YS1006_NB <= 17) THEN R04R_Y_YS1006_NB = 3; ELSE IF R04_YS1006_NB = -9 OR R04_YS1120_NB = -9 THEN R04R_Y_YS1006_NB = -99999; ELSE IF R04_YS1006_NB = -8 OR R04_YS1120_NB = -8 THEN R04R_Y_YS1006_NB = -99988; ELSE IF R04_YS1006_NB = -7 OR R04_YS1120_NB = -7 THEN R04R_Y_YS1006_NB = -99977; ELSE IF R04_YS1006_NB = -5 THEN R04R_Y_YS1006_NB = -99955; ELSE IF R04_YS1006_NB = -1 OR R04_YS1120_NB = -1 THEN R04R_Y_YS1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	20	0.1 %
2	2 = 12 to 14 years old	53	0.4 %
3	3 = 15 to 17 years old	49	0.3 %
	Total	122	0.8%

This variable has 122 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14672	99.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,676	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 6299-6306 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YS1108: First smokeless tobacco used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first smokeless tobacco product you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), Go to box R04_YSR13.]

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SMKLS_YOUTH = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	170	1.1 %
2	2 = No	34	0.2 %
3	3 = I don't know	26	0.2 %
	Total	230	1.6%

This variable has 230 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14567	98.4 %
	Total	14,568	98.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6307-6314 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1011_01: Flavor of first smokeless tobacco product used: Menthol or mint

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YS1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SMKLS_YOUTH = 1 AND R04_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	68	0.5 %
2	2 = Not Marked	102	0.7 %

Value	Label	Unweighted Frequency	%
	Total	170	1.1%

This variable has 170 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14628	98.9 %
	Total	14,628	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6315-6322 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1011_02: Flavor of first smokeless tobacco product used: Wintergreen, spearmint or frost

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Wintergreen, spearmint or frost

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YS1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SMKLS_YOUTH = 1 AND R04_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	126	0.9 %
2	2 = Not Marked	44	0.3 %
	Total	170	1.1%

This variable has 170 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14628	98.9 %

	Missing Data		
	Total	14,628	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6323-6330 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1011_03: Flavor of first smokeless tobacco product used: Clove or spice

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YS1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SMKLS_YOUTH = 1 AND R04_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	168	1.1 %
	Total	170	1.1%

This variable has 170 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14628	98.9 %
	Total	14,628	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6331-6338 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1011_04: Flavor of first smokeless tobacco product used: Fruit

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YS1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SMKLS_YOUTH = 1 AND R04_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1 %
2	2 = Not Marked	155	1.0 %
	Total	170	1.1%

This variable has 170 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14628	98.9 %
	Total	14,628	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6339-6346 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1011_05: Flavor of first smokeless tobacco product used: Chocolate

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YS1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SMKLS_YOUTH = 1 AND R04_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	170	1.1 %

Value	Label	Unweighted Frequency	%
	Total	170	1.1%

This variable has 170 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14628	98.9 %
	Total	14,628	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6347-6354 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1011_06: Flavor of first smokeless tobacco product used: An alcoholic drink

What flavor was that first smokeless tobacco product you used? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YS1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SMKLS_YOUTH = 1 AND R04_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	168	1.1 %
	Total	170	1.1%

This variable has 170 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14628	98.9 %
	Total	14,628	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6355-6362 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1011_07: Flavor of first smokeless tobacco product used: Candy or other sweets

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YS1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SMKLS_YOUTH = 1 AND R04_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	163	1.1 %
	Total	170	1.1%

This variable has 170 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14628	98.9 %
	Total	14,628	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6363-6370 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1011_08: Flavor of first smokeless tobacco product used: Some other flavor

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Some other flavor (SPECIFY)

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YS1108 = 1) OR (R04_YOUTHTYPE = 1 AND R04_INIT_SMKLS_YOUTH = 1 AND R04_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	166	1.1 %
	Total	170	1.1%

This variable has 170 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14628	98.9 %
	Total	14,628	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6371-6378 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1005: Number of times you used smokeless tobacco in your entire life

How many times have you used smokeless tobacco in your entire life?

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and had not used smokeless tobacco 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_NUMLIFE_SMKLS != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1	140	0.9 %
2	2 = 2 to 10	121	0.8 %
3	3 = 11 to 20	40	0.3 %
4	4 = 21 to 50	35	0.2 %
5	5 = 51 to 99	25	0.2 %
6	6 = 100 or more	38	0.3 %
	Total	399	2.7%

This variable has 399 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.3 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	14338	96.9 %
	Total	14,399	97.3%

Percentages for both tables are based on 14,798 total cases.

Location: 6379-6386 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1100: Ever used smokeless tobacco fairly regularly

Have you ever used smokeless tobacco fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YS1112.]

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_EVER_NEVER_SMKLS_YOUTH = 1) OR (R04_YOUTHTYPE = 1 AND R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R03_REGUSE_SMKLS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	80	0.5 %
2	2 = No	337	2.3 %
	Total	417	2.8%

This variable has 417 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14377	97.2 %
	Total	14,381	97.2%

Percentages for both tables are based on 14,798 total cases.

Location: 6387-6394 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_Y_S1007: DERIVED - Age range when first started using smokeless tobacco fairly regularly (3 levels)

Long Description: How old were you when you first started using smokeless tobacco fairly regularly?

Algorithm: IF R04_Y_S1121 = 1 OR (0 <= R04_Y_S1007 <= 11) THEN R04R_Y_Y_S1007 = 1; ELSE IF R04_Y_S1121 = 2 OR (12 <= R04_Y_S1007 <= 14) THEN R04R_Y_Y_S1007 = 2; ELSE IF R04_Y_S1121 = 3 OR (15 <= R04_Y_S1007 <= 17) THEN R04R_Y_Y_S1007 = 3; ELSE IF R04_Y_S1007 = -9 OR R04_Y_S1121 = -9 THEN R04R_Y_Y_S1007 = -99999; ELSE IF R04_Y_S1007 = -8 OR R04_Y_S1121 = -8 THEN R04R_Y_Y_S1007 = -99988; ELSE IF R04_Y_S1007 = -7 OR R04_Y_S1121 = -7 THEN R04R_Y_Y_S1007 = -99977; ELSE IF R04_Y_S1007 = -5 THEN R04R_Y_Y_S1007 = -99955; ELSE IF R04_Y_S1007 = -1 OR R04_Y_S1121 = -1 THEN R04R_Y_Y_S1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	9	0.1 %
2	2 = 12 to 14 years old	35	0.2 %
3	3 = 15 to 17 years old	36	0.2 %
	Total	80	0.5%

This variable has 80 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14718	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,718	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 6395-6402 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_Y_S1112: Last time used smokeless tobacco, even one or two times

When did you last use smokeless tobacco, even one or two times?

[If Not in the past 7 days but sometime in the past 30 days (3), Go to box R04_YSV04, If Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), 1 to 4 years ago (6), 5 or more years ago (7), Don't know (-8), or Refused (-7), Go to box R04_YDT01.]

ASK: Youth respondents who have ever used smokeless tobacco.

ASK Specification: IF R04_EVER_NEVER_SMKLS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents that have used in the past year (R04_YS1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	48	0.3 %
2	2 = Not today but sometime in the past 7 days	37	0.3 %
3	3 = Not in the past 7 days but sometime in the past 30 days	46	0.3 %
4	4 = Not in the past 30 days but sometime in the past 6 months	78	0.5 %
5	5 = Not in the past 6 months but sometime in the past year	95	0.6 %
6	6 = 1 to 4 years ago	72	0.5 %
7	7 = 5 or more years ago	57	0.4 %
	Total	433	2.9%

This variable has 433 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.3 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14305	96.7 %
	Total	14,365	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6403-6410 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS0100: When last used smokeless tobacco

When did you last use smokeless tobacco (not including snus)?

[If In the past hour (1), Go to R04_YS0103; If Three or more days ago (5), Don't know (-8), or Refused (-7) Go to box R04_YSV04.]

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier today or in the past 7 days.

ASK Specification: IF R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YS1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	20	0.1 %
2	2 = Sometime today	23	0.2 %
3	3 = Yesterday	14	0.1 %
4	4 = Day before yesterday	7	0.0 %
5	5 = Three or more days ago	21	0.1 %
	Total	85	0.6%

This variable has 85 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14713	99.4 %
	Total	14,713	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6411-6418 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS0102: Time period of day when you last used smokeless tobacco

When you last used smokeless tobacco (not including snus) [FILL BASED ON R04_YS0100], was it...

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier today or in the past 7 days and last used smokeless tobacco sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YS1112 = 1, 2 AND R04_YS0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	6	0.0 %
2	2 = After 6AM but before noon	10	0.1 %
3	3 = Between noon and 6PM	18	0.1 %
4	4 = After 6PM but before midnight	10	0.1 %
	Total	44	0.3%

This variable has 44 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14754	99.7 %
	Total	14,754	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6419-6426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS0103: Number of times used smokeless tobacco today/yesterday/day before yesterday

How many times [have/did] you [used/use] smokeless tobacco (not including snus) [FILL BASED ON R04_YS0100]?

[If Don't know (-8), or Refused (-7), Go to box R04_YSV04.]

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier today or in the past 7 days and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YS1112 = 1, 2 AND R04_YS0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow only 3 digits.]

This variable has 62 valid cases out of 14,798 total cases.

- Mean: 3.42
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.76

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	14734	99.6 %
	Total	14,736	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 6427-6434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YS1022: In past 30 days, number of days used smokeless tobacco

In the past 30 days, on how many days did you use smokeless tobacco?

___ Days

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 128 valid cases out of 14,798 total cases.

- Mean: 12.26
- Median: 6.50
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.19

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,670	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6435-6442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YS1023: In past 30 days, number of times smokeless tobacco used per day on the days that you used

In the past 30 days, on the days you used smokeless tobacco, how many times did you use smokeless tobacco per day?

[If Don't know (-8), or Refused (-7), Go to R04_YS1130.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

This variable has 128 valid cases out of 14,798 total cases.

- Mean: 4.13
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 90.00
- Standard Deviation: 8.80

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,670	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6443-6450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YS1130: In past 30 days, used smokeless tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), Go to R04_YS1142.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	88	0.6 %
2	2 = No	31	0.2 %
3	3 = I don't know	11	0.1 %
	Total	130	0.9%

This variable has 130 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,668	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6451-6458 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1131_01: In past 30 days, used smokeless tobacco flavored to taste like: Menthol or mint

Which flavors have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	51	0.3 %
2	2 = Not Marked	37	0.3 %
	Total	88	0.6%

This variable has 88 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14710	99.4 %
	Total	14,710	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6459-6466 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1131_02: In past 30 days, used smokeless tobacco flavored to taste like: Wintergreen, spearmint or frost

Which flavors have you used in the past 30 days? Choose all that apply.

Wintergreen, spearmint or frost

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	70	0.5 %
2	2 = Not Marked	18	0.1 %
	Total	88	0.6%

This variable has 88 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14710	99.4 %
	Total	14,710	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6467-6474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1131_03: In past 30 days, used smokeless tobacco flavored to taste like: Clove or spice

Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	86	0.6 %
	Total	88	0.6%

This variable has 88 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14710	99.4 %
	Total	14,710	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6475-6482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1131_04: In past 30 days, used smokeless tobacco flavored to taste like: Fruit

Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	74	0.5 %
	Total	88	0.6%

This variable has 88 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14710	99.4 %
	Total	14,710	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6483-6490 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1131_05: In past 30 days, used smokeless tobacco flavored to taste like: Chocolate

Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	87	0.6 %
	Total	88	0.6%

This variable has 88 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14710	99.4 %
	Total	14,710	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6491-6498 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1131_06: In past 30 days, used smokeless tobacco flavored to taste like: An alcoholic drink

Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita or other cocktails)

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	85	0.6 %

Value	Label	Unweighted Frequency	%
	Total	88	0.6%

This variable has 88 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14710	99.4 %
	Total	14,710	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6499-6506 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1131_07: In past 30 days, used smokeless tobacco flavored to taste like: Candy or other sweets

Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	84	0.6 %
	Total	88	0.6%

This variable has 88 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14710	99.4 %
	Total	14,710	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6507-6514 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1131_08: In past 30 days, used smokeless tobacco flavored to taste like: Some other flavor

Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFY)

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	84	0.6 %
	Total	88	0.6%

This variable has 88 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14710	99.4 %
	Total	14,710	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6515-6522 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1147: How often used flavored smokeless tobacco on days used in past 30 days

On the days you used smokeless tobacco in the past 30 days, how often did you use flavored smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	48	0.3 %
2	2 = Most of the time	21	0.1 %
3	3 = Sometimes	13	0.1 %
4	4 = Rarely	4	0.0 %
5	5 = Never	2	0.0 %
	Total	88	0.6%

This variable has 88 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14710	99.4 %
	Total	14,710	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6523-6530 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1142: In the past 30 days, did anyone sell you smokeless tobacco?

In the past 30 days, did anyone sell you smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.2 %
2	2 = No	100	0.7 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %

	Missing Data		
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6531-6538 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1123: In the past 30 days, someone refused to sell you smokeless tobacco because of your age

In the past 30 days, did anyone refuse to sell you smokeless tobacco because of your age?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.1 %
2	2 = No	110	0.7 %
	Total	130	0.9%

This variable has 130 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,668	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6539-6546 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS9041: Type of smokeless tobacco used in past 30 days

In the past 30 days, what type of smokeless tobacco have you used?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

[If Loose smokeless tobacco (such as dip, spit or chewing tobacco) (1), Smokeless tobacco pouches (not including snus) (2), Don't know (-8), or Refused (-7), Go to R04_YS1118.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Loose smokeless tobacco (such as dip, spit or chewing tobacco)	86	0.6 %
2	2 = Smokeless tobacco pouches (not including snus)	11	0.1 %
3	3 = Both loose and pouched smokeless tobacco	33	0.2 %
	Total	130	0.9%

This variable has 130 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,668	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6547-6554 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS9042: Type of smokeless tobacco used most often in past 30 days

You mentioned you have used both loose and pouched smokeless tobacco. Which type of smokeless tobacco do you use most often?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used both loose and pouched smokeless tobacco.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS9041 = 3.

Value	Label	Unweighted Frequency	%
1	1 = Loose smokeless tobacco (such as dip, spit or chewing tobacco)	21	0.1 %
2	2 = Smokeless tobacco pouches (not including snus)	12	0.1 %
	Total	33	0.2%

This variable has 33 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,765	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 6555-6562 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1118: In past 30 days, how you usually got your own smokeless tobacco

In the past 30 days, how did you usually get your own smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	41	0.3 %
2	2 = I bought it myself from a store	19	0.1 %
3	3 = I asked someone to give me some	17	0.1 %
4	4 = Someone offered it to me	35	0.2 %
5	5 = I bought it from another person	10	0.1 %
6	6 = I took it from a store or another person	1	0.0 %
7	7 = I got it some other way	7	0.0 %
	Total	130	0.9%

This variable has 130 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,668	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6563-6570 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1030: How you usually buy your smokeless tobacco

[When you give money to someone else, how do they/How do you] usually buy your smokeless tobacco?

[If From the internet (2), By the telephone (3), Don't know (-8), or Refused (-7), Go to box R04_YSR20.]

ASK: Youth respondents who are past 30 day smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	57	0.4 %
2	2 = From the internet	2	0.0 %
3	3 = By telephone	0	0.0 %
	Total	59	0.4%

This variable has 59 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14738	99.6 %
	Total	14,739	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 6571-6578 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1033: Retail location where your smokeless tobacco is purchased most of the time

Where do [you/they] buy your smokeless tobacco most of the time?

ASK: Youth respondents who are past 30 day smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store and usually buy smokeless tobacco in person.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1118 = 1, 2 AND R04_YS1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	51	0.3 %
2	2 = A supermarket, grocery store, or drug store	3	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %

Value	Label	Unweighted Frequency	%
7	7 = A friend or relative	2	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	0	0.0 %
	Total	56	0.4%

This variable has 56 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14741	99.6 %
	Total	14,742	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 6579-6586 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1034_D: Amount paid when last time bought smokeless tobacco - Dollars

Think about the last time you [bought/gave money to someone else to buy you] smokeless tobacco. How much did you pay for a container of smokeless tobacco?

___ Dollars

[If Don't know (-8), or Refused (-7), Go to box R04_YSR18.]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_SMKLS_LEVEL = 2 AND R04_YS1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 48 valid cases out of 14,798 total cases.

- Mean: 4.77
- Median: 4.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 20.00
- Standard Deviation: 3.41

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14749	99.7 %
	Total	14,750	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6587-6594 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YS1034_C: Amount paid when last time bought smokeless tobacco - Cents

Think about the last time you [bought/gave money to someone else to buy you] smokeless tobacco. How much did you pay for a container of smokeless tobacco?

__ Cents

[If Don't know (-8), or Refused (-7), Go to box R04_YSR18.]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_SMKLS_LEVEL = 2 AND R04_YS1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.]

This variable has 48 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14750	99.7 %
	Total	14,750	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6595-6602 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YS9001: Number of pouches in the container of smokeless tobacco you usually buy

How many pouches are in the container of smokeless tobacco that you usually buy?

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and have only or most often used

pouched smokeless tobacco in the past 30 days and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R04_PAST30DAY_SMKLS_LEVEL = 2 AND (R04_YS9041 = 2 OR R04_YS9042 = 2) AND R04_YS1118 = 1, 2.

This variable has 5 valid cases out of 14,798 total cases.

- Mean: 13.60
- Median: 15.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 7.89

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14793	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 6603-6610 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YS1047: Have a regular brand of smokeless tobacco you usually use

Do you have a regular brand of smokeless tobacco that you usually use?

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	72	0.5 %
2	2 = No	27	0.2 %
	Total	99	0.7%

This variable has 99 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14699	99.3 %
	Total	14,699	99.3%

Percentages for both tables are based on 14,798 total cases.

Location: 6611-6618 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1945: Know the name of brand of smokeless tobacco you [usually use]

Do you know the name of the brand of smokeless tobacco you [usually use/last used]?

[If No (2), Don't Know (-8), or Refused (-7), Go to box R04_YSD02.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	102	0.7 %
2	2 = No	29	0.2 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6619-6626 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1048_BRAND: Brand of smokeless tobacco usually/last used

What brand of smokeless tobacco [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless

tobacco they usually use or last used.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1945 = 1.

[PROGRAM NOTE: Show pictures of the major brands on the touchscreen.]

This variable has 102 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14696	99.3 %
	Total	14,696	99.3%

Percentages for both tables are based on 14,798 total cases.

Location: 6627-6634 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1070_PRODUCT: Sub-brand of smokeless tobacco product usually/last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco pouches.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS1945 = 1 AND R04_YS1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: Fill BRANDFILL with brand selected in R04_YS1048_BRAND. Show pictures or text on the touchscreen of the major products associated with the brand selected.]

This variable has 102 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14696	99.3 %
	Total	14,696	99.3%

Percentages for both tables are based on 14,798 total cases.

Location: 6635-6642 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS0104: Brand of very last smokeless tobacco used is same as brand regularly/last used

You said earlier that you used smokeless tobacco [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and subbrand of smokeless tobacco.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YS0100 = 1, 2, 3, 4 AND R04_YS1945 = 1 AND R04_YS1048_BRAND != 9995, -8, -7 AND R04_YS1070_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.3 %
2	2 = No	9	0.1 %
	Total	51	0.3%

This variable has 51 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14747	99.7 %
	Total	14,747	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6643-6650 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1060_RANDOM_01: YS1060 series random question 1

Value	Label	Unweighted Frequency	%
-1	-	14667	99.1 %
R04_YS1060	-	12	0.1 %
R04_YS1062	-	25	0.2 %
R04_YS1063	-	21	0.1 %
R04_YS1064	-	13	0.1 %
R04_YS1065	-	13	0.1 %

Value	Label	Unweighted Frequency	%
R04_YS1067	-	14	0.1 %
R04_YS1075	-	18	0.1 %
R04_YS1085	-	15	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6651-6665 (width: 15; decimal: 0)

Variable Type: character

R04_YS1060_RANDOM_02: YS1060 series random question 2

Value	Label	Unweighted Frequency	%
-1	-	14667	99.1 %
R04_YS1060	-	16	0.1 %
R04_YS1062	-	22	0.1 %
R04_YS1063	-	19	0.1 %
R04_YS1064	-	6	0.0 %
R04_YS1065	-	19	0.1 %
R04_YS1067	-	13	0.1 %
R04_YS1075	-	12	0.1 %
R04_YS1085	-	24	0.2 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6666-6680 (width: 15; decimal: 0)

Variable Type: character

R04_YS1060_RANDOM_03: YS1060 series random question 3

Value	Label	Unweighted Frequency	%
-1	-	14667	99.1 %
R04_YS1060	-	22	0.1 %
R04_YS1062	-	19	0.1 %
R04_YS1063	-	22	0.1 %
R04_YS1064	-	4	0.0 %
R04_YS1065	-	17	0.1 %
R04_YS1067	-	15	0.1 %
R04_YS1075	-	22	0.1 %
R04_YS1085	-	10	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6681-6695 (width: 15; decimal: 0)

Variable Type: character

R04_YS1060_RANDOM_04: YS1060 series random question 4

Value	Label	Unweighted Frequency	%
-1	-	14667	99.1 %
R04_YS1060	-	16	0.1 %
R04_YS1062	-	11	0.1 %
R04_YS1063	-	15	0.1 %
R04_YS1064	-	10	0.1 %
R04_YS1065	-	29	0.2 %
R04_YS1067	-	17	0.1 %
R04_YS1075	-	16	0.1 %
R04_YS1085	-	17	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6696-6710 (width: 15; decimal: 0)

Variable Type: character

R04_YS1060_RANDOM_05: YS1060 series random question 5

Value	Label	Unweighted Frequency	%
-1	-	14667	99.1 %
R04_YS1060	-	18	0.1 %
R04_YS1062	-	13	0.1 %
R04_YS1063	-	13	0.1 %
R04_YS1064	-	8	0.1 %
R04_YS1065	-	12	0.1 %
R04_YS1067	-	24	0.2 %
R04_YS1075	-	22	0.1 %
R04_YS1085	-	21	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6711-6725 (width: 15; decimal: 0)

Variable Type: character

R04_YS1060_RANDOM_06: YS1060 series random question 6

Value	Label	Unweighted Frequency	%
-1	-	14667	99.1 %
R04_YS1060	-	19	0.1 %
R04_YS1062	-	12	0.1 %
R04_YS1063	-	12	0.1 %
R04_YS1064	-	9	0.1 %
R04_YS1065	-	20	0.1 %
R04_YS1067	-	25	0.2 %
R04_YS1075	-	17	0.1 %
R04_YS1085	-	17	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6726-6740 (width: 15; decimal: 0)

Variable Type: character

R04_YS1060_RANDOM_07: YS1060 series random question 7

Value	Label	Unweighted Frequency	%
-1	-	14667	99.1 %
R04_YS1060	-	22	0.1 %
R04_YS1062	-	18	0.1 %
R04_YS1063	-	21	0.1 %
R04_YS1064	-	8	0.1 %
R04_YS1065	-	14	0.1 %
R04_YS1067	-	14	0.1 %
R04_YS1075	-	16	0.1 %
R04_YS1085	-	18	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6741-6755 (width: 15; decimal: 0)

Variable Type: character

R04_YS1060_RANDOM_08: YS1060 series random question 8

Value	Label	Unweighted Frequency	%
-1	-	14728	99.5 %
R04_YS1060	-	6	0.0 %
R04_YS1062	-	11	0.1 %
R04_YS1063	-	8	0.1 %
R04_YS1064	-	12	0.1 %

Value	Label	Unweighted Frequency	%
R04_YS1065	-	7	0.0 %
R04_YS1067	-	9	0.1 %
R04_YS1075	-	8	0.1 %
R04_YS1085	-	9	0.1 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 6756-6770 (width: 15; decimal: 0)

Variable Type: character

R04_YS1060: Use smokeless tobacco because: It is affordable

The next questions are about the reasons people use smokeless tobacco. Please select which reasons apply to you.

I use smokeless tobacco because...

It is affordable.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	72	0.5 %
2	2 = No	58	0.4 %
	Total	130	0.9%

This variable has 130 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,668	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6771-6778 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1085: Use smokeless tobacco because: It can be used in places where smoking cigarettes is not allowed

I can use smokeless tobacco at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	79	0.5 %
2	2 = No	52	0.4 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6779-6786 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_Y51062: Use smokeless tobacco because: It might be less harmful to me than cigarettes

It might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	66	0.4 %
2	2 = No	65	0.4 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6787-6794 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1075: Use smokeless tobacco because: It might be less harmful to people around me than cigarettes

It might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	88	0.6 %
2	2 = No	43	0.3 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6795-6802 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1063: Use smokeless tobacco because: It comes in flavors I like

Smokeless tobacco comes in flavors I like.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	87	0.6 %
2	2 = No	43	0.3 %
	Total	130	0.9%

This variable has 130 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,668	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6803-6810 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1064: Use smokeless tobacco because: It helps people to quit smoking cigarettes

Using smokeless tobacco helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	46	0.3 %
	Total	70	0.5%

This variable has 70 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14728	99.5 %
	Total	14,728	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 6811-6818 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1065: Use smokeless tobacco because: It doesn't smell

Smokeless tobacco doesn't smell.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	45	0.3 %
2	2 = No	86	0.6 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6819-6826 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1067: Use smokeless tobacco because: It doesn't bother non-tobacco users

Smokeless tobacco doesn't bother non-tobacco users.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	57	0.4 %
2	2 = No	74	0.5 %
	Total	131	0.9%

This variable has 131 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,667	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 6827-6834 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_Y1086: In past 30 days, used smokeless tobacco at times when or in places you could not smoke cigarettes

In the past 30 days, have you used smokeless tobacco at times when or in places where you could not smoke cigarettes?

ASK: Youth respondents who are past 30 day smokeless tobacco users and are past 30 day cigarette smokers.

ASK Specification: IF R04_PAST30DAY_SMKLS = 1 AND R04_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.2 %
2	2 = No	13	0.1 %
	Total	44	0.3%

This variable has 44 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14754	99.7 %
	Total	14,754	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6835-6842 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YD1001_NB: Ever seen or heard of dissolvable tobacco before this study

Have you ever seen or heard of dissolvable tobacco before this study?

[SHOW GENERIC IMAGE OF DISSOLVABLES]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YDV01.]

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	354	2.4 %
2	2 = No	5072	34.3 %
	Total	5,426	36.7%

This variable has 5,426 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,372	63.3%

Percentages for both tables are based on 14,798 total cases.

Location: 6843-6850 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YD1002_NB: Ever used dissolvable tobacco products, even one or two times

Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLES]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YDV01.]

ASK: New baseline youth respondents who have ever seen or heard of dissolvable tobacco.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YD1001_NB= 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	348	2.4 %
	Total	354	2.4%

This variable has 354 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14444	97.6 %
	Total	14,444	97.6%

Percentages for both tables are based on 14,798 total cases.

Location: 6851-6858 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YD1002_12M: In past 12 months, used dissolvable tobacco products, even one or two times

In the past 12 months, have you used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLES]

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YDV01.]

ASK: New baseline youth respondents who have ever seen or heard of dissolvable tobacco and have ever used dissolvable tobacco, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YD1001_NB = 1 AND R04_YD1002_NB = 1) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.1 %
2	2 = No	9337	63.1 %
	Total	9,355	63.2%

This variable has 9,355 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	5427	36.7 %
	Total	5,443	36.8%

Percentages for both tables are based on 14,798 total cases.

Location: 6859-6866 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YD1002_30D: In past 30 days, used dissolvable tobacco products, even one or two times

In the past 30 days, have you used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLES]

ASK: New baseline youth respondents who have ever seen or heard of dissolvable tobacco and have ever used dissolvable tobacco and have used dissolvable tobacco in the past 12 months, or continuing youth respondents who have used dissolvable tobacco in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YD1001_NB = 1 AND R04_YD1002_NB = 1 AND R04_YD1002_12M = 1) OR (R04_YOUTHTYPE = 1 AND R04_YD1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	10	0.1 %
	Total	18	0.1%

This variable has 18 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14780	99.9 %
	Total	14,780	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6867-6874 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9101_NB_01: Ever heard of bidis before this study

Which of the following tobacco products have you ever seen or heard of before this study? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Bidis

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are

selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	224	1.5 %
2	2 = Not Marked	5182	35.0 %
	Total	5,406	36.5%

This variable has 5,406 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,392	63.5%

Percentages for both tables are based on 14,798 total cases.

Location: 6875-6882 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9101_NB_02: Ever heard of kreteks before this study

Which of the following tobacco products have you ever seen or heard of before this study? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Kreteks

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	263	1.8 %
2	2 = Not Marked	5143	34.8 %
	Total	5,406	36.5%

This variable has 5,406 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,392	63.5%

Percentages for both tables are based on 14,798 total cases.

Location: 6883-6890 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9101_NB_03: Never heard of bidis or kreteks

Which of the following tobacco products have you ever seen or heard of before this study? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Never seen or heard of either of these products

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5039	34.1 %
2	2 = Not Marked	367	2.5 %
	Total	5,406	36.5%

This variable has 5,406 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,392	63.5%

Percentages for both tables are based on 14,798 total cases.

Location: 6891-6898 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9102_NB_01: Ever tried bidis, even one or two times

Which of the following tobacco products have you ever tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Bidis

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND (R04_YB9101_NB_01 = 1 OR R04_YB9101_NB_02 = 1).

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	364	2.5 %
	Total	367	2.5%

This variable has 367 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14431	97.5 %
	Total	14,431	97.5%

Percentages for both tables are based on 14,798 total cases.

Location: 6899-6906 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9102_NB_02: Ever tried kreteks, even one or two times

Which of the following tobacco products have you ever tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Kreteks

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND (R04_YB9101_NB_01 = 1 OR R04_YB9101_NB_02 = 1).

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	361	2.4 %
	Total	367	2.5%

This variable has 367 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14431	97.5 %
	Total	14,431	97.5%

Percentages for both tables are based on 14,798 total cases.

Location: 6907-6914 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9102_NB_03: Never tried bidis or kreteks

Which of the following tobacco products have you ever tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

I have never tried either of these products

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND (R04_YB9101_NB_01 = 1 OR R04_YB9101_NB_02 = 1).

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	358	2.4 %
2	2 = Not Marked	9	0.1 %
	Total	367	2.5%

This variable has 367 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	14431	97.5 %
	Total	14,431	97.5%

Percentages for both tables are based on 14,798 total cases.

Location: 6915-6922 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9102_12M_01: In past 12 months, tried bidis even one or two times

In the past 12 months, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Bidis

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever smoked bidis or kreteks, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YB9101_NB_01 = 1 OR R04_YB9101_NB_02 = 1) AND (R04_YB9102_NB_01 = 1 OR R04_YB9102_NB_02 = 1)) OR R04_YOUTHTYPE = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	9329	63.0 %
	Total	9,339	63.1%

This variable has 9,339 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	5424	36.7 %
	Total	5,459	36.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6923-6930 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9102_12M_02: In past 12 months, tried kreteks even one or two times

In the past 12 months, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Kreteks

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever smoked bidis or kreteks, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YB9101_NB_01 = 1 OR R04_YB9101_NB_02 = 1) AND (R04_YB9102_NB_01 = 1 OR R04_YB9102_NB_02 = 1)) OR R04_YOUTHTYPE = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2 %
2	2 = Not Marked	9315	62.9 %
	Total	9,339	63.1%

This variable has 9,339 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	5424	36.7 %
	Total	5,459	36.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6931-6938 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9102_12M_03: In past 12 months, never tried bidis or kreteks

In the past 12 months, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

I have not tried either of these products

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever smoked bidis or kreteks, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YB9101_NB_01 = 1 OR R04_YB9101_NB_02 = 1) AND (R04_YB9102_NB_01 = 1 OR R04_YB9102_NB_02 = 1)) OR R04_YOUTHTYPE = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9308	62.9 %
2	2 = Not Marked	31	0.2 %
	Total	9,339	63.1%

This variable has 9,339 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	5424	36.7 %
	Total	5,459	36.9%

Percentages for both tables are based on 14,798 total cases.

Location: 6939-6946 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9102_30D_01: In past 30 days, tried bidis even one or two times

In the past 30 days, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Bidis

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever smoked bidis or kreteks and have smoked bidis or kreteks in the past 12 months, or continuing youth respondents who have smoked bidis or kreteks in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YB9101_NB_01 = 1 OR R04_YB9101_NB_02 = 1) AND (R04_YB9102_NB_01 = 1 OR R04_YB9102_NB_02 = 1) AND (R04_YB9102_12M_01 = 1 OR R04_YB9102_12M_02 = 1)) OR (R04_YOUTHTYPE = 1 AND (R04_YB9102_12M_01 = 1 OR R04_YB9102_12M_02 = 1)).

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	25	0.2 %

Value	Label	Unweighted Frequency	%
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14767	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 6947-6954 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9102_30D_02: In past 30 days, tried kreteks even one or two times

In the past 30 days, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Kreteks

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever smoked bidis or kreteks and have smoked bidis or kreteks in the past 12 months, or continuing youth respondents who have smoked bidis or kreteks in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YB9101_NB_01 = 1 OR R04_YB9101_NB_02 = 1) AND (R04_YB9102_NB_01 = 1 OR R04_YB9102_NB_02 = 1) AND (R04_YB9102_12M_01 = 1 OR R04_YB9102_12M_02 = 1)) OR (R04_YOUTHTYPE = 1 AND (R04_YB9102_12M_01 = 1 OR R04_YB9102_12M_02 = 1)).

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	18	0.1 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14767	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 6955-6962 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YB9102_30D_03: In past 30 days, never tried bidis or kreteks

In the past 30 days, which of the following tobacco products have you tried, even one or two times? Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

I have not tried either of these products

ASK: New baseline youth respondents who have ever seen or heard of bidis or kreteks and have ever smoked bidis or kreteks and have smoked bidis or kreteks in the past 12 months, or continuing youth respondents who have smoked bidis or kreteks in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YB9101_NB_01 = 1 OR R04_YB9101_NB_02 = 1) AND (R04_YB9102_NB_01 = 1 OR R04_YB9102_NB_02 = 1) AND (R04_YB9102_12M_01 = 1 OR R04_YB9102_12M_02 = 1)) OR (R04_YOUTHTYPE = 1 AND (R04_YB9102_12M_01 = 1 OR R04_YB9102_12M_02 = 1)).

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	17	0.1 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14767	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 6963-6970 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YZ1002: Ever used any other tobacco products

You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipes, hookahs, snus, smokeless tobacco, dissolvable tobacco, bidis and kreteks.

Besides these products, have you ever used any other tobacco products? Please do not include products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge, or pill.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.2 %
2	2 = No	14731	99.5 %
	Total	14,765	99.8%

This variable has 14,765 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	33	0.2%

Percentages for both tables are based on 14,798 total cases.

Location: 6971-6978 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YY0601: First type of tobacco you tried

You mentioned that you started using [LIST OF ALL PRODUCTS INITIATED/USED AT EARLIEST AGE] [in the past 12 months/at age {EARLIEST AGE}]. Which type of tobacco did you try first?

ASK: New baseline youth respondents who used 2 or more tobacco products for the first time at the same age, not including pipe tobacco, dissolvable tobacco, bidis, or kreteks, or continuing youth respondents who had never used any tobacco products as of their last completed interview and initiated use of two or more tobacco products since their last completed interview, not including pipe tobacco, dissolvable tobacco, bidis, or kreteks.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND MIN VALID AGE
IN (R04_YC1006_NB OR R04_YV1006_NB OR R04_YG1006TC_NB OR
R04_YG1006CL_NB OR R04_YG1006FC_NB OR R04_YH1006_NB OR R04_YU1006_NB OR
R04_YS1006_NB) = AGE AT FIRST USE OF 2 OR MORE PRODUCTS)) OR
(R04_YOUTHTYPE = 1 AND R03_EVER_NEVER_BIDI != 1 AND
R03_EVER_NEVER_CIGS != 1 AND R03_EVER_NEVER_DISSBL != 1 AND
R03_EVER_NEVER_EPRODS != 1 AND R03_EVER_NEVER_GFILTR != 1 AND

R03_EVER_NEVER_GRILLO != 1 AND R03_EVER_NEVER_GTRAD != 1 AND
R03_EVER_NEVER_HOOK != 1 AND R03_EVER_NEVER_KRETEK != 1 AND
R03_EVER_NEVER_PIPE != 1 AND R03_EVER_NEVER_SNUS != 1 AND
R03_EVER_NEVER_SMKLS != 1 AND R04_INIT_[PRODUCT]_YOUTH = 1 FOR 2 OR
MORE OF THESE PRODUCTS: CIGARETTES, E-PRODUCTS, TRADITIONAL CIGARS,
CIGARILLOS, FILTERED CIGARS, HOOKAH, SNUS, SMOKELESS TOBACCO).

[PROGRAM NOTE: Make response options a dynamic list with fills based on the products that were used at MIN VALID AGE or initiated. Always include the unspecified other.]

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes	104	0.7 %
2	2 = E-cigarettes or other electronic nicotine products	95	0.6 %
3	3 = Traditional cigars	9	0.1 %
4	4 = Cigarillos	23	0.2 %
5	5 = Filtered cigars	6	0.0 %
7	7 = Shisha or hookah tobacco	19	0.1 %
8	8 = Smokeless tobacco (other than snus)	26	0.2 %
9	9 = Snus	3	0.0 %
14	14 = Other	9	0.1 %
	Total	294	2.0%

This variable has 294 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	10	0.1 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14491	97.9 %
	Total	14,504	98.0%

Percentages for both tables are based on 14,798 total cases.

Location: 6979-6986 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0703E: Time to wanting to use first electronic nicotine product after waking

How soon after you wake up do you want to use electronic nicotine products?

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Within 5 minutes	25	0.2 %
2	2 = From 6 to 30 minutes	28	0.2 %
3	3 = From more than 30 minutes to 1 hour	48	0.3 %
4	4 = After more than 1 hour but less than 24 hours	59	0.4 %
5	5 = Rarely want to use electronic nicotine products	1212	8.2 %
	Total	1,372	9.3%

This variable has 1,372 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	13381	90.4 %
	Total	13,426	90.7%

Percentages for both tables are based on 14,798 total cases.

Location: 6987-6994 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0704E: Ever have strong cravings to use electronic nicotine products

Do you ever have strong cravings to use electronic nicotine products?

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	106	0.7 %
2	2 = No	1310	8.9 %
	Total	1,416	9.6%

This variable has 1,416 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13381	90.4 %

	Missing Data		
	Total	13,382	90.4%

Percentages for both tables are based on 14,798 total cases.

Location: 6995-7002 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0705E: Ever felt like you really needed to use electronic nicotine products

Have you ever felt like you really needed to use electronic nicotine products?

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	114	0.8 %
2	2 = No	1299	8.8 %
	Total	1,413	9.5%

This variable has 1,413 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	13381	90.4 %
	Total	13,385	90.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7003-7010 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0055E: Level of agreement: I find myself reaching for electronic nicotine products without thinking about it

Please rate your level of agreement for each statement using the following scale: 1= not true of me at all to 5=extremely true of me.

I find myself reaching for electronic nicotine products without thinking about it.

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1124	7.6 %
2	2 = 2 on a scale of 1 to 5	124	0.8 %
3	3 = 3 on a scale of 1 to 5	94	0.6 %
4	4 = 4 on a scale of 1 to 5	33	0.2 %
5	5 = Extremely true of me	28	0.2 %
	Total	1,403	9.5%

This variable has 1,403 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	13381	90.4 %
	Total	13,395	90.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7011-7018 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0025E_RANDOM_01: YN0025E series random question 1

Value	Label	Unweighted Frequency	%
-1	-	13381	90.4 %
R04_YN0025E	-	274	1.9 %
R04_YN0045E	-	273	1.8 %
R04_YN0070E	-	288	1.9 %
R04_YN0075E	-	297	2.0 %
R04_YN0080E	-	285	1.9 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 7019-7033 (width: 15; decimal: 0)

Variable Type: character

R04_YN0025E_RANDOM_02: YN0025E series random question 2

Value	Label	Unweighted Frequency	%
-1	-	13381	90.4 %
R04_YN0025E	-	293	2.0 %
R04_YN0045E	-	289	2.0 %

Value	Label	Unweighted Frequency	%
R04_YN0070E	-	267	1.8 %
R04_YN0075E	-	286	1.9 %
R04_YN0080E	-	282	1.9 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 7034-7048 (width: 15; decimal: 0)

Variable Type: character

R04_YN0025E_RANDOM_03: YN0025E series random question 3

Value	Label	Unweighted Frequency	%
-1	-	13381	90.4 %
R04_YN0025E	-	278	1.9 %
R04_YN0045E	-	281	1.9 %
R04_YN0070E	-	299	2.0 %
R04_YN0075E	-	275	1.9 %
R04_YN0080E	-	284	1.9 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 7049-7063 (width: 15; decimal: 0)

Variable Type: character

R04_YN0025E_RANDOM_04: YN0025E series random question 4

Value	Label	Unweighted Frequency	%
-1	-	13381	90.4 %
R04_YN0025E	-	276	1.9 %
R04_YN0045E	-	293	2.0 %
R04_YN0070E	-	288	1.9 %
R04_YN0075E	-	282	1.9 %
R04_YN0080E	-	278	1.9 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 7064-7078 (width: 15; decimal: 0)

Variable Type: character

R04_YN0025E_RANDOM_05: YN0025E series random question 5

Value	Label	Unweighted Frequency	%
-1	-	13381	90.4 %
R04_YN0025E	-	296	2.0 %
R04_YN0045E	-	281	1.9 %
R04_YN0070E	-	275	1.9 %
R04_YN0075E	-	277	1.9 %
R04_YN0080E	-	288	1.9 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 7079-7093 (width: 15; decimal: 0)

Variable Type: character

R04_YN0025E: Level of agreement: Frequently crave electronic nicotine products

I frequently crave electronic nicotine products.

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1208	8.2 %
2	2 = 2 on a scale of 1 to 5	104	0.7 %
3	3 = 3 on a scale of 1 to 5	52	0.4 %
4	4 = 4 on a scale of 1 to 5	21	0.1 %
5	5 = Extremely true of me	25	0.2 %
	Total	1,410	9.5%

This variable has 1,410 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	13381	90.4 %
	Total	13,388	90.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7094-7101 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0045E: Level of agreement: My electronic nicotine product use is out of control

My electronic nicotine product use is out of control.

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1307	8.8 %
2	2 = 2 on a scale of 1 to 5	54	0.4 %
3	3 = 3 on a scale of 1 to 5	29	0.2 %
4	4 = 4 on a scale of 1 to 5	7	0.0 %
5	5 = Extremely true of me	10	0.1 %
	Total	1,407	9.5%

This variable has 1,407 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	13381	90.4 %
	Total	13,391	90.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7102-7109 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0070E: Level of agreement: Using electronic nicotine products helps me feel better if I've been feeling down

Using electronic nicotine products really helps me feel better if I've been feeling down.

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1093	7.4 %
2	2 = 2 on a scale of 1 to 5	130	0.9 %
3	3 = 3 on a scale of 1 to 5	94	0.6 %

Value	Label	Unweighted Frequency	%
4	4 = 4 on a scale of 1 to 5	53	0.4 %
5	5 = Extremely true of me	39	0.3 %
	Total	1,409	9.5%

This variable has 1,409 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	13381	90.4 %
	Total	13,389	90.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7110-7117 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0075E: Level of agreement: Using electronic nicotine products helps me think better

Using electronic nicotine products helps me think better.

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1198	8.1 %
2	2 = 2 on a scale of 1 to 5	97	0.7 %
3	3 = 3 on a scale of 1 to 5	66	0.4 %
4	4 = 4 on a scale of 1 to 5	26	0.2 %
5	5 = Extremely true of me	19	0.1 %
	Total	1,406	9.5%

This variable has 1,406 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	13381	90.4 %

	Missing Data		
	Total	13,392	90.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7118-7125 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0080E: Level of agreement: I would feel alone without my electronic nicotine products

I would feel alone without my electronic nicotine products.

ASK: Youth respondents who are past 12 month electronic nicotine product users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1297	8.8 %
2	2 = 2 on a scale of 1 to 5	51	0.3 %
3	3 = 3 on a scale of 1 to 5	34	0.2 %
4	4 = 4 on a scale of 1 to 5	9	0.1 %
5	5 = Extremely true of me	13	0.1 %
	Total	1,404	9.5%

This variable has 1,404 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	13381	90.4 %
	Total	13,394	90.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7126-7133 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0060E: Level of agreement: I usually want to use electronic nicotine products after waking up

I usually want to use electronic nicotine products right after I wake up.

ASK: Youth respondents who are past 12 month electronic nicotine product users and did not report that they rarely want to use electronic nicotine products after waking up.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 2, 3 AND R04_YN0703E != 5.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	131	0.9 %
2	2 = 2 on a scale of 1 to 5	29	0.2 %
3	3 = 3 on a scale of 1 to 5	18	0.1 %
4	4 = 4 on a scale of 1 to 5	10	0.1 %
5	5 = Extremely true of me	15	0.1 %
	Total	203	1.4%

This variable has 203 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14593	98.6 %
	Total	14,595	98.6%

Percentages for both tables are based on 14,798 total cases.

Location: 7134-7141 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0126E: In past 12 months, tried to completely stop using electronic nicotine products

Have you tried to completely stop using electronic nicotine products within the past 12 months?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YN0127E.]

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	127	0.9 %
2	2 = No	361	2.4 %
	Total	488	3.3%

This variable has 488 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	14300	96.6 %
	Total	14,310	96.7%

Percentages for both tables are based on 14,798 total cases.

Location: 7142-7149 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0120E: In past 12 months, stopped using electronic nicotine products for one day or longer because you were trying to quit for good

In the past 12 months, have you stopped using electronic nicotine products for one day or longer because you were trying to quit for good?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users and have tried to completely stop using electronic nicotine products within the past 12 months.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2 AND R04_YN0126E = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	102	0.7 %
2	2 = No	24	0.2 %
	Total	126	0.9%

This variable has 126 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14671	99.1 %
	Total	14,672	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7150-7157 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0127E: Seriously thinking about quitting electronic nicotine products

Are you seriously thinking about quitting electronic nicotine products?

ASK: Youth respondents who are past 30 day "not-light" electronic nicotine product users.

ASK Specification: IF R04_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes, within the next 30 days	110	0.7 %
2	2 = Yes, within the next 6 months	20	0.1 %
3	3 = Yes, within the year	36	0.2 %
4	4 = Yes, but not within the year	49	0.3 %
5	5 = No, I am not seriously thinking about quitting	253	1.7 %
	Total	468	3.2%

This variable has 468 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	14300	96.6 %
	Total	14,330	96.8%

Percentages for both tables are based on 14,798 total cases.

Location: 7158-7165 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0703: Time to wanting to use first tobacco product after waking

How soon after you wake up do you want to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Within 5 minutes	53	0.4 %
2	2 = From 6 to 30 minutes	66	0.4 %
3	3 = From more than 30 minutes to 1 hour	61	0.4 %
4	4 = After more than 1 hour but less than 24 hours	125	0.8 %
5	5 = Rarely want to use tobacco	1007	6.8 %
	Total	1,312	8.9%

This variable has 1,312 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	13441	90.8 %
	Total	13,486	91.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7166-7173 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0704: Ever have strong cravings to use tobacco

Do you ever have strong cravings to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	233	1.6 %
2	2 = No	1120	7.6 %
	Total	1,353	9.1%

This variable has 1,353 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	13441	90.8 %
	Total	13,445	90.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7174-7181 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0705: Ever felt like you really needed to use tobacco

Have you ever felt like you really needed to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	264	1.8 %
2	2 = No	1089	7.4 %
	Total	1,353	9.1%

This variable has 1,353 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13441	90.8 %
	Total	13,445	90.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7182-7189 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0055: Level of agreement: Find myself reaching for a tobacco product without thinking about it

Please rate your level of agreement for each statement using the following scale: 1= not true of me at all to 5=extremely true of me.

I find myself reaching for a tobacco product without thinking about it.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	974	6.6 %
2	2 = 2 on a scale of 1 to 5	140	0.9 %
3	3 = 3 on a scale of 1 to 5	111	0.8 %
4	4 = 4 on a scale of 1 to 5	65	0.4 %
5	5 = Extremely true of me	47	0.3 %
	Total	1,337	9.0%

This variable has 1,337 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	13441	90.8 %
	Total	13,461	91.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7190-7197 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0025_RANDOM_01: YN0025 series random question 1

Value	Label	Unweighted Frequency	%
-1	-	13441	90.8 %
R04_YN0025	-	279	1.9 %
R04_YN0045	-	265	1.8 %
R04_YN0070	-	289	2.0 %
R04_YN0075	-	267	1.8 %
R04_YN0080	-	257	1.7 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 7198-7212 (width: 15; decimal: 0)

Variable Type: character

R04_YN0025_RANDOM_02: YN0025 series random question 2

Value	Label	Unweighted Frequency	%
-1	-	13441	90.8 %
R04_YN0025	-	275	1.9 %
R04_YN0045	-	282	1.9 %
R04_YN0070	-	269	1.8 %
R04_YN0075	-	253	1.7 %
R04_YN0080	-	278	1.9 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 7213-7227 (width: 15; decimal: 0)

Variable Type: character

R04_YN0025_RANDOM_03: YN0025 series random question 3

Value	Label	Unweighted Frequency	%
-1	-	13441	90.8 %
R04_YN0025	-	252	1.7 %
R04_YN0045	-	272	1.8 %
R04_YN0070	-	257	1.7 %
R04_YN0075	-	284	1.9 %
R04_YN0080	-	292	2.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 7228-7242 (width: 15; decimal: 0)

Variable Type: character

R04_YN0025_RANDOM_04: YN0025 series random question 4

Value	Label	Unweighted Frequency	%
-1	-	13441	90.8 %
R04_YN0025	-	250	1.7 %
R04_YN0045	-	257	1.7 %
R04_YN0070	-	265	1.8 %
R04_YN0075	-	302	2.0 %
R04_YN0080	-	283	1.9 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 7243-7257 (width: 15; decimal: 0)

Variable Type: character

R04_YN0025_RANDOM_05: YN0025 series random question 5

Value	Label	Unweighted Frequency	%
-1	-	13441	90.8 %
R04_YN0025	-	301	2.0 %
R04_YN0045	-	281	1.9 %
R04_YN0070	-	277	1.9 %
R04_YN0075	-	251	1.7 %
R04_YN0080	-	247	1.7 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 7258-7272 (width: 15; decimal: 0)

Variable Type: character

R04_YN0025: Level of agreement: Frequently crave tobacco

I frequently crave tobacco.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1030	7.0 %
2	2 = 2 on a scale of 1 to 5	124	0.8 %
3	3 = 3 on a scale of 1 to 5	89	0.6 %
4	4 = 4 on a scale of 1 to 5	49	0.3 %
5	5 = Extremely true of me	56	0.4 %
	Total	1,348	9.1%

This variable has 1,348 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	13441	90.8 %
	Total	13,450	90.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7273-7280 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0045: Level of agreement: My tobacco use is out of control

My tobacco use is out of control.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1149	7.8 %
2	2 = 2 on a scale of 1 to 5	82	0.6 %
3	3 = 3 on a scale of 1 to 5	58	0.4 %
4	4 = 4 on a scale of 1 to 5	33	0.2 %

Value	Label	Unweighted Frequency	%
5	5 = Extremely true of me	23	0.2 %
	Total	1,345	9.1%

This variable has 1,345 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	13441	90.8 %
	Total	13,453	90.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7281-7288 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0070: Level of agreement: Using tobacco helps me feel better if feeling down

Using tobacco really helps me feel better if I've been feeling down.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	932	6.3 %
2	2 = 2 on a scale of 1 to 5	118	0.8 %
3	3 = 3 on a scale of 1 to 5	129	0.9 %
4	4 = 4 on a scale of 1 to 5	83	0.6 %
5	5 = Extremely true of me	86	0.6 %
	Total	1,348	9.1%

This variable has 1,348 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	13441	90.8 %
	Total	13,450	90.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7289-7296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0075: Level of agreement: Using tobacco helps me think better

Using tobacco helps me think better.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1038	7.0 %
2	2 = 2 on a scale of 1 to 5	108	0.7 %
3	3 = 3 on a scale of 1 to 5	105	0.7 %
4	4 = 4 on a scale of 1 to 5	55	0.4 %
5	5 = Extremely true of me	40	0.3 %
	Total	1,346	9.1%

This variable has 1,346 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	13441	90.8 %
	Total	13,452	90.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7297-7304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0080: Level of agreement: Would feel alone without my tobacco

I would feel alone without my tobacco.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1184	8.0 %
2	2 = 2 on a scale of 1 to 5	64	0.4 %
3	3 = 3 on a scale of 1 to 5	47	0.3 %
4	4 = 4 on a scale of 1 to 5	23	0.2 %
5	5 = Extremely true of me	28	0.2 %
	Total	1,346	9.1%

This variable has 1,346 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	13441	90.8 %
	Total	13,452	90.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7305-7312 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0060: Level of agreement: Usually want to use tobacco after waking up

I usually want to use tobacco right after I wake up.

ASK: Youth respondents who are past 12 month non-electronic tobacco users and did not report that they rarely want to use tobacco after waking up.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 3 AND R04_YN0703 != 5.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	173	1.2 %
2	2 = 2 on a scale of 1 to 5	58	0.4 %
3	3 = 3 on a scale of 1 to 5	45	0.3 %
4	4 = 4 on a scale of 1 to 5	29	0.2 %
5	5 = Extremely true of me	40	0.3 %
	Total	345	2.3%

This variable has 345 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14448	97.6 %
	Total	14,453	97.7%

Percentages for both tables are based on 14,798 total cases.

Location: 7313-7320 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0126: In past 12 months, tried to completely stop use of all tobacco products

Have you tried to completely stop using all tobacco products within the past 12 months?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YN0127.]

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_GTRAD_LEVEL = 2 OR R04_PAST30DAY_GRILLO_LEVEL = 2 OR R04_PAST30DAY_GFILTR_LEVEL = 2 OR R04_PAST30DAY_PIPE = 1 OR R04_PAST30DAY_HOOK = 1 OR R04_PAST30DAY_SMKLS_LEVEL = 2 OR R04_PAST30DAY_SNUS_LEVEL = 2 OR R04_PAST30DAY DISS = 1 OR R04_PAST30DAY_BIDI = 1 OR R04_PAST30DAY_KRETEK = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	93	0.6 %
2	2 = No	184	1.2 %
	Total	277	1.9%

This variable has 277 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14521	98.1 %
	Total	14,521	98.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7321-7328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0120: In past 12 months, stopped using all tobacco products for one day or longer because you were trying to quit for good

In the past 12 months, have you stopped using all tobacco products for one day or longer because you were trying to quit for good?

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have tried to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_GTRAD_LEVEL = 2 OR R04_PAST30DAY_GRILLO_LEVEL = 2 OR R04_PAST30DAY_GFILTR_LEVEL = 2 OR R04_PAST30DAY_PIPE = 1 OR R04_PAST30DAY_HOOK = 1 OR R04_PAST30DAY_SMKLS_LEVEL = 2 OR R04_PAST30DAY_SNUS_LEVEL = 2 OR R04_PAST30DAY DISS = 1 OR R04_PAST30DAY_BIDI = 1 OR R04_PAST30DAY_KRETEK = 1) AND R04_YN0126 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	77	0.5 %
2	2 = No	16	0.1 %
	Total	93	0.6%

This variable has 93 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14705	99.4 %
	Total	14,705	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7329-7336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0127: Seriously thinking about quitting cigarettes/all tobacco products

Are you seriously thinking about quitting [cigarettes/all tobacco products/cigarettes and tobacco products]?

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" cigarette smokers or past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIGS_LEVEL = 2 OR R04_PAST30DAY_GTRAD_LEVEL = 2 OR R04_PAST30DAY_GRILLO_LEVEL = 2 OR

R04_PAST30DAY_GFILTR_LEVEL = 2 OR R04_PAST30DAY_PIPE = 1 OR
R04_PAST30DAY_HOOK = 1 OR R04_PAST30DAY_SMKLS_LEVEL = 2 OR R04_PAST30DAY_SNUS_LEVEL = 2
OR R04_PAST30DAY_DISS = 1 OR R04_PAST30DAY_BIDI = 1 OR R04_PAST30DAY_KRETEK = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes, within the next 30 days	124	0.8 %
2	2 = Yes, within the next 6 months	36	0.2 %
3	3 = Yes, within the year	52	0.4 %
4	4 = Yes, but not within the year	71	0.5 %
5	5 = No, I am not seriously thinking about quitting	178	1.2 %
	Total	461	3.1%

This variable has 461 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	14327	96.8 %
	Total	14,337	96.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7337-7344 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1210: Wants to completely stop smoking cigarettes

Do you want to completely stop smoking cigarettes?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	184	1.2 %
2	2 = No	110	0.7 %
	Total	294	2.0%

This variable has 294 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14502	98.0 %
	Total	14,504	98.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7345-7352 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1215: In past 12 months, tried to completely stop smoking cigarettes

In the past 12 months, have you tried to completely stop smoking cigarettes?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YC1230.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and did not report trying to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2 AND R04_YN0126 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	97	0.7 %
2	2 = No	162	1.1 %
	Total	259	1.8%

This variable has 259 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14539	98.2 %
	Total	14,539	98.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7353-7360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1220: In past 12 months, number of times you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good

In the past 12 months, how many times have you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop using all tobacco products within the past 12 months or did not report trying to completely stop using all tobacco products within the past 12 months and have tried to completely stop smoking cigarettes within the past 12 months.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2 AND (R04_YN0126 = 1 OR (R04_YN0126 != 1 AND R04_YC1215 = 1)).

This variable has 126 valid cases out of 14,798 total cases.

- Mean: 28.48
- Median: 4.50
- Mode: 2.00
- Minimum: 0.00
- Maximum: 900.00
- Standard Deviation: 107.01

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14664	99.1 %
	Total	14,672	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7361-7368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YC1225: How long stayed off cigarettes when last tried to quit for good

When you last tried to quit for good, how long did you stay off cigarettes? Please choose the first answer that fits.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop using all tobacco products within the past 12 months or did not report trying to completely stop using all tobacco products within the past 12 months and have tried to completely stop smoking cigarettes within the past 12 months.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2 AND (R04_YN0126 = 1 OR (R04_YN0126 != 1 AND R04_YC1215 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Less than one day	13	0.1 %
2	2 = 1 to 7 days	37	0.3 %
3	3 = More than 7 days but less than 30 days	26	0.2 %
4	4 = More than 30 days but less than 6 months	33	0.2 %
5	5 = More than 6 months but less than 1 year	12	0.1 %
6	6 = 1 year or more	12	0.1 %

Value	Label	Unweighted Frequency	%
	Total	133	0.9%

This variable has 133 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14664	99.1 %
	Total	14,665	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7369-7376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1230: Likeliness you would succeed if decided to quit cigarettes for good

If you decided to quit cigarettes for good, how likely is it that you would succeed?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R04_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	140	0.9 %
2	2 = Somewhat likely	89	0.6 %
3	3 = Somewhat unlikely	32	0.2 %
4	4 = Very unlikely	35	0.2 %
	Total	296	2.0%

This variable has 296 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14502	98.0 %
	Total	14,502	98.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7377-7384 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0330_12M: Used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge or pill in past 12 months (past 12 month tobacco users)

In the past 12 months, have you used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge or pill?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YN0331_12M.]

ASK: Youth respondents who are past 12 month tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.3 %
2	2 = No	1969	13.3 %
	Total	2,016	13.6%

This variable has 2,016 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12770	86.3 %
	Total	12,782	86.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7385-7392 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0307: When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (past 12 month tobacco users)

When did you last use a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge or pill?

[If In the past hour (1), Go to R04_YN0309; If Three or more days ago (5), Don't know (-8), or Refused (-7), Go to R04_YN0331_12M.]

ASK: Youth respondents who are past 12 month tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 2, 3 AND R04_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	3	0.0 %
2	2 = Sometime today	4	0.0 %
3	3 = Yesterday	7	0.0 %
4	4 = Day before yesterday	1	0.0 %
5	5 = Three or more days ago	29	0.2 %
	Total	44	0.3%

This variable has 44 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,754	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 7393-7400 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0308: Time period of day when you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (past 12 month tobacco users)

When you last used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge or pill [FILL BASED ON R04_YN0307], was it...

ASK: Youth respondents who are past 12 month tobacco users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 2, 3 AND R04_YN0330_12M = 1 AND R04_YN0307 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	1	0.0 %
2	2 = After 6AM but before noon	3	0.0 %
3	3 = Between noon and 6PM	3	0.0 %
4	4 = After 6PM but before midnight	4	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14786	99.9 %
	Total	14,787	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7401-7408 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0309: Number of nicotine patches, gum, inhaler, nasal spray, lozenges or pills used today/yesterday/the day before yesterday (past 12 month tobacco users)

When you last used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge or pill [FILL BASED ON R04_YN0307], how many did you use?

[If Don't know (-8), or Refused (-7), Go to R04_YN0331_12M.]

ASK: Youth respondents who are past 12 month tobacco users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 2, 3 AND R04_YN0330_12M = 1 AND R04_YN0307 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 15 valid cases out of 14,798 total cases.

- Mean: 3.27
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 2.94

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14783	99.9 %
	Total	14,783	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7409-7416 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YN0331_12M: Used prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion in past 12 months (past 12 month tobacco users)

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YRT01.]

ASK: Youth respondents who are past 12 month tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	40	0.3 %
2	2 = No	1975	13.3 %
	Total	2,015	13.6%

This variable has 2,015 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12770	86.3 %
	Total	12,783	86.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7417-7424 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0327: When did you last use Chantix, varenicline, Wellbutrin, Zyban or bupropion (past 12 month tobacco users)

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If In the past hour (1), Go to R04_YN0329; If Three or more days ago (5), Don't know (-8), or Refused (-7), Go to box R04_YRT01.]

ASK: Youth respondents who are past 12 month tobacco users and used a prescription drug in the past 12 months.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 2, 3 AND R04_YN0331_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	4	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Sometime today	6	0.0 %
3	3 = Yesterday	5	0.0 %
4	4 = Day before yesterday	1	0.0 %
5	5 = Three or more days ago	23	0.2 %
	Total	39	0.3%

This variable has 39 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14758	99.7 %
	Total	14,759	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 7425-7432 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0328: Time period of day when you last used Chantix, varenicline, Wellbutrin, Zyban or bupropion (past 12 month tobacco users)

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_YN0327], was it...

ASK: Youth respondents who are past 12 month tobacco users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 2, 3 AND R04_YN0331_12M = 1 AND R04_YN0327 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	2	0.0 %
2	2 = After 6AM but before noon	3	0.0 %
3	3 = Between noon and 6PM	5	0.0 %
4	4 = After 6PM but before midnight	2	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14786	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7433-7440 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0329: Number of Chantix, varenicline, Wellbutrin, Zyban or bupropion taken today/yesterday/the day before yesterday (past 12 month tobacco users)

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_YN0327], how many did you take?

[If Don't know (-8), or Refused (-7), Go to box R04_YRT01.]

ASK: Youth respondents who are past 12 month tobacco users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 1, 2, 3 AND R04_YN0331_12M = 1 AND R04_YN0327 = 1, 2, 3, 4.

This variable has 15 valid cases out of 14,798 total cases.

- Mean: 3.40
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 6.36

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	14782	99.9 %
	Total	14,783	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7441-7448 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YR0142: In past 12 months, how often thought about the chemicals contained in tobacco

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	6813	46.0 %
2	2 = Rarely	3964	26.8 %
3	3 = Sometimes	2683	18.1 %
4	4 = Often	781	5.3 %
5	5 = Very often	507	3.4 %
	Total	14,748	99.7%

This variable has 14,748 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.3 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	50	0.3%

Percentages for both tables are based on 14,798 total cases.

Location: 7449-7456 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0005: In past 30 days, how often noticed health warnings on cigarette packages

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	8481	57.3 %
2	2 = Rarely	2210	14.9 %
3	3 = Sometimes	1674	11.3 %
4	4 = Often	1186	8.0 %
5	5 = Very often	1095	7.4 %
	Total	14,646	99.0%

This variable has 14,646 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	137	0.9 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	152	1.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7457-7464 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0202: How often read or looked closely at the health warnings on cigarette packages in past 30 days

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1 AND R04_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	232	1.6 %
2	2 = Rarely	229	1.5 %
3	3 = Sometimes	230	1.6 %
4	4 = Often	117	0.8 %
5	5 = Very often	104	0.7 %
	Total	912	6.2%

This variable has 912 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13884	93.8 %
	Total	13,886	93.8%

Percentages for both tables are based on 14,798 total cases.

Location: 7465-7472 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0010: In past 30 days, how often health warnings stopped you from having a cigarette when you were about to smoke one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1 AND R04_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	378	2.6 %
2	2 = Rarely	132	0.9 %
3	3 = Sometimes	122	0.8 %
4	4 = Often	72	0.5 %
5	5 = Very often	172	1.2 %
	Total	876	5.9%

This variable has 876 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.2 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	13884	93.8 %
	Total	13,922	94.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7473-7480 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0015: Tried to avoid looking at or thinking about the health warnings on cigarette packs in past 30 days

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1 AND R04_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	118	0.8 %
2	2 = No	780	5.3 %
	Total	898	6.1%

This variable has 898 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	13884	93.8 %
	Total	13,900	93.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7481-7488 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0025: Believability of health warnings on cigarette packs

How believable do you consider the health warnings on cigarette packs to be?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1 AND R04_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	26	0.2 %
2	2 = A little believable	46	0.3 %
3	3 = Somewhat believable	146	1.0 %
4	4 = Very believable	284	1.9 %
5	5 = Extremely believable	403	2.7 %
	Total	905	6.1%

This variable has 905 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	13884	93.8 %

	Missing Data		
	Total	13,893	93.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7489-7496 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0035: Extent to which health warnings on cigarette packs make you think about the health risks of smoking

To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1 AND R04_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	77	0.5 %
2	2 = A little	161	1.1 %
3	3 = Somewhat	281	1.9 %
4	4 = A lot	387	2.6 %
	Total	906	6.1%

This variable has 906 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	13884	93.8 %
	Total	13,892	93.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7497-7504 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0203: Extent to which health warnings on cigarette packs make you never want to smoke again

To what extent, if at all, do the health warnings on cigarette packs make you never want to smoke again?

[If Not at all (1), A little (2), Somewhat (3), A lot (4), Don't know (-8), or Refused (-7), Go to R04_YR0110.]

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1 AND R04_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	191	1.3 %
2	2 = A little	170	1.1 %
3	3 = Somewhat	212	1.4 %
4	4 = A lot	329	2.2 %
	Total	902	6.1%

This variable has 902 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	13884	93.8 %
	Total	13,896	93.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7505-7512 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0055: Extent to which health warnings on cigarette packs made you less likely to start smoking

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

ASK: Youth respondents who have never smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 2 AND R04_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	885	6.0 %
2	2 = A little	357	2.4 %
3	3 = Somewhat	682	4.6 %
4	4 = A lot	3195	21.6 %
	Total	5,119	34.6%

This variable has 5,119 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	106	0.7 %
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	9547	64.5 %
	Total	9,679	65.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7513-7520 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0110: In past 30 days, how often noticed health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	10893	73.6 %
2	2 = Rarely	1775	12.0 %
3	3 = Sometimes	966	6.5 %
4	4 = Often	453	3.1 %
5	5 = Very often	537	3.6 %
	Total	14,624	98.8%

This variable has 14,624 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	156	1.1 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	174	1.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7521-7528 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0222: In past 30 days, how often you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products?

ASK: Youth respondents who have ever used electronic nicotine products and have noticed health warnings on packages of electronic nicotine products in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	216	1.5 %
2	2 = Rarely	238	1.6 %
3	3 = Sometimes	150	1.0 %
4	4 = Often	64	0.4 %
5	5 = Very often	67	0.5 %
	Total	735	5.0%

This variable has 735 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14056	95.0 %
	Total	14,063	95.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7529-7536 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0226: Extent to which health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products make you think about the health risks of using them

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products make you think about the health risks of using them?

ASK: Youth respondents who have ever used electronic nicotine products and have noticed health warnings on packages of electronic nicotine products in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	154	1.0 %
2	2 = A little	196	1.3 %
3	3 = Somewhat	224	1.5 %
4	4 = A lot	160	1.1 %
	Total	734	5.0%

This variable has 734 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14056	95.0 %
	Total	14,064	95.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7537-7544 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0115: In past 30 days, how often noticed health warnings on packages of traditional cigars

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	11608	78.4 %
2	2 = Rarely	1374	9.3 %
3	3 = Sometimes	754	5.1 %
4	4 = Often	381	2.6 %
5	5 = Very often	487	3.3 %
	Total	14,604	98.7%

This variable has 14,604 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	172	1.2 %

	Missing Data		
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	194	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 7545-7552 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0229: In past 30 days, how often you read or looked closely at the health warnings on packages of traditional cigars

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of traditional cigars?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on packages of traditional cigars in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	12	0.1 %
2	2 = Rarely	21	0.1 %
3	3 = Sometimes	23	0.2 %
4	4 = Often	12	0.1 %
5	5 = Very often	12	0.1 %
	Total	80	0.5%

This variable has 80 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14718	99.5 %
	Total	14,718	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7553-7560 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0233: Extent to which health warnings on packages of traditional cigars make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of traditional cigars make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on packages of traditional cigars in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	8	0.1 %
2	2 = A little	20	0.1 %
3	3 = Somewhat	26	0.2 %
4	4 = A lot	26	0.2 %
	Total	80	0.5%

This variable has 80 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14718	99.5 %
	Total	14,718	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7561-7568 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0120: In past 30 days, how often noticed health warnings on packages of cigarillos

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	11633	78.6 %
2	2 = Rarely	1333	9.0 %
3	3 = Sometimes	812	5.5 %
4	4 = Often	338	2.3 %
5	5 = Very often	500	3.4 %

Value	Label	Unweighted Frequency	%
	Total	14,616	98.8%

This variable has 14,616 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	162	1.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	182	1.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7569-7576 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0236: In past 30 days, how often you read or looked closely at the health warnings on packages of cigarillos

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of cigarillos?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on packages of cigarillos in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	43	0.3 %
2	2 = Rarely	78	0.5 %
3	3 = Sometimes	59	0.4 %
4	4 = Often	35	0.2 %
5	5 = Very often	27	0.2 %
	Total	242	1.6%

This variable has 242 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14556	98.4 %

	Missing Data		
	Total	14,556	98.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7577-7584 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0240: Extent to which health warnings on packages of cigarillos make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of cigarillos make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on packages of cigarillos in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	45	0.3 %
2	2 = A little	70	0.5 %
3	3 = Somewhat	67	0.5 %
4	4 = A lot	60	0.4 %
	Total	242	1.6%

This variable has 242 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14556	98.4 %
	Total	14,556	98.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7585-7592 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0125: In past 30 days, how often noticed health warnings on packages of filtered cigars

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	11742	79.3 %
2	2 = Rarely	1288	8.7 %
3	3 = Sometimes	748	5.1 %
4	4 = Often	371	2.5 %
5	5 = Very often	469	3.2 %
	Total	14,618	98.8%

This variable has 14,618 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	160	1.1 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	180	1.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7593-7600 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0243: In past 30 days, how often you read or looked closely at the health warnings on packages of filtered cigars

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of filtered cigars?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on packages of filtered cigars in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	9	0.1 %
2	2 = Rarely	24	0.2 %
3	3 = Sometimes	18	0.1 %
4	4 = Often	8	0.1 %
5	5 = Very often	7	0.0 %
	Total	66	0.4%

This variable has 66 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14732	99.6 %
	Total	14,732	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 7601-7608 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0247: Extent to which health warnings on packages of filtered cigars make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of filtered cigars make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on packages of filtered cigars in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	7	0.0 %
2	2 = A little	19	0.1 %
3	3 = Somewhat	27	0.2 %
4	4 = A lot	13	0.1 %
	Total	66	0.4%

This variable has 66 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14732	99.6 %
	Total	14,732	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 7609-7616 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0130: In past 30 days, how often noticed health warnings on packages of pipe tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	12087	81.7 %
2	2 = Rarely	1175	7.9 %
3	3 = Sometimes	615	4.2 %
4	4 = Often	319	2.2 %
5	5 = Very often	423	2.9 %
	Total	14,619	98.8%

This variable has 14,619 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	166	1.1 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	179	1.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7617-7624 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0135: In past 30 days, how often noticed health warnings on packages of shisha or hookah tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	12309	83.2 %
2	2 = Rarely	1069	7.2 %
3	3 = Sometimes	578	3.9 %

Value	Label	Unweighted Frequency	%
4	4 = Often	261	1.8 %
5	5 = Very often	390	2.6 %
	Total	14,607	98.7%

This variable has 14,607 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	174	1.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	191	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 7625-7632 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0250: In past 30 days, how often you read or looked closely at the health warnings on packages of shisha or hookah tobacco

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of shisha or hookah tobacco?

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on packages of shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	46	0.3 %
2	2 = Rarely	37	0.3 %
3	3 = Sometimes	29	0.2 %
4	4 = Often	16	0.1 %
5	5 = Very often	19	0.1 %
	Total	147	1.0%

This variable has 147 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14649	99.0 %
	Total	14,651	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7633-7640 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0254: Extent to which health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on packages of shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_HOOK_YOUTH = 1 AND R04_YR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	25	0.2 %
2	2 = A little	29	0.2 %
3	3 = Somewhat	50	0.3 %
4	4 = A lot	44	0.3 %
	Total	148	1.0%

This variable has 148 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14649	99.0 %
	Total	14,650	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7641-7648 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0206: In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers

In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	12179	82.3 %
2	2 = Rarely	1038	7.0 %
3	3 = Sometimes	598	4.0 %
4	4 = Often	345	2.3 %
5	5 = Very often	454	3.1 %
	Total	14,614	98.8%

This variable has 14,614 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	171	1.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7649-7656 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0207: In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers?

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	21	0.1 %
2	2 = Rarely	27	0.2 %
3	3 = Sometimes	16	0.1 %
4	4 = Often	18	0.1 %

Value	Label	Unweighted Frequency	%
5	5 = Very often	13	0.1 %
	Total	95	0.6%

This variable has 95 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14703	99.4 %
	Total	14,703	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7657-7664 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0211: Extent to which health warnings on snus containers make you think about the health risks of using snus

To what extent, if at all, do the health warnings on snus containers make you think about the health risks of using snus?

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_SNUS_YOUTH = 1 AND R04_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	21	0.1 %
2	2 = A little	15	0.1 %
3	3 = Somewhat	35	0.2 %
4	4 = A lot	24	0.2 %
	Total	95	0.6%

This variable has 95 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14703	99.4 %

	Missing Data		
	Total	14,703	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7665-7672 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0060: In past 30 days, how often noticed health warnings on packages of smokeless tobacco products

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of other smokeless tobacco products like dip, spit and chew?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS (EXCLUDING SNUS)]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	11546	78.0 %
2	2 = Rarely	1224	8.3 %
3	3 = Sometimes	788	5.3 %
4	4 = Often	489	3.3 %
5	5 = Very often	590	4.0 %
	Total	14,637	98.9%

This variable has 14,637 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	149	1.0 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	161	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7673-7680 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0205: How often read or looked closely at the health warnings on smokeless tobacco packages in past 30 days

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on packages of smokeless tobacco products in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	49	0.3 %
2	2 = Rarely	56	0.4 %
3	3 = Sometimes	56	0.4 %
4	4 = Often	35	0.2 %
5	5 = Very often	35	0.2 %
	Total	231	1.6%

This variable has 231 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14566	98.4 %
	Total	14,567	98.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7681-7688 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YR0085: Extent to which health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on packages of smokeless tobacco products in the past 30 days.

ASK Specification: IF R04_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	46	0.3 %
2	2 = A little	55	0.4 %
3	3 = Somewhat	65	0.4 %
4	4 = A lot	64	0.4 %
	Total	230	1.6%

This variable has 230 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14566	98.4 %
	Total	14,568	98.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7689-7696 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0250: Believe that nicotine is the main substance in tobacco that makes people want to use tobacco products

Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	4925	33.3 %
2	2 = Probably yes	6765	45.7 %
3	3 = Probably not	1347	9.1 %
4	4 = Definitely not	1304	8.8 %
	Total	14,341	96.9%

This variable has 14,341 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	440	3.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	457	3.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7697-7704 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0667: Agree/disagree: Some tobacco products are safer than others

Please tell me how much you agree or disagree with the following statement.

Some tobacco products are safer than others.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	617	4.2 %
2	2 = Agree	2918	19.7 %
3	3 = Neither agree nor disagree	3530	23.9 %
4	4 = Disagree	2877	19.4 %
5	5 = Strongly disagree	4680	31.6 %
	Total	14,622	98.8%

This variable has 14,622 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	160	1.1 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	176	1.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7705-7712 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0723: Level of harm: Additive-free tobacco products compared to regular tobacco products

Do you think a tobacco product described as additive-free is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1716	11.6 %
2	2 = About the same	10407	70.3 %
3	3 = More harmful	2006	13.6 %
	Total	14,129	95.5%

This variable has 14,129 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	634	4.3 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	669	4.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7713-7720 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0724: Level of harm: Organic tobacco product compared to regular tobacco product

Do you think a tobacco product described as organic is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1911	12.9 %
2	2 = About the same	10512	71.0 %
3	3 = More harmful	1920	13.0 %
	Total	14,343	96.9%

This variable has 14,343 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	436	2.9 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	455	3.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7721-7728 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9050: Harmfulness of cigarettes to health

How harmful do you think cigarettes are to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	113	0.8 %
2	2 = Slightly harmful	132	0.9 %
3	3 = Somewhat harmful	808	5.5 %
4	4 = Very harmful	3728	25.2 %
5	5 = Extremely harmful	9961	67.3 %
	Total	14,742	99.6%

This variable has 14,742 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	43	0.3 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	56	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7729-7736 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1149: Harmfulness of nicotine in cigarettes to health

How harmful do you think the nicotine in cigarettes is to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	162	1.1 %
2	2 = Slightly harmful	347	2.3 %
3	3 = Somewhat harmful	1605	10.8 %
4	4 = Very harmful	4367	29.5 %
5	5 = Extremely harmful	8151	55.1 %
	Total	14,632	98.9%

This variable has 14,632 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	151	1.0 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	166	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7737-7744 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1125: Thoughts on how much people harm themselves when they smoke cigarettes

How much do you think people harm themselves when they smoke cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	122	0.8 %
2	2 = A little harm	283	1.9 %
3	3 = Some harm	2042	13.8 %
4	4 = A lot of harm	12291	83.1 %
	Total	14,738	99.6%

This variable has 14,738 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	47	0.3 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	60	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7745-7752 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1170: How much you think people harm themselves when they smoke cigarettes some days but not every day

How much do you think people harm themselves when they smoke cigarettes some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	151	1.0 %
2	2 = A little harm	1030	7.0 %
3	3 = Some harm	5540	37.4 %
4	4 = A lot of harm	8005	54.1 %
	Total	14,726	99.5%

This variable has 14,726 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.4 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	72	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7753-7760 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1180: How long you think someone has to smoke cigarettes before it harms their health

How long do you think someone has to smoke cigarettes before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	119	0.8 %
2	2 = Less than a year	9007	60.9 %
3	3 = 1 year	2534	17.1 %
4	4 = 5 years	1406	9.5 %
5	5 = 10 years	710	4.8 %
6	6 = 20 years or more	810	5.5 %
	Total	14,586	98.6%

This variable has 14,586 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	195	1.3 %

	Missing Data		
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	212	1.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7761-7768 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9047: Harmfulness of cigarettes with lower amounts of nicotine compared to regular cigarettes

In your opinion, do you think that cigarettes with lower amounts of nicotine are less harmful, about the same, or more harmful to a person's health than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2692	18.2 %
2	2 = About the same	10103	68.3 %
3	3 = More harmful	1629	11.0 %
	Total	14,424	97.5%

This variable has 14,424 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	354	2.4 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	374	2.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7769-7776 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9040: Harmfulness of cigarettes flavored like menthol or mint compared to regular cigarettes

Do you think cigarettes flavored like menthol or mint are less harmful, no different, or more harmful than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	243	1.6 %
2	2 = No different	8871	59.9 %
3	3 = More harmful	1744	11.8 %
4	4 = I don't know	3789	25.6 %
	Total	14,647	99.0%

This variable has 14,647 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	140	0.9 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	151	1.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7777-7784 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9118: Ease of smoking cigarettes that are flavored compared to non-flavored cigarettes

Do you think cigarettes flavored like menthol or mint are easier to smoke, about the same, or harder to smoke than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1689	11.4 %
2	2 = About the same	4709	31.8 %
3	3 = Harder to smoke	600	4.1 %
4	4 = I don't know	7651	51.7 %
	Total	14,649	99.0%

This variable has 14,649 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	136	0.9 %
-7	-7 = Refused	13	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	149	1.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7785-7792 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1124: Likeliness of someone becoming addicted to cigarettes

How likely is someone to become addicted to cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	330	2.2 %
2	2 = Somewhat unlikely	315	2.1 %
3	3 = Neither likely nor unlikely	895	6.0 %
4	4 = Somewhat likely	4030	27.2 %
5	5 = Very likely	9072	61.3 %
	Total	14,642	98.9%

This variable has 14,642 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	139	0.9 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	156	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7793-7800 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9043: Likely to become addicted to cigarettes

How likely are you to become addicted to cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	10492	70.9 %
2	2 = Somewhat unlikely	742	5.0 %
3	3 = Neither likely nor unlikely	1228	8.3 %
4	4 = Somewhat likely	731	4.9 %
5	5 = Very likely	1387	9.4 %
	Total	14,580	98.5%

This variable has 14,580 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	177	1.2 %
-7	-7 = Refused	41	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	218	1.5%

Percentages for both tables are based on 14,798 total cases.

Location: 7801-7808 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC9120: Believe nicotine is the chemical that causes most cancer from smoking cigarettes

Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3986	26.9 %
2	2 = Probably yes	7180	48.5 %
3	3 = Probably not	2104	14.2 %
4	4 = Definitely not	999	6.8 %
	Total	14,269	96.4%

This variable has 14,269 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	516	3.5 %
-7	-7 = Refused	13	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	529	3.6%

Percentages for both tables are based on 14,798 total cases.

Location: 7809-7816 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1125: Thoughts on how much people harm themselves when they use e-cigarettes or other electronic nicotine products

How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	350	2.4 %
2	2 = Little harm	1681	11.4 %
3	3 = Some harm	4548	30.7 %
4	4 = A lot of harm	8109	54.8 %
	Total	14,688	99.3%

This variable has 14,688 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	101	0.7 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	110	0.7%

Percentages for both tables are based on 14,798 total cases.

Location: 7817-7824 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1149: Harmfulness of nicotine in electronic nicotine products to health

How harmful do you think the nicotine in e-cigarettes or other electronic nicotine products is to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	242	1.6 %
2	2 = Slightly harmful	1025	6.9 %
3	3 = Somewhat harmful	3194	21.6 %
4	4 = Very harmful	4227	28.6 %
5	5 = Extremely harmful	5914	40.0 %
	Total	14,602	98.7%

This variable has 14,602 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	178	1.2 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	196	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 7825-7832 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1180: How long you think someone has to use e-cigarettes before it harms their health

How long do you think someone has to use e-cigarettes or other electronic nicotine products before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	341	2.3 %
2	2 = Less than a year	6889	46.6 %
3	3 = 1 year	3467	23.4 %
4	4 = 5 years	1906	12.9 %
5	5 = 10 years	957	6.5 %
6	6 = 20 years or more	926	6.3 %
	Total	14,486	97.9%

This variable has 14,486 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	295	2.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	312	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7833-7840 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1099: Harmfulness of using e-cigarettes or other electronic nicotine products compared to smoking cigarettes

Do you think using e-cigarettes or other electronic nicotine products is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	3573	24.1 %
2	2 = About the same	8919	60.3 %
3	3 = More harmful	2019	13.6 %
	Total	14,511	98.1%

This variable has 14,511 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	269	1.8 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	287	1.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7841-7848 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1153: Flavored e-cigarettes (other than menthol or mint) are easier to use than tobacco-flavored or unflavored e-cigarettes

Do you think flavored e-cigarettes (other than menthol or mint) are easier to use, about the same, or harder to use than tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2680	18.1 %
2	2 = About the same	10058	68.0 %
3	3 = Harder to use	1078	7.3 %
	Total	13,816	93.4%

This variable has 13,816 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	947	6.4 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	982	6.6%

Percentages for both tables are based on 14,798 total cases.

Location: 7849-7856 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1148: Harmfulness of using menthol or mint flavored e-cigarettes compared to tobacco-flavored or unflavored e-cigarettes

Do you think using menthol or mint flavored e-cigarettes is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	691	4.7 %
2	2 = About the same	11861	80.2 %
3	3 = More harmful	1652	11.2 %
	Total	14,204	96.0%

This variable has 14,204 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	568	3.8 %
-7	-7 = Refused	26	0.2 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	594	4.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7857-7864 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1152: Harmfulness of using flavored e-cigarettes (other than menthol or mint) compared to tobacco-flavored or unflavored e-cigarettes

Do you think using flavored e-cigarettes (other than menthol or mint) is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	717	4.8 %
2	2 = About the same	11889	80.3 %
3	3 = More harmful	1656	11.2 %
	Total	14,262	96.4%

This variable has 14,262 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	511	3.5 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	536	3.6%

Percentages for both tables are based on 14,798 total cases.

Location: 7865-7872 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1124: Likelihood of someone becoming addicted to e-cigarettes or other electronic nicotine products

How likely is someone to become addicted to e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	523	3.5 %
2	2 = Somewhat unlikely	857	5.8 %
3	3 = Neither likely nor unlikely	1732	11.7 %
4	4 = Somewhat likely	5306	35.9 %
5	5 = Very likely	6139	41.5 %
	Total	14,557	98.4%

This variable has 14,557 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	223	1.5 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	241	1.6%

Percentages for both tables are based on 14,798 total cases.

Location: 7873-7880 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9025: How much you think people harm themselves when they smoke traditional cigars

How much do you think people harm themselves when they smoke traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	192	1.3 %
2	2 = A little harm	696	4.7 %
3	3 = Some harm	3462	23.4 %
4	4 = A lot of harm	10335	69.8 %
	Total	14,685	99.2%

This variable has 14,685 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	101	0.7 %

	Missing Data		
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	113	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 7881-7888 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1180: How long you think someone has to smoke traditional cigars before it harms their health

How long do you think someone has to smoke traditional cigars before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	166	1.1 %
2	2 = Less than a year	8197	55.4 %
3	3 = 1 year	3109	21.0 %
4	4 = 5 years	1564	10.6 %
5	5 = 10 years	775	5.2 %
6	6 = 20 years or more	701	4.7 %
	Total	14,512	98.1%

This variable has 14,512 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	272	1.8 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	286	1.9%

Percentages for both tables are based on 14,798 total cases.

Location: 7889-7896 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9097: Harmfulness of smoking traditional cigars compared to cigarettes

Do you think smoking traditional cigars is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1307	8.8 %
2	2 = About the same	8830	59.7 %
3	3 = More harmful	4331	29.3 %
	Total	14,468	97.8%

This variable has 14,468 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	308	2.1 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	330	2.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7897-7904 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9026: How much you think people harm themselves when they smoke cigarillos

How much do you think people harm themselves when they smoke cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	172	1.2 %
2	2 = A little harm	733	5.0 %
3	3 = Some harm	3941	26.6 %
4	4 = A lot of harm	9752	65.9 %
	Total	14,598	98.6%

This variable has 14,598 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	189	1.3 %

	Missing Data		
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	200	1.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7905-7912 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9047: How much you think people harm themselves when they smoke cigarillos some days but not every day

How much do you think people harm themselves when they smoke cigarillos some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	180	1.2 %
2	2 = A little harm	1300	8.8 %
3	3 = Some harm	5792	39.1 %
4	4 = A lot of harm	7349	49.7 %
	Total	14,621	98.8%

This variable has 14,621 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	165	1.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	177	1.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7913-7920 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9048: How long you think someone has to smoke cigarillos before it harms their health

How long do you think someone has to smoke cigarillos before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	150	1.0 %
2	2 = Less than a year	7954	53.8 %
3	3 = 1 year	3280	22.2 %
4	4 = 5 years	1628	11.0 %
5	5 = 10 years	790	5.3 %
6	6 = 20 years or more	667	4.5 %
	Total	14,469	97.8%

This variable has 14,469 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	318	2.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	329	2.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7921-7928 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9098: Harmfulness of smoking cigarillos compared to cigarettes

Do you think smoking cigarillos is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1011	6.8 %
2	2 = About the same	10536	71.2 %
3	3 = More harmful	2856	19.3 %
	Total	14,403	97.3%

This variable has 14,403 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	375	2.5 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	395	2.7%

Percentages for both tables are based on 14,798 total cases.

Location: 7929-7936 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9125: Likeliness of someone getting addicted to cigarillos

How likely is someone to become addicted to cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	356	2.4 %
2	2 = Somewhat unlikely	563	3.8 %
3	3 = Neither likely nor unlikely	1693	11.4 %
4	4 = Somewhat likely	5311	35.9 %
5	5 = Very likely	6535	44.2 %
	Total	14,458	97.7%

This variable has 14,458 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	314	2.1 %
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	340	2.3%

Percentages for both tables are based on 14,798 total cases.

Location: 7937-7944 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9027: How much you think people harm themselves when they smoke filtered cigars

How much do you think people harm themselves when they smoke filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	178	1.2 %
2	2 = A little harm	799	5.4 %
3	3 = Some harm	4435	30.0 %
4	4 = A lot of harm	9205	62.2 %
	Total	14,617	98.8%

This variable has 14,617 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	166	1.1 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	181	1.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7945-7952 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9054: How much you think people harm themselves when they smoke filtered cigars some days but not every day

How much do you think people harm themselves when they smoke filtered cigars some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	179	1.2 %
2	2 = A little harm	1295	8.8 %
3	3 = Some harm	5831	39.4 %
4	4 = A lot of harm	7317	49.4 %
	Total	14,622	98.8%

This variable has 14,622 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	157	1.1 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	176	1.2%

Percentages for both tables are based on 14,798 total cases.

Location: 7953-7960 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9055: How long you think someone has to smoke filtered cigars before it harms their health

How long do you think someone has to smoke filtered cigars before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	149	1.0 %
2	2 = Less than a year	7814	52.8 %
3	3 = 1 year	3350	22.6 %
4	4 = 5 years	1697	11.5 %
5	5 = 10 years	813	5.5 %
6	6 = 20 years or more	667	4.5 %
	Total	14,490	97.9%

This variable has 14,490 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	290	2.0 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	308	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 7961-7968 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9099: Harmfulness of smoking filtered cigars compared to cigarettes

Do you think smoking filtered cigars is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1489	10.1 %
2	2 = About the same	10499	70.9 %
3	3 = More harmful	2461	16.6 %
	Total	14,449	97.6%

This variable has 14,449 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	335	2.3 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	349	2.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7969-7976 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG9126: Likeliness of someone getting addicted to filtered cigars

How likely is someone to become addicted to filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	338	2.3 %
2	2 = Somewhat unlikely	546	3.7 %
3	3 = Neither likely nor unlikely	1800	12.2 %
4	4 = Somewhat likely	5368	36.3 %
5	5 = Very likely	6445	43.6 %
	Total	14,497	98.0%

This variable has 14,497 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	286	1.9 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	301	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 7977-7984 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1125: Thoughts on how much people harm themselves when they smoke hookah

How much do you think people harm themselves when they smoke shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	238	1.6 %
2	2 = A little harm	1079	7.3 %
3	3 = Some harm	3631	24.5 %
4	4 = A lot of harm	9639	65.1 %
	Total	14,587	98.6%

This variable has 14,587 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	197	1.3 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	211	1.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7985-7992 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9044: Harmfulness of being around people who are smoking shisha or hookah tobacco

How harmful is it to be around people who are smoking shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	345	2.3 %
2	2 = Slightly harmful	1217	8.2 %

Value	Label	Unweighted Frequency	%
3	3 = Somewhat harmful	3652	24.7 %
4	4 = Very harmful	3731	25.2 %
5	5 = Extremely harmful	5505	37.2 %
	Total	14,450	97.6%

This variable has 14,450 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	329	2.2 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	348	2.4%

Percentages for both tables are based on 14,798 total cases.

Location: 7993-8000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH9110: Harmfulness of shisha that does not contain tobacco compared to shisha that does contain tobacco

Do you think shisha that does not contain tobacco is less harmful, about the same, or more harmful than shisha that does contain tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	4377	29.6 %
2	2 = About the same	7525	50.9 %
3	3 = More harmful	2432	16.4 %
	Total	14,334	96.9%

This variable has 14,334 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	447	3.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	464	3.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8001-8008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1180: How long you think someone has to smoke shisha or hookah tobacco before it harms their health

How long do you think someone has to smoke shisha or hookah tobacco before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	203	1.4 %
2	2 = Less than a year	7759	52.4 %
3	3 = 1 year	3186	21.5 %
4	4 = 5 years	1717	11.6 %
5	5 = 10 years	830	5.6 %
6	6 = 20 years or more	729	4.9 %
	Total	14,424	97.5%

This variable has 14,424 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	350	2.4 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	374	2.5%

Percentages for both tables are based on 14,798 total cases.

Location: 8009-8016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1099: Harmfulness of smoking a hookah compared to smoking cigarettes

Do you think smoking hookah is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2300	15.5 %

Value	Label	Unweighted Frequency	%
2	2 = About the same	8297	56.1 %
3	3 = More harmful	3798	25.7 %
	Total	14,395	97.3%

This variable has 14,395 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	385	2.6 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	403	2.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8017-8024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1124: Likeliness of someone becoming addicted to shisha or hookah tobacco

How likely is someone to become addicted to shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	366	2.5 %
2	2 = Somewhat unlikely	756	5.1 %
3	3 = Neither likely nor unlikely	1956	13.2 %
4	4 = Somewhat likely	4941	33.4 %
5	5 = Very likely	6424	43.4 %
	Total	14,443	97.6%

This variable has 14,443 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	333	2.3 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	355	2.4%

Percentages for both tables are based on 14,798 total cases.

Location: 8025-8032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1125: Thoughts on how much people harm themselves when they use snus pouches

How much do you think people harm themselves when they use snus?

[SHOW GENERIC IMAGE OF SNUS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	185	1.3 %
2	2 = A little harm	663	4.5 %
3	3 = Some harm	3307	22.3 %
4	4 = A lot of harm	10405	70.3 %
	Total	14,560	98.4%

This variable has 14,560 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	218	1.5 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	238	1.6%

Percentages for both tables are based on 14,798 total cases.

Location: 8033-8040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1170: How much you think people harm themselves when they use snus some days but not every day

How much do you think people harm themselves when they use snus some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	196	1.3 %
2	2 = A little harm	1101	7.4 %

Value	Label	Unweighted Frequency	%
3	3 = Some harm	5087	34.4 %
4	4 = A lot of harm	8177	55.3 %
	Total	14,561	98.4%

This variable has 14,561 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	221	1.5 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	237	1.6%

Percentages for both tables are based on 14,798 total cases.

Location: 8041-8048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1180: How long you think someone has to use snus before it harms their health

How long do you think someone has to use snus before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	147	1.0 %
2	2 = Less than a year	8152	55.1 %
3	3 = 1 year	3116	21.1 %
4	4 = 5 years	1605	10.8 %
5	5 = 10 years	756	5.1 %
6	6 = 20 years or more	651	4.4 %
	Total	14,427	97.5%

This variable has 14,427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	29	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	371	2.5%

Percentages for both tables are based on 14,798 total cases.

Location: 8049-8056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1099: Harmfulness of using snus compared to smoking cigarettes

Do you think using snus is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1353	9.1 %
2	2 = About the same	8841	59.7 %
3	3 = More harmful	4191	28.3 %
	Total	14,385	97.2%

This variable has 14,385 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	396	2.7 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	413	2.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8057-8064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1124: Likeliness of someone becoming addicted to snus

How likely is someone to become addicted to snus?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	330	2.2 %
2	2 = Somewhat unlikely	477	3.2 %
3	3 = Neither likely nor unlikely	1628	11.0 %
4	4 = Somewhat likely	4948	33.4 %
5	5 = Very likely	7061	47.7 %

Value	Label	Unweighted Frequency	%
	Total	14,444	97.6%

This variable has 14,444 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	333	2.3 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	354	2.4%

Percentages for both tables are based on 14,798 total cases.

Location: 8065-8072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1125: Thoughts on how much people harm themselves when they use smokeless tobacco

How much do you think people harm themselves when they use smokeless tobacco? (Smokeless tobacco includes dip, spit or chew.)

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO (EXCLUDING SNUS)]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	198	1.3 %
2	2 = A little harm	809	5.5 %
3	3 = Some harm	3469	23.4 %
4	4 = A lot of harm	10163	68.7 %
	Total	14,639	98.9%

This variable has 14,639 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	142	1.0 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	159	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8073-8080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1170: How much you think people harm themselves when they use smokeless tobacco some days but not every day

How much do you think people harm themselves when they use smokeless tobacco some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	206	1.4 %
2	2 = A little harm	1260	8.5 %
3	3 = Some harm	5060	34.2 %
4	4 = A lot of harm	8105	54.8 %
	Total	14,631	98.9%

This variable has 14,631 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	154	1.0 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	167	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8081-8088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1180: How long you think someone has to use smokeless tobacco before it harms their health

How long do you think someone has to use smokeless tobacco before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	164	1.1 %
2	2 = Less than a year	7986	54.0 %

Value	Label	Unweighted Frequency	%
3	3 = 1 year	3179	21.5 %
4	4 = 5 years	1687	11.4 %
5	5 = 10 years	791	5.3 %
6	6 = 20 years or more	699	4.7 %
	Total	14,506	98.0%

This variable has 14,506 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	270	1.8 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	292	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 8089-8096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1099: Harmfulness of using smokeless tobacco compared to smoking cigarettes

Do you think using smokeless tobacco is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1731	11.7 %
2	2 = About the same	8945	60.4 %
3	3 = More harmful	3801	25.7 %
	Total	14,477	97.8%

This variable has 14,477 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	308	2.1 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	321	2.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8097-8104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1124: Likeliness of someone becoming addicted to smokeless tobacco

How likely is someone to become addicted to smokeless tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	292	2.0 %
2	2 = Somewhat unlikely	496	3.4 %
3	3 = Neither likely nor unlikely	1637	11.1 %
4	4 = Somewhat likely	4914	33.2 %
5	5 = Very likely	7192	48.6 %
	Total	14,531	98.2%

This variable has 14,531 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	247	1.7 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	267	1.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8105-8112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0759: Harmfulness of nicotine in nicotine replacement products such as nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge, or pill

Sometimes people who are trying to quit using tobacco use nicotine replacement products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge, or pill.

How harmful do you think the nicotine in these products is to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	392	2.6 %
2	2 = Slightly harmful	1682	11.4 %
3	3 = Somewhat harmful	3737	25.3 %
4	4 = Very harmful	3511	23.7 %
5	5 = Extremely harmful	5145	34.8 %
	Total	14,467	97.8%

This variable has 14,467 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	312	2.1 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	331	2.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8113-8120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0300: Agree/disagree: Considered switching completely from using [other tobacco products used in past 30 days] to smoking cigarettes

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(2-12)] to smoking cigarettes.

ASK: Youth respondents who have ever smoked a cigarette and are past 30 days users of at least one non-cigarette tobacco product.

ASK Specification: IF R04_EVER_NEVER_CIGS_YOUTH = 1 AND (R04_PAST30DAY_EPRODS = 1 OR R04_PAST30DAY_GTRAD = 1 OR R04_PAST30DAY_GRILLO = 1 OR R04_PAST30DAY_GFILTR = 1 OR R04_PAST30DAY_PIPE = 1 OR R04_PAST30DAY_HOOK = 1 OR R04_PAST30DAY_SMKLS = 1 OR R04_PAST30DAY_SNUS = 1 OR R04_PAST30DAY_DISS = 1 OR R04_PAST30DAY_BIDI = 1 OR R04_PAST30DAY_KRETEK = 1).

[PROGRAM NOTE: EXCLUDE USEPROD(1)=CIGARETTES from USEPROD list for this question. Ask the question one time and list all product(s) the respondent has used in the past 30 days, excluding cigarettes, in [USEPROD(2-12)].]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	29	0.2 %
2	2 = Agree	39	0.3 %
3	3 = Neither agree nor disagree	142	1.0 %

Value	Label	Unweighted Frequency	%
4	4 = Disagree	68	0.5 %
5	5 = Strongly disagree	194	1.3 %
	Total	472	3.2%

This variable has 472 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14315	96.7 %
	Total	14,326	96.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8121-8128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0301: Agree/disagree: Considered switching completely from using [other tobacco products used in past 30 days] to using e-cigarettes or other electronic nicotine products

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1, 3-12)] to using e-cigarettes or other electronic nicotine products.

ASK: Youth respondents who have ever used electronic nicotine products and are past 30 days users of at least one non-electronic tobacco product.

ASK Specification: IF R04_EVER_NEVER_EPRODS_YOUTH = 1 AND (R04_PAST30DAY_CIGS = 1 OR R04_PAST30DAY_GTRAD = 1 OR R04_PAST30DAY_GRILLO = 1 OR R04_PAST30DAY_GFILTER = 1 OR R04_PAST30DAY_PIPE = 1 OR R04_PAST30DAY_HOOK = 1 OR R04_PAST30DAY_SMKLS = 1 OR R04_PAST30DAY_SNUS = 1 OR R04_PAST30DAY_DISS = 1 OR R04_PAST30DAY_BIDI = 1 OR R04_PAST30DAY_KRETEK = 1).

[PROGRAM NOTE: EXCLUDE USEPROD(2)=E-CIGARETTES from USEPROD list for this question. Ask the question one time and list all product(s) the respondent has used in the past 30 days, excluding e-cigarettes, in [USEPROD(1, 3-12)].]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	49	0.3 %
2	2 = Agree	82	0.6 %
3	3 = Neither agree nor disagree	188	1.3 %
4	4 = Disagree	70	0.5 %
5	5 = Strongly disagree	134	0.9 %
	Total	523	3.5%

This variable has 523 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14265	96.4 %
	Total	14,275	96.5%

Percentages for both tables are based on 14,798 total cases.

Location: 8129-8136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_01: Have not considered switching from cigarettes to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	318	2.1 %
2	2 = Not Marked	109	0.7 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %

	Missing Data		
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8137-8144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_03: Considered switching from cigarettes to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	44	0.3 %
2	2 = Not Marked	383	2.6 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8145-8152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_04: Considered switching from cigarettes to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	415	2.8 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8153-8160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_05: Considered switching from cigarettes to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	409	2.8 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8161-8168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_06: Considered switching from cigarettes to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	413	2.8 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8169-8176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_07: Considered switching from cigarettes to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the

respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	414	2.8 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8177-8184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_08: Considered switching from cigarettes to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	407	2.8 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8185-8192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_09: Considered switching from cigarettes to snus

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	417	2.8 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8193-8200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_10: Considered switching from cigarettes to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	416	2.8 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8201-8208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_11: Considered switching from cigarettes to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	420	2.8 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8209-8216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_12: Considered switching from cigarettes to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	423	2.9 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8217-8224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307C_13: Considered switching from cigarettes to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	423	2.9 %
	Total	427	2.9%

This variable has 427 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	14324	96.8 %
	Total	14,371	97.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8225-8232 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_01: Have not considered switching from electronic nicotine products to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	505	3.4 %
2	2 = Not Marked	49	0.3 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8233-8240 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_02: Considered switching from electronic nicotine products to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this

question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	548	3.7 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8241-8248 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_04: Considered switching from electronic nicotine products to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	547	3.7 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8249-8256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_05: Considered switching from electronic nicotine products to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	541	3.7 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8257-8264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_06: Considered switching from electronic nicotine products to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	543	3.7 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %

	Missing Data		
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8265-8272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_07: Considered switching from electronic nicotine products to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	542	3.7 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8273-8280 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_08: Considered switching from electronic nicotine products to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	542	3.7 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8281-8288 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_09: Considered switching from electronic nicotine products to snus

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	550	3.7 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8289-8296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_10: Considered switching from electronic nicotine products to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR

R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	547	3.7 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8297-8304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_11: Considered switching from electronic nicotine products to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1.

Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	549	3.7 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8305-8312 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_12: Considered switching from electronic nicotine products to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	548	3.7 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8313-8320 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307E_13: Considered switching from electronic nicotine products to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	553	3.7 %
	Total	554	3.7%

This variable has 554 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	14200	96.0 %
	Total	14,244	96.3%

Percentages for both tables are based on 14,798 total cases.

Location: 8321-8328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_01: Have not considered switching from traditional cigars to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	32	0.2 %
2	2 = Not Marked	11	0.1 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8329-8336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_02: Considered switching from traditional cigars to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	41	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8337-8344 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_03: Considered switching from traditional cigars to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	43	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8345-8352 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_05: Considered switching from traditional cigars to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	40	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8353-8360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_06: Considered switching from traditional cigars to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR

R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	42	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8361-8368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_07: Considered switching from traditional cigars to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1.

Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	43	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8369-8376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_08: Considered switching from traditional cigars to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	41	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8377-8384 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_09: Considered switching from traditional cigars to snus

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	39	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8385-8392 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_10: Considered switching from traditional cigars to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	43	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8393-8400 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_11: Considered switching from traditional cigars to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	41	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8401-8408 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_12: Considered switching from traditional cigars to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	42	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8409-8416 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307T_13: Considered switching from traditional cigars to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	42	0.3 %
	Total	43	0.3%

This variable has 43 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14751	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8417-8424 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_01: Have not considered switching from cigarillos to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR

R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	107	0.7 %
2	2 = Not Marked	30	0.2 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8425-8432 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_02: Considered switching from cigarillos to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1.

Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	134	0.9 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8433-8440 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_03: Considered switching from cigarillos to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	125	0.8 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8441-8448 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_04: Considered switching from cigarillos to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	134	0.9 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8449-8456 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_06: Considered switching from cigarillos to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	135	0.9 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8457-8464 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_07: Considered switching from cigarillos to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	133	0.9 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8465-8472 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_08: Considered switching from cigarillos to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	128	0.9 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8473-8480 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_09: Considered switching from cigarillos to snus

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	134	0.9 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8481-8488 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_10: Considered switching from cigarillos to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR

R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	136	0.9 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8489-8496 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_11: Considered switching from cigarillos to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5

if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	135	0.9 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8497-8504 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_12: Considered switching from cigarillos to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	135	0.9 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8505-8512 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307G_13: Considered switching from cigarillos to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	137	0.9 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14655	99.0 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 8513-8520 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_01: Have not considered switching from filtered cigars to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.2 %
2	2 = Not Marked	10	0.1 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8521-8528 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_02: Considered switching from filtered cigars to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	39	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8529-8536 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_03: Considered switching from filtered cigars to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	35	0.2 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8537-8544 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_04: Considered switching from filtered cigars to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	40	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8545-8552 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_05: Considered switching from filtered cigars to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR

R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	37	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8553-8560 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_07: Considered switching from filtered cigars to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1.

Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	40	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8561-8568 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_08: Considered switching from filtered cigars to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	39	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8569-8576 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_09: Considered switching from filtered cigars to snus

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	38	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8577-8584 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_10: Considered switching from filtered cigars to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	39	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8585-8592 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_11: Considered switching from filtered cigars to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	39	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8593-8600 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_12: Considered switching from filtered cigars to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	40	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8601-8608 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307F_13: Considered switching from filtered cigars to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	40	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	14755	99.7 %
	Total	14,758	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8609-8616 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_01: Have not considered switching from pipes to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR

R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.2 %
2	2 = Not Marked	5	0.0 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8617-8624 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_02: Considered switching from pipes to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1.

Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8625-8632 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_03: Considered switching from pipes to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	31	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8633-8640 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_04: Considered switching from pipes to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	31	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8641-8648 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_05: Considered switching from pipes to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8649-8656 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_06: Considered switching from pipes to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	31	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8657-8664 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_08: Considered switching from pipes to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	31	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8665-8672 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_09: Considered switching from pipes to snus

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8673-8680 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_10: Considered switching from pipes to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR

R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8681-8688 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_11: Considered switching from pipes to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5

if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	31	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8689-8696 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_12: Considered switching from pipes to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	31	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8697-8704 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307P_13: Considered switching from pipes to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	31	0.2 %
	Total	31	0.2%

This variable has 31 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14765	99.8 %
	Total	14,767	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 8705-8712 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_01: Have not considered switching from hookahs to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	37	0.3 %
2	2 = Not Marked	13	0.1 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8713-8720 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_02: Considered switching from hookahs to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	49	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8721-8728 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_03: Considered switching from hookahs to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	50	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8729-8736 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_04: Considered switching from hookahs to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	49	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8737-8744 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_05: Considered switching from hookahs to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR

R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTER != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTER = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	48	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8745-8752 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_06: Considered switching from hookahs to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTER != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1.

Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	47	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8753-8760 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_07: Considered switching from hookahs to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	47	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8761-8768 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_09: Considered switching from hookahs to snus

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	47	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8769-8776 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_10: Considered switching from hookahs to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	48	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8777-8784 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_11: Considered switching from hookahs to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	50	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8785-8792 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_12: Considered switching from hookahs to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	50	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8793-8800 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307H_13: Considered switching from hookahs to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	49	0.3 %
	Total	50	0.3%

This variable has 50 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14742	99.6 %
	Total	14,748	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8801-8808 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_01: Have not considered switching from snus to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR

R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	37	0.3 %
2	2 = Not Marked	12	0.1 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8809-8816 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_02: Considered switching from snus to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1.

Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	48	0.3 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8817-8824 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_03: Considered switching from snus to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	47	0.3 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8825-8832 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_04: Considered switching from snus to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	46	0.3 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8833-8840 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_05: Considered switching from snus to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	47	0.3 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8841-8848 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_06: Considered switching from snus to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	46	0.3 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8849-8856 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_07: Considered switching from snus to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	47	0.3 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8857-8864 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_08: Considered switching from snus to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	47	0.3 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8865-8872 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_10: Considered switching from snus to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

[Other smokeles/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR

R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	45	0.3 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8873-8880 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_11: Considered switching from snus to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5

if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	47	0.3 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8881-8888 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_12: Considered switching from snus to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	46	0.3 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8889-8896 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307U_13: Considered switching from snus to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	47	0.3 %
	Total	49	0.3%

This variable has 49 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14748	99.7 %
	Total	14,749	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 8897-8904 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_01: Have not considered switching from smokeless tobacco to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	96	0.6 %
2	2 = Not Marked	24	0.2 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

	Missing Data		
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8905-8912 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_02: Considered switching from smokeless tobacco to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	119	0.8 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8913-8920 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_03: Considered switching from smokeless tobacco to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	114	0.8 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8921-8928 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_04: Considered switching from smokeless tobacco to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.0 %
2	2 = Not Marked	113	0.8 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8929-8936 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_05: Considered switching from smokeless tobacco to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR

R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	118	0.8 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8937-8944 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_06: Considered switching from smokeless tobacco to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1.

Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	116	0.8 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8945-8952 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_07: Considered switching from smokeless tobacco to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	114	0.8 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8953-8960 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_08: Considered switching from smokeless tobacco to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	114	0.8 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8961-8968 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_09: Considered switching from smokeless tobacco to snus

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	114	0.8 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

	Missing Data		
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8969-8976 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_11: Considered switching from smokeless tobacco to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	117	0.8 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8977-8984 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_12: Considered switching from smokeless tobacco to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	118	0.8 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8985-8992 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307S_13: Considered switching from smokeless tobacco to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	118	0.8 %
	Total	120	0.8%

This variable has 120 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	14667	99.1 %
	Total	14,678	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 8993-9000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_01: Have not considered switching from dissolvable tobacco to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR

R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	2	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9001-9008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_02: Considered switching from dissolvable tobacco to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5

if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9009-9016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_03: Considered switching from dissolvable tobacco to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9017-9024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_04: Considered switching from dissolvable tobacco to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	7	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9025-9032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_05: Considered switching from dissolvable tobacco to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9033-9040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_06: Considered switching from dissolvable tobacco to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	7	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9041-9048 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_07: Considered switching from dissolvable tobacco to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	7	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9049-9056 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_08: Considered switching from dissolvable tobacco to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	7	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9057-9064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_09: Considered switching from dissolvable tobacco to snus

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR

R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9065-9072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_10: Considered switching from dissolvable tobacco to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chwing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5

if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9073-9080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_12: Considered switching from dissolvable tobacco to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9081-9088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307D_13: Considered switching from dissolvable tobacco to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	8	0.1%

This variable has 8 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14790	99.9 %
	Total	14,790	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9089-9096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_01: Have not considered switching from bidis to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9097-9104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_02: Considered switching from bidis to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9105-9112 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_03: Considered switching from bidis to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9113-9120 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_04: Considered switching from bidis to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9121-9128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_05: Considered switching from bidis to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR

R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	2	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9129-9136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_06: Considered switching from bidis to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1.

Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9137-9144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_07: Considered switching from bidis to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9145-9152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_08: Considered switching from bidis to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9153-9160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_09: Considered switching from bidis to snus

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9161-9168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_10: Considered switching from bidis to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9169-9176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_11: Considered switching from bidis to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9177-9184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307B_13: Considered switching from bidis to kreteks

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14792	100.0 %
	Total	14,793	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9185-9192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307K_01: Have not considered switching from kreteks to another product

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR

R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9193-9200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307K_02: Considered switching from kreteks to cigarettes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1.

Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	12	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9201-9208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307K_03: Considered switching from kreteks to e-cigarettes or other electronic nicotine products

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9209-9216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307K_04: Considered switching from kreteks to traditional cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	12	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9217-9224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307K_05: Considered switching from kreteks to cigarillos

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9225-9232 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307K_06: Considered switching from kreteks to filtered cigars

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	12	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9233-9240 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307K_07: Considered switching from kreteks to pipes

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9241-9248 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307K_08: Considered switching from kreteks to hookahs

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9249-9256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307K_09: Considered switching from kreteks to snus

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR

R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	12	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9257-9264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307K_10: Considered switching from kreteks to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5

if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	12	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9265-9272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0307K_11: Considered switching from kreteks to dissolvable tobacco

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9273-9280 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YM0018: DERIVED - Recoded grade level (If on holiday or break - grade level entering when returning to school) (7 levels)

Long Description: What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.

Algorithm: IF (1 <= R04_YM0018 <= 3) THEN R04R_Y_YM0018 = 1; ELSE IF R04_YM0018 = 4 THEN R04R_Y_YM0018 = 2; ELSE IF R04_YM0018 = 5 THEN R04R_Y_YM0018 = 3; ELSE IF R04_YM0018 = 6 THEN R04R_Y_YM0018 = 4; ELSE IF R04_YM0018 = 7 THEN R04R_Y_YM0018 = 5; ELSE IF R04_YM0018 = 8 THEN R04R_Y_YM0018 = 6; ELSE IF (9 <= R04_YM0018 <= 13) OR (R04_YM0019=2) THEN R04R_Y_YM0018 = 7; ELSE IF R04_YM0018 = -9 OR R04_YM0019 = -9 THEN R04R_Y_YM0018 = -99999; ELSE IF R04_YM0018 = -8 OR R04_YM0019 = -8 THEN R04R_Y_YM0018 = -99988; ELSE IF R04_YM0018 = -7 OR R04_YM0019 = -7 THEN R04R_Y_YM0018 = -99977; ELSE IF R04_YM0018 = -1 OR R04_YM0019 = -1 THEN R04R_Y_YM0018 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = 6th grade or below	830	5.6 %
2	2 = 7th grade	2087	14.1 %
3	3 = 8th grade	2432	16.4 %
4	4 = 9th grade	2447	16.5 %
5	5 = 10th grade	2365	16.0 %
6	6 = 11th grade	2269	15.3 %

Value	Label	Unweighted Frequency	%
7	7 = Other (not enrolled this year or last, home schooled, school not graded, 12th grade, college or vocational school)	2299	15.5 %
	Total	14,729	99.5%

This variable has 14,729 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	50	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	69	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 11073-11080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04_YX0307K_12: Considered switching from kreteks to bidis

Have you considered switching from [USEPROD(1-12)] to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R04_PAST30DAY_TOB = 1 AND (R04_PAST30DAY_CIG != 1 OR R04_PAST30DAY_EPRODS != 1 OR R04_PAST30DAY_GTRAD != 1 OR R04_PAST30DAY_GRILLO != 1 OR R04_PAST30DAY_GFILTR != 1 OR R04_PAST30DAY_PIPE != 1 OR R04_PAST30DAY_HOOK != 1 OR R04_PAST30DAY_SMKLS != 1 OR R04_PAST30DAY_SNUS != 1 OR R04_PAST30DAY_DISS != 1 OR R04_PAST30DAY_BIDI != 1 OR R04_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R04_PAST30DAY_CIGS = 1. Suppress option 3 if R04_PAST30DAY_EPRODS = 1. Suppress option 4 if R04_PAST30DAY_GTRAD = 1. Suppress option 5 if R04_PAST30DAY_GRILLO = 1. Suppress option 6 if R04_PAST30DAY_GFILTR = 1. Suppress option 7 if R04_PAST30DAY_PIPE = 1. Suppress option 8 if R04_PAST30DAY_HOOK = 1. Suppress option 9 if R04_PAST30DAY_SNUS = 1. Suppress option 10 if R04_PAST30DAY_SMKLS = 1. Suppress option 11 if R04_PAST30DAY_DISS = 1. Suppress option 12 if R04_PAST30DAY_BIDI = 1. Suppress option 13 if R04_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	11	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14785	99.9 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9281-9288 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0494: Amount of time spent watching TV or videos on a television, computer, tablet or smartphone on an average weekday

On an average weekday, about how much time do you spend watching television and streaming videos that include commercials?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	944	6.4 %
2	2 = Half hour or less	1992	13.5 %
3	3 = About 1 hour	2348	15.9 %
4	4 = About 2 hours	2725	18.4 %
5	5 = About 3 hours	2258	15.3 %
6	6 = About 4 hours	1618	10.9 %
7	7 = About 5 hours	935	6.3 %
8	8 = About 6 hours	486	3.3 %
9	9 = 7 hours or more	1434	9.7 %
	Total	14,740	99.6%

This variable has 14,740 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	51	0.3 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	58	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9289-9296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0474: Amount of time spent watching television and steaming videos that include commercials on an average weekend day

On an average weekend day, how much time do you spend watching television and streaming videos that include commercials?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	993	6.7 %
2	2 = Less than 1 hour	2123	14.3 %
3	3 = 1 to 2 hours	3660	24.7 %
4	4 = 3 to 4 hours	3553	24.0 %
5	5 = 5 to 6 hours	1988	13.4 %
6	6 = 7 to 8 hours	1025	6.9 %
7	7 = 9 to 10 hours	587	4.0 %
8	8 = 11 hours or more	807	5.5 %
	Total	14,736	99.6%

This variable has 14,736 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	47	0.3 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	62	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9297-9304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0060: Amount of time spent listening to the radio or online radio stations that include commercials on an average weekday

On an average weekday, how much time do you spend listening to the radio or online radio stations that include commercials?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	2590	17.5 %
2	2 = Half hour or less	4163	28.1 %
3	3 = About 1 hour	2659	18.0 %
4	4 = About 2 hours	1736	11.7 %
5	5 = About 3 hours	1230	8.3 %
6	6 = About 4 hours	772	5.2 %
7	7 = About 5 hours	474	3.2 %
8	8 = About 6 hours	270	1.8 %
9	9 = 7 hours or more	856	5.8 %
	Total	14,750	99.7%

This variable has 14,750 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	48	0.3%

Percentages for both tables are based on 14,798 total cases.

Location: 9305-9312 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0061: Amount of time spent listening to the radio or online radio stations that include commercials on an average weekend day

On an average weekend day, how much time do you spend listening to the radio or online radio stations that include commercials?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	2799	18.9 %
2	2 = Less than 1 hour	4664	31.5 %
3	3 = 1 to 2 hours	3372	22.8 %
4	4 = 3 to 4 hours	1806	12.2 %
5	5 = 5 to 6 hours	855	5.8 %
6	6 = 7 to 8 hours	441	3.0 %
7	7 = 9 to 10 hours	265	1.8 %
8	8 = 11 hours or more	535	3.6 %
	Total	14,737	99.6%

This variable has 14,737 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	45	0.3 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	61	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9313-9320 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0062: Has a social media account

Sometimes people use the internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called social media.

Do you have a social media account?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YXR12.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12862	86.9 %
2	2 = No	1895	12.8 %
	Total	14,757	99.7%

This variable has 14,757 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	41	0.3%

Percentages for both tables are based on 14,798 total cases.

Location: 9321-9328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0317: How often you visit your social media accounts

About how often do you visit your social media accounts?

[If Never (7), Go to box R04_YXR12.]

ASK: Youth respondents who have a social media account.

ASK Specification: IF R04_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	8590	58.0 %
2	2 = About once a day	1998	13.5 %
3	3 = 3 - 5 days a week	858	5.8 %
4	4 = 1 - 2 days a week	413	2.8 %
5	5 = Every few weeks	317	2.1 %
6	6 = Less often	482	3.3 %
7	7 = Never	186	1.3 %
	Total	12,844	86.8%

This variable has 12,844 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	1936	13.1 %
	Total	1,954	13.2%

Percentages for both tables are based on 14,798 total cases.

Location: 9329-9336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_00: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Have not liked or followed any brands on social media sites

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

I have not liked or followed any brands on social media sites

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11658	78.8 %
2	2 = Not Marked	554	3.7 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9337-9344 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_01: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Camel

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Camel

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	156	1.1 %
2	2 = Not Marked	12056	81.5 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9345-9352 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_02: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Marlboro

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Marlboro

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	180	1.2 %
2	2 = Not Marked	12032	81.3 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9353-9360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_03: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Newport

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Newport

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	147	1.0 %
2	2 = Not Marked	12065	81.5 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9361-9368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_04: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: American Spirit

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

American Spirit

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	57	0.4 %
2	2 = Not Marked	12155	82.1 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9369-9376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_05: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Vuse

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Vuse

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be

selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	50	0.3 %
2	2 = Not Marked	12162	82.2 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9377-9384 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_06: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Blu

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Blu

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	144	1.0 %
2	2 = Not Marked	12068	81.6 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9385-9392 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_07: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Logic

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Logic

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	41	0.3 %
2	2 = Not Marked	12171	82.2 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9393-9400 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_08: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Mark Ten

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Mark Ten

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	12192	82.4 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9401-9408 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_09: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: NJOY

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

NJOY

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be

selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	32	0.2 %
2	2 = Not Marked	12180	82.3 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9409-9416 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_10: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: eGo

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

eGo

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	42	0.3 %
2	2 = Not Marked	12170	82.2 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9417-9424 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_11: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: iTaste

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

iTaste

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.2 %
2	2 = Not Marked	12186	82.3 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9425-9432 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_12: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Black & Mild

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Black and Mild

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	142	1.0 %
2	2 = Not Marked	12070	81.6 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9433-9440 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_13: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Swisher Sweets

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Swisher Sweets

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be

selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	175	1.2 %
2	2 = Not Marked	12037	81.3 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9441-9448 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_14: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Dutch Masters

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Dutch Masters

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	74	0.5 %
2	2 = Not Marked	12138	82.0 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9449-9456 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_15: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Phillies Blunts

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Phillies Blunts

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	31	0.2 %
2	2 = Not Marked	12181	82.3 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9457-9464 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_16: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Zig Zag

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Zig Zag

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	103	0.7 %
2	2 = Not Marked	12109	81.8 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9465-9472 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_17: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Skoal

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Skoal

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be

selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	44	0.3 %
2	2 = Not Marked	12168	82.2 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9473-9480 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_18: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Redman

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Redman

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	46	0.3 %
2	2 = Not Marked	12166	82.2 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9481-9488 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_19: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Grizzly

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Grizzly

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	124	0.8 %
2	2 = Not Marked	12088	81.7 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9489-9496 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_20: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Copenhagen

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Copenhagen

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	88	0.6 %
2	2 = Not Marked	12124	81.9 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9497-9504 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0686_21: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Some other brand

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter or other social media sites? Choose all that apply.

Some other brand (SPECIFY)

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R04_YX0062 = 1 AND R04_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be

selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	70	0.5 %
2	2 = Not Marked	12142	82.1 %
	Total	12,212	82.5%

This variable has 12,212 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	342	2.3 %
-7	-7 = Refused	122	0.8 %
-1	-1 = Inapplicable	2122	14.3 %
	Total	2,586	17.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9505-9512 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0496_NB: Ever used a smart phone to scan a QR code for a tobacco product or to enter a sweepstakes or drawing from a tobacco company

A Quick Response code is a white square with black dots in it, sometimes called a QR code.

[INSERT GENERIC IMAGE OF QR CODE FOR PATH WEBSITE]

Have you ever used a tablet or a smartphone to scan a QR code for a tobacco product or to enter a sweepstakes or drawing from a tobacco company?

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	174	1.2 %
2	2 = No	5242	35.4 %
	Total	5,416	36.6%

This variable has 5,416 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,382	63.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9513-9520 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YX0671: DERIVED - Recoded anyone who lives with you now uses tobacco (4 levels)

Long Description: Does anyone who lives with you now do any of the following: Smoke cigarettes, use smokeless tobacco, smoke cigars, cigarillos or filtered cigars or use any other form of tobacco?

Algorithm: IF R04_YX0671_01 = 1 OR R04_YX0671_05 = 1 THEN R04R_Y_YX0671 = 1; ELSE IF R04_YX0671_03 = 1 OR R04_YX0671_04 = 1 OR R04_YX0671_06 = 1 OR R04_YX0671_07 = 1 THEN R04R_Y_YX0671 = 3; ELSE IF R04_YX0671_02 = 1 THEN R04R_Y_YX0671 = 2; ELSE IF R04_YX0671_08 = 1 THEN R04R_Y_YX0671 = 4; ELSE IF (R04_YX0671_01 = -9 OR R04_YX0671_02 = -9 OR R04_YX0671_03 = -9 OR R04_YX0671_04 = -9 OR R04_YX0671_05 = -9 OR R04_YX0671_06 = -9 OR R04_YX0671_07 = -9 OR R04_YX0671_08 = -9) THEN R04R_Y_YX0671 = -99999; ELSE IF (R04_YX0671_01 = -8 OR R04_YX0671_02 = -8 OR R04_YX0671_03 = -8 OR R04_YX0671_04 = -8 OR R04_YX0671_05 = -8 OR R04_YX0671_06 = -8 OR R04_YX0671_07 = -8 OR R04_YX0671_08 = -8) THEN R04R_Y_YX0671 = -99988; ELSE IF (R04_YX0671_01 = -7 OR R04_YX0671_02 = -7 OR R04_YX0671_03 = -7 OR R04_YX0671_04 = -7 OR R04_YX0671_05 = -7 OR R04_YX0671_06 = -7 OR R04_YX0671_07 = -7 OR R04_YX0671_08 = -7) THEN R04R_Y_YX0671 = -99977; ELSE IF (R04_YX0671_01 = -1 OR R04_YX0671_02 = -1 OR R04_YX0671_03 = -1 OR R04_YX0671_04 = -1 OR R04_YX0671_05 = -1 OR R04_YX0671_06 = -1 OR R04_YX0671_07 = -1 OR R04_YX0671_08 = -1) THEN R04R_Y_YX0671 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes, cigars, cigarillos or filtered cigars	3850	26.0 %
2	2 = E-products exclusively	286	1.9 %
3	3 = Other tobacco products, including smokeless, snus and hookah	538	3.6 %
4	4 = No one living in the home uses tobacco	9929	67.1 %
	Total	14,603	98.7%

This variable has 14,603 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	134	0.9 %
-99977	-99977 = Missing due to a refused response on one or more component variables	61	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	195	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 9521-9528 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04_YX0068: In past seven days, number of hours that you were in close contact with others when they were smoking

During the past seven days, about how many hours were you around others who were smoking[, whether or not you were smoking yourself]? Include time in your home, in a car, at school, or outdoors.

___ Number of hours

ASK: All youth respondents.

This variable has 14,445 valid cases out of 14,798 total cases.

- Mean: 2.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 10.26

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	284	1.9 %
-7	-7 = Refused	53	0.4 %
-5	-5 = Improbable response removed	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	353	2.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9529-9536 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YX0090: Self perception of physical health

In general, how would you rate your...

physical health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	6726	45.5 %
2	2 = Very good	4560	30.8 %
3	3 = Good	2626	17.7 %
4	4 = Fair	737	5.0 %
5	5 = Poor	108	0.7 %
	Total	14,757	99.7%

This variable has 14,757 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	41	0.3%

Percentages for both tables are based on 14,798 total cases.

Location: 9537-9544 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0090_12M: Self perception of physical health compared to 12 months ago

Compared with 12 months ago, would you say...

your physical health is now...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	8343	56.4 %
2	2 = Worse	733	5.0 %
3	3 = About the same	5677	38.4 %
	Total	14,753	99.7%

This variable has 14,753 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	45	0.3%

Percentages for both tables are based on 14,798 total cases.

Location: 9561-9568 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0091: Self perception of mental health, including mood and ability to think

In general, how would you rate your...

mental health, which includes stress, depression, and problems with emotions?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	5544	37.5 %
2	2 = Very good	3593	24.3 %
3	3 = Good	2847	19.2 %
4	4 = Fair	1895	12.8 %
5	5 = Poor	827	5.6 %
	Total	14,706	99.4%

This variable has 14,706 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	77	0.5 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	92	0.6%

Percentages for both tables are based on 14,798 total cases.

Location: 9545-9552 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0091_12M: Self perception of mental health compared to 12 months ago

Compared with 12 months ago, would you say...

your mental health is now...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	6800	46.0 %
2	2 = Worse	1582	10.7 %
3	3 = About the same	6364	43.0 %
	Total	14,746	99.6%

This variable has 14,746 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.3 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	52	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9569-9576 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0088: Self perception of overall health

In general, how would you rate your...

overall health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	6913	46.7 %
2	2 = Very good	4509	30.5 %
3	3 = Good	2669	18.0 %
4	4 = Fair	577	3.9 %
5	5 = Poor	78	0.5 %
	Total	14,746	99.6%

This variable has 14,746 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.3 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	52	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9553-9560 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0088_12M: Self perception of overall health compared to health 12 months ago

Compared with 12 months ago, would you say...

your overall health is now...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Better	8085	54.6 %
2	2 = Worse	490	3.3 %
3	3 = About the same	6166	41.7 %
	Total	14,741	99.6%

This variable has 14,741 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.3 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	57	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9577-9584 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0726: Self perception of overall health of teeth and gums

Overall, how would you rate the health of your teeth and gums?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	4118	27.8 %
2	2 = Very good	5393	36.4 %
3	3 = Good	3969	26.8 %
4	4 = Fair	1106	7.5 %
5	5 = Poor	179	1.2 %
	Total	14,765	99.8%

This variable has 14,765 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	23	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	33	0.2%

Percentages for both tables are based on 14,798 total cases.

Location: 9585-9592 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0241: In past 7 days, number of days physically active for at least 60 minutes per day

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?
(Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	1245	8.4 %
2	2 = 1 day	1216	8.2 %
3	3 = 2 days	1479	10.0 %
4	4 = 3 days	1983	13.4 %
5	5 = 4 days	1779	12.0 %
6	6 = 5 days	2511	17.0 %
7	7 = 6 days	1187	8.0 %

Value	Label	Unweighted Frequency	%
8	8 = 7 days	3251	22.0 %
	Total	14,651	99.0%

This variable has 14,651 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	126	0.9 %
-7	-7 = Refused	21	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	147	1.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9593-9600 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0242: In past 7 days, number of days exercised or participated in physical activity for at least 20 minutes that made you sweat and breathe hard

On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	1714	11.6 %
2	2 = 1 day	1358	9.2 %
3	3 = 2 days	1614	10.9 %
4	4 = 3 days	1868	12.6 %
5	5 = 4 days	1562	10.6 %
6	6 = 5 days	2462	16.6 %
7	7 = 6 days	1107	7.5 %
8	8 = 7 days	2975	20.1 %
	Total	14,660	99.1%

This variable has 14,660 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	112	0.8 %

	Missing Data		
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	138	0.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9601-9608 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0243: In past 7 days, number of days did exercises to strengthen or tone your muscles

On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	3803	25.7 %
2	2 = 1 day	1723	11.6 %
3	3 = 2 days	1848	12.5 %
4	4 = 3 days	1847	12.5 %
5	5 = 4 days	1285	8.7 %
6	6 = 5 days	1805	12.2 %
7	7 = 6 days	573	3.9 %
8	8 = 7 days	1809	12.2 %
	Total	14,693	99.3%

This variable has 14,693 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.5 %
-7	-7 = Refused	31	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	105	0.7%

Percentages for both tables are based on 14,798 total cases.

Location: 9609-9616 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0046_NB: Ever had wheezing or whistling in the chest

Have you ever had wheezing or whistling in the chest at any time in the past?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YX0052.]

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1386	9.4 %
2	2 = No	3945	26.7 %
	Total	5,331	36.0%

This variable has 5,331 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	96	0.6 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,467	64.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9617-9624 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0047_12M: In past 12 months, had wheezing or whistling in the chest

Have you had wheezing or whistling in the chest in the past 12 months?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YX0052.]

ASK: New baseline youth respondents who had wheezing or whistling in the chest in the past, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0046_NB = 1) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2005	13.5 %
2	2 = No	8650	58.5 %
	Total	10,655	72.0%

This variable has 10,655 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	88	0.6 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	4047	27.3 %
	Total	4,143	28.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9625-9632 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0048: In past 12 months, number of times had wheezing in chest

How many attacks of wheezing have you had in the past 12 months?

ASK: New baseline youth respondents who had wheezing or whistling in the chest in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0046_NB = 1 AND R04_YX0047_12M = 1) OR (R04_YOUTHTYPE = 1 AND R04_YX0047_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = None	468	3.2 %
2	2 = 1 to 3	1177	8.0 %
3	3 = 4 to 12	245	1.7 %
4	4 = More than 12	103	0.7 %
	Total	1,993	13.5%

This variable has 1,993 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12793	86.5 %
	Total	12,805	86.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9633-9640 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0049: In past 12 months, how often had sleep disturbed due to wheezing

In the past 12 months how often, on average, has your sleep been disturbed due to wheezing?

ASK: New baseline youth respondents who had wheezing or whistling in the chest in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0046_NB = 1 AND R04_YX0047_12M = 1) OR (R04_YOUTHTYPE = 1 AND R04_YX0047_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Never woken with wheezing	1558	10.5 %
2	2 = Less than one night per week	322	2.2 %
3	3 = One or more nights per week	114	0.8 %
	Total	1,994	13.5%

This variable has 1,994 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12793	86.5 %
	Total	12,804	86.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9641-9648 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0050: In past 12 months, had speech limited to only one or two words between breaths due to wheezing

In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?

ASK: New baseline youth respondents who had wheezing or whistling in the chest in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0046_NB = 1 AND R04_YX0047_12M = 1) OR (R04_YOUTHTYPE = 1 AND R04_YX0047_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	429	2.9 %
2	2 = No	1565	10.6 %
	Total	1,994	13.5%

This variable has 1,994 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12793	86.5 %
	Total	12,804	86.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9649-9656 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0052: In past 12 months, chest has sounded wheezy during or after exercise

In the past 12 months, has your chest sounded wheezy during or after exercise?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2110	14.3 %
2	2 = No	12552	84.8 %
	Total	14,662	99.1%

This variable has 14,662 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	127	0.9 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	136	0.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9657-9664 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0053: In past 12 months, had a dry cough at night

A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3071	20.8 %
2	2 = No	11570	78.2 %
	Total	14,641	98.9%

This variable has 14,641 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	144	1.0 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	157	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 9665-9672 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YT0031_12M: In past 12 months, been told by a doctor, nurse or other health professional that you have asthma

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have asthma?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to box R04_YXV03.]

ASK: Continuing youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	885	6.0 %
2	2 = No	8439	57.0 %
	Total	9,324	63.0%

This variable has 9,324 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.2 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	5433	36.7 %
	Total	5,474	37.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9673-9680 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YT0031_NB: Ever been told by a doctor, nurse or other health professional that you have asthma

Have you ever been told by a doctor, nurse or other health professional that you have asthma?

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	992	6.7 %
2	2 = No	4425	29.9 %
	Total	5,417	36.6%

This variable has 5,417 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,381	63.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9681-9688 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YT0038_NB: DERIVED - Age range when you were first told you had asthma (3 levels)

Long Description: How old were you when you were first told you had asthma?

Algorithm: IF R04_YT0260_NB = 1 OR (0 <= R04_YT0038_NB <= 11) THEN

R04R_Y_YT0038_NB = 1; ELSE IF R04_YT0260_NB = 2
OR (12 <= R04_YT0038_NB <= 14) THEN R04R_Y_YT0038_NB = 2; ELSE IF
R04_YT0260_NB = 3 OR (15 <= R04_YT0038_NB <= 17)
THEN R04R_Y_YT0038_NB = 3; ELSE IF R04_YT0038_NB = -9 OR R04_YT0260_NB
= -9 THEN R04R_Y_YT0038_NB = -99999; ELSE IF
R04_YT0038_NB = -8 OR R04_YT0260_NB = -8 THEN R04R_Y_YT0038_NB = -99988;
ELSE IF R04_YT0038_NB = -7 OR R04_YT0260_NB = -7
THEN R04R_Y_YT0038_NB = -99977; ELSE IF R04_YT0038_NB = -5 THEN
R04R_Y_YT0038_NB = -99955; ELSE IF R04_YT0038_NB = -1 OR
R04_YT0260_NB = -1 THEN R04R_Y_YT0038_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	895	6.0 %
2	2 = 12 to 14 years old	78	0.5 %
3	3 = 15 to 17 years old	12	0.1 %
	Total	985	6.7%

This variable has 985 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	7	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	13806	93.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	13,813	93.3%

Percentages for both tables are based on 14,798 total cases.

Location: 9689-9696 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YX0227: In past 30 days, amount of time your asthma kept you from getting as much done at work, school, or home

In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school or at home?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R04_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	33	0.2 %
2	2 = Most of the time	68	0.5 %
3	3 = Some of the time	185	1.3 %
4	4 = A little of the time	479	3.2 %
5	5 = None of the time	2150	14.5 %
	Total	2,915	19.7%

This variable has 2,915 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11862	80.2 %
	Total	11,883	80.3%

Percentages for both tables are based on 14,798 total cases.

Location: 9697-9704 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0228: In past 30 days, how often had shortness of breath

In the past 30 days, how often have you had shortness of breath?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R04_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	72	0.5 %
2	2 = Once a day	161	1.1 %
3	3 = 3 - 6 times a week	154	1.0 %
4	4 = Once or twice a week	672	4.5 %
5	5 = None at all	1859	12.6 %
	Total	2,918	19.7%

This variable has 2,918 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11862	80.2 %
	Total	11,880	80.3%

Percentages for both tables are based on 14,798 total cases.

Location: 9705-9712 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0229: In past 30 days, how often asthma symptoms woke you up at night or earlier than usual in the morning

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness or pain) wake you up at night or earlier than usual in the morning?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R04_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 4 or more nights a week	38	0.3 %
2	2 = 2 or 3 nights	94	0.6 %
3	3 = Once a week	88	0.6 %
4	4 = Once or twice	322	2.2 %
5	5 = None at all	2376	16.1 %
	Total	2,918	19.7%

This variable has 2,918 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	7	0.0 %
-1	-1 = Inapplicable	11862	80.2 %
	Total	11,880	80.3%

Percentages for both tables are based on 14,798 total cases.

Location: 9713-9720 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YT0022: In past 12 months, took medications for asthma regularly

In the past 12 months, have you taken medications regularly for asthma?

(Taken regularly means according to a health care provider's instructions.)

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YT0127.]

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R04_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	843	5.7 %
2	2 = No	2081	14.1 %
	Total	2,924	19.8%

This variable has 2,924 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11862	80.2 %
	Total	11,874	80.2%

Percentages for both tables are based on 14,798 total cases.

Location: 9721-9728 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YT0036_01: In past 12 months, medications taken for asthma: Quick-relief inhaler

In the past 12 months, which of the following medications did you regularly take for asthma?

Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months.

ASK Specification: IF R04_YOUTH_ASTHMA = 1 AND R04_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	704	4.8 %
2	2 = No	122	0.8 %
	Total	826	5.6%

This variable has 826 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13955	94.3 %
	Total	13,972	94.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9729-9736 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YT0036_02: In past 12 months, medications taken for asthma: Controller/long-acting inhaler

In the past 12 months, which of the following medications did you regularly take for asthma?

Controller or long-acting inhaler including steroid inhaler - for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months.

ASK Specification: IF R04_YOUTH_ASTHMA = 1 AND R04_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	372	2.5 %
2	2 = No	443	3.0 %
	Total	815	5.5%

This variable has 815 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	13955	94.3 %
	Total	13,983	94.5%

Percentages for both tables are based on 14,798 total cases.

Location: 9737-9744 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YT0036_03: In past 12 months, medications taken for asthma: Other controlling medication

In the past 12 months, which of the following medications did you regularly take for asthma?

Other controlling medication - for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months.

ASK Specification: IF R04_YOUTH_ASTHMA = 1 AND R04_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	233	1.6 %
2	2 = No	589	4.0 %
	Total	822	5.6%

This variable has 822 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13955	94.3 %
	Total	13,976	94.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9745-9752 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YT0036_04: In past 12 months, medications taken for asthma: Other asthma medication

In the past 12 months, which of the following medications did you regularly take for asthma?

Other asthma medication

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months.

ASK Specification: IF R04_YOUTH_ASTHMA = 1 AND R04_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	193	1.3 %

Value	Label	Unweighted Frequency	%
2	2 = No	629	4.3 %
	Total	822	5.6%

This variable has 822 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	13955	94.3 %
	Total	13,976	94.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9753-9760 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YT0125: In past 12 months, had an asthma attack that required use of an oral or injected steroid medication at the time of the attack

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack? Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YT0127.]

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months.

ASK Specification: IF R04_YOUTH_ASTHMA = 1 AND R04_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	149	1.0 %
2	2 = No	688	4.6 %
	Total	837	5.7%

This variable has 837 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	13955	94.3 %

	Missing Data		
	Total	13,961	94.3%

Percentages for both tables are based on 14,798 total cases.

Location: 9761-9768 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YT0039: In past 12 months, number of asthma attacks that required use of an oral or injected steroid medication

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

ASK: Youth respondents who have ever had asthma and have taken any medications regularly for asthma in the past 12 months and had an asthma attack in the past 12 months that required use of an oral or injected steroid medication.

ASK Specification: IF R04_YOUTH_ASTHMA = 1 AND R04_YT0022 = 1 AND R04_YT0125 = 1.

This variable has 146 valid cases out of 14,798 total cases.

- Mean: 3.64
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 69.00
- Standard Deviation: 7.37

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14649	99.0 %
	Total	14,652	99.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9769-9776 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YT0127: In past 12 months, visited an emergency room or urgent care center because of asthma

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YX0230.]

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R04_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	200	1.4 %
2	2 = No	2728	18.4 %
	Total	2,928	19.8%

This variable has 2,928 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11862	80.2 %
	Total	11,870	80.2%

Percentages for both tables are based on 14,798 total cases.

Location: 9777-9784 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YT0282: In past 12 months, number of times you visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

[If Don't know (-8), or Refused (-7), Go to box R04_YXR42.]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R04_YOUTH_ASTHMA = 1 AND R04_YT0127 = 1.

This variable has 195 valid cases out of 14,798 total cases.

- Mean: 2.24
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 25.00
- Standard Deviation: 2.86

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14598	98.6 %
	Total	14,603	98.7%

Percentages for both tables are based on 14,798 total cases.

Location: 9785-9792 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YX0695: In past 12 months, single visit to emergency room or urgent care center was due to an asthma attack (youth)

Was that visit due to an asthma attack?

[If Yes (1), No (2), Don't know (-8), or Refused (-7), Go to R04_YX0230.]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months.

ASK Specification: IF R04_YOUTH_ASTHMA = 1 AND R04_YT0127 = 1 AND R04_YT0282 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	64	0.4 %
2	2 = No	28	0.2 %
	Total	92	0.6%

This variable has 92 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14705	99.4 %
	Total	14,706	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9793-9800 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0720: Number of visits to emergency room due to asthma attack (youth)

How many of those visits were due to an asthma attack?

[If Don't know (-8), or Refused (-7), Go to R04_YX0230.]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months.

ASK Specification: IF R04_YOUTH_ASTHMA = 1 AND R04_YT0127 = 1 AND R04_YT0282 > 1.

This variable has 84 valid cases out of 14,798 total cases.

- Mean: 3.15
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 55.00
- Standard Deviation: 6.25

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	14713	99.4 %
	Total	14,714	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9801-9808 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YX0230: In past 30 days, how often used a rescue inhaler, nebulizer treatment, or other controlling medication

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R04_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 3 or more times per day	22	0.1 %
2	2 = 1 or 2 times per day	125	0.8 %
3	3 = 2 or 3 times per week	145	1.0 %
4	4 = Once a week or less	428	2.9 %

Value	Label	Unweighted Frequency	%
5	5 = Not at all	2192	14.8 %
	Total	2,912	19.7%

This variable has 2,912 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11862	80.2 %
	Total	11,886	80.3%

Percentages for both tables are based on 14,798 total cases.

Location: 9809-9816 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0231: In past 30 days, how would you rate your asthma control

How would you rate your asthma control over the past 30 days?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R04_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not controlled at all	49	0.3 %
2	2 = Poorly controlled	30	0.2 %
3	3 = Somewhat controlled	192	1.3 %
4	4 = Well controlled	760	5.1 %
5	5 = Completely controlled	1865	12.6 %
	Total	2,896	19.6%

This variable has 2,896 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	11862	80.2 %
	Total	11,902	80.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9817-9824 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0158_01: In past 12 months, took Ibuprofen (Motrin, Advil, Naprosyn, or Aleve) even once

In the past 12 months, did you take any of the following medications, even once?

Ibuprofen (Motrin, Advil, Naprosyn, or Aleve]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10112	68.3 %
2	2 = No	4520	30.5 %
	Total	14,632	98.9%

This variable has 14,632 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	141	1.0 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	166	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 9825-9832 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0158_02: In past 12 months, took Acetaminophen (Tylenol) even once

In the past 12 months, did you take any of the following medications, even once?

Acetaminophen (Tylenol)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7827	52.9 %
2	2 = No	6729	45.5 %
	Total	14,556	98.4%

This variable has 14,556 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	193	1.3 %
-7	-7 = Refused	49	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	242	1.6%

Percentages for both tables are based on 14,798 total cases.

Location: 9833-9840 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0158_03: In past 12 months, took Aspirin even once

In the past 12 months, did you take any of the following medications, even once?

Aspirin

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4126	27.9 %
2	2 = No	10518	71.1 %
	Total	14,644	99.0%

This variable has 14,644 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	137	0.9 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	154	1.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9841-9848 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0158_04: In past 12 months, took Cox-2 inhibitors (Celebrex) even once

In the past 12 months, did you take any of the following medications, even once?

Cox-2 Inhibitors

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	134	0.9 %
2	2 = No	14524	98.1 %
	Total	14,658	99.1%

This variable has 14,658 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	121	0.8 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	140	0.9%

Percentages for both tables are based on 14,798 total cases.

Location: 9849-9856 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0330_12MH: Used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge or pill in past 12 months (past 12 month tobacco non-users)

In the past 12 months, have you used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge or pill?

[If No (2), Don't know (-8), or Refused (-7), Go to R04_YN0331_12MH.]

ASK: Youth respondents who are past 12 month tobacco non-users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	135	0.9 %
2	2 = No	12575	85.0 %
	Total	12,710	85.9%

This variable has 12,710 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	45	0.3 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	2028	13.7 %
	Total	2,088	14.1%

Percentages for both tables are based on 14,798 total cases.

Location: 9857-9864 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0307H: When did you last use a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (past 12 month tobacco non-users)

When did you last use a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge or pill?

[If In the past hour (1), Go to R04_YN0309H; If Three or more days ago (5), Don't know (-8) or Refused (-7), Go to R04_YN0331_12MH.]

ASK: Youth respondents who are past 12 month tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 4 AND R04_YN0330_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	7	0.0 %
2	2 = Sometime today	13	0.1 %
3	3 = Yesterday	16	0.1 %
4	4 = Day before yesterday	9	0.1 %
5	5 = Three or more days ago	80	0.5 %
	Total	125	0.8%

This variable has 125 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14663	99.1 %
	Total	14,673	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 9865-9872 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0308H: Time period of day when you last used a nicotine patch, gum, inhaler, nasal spray, lozenge or pill (past 12 month tobacco non-users)

When you last used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge or pill
[FILL BASED ON R04_YN0307H], was it...

ASK: Youth respondents who are past 12 month tobacco non-users and used nicotine replacement therapy in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 4 AND R04_YN0330_12MH = 1 AND R04_YN0307H = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	5	0.0 %
2	2 = After 6AM but before noon	14	0.1 %
3	3 = Between noon and 6PM	9	0.1 %
4	4 = After 6PM but before midnight	10	0.1 %
	Total	38	0.3%

This variable has 38 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14760	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 9873-9880 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0309H: Number of nicotine patches, gum, inhaler, nasal spray, lozenges or pills used today/yesterday/the day before yesterday (past 12 month tobacco non-users)

When you last used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge or pill
[FILL BASED ON R04_YN0307H], how many did you use?

[If Don't know (-8), or Rfused (-7), Go to R04_YN0331_12MH.]

ASK: Youth respondents who are past 12 month tobacco non-users and used nicotine replacement therapy in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 4 AND R04_YN0330_12MH = 1 AND R04_YN0307H = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 43 valid cases out of 14,798 total cases.

- Mean: 1.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.22

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	14753	99.7 %
	Total	14,755	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 9881-9888 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YN0331_12MH: Used prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion in past 12 months (past 12 month tobacco non-users)

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YXR19.]

ASK: Youth respondents who are past 12 month tobacco non-users.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	119	0.8 %
2	2 = No	12554	84.8 %
	Total	12,673	85.6%

This variable has 12,673 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	86	0.6 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	2028	13.7 %

	Missing Data		
	Total	2,125	14.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9889-9896 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0327H: When did you last use Chantix, varenicline, Wellbutrin, Zyban or bupropion (past 12 month tobacco non-users)

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If In the past hour (1), Go to R04_YN0329H; If Three or more days ago (5), Don't know (-8), or Refused (-7), Go to box R04_YXR19.]

ASK: Youth respondents who are past 12 month tobacco non-users and used a prescription drug in the past 12 months.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 4 AND R04_YN0331_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	4	0.0 %
2	2 = Sometime today	19	0.1 %
3	3 = Yesterday	12	0.1 %
4	4 = Day before yesterday	5	0.0 %
5	5 = Three or more days ago	71	0.5 %
	Total	111	0.8%

This variable has 111 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14679	99.2 %
	Total	14,687	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 9897-9904 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0328H: Time period of day when you last used Chantix, varenicline, Wellbutrin, Zyban or bupropion (past 12 month tobacco non-users)

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_YN0327H], was it...

ASK: Youth respondents who are past 12 month tobacco non-users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 4 AND R04_YN0331_12MH = 1 AND R04_YN0327H = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	2	0.0 %
2	2 = After 6AM but before noon	20	0.1 %
3	3 = Between noon and 6PM	7	0.0 %
4	4 = After 6PM but before midnight	7	0.0 %
	Total	36	0.2%

This variable has 36 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14762	99.8 %
	Total	14,762	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 9905-9912 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YN0329H: Number of Chantix, varenicline, Wellbutrin, Zyban or bupropion taken today/yesterday/the day before yesterday (past 12 month tobacco non-users)

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R04_YN0327H], how many did you take?

[If Don't know (-8), or Refused (-7), Got to box R04_YXR19.]

ASK: Youth respondents who are past 12 month tobacco non-users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R04_PASTYEAR_TOB_USE = 4 AND R04_YN0331_12MH = 1 AND R04_YN0327H = 1, 2, 3, 4.

This variable has 38 valid cases out of 14,798 total cases.

- Mean: 1.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 8.00

- Standard Deviation: 1.60

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	14758	99.7 %
	Total	14,760	99.7%

Percentages for both tables are based on 14,798 total cases.

Location: 9913-9920 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YX0708_01: In past 12 months received discounts or coupons: Cigarettes

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Cigarettes

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	683	4.6 %
2	2 = Not Marked	13957	94.3 %
	Total	14,640	98.9%

This variable has 14,640 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	123	0.8 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	158	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 9921-9928 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0708_02: In past 12 months received discounts or coupons: E-cigarettes or other electronic nicotine products

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products (including e-liquid)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	374	2.5 %
2	2 = Not Marked	14266	96.4 %
	Total	14,640	98.9%

This variable has 14,640 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	123	0.8 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	158	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 9929-9936 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0708_03: In past 12 months received discounts or coupons: Cigars

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Cigars

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	167	1.1 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	14473	97.8 %
	Total	14,640	98.9%

This variable has 14,640 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	123	0.8 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	158	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 9937-9944 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0708_04: In past 12 months received discounts or coupons: Shisha or hookah tobacco

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Shisha or hookah tobacco

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	65	0.4 %
2	2 = Not Marked	14575	98.5 %
	Total	14,640	98.9%

This variable has 14,640 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	123	0.8 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	158	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 9945-9952 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0708_05: In past 12 months received discounts or coupons: Snus

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Snus

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	65	0.4 %
2	2 = Not Marked	14575	98.5 %
	Total	14,640	98.9%

This variable has 14,640 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	123	0.8 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	158	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 9953-9960 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0708_06: In past 12 months received discounts or coupons: Other types of smokeless tobacco

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Other types of smokeless tobacco (such as dip, spit or chew)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be

selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	174	1.2 %
2	2 = Not Marked	14466	97.8 %
	Total	14,640	98.9%

This variable has 14,640 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	123	0.8 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	158	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 9961-9968 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0708_07: In past 12 months received discounts or coupons: Some other type of tobacco

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Some other type of tobacco product

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	104	0.7 %
2	2 = Not Marked	14536	98.2 %
	Total	14,640	98.9%

This variable has 14,640 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	123	0.8 %

	Missing Data		
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	158	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 9969-9976 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0708_08: In past 12 months received discounts or coupons: None of the above

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

None of the above

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13730	92.8 %
2	2 = Not Marked	910	6.1 %
	Total	14,640	98.9%

This variable has 14,640 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	123	0.8 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	158	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 9977-9984 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0678: In past 30 days, received a free sample of an e-cigarette or other electronic nicotine product

In the past 30 days, have you gotten a free sample of an e-cigarette or other electronic nicotine product (including e-liquid)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	101	0.7 %
2	2 = No	14643	99.0 %
	Total	14,744	99.6%

This variable has 14,744 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	44	0.3 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	54	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 9985-9992 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0182: In past 30 days, how often visited a convenience store, small market, or liquor store

In the past 30 days, how often did you visit a convenience store, small market, or liquor store?

[If Not at all (1), Go to R04_YX0203.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	5177	35.0 %
2	2 = Once in the past 30 days	2010	13.6 %
3	3 = 2-3 times in the past 30 days	3108	21.0 %
4	4 = Once a week	2049	13.8 %
5	5 = 2-3 times per week	1630	11.0 %
6	6 = Almost every day	669	4.5 %
	Total	14,643	99.0%

This variable has 14,643 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	136	0.9 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	155	1.0%

Percentages for both tables are based on 14,798 total cases.

Location: 9993-10000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0183: In past 30 days, how often noticed ads for e-cigarettes or other electronic nicotine products when visiting convenience stores, small markets, or liquor stores

In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for e-cigarettes or other electronic nicotine products?

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R04_YX0182 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1556	10.5 %
2	2 = Rarely	2320	15.7 %
3	3 = Sometimes	3006	20.3 %
4	4 = Often	2664	18.0 %
	Total	9,546	64.5%

This variable has 9,546 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	61	0.4 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	5177	35.0 %
	Total	5,252	35.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10001-10008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0203_01: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Haven't seen any advertisements

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

I haven't seen any advertisements in the past 30 days

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5460	36.9 %
2	2 = Not Marked	9041	61.1 %
	Total	14,501	98.0%

This variable has 14,501 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	224	1.5 %
-7	-7 = Refused	73	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	297	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10009-10016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0203_02: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At gas stations, convenience stores or other retail stores

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7391	49.9 %
2	2 = Not Marked	7110	48.0 %
	Total	14,501	98.0%

This variable has 14,501 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	224	1.5 %
-7	-7 = Refused	73	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	297	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10017-10024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0203_03: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On billboards

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On billboards

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2800	18.9 %
2	2 = Not Marked	11701	79.1 %
	Total	14,501	98.0%

This variable has 14,501 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	224	1.5 %
-7	-7 = Refused	73	0.5 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	297	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10025-10032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0203_04: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: In newspapers or magazines

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

In newspapers or magazines

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2140	14.5 %
2	2 = Not Marked	12361	83.5 %
	Total	14,501	98.0%

This variable has 14,501 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	224	1.5 %
-7	-7 = Refused	73	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	297	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10033-10040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0203_05: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On radio

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On radio

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1261	8.5 %
2	2 = Not Marked	13240	89.5 %
	Total	14,501	98.0%

This variable has 14,501 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	224	1.5 %
-7	-7 = Refused	73	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	297	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10041-10048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0203_06: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On television

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On television

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3207	21.7 %
2	2 = Not Marked	11294	76.3 %
	Total	14,501	98.0%

This variable has 14,501 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	224	1.5 %
-7	-7 = Refused	73	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	297	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10049-10056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0203_07: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At events such as fairs, festivals, or sporting events

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At events such as fairs, festivals, or sporting events

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	641	4.3 %
2	2 = Not Marked	13860	93.7 %
	Total	14,501	98.0%

This variable has 14,501 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	224	1.5 %
-7	-7 = Refused	73	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	297	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10057-10064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0203_08: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At nightclubs, bars, or music concerts

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	553	3.7 %
2	2 = Not Marked	13948	94.3 %
	Total	14,501	98.0%

This variable has 14,501 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	224	1.5 %
-7	-7 = Refused	73	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	297	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10065-10072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0203_09: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On websites or social media sites

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On websites or social media sites

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3158	21.3 %
2	2 = Not Marked	11343	76.7 %
	Total	14,501	98.0%

This variable has 14,501 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	224	1.5 %
-7	-7 = Refused	73	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	297	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10073-10080 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0203_10: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Somewhere else

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

Somewhere else (SPECIFY)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	153	1.0 %
2	2 = Not Marked	14348	97.0 %
	Total	14,501	98.0%

This variable has 14,501 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	224	1.5 %
-7	-7 = Refused	73	0.5 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	297	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10081-10088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0709: Has a favorite e-cigarette or electronic nicotine product advertisement

Do you have a favorite e-cigarette or electronic nicotine product advertisement?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	206	1.4 %
2	2 = No	14538	98.2 %
	Total	14,744	99.6%

This variable has 14,744 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.2 %
-7	-7 = Refused	19	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	54	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10089-10096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0481: In past 30 days, obtained a free sample of a tobacco product

In the past 30 days, have you gotten a free sample of a tobacco product (not including e-cigarettes or electronic nicotine products)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.3 %
2	2 = No	14704	99.4 %
	Total	14,746	99.6%

This variable has 14,746 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	36	0.2 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	52	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10097-10104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0178: In past 30 days, how often noticed tobacco ads when visiting convenience stores, small markets, or liquor stores

In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products)?

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R04_YX0182 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1849	12.5 %
2	2 = Rarely	2413	16.3 %
3	3 = Sometimes	2886	19.5 %
4	4 = Often	2399	16.2 %
	Total	9,547	64.5%

This variable has 9,547 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	59	0.4 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	5177	35.0 %
	Total	5,251	35.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10105-10112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0677_01: In past 30 days, noticed cigarettes or other tobacco products being advertised: Haven't seen any advertisements

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

I haven't seen any advertisements in the past 30 days

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5861	39.6 %
2	2 = Not Marked	8619	58.2 %
	Total	14,480	97.9%

This variable has 14,480 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	242	1.6 %
-7	-7 = Refused	76	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	318	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 10113-10120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0677_02: In past 30 days, noticed cigarettes or other tobacco products being advertised: At gas stations, convenience stores, or other retail stores

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7200	48.7 %
2	2 = Not Marked	7280	49.2 %
	Total	14,480	97.9%

This variable has 14,480 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	242	1.6 %
-7	-7 = Refused	76	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	318	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 10121-10128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0677_03: In past 30 days, noticed cigarettes or other tobacco products being advertised: On billboards

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On billboards

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2431	16.4 %
2	2 = Not Marked	12049	81.4 %
	Total	14,480	97.9%

This variable has 14,480 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	242	1.6 %
-7	-7 = Refused	76	0.5 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	318	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 10129-10136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0677_04: In past 30 days, noticed cigarettes or other tobacco products being advertised: In newspapers or magazines

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

In newspapers or magazines

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1879	12.7 %
2	2 = Not Marked	12601	85.2 %
	Total	14,480	97.9%

This variable has 14,480 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	242	1.6 %
-7	-7 = Refused	76	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	318	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 10137-10144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0677_05: In past 30 days, noticed cigarettes or other tobacco products being advertised: On radio

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On radio

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1121	7.6 %
2	2 = Not Marked	13359	90.3 %
	Total	14,480	97.9%

This variable has 14,480 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	242	1.6 %
-7	-7 = Refused	76	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	318	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 10145-10152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0677_06: In past 30 days, noticed cigarettes or other tobacco products being advertised: On television

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On television

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2769	18.7 %
2	2 = Not Marked	11711	79.1 %
	Total	14,480	97.9%

This variable has 14,480 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	242	1.6 %
-7	-7 = Refused	76	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	318	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 10153-10160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0677_07: In past 30 days, noticed cigarettes or other tobacco products being advertised: At events such as fairs, festivals, or sporting events

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

At events such as fairs, festivals, or sporting events

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	569	3.8 %
2	2 = Not Marked	13911	94.0 %
	Total	14,480	97.9%

This variable has 14,480 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	242	1.6 %
-7	-7 = Refused	76	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	318	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 10161-10168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0677_08: In past 30 days, noticed cigarettes or other tobacco products being advertised: At nightclubs, bars, or music concerts

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	440	3.0 %
2	2 = Not Marked	14040	94.9 %
	Total	14,480	97.9%

This variable has 14,480 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	242	1.6 %
-7	-7 = Refused	76	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	318	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 10169-10176 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0677_09: In past 30 days, noticed cigarettes or other tobacco products being advertised: On websites or social media sites

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On websites or social media sites

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2414	16.3 %
2	2 = Not Marked	12066	81.5 %
	Total	14,480	97.9%

This variable has 14,480 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	242	1.6 %
-7	-7 = Refused	76	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	318	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 10177-10184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0677_10: In past 30 days, noticed cigarettes or other tobacco products being advertised: Somewhere else

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

Somewhere else (SPECIFY)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	123	0.8 %
2	2 = Not Marked	14357	97.0 %
	Total	14,480	97.9%

This variable has 14,480 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	242	1.6 %
-7	-7 = Refused	76	0.5 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	318	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 10185-10192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0710: Have a favorite tobacco advertisement

Do you have a favorite tobacco advertisement? ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	251	1.7 %
2	2 = No	14507	98.0 %
	Total	14,758	99.7%

This variable has 14,758 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	40	0.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10193-10200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0777: In past 12 months, how often saw an anti-tobacco advertising campaign

In the past 12 months, how often did you see an anti-tobacco advertising campaign?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	4008	27.1 %
2	2 = Rarely	2973	20.1 %
3	3 = Sometimes	4081	27.6 %
4	4 = Often	3642	24.6 %
	Total	14,704	99.4%

This variable has 14,704 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	80	0.5 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	94	0.6%

Percentages for both tables are based on 14,798 total cases.

Location: 10201-10208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0008: General perception: Most people disapprove of smoking cigarettes

In general, do you think most people disapprove of smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3383	22.9 %
2	2 = Probably yes	7318	49.5 %
3	3 = Probably not	2738	18.5 %
4	4 = Definitely not	1074	7.3 %
	Total	14,513	98.1%

This variable has 14,513 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	262	1.8 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	285	1.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10209-10216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0012: General perception: Most people disapprove of e-cigarettes or electronic nicotine products

In general, do you think most people disapprove of using e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2064	13.9 %
2	2 = Probably yes	6454	43.6 %
3	3 = Probably not	4661	31.5 %
4	4 = Definitely not	1278	8.6 %
	Total	14,457	97.7%

This variable has 14,457 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	312	2.1 %
-7	-7 = Refused	29	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	341	2.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10217-10224 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0071: People who are important to you: Their views on tobacco use in general

Thinking about the people who are important to you, how would you describe their views on using tobacco in general?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	374	2.5 %
2	2 = Positive	716	4.8 %
3	3 = Neither positive nor negative	3089	20.9 %
4	4 = Negative	3996	27.0 %
5	5 = Very negative	6201	41.9 %
	Total	14,376	97.1%

This variable has 14,376 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	369	2.5 %
-7	-7 = Refused	53	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	422	2.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10225-10232 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YC1143: People who are important to you: Their views on smoking cigarettes

Thinking about the people who are important to you, how would you describe their views on the following?

Smoking cigarettes

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	488	3.3 %
2	2 = Positive	611	4.1 %
3	3 = Neither positive nor negative	2217	15.0 %
4	4 = Negative	3183	21.5 %
5	5 = Very negative	8102	54.8 %
	Total	14,601	98.7%

This variable has 14,601 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	160	1.1 %
-7	-7 = Refused	37	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	197	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10233-10240 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YV1143: People who are important to you: Their views on using e-cigarettes or other electronic nicotine products

Using e-cigarettes or other electronic nicotine products

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	340	2.3 %
2	2 = Positive	581	3.9 %
3	3 = Neither positive nor negative	2607	17.6 %
4	4 = Negative	3417	23.1 %
5	5 = Very negative	7645	51.7 %
	Total	14,590	98.6%

This variable has 14,590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	172	1.2 %
-7	-7 = Refused	36	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	208	1.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10241-10248 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YG1143: People who are important to you: Their views on smoking traditional cigars, cigarillos, or filtered cigars

Smoking traditional cigars, cigarillos, or filtered cigars

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	284	1.9 %
2	2 = Positive	349	2.4 %
3	3 = Neither positive nor negative	2209	14.9 %
4	4 = Negative	3351	22.6 %
5	5 = Very negative	8395	56.7 %
	Total	14,588	98.6%

This variable has 14,588 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	169	1.1 %
-7	-7 = Refused	41	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	210	1.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10249-10256 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YH1143: People who are important to you: Their views on smoking shisha or hookah tobacco

Smoking shisha or hookah tobacco

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	266	1.8 %
2	2 = Positive	266	1.8 %
3	3 = Neither positive nor negative	1946	13.2 %
4	4 = Negative	3199	21.6 %
5	5 = Very negative	8903	60.2 %
	Total	14,580	98.5%

This variable has 14,580 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	174	1.2 %
-7	-7 = Refused	44	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	218	1.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10257-10264 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YU1143: People who are important to you: Their views on using snus

Using snus

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	247	1.7 %
2	2 = Positive	169	1.1 %
3	3 = Neither positive nor negative	1672	11.3 %
4	4 = Negative	3127	21.1 %
5	5 = Very negative	9356	63.2 %
	Total	14,571	98.5%

This variable has 14,571 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	173	1.2 %
-7	-7 = Refused	54	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	227	1.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10265-10272 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YS1143: People who are important to you: Their views on other types of smokeless tobacco

Using other types of smokeless tobacco (such as dip, spit, or chew)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	299	2.0 %
2	2 = Positive	318	2.1 %
3	3 = Neither positive nor negative	1824	12.3 %
4	4 = Negative	3107	21.0 %
5	5 = Very negative	9047	61.1 %
	Total	14,595	98.6%

This variable has 14,595 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	174	1.2 %
-7	-7 = Refused	29	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	203	1.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10273-10280 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0741_01: People who are important to you use: Cigarettes

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Cigarettes

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4849	32.8 %
2	2 = Not Marked	9761	66.0 %
	Total	14,610	98.7%

This variable has 14,610 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	153	1.0 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	188	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10281-10288 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0741_02: People who are important to you use: E-cigarettes or other electronic nicotine products

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1874	12.7 %
2	2 = Not Marked	12736	86.1 %
	Total	14,610	98.7%

This variable has 14,610 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	153	1.0 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	188	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10289-10296 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0741_03: People who are important to you use: Traditional Cigars

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Traditional cigars

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	654	4.4 %
2	2 = Not Marked	13956	94.3 %
	Total	14,610	98.7%

This variable has 14,610 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	153	1.0 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	188	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10297-10304 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0741_04: People who are important to you use: Cigarillos

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Cigarillos

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	514	3.5 %
2	2 = Not Marked	14096	95.3 %
	Total	14,610	98.7%

This variable has 14,610 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	153	1.0 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	188	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10305-10312 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0741_05: People who are important to you use: Filtered Cigars

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Filtered cigars

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	255	1.7 %
2	2 = Not Marked	14355	97.0 %
	Total	14,610	98.7%

This variable has 14,610 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	153	1.0 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	188	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10313-10320 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0741_06: People who are important to you use: Pipe tobacco

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Pipe tobacco

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	233	1.6 %
2	2 = Not Marked	14377	97.2 %
	Total	14,610	98.7%

This variable has 14,610 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	153	1.0 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	188	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10321-10328 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0741_07: People who are important to you use: Shisha or hookah tobacco

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Shisha or hookah tobacco

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	360	2.4 %
2	2 = Not Marked	14250	96.3 %
	Total	14,610	98.7%

This variable has 14,610 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	153	1.0 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	188	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10329-10336 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0741_08: People who are important to you use: Snus

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Snus

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	158	1.1 %
2	2 = Not Marked	14452	97.7 %
	Total	14,610	98.7%

This variable has 14,610 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	153	1.0 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	188	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10337-10344 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0741_09: People who are important to you use: Other types of smokeless tobacco

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

Other types of smokeless tobacco (such as dip, spit or chew)

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1255	8.5 %
2	2 = Not Marked	13355	90.2 %
	Total	14,610	98.7%

This variable has 14,610 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	153	1.0 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	188	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10345-10352 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0741_10: People who are important to you use: None of the above

Thinking about the people who are important to you, do any of them use any of the following products? Choose all that apply.

None of the above

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8438	57.0 %
2	2 = Not Marked	6172	41.7 %
	Total	14,610	98.7%

This variable has 14,610 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	153	1.0 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	188	1.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10353-10360 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0680: How many of your best friends smoke cigarettes

How many of your best friends smoke cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11848	80.1 %
2	2 = A few	2107	14.2 %
3	3 = Some	489	3.3 %
4	4 = Most	198	1.3 %
5	5 = All	86	0.6 %
	Total	14,728	99.5%

This variable has 14,728 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	57	0.4 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	70	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10361-10368 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0681: How many of your best friends use e-cigarettes

How many of your best friends use e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11502	77.7 %
2	2 = A few	2165	14.6 %
3	3 = Some	667	4.5 %
4	4 = Most	291	2.0 %
5	5 = All	92	0.6 %
	Total	14,717	99.5%

This variable has 14,717 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	68	0.5 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	81	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10369-10376 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0683: How many of your best friends smoke cigarillos

How many of your best friends smoke cigarillos? ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	13547	91.5 %
2	2 = A few	740	5.0 %
3	3 = Some	241	1.6 %
4	4 = Most	118	0.8 %
5	5 = All	78	0.5 %
	Total	14,724	99.5%

This variable has 14,724 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	66	0.4 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	74	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10377-10384 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0693: How many best friends use snus

How many of your best friends use snus?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	14161	95.7 %
2	2 = A few	338	2.3 %
3	3 = Some	132	0.9 %
4	4 = Most	47	0.3 %
5	5 = All	47	0.3 %
	Total	14,725	99.5%

This variable has 14,725 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	63	0.4 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	73	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10385-10392 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0685: How many of your best friends use smokeless tobacco

How many of your best friends use other types of smokeless tobacco (such as dip, spit, or chew)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	13136	88.8 %
2	2 = A few	1053	7.1 %
3	3 = Some	321	2.2 %
4	4 = Most	151	1.0 %
5	5 = All	56	0.4 %
	Total	14,717	99.5%

This variable has 14,717 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	68	0.5 %
-7	-7 = Refused	13	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	81	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10393-10400 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0742: In past 12 months, disapproval of close friends and family led to thoughts about quitting

In the past 12 months, to what extent, if at all, has the disapproval of close friends and family led you to think about quitting?

[If Not at all (1), Somewhat (2), Very much (3), Don't know (-8), or Refused (-7), Go to R04_YX0714.]

ASK: Youth respondents who are past year "not-light" tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	572	3.9 %
2	2 = Somewhat	299	2.0 %
3	3 = Very much	251	1.7 %
	Total	1,122	7.6%

This variable has 1,122 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	42	0.3 %
-8	-8 = Don't know	61	0.4 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	13556	91.6 %
	Total	13,676	92.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10401-10408 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0743: In past 12 months, disapproval of close friends and family led to thoughts about not using

In the past 12 months, to what extent, if at all, has the disapproval of close friends and family led you to think about not using?

ASK: Youth respondents who are past year "very-light" tobacco users.

ASK Specification: IF R04_PASTYEAR_TOB_USE_LEVEL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	357	2.4 %
2	2 = Somewhat	204	1.4 %
3	3 = Very much	197	1.3 %
	Total	758	5.1%

This variable has 758 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.2 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14012	94.7 %
	Total	14,040	94.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10409-10416 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0714: In past 12 months, parents talked with you about not using e-cigarettes or other electronic nicotine products

In the past 12 months, have your parents or guardians talked with you, even once, about not using e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5776	39.0 %
2	2 = No	8896	60.1 %
	Total	14,672	99.1%

This variable has 14,672 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	97	0.7 %

	Missing Data		
-7	-7 = Refused	29	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	126	0.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10417-10424 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0694: Parents reaction if they found out you used e-cigarettes or other electronic nicotine products

If your parents or guardians found you using e-cigarettes or other electronic nicotine products, how do you think they would react? Would they...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Be very upset	13197	89.2 %
2	2 = Not be too upset	963	6.5 %
3	3 = Have no reaction	498	3.4 %
	Total	14,658	99.1%

This variable has 14,658 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	108	0.7 %
-7	-7 = Refused	32	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	140	0.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10425-10432 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0500: In past 12 months, parents or guardians talked with you, even once, about not using any type of tobacco product

In the past 12 months, have your parents or guardians talked with you, even once, about not using any other type of tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6166	41.7 %
2	2 = No	8483	57.3 %
	Total	14,649	99.0%

This variable has 14,649 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	121	0.8 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	149	1.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10433-10440 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0200: Reaction if parent/guardian found you using tobacco

If your parents or guardians found you using tobacco, how do you think they would react? Would they...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Be very upset	13614	92.0 %
2	2 = Not be too upset	634	4.3 %
3	3 = Have no reaction	434	2.9 %
	Total	14,682	99.2%

This variable has 14,682 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	84	0.6 %
-7	-7 = Refused	32	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	116	0.8%

Percentages for both tables are based on 14,798 total cases.

Location: 10441-10448 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0715: Level of ease for youth to buy e-cigarettes or other electronic nicotine products

How easy do you think it is for people your age to buy e-cigarettes or other electronic nicotine products in a store?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very easy	1767	11.9 %
2	2 = Somewhat easy	4003	27.1 %
3	3 = Somewhat difficult	4297	29.0 %
4	4 = Very difficult	4390	29.7 %
	Total	14,457	97.7%

This variable has 14,457 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.1 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	341	2.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10449-10456 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0716: In next 30 days, likely to purchase e-cigarettes or electronic nicotine products

How likely is it that you will try to purchase an e-cigarette or other electronic nicotine products within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	12888	87.1 %
2	2 = Somewhat unlikely	457	3.1 %
3	3 = Neither likely nor unlikely	659	4.5 %
4	4 = Somewhat likely	232	1.6 %
5	5 = Very likely	410	2.8 %

Value	Label	Unweighted Frequency	%
	Total	14,646	99.0%

This variable has 14,646 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	119	0.8 %
-7	-7 = Refused	33	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	152	1.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10457-10464 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0499: How easy you think it is for people your age to buy tobacco products in a store

How easy do you think it is for people your age to buy tobacco products in a store?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very easy	1307	8.8 %
2	2 = Somewhat easy	3064	20.7 %
3	3 = Somewhat difficult	4299	29.1 %
4	4 = Very difficult	5835	39.4 %
	Total	14,505	98.0%

This variable has 14,505 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	265	1.8 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	293	2.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10465-10472 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0501: In next 30 days, likeliness that you will try to purchase cigarettes

How likely is it that you will try to purchase cigarettes within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	13379	90.4 %
2	2 = Somewhat unlikely	290	2.0 %
3	3 = Neither likely nor unlikely	499	3.4 %
4	4 = Somewhat likely	170	1.1 %
5	5 = Very likely	329	2.2 %
	Total	14,667	99.1%

This variable has 14,667 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	99	0.7 %
-7	-7 = Refused	32	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	131	0.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10473-10480 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0502: In next 30 days, likeliness that you will try to purchase tobacco products other than cigarettes

How likely is it that you will try to purchase tobacco products other than cigarettes within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	13430	90.8 %
2	2 = Somewhat unlikely	305	2.1 %
3	3 = Neither likely nor unlikely	474	3.2 %
4	4 = Somewhat likely	192	1.3 %
5	5 = Very likely	270	1.8 %
	Total	14,671	99.1%

This variable has 14,671 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	94	0.6 %
-7	-7 = Refused	33	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	127	0.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10481-10488 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0161: Last time you had significant problems with: Feeling very trapped, lonely, sad, blue, depressed or hopeless about the future

When was the last time that you had significant problems with...

feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3760	25.4 %
2	2 = 2 to 12 months ago	2209	14.9 %
3	3 = Over a year ago	1637	11.1 %
4	4 = Never	7113	48.1 %
	Total	14,719	99.5%

This variable has 14,719 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.3 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	79	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10489-10496 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0162: Last time you had significant problems with: Sleep trouble - such as bad dreams, sleeping restlessly or falling asleep during the day

When was the last time that you had significant problems with...

sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4886	33.0 %
2	2 = 2 to 12 months ago	2225	15.0 %
3	3 = Over a year ago	1483	10.0 %
4	4 = Never	6124	41.4 %
	Total	14,718	99.5%

This variable has 14,718 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	45	0.3 %
-7	-7 = Refused	35	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	80	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10497-10504 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0163: Last time you had significant problems with: Feeling very anxious, nervous, tense, scared, panicked or like something bad was going to happen

When was the last time that you had significant problems with...

feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4546	30.7 %
2	2 = 2 to 12 months ago	2386	16.1 %
3	3 = Over a year ago	1538	10.4 %
4	4 = Never	6259	42.3 %

Value	Label	Unweighted Frequency	%
	Total	14,729	99.5%

This variable has 14,729 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	45	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	69	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10505-10512 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0164: Last time you had significant problems with: Becoming very distressed and upset when something reminded you of the past

When was the last time that you had significant problems with...

becoming very distressed and upset when something reminded you of the past?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3694	25.0 %
2	2 = 2 to 12 months ago	2292	15.5 %
3	3 = Over a year ago	1623	11.0 %
4	4 = Never	7120	48.1 %
	Total	14,729	99.5%

This variable has 14,729 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	41	0.3 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	69	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10513-10520 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0165: Last time you did the following two or more times: Lied or conned to get things you wanted or to avoid having to do something

When was the last time that you did any of the following things two or more times...

lied or conned to get things you wanted or to avoid having to do something?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3824	25.8 %
2	2 = 2 to 12 months ago	2970	20.1 %
3	3 = Over a year ago	2298	15.5 %
4	4 = Never	5601	37.8 %
	Total	14,693	99.3%

This variable has 14,693 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	72	0.5 %
-7	-7 = Refused	33	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	105	0.7%

Percentages for both tables are based on 14,798 total cases.

Location: 10521-10528 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0166: Last time you did the following two or more times: Had a hard time paying attention at school, work or home

When was the last time that you did any of the following things two or more times...

had a hard time paying attention at school, work, or home?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4845	32.7 %

Value	Label	Unweighted Frequency	%
2	2 = 2 to 12 months ago	2916	19.7 %
3	3 = Over a year ago	1505	10.2 %
4	4 = Never	5440	36.8 %
	Total	14,706	99.4%

This variable has 14,706 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.3 %
-7	-7 = Refused	41	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	92	0.6%

Percentages for both tables are based on 14,798 total cases.

Location: 10529-10536 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0167: Last time you did the following two or more times: Had a hard time listening to instructions at school, work or home

When was the last time that you did any of the following things two or more times...

had a hard time listening to instructions at school, work, or home?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3946	26.7 %
2	2 = 2 to 12 months ago	2519	17.0 %
3	3 = Over a year ago	1590	10.7 %
4	4 = Never	6672	45.1 %
	Total	14,727	99.5%

This variable has 14,727 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	47	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	71	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10537-10544 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0168: Last time you did the following two or more times: Were a bully or threatened other people

When was the last time that you did any of the following things two or more times...

were a bully or threatened other people?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	569	3.8 %
2	2 = 2 to 12 months ago	750	5.1 %
3	3 = Over a year ago	1361	9.2 %
4	4 = Never	12059	81.5 %
	Total	14,739	99.6%

This variable has 14,739 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.3 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	59	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10545-10552 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0169: Last time you did the following two or more times: Started physical fights with other people

When was the last time that you did any of the following things two or more times...

started physical fights with other people?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	489	3.3 %
2	2 = 2 to 12 months ago	765	5.2 %
3	3 = Over a year ago	1361	9.2 %
4	4 = Never	12121	81.9 %
	Total	14,736	99.6%

This variable has 14,736 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	37	0.3 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	62	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10553-10560 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0250: Last time you did the following two or more times: Felt restless or the need to run around or climb on things

When was the last time that you did any of the following things two or more times...

felt restless or the need to run around or climb on things?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	2711	18.3 %
2	2 = 2 to 12 months ago	1590	10.7 %
3	3 = Over a year ago	1334	9.0 %
4	4 = Never	9095	61.5 %
	Total	14,730	99.5%

This variable has 14,730 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	50	0.3 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	68	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10561-10568 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0251: Last time you did the following two or more times: Gave answers before the other person finished asking the question

When was the last time that you did any of the following things two or more times...

gave answers before the other person finished asking the question?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4580	31.0 %
2	2 = 2 to 12 months ago	2049	13.8 %
3	3 = Over a year ago	1207	8.2 %
4	4 = Never	6870	46.4 %
	Total	14,706	99.4%

This variable has 14,706 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.5 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	92	0.6%

Percentages for both tables are based on 14,798 total cases.

Location: 10569-10576 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0510_NB: Agree/disagree: Like to do frightening things

Please answer how much you agree or disagree with each of the following statements:

I like to do frightening things.

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	365	2.5 %
2	2 = Agree	786	5.3 %
3	3 = Neither agree nor disagree	1220	8.2 %
4	4 = Disagree	1198	8.1 %
5	5 = Strongly disagree	1841	12.4 %
	Total	5,410	36.6%

This variable has 5,410 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,388	63.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10577-10584 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0515_NB: Agree/disagree: Like new and exciting experiences, even if I have to break the rules

I like new and exciting experiences, even if I have to break the rules.

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	516	3.5 %
2	2 = Agree	848	5.7 %
3	3 = Neither agree nor disagree	1187	8.0 %
4	4 = Disagree	1243	8.4 %
5	5 = Strongly disagree	1616	10.9 %
	Total	5,410	36.6%

This variable has 5,410 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,388	63.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10585-10592 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0520_NB: Agree/disagree: Prefer friends who are exciting and unpredictable

I prefer friends who are exciting and unpredictable.

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	702	4.7 %
2	2 = Agree	1186	8.0 %
3	3 = Neither agree nor disagree	1850	12.5 %
4	4 = Disagree	738	5.0 %
5	5 = Strongly disagree	917	6.2 %
	Total	5,393	36.4%

This variable has 5,393 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	32	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,405	63.6%

Percentages for both tables are based on 14,798 total cases.

Location: 10593-10600 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0084_NB: Ever used alcohol at all

The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

Have you ever used alcohol at all, including sips of someone's drink or your own drink?

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1503	10.2 %
2	2 = No	3903	26.4 %
	Total	5,406	36.5%

This variable has 5,406 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,392	63.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10601-10608 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YX0086_NB: DERIVED - Age range when first drank alcohol at all, counting small tastes or sips (3 levels)

Long Description: About how old were you when you first drank alcohol at all, counting small tastes or sips?

Algorithm: IF R04_YX0087_NB = 1 OR (0 <= R04_YX0086_NB <= 11) THEN
R04R_Y_YX0086_NB = 1; ELSE IF R04_YX0087_NB = 2
OR (12 <= R04_YX0086_NB <= 14) THEN R04R_Y_YX0086_NB = 2; ELSE IF
R04_YX0087_NB = 3 OR (15 <= R04_YX0086_NB <= 17)
THEN R04R_Y_YX0086_NB = 3; ELSE IF R04_YX0087_NB = -9 OR R04_YX0086_NB
= -9 THEN R04R_Y_YX0086_NB = -99999; ELSE IF
R04_YX0087_NB = -8 OR R04_YX0086_NB = -8 THEN R04R_Y_YX0086_NB =
-99988; ELSE IF R04_YX0087_NB = -7 OR R04_YX0086_NB = -7
THEN R04R_Y_YX0086_NB = -99977; ELSE IF R04_YX0086_NB = -5 THEN
R04R_Y_YX0086_NB = -99955; ELSE IF R04_YX0087_NB = -1 OR

R04_YX0086_NB = -1 THEN R04R_Y_YX0086_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	587	4.0 %
2	2 = 12 to 14 years old	567	3.8 %
3	3 = 15 to 17 years old	338	2.3 %
	Total	1,492	10.1%

This variable has 1,492 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	13295	89.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	13,306	89.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10609-10616 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04R_Y_YX0074_NB: DERIVED - Age range when had first alcoholic drink, other than small tastes or sips (3 levels)

Long Description: About how old were you when you had your first alcoholic drink, other than small tastes or sips?

Algorithm: IF R04_YX0270_NB = 1 OR (0 <= R04_YX0074_NB <= 11) THEN R04R_Y_YX0074_NB = 1 ; ELSE IF R04_YX0270_NB = 2 OR (12 <= R04_YX0074_NB <= 14) THEN R04R_Y_YX0074_NB = 2 ; ELSE IF R04_YX0270_NB = 3 OR (15 <= R04_YX0074_NB <= 17) THEN R04R_Y_YX0074_NB = 3 ; ELSE IF R04_YX0270_NB = -2 THEN R04R_Y_YX0074_NB = -2; ELSE IF R04_YX0270_NB = -9 OR R04_YX0074_NB = -9 THEN R04R_Y_YX0074_NB = -99999; ELSE IF R04_YX0270_NB = -8 OR R04_YX0074_NB = -8 THEN R04R_Y_YX0074_NB = -99988; ELSE IF R04_YX0270_NB = -7 OR R04_YX0074_NB = -7 THEN R04R_Y_YX0074_NB = -99977; ELSE IF R04_YX0074_NB = -5 THEN R04R_Y_YX0074_NB = -99955; ELSE IF R04_YX0270_NB = -1 OR R04_YX0074_NB = -1 THEN R04R_Y_YX0074_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	101	0.7 %
2	2 = 12 to 14 years old	299	2.0 %
3	3 = 15 to 17 years old	310	2.1 %
	Total	710	4.8%

This variable has 710 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	13295	89.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-2	-2 = I have never had an alcoholic drink other than small tastes or sips	786	5.3 %
	Total	14,088	95.2%

Percentages for both tables are based on 14,798 total cases.

Location: 10617-10624 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777 , -2

R04_YX0077_NB: At the age you first started drinking, did you also smoke cigarettes or use any other tobacco products

When you first used alcohol when you were {AGE OF FIRST ALCOHOL USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used alcohol and have ever used tobacco and whose age of first tobacco use precedes age of first alcohol use.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YX0084_NB = 1 AND R04_EVER_USE_TOB = 1 AND R04_YX0074_NB > MIN VALID AGE IN (R04_YC1006_NB OR R04_YV1006_NB OR R04_YG1006TC_NB OR R04_YG1006CL_NB OR R04_YG1006FC_NB OR R04_YH1006_NB OR R04_YU1006_NB OR R04_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	62	0.4 %
2	2 = No	110	0.7 %
	Total	172	1.2%

This variable has 172 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14626	98.8 %
	Total	14,626	98.8%

Percentages for both tables are based on 14,798 total cases.

Location: 10625-10632 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0084_12M: In past 12 months, used alcohol at all

[The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

]In the past 12 months, have you used any alcohol, including small sips or tastes?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YXR06.]

ASK: New baseline youth respondents who have ever used alcohol, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0084_NB = 1) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3423	23.1 %
2	2 = No	7399	50.0 %
	Total	10,822	73.1%

This variable has 10,822 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	20	0.1 %
-1	-1 = Inapplicable	3930	26.6 %
	Total	3,976	26.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10633-10640 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0673: In past 30 days, used alcohol

Have you used alcohol in the past 30 days?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YXR06.]

ASK: New baseline youth respondents who have ever used alcohol and have used alcohol in the past 12 months, or continuing youth respondents who have used alcohol in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0084_NB = 1 AND R04_YX0084_12M = 1) OR (R04_YOUTHTYPE = 1 AND R04_YX0084_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1375	9.3 %
2	2 = No	2038	13.8 %
	Total	3,413	23.1%

This variable has 3,413 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11375	76.9 %
	Total	11,385	76.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10641-10648 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0075: In past 30 days, number of days drank one or more alcoholic beverages

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

__ Days

ASK: New baseline youth respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days, or continuing youth respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0084_NB = 1 AND R04_YX0084_12M = 1 AND R04_YX0673 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YX0084_12M = 1 AND R04_YX0673 = 1).

[PROGRAM NOTE: Range: 0-30]

This variable has 1,352 valid cases out of 14,798 total cases.

- Mean: 3.05
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.50

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	8	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	13423	90.7 %
	Total	13,446	90.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10649-10656 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YX0076: In past 30 days, number of drinks usually consumed on days drank

On average, on those days that you drank in the past 30 days, how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

[If Don't know (-8), or Refused (-7), Go to box R04_YXR06.]

ASK: New baseline youth respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days, or continuing youth respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0084_NB = 1 AND R04_YX0084_12M = 1 AND R04_YX0673 = 1 AND R04_YX0075 > 0) OR (R04_YOUTHTYPE = 1 AND R04_YX0084_12M = 1 AND R04_YX0673 = 1 AND R04_YX0075 > 0).

[PROGRAM NOTE: Range: 0-90]

This variable has 1,140 valid cases out of 14,798 total cases.

- Mean: 2.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.19

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	13653	92.3 %
	Total	13,658	92.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10657-10664 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R04_YX0085_NB: Ever used marijuana, hash, THC or grass

Have you ever used marijuana, hash, THC, grass, pot or weed?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YXD02.]

ASK: New baseline youth respondents who have not ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or did not know or refused to report if they had ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it, and who have not ever smoked marijuana from a hookah or did not know or refused to report if they had ever smoked marijuana from a hookah and who have not ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product or did not know or refused to report if they had ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YG9105_NB != 1 AND R04_YH9031 != 1 AND R04_YV9042 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	88	0.6 %
2	2 = No	4878	33.0 %
	Total	4,966	33.6%

This variable has 4,966 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	9811	66.3 %
	Total	9,832	66.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10665-10672 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YX0079_NB: DERIVED - Age range when first used marijuana, hash, THC or grass (3 levels)

Long Description: How old were you when you first used marijuana, hash, THC, grass, pot or weed?

Algorithm: IF R04_YX0271_NB = 1 OR (0 <= R04_YX0079_NB <= 11) THEN R04R_Y_YX0079_NB = 1; ELSE IF R04_YX0271_NB = 2 OR (12 <= R04_YX0079_NB <= 14) THEN R04R_Y_YX0079_NB = 2; ELSE IF R04_YX0271_NB = 3 OR (15 <= R04_YX0079_NB <= 17) THEN R04R_Y_YX0079_NB = 3; ELSE IF R04_YX0271_NB = -9 OR R04_YX0079_NB = -9 THEN R04R_Y_YX0079_NB = -99999; ELSE IF R04_YX0271_NB = -8 OR R04_YX0079_NB = -8 THEN R04R_Y_YX0079_NB = -99988; ELSE IF R04_YX0271_NB = -7 OR R04_YX0079_NB = -7 THEN R04R_Y_YX0079_NB = -99977; ELSE IF R04_YX0079_NB = -5 THEN R04R_Y_YX0079_NB = -99955; ELSE IF R04_YX0271_NB = -1 OR R04_YX0079_NB = -1 THEN R04R_Y_YX0079_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	69	0.5 %
2	2 = 12 to 14 years old	225	1.5 %
3	3 = 15 to 17 years old	217	1.5 %
	Total	511	3.5%

This variable has 511 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14264	96.4 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,287	96.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10673-10680 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YX0080_NB: At the age you first started using marijuana, hash, THC or grass, did you also smoke cigarettes or use any other tobacco products

When you first used marijuana when you were {AGE OF FIRST MARIJUANA USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot or weed or have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product and have ever used tobacco, and whose age of first tobacco use precedes age of first marijuana use.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND (R04_YX0085_NB = 1 OR R04_YG9105_NB = 1 OR R04_YH9031 = 1 OR R04_YV9042 = 1) AND R04_EVER_USE_TOB = 1 AND R04_YX0079_NB > MIN VALID AGE IN (R04_YC1006_NB OR R04_YV1006_NB OR R04_YG1006TC_NB OR R04_YG1006CL_NB OR R04_YG1006FC_NB OR R04_YH1006_NB OR R04_YU1006_NB OR R04_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.3 %
2	2 = No	91	0.6 %
	Total	137	0.9%

This variable has 137 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14660	99.1 %
	Total	14,661	99.1%

Percentages for both tables are based on 14,798 total cases.

Location: 10681-10688 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0085_12M: In past 12 months, used marijuana, hash, THC or grass

In the past 12 months, have you used marijuana, hash, THC, grass, pot or weed?

[If No (2), Don't know (-8), or Refused (-7), Go to box R04_YXR28.]

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot or weed or have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product and did not smoke part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report if they smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months, or continuing youth

respondents who did not smoke part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report if they smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YX0085_NB = 1 OR R04_YG9105_NB = 1 OR R04_YH9031 = 1 OR R04_YV9042 = 1) AND R04_YG9107 != 1) OR (R04_YOUTHTYPE = 1 AND R04_YG9107 != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	654	4.4 %
2	2 = No	8232	55.6 %
	Total	8,886	60.0%

This variable has 8,886 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	22	0.1 %
-1	-1 = Inapplicable	5872	39.7 %
	Total	5,912	40.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10689-10696 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0675: In past 30 days, used marijuana

Have you used marijuana, hash, THC, grass, pot or weed in the past 30 days?

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot or weed or have ever smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product and have used marijuana, hash, THC, grass, pot or weed in the past 12 months or have smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months and are not past 30 day blunt-only traditional cigar, cigarillo or filtered cigar smokers, or continuing youth respondents who have used marijuana, hash, THC, grass, pot or weed in the past 12 months or have smoked part or all of a traditional cigar, cigarillo or filtered cigar with marijuana in it in the past 12 months and are not past 30 day blunt-only traditional cigar, cigarillo or filtered cigar smokers.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YX0085_NB = 1 OR R04_YG9105_NB = 1 OR R04_YH9031 = 1 OR R04_YV9042 = 1) AND (R04_YX0085_12M = 1 OR R04_YG9107 = 1) AND R04_30DBLUNT_ONLY_BTRAD != 1 AND R04_30DBLUNT_ONLY_BRILLO != 1 AND R04_30DBLUNT_ONLY_BFILTR != 1) OR (R04_YOUTHTYPE = 1 AND (R04_YX0085_12M = 1 OR R04_YG9107 = 1) AND R04_30DBLUNT_ONLY_BTRAD != 1 AND R04_30DBLUNT_ONLY_BRILLO != 1 AND R04_30DBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	712	4.8 %
2	2 = No	627	4.2 %
	Total	1,339	9.0%

This variable has 1,339 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	13453	90.9 %
	Total	13,459	91.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10697-10704 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0089_NB_01: Ever used prescription drug not prescribed to you: Ritalin® or Adderall®

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Ritalin® or Adderall®

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	86	0.6 %
2	2 = No	5313	35.9 %
	Total	5,399	36.5%

This variable has 5,399 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.2 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,399	63.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10705-10712 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0089_NB_02: Ever used prescription drug not prescribed to you: Painkillers, sedatives or tranquilizers

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Painkillers, sedatives, or tranquilizers

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	257	1.7 %
2	2 = No	5112	34.5 %
	Total	5,369	36.3%

This variable has 5,369 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.3 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,429	63.7%

Percentages for both tables are based on 14,798 total cases.

Location: 10713-10720 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0220_NB_01: Ever used substance: Cocaine or crack

Have you ever used any of the following substances?

Cocaine or crack

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.1 %
2	2 = No	5400	36.5 %
	Total	5,421	36.6%

This variable has 5,421 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,377	63.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10721-10728 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0220_NB_02: Ever used substance: Stimulants like methamphetamine or speed

Have you ever used any of the following substances?

Stimulants like methamphetamine or speed

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	5392	36.4 %
	Total	5,404	36.5%

This variable has 5,404 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,394	63.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10729-10736 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0220_NB_03: Ever used substance: Any other drugs like heroin, inhalants, solvents or hallucinogens

Have you ever used any of the following substances?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: New baseline youth respondents.

ASK Specification: IF R04_YOUTHTYPE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.2 %
2	2 = No	5392	36.4 %
	Total	5,425	36.7%

This variable has 5,425 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9365	63.3 %
	Total	9,373	63.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10737-10744 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YX0082_NB_01: DERIVED - Age range when first used: Ritalin® or Adderall® (3 levels)

Long Description: How old were you when you first used Ritalin® or Adderall®?

Algorithm: IF R04_YX0272_NB_01 = 1 OR (0 <= R04_YX0082_NB_01 <= 11) THEN
R04R_Y_YX0082_NB_01 = 1; ELSE IF R04_YX0272_NB_01
= 2 OR (12 <= R04_YX0082_NB_01 <= 14) THEN R04R_Y_YX0082_NB_01 = 2; ELSE
IF R04_YX0272_NB_01 = 3 OR (15 <=
R04_YX0082_NB_01 <= 17) THEN R04R_Y_YX0082_NB_01 = 3; ELSE IF R04_YX0272_NB_01
= -9 OR R04_YX0082_NB_01 = -9 THEN
R04R_Y_YX0082_NB_01 = -99999; ELSE IF R04_YX0272_NB_01 = -8 OR R04_YX0082_NB_01

```

= -8 THEN R04R_Y_YX0082_NB_01 = -99988;
ELSE IF R04_YX0272_NB_01 = -7 OR R04_YX0082_NB_01 = -7 THEN R04R_Y_YX0082_NB_01
= -99977; ELSE IF R04_YX0082_NB_01 = -5
THEN R04R_Y_YX0082_NB_01 = -99955; ELSE IF R04_YX0272_NB_01 = -1 OR
R04_YX0082_NB_01 = -1 THEN R04R_Y_YX0082_NB_01 =
-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	25	0.2 %
2	2 = 12 to 14 years old	24	0.2 %
3	3 = 15 to 17 years old	34	0.2 %
	Total	83	0.6%

This variable has 83 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14712	99.4 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,715	99.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10745-10752 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YX0083_NB_01: At the age you first started using Ritalin® or Adderall®, did you also smoke cigarettes or use any other tobacco products

When you first used Ritalin® or Adderall® when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have ever used tobacco, and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YX0089_NB_01 = 1 AND R04_EVER_USE_TOB = 1 AND R04_YX0082_NB_01 > MIN VALID AGE IN (R04_YC1006_NB OR R04_YV1006_NB OR R04_YG1006TC_NB OR R04_YG1006CL_NB OR

R04_YG1006FC_NB OR R04_YH1006_NB OR R04_YU1006_NB OR R04_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.1 %
2	2 = No	18	0.1 %
	Total	33	0.2%

This variable has 33 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14764	99.8 %
	Total	14,765	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 10753-10760 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YX0082_NB_02: DERIVED - Age range when first used: Painkillers, sedatives or tranquilizers (3 levels)

Long Description: How old were you when you first used painkillers, sedatives or tranquilizers?

Algorithm: IF R04_YX0272_NB_02 = 1 OR (0 <= R04_YX0082_NB_02 <= 11) THEN R04R_Y_YX0082_NB_02 = 1; ELSE IF R04_YX0272_NB_02 = 2 OR (12 <= R04_YX0082_NB_02 <= 14) THEN R04R_Y_YX0082_NB_02 = 2; ELSE IF R04_YX0272_NB_02 = 3 OR (15 <= R04_YX0082_NB_02 <= 17) THEN R04R_Y_YX0082_NB_02 = 3; ELSE IF R04_YX0272_NB_02 = -9 OR R04_YX0082_NB_02 = -9 THEN R04R_Y_YX0082_NB_02 = -99999; ELSE IF R04_YX0272_NB_02 = -8 OR R04_YX0082_NB_02 = -8 THEN R04R_Y_YX0082_NB_02 = -99988; ELSE IF R04_YX0272_NB_02 = -7 OR R04_YX0082_NB_02 = -7 THEN R04R_Y_YX0082_NB_02 = -99977; ELSE IF R04_YX0082_NB_02 = -5 THEN R04R_Y_YX0082_NB_02 = -99955; ELSE IF R04_YX0272_NB_02 = -1 OR R04_YX0082_NB_02 = -1 THEN R04R_Y_YX0082_NB_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	110	0.7 %
2	2 = 12 to 14 years old	92	0.6 %
3	3 = 15 to 17 years old	43	0.3 %
	Total	245	1.7%

This variable has 245 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14541	98.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,553	98.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10761-10768 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YX0083_NB_02: At the age you first started using painkillers, sedatives or tranquilizers, did you also smoke cigarettes or use any other tobacco products

When you first used painkillers, sedatives, or tranquilizers when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have ever used tobacco, and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YX0089_NB_02 = 1 AND R04_EVER_USE_TOB = 1 AND R04_YX0082_NB_02 > MIN VALID AGE IN (R04_YC1006_NB OR R04_YV1006_NB OR R04_YG1006TC_NB OR R04_YG1006CL_NB OR R04_YG1006FC_NB OR R04_YH1006_NB OR R04_YU1006_NB OR R04_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	20	0.1 %
	Total	30	0.2%

This variable has 30 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14768	99.8 %
	Total	14,768	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 10769-10776 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YX0082_NB_03: DERIVED - Age range when first used: Cocaine or crack (3 levels)

Long Description: How old were you when you first used cocaine or crack?

Algorithm: IF R04_YX0272_NB_03 = 1 OR (0 <= R04_YX0082_NB_03 <= 11) THEN R04R_Y_YX0082_NB_03 = 1; ELSE IF R04_YX0272_NB_03 = 2 OR (12 <= R04_YX0082_NB_03 <= 14) THEN R04R_Y_YX0082_NB_03 = 2; ELSE IF R04_YX0272_NB_03 = 3 OR (15 <= R04_YX0082_NB_03 <= 17) THEN R04R_Y_YX0082_NB_03 = 3; ELSE IF R04_YX0272_NB_03 = -9 OR R04_YX0082_NB_03 = -9 THEN R04R_Y_YX0082_NB_03 = -99999; ELSE IF R04_YX0272_NB_03 = -8 OR R04_YX0082_NB_03 = -8 THEN R04R_Y_YX0082_NB_03 = -99988; ELSE IF R04_YX0272_NB_03 = -7 OR R04_YX0082_NB_03 = -7 THEN R04R_Y_YX0082_NB_03 = -99977; ELSE IF R04_YX0082_NB_03 = -5 THEN R04R_Y_YX0082_NB_03 = -99955; ELSE IF R04_YX0272_NB_03 = -1 OR R04_YX0082_NB_03 = -1 THEN R04R_Y_YX0082_NB_03 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	5	0.0 %
2	2 = 12 to 14 years old	5	0.0 %
3	3 = 15 to 17 years old	10	0.1 %
	Total	20	0.1%

This variable has 20 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14777	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
	Total	14,778	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10777-10784 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YX0083_NB_03: At the age you first started using cocaine or crack, did you also smoke cigarettes or use any other tobacco products

When you first used cocaine or crack when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have ever used tobacco, and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YX0220_NB_01 = 1 AND R04_EVER_USE_TOB = 1 AND R04_YX0082_NB_03 > MIN VALID AGE IN (R04_YC1006_NB OR R04_YV1006_NB OR R04_YG1006TC_NB OR R04_YG1006CL_NB OR R04_YG1006FC_NB OR R04_YH1006_NB OR R04_YU1006_NB OR R04_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	7	0.0 %
	Total	15	0.1%

This variable has 15 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14783	99.9 %
	Total	14,783	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10785-10792 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YX0082_NB_04: DERIVED - Age range when first used: Stimulants like methamphetamine or speed (3 levels)

Long Description: How old were you when you first used stimulants like methamphetamine or speed?

Algorithm: IF R04_YX0272_NB_04 = 1 OR (0 <= R04_YX0082_NB_04 <= 11) THEN R04R_Y_YX0082_NB_04 = 1; ELSE IF R04_YX0272_NB_04 = 2 OR (12 <= R04_YX0082_NB_04 <= 14) THEN R04R_Y_YX0082_NB_04 = 2; ELSE IF R04_YX0272_NB_04 = 3 OR (15 <= R04_YX0082_NB_04 <= 17) THEN R04R_Y_YX0082_NB_04 = 3; ELSE IF R04_YX0272_NB_04 = -9 OR R04_YX0082_NB_04 = -9 THEN R04R_Y_YX0082_NB_04 = -99999; ELSE IF R04_YX0272_NB_04 = -8 OR R04_YX0082_NB_04 = -8 THEN R04R_Y_YX0082_NB_04 = -99988; ELSE IF R04_YX0272_NB_04 = -7 OR R04_YX0082_NB_04 = -7 THEN R04R_Y_YX0082_NB_04 = -99977; ELSE IF R04_YX0082_NB_04 = -5 THEN R04R_Y_YX0082_NB_04 = -99955; ELSE IF R04_YX0272_NB_04 = -1 OR R04_YX0082_NB_04 = -1 THEN R04R_Y_YX0082_NB_04 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	5	0.0 %
2	2 = 12 to 14 years old	2	0.0 %
3	3 = 15 to 17 years old	5	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14786	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,786	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10793-10800 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YX0083_NB_04: At the age you first started using stimulants such as, methamphetamine or speed, did you also smoke cigarettes or use any other tobacco products

When you first used stimulants like methamphetamines or speed when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and

have ever used tobacco, and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YX0220_NB_02 = 1 AND R04_EVER_USE_TOB = 1 AND R04_YX0082_NB_04 > MIN VALID AGE IN (R04_YC1006_NB OR R04_YV1006_NB OR R04_YG1006TC_NB OR R04_YG1006CL_NB OR R04_YG1006FC_NB OR R04_YH1006_NB OR R04_YU1006_NB OR R04_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	2	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14795	100.0 %
	Total	14,795	100.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10801-10808 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_Y_YX0082_NB_05: DERIVED - Age range when first used: Any other drugs like heroin, inhalants, solvents or hallucinogens (3 levels)

Long Description: How old were you when you first used any other drugs like heroin, inhalants, solvents or hallucinogens?

Algorithm: IF R04_YX0272_NB_05 = 1 OR (0 <= R04_YX0082_NB_05 <= 11) THEN R04R_Y_YX0082_NB_05 = 1; ELSE IF R04_YX0272_NB_05 = 2 OR (12 <= R04_YX0082_NB_05 <= 14) THEN R04R_Y_YX0082_NB_05 = 2; ELSE IF R04_YX0272_NB_05 = 3 OR (15 <= R04_YX0082_NB_05 <= 17) THEN R04R_Y_YX0082_NB_05 = 3; ELSE IF R04_YX0272_NB_05 = -9 OR R04_YX0082_NB_05 = -9 THEN R04R_Y_YX0082_NB_05 = -99999; ELSE IF R04_YX0272_NB_05 = -8 OR R04_YX0082_NB_05 = -8 THEN R04R_Y_YX0082_NB_05 = -99988; ELSE IF R04_YX0272_NB_05 = -7 OR R04_YX0082_NB_05 = -7 THEN R04R_Y_YX0082_NB_05 = -99977; ELSE IF R04_YX0082_NB_05 = -5 THEN R04R_Y_YX0082_NB_05 = -99955; ELSE IF R04_YX0272_NB_05 = -1 OR R04_YX0082_NB_05 = -1 THEN R04R_Y_YX0082_NB_05 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	8	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = 12 to 14 years old	14	0.1 %
3	3 = 15 to 17 years old	11	0.1 %
	Total	33	0.2%

This variable has 33 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14765	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,765	99.8%

Percentages for both tables are based on 14,798 total cases.

Location: 10809-10816 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04_YX0083_NB_05: At the age you first started using any other drugs such as, heroin, inhalants, solvents or hallucinogens, methamphetamine or speed, did you also smoke cigarettes or use any other tobacco products

When you first used other drugs like heroin, inhalants, solvents, or hallucinogens when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have ever used tobacco, and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R04_YOUTHTYPE = 2, 3 AND R04_YX0220_NB_03 = 1 AND R04_EVER_USE_TOB = 1 AND R04_YX0082_NB_05 > MIN VALID AGE IN (R04_YC1006_NB OR R04_YV1006_NB OR R04_YG1006TC_NB OR R04_YG1006CL_NB OR R04_YG1006FC_NB OR R04_YH1006_NB OR R04_YU1006_NB OR R04_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	9	0.1 %

Value	Label	Unweighted Frequency	%
	Total	20	0.1%

This variable has 20 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14778	99.9 %
	Total	14,778	99.9%

Percentages for both tables are based on 14,798 total cases.

Location: 10817-10824 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0089_12M_01: In past 12 months, used prescription drug not prescribed to you: Ritalin® or Adderall®

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Ritalin® or Adderall®

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YX0089_NB_01 = 1 OR R04_YX0089_NB_02 = 1)) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	232	1.6 %
2	2 = No	9163	61.9 %
	Total	9,395	63.5%

This variable has 9,395 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	5347	36.1 %
	Total	5,403	36.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10825-10832 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0089_12M_02: In past 12 months, used prescription drug not prescribed to you: Painkillers, sedatives or tranquilizers

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Painkillers, sedatives, or tranquilizers

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YX0089_NB_01 = 1 OR R04_YX0089_NB_02 = 1)) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	800	5.4 %
2	2 = No	8752	59.1 %
	Total	9,552	64.5%

This variable has 9,552 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	45	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	5176	35.0 %
	Total	5,246	35.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10833-10840 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0220_12M_01: In past 12 months, used substance: Cocaine or crack

In the past 12 months, have you used any of the following substances?

Cocaine or crack

ASK: New baseline youth respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YX0220_NB_01 = 1 OR R04_YX0220_NB_02 = 1 OR

R04_YX0220_NB_03 = 1)) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	97	0.7 %
2	2 = No	9252	62.5 %
	Total	9,349	63.2%

This variable has 9,349 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	5412	36.6 %
	Total	5,449	36.8%

Percentages for both tables are based on 14,798 total cases.

Location: 10841-10848 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0220_12M_02: In past 12 months, used substance: Stimulants like methamphetamine or speed

In the past 12 months, have you used any of the following substances?

Stimulants like methamphetamine or speed

ASK: New baseline youth respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YX0220_NB_01 = 1 OR R04_YX0220_NB_02 = 1 OR R04_YX0220_NB_03 = 1)) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	68	0.5 %
2	2 = No	9258	62.6 %
	Total	9,326	63.0%

This variable has 9,326 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.2 %

	Missing Data		
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	5421	36.6 %
	Total	5,472	37.0%

Percentages for both tables are based on 14,798 total cases.

Location: 10849-10856 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0220_12M_03: In past 12 months, used substance: Any other drugs like heroin, inhalants, solvents or hallucinogens

In the past 12 months, have you used any of the following substances?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: New baseline youth respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing youth respondents.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND (R04_YX0220_NB_01 = 1 OR R04_YX0220_NB_02 = 1 OR R04_YX0220_NB_03 = 1)) OR R04_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	122	0.8 %
2	2 = No	9242	62.5 %
	Total	9,364	63.3%

This variable has 9,364 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	5400	36.5 %
	Total	5,434	36.7%

Percentages for both tables are based on 14,798 total cases.

Location: 10857-10864 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0676_01: In past 30 days, used: Ritalin® or Adderall®

Have you used Ritalin® or Adderall® in the past 30 days?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or

tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0089_NB_01 = 1 AND R04_YX0089_12M_01 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YX0089_12M_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	89	0.6 %
2	2 = No	140	0.9 %
	Total	229	1.5%

This variable has 229 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	14566	98.4 %
	Total	14,569	98.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10865-10872 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0676_02: In past 30 days, used: Painkillers, sedatives or tranquilizers

Have you used painkillers, sedatives, or tranquilizers in the past 30 days?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0089_NB_02 = 1 AND R04_YX0089_12M_02 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YX0089_12M_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	478	3.2 %
2	2 = No	319	2.2 %

Value	Label	Unweighted Frequency	%
	Total	797	5.4%

This variable has 797 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	13998	94.6 %
	Total	14,001	94.6%

Percentages for both tables are based on 14,798 total cases.

Location: 10873-10880 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0676_03: In past 30 days, used: Cocaine or crack

Have you used cocaine or crack in the past 30 days?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0220_NB_01 = 1 AND R04_YX0220_12M_01 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YX0220_12M_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	31	0.2 %
2	2 = No	66	0.4 %
	Total	97	0.7%

This variable has 97 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14701	99.3 %
	Total	14,701	99.3%

Percentages for both tables are based on 14,798 total cases.

Location: 10881-10888 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0676_04: In past 30 days, used: Stimulants like methamphetamine or speed

Have you used stimulants like methamphetamine or speed in the past 30 days?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0220_NB_02 = 1 AND R04_YX0220_12M_02 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YX0220_12M_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.1 %
2	2 = No	47	0.3 %
	Total	68	0.5%

This variable has 68 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	14730	99.5 %
	Total	14,730	99.5%

Percentages for both tables are based on 14,798 total cases.

Location: 10889-10896 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0676_05: In past 30 days, used: Any other drugs like heroin, inhalants, solvents or hallucinogens

Have you used other drugs like heroin, inhalants, solvents, or hallucinogens in the past 30 days?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months, or continuing youth respondents

who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months.

ASK Specification: IF (R04_YOUTHTYPE = 2, 3 AND R04_YX0220_NB_03 = 1 AND R04_YX0220_12M_03 = 1) OR (R04_YOUTHTYPE = 1 AND R04_YX0220_12M_03 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	48	0.3 %
2	2 = No	71	0.5 %
	Total	119	0.8%

This variable has 119 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	14676	99.2 %
	Total	14,679	99.2%

Percentages for both tables are based on 14,798 total cases.

Location: 10897-10904 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0170: Last time that you used alcohol or other drugs weekly or more often

When was the last time that...

You used alcohol or other drugs weekly or more often?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	577	3.9 %
2	2 = 2 to 12 months ago	643	4.3 %
3	3 = Over a year ago	389	2.6 %
4	4 = Never	4986	33.7 %
	Total	6,595	44.6%

This variable has 6,595 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	49	0.3 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	8121	54.9 %
	Total	8,203	55.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10905-10912 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0175_01: Substance used weekly or more often: Alcohol

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04_YX0170 = 1, 2, 3 AND R04_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used. If R04_EVER_USER_ALC = 1, display option 1. If R04_EVER_USER_MJ = 1, display option 2. If R04_EVER_USER_RIT = 1, display option 3. If R04_EVER_USER_PK = 1, display option 4. If R04_EVER_USER_COC = 1, display option 5. If R04_EVER_USER_STIM = 1, display option 6. If R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	472	3.2 %
2	2 = Not Marked	529	3.6 %
	Total	1,001	6.8%

This variable has 1,001 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	13749	92.9 %
	Total	13,797	93.2%

Percentages for both tables are based on 14,798 total cases.

Location: 10913-10920 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0175_02: Substance used weekly or more often: Marijuana, hash, THC, grass, pot, or weed

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana, hash, THC, grass, pot, or weed

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04_YX0170 = 1, 2, 3 AND R04_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used. If R04_EVER_USER_ALC = 1, display option 1. If R04_EVER_USER_MJ = 1, display option 2. If R04_EVER_USER_RIT = 1, display option 3. If R04_EVER_USER_PK = 1, display option 4. If R04_EVER_USER_COC = 1, display option 5. If R04_EVER_USER_STIM = 1, display option 6. If R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	669	4.5 %
2	2 = Not Marked	332	2.2 %
	Total	1,001	6.8%

This variable has 1,001 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	13749	92.9 %
	Total	13,797	93.2%

Percentages for both tables are based on 14,798 total cases.

Location: 10921-10928 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0175_03: Substance used weekly or more often: Ritalin® or Adderall®

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin® or Adderall®

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04_YX0170 = 1, 2, 3 AND R04_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used. If R04_EVER_USER_ALC = 1, display option 1. If R04_EVER_USER_MJ = 1, display option 2. If R04_EVER_USER_RIT = 1, display option 3. If R04_EVER_USER_PK = 1, display option 4. If R04_EVER_USER_COC = 1, display option 5. If R04_EVER_USER_STIM = 1, display option 6. If R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	32	0.2 %
2	2 = Not Marked	969	6.5 %
	Total	1,001	6.8%

This variable has 1,001 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	13749	92.9 %
	Total	13,797	93.2%

Percentages for both tables are based on 14,798 total cases.

Location: 10929-10936 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0175_04: Substance used weekly or more often: Painkillers, sedatives or tranquilizers

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04_YX0170 = 1, 2, 3 AND R04_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used. If R04_EVER_USER_ALC = 1, display option 1. If R04_EVER_USER_MJ = 1, display option 2. If R04_EVER_USER_RIT = 1, display option 3. If

R04_EVER_USER_PK = 1, display option 4. If R04_EVER_USER_COC = 1, display option 5. If R04_EVER_USER_STIM = 1, display option 6. If R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	94	0.6 %
2	2 = Not Marked	907	6.1 %
	Total	1,001	6.8%

This variable has 1,001 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	13749	92.9 %
	Total	13,797	93.2%

Percentages for both tables are based on 14,798 total cases.

Location: 10937-10944 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0175_05: Substance used weekly or more often: Cocaine or crack

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04_YX0170 = 1, 2, 3 AND R04_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used. If R04_EVER_USER_ALC = 1, display option 1. If R04_EVER_USER_MJ = 1, display option 2. If R04_EVER_USER_RIT = 1, display option 3. If R04_EVER_USER_PK = 1, display option 4. If R04_EVER_USER_COC = 1, display option 5. If R04_EVER_USER_STIM = 1, display option 6. If R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	983	6.6 %
	Total	1,001	6.8%

This variable has 1,001 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	13749	92.9 %
	Total	13,797	93.2%

Percentages for both tables are based on 14,798 total cases.

Location: 10945-10952 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0175_06: Substance used weekly or more often: Stimulants like methamphetamine or speed

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04_YX0170 = 1, 2, 3 AND R04_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used. If R04_EVER_USER_ALC = 1, display option 1. If R04_EVER_USER_MJ = 1, display option 2. If R04_EVER_USER_RIT = 1, display option 3. If R04_EVER_USER_PK = 1, display option 4. If R04_EVER_USER_COC = 1, display option 5. If R04_EVER_USER_STIM = 1, display option 6. If R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.2 %
2	2 = Not Marked	978	6.6 %
	Total	1,001	6.8%

This variable has 1,001 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	13749	92.9 %

	Missing Data		
	Total	13,797	93.2%

Percentages for both tables are based on 14,798 total cases.

Location: 10953-10960 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0175_07: Substance used weekly or more often: Any other drugs like heroin, inhalants, solvents or hallucinogens

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Youth respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R04_YX0170 = 1, 2, 3 AND R04_SUBSTANCE_COUNT >= 2.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used. If R04_EVER_USER_ALC = 1, display option 1. If R04_EVER_USER_MJ = 1, display option 2. If R04_EVER_USER_RIT = 1, display option 3. If R04_EVER_USER_PK = 1, display option 4. If R04_EVER_USER_COC = 1, display option 5. If R04_EVER_USER_STIM = 1, display option 6. If R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.2 %
2	2 = Not Marked	968	6.5 %
	Total	1,001	6.8%

This variable has 1,001 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	13749	92.9 %
	Total	13,797	93.2%

Percentages for both tables are based on 14,798 total cases.

Location: 10961-10968 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0171: Last time that you spent a lot of time either getting alcohol or other drugs

When was the last time that...

You spent a lot of time getting alcohol or other drugs?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	332	2.2 %
2	2 = 2 to 12 months ago	351	2.4 %
3	3 = Over a year ago	256	1.7 %
4	4 = Never	5660	38.2 %
	Total	6,599	44.6%

This variable has 6,599 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	49	0.3 %
-8	-8 = Don't know	20	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	8121	54.9 %
	Total	8,199	55.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10969-10976 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0172: Last time that you kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people

When was the last time that...

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	133	0.9 %

Value	Label	Unweighted Frequency	%
2	2 = 2 to 12 months ago	158	1.1 %
3	3 = Over a year ago	146	1.0 %
4	4 = Never	6168	41.7 %
	Total	6,605	44.6%

This variable has 6,605 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	49	0.3 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	8121	54.9 %
	Total	8,193	55.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10977-10984 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0173: Last time that your use of alcohol or other drugs caused you to reduce your involvement in activities at work, school, home or social events

When was the last time that...

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	105	0.7 %
2	2 = 2 to 12 months ago	148	1.0 %
3	3 = Over a year ago	137	0.9 %
4	4 = Never	6203	41.9 %
	Total	6,593	44.6%

This variable has 6,593 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	49	0.3 %
-8	-8 = Don't know	17	0.1 %

	Missing Data		
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	8121	54.9 %
	Total	8,205	55.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10985-10992 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0193: Last time that you spent a lot of time using or recovering from alcohol or other drugs

When was the last time that...

You spent a lot of time using or recovering from alcohol or other drugs?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	121	0.8 %
2	2 = 2 to 12 months ago	146	1.0 %
3	3 = Over a year ago	127	0.9 %
4	4 = Never	6202	41.9 %
	Total	6,596	44.6%

This variable has 6,596 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	49	0.3 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	8121	54.9 %
	Total	8,202	55.4%

Percentages for both tables are based on 14,798 total cases.

Location: 10993-11000 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0174: Last time that you had withdrawal problems

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	344	2.3 %
2	2 = 2 to 12 months ago	223	1.5 %
3	3 = Over a year ago	159	1.1 %
4	4 = Never	5871	39.7 %
	Total	6,597	44.6%

This variable has 6,597 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	49	0.3 %
-8	-8 = Don't know	22	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	8121	54.9 %
	Total	8,201	55.4%

Percentages for both tables are based on 14,798 total cases.

Location: 11001-11008 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0194: Last time that you used alcohol or other drugs to stop being sick or avoid withdrawal problems

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	119	0.8 %
2	2 = 2 to 12 months ago	106	0.7 %
3	3 = Over a year ago	76	0.5 %
4	4 = Never	6299	42.6 %
	Total	6,600	44.6%

This variable has 6,600 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	49	0.3 %
-8	-8 = Don't know	19	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	8121	54.9 %
	Total	8,198	55.4%

Percentages for both tables are based on 14,798 total cases.

Location: 11009-11016 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0176_01: Substance that caused some problems for you: Alcohol

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 2 AND (R04_YX0172 = 1, 2, 3 OR R04_YX0173 = 1, 2, 3 OR R04_YX0193 = 1, 2, 3 OR R04_YX0174 = 1, 2, 3 OR R04_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. IF R04_EVER_USER_ALC = 1, display option 1. IF R04_EVER_USER_MJ = 1, display option 2. IF R04_EVER_USER_RIT = 1, display option 3. IF R04_EVER_USER_PK = 1, display option 4. IF R04_EVER_USER_COC = 1, display option 5. IF R04_EVER_USER_STIM = 1, display option 6. IF R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	292	2.0 %
2	2 = Not Marked	298	2.0 %
	Total	590	4.0%

This variable has 590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	82	0.6 %
-7	-7 = Refused	47	0.3 %
-1	-1 = Inapplicable	14079	95.1 %
	Total	14,208	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11017-11024 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0176_02: Substance that caused some problems for you: Marijuana, hash, THC, grass, pot or weed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana, hash, THC, grass, pot, or weed

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 2 AND (R04_YX0172 = 1, 2, 3 OR R04_YX0173 = 1, 2, 3 OR R04_YX0193 = 1, 2, 3 OR R04_YX0174 = 1, 2, 3 OR R04_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. IF R04_EVER_USER_ALC = 1, display option 1. IF R04_EVER_USER_MJ = 1, display option 2. IF R04_EVER_USER_RIT = 1, display option 3. IF R04_EVER_USER_PK = 1, display option 4. IF R04_EVER_USER_COC = 1, display option 5. IF R04_EVER_USER_STIM = 1, display option 6. IF R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	271	1.8 %
2	2 = Not Marked	319	2.2 %
	Total	590	4.0%

This variable has 590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	82	0.6 %
-7	-7 = Refused	47	0.3 %
-1	-1 = Inapplicable	14079	95.1 %

	Missing Data		
	Total	14,208	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11025-11032 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0176_03: Substance that caused some problems for you: Ritalin® or Adderall®

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin® or Adderall®

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 2 AND (R04_YX0172 = 1, 2, 3 OR R04_YX0173 = 1, 2, 3 OR R04_YX0193 = 1, 2, 3 OR R04_YX0174 = 1, 2, 3 OR R04_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. IF R04_EVER_USER_ALC = 1, display option 1. IF R04_EVER_USER_MJ = 1, display option 2. IF R04_EVER_USER_RIT = 1, display option 3. IF R04_EVER_USER_PK = 1, display option 4. IF R04_EVER_USER_COC = 1, display option 5. IF R04_EVER_USER_STIM = 1, display option 6. IF R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	34	0.2 %
2	2 = Not Marked	556	3.8 %
	Total	590	4.0%

This variable has 590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	82	0.6 %
-7	-7 = Refused	47	0.3 %
-1	-1 = Inapplicable	14079	95.1 %
	Total	14,208	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11033-11040 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0176_04: Substance that caused some problems for you: Painkillers, sedatives or tranquilizers

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 2 AND (R04_YX0172 = 1, 2, 3 OR R04_YX0173 = 1, 2, 3 OR R04_YX0193 = 1, 2, 3 OR R04_YX0174 = 1, 2, 3 OR R04_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. IF R04_EVER_USER_ALC = 1, display option 1. IF R04_EVER_USER_MJ = 1, display option 2. IF R04_EVER_USER_RIT = 1, display option 3. IF R04_EVER_USER_PK = 1, display option 4. IF R04_EVER_USER_COC = 1, display option 5. IF R04_EVER_USER_STIM = 1, display option 6. IF R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	88	0.6 %
2	2 = Not Marked	502	3.4 %
	Total	590	4.0%

This variable has 590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	82	0.6 %
-7	-7 = Refused	47	0.3 %
-1	-1 = Inapplicable	14079	95.1 %
	Total	14,208	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11041-11048 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0176_05: Substance that caused some problems for you: Cocaine or crack

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please

do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 2 AND (R04_YX0172 = 1, 2, 3 OR R04_YX0173 = 1, 2, 3 OR R04_YX0193 = 1, 2, 3 OR R04_YX0174 = 1, 2, 3 OR R04_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. IF R04_EVER_USER_ALC = 1, display option 1. IF R04_EVER_USER_MJ = 1, display option 2. IF R04_EVER_USER_RIT = 1, display option 3. IF R04_EVER_USER_PK = 1, display option 4. IF R04_EVER_USER_COC = 1, display option 5. IF R04_EVER_USER_STIM = 1, display option 6. IF R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2 %
2	2 = Not Marked	566	3.8 %
	Total	590	4.0%

This variable has 590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	82	0.6 %
-7	-7 = Refused	47	0.3 %
-1	-1 = Inapplicable	14079	95.1 %
	Total	14,208	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11049-11056 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0176_06: Substance that caused some problems for you: Stimulants like methamphetamine or speed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month,

2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 2 AND (R04_YX0172 = 1, 2, 3 OR R04_YX0173 = 1, 2, 3 OR R04_YX0193 = 1, 2, 3 OR R04_YX0174 = 1, 2, 3 OR R04_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. IF R04_EVER_USER_ALC = 1, display option 1. IF R04_EVER_USER_MJ = 1, display option 2. IF R04_EVER_USER_RIT = 1, display option 3. IF R04_EVER_USER_PK = 1, display option 4. IF R04_EVER_USER_COC = 1, display option 5. IF R04_EVER_USER_STIM = 1, display option 6. IF R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.1 %
2	2 = Not Marked	570	3.9 %
	Total	590	4.0%

This variable has 590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	82	0.6 %
-7	-7 = Refused	47	0.3 %
-1	-1 = Inapplicable	14079	95.1 %
	Total	14,208	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11057-11064 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YX0176_07: Substance that caused some problems for you: Any other drugs like heroin, inhalants, solvents or hallucinogens

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Youth respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R04_SUBSTANCE_COUNT >= 2 AND (R04_YX0172 = 1, 2, 3 OR R04_YX0173 = 1, 2, 3 OR R04_YX0193 = 1, 2, 3 OR R04_YX0174 = 1, 2, 3 OR R04_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used. IF R04_EVER_USER_ALC = 1, display option 1. IF R04_EVER_USER_MJ = 1, display option 2. IF R04_EVER_USER_RIT = 1, display option 3. IF R04_EVER_USER_PK = 1, display option 4. IF R04_EVER_USER_COC = 1, display option 5. IF R04_EVER_USER_STIM = 1, display option 6. IF R04_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.2 %
2	2 = Not Marked	564	3.8 %
	Total	590	4.0%

This variable has 590 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	82	0.6 %
-7	-7 = Refused	47	0.3 %
-1	-1 = Inapplicable	14079	95.1 %
	Total	14,208	96.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11065-11072 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YM0032: Worked for pay in past 30 days for someone outside home

In the past 30 days, did you work for pay for anyone outside your home? This includes both regular jobs and things like baby-sitting or yard work.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5339	36.1 %
2	2 = No	9415	63.6 %
	Total	14,754	99.7%

This variable has 14,754 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	33	0.2 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	44	0.3%

Percentages for both tables are based on 14,798 total cases.

Location: 11081-11088 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04_YM0008: Money received in total during an average week

During an average week, how much money do you receive in total? Please include money from a job, your family, an allowance, or any other sources.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	4773	32.3 %
2	2 = Less than \$1	539	3.6 %
3	3 = \$1 to \$5	1629	11.0 %
4	4 = \$6 to \$10	1562	10.6 %
5	5 = \$11 to \$20	2251	15.2 %
6	6 = \$21 to \$50	1604	10.8 %
7	7 = \$51 to \$100	980	6.6 %
8	8 = \$101 to \$150	541	3.7 %
9	9 = \$151 or more	759	5.1 %
	Total	14,638	98.9%

This variable has 14,638 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	116	0.8 %
-7	-7 = Refused	44	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	160	1.1%

Percentages for both tables are based on 14,798 total cases.

Location: 11089-11096 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R04R_YV9035_01: DERIVED - Respondent reported using e-cigarettes in other-specify text response

Long Description: Respondent reported using e-cigarettes in other-specify text response for R04_YV9035.

Algorithm: IF (R04_YV9035_05 = 1 AND R04_YV9035_OS TEXT ANSWER INDICATES E-CIGARETTE USE) THEN R04R_YV9035_01 = 1; ELSE IF (R04_YV9035_05 = 1 AND R04_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-CIGARETTE USE) THEN R04R_YV9035_01 = 2; ELSE R04R_YV9035_01 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.3 %
2	2 = No	17	0.1 %
	Total	56	0.4%

This variable has 56 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14742	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,742	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 11097-11104 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_YV9035_02: DERIVED - Respondent reported using e-cigars in other-specify text response

Long Description: Respondent reported using e-cigars in other-specify text response for R04_YV9035.

Algorithm: IF (R04_YV9035_05 = 1 AND R04_YV9035_OS TEXT ANSWER INDICATES E-CIGAR USE) THEN R04R_YV9035_02 = 1; ELSE IF (R04_YV9035_05 = 1 AND R04_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-CIGAR USE) THEN R04R_YV9035_02 = 2; ELSE R04R_YV9035_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	54	0.4 %
	Total	56	0.4%

This variable has 56 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14742	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,742	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 11105-11112 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_YV9035_03: DERIVED - Respondent reported using e-pipes in other-specify text response

Long Description: Respondent reported using e-pipes in other-specify text response for R04_YV9035.

Algorithm: IF (R04_YV9035_05 = 1 AND R04_YV9035_OS TEXT ANSWER INDICATES E-PIPE USE) THEN R04R_YV9035_03 = 1; ELSE IF (R04_YV9035_05 = 1 AND R04_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-PIPE USE) THEN R04R_YV9035_03 = 2; ELSE R04R_YV9035_03 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	54	0.4 %
	Total	56	0.4%

This variable has 56 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14742	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,742	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 11113-11120 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_YV9035_04: DERIVED - Respondent reported using e-hookah in other-specify text response

Long Description: Respondent reported using e-hookah in other-specify text response for R04_YV9035.

Algorithm: IF (R04_YV9035_05 = 1 AND R04_YV9035_OS TEXT ANSWER INDICATES E-HOOKAH USE) THEN R04R_YV9035_04 = 1; ELSE IF (R04_YV9035_05 = 1 AND R04_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-HOOKAH USE) THEN R04R_YV9035_04 = 2; ELSE R04R_YV9035_04 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	53	0.4 %
	Total	56	0.4%

This variable has 56 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14742	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,742	99.6%

Percentages for both tables are based on 14,798 total cases.

Location: 11121-11128 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_Y_AGE CAT2: DERIVED - Age range when interviewed (2 levels)

Long Description: Age (in years) at the time of interview.

Algorithm: [STEP 1: Create intermediate variable R04R_Y_AGE:]IF (R04_CPT07 (Corrected Date of Birth) != .) THEN R04R_Y_AGE = R04_YouthInterviewDT (Youth Interview Date) - R04_CPT07; ELSE IF (R03_CPT07 (Wave 3 Corrected Date of Birth) != .) THEN R04R_Y_AGE = R04_YouthInterviewDT (Youth Interview Date) - R03_CPT07; ELSE IF (R02_CPT07 (Wave 2 Corrected Date of Birth) != .) THEN R04R_Y_AGE = R04_YouthInterviewDT (Youth Interview Date) - R02_CPT07; ELSE IF (R01_CPT07 (Wave 1 Youth Date of Birth) != .) THEN R04R_Y_AGE = R04_YouthInterviewDT - R01_CPT07; [STEP2: Create R04R_Y_AGE CAT2:]IF (12 <= R04R_Y_AGE <= 14) THEN R04R_Y_AGE CAT2 = 1; ELSE IF (15 <= R04R_Y_AGE <= 17) THEN R04R_Y_AGE CAT2 = 2; ELSE IF R04_CPT07 = . AND R03_CPT07 = . AND R02_CPT07 = . AND R01_CPT07 = . THEN R04R_Y_AGE CAT2 = -99999;

Value	Label	Unweighted Frequency	%
1	1 = 12 to 14 years old	7337	49.6 %
2	2 = 15 to 17 years old	7461	50.4 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11129-11136 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -97777

R04R_Y_AGE_CHECK: DERIVED - Youth respondent's age (in years) at Wave 4 is within the expected range

Long Description: Youth respondent's age (in years) at the time of the Wave 4 interview is within the expected range.

Algorithm: IF (RECRUITMENT_WAVE = 4) THEN R04R_Y_AGE_CHECK = -99933; ELSE DO; IF (WAVE3_INTERVIEW = 2 AND R03R_Y_AGE >= 0) THEN DO; IF (R04R_Y_AGE >= 0) THEN DO; IF ((R04R_Y_AGE - R03R_Y_AGE) >= 0 AND (R04R_Y_AGE - R03R_Y_AGE) <= 2) THEN R04R_Y_AGE_CHECK = 1; ELSE R04R_Y_AGE_CHECK = 2 ELSE IF (WAVE2_INTERVIEW = 2 AND R02R_Y_AGE >= 0) THEN DO; IF (R04R_Y_AGE >= 0) THEN DO; IF ((R04R_Y_AGE - R02R_Y_AGE) >= 1 AND (R04R_Y_AGE - R02R_Y_AGE) <= 4) THEN R04R_Y_AGE_CHECK = 1; ELSE R04R_Y_AGE_CHECK = 2; END; END; ELSE IF (WAVE2_INTERVIEW = 9 AND

WAVE1_INTERVIEW = 2) THEN DO; IF (R04R_Y_AGE >= 0 AND R01R_Y_AGE >= 0) THEN DO; IF ((R04R_Y_AGE - R01R_Y_AGE) >= 2 AND (R04R_Y_AGE - R01R_Y_AGE) <= 6) THEN R04R_Y_AGE_CHECK = 1; ELSE R04R_Y_AGE_CHECK = 2; END; END; ELSE IF (WAVE3_INTERVIEW In (3, 9) AND WAVE2_INTERVIEW In (3, 9) AND WAVE1_INTERVIEW = 3) THEN DO; IF (R04R_Y_AGE In (12, 13, 14, 15)) THEN R04R_Y_AGE_CHECK = 1; ELSE R04R_Y_AGE_CHECK = 2; END; END;

Value	Label	Unweighted Frequency	%
1	1 = Age is within expected range	11052	74.7 %
2	2 = Age is not within expected range	7	0.0 %
	Total	11,059	74.7%

This variable has 11,059 valid cases out of 14,798 total cases.

	Missing Data		
-99933	-99933 = Missing due to respondent not being in previous wave	3739	25.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	3,739	25.3%

Percentages for both tables are based on 14,798 total cases.

Location: 11137-11144 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99933 , -97777

R04R_Y_SEX: DERIVED - Wave 4 Youth Gender

Long Description: Wave 4 youth gender from the interview

Algorithm: IF WAVE3_INTERVIEW = 2 THEN R04R_Y_SEX = R03R_Y_SEX; ELSE IF WAVE3_INTERVIEW = 9 AND WAVE2_INTERVIEW = 2 THEN R04R_Y_SEX = R02R_Y_SEX; ELSE IF WAVE3_INTERVIEW = 9 AND WAVE2_INTERVIEW = 9 AND WAVE1_INTERVIEW = 2 THEN R04R_Y_SEX= R01R_Y_SEX; ELSE IF R04_YM0004_NB >= 1 THEN R04R_Y_SEX = R04_YM0004_NB; ELSE IF R04_YM0004_NB = -9 THEN R04R_Y_SEX = -99999; ELSE IF R04_YM0004_NB = -8 THEN R04R_Y_SEX = -99988; ELSE IF R04_YM0004_NB = -7 THEN R04R_Y_SEX = -99977;

Value	Label	Unweighted Frequency	%
1	1 = Male	7666	51.8 %
2	2 = Female	7080	47.8 %
	Total	14,746	99.6%

This variable has 14,746 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	21	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	28	0.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	52	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 11145-11152 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -97777

R04R_Y_SEX_IMP: IMPUTED - Wave 4 Youth Gender

Long Description: Imputed Wave 4 youth gender.

Algorithm: Same as R04R_Y_SEX. Please see R04R_Y_SEX_IMPFLAG for record-level imputation method.

Value	Label	Unweighted Frequency	%
1	1 = Male	7697	52.0 %
2	2 = Female	7101	48.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11153-11160 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R04R_Y_SEX_IMPFLAG: IMPUTATION FLAG - R04R_Y_SEX_IMP

Long Description: Imputation flag for R04R_Y_SEX_IMP.

Algorithm: Assigned during imputation.

Value	Label	Unweighted Frequency	%
0	0 = Value from the questionnaire	14746	99.6 %

Value	Label	Unweighted Frequency	%
1	1 = Logically assigned from household screener data	52	0.4 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11161-11168 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R04R_Y_HISP: DERIVED - Wave 4 Youth Hispanic Origin (2 levels)

Long Description: Wave 4 youth Hispanic origin from the interview (2 levels).

Algorithm: IF WAVE3_INTERVIEW = 2 THEN R04R_Y_HISP = R03R_Y_HISP;
ELSE IF R04_YM0005_NB_01 = 1 THEN R04R_Y_HISP = 2; ELSE IF
R04_YM0005_NB_01 = 2 THEN R04R_Y_HISP = 1; ELSE IF WAVE3_INTERVIEW
= 9 AND WAVE2_INTERVIEW =2 THEN R04R_Y_HISP = R02R_Y_HISP; ELSE
IF WAVE3_INTERVIEW = 9 AND WAVE2_INTERVIEW =9 AND
WAVE1_INTERVIEW =2 THEN R04R_Y_HISP = R01R_Y_HISP; ELSE IF
R04_YM0005_NB_01 = -9 THEN R04R_Y_HISP=-99999; ELSE IF
R04_YM0005_NB_01 = -8 THEN R04R_Y_HISP=-99988; ELSE IF
R04_YM0005_NB_01 = -7 THEN R04R_Y_HISP=-99977;

Value	Label	Unweighted Frequency	%
1	1 = Hispanic	4374	29.6 %
2	2 = Not Hispanic	9899	66.9 %
	Total	14,273	96.5%

This variable has 14,273 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	431	2.9 %
-99977	-99977 = Missing due to a refused response on one or more component variables	91	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	525	3.5%

Percentages for both tables are based on 14,798 total cases.

Location: 11169-11176 (width: 8; decimal: 0)

Variable Type: numeric
 (Range of Missing Values: -99999 , -99988 , -99977 , -97777)

R04R_Y_HISP_IMP: IMPUTED - Wave 4 Youth Hispanic Origin (2 levels)

Long Description: Imputed Wave 4 youth Hispanic origin (2 levels).

Algorithm: Same as R04R_Y_HISP. Please see R04R_Y_HISP_IMPFLAG for record-level imputation method.

Value	Label	Unweighted Frequency	%
1	1 = Hispanic	4493	30.4 %
2	2 = Not Hispanic	10305	69.6 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11177-11184 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777)

R04R_Y_HISP_IMPFLAG: IMPUTATION FLAG - R04R_Y_HISP_IMP

Long Description: Imputation flag for R04R_Y_HISP_IMP

Algorithm: Assigned during imputation.

Value	Label	Unweighted Frequency	%
0	0 = Value from the questionnaire	14273	96.5 %
1	1 = Logically assigned from household screener data	525	3.5 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11185-11192 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777)

R04R_Y_RACECAT3: DERIVED - Recoded race from the interview (3 levels)

Long Description: Race (3 levels).

Algorithm: IF WAVE1_INTERVIEW = 2 THEN R04R_Y_RACECAT3 = R01R_Y_RACECAT3; ELSE IF WAVE2_INTERVIEW = 2 THEN R04R_Y_RACECAT3 = R02R_Y_RACECAT3; ELSE IF WAVE3_INTERVIEW = 2 THEN R04R_Y_RACECAT3 = R03R_Y_RACECAT3; ELSE IF WAVE3_INTERVIEW != 2 THEN DO; IF ALL R04_YM0006_NB_xx variables (Youth Race Categories) have values (1,2) THEN do the following: [STEP 1: Create intermediate variable R04R_RACE_COUNT:]IF R04_YM0006_NB_01 in (1,2) THEN DO; R04R_RACE_COUNT=0; IF (R04_YM0006_NB_04=1 OR R04_YM0006_NB_05=1 OR R04_YM0006_NB_06=1 OR R04_YM0006_NB_07=1 OR R04_YM0006_NB_08=1 OR R04_YM0006_NB_09=1 OR R04_YM0006_NB_10=1) THEN R04R_RACE_COUNT=R04R_RACE_COUNT+1; IF R04_YM0006_NB_01=1 THEN R04R_RACE_COUNT=R04R_RACE_COUNT+1; IF R04_YM0006_NB_02=1 THEN R04R_RACE_COUNT=R04R_RACE_COUNT+1; IF R04_YM0006_NB_03=1 THEN R04R_RACE_COUNT=R04R_RACE_COUNT+1; IF R04_YM0006_NB_11=1 THEN R04R_RACE_COUNT=R04R_RACE_COUNT+1; IF R04_YM0006_NB_12=1 THEN R04R_RACE_COUNT=R04R_RACE_COUNT+1; IF R04_YM0006_NB_13=1 THEN R04R_RACE_COUNT=R04R_RACE_COUNT+1; IF R04_YM0006_NB_14=1 THEN R04R_RACE_COUNT=R04R_RACE_COUNT+1; END; [STEP 2: Assign R04R_Y_RACECAT3:]IF R04_YM0006_NB_01 = 1 (Youth Race is White) AND R04R_RACE_COUNT = 1 THEN R04R_Y_RACECAT3 = 1; ELSE IF R04_YM0006_NB_02 = 1 (Youth Race is African American) AND R04R_RACE_COUNT = 1 THEN R04R_Y_RACECAT3 = 2; ELSE R04R_Y_RACECAT3 = 3; [STEP 3: Handle missing values:]IF ALL R04_YM0006_NB_xx variables (Youth Race Categories) have values = -9 THEN R04R_Y_RACECAT3 = -99999; ELSE IF ALL R04_YM0006_NB_xx variables (Youth Race Categories) have values = -8 THEN R04R_Y_RACECAT3 = -99988; ELSE IF ALL R04_YM0006_NB_xx variables (Youth Race Categories) have values = -7 THEN R04R_Y_RACECAT3 = -99977.

Value	Label	Unweighted Frequency	%
1	1 = White alone	9373	63.3 %
2	2 = Black alone	2271	15.3 %
3	3 = Other	2291	15.5 %
	Total	13,935	94.2%

This variable has 13,935 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	681	4.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	179	1.2 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	863	5.8%

Percentages for both tables are based on 14,798 total cases.

Location: 11193-11200 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_Y_RACECAT3_IMP: DERIVED - Recoded imputed race (3 levels)

Long Description: Imputed race (3 levels)

Algorithm: Same as R04R_Y_RACECAT3. Please see R04R_Y_RACECAT3_IMPFLAG for record-level imputation method.

Value	Label	Unweighted Frequency	%
1	1 = White alone	10106	68.3 %
2	2 = Black alone	2317	15.7 %
3	3 = Other	2375	16.0 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11201-11208 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R04R_Y_RACECAT3_IMPFLAG: IMPUTATION FLAG - R04R_Y_RACECAT3_IMP

Long Description: Imputation flag for R04R_Y_RACECAT3_IMP.

Algorithm: Assigned during imputation

Value	Label	Unweighted Frequency	%
0	0 = Value from the questionnaire	13935	94.2 %
1	1 = Logically assigned from household screener data	675	4.6 %
2	2 = Statistically imputed	188	1.3 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11209-11216 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R04R_Y_BMI: DERIVED - Wave 4 Youth Body Mass Index (BMI)

Long Description: Wave 4 youth body mass index (BMI).

Algorithm: [STEP 1: Create intermediate variable R04R_P_HTINCH:] IF (R04_PT0007_FT<= 0 AND R04_PT0007_IN<= 0 AND R04_PT0007_MT>=0) THEN R04R_P_HTINCH=R04_PT0007_MT*39.3701; ELSE IF (R04_PT0007_FT>= 0 AND R04_PT0007_IN>=0) THEN R04R_P_HTINCH=R04_PT0007_FT*12 + R04_PT0007_IN; ELSE IF (R04_PT0007_FT>=0 AND R04_PT0007_IN<0 AND R04_PT0007_MT<=0) THEN R04R_P_HTINCH=R04_PT0007_FT*12; ELSE IF (R04_PT0007_FT<0 AND R04_PT0007_IN>= 0 AND R04_PT0007_MT<=0) THEN R04R_P_HTINCH=R04_PT0007_IN; [STEP 2: Create intermediate variable R04R_P_WTPNDS:] IF R04_PT0008_LB>= 0 THEN R04R_P_WTPNDS=R04_PT0008_LB; ELSE IF R04_PT0008_KG>= 0 THEN R04R_P_WTPNDS=R04_PT0008_KG*2.20462; [STEP 3: Create intermediate variable R04R_Y_HTINCH:] IF (R04_YX0310 IN (1, -7, -8) AND (R04_YT0007_FT >= 0 AND R04_YT0007_IN >= 0)) THEN R04R_Y_HTINCH = R04_YT0007_FT*12 + R04_YT0007_IN; ELSE IF (R04_YX0310 IN (1,-7,-8) AND R04_YT0007_FT >= 0 AND R04_YT0007_IN < 0) THEN R04R_Y_HTINCH = R04_YT0007_FT*12; ELSE IF (R04_YX0310 IN (1,-7,-8) AND R04_YT0007_FT < 0 AND R04_YT0007_IN >= 0) THEN R04R_Y_HTINCH = R04_YT0007_IN; ELSE IF (R04_YX0310 = 2 AND R04_YX0311 >= 0) THEN R04R_Y_HTINCH = R04_YX0311*39.3701; [STEP 4: Create intermediate variable R04R_Y_WTPNDS:] IF (R04_YX0310=1 OR R04_YX0310<0) AND R04_YT0008>=0 THEN R04R_Y_WTPNDS=R04_YT0008; ELSE IF R04_YX0310=2 AND R04_YX0312>=0 THEN R04R_Y_WTPNDS=R04_YX0312*2.20462; [STEP 5: Create R04R_Y_BMI:] IF R04R_P_HTINCH >= 0 and R04R_P_WTPNDS >= 0 THEN R04R_Y_BMI = 703 * (R04R_P_WTPNDS / (R04R_P_HTINCH * R04R_P_HTINCH)); ELSE IF R04R_P_HTINCH >= 0 and R04R_Y_WTPNDS >= 0 THEN R04R_Y_BMI = 703 *

```

(R04R_Y_WTPNDS / (R04R_P_HTINCH * R04R_P_HTINCH)); ELSE IF R04R_Y_HTINCH
>= 0 and R04R_P_WTPNDS >= 0 THEN R04R_Y_BMI
= 703 * (R04R_P_WTPNDS / (R04R_Y_HTINCH * R04R_Y_HTINCH)); ELSE IF
R04R_Y_HTINCH >= 0 and R04R_Y_WTPNDS >= 0 THEN
R04R_Y_BMI = 703 * (R04R_Y_WTPNDS / (R04R_Y_HTINCH * R04R_Y_HTINCH));
ELSE IF R04R_P_HTINCH = -99999 OR R04R_P_WTPNDS
= -99999 OR R04R_Y_HTINCH = -99999 OR R04R_Y_WTPNDS = -99999 THEN
R04R_Y_BMI = -99999; ELSE IF R04R_P_HTINCH = -99988
OR R04R_P_WTPNDS = -99988 OR R04R_Y_HTINCH = -99988 OR R04R_Y_WTPNDS
= -99988 THEN R04R_Y_BMI = -99988; ELSE IF
R04R_P_HTINCH = -99977 OR R04R_P_WTPNDS = -99977 OR R04R_Y_HTINCH
= -99977 OR R04R_Y_WTPNDS = -99977 THEN R04R_Y_BMI
= -99977; ELSE IF R04R_P_HTINCH = -99955 OR R04R_P_WTPNDS = -99955
OR R04R_Y_HTINCH = -99955 OR R04R_Y_WTPNDS =
-99955 THEN R04R_Y_BMI = -99955; ELSE IF R04R_P_HTINCH = -99911 OR
R04R_P_WTPNDS = -99911 OR R04R_Y_HTINCH = -99911 OR
R04R_Y_WTPNDS = -99911 THEN R04R_Y_BMI = -99911; IF R04R_Y_BMI >
60 THEN R04R_Y_BMI = 60;

```

This variable has 14,718 valid cases out of 14,798 total cases.

- Mean: 22.89283984
- Minimum: 9.37333333
- Maximum: 60.00000000
- Standard Deviation: 5.37315078

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	76	0.5 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	80	0.5%

Percentages for both tables are based on 14,798 total cases.

Location: 11217-11231 (width: 15; decimal: 8)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R04X_CB_REGION: DERIVED - Census Region

Long Description: Groupings of states and the District of Columbia that subdivide the United States for the presentation of census data. Additional information on census regions, census divisions, and their constituent states is available at:

http://www.census.gov/geo/reference/gtc/gtc_census_divreg.html

Value	Label	Unweighted Frequency	%
1	1 = Northeast	2050	13.9 %
2	2 = Midwest	3246	21.9 %
3	3 = South	5617	38.0 %
4	4 = West	3885	26.3 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11232-11239 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R04R_Y_BIOCOLLECT_URINE: DERIVED - Urine specimen collected from youth

Long Description: Urine specimen was collected from youth respondent.

Algorithm: IF Urine specimen was collected THEN

R04R_Y_BIOCOLLECT_URINE = 1; ELSE R04R_Y_BIOCOLLECT_URINE = 2;

Value	Label	Unweighted Frequency	%
1	1 = Yes	13097	88.5 %
2	2 = No	1701	11.5 %
	Total	14,798	100.0%

This variable has 14,798 valid cases out of 14,798 total cases.

Location: 11240-11247 (width: 8; decimal: 0)

Variable Type: numeric

R04R_Y_EVR_CIGS: DERIVED - Wave 4 Youth Ever Cigarette Smoker

Long Description: Wave 4 youth respondents who have ever smoked a cigarette.

Algorithm: IF R04_YC1002_NB = 1 OR R04_YC1002_12M = 1
OR R03M_EVR_CIGS = 1 THEN R04R_Y_EVR_CIGS = 1; ELSE IF
R04_YC1002_NB = 2 OR (R03M_EVR_CIGS = 2 AND
R04_YC1002_12M = 2 AND R03M_SKIPPED_WAVE = 2) THEN
R04R_Y_EVR_CIGS = 2; ELSE IF R04_YC1002_12M = -9 OR
R04_YC1002_NB = -9 THEN R04R_Y_EVR_CIGS = -99999; ELSE
IF R04_YC1002_12M = -8 OR R04_YC1002_NB = -8 THEN
R04R_Y_EVR_CIGS = -99988; ELSE IF R04_YC1002_12M = -7
OR R04_YC1002_NB = -7 THEN R04R_Y_EVR_CIGS = -99977;
ELSE IF R03M_EVR_CIGS IN


```
(-99933,-99999,-99988,-99977,-99966,-99911) OR
R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_CIGS = -99966;
ELSE IF R04_YC1002_12M = -1 OR R04_YC1002_NB = -1
THEN R04R_Y_EVR_CIGS = -99911;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	1508	10.2 %
2	2 = No	12972	87.7 %
	Total	14,480	97.9%

This variable has 14,480 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	307	2.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	318	2.1%

Percentages for both tables are based on 14,798 total cases.

Location: 11248-11255 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_CIGS: DERIVED - Wave 4 Youth Never to Ever Cigarette Smoker

Long Description: Wave 4 youth respondents who started smoking cigarettes between Wave 3 and Wave 4.

```
Algorithm: IF (R03M_EVR_CIGS = 2 AND R04R_Y_EVR_CIGS = 1)
AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_CIGS = 1; ELSE IF
(R03M_EVR_CIGS = 1 OR R04R_Y_EVR_CIGS = 2) AND
WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_CIGS = 2; ELSE IF
WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_CIGS = -99933;
ELSE IF R04R_Y_EVR_CIGS = -99999 THEN
R04R_Y_NEW_CIGS = -99999; ELSE IF R04R_Y_EVR_CIGS = -99988
THEN R04R_Y_NEW_CIGS = -99988; ELSE IF
R04R_Y_EVR_CIGS = -99977 THEN R04R_Y_NEW_CIGS = -99977;
ELSE IF R03M_EVR_CIGS IN
(-99999,-99988,-99977,-99966,-99911) OR R04R_Y_EVR_CIGS
= -99966 OR WAVE3_INTERVIEW = 9 THEN
R04R_Y_NEW_CIGS = -99966;
```

Value	Label	Unweighted Frequency	%
1	1 = Yes	281	1.9 %
2	2 = No	8721	58.9 %
	Total	9,002	60.8%

This variable has 9,002 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	472	3.2 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	5,796	39.2%

Percentages for both tables are based on 14,798 total cases.

Location: 11256-11263 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_EVR_THRSH_CIGS: DERIVED - Wave 4 Youth Cigarette Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 4 Youth respondents who have smoked 100 or more cigarettes in their lifetime.

Algorithm: IF R04R_Y_EVR_CIGS = 1 AND (R01_YC1005 = 7 OR R03R_Y_EVR_THRSH_CIGS = 1 OR R02R_Y_EVR_THRSH_CIGS = 1 OR R04_YC1005 = 7) THEN R04R_Y_EVR_THRSH_CIGS = 1; ELSE IF R04R_Y_EVR_CIGS = 2 OR (R04R_Y_EVR_CIGS = 1 AND R04_YC1005 IN (1,2,3,4,5,6)) THEN R04R_Y_EVR_THRSH_CIGS = 2; ELSE IF R04R_Y_EVR_CIGS = -99999 OR R04_YC1005 = -9 THEN R04R_Y_EVR_THRSH_CIGS = -99999; ELSE IF R04R_Y_EVR_CIGS = -99988 OR R04_YC1005 = -8 THEN R04R_Y_EVR_THRSH_CIGS = -99988; ELSE IF R04R_Y_EVR_CIGS = -99977 OR R04_YC1005 = -7 THEN R04R_Y_EVR_THRSH_CIGS = -99977; ELSE IF R04R_Y_EVR_CIGS = -99966 OR R03R_Y_EVR_THRSH_CIGS IN (-99999,-99988,-99977,-99966,-99911) OR R02R_Y_EVR_THRSH_CIGS IN (-99999,-99988,-99977,-99966,-99911) OR R01_YC1005 IN (-9,-8,-7,-1) THEN R04R_Y_EVR_THRSH_CIGS = -99966; ELSE IF R04R_Y_EVR_CIGS = -99911 OR R04_YC1005 = -1 THEN R04R_Y_EVR_THRSH_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	217	1.5 %

Value	Label	Unweighted Frequency	%
2	2 = No	14177	95.8 %
	Total	14,394	97.3%

This variable has 14,394 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	65	0.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	32	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	307	2.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	404	2.7%

Percentages for both tables are based on 14,798 total cases.

Location: 11264-11271 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_CUR_CIGS: DERIVED - Wave 4 Youth Current Cigarette Smoker

Long Description: Wave 4 youth respondents who have smoked a cigarette within the past 30 days.

Algorithm: IF R04R_Y_EVR_CIGS = 1 AND R04_YC1112 IN (1,2,3) THEN R04R_Y_CUR_CIGS = 1; ELSE IF R04R_Y_EVR_CIGS = 2 OR (R04R_Y_EVR_CIGS = 1 AND R04_YC1112 IN (4,5,6,7)) OR R04_YC1002_12M = 2 THEN R04R_Y_CUR_CIGS = 2; ELSE IF R04R_Y_EVR_CIGS = -99999 OR R04_YC1112 = -9 OR R04_YC1002_12M = -9 THEN R04R_Y_CUR_CIGS = -99999; ELSE IF R04R_Y_EVR_CIGS = -99988 OR R04_YC1112 = -8 OR R04_YC1002_12M = -8 THEN R04R_Y_CUR_CIGS = -99988; ELSE IF R04R_Y_EVR_CIGS = -99977 OR R04_YC1112 = -7 OR R04_YC1002_12M = -7 THEN R04R_Y_CUR_CIGS = -99977; ELSE IF R04R_Y_EVR_CIGS = -99966 THEN R04R_Y_CUR_CIGS = -99966; ELSE IF R04R_Y_EVR_CIGS = -99911 OR R04_YC1112 = -1 OR R04_YC1002_12M = -1 THEN R04R_Y_CUR_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	474	3.2 %
2	2 = No	14301	96.6 %

Value	Label	Unweighted Frequency	%
	Total	14,775	99.8%

This variable has 14,775 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	23	0.2%

Percentages for both tables are based on 14,798 total cases.

Location: 11272-11279 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_EPRODS: DERIVED - Wave 4 Youth Ever Electronic Nicotine Product User

Long Description: Wave 4 youth respondents who have ever used any electronic nicotine products.

Algorithm: IF R04_YV1002_NB = 1 OR R04_YV1002_12M = 1 OR
R03M_EVR_EPRODS = 1 THEN R04R_Y_EVR_EPRODS = 1; ELSE IF
R04_YV1001_NB = 2 OR R04_YV1002_NB = 2 OR
(R03M_EVR_EPRODS = 2 AND R04_YV1002_12M = 2 AND
R03M_SKIPPED_WAVE = 2) THEN R04R_Y_EVR_EPRODS = 2; ELSE
IF R04_YV1001_NB = -9 OR R04_YV1002_12M = -9 OR
R04_YV1002_NB = -9 THEN R04R_Y_EVR_EPRODS = -99999; ELSE
IF R04_YV1001_NB = -8 OR R04_YV1002_12M = -8 OR
R04_YV1002_NB = -8 THEN R04R_Y_EVR_EPRODS = -99988;
ELSE IF R04_YV1001_NB = -7 OR R04_YV1002_12M = -7 OR
R04_YV1002_NB = -7 THEN R04R_Y_EVR_EPRODS = -99977; ELSE
IF R03M_EVR_EPRODS IN
(-99933,-99999,-99988,-99977,-99966,-99911) OR
R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_EPRODS = -99966;
ELSE IF R04_YV1001_NB = -1 OR R04_YV1002_12M = -1 OR
R04_YV1002_NB = -1 THEN R04R_Y_EVR_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2223	15.0 %
2	2 = No	12235	82.7 %
	Total	14,458	97.7%

This variable has 14,458 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	310	2.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	340	2.3%

Percentages for both tables are based on 14,798 total cases.

Location: 11291-11298 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_EPRODS: DERIVED - Wave 4 Youth Never to Ever Electronic Nicotine Product User

Long Description: Wave 4 youth respondents who started using electronic nicotine products between Wave 3 and Wave 4.

Algorithm: IF (R03M_EVR_EPRODS = 2 AND R04R_Y_EVR_EPRODS = 1) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_EPRODS = 1; ELSE IF (R03M_EVR_EPRODS = 1 OR R04R_Y_EVR_EPRODS = 2) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_EPRODS = 2; ELSE IF WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_EPRODS = -99933; ELSE IF R04R_Y_EVR_EPRODS = -99999 THEN R04R_Y_NEW_EPRODS = -99999; ELSE IF R04R_Y_EVR_EPRODS = -99988 THEN R04R_Y_NEW_EPRODS = -99988; ELSE IF R04R_Y_EVR_EPRODS = -99977 THEN R04R_Y_NEW_EPRODS = -99977; ELSE IF R03M_EVR_EPRODS IN (-99999,-99988,-99977,-99966,-99911) OR R04R_Y_EVR_EPRODS = -99966 OR WAVE3_INTERVIEW = 9 THEN R04R_Y_NEW_EPRODS = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	416	2.8 %
2	2 = No	8556	57.8 %
	Total	8,972	60.6%

This variable has 8,972 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	495	3.3 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	5,826	39.4%

Percentages for both tables are based on 14,798 total cases.

Location: 11299-11306 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_EVR_THRSH_EPRODS: DERIVED - Wave 4 Youth Electronic Nicotine Product Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 4 Youth respondents who have used electronic nicotine products fairly regularly in their lifetime.

Algorithm: IF R04R_Y_EVR_EPRODS = 1 AND
(R02R_Y_EVR_THRSH_ECIG = 1 OR R03R_Y_EVR_THRSH_EPRODS = 1
OR R04_YV1100 = 1)
THEN R04R_Y_EVR_THRSH_EPRODS = 1; ELSE IF R04R_Y_EVR_EPRODS = 2
OR (R04R_Y_EVR_EPRODS = 1 AND R04_YV1100 = 2) THEN
R04R_Y_EVR_THRSH_EPRODS = 2; ELSE IF R04R_Y_EVR_EPRODS = -99999
OR R04_YV1100 = -9 THEN R04R_Y_EVR_THRSH_EPRODS
= -99999; ELSE IF R04R_Y_EVR_EPRODS = -99988 OR R04_YV1100 = -8
THEN R04R_Y_EVR_THRSH_EPRODS = -99988; ELSE IF
R04R_Y_EVR_EPRODS = -99977 OR R04_YV1100 = -7 THEN
R04R_Y_EVR_THRSH_EPRODS = -99977; ELSE IF R04R_Y_EVR_EPRODS
= -99966 OR R03R_Y_EVR_THRSH_EPRODS IN (-99999,-99988,-99977,-99966,-99911)
OR R02R_Y_EVR_THRSH_ECIG IN
(-99999,-99988,-99977,-99966,-99911) THEN R04R_Y_EVR_THRSH_EPRODS = -99966;
ELSE IF R04R_Y_EVR_EPRODS = -99911 OR
R04_YV1100 = -1 THEN R04R_Y_EVR_THRSH_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	463	3.1 %
2	2 = No	13943	94.2 %
	Total	14,406	97.4%

This variable has 14,406 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	20	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	357	2.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	392	2.6%

Percentages for both tables are based on 14,798 total cases.

Location: 11307-11314 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_CUR_EPRODS: DERIVED - Wave 4 Youth Current Electronic Nicotine Product User

Long Description: Wave 4 youth respondents who have used an electronic nicotine product within the past 30 days.

Algorithm: IF R04R_Y_EVR_EPRODS = 1 AND R04_YV1112 IN (1,2,3)
 THEN R04R_Y_CUR_EPRODS = 1; ELSE IF R04R_Y_EVR_EPRODS = 2 OR
 (R04R_Y_EVR_EPRODS = 1 AND R04_YV1112 IN (4,5,6,7)) OR
 R04_YV1002_12M = 2 THEN R04R_Y_CUR_EPRODS = 2; ELSE
 IF R04R_Y_EVR_EPRODS = -99999 OR R04_YV1112 = -9 OR
 R04_YV1002_12M = -9 THEN R04R_Y_CUR_EPRODS = -99999; ELSE
 IF R04R_Y_EVR_EPRODS = -99988 OR R04_YV1112 = -8 OR
 R04_YV1002_12M = -8 THEN R04R_Y_CUR_EPRODS = -99988; ELSE
 IF R04R_Y_EVR_EPRODS = -99977 OR R04_YV1112 = -7 OR
 R04_YV1002_12M = -7 THEN R04R_Y_CUR_EPRODS = -99977; ELSE
 IF R04R_Y_EVR_EPRODS = -99966 THEN
 R04R_Y_CUR_EPRODS = -99966; ELSE IF
 R04R_Y_EVR_EPRODS = -99911 OR R04_YV1112 = -1 OR
 R04_YV1002_12M = -1 THEN R04R_Y_CUR_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	598	4.0 %
2	2 = No	14153	95.6 %
	Total	14,751	99.7%

This variable has 14,751 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	26	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	21	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	47	0.3%

Percentages for both tables are based on 14,798 total cases.

Location: 11315-11322 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_GTRAD: DERIVED - Wave 4 Youth Ever Traditional Cigar Smoker

Long Description: Wave 4 youth respondents who have ever smoked a traditional cigar.

Algorithm: IF (R04_YG9101_NB = 1 AND R04_YG1002_NB=1 AND R04_YG9104_NB_01 = 1) OR (R04_YG1002_12M=1 AND R04_YG9104_12M_01 = 1) OR R03M_EVR_GTRAD=1 THEN R04R_Y_EVR_GTRAD=1; ELSE IF R04_YG9101_NB = 2 OR R04_YG1002_NB=2 OR R04_YG9104_NB_01 = 2 OR (R03M_EVR_GTRAD=2 AND (R04_YG1002_12M=2 OR R04_YG9104_12M_01 = 2) AND R03M_SKIPPED_WAVE = 2) THEN R04R_Y_EVR_GTRAD=2; ELSE IF R04_YG9101_NB = -9 OR R04_YG1002_NB=-9 OR R04_YG9104_NB_01 = -9 OR R04_YG1002_12M=-9 OR R04_YG9104_12M_01 = -9 THEN R04R_Y_EVR_GTRAD=-99999; ELSE IF R04_YG9101_NB = -8 OR R04_YG1002_NB=-8 OR R04_YG9104_NB_01 = -8 OR R04_YG1002_12M=-8 OR R04_YG9104_12M_01 = -8 THEN R04R_Y_EVR_GTRAD=-99988; ELSE IF R04_YG9101_NB = -7 OR R04_YG1002_NB=-7 OR R04_YG9104_NB_01 = -7 OR R04_YG1002_12M=-7 OR R04_YG9104_12M_01 = -7 THEN R04R_Y_EVR_GTRAD=-99977; ELSE IF R03M_EVR_GTRAD in (-99933,-99999,-99988,-99977,-99966,-99911) OR R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_GTRAD=-99966; ELSE IF R04_YG9101_NB = -1 OR R04_YG1002_NB=-1 OR R04_YG9104_NB_01 = -1 OR R04_YG1002_12M=-1 OR R04_YG9104_12M_01 = -1 THEN R04R_Y_EVR_GTRAD=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	232	1.6 %
2	2 = No	13991	94.5 %
	Total	14,223	96.1%

This variable has 14,223 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	37	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	519	3.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	575	3.9%

Percentages for both tables are based on 14,798 total cases.

Location: 11323-11330 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_GTRAD: DERIVED - Wave 4 Youth Never to Ever Traditional Cigar Smoker

Long Description: Wave 4 youth respondents who started smoking traditional cigars between Wave 3 and Wave 4.

Algorithm: IF (R03M_EVR_GTRAD = 2 AND R04R_Y_EVR_GTRAD = 1) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_GTRAD = 1; ELSE IF (R03M_EVR_GTRAD = 1 OR R04R_Y_EVR_GTRAD = 2) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_GTRAD = 2; ELSE IF WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_GTRAD = -99933; ELSE IF R04R_Y_EVR_GTRAD = -99999 THEN R04R_Y_NEW_GTRAD = -99999; ELSE IF R04R_Y_EVR_GTRAD = -99988 THEN R04R_Y_NEW_GTRAD = -99988; ELSE IF R04R_Y_EVR_GTRAD = -99977 THEN R04R_Y_NEW_GTRAD = -99977; ELSE IF R03M_EVR_GTRAD IN (-99999,-99988,-99977,-99966,-99911) OR R04R_Y_EVR_GTRAD = -99966 OR WAVE3_INTERVIEW = 9 THEN R04R_Y_NEW_GTRAD = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	57	0.4 %
2	2 = No	8741	59.1 %
	Total	8,798	59.5%

This variable has 8,798 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	648	4.4 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	6,000	40.5%

Percentages for both tables are based on 14,798 total cases.

Location: 11331-11338 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_EVR_THRSH_GTRAD: DERIVED - Wave 4 Youth Traditional Cigar Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 4 Youth respondents who have used traditional cigars fairly regularly in their lifetime.

Algorithm: IF R04R_Y_EVR_GTRAD = 1 AND (R02R_Y_EVR_THRSH_GTRAD = 1 OR R03R_Y_EVR_THRSH_GTRAD = 1 OR R04_YG1100TC = 1) THEN R04R_Y_EVR_THRSH_GTRAD = 1; ELSE IF R04R_Y_EVR_GTRAD = 2 OR (R04R_Y_EVR_GTRAD = 1 AND R04_YG1100TC = 2) THEN R04R_Y_EVR_THRSH_GTRAD = 2; ELSE IF R04R_Y_EVR_GTRAD = -99999 OR R04_YG1100TC = -9 THEN R04R_Y_EVR_THRSH_GTRAD = -99999; ELSE IF R04R_Y_EVR_GTRAD = -99988 OR R04_YG1100TC = -8 THEN R04R_Y_EVR_THRSH_GTRAD = -99988; ELSE IF R04R_Y_EVR_GTRAD = -99977 OR R04_YG1100TC = -7 THEN R04R_Y_EVR_THRSH_GTRAD = -99977; ELSE IF R04R_Y_EVR_GTRAD = -99966 OR R03R_Y_EVR_THRSH_GTRAD IN (-99999,-99988,-99977,-99966,-99911) OR R02R_Y_EVR_THRSH_GTRAD IN (-99999,-99988,-99977,-99966,-99911) THEN R04R_Y_EVR_THRSH_GTRAD = -99966; ELSE IF R04R_Y_EVR_GTRAD = -99911 OR R04_YG1100TC = -1 THEN R04R_Y_EVR_THRSH_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	14176	95.8 %
	Total	14,214	96.1%

This variable has 14,214 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	37	0.3 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	519	3.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	9	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	584	3.9%

Percentages for both tables are based on 14,798 total cases.

Location: 11339-11346 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_CUR_GTRAD: DERIVED - Wave 4 Youth Current Traditional Cigar Smoker

Long Description: Wave 4 youth respondents who have ever smoked a traditional cigar and have smoked in the past 30 days. Does not include respondents who smoked traditional cigars only as blunts.

Algorithm: IF R04R_Y_EVR_GTRAD = 1 AND R04_YG1112TC IN (1,2,3) THEN R04R_Y_CUR_GTRAD = 1; ELSE IF R04R_Y_EVR_GTRAD = 2 OR (R04R_Y_EVR_GTRAD = 1 AND (R04_YG1112TC IN (4,5,6,7) OR R04_YG9106_01 = 1)) OR R04_YG1002_12M = 2 OR R04_YG9104_12M_01 = 2 THEN R04R_Y_CUR_GTRAD = 2; ELSE IF R04R_Y_EVR_GTRAD = -99999 OR R04_YG1112TC = -9 OR R04_YG1002_12M = -9 OR R04_YG9104_12M_01 = -9 OR R04_YG9106_01 = -9 THEN R04R_Y_CUR_GTRAD = -99999; ELSE IF R04R_Y_EVR_GTRAD = -99988 OR R04_YG1112TC = -8 OR R04_YG1002_12M = -8 OR R04_YG9104_12M_01 = -8 OR R04_YG9106_01 = -8 THEN R04R_Y_CUR_GTRAD = -99988; ELSE IF R04R_Y_EVR_GTRAD = -99977 OR R04_YG1112TC = -7 OR R04_YG1002_12M = -7 OR R04_YG9104_12M_01 = -7 OR R04_YG9106_01 = -7 THEN R04R_Y_CUR_GTRAD = -99977; ELSE IF R04R_Y_EVR_GTRAD = -99966 THEN R04R_Y_CUR_GTRAD = -99966; ELSE IF R04R_Y_EVR_GTRAD = -99911 OR R04_YG1112TC = -1 OR R04_YG1002_12M = -1 OR R04_YG9104_12M_01 = -1 OR R04_YG9106_01 = -1 THEN R04R_Y_CUR_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.3 %
2	2 = No	14695	99.3 %
	Total	14,742	99.6%

This variable has 14,742 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	37	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	56	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 11347-11354 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_GRILLO: DERIVED - Wave 4 Youth Ever Cigarillo Smoker

Long Description: Wave 4 youth respondents who have ever smoked a cigarillo.

Algorithm: IF (R04_YG9101_NB = 1 AND R04_YG1002_NB=1 AND R04_YG9104_NB_02 = 1 AND (R04_YG9009_NB_01 = 1 OR R04_YG9009_NB_03 = 1)) OR (R04_YG1002_12M=1 AND R04_YG9104_12M_02 = 1 AND (R04_YG9009_12M_01 = 1 OR R04_YG9009_12M_03 = 1)) OR R03M_EVR_GRILLO=1 THEN R04R_Y_EVR_GRILLO=1; ELSE IF R04_YG9101_NB = 2 OR R04_YG1002_NB=2 OR R04_YG9104_NB_02 = 2 OR (R04_YG9009_NB_01 = 2 AND R04_YG9009_NB_03 = 2) OR (R03M_EVR_GRILLO=2 AND (R04_YG1002_12M=2 OR R04_YG9104_12M_02 = 2 OR (R04_YG9009_12M_01 = 2 AND R04_YG9009_12M_03 = 2)) AND R03M_SKIPPED_WAVE = 2) THEN R04R_Y_EVR_GRILLO=2; ELSE IF R04_YG9101_NB = -9 OR R04_YG1002_NB=-9 OR R04_YG9104_NB_02 = -9 OR R04_YG1002_12M=-9 OR R04_YG9104_12M_02 = -9 OR R04_YG9009_NB_01 = -9 OR R04_YG9009_NB_03 = -9 OR R04_YG9009_12M_01 = -9 OR R04_YG9009_12M_03 = -9 THEN R04R_Y_EVR_GRILLO=-99999; ELSE IF R04_YG9101_NB = -8 OR R04_YG1002_NB=-8 OR R04_YG9104_NB_02 = -8 OR R04_YG1002_12M=-8 OR R04_YG9104_12M_02 = -8 OR R04_YG9009_NB_01 = -8 OR R04_YG9009_NB_03 = -8 OR R04_YG9009_12M_01 = -8 OR R04_YG9009_12M_03 = -8 THEN R04R_Y_EVR_GRILLO=-99988; ELSE IF R04_YG9101_NB = -7 OR R04_YG1002_NB=-7 OR R04_YG9104_NB_02 = -7 OR R04_YG1002_12M=-7 OR R04_YG9104_12M_02 = -7 OR R04_YG9009_NB_01 = -7 OR R04_YG9009_NB_03 = -7 OR R04_YG9009_12M_01 = -7 OR R04_YG9009_12M_03 = -7 THEN R04R_Y_EVR_GRILLO=-99977; ELSE IF R03M_EVR_GRILLO in (-99933,-99999,-99988,-99977,-99966,-99911) OR R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_GRILLO=-99966; ELSE IF R04_YG9101_NB = -1 OR R04_YG1002_NB=-1 OR R04_YG9104_NB_02 = -1 OR R04_YG1002_12M=-1 OR R04_YG9104_12M_02 = -1 OR R04_YG9009_NB_01 = -1 OR

R04_YG9009_NB_03 = -1 OR R04_YG9009_12M_01 = -1 OR
R04_YG9009_12M_03 = -1 THEN
R04R_Y_EVR_GRILLO=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	559	3.8 %
2	2 = No	13666	92.4 %
	Total	14,225	96.1%

This variable has 14,225 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	32	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	521	3.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	573	3.9%

Percentages for both tables are based on 14,798 total cases.

Location: 11355-11362 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_GRILLO: DERIVED - Wave 4 Youth Never to Ever Cigarillo Smoker

Long Description: Wave 4 youth respondents who started smoking cigarillos between Wave 3 and Wave 4.

Algorithm: IF (R03M_EVR_GRILLO = 2 AND R04R_Y_EVR_GRILLO = 1)
AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_GRILLO = 1; ELSE IF
(R03M_EVR_GRILLO = 1 OR R04R_Y_EVR_GRILLO = 2) AND
WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_GRILLO = 2; ELSE IF
WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_GRILLO = -99933;
ELSE IF R04R_Y_EVR_GRILLO = -99999 THEN R04R_Y_NEW_GRILLO
= -99999; ELSE IF R04R_Y_EVR_GRILLO = -99988 THEN
R04R_Y_NEW_GRILLO = -99988; ELSE IF
R04R_Y_EVR_GRILLO = -99977 THEN R04R_Y_NEW_GRILLO = -99977;
ELSE IF R03M_EVR_GRILLO IN
(-99999,-99988,-99977,-99966,-99911) OR
R04R_Y_EVR_GRILLO = -99966 OR WAVE3_INTERVIEW = 9 THEN
R04R_Y_NEW_GRILLO = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	133	0.9 %
2	2 = No	8648	58.4 %
	Total	8,781	59.3%

This variable has 8,781 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	21	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	668	4.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	6,017	40.7%

Percentages for both tables are based on 14,798 total cases.

Location: 11363-11370 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_EVR_THRSH_GRILLO: DERIVED - Wave 4 Youth Cigarillo Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 4 Youth respondents who have used cigarillos fairly regularly in their lifetime.

Algorithm: IF R04R_Y_EVR_GRILLO = 1 AND (R02R_Y_EVR_THRSH_GRILLO = 1 OR R03R_Y_EVR_THRSH_GRILLO = 1 OR R04_YG1100CL = 1) THEN R04R_Y_EVR_THRSH_GRILLO = 1; ELSE IF R04R_Y_EVR_GRILLO = 2 OR (R04R_Y_EVR_GRILLO = 1 AND R04_YG1100CL = 2) THEN R04R_Y_EVR_THRSH_GRILLO = 2; ELSE IF R04R_Y_EVR_GRILLO = -99999 OR R04_YG1100CL = -9 THEN R04R_Y_EVR_THRSH_GRILLO = -99999; ELSE IF R04R_Y_EVR_GRILLO = -99988 OR R04_YG1100CL = -8 THEN R04R_Y_EVR_THRSH_GRILLO = -99988; ELSE IF R04R_Y_EVR_GRILLO = -99977 OR R04_YG1100CL = -7 THEN R04R_Y_EVR_THRSH_GRILLO = -99977; ELSE IF R04R_Y_EVR_GRILLO = -99966 OR R03R_Y_EVR_THRSH_GRILLO IN (-99999,-99988,-99977,-99966,-99911) OR R02R_Y_EVR_THRSH_GRILLO IN (-99999,-99988,-99977,-99966,-99911) THEN R04R_Y_EVR_THRSH_GRILLO = -99966; ELSE IF R04R_Y_EVR_GRILLO = -99911 OR R04_YG1100CL = -1 THEN R04R_Y_EVR_THRSH_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	103	0.7 %

Value	Label	Unweighted Frequency	%
2	2 = No	13998	94.6 %
	Total	14,101	95.3%

This variable has 14,101 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	33	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	21	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	548	3.7 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	95	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	697	4.7%

Percentages for both tables are based on 14,798 total cases.

Location: 11371-11378 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_CUR_GRILLO: DERIVED - Wave 4 Youth Current Cigarillo Smoker

Long Description: Wave 4 youth respondents who have ever smoked a cigarillo and have smoked in the past 30 days. Does not include respondents who smoked cigarillos only as blunts.

Algorithm: IF R04R_Y_EVR_GRILLO = 1 AND R04_YG112CL IN (1,2,3)
 THEN R04R_Y_CUR_GRILLO = 1; ELSE IF R04R_Y_EVR_GRILLO = 2 OR
 (R04R_Y_EVR_GRILLO = 1 AND (R04_YG112CL IN (4,5,6,7) OR
 R04_YG9106_02 = 1)) OR R04_YG1002_12M = 2 OR
 R04_YG9104_12M_02 = 2 OR (R04_YG9009_12M_01 = 2 AND
 R04_YG9009_12M_03 = 2) THEN R04R_Y_CUR_GRILLO = 2; ELSE IF
 R04R_Y_EVR_GRILLO = -99999 OR R04_YG112CL = -9 OR
 R04_YG1002_12M = -9 OR R04_YG9104_12M_02 = -9 OR
 R04_YG9009_12M_01 = -9 OR R04_YG9009_12M_03 = -9 OR
 R04_YG9106_02 = -9 THEN R04R_Y_CUR_GRILLO = -99999; ELSE IF
 R04R_Y_EVR_GRILLO = -99988 OR R04_YG112CL = -8 OR
 R04_YG1002_12M = -8 OR R04_YG9104_12M_02 = -8 OR
 R04_YG9009_12M_01 = -8 OR R04_YG9009_12M_03 = -8 OR
 R04_YG9106_02 = -8 THEN R04R_Y_CUR_GRILLO = -99988; ELSE IF
 R04R_Y_EVR_GRILLO = -99977 OR R04_YG112CL = -7 OR
 R04_YG1002_12M = -7 OR R04_YG9104_12M_02 = -7 OR
 R04_YG9009_12M_01 = -7 OR R04_YG9009_12M_03 = -7 OR
 R04_YG9106_02 = -7 THEN R04R_Y_CUR_GRILLO = -99977; ELSE IF
 R04R_Y_EVR_GRILLO = -99966 THEN R04R_Y_CUR_GRILLO = -99966;
 ELSE IF R04R_Y_EVR_GRILLO = -99911 OR R04_YG112CL = -1 OR
 R04_YG1002_12M = -1 OR R04_YG9104_12M_02 = -1 OR
 R04_YG9009_12M_01 = -1 OR R04_YG9009_12M_03 = -1 OR

R04_YG9106_02 = -1 THEN R04R_Y_CUR_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	143	1.0 %
2	2 = No	14600	98.7 %
	Total	14,743	99.6 %

This variable has 14,743 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	34	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	21	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	55	0.4 %

Percentages for both tables are based on 14,798 total cases.

Location: 11379-11386 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_GFILTR: DERIVED - Wave 4 Youth Ever Filtered Cigar Smoker

Long Description: Wave 4 youth respondents who have ever smoked a filtered cigar.

Algorithm: IF (R04_YG9101_NB = 1 AND R04_YG1002_NB=1 AND R04_YG9104_NB_02 = 1 AND R04_YG9009_NB_02 = 1) OR (R04_YG1002_12M=1 AND R04_YG9104_12M_02 = 1 AND R04_YG9009_12M_02 = 1) OR R03M_EVR_GFILTR=1 THEN R04R_Y_EVR_GFILTR=1; ELSE IF R04_YG9101_NB = 2 OR R04_YG1002_NB=2 OR R04_YG9104_NB_02 = 2 OR R04_YG9009_NB_02 = 2 OR (R03M_EVR_GFILTR=2 AND (R04_YG1002_12M=2 OR R04_YG9104_12M_02 = 2 OR R04_YG9009_12M_02 = 2) AND R03M_SKIPPED_WAVE = 2) THEN R04R_Y_EVR_GFILTR=2; ELSE IF R04_YG9101_NB = -9 OR R04_YG1002_NB=-9 OR R04_YG9104_NB_02 = -9 OR R04_YG1002_12M=-9 OR R04_YG9104_12M_02 = -9 OR R04_YG9009_NB_02 = -9 OR R04_YG9009_12M_02 = -9 THEN R04R_Y_EVR_GFILTR=-99999; ELSE IF R04_YG9101_NB = -8 OR R04_YG1002_NB=-8 OR R04_YG9104_NB_02 = -8 OR R04_YG1002_12M=-8 OR R04_YG9104_12M_02 = -8 OR R04_YG9009_NB_02 = -8 OR R04_YG9009_12M_02 = -8 THEN R04R_Y_EVR_GFILTR=-99988; ELSE IF R04_YG9101_NB = -7 OR R04_YG1002_NB=-7 OR R04_YG9104_NB_02 = -7 OR


```

R04_YG1002_12M=-7 OR R04_YG9104_12M_02 = -7 OR
R04_YG9009_NB_02 = -7 OR R04_YG9009_12M_02 = -7 THEN
R04R_Y_EVR_GFILTR=-99977; ELSE IF R03M_EVR_GFILTR in
(-99933,-99999,-99988,-99977,-99966,-99911) OR
R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_GFILTR=-99966;
ELSE IF R04_YG9101_NB = -1 OR R04_YG1002_NB=-1 OR
R04_YG9104_NB_02 = -1 OR R04_YG1002_12M=-1 OR
R04_YG9104_12M_02 = -1 OR R04_YG9009_NB_02 = -1 OR
R04_YG9009_12M_02 = -1 THEN R04R_Y_EVR_GFILTR=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	198	1.3 %
2	2 = No	14003	94.6 %
	Total	14,201	96.0 %

This variable has 14,201 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	32	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	545	3.7 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	597	4.0 %

Percentages for both tables are based on 14,798 total cases.

Location: 11387-11394 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_GFILTR: DERIVED - Wave 4 Youth Never to Ever Filtered Cigar Smoker

Long Description: Wave 4 youth respondents who started smoking filtered cigars between Wave 3 and Wave 4.

```

Algorithm: IF (R03M_EVR_GFILTR = 2 AND R04R_Y_EVR_GFILTR = 1)
AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_GFILTR = 1; ELSE IF
(R03M_EVR_GFILTR = 1 OR R04R_Y_EVR_GFILTR = 2) AND
WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_GFILTR = 2; ELSE IF
WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_GFILTR = -99933; ELSE
IF R04R_Y_EVR_GFILTR = -99999 THEN R04R_Y_NEW_GFILTR = -99999;
ELSE IF R04R_Y_EVR_GFILTR = -99988 THEN
R04R_Y_NEW_GFILTR = -99988; ELSE IF R04R_Y_EVR_GFILTR = -99977
THEN R04R_Y_NEW_GFILTR = -99977; ELSE IF R03M_EVR_GFILTR IN
(-99999,-99988,-99977,-99966,-99911) OR

```

R04R_Y_EVR_GFILTR = -99966 OR WAVE3_INTERVIEW = 9 THEN
R04R_Y_NEW_GFILTR = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	52	0.4 %
2	2 = No	8721	58.9 %
	Total	8,773	59.3%

This variable has 8,773 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	21	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	676	4.6 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	6,025	40.7%

Percentages for both tables are based on 14,798 total cases.

Location: 11395-11402 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_EVR_THRSH_GFILTR: DERIVED - Wave 4 Youth Filtered Cigar Lifetime Threshold of Use -Intermediate Derived Variable

Lng Description: Wave 4 Youth respondents who have used filtered cigars fairly regularly in their lifetime.

Algorithm: IF R04R_Y_EVR_GFILTR = 1 AND (R02R_Y_EVR_THRSH_GFILTR = 1 OR R03R_Y_EVR_THRSH_GFILTR = 1 OR R04_YG1100FC = 1) THEN R04R_Y_EVR_THRSH_GFILTR = 1; ELSE IF R04R_Y_EVR_GFILTR = 2 OR (R04R_Y_EVR_GFILTR = 1 AND R04_YG1100FC = 2) THEN R04R_Y_EVR_THRSH_GFILTR = 2; ELSE IF R04R_Y_EVR_GFILTR = -99999 OR R04_YG1100FC = -9 THEN R04R_Y_EVR_THRSH_GFILTR = -99999; ELSE IF R04R_Y_EVR_GFILTR = -99988 OR R04_YG1100FC = -8 THEN R04R_Y_EVR_THRSH_GFILTR = -99988; ELSE IF R04R_Y_EVR_GFILTR = -99977 OR R04_YG1100FC = -7 THEN R04R_Y_EVR_THRSH_GFILTR = -99977; ELSE IF R04R_Y_EVR_GFILTR = -99966 OR R03R_Y_EVR_THRSH_GFILTR IN (-99999,-99988,-99977,-99966,-99911) OR R02R_Y_EVR_THRSH_GFILTR IN (-99999,-99988,-99977,-99966,-99911) THEN R04R_Y_EVR_THRSH_GFILTR = -99966; ELSE IF R04R_Y_EVR_GFILTR = -99911 OR R04_YG1100FC = -1 THEN R04R_Y_EVR_THRSH_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	41	0.3 %
2	2 = No	14156	95.7 %
	Total	14,197	95.9%

This variable has 14,197 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	32	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	545	3.7 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	601	4.1%

Percentages for both tables are based on 14,798 total cases.

Location: 11403-11410 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_CUR_GFILTR: DERIVED - Wave 4 Youth Current Filtered Cigar Smoker

Long Description: Wave 4 youth respondents who have ever smoked a filtered cigar and have smoked in the past 30 days. Does not include respondents who smoked filtered cigars only as blunts.

Algorithm: IF R04R_Y_EVR_GFILTR = 1 AND R04_YG1112FC IN (1,2,3) THEN R04R_Y_CUR_GFILTR = 1; ELSE IF R04R_Y_EVR_GFILTR = 2 OR (R04R_Y_EVR_GFILTR = 1 AND (R04_YG1112FC IN (4,5,6,7) OR R04_YG9106_03 = 1)) OR R04_YG1002_12M = 2 OR R04_YG9104_12M_02 = 2 OR R04_YG9009_12M_02 = 2 THEN R04R_Y_CUR_GFILTR = 2; ELSE IF R04R_Y_EVR_GFILTR = -99999 OR R04_YG1112FC = -9 OR R04_YG1002_12M = -9 OR R04_YG9104_12M_02 = -9 OR R04_YG9009_12M_02 = -9 OR R04_YG9106_03 = -9 THEN R04R_Y_CUR_GFILTR = -99999; ELSE IF R04R_Y_EVR_GFILTR = -99988 OR R04_YG1112FC = -8 OR R04_YG1002_12M = -8 OR R04_YG9104_12M_02 = -8 OR R04_YG9009_12M_02 = -8 OR R04_YG9106_03 = -8 THEN R04R_Y_CUR_GFILTR = -99988; ELSE IF R04R_Y_EVR_GFILTR = -99977 OR R04_YG1112FC = -7 OR R04_YG1002_12M = -7 OR R04_YG9104_12M_02 = -7 OR R04_YG9009_12M_02 = -7 OR R04_YG9106_03 = -7 THEN R04R_Y_CUR_GFILTR = -99977; ELSE IF R04R_Y_EVR_GFILTR = -99966 THEN R04R_Y_CUR_GFILTR = -99966; ELSE IF

R04R_Y_EVR_GFILTR = -99911 OR R04_YG1112FC = -1 OR
R04_YG1002_12M = -1 OR R04_YG9104_12M_02 = -1 OR
R04_YG9009_12M_02 = -1 OR R04_YG9106_03 = -1 THEN
R04R_Y_CUR_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	43	0.3 %
2	2 = No	14702	99.4 %
	Total	14,745	99.6%

This variable has 14,745 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	33	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	53	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 11411-11418 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_CIGAR: DERIVED - Wave 4 Youth Ever Cigar Smoker

Long Description: Wave 4 youth respondents who have ever smoked any cigar product.

Algorithm: IF (R04R_Y_EVR_GTRAD = 1 OR R04R_Y_EVR_GRILLO = 1 OR R04R_Y_EVR_GFILTR = 1) THEN R04R_Y_EVR_CIGAR = 1; ELSE IF (R04R_Y_EVR_GTRAD = 2 AND R04R_Y_EVR_GRILLO = 2 AND R04R_Y_EVR_GFILTR = 2) THEN R04R_Y_EVR_CIGAR = 2; ELSE IF R04R_Y_EVR_GTRAD = -99999 OR R04R_Y_EVR_GRILLO = -99999 OR R04R_Y_EVR_GFILTR = -99999 THEN R04R_Y_EVR_CIGAR = -99999; ELSE IF R04R_Y_EVR_GTRAD = -99988 OR R04R_Y_EVR_GRILLO = -99988 OR R04R_Y_EVR_GFILTR = -99988 THEN R04R_Y_EVR_CIGAR = -99988; ELSE IF R04R_Y_EVR_GTRAD = -99977 OR R04R_Y_EVR_GRILLO = -99977 OR R04R_Y_EVR_GFILTR = -99977 THEN R04R_Y_EVR_CIGAR = -99977; ELSE IF R04R_Y_EVR_GTRAD = -99966 OR R04R_Y_EVR_GRILLO = -99966 OR R04R_Y_EVR_GFILTR = -99966 THEN R04R_Y_EVR_CIGAR = -99966; ELSE IF R04R_Y_EVR_GTRAD = -99911 OR R04R_Y_EVR_GRILLO = -99911 OR R04R_Y_EVR_GFILTR = -99911

THEN R04R_Y_EVR_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	696	4.7 %
2	2 = No	13513	91.3 %
	Total	14,209	96.0%

This variable has 14,209 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	34	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	536	3.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	589	4.0%

Percentages for both tables are based on 14,798 total cases.

Location: 11419-11426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_CIGAR: DERIVED - Wave 4 Youth Never to Ever Cigar Smoker

Long Description: Wave 4 youth respondents who were never smokers of all cigar products at Wave 3 and started smoking at least one product at Wave 4.

Algorithm: IF (R04R_Y_NEW_GTRAD = 1 OR R04R_Y_NEW_GRILLO = 1 OR R04R_Y_NEW_GFILTR = 1) AND (R03M_EVR_GTRAD = 2 AND R03M_EVR_GRILLO = 2 AND R03M_EVR_GFILTR = 2) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_CIGAR = 1; ELSE IF ((R04R_Y_NEW_GTRAD = 2 AND R04R_Y_NEW_GRILLO = 2 AND R04R_Y_NEW_GFILTR = 2) OR (R03M_EVR_GTRAD = 1 OR R03M_EVR_GRILLO = 1 OR R03M_EVR_GFILTR = 1)) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_CIGAR = 2; ELSE IF R04R_Y_NEW_GTRAD = -99933 OR R04R_Y_NEW_GRILLO = -99933 OR R04R_Y_NEW_GFILTR = -99933 OR WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_CIGAR = -99933; ELSE IF R04R_Y_NEW_GTRAD = -99999 OR R04R_Y_NEW_GRILLO = -99999 OR R04R_Y_NEW_GFILTR = -99999 THEN R04R_Y_NEW_CIGAR = -99999; ELSE IF R04R_Y_NEW_GTRAD = -99988 OR R04R_Y_NEW_GRILLO = -99988 OR R04R_Y_NEW_GFILTR = -99988 THEN R04R_Y_NEW_CIGAR = -99988; ELSE IF R04R_Y_NEW_GTRAD = -99977 OR R04R_Y_NEW_GRILLO = -99977 OR R04R_Y_NEW_GFILTR = -99977 THEN R04R_Y_NEW_CIGAR = -99977; ELSE IF

R04R_Y_NEW_GTRAD = -99966 OR R04R_Y_NEW_GRILLO = -99966 OR
R04R_Y_NEW_GFILTR = -99966 OR R03M_EVR_GRILLO IN
(-99999,-99988,-99977,-99966,-99911) OR R03M_EVR_GTRAD IN
(-99999,-99988,-99977,-99966,-99911) OR R03M_EVR_GFILTR IN
(-99999,-99988,-99977,-99966,-99911) OR WAVE3_INTERVIEW = 9
THEN R04R_Y_NEW_CIGAR = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	171	1.2 %
2	2 = No	8587	58.0 %
	Total	8,758	59.2%

This variable has 8,758 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	690	4.7 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	6,040	40.8%

Percentages for both tables are based on 14,798 total cases.

Location: 11427-11434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_CUR_CIGAR: DERIVED - Wave 4 Youth Current Cigar Smoker

Long Description: Wave 4 youth respondents who have smoked a cigar product within the past 30 days.

Algorithm: IF (R04R_Y_CUR_GTRAD = 1 OR R04R_Y_CUR_GRILLO = 1
OR R04R_Y_CUR_GFILTR = 1) THEN R04R_Y_CUR_CIGAR = 1; ELSE IF
(R04R_Y_CUR_GTRAD = 2 AND R04R_Y_CUR_GRILLO = 2 AND
R04R_Y_CUR_GFILTR = 2) THEN R04R_Y_CUR_CIGAR = 2; ELSE IF
R04R_Y_CUR_GTRAD = -99999 OR R04R_Y_CUR_GRILLO = -99999 OR
R04R_Y_CUR_GFILTR = -99999 THEN R04R_Y_CUR_CIGAR = -99999;
ELSE IF R04R_Y_CUR_GTRAD = -99988 OR
R04R_Y_CUR_GRILLO = -99988 OR R04R_Y_CUR_GFILTR = -99988 THEN
R04R_Y_CUR_CIGAR = -99988; ELSE IF R04R_Y_CUR_GTRAD = -99977
OR R04R_Y_CUR_GRILLO = -99977 OR R04R_Y_CUR_GFILTR = -99977
THEN R04R_Y_CUR_CIGAR = -99977; ELSE IF
R04R_Y_CUR_GTRAD = -99966 OR R04R_Y_CUR_GRILLO = -99966 OR
R04R_Y_CUR_GFILTR = -99966 THEN R04R_Y_CUR_CIGAR = -99966;
ELSE IF R04R_Y_CUR_GTRAD = -99911 OR

R04R_Y_CUR_GRILLO = -99911 OR R04R_Y_CUR_GFILTR = -99911
 THEN R04R_Y_CUR_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	188	1.3 %
2	2 = No	14551	98.3 %
	Total	14,739	99.6%

This variable has 14,739 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	39	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	20	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	59	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 11435-11442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_PIPE: DERIVED - Wave 4 Youth Ever Pipe Smoker

Long Description: Wave 4 youth respondents who have ever smoked a pipe.

Algorithm: IF R04_YP1002_NB=1 OR R04_YP1002_12M=1 OR R03M_EVR_PIPE=1 THEN R04R_Y_EVR_PIPE=1; ELSE IF R04_YP1001_NB=2 OR R04_YP1002_NB=2 OR (R03M_EVR_PIPE=2 AND R04_YP1002_12M=2 AND R03M_SKIPPED_WAVE = 2) THEN R04R_Y_EVR_PIPE=2; ELSE IF R04_YP1001_NB =-9 OR R04_YP1002_12M=-9 OR R04_YP1002_NB=-9 THEN R04R_Y_EVR_PIPE=-99999; ELSE IF R04_YP1001_NB =-8 OR R04_YP1002_12M=-8 OR R04_YP1002_NB=-8 THEN R04R_Y_EVR_PIPE=-99988; ELSE IF R04_YP1001_NB =-7 OR R04_YP1002_12M=-7 OR R04_YP1002_NB=-7 THEN R04R_Y_EVR_PIPE=-99977; ELSE IF R03M_EVR_PIPE in (-99933,-99999,-99988,-99977,-99966,-99911) OR R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_PIPE=-99966; ELSE IF R04_YP1001_NB =-1 OR R04_YP1002_12M=-1 OR R04_YP1002_NB=-1 THEN R04R_Y_EVR_PIPE=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	200	1.4 %
2	2 = No	14181	95.8 %
	Total	14,381	97.2%

This variable has 14,381 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	393	2.7 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	417	2.8%

Percentages for both tables are based on 14,798 total cases.

Location: 11443-11450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_PIPE: DERIVED - Wave 4 Youth Never to Ever Pipe Smoker

Long Description: Wave 4 youth respondents who started smoking pipe between Wave 3 and Wave 4.

Algorithm: IF (R03M_EVR_PIPE = 2 AND R04R_Y_EVR_PIPE = 1) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_PIPE = 1; ELSE IF (R03M_EVR_PIPE = 1 OR R04R_Y_EVR_PIPE = 2) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_PIPE = 2; ELSE IF WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_PIPE = -99933; ELSE IF R04R_Y_EVR_PIPE = -99999 THEN R04R_Y_NEW_PIPE = -99999; ELSE IF R04R_Y_EVR_PIPE = -99988 THEN R04R_Y_NEW_PIPE = -99988; ELSE IF R04R_Y_EVR_PIPE = -99977 THEN R04R_Y_NEW_PIPE = -99977; ELSE IF R03M_EVR_PIPE IN (-99999,-99988,-99977,-99966,-99911) OR R04R_Y_EVR_PIPE = -99966 OR WAVE3_INTERVIEW = 9 THEN R04R_Y_NEW_PIPE = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.3 %
2	2 = No	8907	60.2 %
	Total	8,944	60.4%

This variable has 8,944 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	520	3.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	5,854	39.6%

Percentages for both tables are based on 14,798 total cases.

Location: 11451-11458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_CUR_PIPE: DERIVED - Wave 4 Youth Current Pipe Smoker

Long Description: Wave 4 youth respondents who have smoked a pipe within the past 30 days.

Algorithm: IF R04R_Y_EVR_PIPE = 1 AND R04_YP1112 IN (1,2,3)
 THEN R04R_Y_CUR_PIPE = 1; ELSE IF R04R_Y_EVR_PIPE = 2 OR
 (R04R_Y_EVR_PIPE = 1 AND R04_YP1112 IN (4,5,6,7)) OR
 R04_YP1002_12M = 2 THEN R04R_Y_CUR_PIPE = 2; ELSE IF
 R04R_Y_EVR_PIPE = -99999 OR R04_YP1112 = -9 OR
 R04_YP1002_12M = -9 THEN R04R_Y_CUR_PIPE = -99999; ELSE IF
 R04R_Y_EVR_PIPE = -99988 OR R04_YP1112 = -8 OR
 R04_YP1002_12M = -8 THEN R04R_Y_CUR_PIPE = -99988; ELSE IF
 R04R_Y_EVR_PIPE = -99977 OR R04_YP1112 = -7 OR
 R04_YP1002_12M = -7 THEN R04R_Y_CUR_PIPE = -99977; ELSE IF
 R04R_Y_EVR_PIPE = -99966 THEN R04R_Y_CUR_PIPE = -99966;
 ELSE IF R04R_Y_EVR_PIPE = -99911 OR R04_YP1112 = -1 OR
 R04_YP1002_12M = -1 THEN R04R_Y_CUR_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.2 %
2	2 = No	14737	99.6 %
	Total	14,770	99.8%

This variable has 14,770 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	28	0.2%

Percentages for both tables are based on 14,798 total cases.

Location: 11459-11466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_HOOK: DERIVED - Wave 4 Youth Ever Hookah Smoker

Long Description: Wave 4 youth respondents who have ever smoked a hookah.

Algorithm: IF R04_YH1002_NB=1 OR R04_YH1002_12M=1 OR R03M_EVR_HOOK=1 THEN R04R_Y_EVR_HOOK=1; ELSE IF R04_YH1001_NB=2 OR R04_YH1002_NB=2 OR (R03M_EVR_HOOK=2 AND R04_YH1002_12M=2 AND R03M_SKIPPED_WAVE = 2) THEN R04R_Y_EVR_HOOK=2; ELSE IF R04_YH1001_NB=-9 OR R04_YH1002_12M=-9 OR R04_YH1002_NB=-9 THEN R04R_Y_EVR_HOOK=-99999; ELSE IF R04_YH1001_NB=-8 OR R04_YH1002_12M=-8 OR R04_YH1002_NB=-8 THEN R04R_Y_EVR_HOOK=-99988; ELSE IF R04_YH1001_NB=-7 OR R04_YH1002_12M=-7 OR R04_YH1002_NB=-7 THEN R04R_Y_EVR_HOOK=-99977; ELSE IF R03M_EVR_HOOK in (-99933,-99999,-99988,-99977,-99966,-99911) OR R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_HOOK=-99966; ELSE IF R04_YH1001_NB=-1 OR R04_YH1002_12M=-1 OR R04_YH1002_NB=-1 THEN R04R_Y_EVR_HOOK=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	542	3.7 %
2	2 = No	13883	93.8 %
	Total	14,425	97.5%

This variable has 14,425 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.1 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	354	2.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	373	2.5%

Percentages for both tables are based on 14,798 total cases.

Location: 11467-11474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_HOOK: DERIVED - Wave 4 Youth Never to Ever Hookah Smoker

Long Description: Wave 4 youth respondents who started smoking hookah between Wave 3 and Wave 4.

Algorithm: IF (R03M_EVR_HOOK = 2 AND R04R_Y_EVR_HOOK = 1)
AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_HOOK = 1; ELSE IF
(R03M_EVR_HOOK = 1 OR R04R_Y_EVR_HOOK = 2) AND
WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_HOOK = 2; ELSE IF
WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_HOOK = -99933;
ELSE IF R04R_Y_EVR_HOOK = -99999 THEN
R04R_Y_NEW_HOOK = -99999; ELSE IF R04R_Y_EVR_HOOK = -99988
THEN R04R_Y_NEW_HOOK = -99988; ELSE IF
R04R_Y_EVR_HOOK = -99977 THEN R04R_Y_NEW_HOOK = -99977;
ELSE IF R03M_EVR_HOOK IN
(-99999,-99988,-99977,-99966,-99911) OR
R04R_Y_EVR_HOOK = -99966 OR WAVE3_INTERVIEW = 9
THEN R04R_Y_NEW_HOOK = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	96	0.6 %
2	2 = No	8877	60.0 %
	Total	8,973	60.6%

This variable has 8,973 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	499	3.4 %

	Missing Data		
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	5,825	39.4%

Percentages for both tables are based on 14,798 total cases.

Location: 11475-11482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_EVR_THRSH_HOOK: DERIVED - Wave 4 Youth Hookah Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 4 Youth respondents who have used hookah fairly regularly in their lifetime.

Algorithm: IF R04R_Y_EVR_HOOK = 1 AND (R02R_Y_EVR_THRSH_HOOK = 1 OR R03R_Y_EVR_THRSH_HOOK = 1 OR R04_YH1100 = 1) THEN R04R_Y_EVR_THRSH_HOOK = 1; ELSE IF R04R_Y_EVR_HOOK = 2 OR (R04R_Y_EVR_HOOK = 1 AND R04_YH1100 = 2) THEN R04R_Y_EVR_THRSH_HOOK = 2; ELSE IF R04R_Y_EVR_HOOK = -99999 OR R04_YH1100 = -9 THEN R04R_Y_EVR_THRSH_HOOK = -99999; ELSE IF R04R_Y_EVR_HOOK = -99988 OR R04_YH1100 = -8 THEN R04R_Y_EVR_THRSH_HOOK = -99988; ELSE IF R04R_Y_EVR_HOOK = -99977 OR R04_YH1100 = -7 THEN R04R_Y_EVR_THRSH_HOOK = -99977; ELSE IF R04R_Y_EVR_HOOK = -99966 OR R03R_Y_EVR_THRSH_HOOK IN (-99999,-99988,-99977,-99966,-99911) OR R02R_Y_EVR_THRSH_HOOK IN (-99999,-99988,-99977,-99966,-99911) THEN R04R_Y_EVR_THRSH_HOOK = -99966; ELSE IF R04R_Y_EVR_HOOK = -99911 OR R04_YH1100 = -1 THEN R04R_Y_EVR_THRSH_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	74	0.5 %
2	2 = No	14349	97.0 %
	Total	14,423	97.5%

This variable has 14,423 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	354	2.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	375	2.5%

Percentages for both tables are based on 14,798 total cases.

Location: 11483-11490 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_CUR_HOOK: DERIVED - Wave 4 Youth Current Hookah Smoker

Long Description: Wave 4 youth respondents who have smoked a hookah within the past 30 days.

Algorithm: IF R04R_Y_EVR_HOOK = 1 AND R04_YH1112 IN (1,2,3)
 THEN R04R_Y_CUR_HOOK = 1; ELSE IF R04R_Y_EVR_HOOK = 2 OR
 (R04R_Y_EVR_HOOK = 1 AND R04_YH1112 IN (4,5,6,7)) OR
 R04_YH1002_12M = 2 THEN R04R_Y_CUR_HOOK = 2; ELSE IF
 R04R_Y_EVR_HOOK = -99999 OR R04_YH1112 = -9 OR
 R04_YH1002_12M = -9 THEN R04R_Y_CUR_HOOK = -99999; ELSE
 IF R04R_Y_EVR_HOOK = -99988 OR R04_YH1112 = -8 OR
 R04_YH1002_12M = -8 THEN R04R_Y_CUR_HOOK = -99988; ELSE
 IF R04R_Y_EVR_HOOK = -99977 OR R04_YH1112 = -7 OR
 R04_YH1002_12M = -7 THEN R04R_Y_CUR_HOOK = -99977; ELSE
 IF R04R_Y_EVR_HOOK = -99966 THEN R04R_Y_CUR_HOOK = -99966;
 ELSE IF R04R_Y_EVR_HOOK = -99911 OR R04_YH1112 = -1 OR
 R04_YH1002_12M = -1 THEN R04R_Y_CUR_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.4 %
2	2 = No	14719	99.5 %
	Total	14,775	99.8%

This variable has 14,775 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	14	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	23	0.2%

Percentages for both tables are based on 14,798 total cases.

Location: 11491-11498 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_SNUS: DERIVED - Wave 4 Youth Ever Snus Pouch User

Long Description: Wave 4 youth respondents who have ever used snus pouches.

Algorithm: IF R04_YU1002_NB=1 OR R04_YU1002_12M=1 OR R03M_EVR_SNUS=1 THEN R04R_Y_EVR_SNUS=1; ELSE IF R04_YU1001_NB=2 OR R04_YU1002_NB=2 OR (R03M_EVR_SNUS=2 AND R04_YU1002_12M=2 AND R03M_SKIPPED_WAVE = 2) THEN R04R_Y_EVR_SNUS=2; ELSE IF R04_YU1001_NB =-9 OR R04_YU1002_12M=-9 OR R04_YU1002_NB=-9 THEN R04R_Y_EVR_SNUS=-99999; ELSE IF R04_YU1001_NB =-8 OR R04_YU1002_12M=-8 OR R04_YU1002_NB=-8 THEN R04R_Y_EVR_SNUS=-99988; ELSE IF R04_YU1001_NB =-7 OR R04_YU1002_12M=-7 OR R04_YU1002_NB=-7 THEN R04R_Y_EVR_SNUS=-99977; ELSE IF R03M_EVR_SNUS in (-99933,-99999,-99988,-99977,-99966,-99911) OR R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_SNUS=-99966; ELSE IF R04_YU1001_NB=-1 OR R04_YU1002_12M=-1 OR R04_YU1002_NB=-1 THEN R04R_Y_EVR_SNUS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	209	1.4 %
2	2 = No	14017	94.7 %
	Total	14,226	96.1%

This variable has 14,226 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	533	3.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	572	3.9%

Percentages for both tables are based on 14,798 total cases.

Location: 11499-11506 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_SNUS: DERIVED - Wave 4 Youth Never to Ever Snus Pouch User

Long Description: Wave 4 youth respondents who started using snus pouches between Wave 3 and Wave 4.

Algorithm: IF (R03M_EVR_SNUS = 2 AND R04R_Y_EVR_SNUS = 1) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_SNUS = 1; ELSE IF (R03M_EVR_SNUS = 1 OR R04R_Y_EVR_SNUS = 2) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_SNUS = 2; ELSE IF WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_SNUS = -99933; ELSE IF R04R_Y_EVR_SNUS = -99999 THEN R04R_Y_NEW_SNUS = -99999; ELSE IF R04R_Y_EVR_SNUS = -99988 THEN R04R_Y_NEW_SNUS = -99988; ELSE IF R04R_Y_EVR_SNUS = -99977 THEN R04R_Y_NEW_SNUS = -99977; ELSE IF R03M_EVR_SNUS IN (-99999,-99988,-99977,-99966,-99911) OR R04R_Y_EVR_SNUS = -99966 OR WAVE3_INTERVIEW = 9 THEN R04R_Y_NEW_SNUS = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	40	0.3 %
2	2 = No	8756	59.2 %
	Total	8,796	59.4%

This variable has 8,796 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	657	4.4 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	6,002	40.6%

Percentages for both tables are based on 14,798 total cases.

Location: 11507-11514 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_EVR_THRSH_SNUS: DERIVED - Wave 4 Youth Snus Pouch Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 4 Youth respondents who have used snus pouches fairly regularly in their lifetime.

Algorithm: IF R04R_Y_EVR_SNUS = 1 AND (R02R_Y_EVR_THRSH_SNUS = 1 OR R03R_Y_EVR_THRSH_SNUS = 1 OR R04_YU1100

```

= 1) THEN R04R_Y_EVR_THRSH_SNUS = 1; ELSE IF R04R_Y_EVR_SNUS = 2
OR (R04R_Y_EVR_SNUS = 1 AND R04_YU1100 = 2)
THEN R04R_Y_EVR_THRSH_SNUS = 2; ELSE IF R04R_Y_EVR_SNUS = -99999
OR R04_YU1100 = -9 THEN R04R_Y_EVR_THRSH_SNUS
= -99999; ELSE IF R04R_Y_EVR_SNUS = -99988 OR R04_YU1100 = -8 THEN
R04R_Y_EVR_THRSH_SNUS = -99988; ELSE IF
R04R_Y_EVR_SNUS = -99977 OR R04_YU1100 = -7 THEN R04R_Y_EVR_THRSH_SNUS = -99977;
ELSE IF R04R_Y_EVR_SNUS
= -99966 OR R03R_Y_EVR_THRSH_SNUS IN (-99999,-99988,-99977,-99966,-99911)
OR R02R_Y_EVR_THRSH_SNUS IN
(-99999,-99988,-99977,-99966,-99911) THEN R04R_Y_EVR_THRSH_SNUS = -99966;
ELSE IF R04R_Y_EVR_SNUS = -99911 OR R04_YU1100 =
-1 THEN R04R_Y_EVR_THRSH_SNUS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	61	0.4 %
2	2 = No	14163	95.7 %
	Total	14,224	96.1 %

This variable has 14,224 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	27	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	533	3.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	574	3.9 %

Percentages for both tables are based on 14,798 total cases.

Location: 11515-11522 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_CUR_SNUS: DERIVED - Wave 4 Youth Current Snus Pouch User

Long Description: Wave 4 youth respondents who have used snus pouches within the past 30 days.

```

Algorithm: IF R04R_Y_EVR_SNUS = 1 AND R04_YU1112 IN (1,2,3)
THEN R04R_Y_CUR_SNUS = 1; ELSE IF R04R_Y_EVR_SNUS = 2 OR
(R04R_Y_EVR_SNUS = 1 AND R04_YU1112 IN (4,5,6,7)) OR
R04_YU1002_12M = 2 THEN R04R_Y_CUR_SNUS = 2; ELSE IF
R04R_Y_EVR_SNUS = -99999 OR R04_YU1112 = -9 OR
R04_YU1002_12M = -9 THEN R04R_Y_CUR_SNUS = -99999; ELSE IF
R04R_Y_EVR_SNUS = -99988 OR R04_YU1112 = -8 OR

```


R04_YU1002_12M = -8 THEN R04R_Y_CUR_SNUS = -99988; ELSE IF
R04R_Y_EVR_SNUS = -99977 OR R04_YU1112 = -7 OR
R04_YU1002_12M = -7 THEN R04R_Y_CUR_SNUS = -99977; ELSE IF
R04R_Y_EVR_SNUS = -99966 THEN R04R_Y_CUR_SNUS = -99966; ELSE
IF R04R_Y_EVR_SNUS = -99911 OR R04_YU1112 = -1 OR
R04_YU1002_12M = -1 THEN R04R_Y_CUR_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	49	0.3 %
2	2 = No	14710	99.4 %
	Total	14,759	99.7%

This variable has 14,759 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	39	0.3%

Percentages for both tables are based on 14,798 total cases.

Location: 11523-11530 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_SMKLS: DERIVED - Wave 4 Youth Ever Smokeless Tobacco User

Long Description: Wave 4 youth respondents who have ever used smokeless tobacco.

Algorithm: IF R04_YS1002_NB=1 OR R04_YS1002_12M=1 OR
R03M_EVR_SMKLS=1 THEN R04R_Y_EVR_SMKLS=1; ELSE IF
R04_YS1001_NB=2 OR R04_YS1002_NB=2 OR
(R03M_EVR_SMKLS=2 AND R04_YS1002_12M=2 AND
R03M_SKIPPED_WAVE = 2) THEN R04R_Y_EVR_SMKLS=2; ELSE IF
R04_YS1001_NB =-9 OR R04_YS1002_12M=-9 OR R04_YS1002_NB=-9
THEN R04R_Y_EVR_SMKLS=-99999; ELSE IF R04_YS1001_NB =-8 OR
R04_YS1002_12M=-8 OR R04_YS1002_NB=-8 THEN
R04R_Y_EVR_SMKLS=-99988; ELSE IF R04_YS1001_NB =-7 OR
R04_YS1002_12M=-7 OR R04_YS1002_NB=-7 THEN
R04R_Y_EVR_SMKLS=-99977; ELSE IF R03M_EVR_SMKLS in
(-99933,-99999,-99988,-99977,-99966,-99911) OR
R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_SMKLS=-99966; ELSE
IF R04_YS1001_NB=-1 OR R04_YS1002_12M=-1 OR

R04_YS1002_NB=-1 THEN R04R_Y_EVR_SMKLS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	497	3.4 %
2	2 = No	13760	93.0 %
	Total	14,257	96.3%

This variable has 14,257 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	517	3.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	541	3.7%

Percentages for both tables are based on 14,798 total cases.

Location: 11531-11538 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_SMKLS: DERIVED - Wave 4 Youth Never to Ever Smokeless Tobacco User

Long Description: Wave 4 youth respondents who started using smokeless tobacco between Wave 3 and Wave 4.

Algorithm: IF (R03M_EVR_SMKLS = 2 AND R04R_Y_EVR_SMKLS = 1) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_SMKLS = 1; ELSE IF (R03M_EVR_SMKLS = 1 OR R04R_Y_EVR_SMKLS = 2) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_SMKLS = 2; ELSE IF WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_SMKLS = -99933; ELSE IF R04R_Y_EVR_SMKLS = -99999 THEN R04R_Y_NEW_SMKLS = -99999; ELSE IF R04R_Y_EVR_SMKLS = -99988 THEN R04R_Y_NEW_SMKLS = -99988; ELSE IF R04R_Y_EVR_SMKLS = -99977 THEN R04R_Y_NEW_SMKLS = -99977; ELSE IF R03M_EVR_SMKLS IN (-99999,-99988,-99977,-99966,-99911) OR R04R_Y_EVR_SMKLS = -99966 OR WAVE3_INTERVIEW = 9 THEN R04R_Y_NEW_SMKLS = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	91	0.6 %

Value	Label	Unweighted Frequency	%
2	2 = No	8723	58.9 %
	Total	8,814	59.6%

This variable has 8,814 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	656	4.4 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	5,984	40.4%

Percentages for both tables are based on 14,798 total cases.

Location: 11539-11546 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_EVR_THRSH_SMKLS: DERIVED - Wave 4 Youth Smokeless Tobacco Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 4 Youth respondents who have used smokeless tobacco fairly regularly in their lifetime.

Algorithm: IF R04R_Y_EVR_SMKLS = 1 AND (R02R_Y_EVR_THRSH_SMKLS = 1 OR R03R_Y_EVR_THRSH_SMKLS = 1 OR R04_YS1100 = 1) THEN R04R_Y_EVR_THRSH_SMKLS = 1; ELSE IF R04R_Y_EVR_SMKLS = 2 OR (R04R_Y_EVR_SMKLS = 1 AND R04_YS1100 = 2) THEN R04R_Y_EVR_THRSH_SMKLS = 2; ELSE IF R04R_Y_EVR_SMKLS = -99999 OR R04_YS1100 = -9 THEN R04R_Y_EVR_THRSH_SMKLS = -99999; ELSE IF R04R_Y_EVR_SMKLS = -99988 OR R04_YS1100 = -8 THEN R04R_Y_EVR_THRSH_SMKLS = -99988; ELSE IF R04R_Y_EVR_SMKLS = -99977 OR R04_YS1100 = -7 THEN R04R_Y_EVR_THRSH_SMKLS = -99977; ELSE IF R04R_Y_EVR_SMKLS = -99966 OR R03R_Y_EVR_THRSH_SMKLS IN (-99999,-99988,-99977,-99966,-99911) OR R02R_Y_EVR_THRSH_SMKLS IN (-99999,-99988,-99977,-99966,-99911) THEN R04R_Y_EVR_THRSH_SMKLS = -99966; ELSE IF R04R_Y_EVR_SMKLS = -99911 OR R04_YS1100 = -1 THEN R04R_Y_EVR_THRSH_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	152	1.0 %
2	2 = No	14097	95.3 %

Value	Label	Unweighted Frequency	%
	Total	14,249	96.3%

This variable has 14,249 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	521	3.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	549	3.7%

Percentages for both tables are based on 14,798 total cases.

Location: 11547-11554 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_CUR_SMKLS: DERIVED - Wave 4 Youth Current Smokeless Tobacco User

Long Description: Wave 4 youth respondents who have used smokeless tobacco within the past 30 days.

Algorithm: IF R04R_Y_EVR_SMKLS = 1 AND R04_YS1112 IN (1,2,3)
 THEN R04R_Y_CUR_SMKLS = 1; ELSE IF R04R_Y_EVR_SMKLS = 2 OR
 (R04R_Y_EVR_SMKLS = 1 AND R04_YS1112 IN (4,5,6,7)) OR
 R04_YS1002_12M = 2 THEN R04R_Y_CUR_SMKLS = 2; ELSE IF
 R04R_Y_EVR_SMKLS = -99999 OR R04_YS1112 = -9 OR
 R04_YS1002_12M = -9 THEN R04R_Y_CUR_SMKLS = -99999; ELSE IF
 R04R_Y_EVR_SMKLS = -99988 OR R04_YS1112 = -8 OR
 R04_YS1002_12M = -8 THEN R04R_Y_CUR_SMKLS = -99988; ELSE IF
 R04R_Y_EVR_SMKLS = -99977 OR R04_YS1112 = -7 OR
 R04_YS1002_12M = -7 THEN R04R_Y_CUR_SMKLS = -99977; ELSE IF
 R04R_Y_EVR_SMKLS = -99966 THEN R04R_Y_CUR_SMKLS = -99966;
 ELSE IF R04R_Y_EVR_SMKLS = -99911 OR R04_YS1112 = -1 OR
 R04_YS1002_12M = -1 THEN R04R_Y_CUR_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	131	0.9 %
2	2 = No	14638	98.9 %
	Total	14,769	99.8%

This variable has 14,769 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	29	0.2%

Percentages for both tables are based on 14,798 total cases.

Location: 11555-11562 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_DISSBL: DERIVED - Wave 4 Youth Ever Dissolvable Tobacco User

Long Description: Wave 4 youth respondents who have ever used dissolvable tobacco.

Algorithm: IF R04_YD1002_NB=1 OR R04_YD1002_12M=1 OR R04_YD1002_30D=1 OR R03M_EVR_DISSBL=1 THEN R04R_Y_EVR_DISSBL=1; ELSE IF R04_YD1001_NB=2 OR R04_YD1002_NB=2 OR (R03M_EVR_DISSBL=2 AND (R04_YD1002_12M=2 OR R04_YD1002_30D=2) AND R03M_SKIPPED_WAVE = 2) THEN R04R_Y_EVR_DISSBL=2; ELSE IF R04_YD1001_NB =-9 OR R04_YD1002_12M=-9 OR R04_YD1002_NB=-9 OR R04_YD1002_30D=-9 THEN R04R_Y_EVR_DISSBL=-99999; ELSE IF R04_YD1001_NB =-8 OR R04_YD1002_12M=-8 OR R04_YD1002_NB=-8 OR R04_YD1002_30D=-8 THEN R04R_Y_EVR_DISSBL=-99988; ELSE IF R04_YD1001_NB =-7 OR R04_YD1002_12M=-7 OR R04_YD1002_NB=-7 OR R04_YD1002_30D=-7 THEN R04R_Y_EVR_DISSBL=-99977; ELSE IF R03M_EVR_DISSBL in (-99933,-99999,-99988,-99977,-99966,-99911) OR R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_DISSBL=-99966; ELSE IF R04_YD1001_NB =-1 OR R04_YD1002_12M=-1 OR R04_YD1002_NB=-1 OR R04_YD1002_30D=-1 THEN R04R_Y_EVR_DISSBL=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	44	0.3 %
2	2 = No	14340	96.9 %
	Total	14,384	97.2%

This variable has 14,384 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	391	2.6 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	414	2.8%

Percentages for both tables are based on 14,798 total cases.

Location: 11611-11618 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_DISSBL: DERIVED - Wave 4 Youth Never to Ever Dissolvable Tobacco User

Long Description: Wave 4 youth respondents who started using dissolvable tobacco between Wave 3 and Wave 4.

Algorithm: IF (R03M_EVR_DISSBL = 2 AND R04R_Y_EVR_DISSBL = 1) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_DISSBL = 1; ELSE IF (R03M_EVR_DISSBL = 1 OR R04R_Y_EVR_DISSBL = 2) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_DISSBL = 2; ELSE IF WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_DISSBL = -99933; ELSE IF R04R_Y_EVR_DISSBL = -99999 THEN R04R_Y_NEW_DISSBL = -99999; ELSE IF R04R_Y_EVR_DISSBL = -99988 THEN R04R_Y_NEW_DISSBL = -99988; ELSE IF R04R_Y_EVR_DISSBL = -99977 THEN R04R_Y_NEW_DISSBL = -99977; ELSE IF R03M_EVR_DISSBL IN (-99999,-99988,-99977,-99966,-99911) OR R04R_Y_EVR_DISSBL = -99966 OR WAVE3_INTERVIEW = 9 THEN R04R_Y_NEW_DISSBL = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	8942	60.4 %
	Total	8,954	60.5%

This variable has 8,954 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	13	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	512	3.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	5,844	39.5%

Percentages for both tables are based on 14,798 total cases.

Location: 11619-11626 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_CUR_DISSBL: DERIVED - Wave 4 Youth Current Dissolvable Tobacco User

Long Description: Wave 4 youth respondents who have used dissolvable tobacco within the past 30 days.

Algorithm: IF R04R_Y_EVR_DISSBL = 1 AND R04_YD1002_30D = 1 THEN
R04R_Y_CUR_DISSBL = 1; ELSE IF R04R_Y_EVR_DISSBL = 2 OR
(R04R_Y_EVR_DISSBL = 1 AND R04_YD1002_30D = 2) OR
R04_YD1002_12M = 2 THEN R04R_Y_CUR_DISSBL = 2; ELSE IF
R04R_Y_EVR_DISSBL = -99999 OR R04_YD1002_30D = -9 OR
R04_YD1002_12M = -9 THEN R04R_Y_CUR_DISSBL = -99999; ELSE
IF R04R_Y_EVR_DISSBL = -99988 OR R04_YD1002_30D = -8 OR
R04_YD1002_12M = -8 THEN R04R_Y_CUR_DISSBL = -99988; ELSE
IF R04R_Y_EVR_DISSBL = -99977 OR R04_YD1002_30D = -7 OR
R04_YD1002_12M = -7 THEN R04R_Y_CUR_DISSBL = -99977; ELSE
IF R04R_Y_EVR_DISSBL = -99966 THEN
R04R_Y_CUR_DISSBL = -99966; ELSE IF
R04R_Y_EVR_DISSBL = -99911 OR R04_YD1002_30D = -1 OR
R04_YD1002_12M = -1 THEN R04R_Y_CUR_DISSBL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	14767	99.8 %
	Total	14,775	99.8%

This variable has 14,775 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	23	0.2%

Percentages for both tables are based on 14,798 total cases.

Location: 11627-11634 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_BIDI: DERIVED - Wave 4 Youth Ever Bidi Smoker

Long Description: Wave 4 youth respondents who have ever smoked a bidi.

Algorithm: IF R04_YB9102_NB_01 = 1 OR R04_YB9102_12M_01 = 1
OR R04_YB9102_30D_01 = 1 OR R03M_EVR_BIDI = 1 THEN
R04R_Y_EVR_BIDI = 1; ELSE IF R04_YB9101_NB_01 = 2 OR
R04_YB9102_NB_01 = 2 OR (R03M_EVR_BIDI = 2 AND
(R04_YB9102_12M_01 = 2 OR R04_YB9102_30D_01 = 2) AND
R03M_SKIPPED_WAVE = 2) THEN R04R_Y_EVR_BIDI = 2; ELSE
IF R04_YB9101_NB_01 = -9 OR R04_YB9102_12M_01 = -9 OR
R04_YB9102_NB_01 = -9 OR R04_YB9102_30D_01 = -9 THEN
R04R_Y_EVR_BIDI = -99999; ELSE IF R04_YB9101_NB_01 = -8
OR R04_YB9102_12M_01 = -8 OR R04_YB9102_NB_01 = -8 OR
R04_YB9102_30D_01 = -8 THEN R04R_Y_EVR_BIDI = -99988;
ELSE IF R04_YB9101_NB_01 = -7 OR R04_YB9102_12M_01 = -7
OR R04_YB9102_NB_01 = -7 OR R04_YB9102_30D_01 = -7 THEN
R04R_Y_EVR_BIDI = -99977; ELSE IF R03M_EVR_BIDI IN
(-99933,-99999,-99988,-99977,-99966,-99911) OR
R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_BIDI = -99966;
ELSE IF R04_YB9101_NB_01 = -1 OR R04_YB9102_12M_01 = -1
OR R04_YB9102_NB_01 = -1 OR R04_YB9102_30D_01 = -1 THEN
R04R_Y_EVR_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.3 %
2	2 = No	14225	96.1 %
	Total	14,262	96.4%

This variable has 14,262 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	46	0.3 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	474	3.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	536	3.6%

Percentages for both tables are based on 14,798 total cases.

Location: 11563-11570 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_BIDI: DERIVED - Wave 4 Youth Never to Ever Bidi Smoker

Long Description: Wave 4 youth respondents who started smoking bidi between Wave 3 and Wave 4.

Algorithm: IF (R03M_EVR_BIDI = 2 AND R04R_Y_EVR_BIDI = 1) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_BIDI = 1; ELSE IF (R03M_EVR_BIDI = 1 OR R04R_Y_EVR_BIDI = 2) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_BIDI = 2; ELSE IF WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_BIDI = -99933; ELSE IF R04R_Y_EVR_BIDI = -99999 THEN R04R_Y_NEW_BIDI = -99999; ELSE IF R04R_Y_EVR_BIDI = -99988 THEN R04R_Y_NEW_BIDI = -99988; ELSE IF R04R_Y_EVR_BIDI = -99977 THEN R04R_Y_NEW_BIDI = -99977; ELSE IF R03M_EVR_BIDI IN (-99999,-99988,-99977,-99966,-99911) OR R04R_Y_EVR_BIDI = -99966 OR WAVE3_INTERVIEW = 9 THEN R04R_Y_NEW_BIDI = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.0 %
2	2 = No	8847	59.8 %
	Total	8,854	59.8%

This variable has 8,854 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	593	4.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	5,944	40.2%

Percentages for both tables are based on 14,798 total cases.

Location: 11571-11578 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_CUR_BIDI: DERIVED - Wave 4 Youth Current Bidi Smoker

Long Description: Wave 4 youth respondents who have smoked bidis within the past 30 days.

Algorithm: IF R04R_Y_EVR_BIDI = 1 AND R04_YB9102_30D_01 = 1 THEN R04R_Y_CUR_BIDI = 1; ELSE IF R04R_Y_EVR_BIDI = 2 OR (R04R_Y_EVR_BIDI = 1 AND R04_YB9102_30D_01 = 2) OR R04_YB9102_12M_01 = 2 THEN R04R_Y_CUR_BIDI = 2; ELSE IF R04R_Y_EVR_BIDI = -99999 OR R04_YB9102_30D_01 = -9 OR R04_YB9102_12M_01 = -9 THEN R04R_Y_CUR_BIDI = -99999; ELSE IF R04R_Y_EVR_BIDI = -99988 OR R04_YB9102_30D_01 = -8 OR R04_YB9102_12M_01 = -8 THEN R04R_Y_CUR_BIDI = -99988; ELSE IF R04R_Y_EVR_BIDI = -99977 OR R04_YB9102_30D_01 = -7 OR R04_YB9102_12M_01 = -7 THEN R04R_Y_CUR_BIDI = -99977; ELSE IF R04R_Y_EVR_BIDI = -99966 THEN R04R_Y_CUR_BIDI = -99966; ELSE IF R04R_Y_EVR_BIDI = -99911 OR R04_YB9102_30D_01 = -1 OR R04_YB9102_12M_01 = -1 THEN R04R_Y_CUR_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	14730	99.5 %
	Total	14,736	99.6%

This variable has 14,736 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	46	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	62	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 11579-11586 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_EVR_KRETEK: DERIVED - Wave 4 Youth Ever Kretek Smoker

Long Description: Wave 4 youth respondents who have ever smoked a kretek.

Algorithm: IF R04_YB9102_NB_02 = 1 OR R04_YB9102_12M_02 = 1 OR R04_YB9102_30D_02 = 1 OR R03M_EVR_KRETEK = 1 THEN R04R_Y_EVR_KRETEK = 1; ELSE IF R04_YB9101_NB_02 = 2 OR R04_YB9102_NB_02 = 2 OR (R03M_EVR_KRETEK = 2 AND (R04_YB9102_12M_02 = 2 OR R04_YB9102_30D_02 = 2) AND R03M_SKIPPED_WAVE = 2) THEN R04R_Y_EVR_KRETEK = 2; ELSE IF R04_YB9101_NB_02 = -9 OR R04_YB9102_12M_02 = -9 OR R04_YB9102_NB_02 = -9 OR R04_YB9102_30D_02 = -9 THEN R04R_Y_EVR_KRETEK = -99999; ELSE IF R04_YB9101_NB_02 = -8 OR R04_YB9102_12M_02 = -8 OR R04_YB9102_NB_02 = -8 OR R04_YB9102_30D_02 = -8 THEN R04R_Y_EVR_KRETEK = -99988; ELSE IF R04_YB9101_NB_02 = -7 OR R04_YB9102_12M_02 = -7 OR R04_YB9102_NB_02 = -7 OR R04_YB9102_30D_02 = -7 THEN R04R_Y_EVR_KRETEK = -99977; ELSE IF R03M_EVR_KRETEK IN (-99933,-99999,-99988,-99977,-99966,-99911) OR R03M_SKIPPED_WAVE = 1 THEN R04R_Y_EVR_KRETEK = -99966; ELSE IF R04_YB9101_NB_02 = -1 OR R04_YB9102_12M_02 = -1 OR R04_YB9102_NB_02 = -1 OR R04_YB9102_30D_02 = -1 THEN R04R_Y_EVR_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	58	0.4 %
2	2 = No	14207	96.0 %
	Total	14,265	96.4%

This variable has 14,265 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	46	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	472	3.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	533	3.6%

Percentages for both tables are based on 14,798 total cases.

Location: 11587-11594 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_NEW_KRETEK: DERIVED - Wave 4 Youth Never to Ever Kretek Smoker

Long Description: Wave 4 youth respondents who started smoking kreteks between Wave 3 and Wave 4.

Algorithm: IF (R03M_EVR_KRETEK = 2 AND R04R_Y_EVR_KRETEK = 1) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_KRETEK = 1; ELSE IF (R03M_EVR_KRETEK = 1 OR R04R_Y_EVR_KRETEK = 2) AND WAVE3_INTERVIEW = 2 THEN R04R_Y_NEW_KRETEK = 2; ELSE IF WAVE3_INTERVIEW in (0,3) THEN R04R_Y_NEW_KRETEK = -99933; ELSE IF R04R_Y_EVR_KRETEK = -99999 THEN R04R_Y_NEW_KRETEK = -99999; ELSE IF R04R_Y_EVR_KRETEK = -99988 THEN R04R_Y_NEW_KRETEK = -99988; ELSE IF R04R_Y_EVR_KRETEK = -99977 THEN R04R_Y_NEW_KRETEK = -99977; ELSE IF R03M_EVR_KRETEK IN (-99999,-99988,-99977,-99966,-99911) OR R04R_Y_EVR_KRETEK = -99966 OR WAVE3_INTERVIEW = 9 THEN R04R_Y_NEW_KRETEK = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	8839	59.7 %
	Total	8,853	59.8%

This variable has 8,853 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	595	4.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	5315	35.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	5,945	40.2%

Percentages for both tables are based on 14,798 total cases.

Location: 11595-11602 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R04R_Y_CUR_KRETEK: DERIVED - Wave 4 Youth Current Kretek Smoker

Long Description: Wave 4 youth respondents who have smoked kreteks within the past 30 days.

Algorithm: IF R04R_Y_EVR_KRETEK = 1 AND R04_YB9102_30D_02 = 1
 THEN R04R_Y_CUR_KRETEK = 1; ELSE IF R04R_Y_EVR_KRETEK = 2 OR
 (R04R_Y_EVR_KRETEK = 1 AND R04_YB9102_30D_02 = 2) OR
 R04_YB9102_12M_02 = 2 THEN R04R_Y_CUR_KRETEK = 2; ELSE IF
 R04R_Y_EVR_KRETEK = -99999 OR R04_YB9102_30D_02 = -9 OR
 R04_YB9102_12M_02 = -9 THEN R04R_Y_CUR_KRETEK = -99999; ELSE
 IF R04R_Y_EVR_KRETEK = -99988 OR R04_YB9102_30D_02 = -8 OR
 R04_YB9102_12M_02 = -8 THEN R04R_Y_CUR_KRETEK = -99988; ELSE
 IF R04R_Y_EVR_KRETEK = -99977 OR R04_YB9102_30D_02 = -7 OR
 R04_YB9102_12M_02 = -7 THEN R04R_Y_CUR_KRETEK = -99977; ELSE
 IF R04R_Y_EVR_KRETEK = -99966 THEN
 R04R_Y_CUR_KRETEK = -99966; ELSE IF
 R04R_Y_EVR_KRETEK = -99911 OR R04_YB9102_30D_02 = -1 OR
 R04_YB9102_12M_02 = -1 THEN R04R_Y_CUR_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	14723	99.5 %
	Total	14,736	99.6%

This variable has 14,736 valid cases out of 14,798 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	46	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	62	0.4%

Percentages for both tables are based on 14,798 total cases.

Location: 11603-11610 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R04R_Y_DAYSREG_CIGS: DERIVED - Wave 4 Youth Number of Days Smoking Regular Brand of Cigarettes

Long Description: Wave 4 Youth Recode of length of time smoking regular brand of cigarettes into days.

Algorithm: IF R04_YC1051_UN = 1 AND R04_YC1051_NN => 0 THEN
 R04R_Y_DAYSREG_CIGS = R04_YC1051_NN; ELSE IF
 R04_YC1051_UN = 2 AND R04_YC1051_NN => 0 THEN

```

R04R_Y_DAYSREG_CIGS = R04_YC1051_NN * 30.4375; ELSE IF
R04_YC1051_UN = 3 AND R04_YC1051_NN => 0 THEN
R04R_Y_DAYSREG_CIGS = R04_YC1051_NN * 365.25; ELSE IF
R04_YC1051_NN = -9 THEN R04R_Y_DAYSREG_CIGS = -99999; ELSE
IF R04_YC1051_NN = -8 THEN R04R_Y_DAYSREG_CIGS = -99988;
ELSE IF R04_YC1051_NN = -7 THEN
R04R_Y_DAYSREG_CIGS = -99977; ELSE IF R04_YC1051_NN = -5
THEN R04R_Y_DAYSREG_CIGS = -99955; ELSE IF
R04_YC1051_NN = -1 THEN
R04R_Y_DAYSREG_CIGS = -99911;

```

This variable has 169 valid cases out of 14,798 total cases.

- Mean: 519.3432
- Median: 365.2500
- Mode: 730.5000
- Minimum: 0.0000
- Maximum: 2922.0000
- Standard Deviation: 537.6474

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	14624	98.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14,629	98.9%

Percentages for both tables are based on 14,798 total cases.

Location: 11280-11290 (width: 11; decimal: 4)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

APPENDIX

**Top Response Options for
Tobacco Brand / Product Variables**

Total tables = 21

Table Name	Variable Name	Top Ranked Response
R04_YC1048_BRAND	R04_YC1048_BRAND	1125 = Marlboro
R04_YC1070_PRODUCT	R04_YC1070_PRODUCT	11031 = Marlboro Red non-menthol kings
R04_YV1048_BRAND	R04_YV1048_BRAND	1269 = RECODE: Juul
R04_YJ1048TC_BRAND	R04_YJ1048TC_BRAND	1019 = Backwoods
R04_YJ1070TC_PRODUCT	R04_YJ1070TC_PRODUCT	10211 = Backwoods Honey
R04_YJ1048CG_BRAND	R04_YJ1048CG_BRAND	1019 = Backwoods
R04_YJ1070CG_PRODUCT	R04_YJ1070CG_PRODUCT	10212 = Backwoods Honey Berry
R04_YJ1048FC_BRAND	R04_YJ1048FC_BRAND	1024 = Black & Mild
R04_YJ1070FC_PRODUCT	R04_YJ1070FC_PRODUCT	10244 = Black & Mild Sweets
R04_YG1048TC_BRAND	R04_YG1048TC_BRAND	1024 = Black & Mild
R04_YG1070TC_PRODUCT	R04_YG1070TC_PRODUCT	10243 = Black & Mild Classic
R04_YG1048CL_BRAND	R04_YG1048CL_BRAND	1024 = Black & Mild
R04_YG1070CL_PRODUCT	R04_YG1070CL_PRODUCT	10243 = Black & Mild Classic
R04_YG1048FC_BRAND	R04_YG1048FC_BRAND	1024 = Black & Mild
R04_YG1070FC_PRODUCT	R04_YG1070FC_PRODUCT	10243 = Black & Mild Classic
R04_YH1048_BRAND	R04_YH1048_BRAND	1253 = Al Fakher
R04_YH1070_PRODUCT	R04_YH1070_PRODUCT	10554 = Fantasia Cotton Candy
R04_YU1048_BRAND	R04_YU1048_BRAND	1033 = Camel
R04_YU1070_PRODUCT	R04_YU1070_PRODUCT	10289 = Camel Snus Frost
R04_YS1048_BRAND	R04_YS1048_BRAND	1049 = Copenhagen
R04_YS1070_PRODUCT	R04_YS1070_PRODUCT	10407 = Copenhagen Long Cut Wintergreen

Obs	R04_YC1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1125 = Marlboro	124	0.8380
2	1033 = Camel	77	0.5203
3	1144 = Newport	50	0.3379
4	1012 = American Spirit	15	0.1014
5	1126 = Maverick	8	0.0541
6	1115 = L & M	6	0.0405
7	1152 = Pall Mall	5	0.0338
8	1002 = 305's	4	0.0270
9	1042 = Cheyenne	4	0.0270
10	1113 = Kool	3	0.0203
11	1153 = Parliament	2	0.0135
12	1184 = Seneca	2	0.0135
13	1021 = Basic	1	0.0068
14	1023 = Benson & Hedges	1	0.0068
15	1036 = Capri	1	0.0068
16	1053 = Decade	1	0.0068
17	1132 = Misty	1	0.0068
18	1135 = Montclair	1	0.0068
19	1166 = Pyramid	1	0.0068
20	1204 = Swisher Sweets	1	0.0068
21	All other coded responses	1	0.0068
22	9995 = Some other brand	2	0.0135
23	-1 = Inapplicable	14,487	97.8984
24			
25	Total	14,798	100.0

Obs	R04_YC1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	11031 = Marlboro Red non-menthol kings	55	0.3717
2	10275 = Camel Filters menthol kings	34	0.2298
3	11218 = Newport Full Flavor menthol kings	33	0.2230
4	11005 = Marlboro Black non-menthol kings	24	0.1622
5	10273 = Camel Filters non-menthol kings	16	0.1081
6	11026 = Marlboro Full Flavor menthol kings	14	0.0946
7	11020 = Marlboro Gold non-menthol kingss	12	0.0811
8	10268 = Camel Blue non-menthol kings	10	0.0676
9	10169 = American Spirit Full-bodied non-menthol kings	9	0.0608
10	10288 = Camel Silver menthol kings	8	0.0541
11	11219 = Newport Full Flavor menthol 100s	8	0.0541
12	11224 = Newport Full Flavor non-menthol kings	7	0.0473
13	10287 = Camel Platinum non-menthol kings	5	0.0338
14	11072 = Maverick Full Flavor menthol 100s	4	0.0270
15	10271 = Camel Crush non-menthol and menthol kings	3	0.0203
16	11008 = Marlboro Black menthol 100s	3	0.0203
17	11032 = Marlboro Red non-menthol 100s	3	0.0203
18	11264 = Pall Mall Red non-menthol 100s	3	0.0203
19	10023 = 305's Full Flavor non-menthol 100s	2	0.0135
20	10170 = American Spirit Full-bodied menthol kings	2	0.0135
21	All other coded responses	45	0.3041
22	99995 = Some other product	3	0.0203
23	99990 = No data (Brand text response up-coded)	3	0.0203
24	-8 = Don't know	2	0.0135
25	-7 = Refused	1	0.0068
26	-1 = Inapplicable	14,489	97.9119
27			
28	Total	14,798	100.0

Obs	R04_YV1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1269 = RECODE: Juul	25	0.1689
2	1028 = Blu Cigs	13	0.0878
3	1245 = E-Swisher	10	0.0676
4	1146 = NJOY	5	0.0338
5	1255 = Kangertech	4	0.0270
6	1248 = Logic	3	0.0203
7	1259 = Eleaf	3	0.0203
8	1297 = RECODE: Naked 100	3	0.0203
9	1114 = KRAVE	2	0.0135
10	1258 = Vuse	2	0.0135
11	1163 = ProVape	1	0.0068
12	1221 = Vapor King	1	0.0068
13	1226 = Volcano	1	0.0068
14	1247 = FINITI	1	0.0068
15	1249 = Mystic	1	0.0068
16	1250 = Nicotek	1	0.0068
17	1256 = MarkTen	1	0.0068
18	1262 = RECODE: Aspire	1	0.0068
19	9995 = Some other brand	21	0.1419
20	-8 = Don't know	8	0.0541
21	-7 = Refused	6	0.0405
22	-1 = Inapplicable	14,685	99.2364
23			
24	Total	14,798	100.0

Obs	R04_YJ1048TC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1019 = Backwoods	13	0.0878
2	1204 = Swisher Sweets	8	0.0541
3	1024 = Black & Mild	5	0.0338
4	1061 = Dutch Masters	4	0.0270
5	1231 = White Owl	2	0.0135
6	1082 = Game (Garcia y Vega)	1	0.0068
7	1084 = Garcia y Vega	1	0.0068
8	-1 = Inapplicable	14,764	99.7702
9			
10	Total	14,798	100.0

Obs	R04_YJ1070TC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10211 = Backwoods Honey	6	0.0405
2	11701 = Swisher Sweets Blunt XL Grape	5	0.0338
3	10244 = Black & Mild Sweets	4	0.0270
4	10212 = Backwoods Honey Berry	3	0.0203
5	10210 = Backwoods Black 'n Sweet Aromatic	2	0.0135
6	10213 = Backwoods Original	1	0.0068
7	10214 = Backwoods Sweet Aromatic	1	0.0068
8	10243 = Black & Mild Classic	1	0.0068
9	10511 = Dutch Masters Corona Vanilla	1	0.0068
10	10513 = Dutch Masters Palma Chocolate	1	0.0068
11	10639 = Game Palma White Grape	1	0.0068
12	10646 = Garcia y Vega Blunts	1	0.0068
13	11703 = Swisher Sweets Blunt XL Strawberry	1	0.0068
14	11704 = Swisher Sweets Blunts	1	0.0068
15	11927 = White Owl Blunt Grape	1	0.0068
16	12112 = RECODE: White Owl Mango	1	0.0068
17	99995 = Some other product	3	0.0203
18	-1 = Inapplicable	14,764	99.7702
19			
20	Total	14,798	100.0

Obs	R04_YJ1048CG_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1019 = Backwoods	102	0.6893
2	1204 = Swisher Sweets	47	0.3176
3	1024 = Black & Mild	32	0.2162
4	1231 = White Owl	26	0.1757
5	1239 = Zig Zag	12	0.0811
6	1061 = Dutch Masters	7	0.0473
7	1082 = Game (Garcia y Vega)	6	0.0405
8	1055 = Djarum	3	0.0203
9	1025 = BlackStone	1	0.0068
10	1042 = Cheyenne	1	0.0068
11	1156 = Phillies	1	0.0068
12	1266 = RECODE: Good Times	1	0.0068
13	-1 = Inapplicable	14,559	98.3849
14			
15	Total	14,798	100.0

Obs	R04_YJ1070CG_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10212 = Backwoods Honey Berry	32	0.2162
2	10211 = Backwoods Honey	29	0.1960
3	10213 = Backwoods Original	24	0.1622
4	10244 = Black & Mild Sweets	17	0.1149
5	11943 = White Owl Cigarillos White Grape	10	0.0676
6	10243 = Black & Mild Classic	8	0.0541
7	11704 = Swisher Sweets Blunts	8	0.0541
8	11711 = Swisher Sweets Grape 100s	8	0.0541
9	10214 = Backwoods Sweet Aromatic	6	0.0405
10	11723 = Swisher Sweets Strawberry Cigarillos	6	0.0405
11	11941 = White Owl Cigarillos Peach	5	0.0338
12	12013 = Zig-Zag Cigarillos Strawberry	4	0.0270
13	10210 = Backwoods Black 'n Sweet Aromatic	3	0.0203
14	10496 = Dutch Masters Cigarillos Chocolate	3	0.0203
15	11703 = Swisher Sweets Blunt XL Strawberry	3	0.0203
16	12009 = Zig-Zag Cigarillos Grape	3	0.0203
17	12113 = RECODE: White Owl Pineapple	3	0.0203
18	10245 = Black & Mild Wine	2	0.0135
19	10500 = Dutch Masters Cigarillos Honey Sports	2	0.0135
20	11701 = Swisher Sweets Blunt XL Grape	2	0.0135
21	All other coded responses	33	0.2230
22	99995 = Some other product	23	0.1554
23	99990 = No data (Brand text response up-coded)	1	0.0068
24	-8 = Don't know	4	0.0270
25	-1 = Inapplicable	14,559	98.3849
26			
27	Total	14,798	100.0

Obs	R04_YJ1048FC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1024 = Black & Mild	5	0.0338
2	1204 = Swisher Sweets	5	0.0338
3	1042 = Cheyenne	1	0.0068
4	1242 = Prime Time	1	0.0068
5	-1 = Inapplicable	14,786	99.9189
6			
7	Total	14,798	100.0

Obs	R04_YJ1070FC_PRODUCT	Unweighted	Percent of
		Frequency	Total Frequency
1	10244 = Black & Mild Sweets	4	0.0270
2	11711 = Swisher Sweets Grape 100s	2	0.0135
3	10371 = Cheyenne Peach 100s	1	0.0068
4	11699 = Swisher Sweets Blueberry Mini Cigarillos	1	0.0068
5	11725 = Swisher Sweets Sweet Cherry 100s	1	0.0068
6	12034 = Prime Time Little Cigar Vanilla	1	0.0068
7	12110 = RECODE: Swisher Sweets Tropical Fusion	1	0.0068
8	-8 = Don't know	1	0.0068
9	-1 = Inapplicable	14,786	99.9189
10			
11	Total	14,798	100.0

Obs	R04_YG1048TC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1024 = Black & Mild	10	0.0676
2	1019 = Backwoods	3	0.0203
3	1047 = Cohiba	3	0.0203
4	1084 = Garcia y Vega	2	0.0135
5	1204 = Swisher Sweets	2	0.0135
6	1061 = Dutch Masters	1	0.0068
7	-1 = Inapplicable	14,777	99.8581
8			
9	Total	14,798	100.0

Obs	R04_YG1070TC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10243 = Black & Mild Classic	6	0.0405
2	10244 = Black & Mild Sweets	2	0.0135
3	10245 = Black & Mild Wine	2	0.0135
4	10210 = Backwoods Black 'n Sweet Aromatic	1	0.0068
5	10211 = Backwoods Honey	1	0.0068
6	10213 = Backwoods Original	1	0.0068
7	10397 = Cohiba Black	1	0.0068
8	10646 = Garcia y Vega Blunts	1	0.0068
9	10647 = Garcia y Vega Crystal	1	0.0068
10	11701 = Swisher Sweets Blunt XL Grape	1	0.0068
11	11708 = Swisher Sweets Filter Tip	1	0.0068
12	99995 = Some other product	3	0.0203
13	-1 = Inapplicable	14,777	99.8581
14			
15	Total	14,798	100.0

Obs	R04_YG1048CL_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1024 = Black & Mild	63	0.4257
2	1019 = Backwoods	12	0.0811
3	1204 = Swisher Sweets	8	0.0541
4	1055 = Djarum	2	0.0135
5	1231 = White Owl	2	0.0135
6	1239 = Zig Zag	2	0.0135
7	1002 = 305's	1	0.0068
8	9995 = Some other brand	1	0.0068
9	-8 = Don't know	1	0.0068
10	-1 = Inapplicable	14,706	99.3783
11			
12	Total	14,798	100.0

Obs	R04_YG1070CL_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10243 = Black & Mild Classic	25	0.1689
2	10245 = Black & Mild Wine	22	0.1487
3	10244 = Black & Mild Sweets	9	0.0608
4	10211 = Backwoods Honey	7	0.0473
5	12115 = RECODE: Black & Mild Jazz	4	0.0270
6	10212 = Backwoods Honey Berry	2	0.0135
7	10213 = Backwoods Original	2	0.0135
8	11703 = Swisher Sweets Blunt XL Strawberry	1	0.0068
9	11705 = Swisher Sweets Cherry Tip Cigarillos	1	0.0068
10	11707 = Swisher Sweets Cigarillos	1	0.0068
11	11719 = Swisher Sweets Peach Mini Cigarillos	1	0.0068
12	11723 = Swisher Sweets Strawberry Cigarillos	1	0.0068
13	11729 = Swisher Sweets White Grape Cigarillos	1	0.0068
14	11731 = Swisher Sweets Wine Cigarillos	1	0.0068
15	11938 = White Owl Cigarillos	1	0.0068
16	11941 = White Owl Cigarillos Peach	1	0.0068
17	12006 = Djarum Gold Seal Sumatra Cigarillos	1	0.0068
18	12014 = Zig-Zag Cigarillos Sweets	1	0.0068
19	99995 = Some other product	5	0.0338
20	99990 = No data (Brand text response up-coded)	1	0.0068
21	-8 = Don't know	2	0.0135
22	-1 = Inapplicable	14,708	99.3918
23			
24	Total	14,798	100.0

Obs	R04_YG1048FC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1024 = Black & Mild	13	0.0878
2	1204 = Swisher Sweets	4	0.0270
3	1002 = 305's	2	0.0135
4	1042 = Cheyenne	2	0.0135
5	1055 = Djarum	1	0.0068
6	1125 = Marlboro	1	0.0068
7	1242 = Prime Time	1	0.0068
8	9995 = Some other brand	1	0.0068
9	-1 = Inapplicable	14,773	99.8311
10			
11	Total	14,798	100.0

Obs	R04_YG1070FC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10243 = Black & Mild Classic	5	0.0338
2	10245 = Black & Mild Wine	5	0.0338
3	10244 = Black & Mild Sweets	3	0.0203
4	10022 = 305's Full Flavor non-menthol kings	2	0.0135
5	10374 = Cheyenne Vanilla 100s	1	0.0068
6	10375 = Cheyenne Wild Cherry 100s	1	0.0068
7	11722 = Swisher Sweets Strawberry 100s	1	0.0068
8	11725 = Swisher Sweets Sweet Cherry 100s	1	0.0068
9	12006 = Djarum Gold Seal Sumatra Cigarillos	1	0.0068
10	12029 = Prime Time Little Cigar Cherry	1	0.0068
11	99995 = Some other product	2	0.0135
12	99990 = No data (Brand text response up-coded)	1	0.0068
13	-1 = Inapplicable	14,774	99.8378
14			
15	Total	14,798	100.0

Obs	R04_YH1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1253 = Al Fakher	3	0.0203
2	1198 = Starbuzz	2	0.0135
3	1073 = Fantasia	1	0.0068
4	1080 = Fumari	1	0.0068
5	1175 = Romman	1	0.0068
6	1195 = Social Smoke	1	0.0068
7	9995 = Some other brand	1	0.0068
8	-1 = Inapplicable	14,788	99.9324
9			
10	Total	14,798	100.0

Obs	R04_YH1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10554 = Fantasia Cotton Candy	1	0.0068
2	11560 = Social Smoke Good Karma	1	0.0068
3	11619 = Starbuzz Blue Mist	1	0.0068
4	11625 = Starbuzz Cappuccino	1	0.0068
5	12060 = Al Fakher Apple	1	0.0068
6	12076 = Al Fakher Cola	1	0.0068
7	12077 = Al Fakher Grenadine	1	0.0068
8	99995 = Some other product	2	0.0135
9	-1 = Inapplicable	14,789	99.9392
10			
11	Total	14,798	100.0

Obs	R04_YU1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1033 = Camel	10	0.0676
2	1049 = Copenhagen	9	0.0608
3	1092 = Grizzly	6	0.0405
4	1190 = Skoal	4	0.0270
5	9995 = Some other brand	2	0.0135
6	-7 = Refused	1	0.0068
7	-1 = Inapplicable	14,766	99.7838
8			
9	Total	14,798	100.0

Obs	R04_YU1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10289 = Camel Snus Frost	8	0.0541
2	11977 = Skoal snus Mint	4	0.0270
3	10291 = Camel Snus Mint	1	0.0068
4	10716 = Grizzly Long Cut Mint	1	0.0068
5	99990 = No data (Brand text response up-coded)	15	0.1014
6	-1 = Inapplicable	14,769	99.8040
7			
8	Total	14,798	100.0

Obs	R04_YS1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1049 = Copenhagen	51	0.3446
2	1092 = Grizzly	33	0.2230
3	1170 = Red Man	5	0.0338
4	1112 = Kodiak	3	0.0203
5	1099 = Husky	2	0.0135
6	1171 = Red Seal	2	0.0135
7	1240 = Beechnut	2	0.0135
8	1104 = Kayak	1	0.0068
9	1121 = Longhorn	1	0.0068
10	1190 = Skoal	1	0.0068
11	1212 = Timber Wolf	1	0.0068
12	-1 = Inapplicable	14,696	99.3107
13			
14	Total	14,798	100.0

Obs	R04_YS1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10407 = Copenhagen Long Cut Wintergreen	23	0.1554
2	10719 = Grizzly Long Cut Wintergreen	23	0.1554
3	10403 = Copenhagen Long Cut	8	0.0541
4	10716 = Grizzly Long Cut Mint	5	0.0338
5	10405 = Copenhagen Long Cut Straight	4	0.0270
6	10408 = Copenhagen Pouches	4	0.0270
7	10402 = Copenhagen Extra Long Cut Natural	2	0.0135
8	10409 = Copenhagen Snuff	2	0.0135
9	11978 = Beechnut Chewing Tobacco	2	0.0135
10	11983 = Red Man Loose Leaf Chewing Tobacco	2	0.0135
11	10406 = Copenhagen Long Cut Whiskey Blend	1	0.0068
12	10410 = Copenhagen Wintergreen Pouches	1	0.0068
13	10711 = Grizzly Extra Long Cut	1	0.0068
14	10713 = Grizzly Fine Cut Premium Natural	1	0.0068
15	10717 = Grizzly Long Cut Natural	1	0.0068
16	10723 = Grizzly Straight Pouches	1	0.0068
17	10724 = Grizzly Wintergreen Pouches	1	0.0068
18	10801 = Husky Natural	1	0.0068
19	10802 = Husky Straight	1	0.0068
20	10870 = Kayak Long Cut Peach	1	0.0068
21	All other coded responses	12	0.0811
22	99995 = Some other product	4	0.0270
23	99990 = No data (Brand text response up-coded)	1	0.0068
24	-1 = Inapplicable	14,696	99.3107
25			
26	Total	14,798	100.0