

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

Wave 4: Youth / Parent - Wave 4 Cohort
Cross-Sectional Weights

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

CODEBOOK DISPLAY NOTES

PATH STUDY

WEIGHTS FILE ICPSR

#36498

1. ICPSR customized the display of variables in this codebook. There are no variables that contain a frequency table displaying value labels and unweighted counts. This is because all of the variables in this file are identification, sample design, or sampling weight variables for which univariate statistics are not meaningful.
2. Each variable contains the following statement:

“This variable has XXXXX valid cases out of XXXXX total cases.”

This statement describes the number of valid cases for a variable that would be used in the calculation of percentages in the frequency tables.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 4: Youth / Parent - Wave 4 Cohort Cross-Sectional Weights

CASEID: Case Identification Number

Case Identification Number

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

PERSONID: Participant ID

Participant ID Number.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 6-15 (width: 10; decimal: 0)

Variable Type: character

VARPSU: PSU Indicator for Variance Estimation

PSU indicator for variance estimation using the Taylor series approximation method.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 18-18 (width: 1; decimal: 0)

Variable Type: numeric

VARSTRAT: Stratum Indicator for Variance Estimation

Stratum indicator for variance estimation using the Taylor series approximation method.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 16-17 (width: 2; decimal: 0)

Variable Type: numeric

R04_Y_C04WGT: Wave 4 Youth Cross-sectional Weight for the Wave 4 Cohort

Wave 4 youth cross-sectional full-sample weight for the Wave 4 cohort.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 19-33 (width: 15; decimal: 10)

Variable Type: numeric

R04_Y_C04WGT1: Wave 4 Youth Cross-sectional Replicate Weight 1 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 1 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 34-48 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT2: Wave 4 Youth Cross-sectional Replicate Weight 2 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 2 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 49-63 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT3: Wave 4 Youth Cross-sectional Replicate Weight 3 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 3 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 64-78 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT4: Wave 4 Youth Cross-sectional Replicate Weight 4 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 4 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 79-93 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT5: Wave 4 Youth Cross-sectional Replicate Weight 5 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 5 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 94-108 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT6: Wave 4 Youth Cross-sectional Replicate Weight 6 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 6 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 109-123 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT7: Wave 4 Youth Cross-sectional Replicate Weight 7 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 7 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 124-138 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT8: Wave 4 Youth Cross-sectional Replicate Weight 8 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 8 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 139-153 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT9: Wave 4 Youth Cross-sectional Replicate Weight 9 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 9 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 154-168 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT10: Wave 4 Youth Cross-sectional Replicate Weight 10 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 10 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 169-183 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT11: Wave 4 Youth Cross-sectional Replicate Weight 11 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 11 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 184-198 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT12: Wave 4 Youth Cross-sectional Replicate Weight 12 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 12 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 199-213 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT13: Wave 4 Youth Cross-sectional Replicate Weight 13 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 13 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 214-228 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT14: Wave 4 Youth Cross-sectional Replicate Weight 14 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 14 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 229-243 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT15: Wave 4 Youth Cross-sectional Replicate Weight 15 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 15 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 244-258 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT16: Wave 4 Youth Cross-sectional Replicate Weight 16 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 16 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 259-273 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT17: Wave 4 Youth Cross-sectional Replicate Weight 17 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 17 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 274-288 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT18: Wave 4 Youth Cross-sectional Replicate Weight 18 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 18 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 289-303 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT19: Wave 4 Youth Cross-sectional Replicate Weight 19 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 19 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 304-318 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT20: Wave 4 Youth Cross-sectional Replicate Weight 20 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 20 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 319-333 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT21: Wave 4 Youth Cross-sectional Replicate Weight 21 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 21 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 334-348 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT22: Wave 4 Youth Cross-sectional Replicate Weight 22 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 22 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 349-363 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT23: Wave 4 Youth Cross-sectional Replicate Weight 23 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 23 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 364-378 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT24: Wave 4 Youth Cross-sectional Replicate Weight 24 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 24 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 379-393 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT25: Wave 4 Youth Cross-sectional Replicate Weight 25 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 25 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 394-408 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT26: Wave 4 Youth Cross-sectional Replicate Weight 26 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 26 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 409-423 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT27: Wave 4 Youth Cross-sectional Replicate Weight 27 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 27 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 424-438 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT28: Wave 4 Youth Cross-sectional Replicate Weight 28 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 28 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 439-453 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT29: Wave 4 Youth Cross-sectional Replicate Weight 29 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 29 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 454-468 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT30: Wave 4 Youth Cross-sectional Replicate Weight 30 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 30 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 469-483 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT31: Wave 4 Youth Cross-sectional Replicate Weight 31 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 31 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 484-498 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT32: Wave 4 Youth Cross-sectional Replicate Weight 32 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 32 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 499-513 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT33: Wave 4 Youth Cross-sectional Replicate Weight 33 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 33 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 514-528 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT34: Wave 4 Youth Cross-sectional Replicate Weight 34 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 34 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 529-543 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT35: Wave 4 Youth Cross-sectional Replicate Weight 35 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 35 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 544-558 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT36: Wave 4 Youth Cross-sectional Replicate Weight 36 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 36 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 559-573 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT37: Wave 4 Youth Cross-sectional Replicate Weight 37 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 37 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 574-588 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT38: Wave 4 Youth Cross-sectional Replicate Weight 38 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 38 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 589-603 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT39: Wave 4 Youth Cross-sectional Replicate Weight 39 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 39 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 604-618 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT40: Wave 4 Youth Cross-sectional Replicate Weight 40 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 40 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 619-633 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT41: Wave 4 Youth Cross-sectional Replicate Weight 41 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 41 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 634-648 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT42: Wave 4 Youth Cross-sectional Replicate Weight 42 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 42 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 649-663 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT43: Wave 4 Youth Cross-sectional Replicate Weight 43 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 43 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 664-678 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT44: Wave 4 Youth Cross-sectional Replicate Weight 44 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 44 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 679-693 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT45: Wave 4 Youth Cross-sectional Replicate Weight 45 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 45 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 694-708 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT46: Wave 4 Youth Cross-sectional Replicate Weight 46 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 46 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 709-723 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT47: Wave 4 Youth Cross-sectional Replicate Weight 47 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 47 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 724-738 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT48: Wave 4 Youth Cross-sectional Replicate Weight 48 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 48 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 739-753 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT49: Wave 4 Youth Cross-sectional Replicate Weight 49 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 49 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 754-768 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT50: Wave 4 Youth Cross-sectional Replicate Weight 50 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 50 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 769-783 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT51: Wave 4 Youth Cross-sectional Replicate Weight 51 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 51 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 784-798 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT52: Wave 4 Youth Cross-sectional Replicate Weight 52 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 52 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 799-813 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT53: Wave 4 Youth Cross-sectional Replicate Weight 53 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 53 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 814-828 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT54: Wave 4 Youth Cross-sectional Replicate Weight 54 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 54 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 829-843 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT55: Wave 4 Youth Cross-sectional Replicate Weight 55 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 55 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 844-858 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT56: Wave 4 Youth Cross-sectional Replicate Weight 56 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 56 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 859-873 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT57: Wave 4 Youth Cross-sectional Replicate Weight 57 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 57 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 874-888 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT58: Wave 4 Youth Cross-sectional Replicate Weight 58 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 58 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 889-903 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT59: Wave 4 Youth Cross-sectional Replicate Weight 59 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 59 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 904-918 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT60: Wave 4 Youth Cross-sectional Replicate Weight 60 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 60 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 919-933 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT61: Wave 4 Youth Cross-sectional Replicate Weight 61 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 61 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 934-948 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT62: Wave 4 Youth Cross-sectional Replicate Weight 62 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 62 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 949-963 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT63: Wave 4 Youth Cross-sectional Replicate Weight 63 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 63 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 964-978 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT64: Wave 4 Youth Cross-sectional Replicate Weight 64 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 64 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 979-993 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT65: Wave 4 Youth Cross-sectional Replicate Weight 65 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 65 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 994-1008 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT66: Wave 4 Youth Cross-sectional Replicate Weight 66 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 66 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1009-1023 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT67: Wave 4 Youth Cross-sectional Replicate Weight 67 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 67 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1024-1038 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT68: Wave 4 Youth Cross-sectional Replicate Weight 68 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 68 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1039-1053 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT69: Wave 4 Youth Cross-sectional Replicate Weight 69 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 69 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1054-1068 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT70: Wave 4 Youth Cross-sectional Replicate Weight 70 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 70 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1069-1083 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT71: Wave 4 Youth Cross-sectional Replicate Weight 71 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 71 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1084-1098 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT72: Wave 4 Youth Cross-sectional Replicate Weight 72 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 72 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1099-1113 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT73: Wave 4 Youth Cross-sectional Replicate Weight 73 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 73 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1114-1128 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT74: Wave 4 Youth Cross-sectional Replicate Weight 74 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 74 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1129-1143 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT75: Wave 4 Youth Cross-sectional Replicate Weight 75 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 75 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1144-1158 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT76: Wave 4 Youth Cross-sectional Replicate Weight 76 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 76 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1159-1173 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT77: Wave 4 Youth Cross-sectional Replicate Weight 77 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 77 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1174-1188 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT78: Wave 4 Youth Cross-sectional Replicate Weight 78 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 78 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1189-1203 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT79: Wave 4 Youth Cross-sectional Replicate Weight 79 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 79 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1204-1218 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT80: Wave 4 Youth Cross-sectional Replicate Weight 80 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 80 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1219-1233 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT81: Wave 4 Youth Cross-sectional Replicate Weight 81 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 81 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1234-1248 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT82: Wave 4 Youth Cross-sectional Replicate Weight 82 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 82 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1249-1263 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT83: Wave 4 Youth Cross-sectional Replicate Weight 83 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 83 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1264-1278 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT84: Wave 4 Youth Cross-sectional Replicate Weight 84 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 84 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1279-1293 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT85: Wave 4 Youth Cross-sectional Replicate Weight 85 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 85 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1294-1308 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT86: Wave 4 Youth Cross-sectional Replicate Weight 86 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 86 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1309-1323 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT87: Wave 4 Youth Cross-sectional Replicate Weight 87 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 87 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1324-1338 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT88: Wave 4 Youth Cross-sectional Replicate Weight 88 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 88 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1339-1353 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT89: Wave 4 Youth Cross-sectional Replicate Weight 89 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 89 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1354-1368 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT90: Wave 4 Youth Cross-sectional Replicate Weight 90 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 90 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1369-1383 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT91: Wave 4 Youth Cross-sectional Replicate Weight 91 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 91 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1384-1398 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT92: Wave 4 Youth Cross-sectional Replicate Weight 92 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 92 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1399-1413 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT93: Wave 4 Youth Cross-sectional Replicate Weight 93 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 93 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1414-1428 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT94: Wave 4 Youth Cross-sectional Replicate Weight 94 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 94 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1429-1443 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT95: Wave 4 Youth Cross-sectional Replicate Weight 95 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 95 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1444-1458 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT96: Wave 4 Youth Cross-sectional Replicate Weight 96 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 96 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1459-1473 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT97: Wave 4 Youth Cross-sectional Replicate Weight 97 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 97 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1474-1488 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT98: Wave 4 Youth Cross-sectional Replicate Weight 98 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 98 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1489-1503 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT99: Wave 4 Youth Cross-sectional Replicate Weight 99 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 99 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1504-1518 (width: 15; decimal: 9)

Variable Type: numeric

R04_Y_C04WGT100: Wave 4 Youth Cross-sectional Replicate Weight 100 for the Wave 4 Cohort

Wave 4 youth cross-sectional replicate weight 100 for variance estimation for the Wave 4 cohort created using balanced repeated replication with a Fay's adjustment factor of 0.3.

This variable has 14,793 valid cases out of 14,793 total cases.

Location: 1519-1533 (width: 15; decimal: 9)

Variable Type: numeric