

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

ICPSR Codebook for Wave 4: All
Participants - Ever/Never Reference
Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

CODEBOOK DISPLAY NOTES
PATH STUDY
EVER/NEVER REFERENCE DATA
ICPSR #36498-4503

1. ICPSR customized the display of variables in this codebook. Most variables contain a frequency table displaying value labels and unweighted counts. Some variables do not show either a frequency table or summary statistics. These are variables for which univariate statistics are not meaningful, such as CASEID and PERSONID.

2. Each variable contains the following statement:

“This variable has XXXXX valid cases out of XXXXX total cases.”

This statement describes the number of valid cases for a variable that would be used in the calculation of percentages in the frequency tables.

3. The codebook provides frequency tables for valid and missing values. The displayed percentages are rounded to one decimal place. Due to rounding, not all individual percentages in the sub-tables sum exactly to the total. Likewise, the total percentages when combined may not sum to 100%
4. Users should consult section 6.7 of the Public-Use Files User Guide for further information about Missing Values. All missing values correspond to the descriptions listed in the following table.

PATH Study Missing Value Codes and Their Descriptions

Value	Definition	Applicable data types	Applicable variable types	Description
-1	Inapplicable	Numeric, Character	Interview	This value is coded to identify items that were validly skipped on a route specific to a respondent.
-5	Improbable response removed	Numeric	Interview	This value is coded to represent improbable numeric answers provided by respondents.
-6	Unassigned PERSONID	Character	Interview	This value is coded when a new person is added as a spouse or other guardian in parent interviews for Wave 2 and beyond.
-7	Refused	Numeric, Character	Interview	This value is coded when respondents answered a question as "Refused."
-8	Don't know	Numeric, Character	Interview	This value is coded when respondents answered a question as "Don't know."
-9	Missing – Not ascertained	Numeric, Character	Interview	This value is coded when data were supposed to be collected on a route specific to a respondent but the collection did not occur due to a skip error in the instrument.
-99933	Missing due to respondent not being in previous wave	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because a respondent did not participate in an interview in the previous wave.
-99999	Missing due to data not ascertained on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because data were "Not ascertained" (as described above) in one or more component variables.
-99988	Missing due to a don't know response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Don't know" response in one or more component variables and none of those variables were "Not ascertained" (as described above).
-99977	Missing due to a refused response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Refused" response in one or more component variables and none of those variables were missing due to a "Don't know" response or because they were "Not ascertained" (as described above).
-99955	Missing due to an improbable response on one or more component variables	Numeric	Derived	This value is coded when a value in a derived variable is missing due to an improbable response in one or more component variables and none of those variables were missing due to "Don't know" or "Refused" responses or because they were "Not ascertained" (as described above).

-99966	Missing due to missing data on a prior wave for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because of missing data in one or more component variables from any previous wave and none of those variables were missing due to “Don’t know” or “Refused” responses, because they were “Not ascertained,” or because of an improbable response (as described above).
-99911	Missing due to an instrument skip pattern for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to items that are not applicable/validly skipped for a respondent in one or more component variables and none of those variables were missing due to the other reasons listed above.
-97777	Missing due to data removed per respondent request	Numeric, Character	Interview, Derived	This value is coded when respondents request data removal.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 4: All Participants - Ever/Never Reference Data

CASEID: Case Identification Number

Case Identification Number

This variable has 67,276 valid cases out of 67,276 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

PERSONID: Participant ID

Long Description: Participant ID Number

This variable has 67,276 valid cases out of 67,276 total cases.

Location: 6-15 (width: 10; decimal: 0)

Variable Type: character

R04M_SKIPPED_WAVE: MARKER - Flag Variable for Respondents who Skipped Any Wave

Long Description: Respondents who have skipped Wave 2, Wave 3 or Wave 4 and had completed a baseline adult or baseline youth interview prior to the skipped wave.

Algorithm: IF (WAVE1_INTERVIEW IN (1,2) AND (WAVE2_INTERVIEW = 9 OR WAVE3_INTERVIEW = 9 OR WAVE4_INTERVIEW = 9)) OR (WAVE2_INTERVIEW = 2 AND (WAVE3_INTERVIEW = 9 OR WAVE4_INTERVIEW = 9)) OR (WAVE3_INTERVIEW = 2 AND WAVE4_INTERVIEW = 9) THEN R04M_SKIPPED_WAVE = 1; ELSE IF (WAVE1_INTERVIEW IN (1,2,3) AND WAVE2_INTERVIEW IN (1,2,3) AND WAVE3_INTERVIEW IN (1,2,3) AND WAVE4_INTERVIEW IN (1,2,3)) OR (WAVE1_INTERVIEW = 3 AND (WAVE2_INTERVIEW IN (3,9) OR WAVE3_INTERVIEW IN (3,9))) OR (WAVE1_INTERVIEW = 0 AND WAVE4_INTERVIEW IN (1,2,3)) THEN R04M_SKIPPED_WAVE = 2;

Value	Label	Unweighted Frequency	%
1	1 = Yes	15017	22.3 %
2	2 = No	52259	77.7 %
	Total	67,276	100.0%

This variable has 67,276 valid cases out of 67,276 total cases.

Location: 16-16 (width: 1; decimal: 0)

Variable Type: numeric

R04M_STATUS: MARKER - Respondent Status as of Wave 4

Long Description: Respondent's cohort and wave status as of the last wave he/she participated in.

Algorithm: IF WAVE1_INTERVIEW IN (0,3) AND WAVE2_INTERVIEW IN (0,3,9) AND WAVE3_INTERVIEW IN (0,3,9) AND WAVE4_INTERVIEW IN (3,9) THEN R04M_STATUS = 0; ELSE IF WAVE1_INTERVIEW = 1 AND WAVE2_INTERVIEW = 9

AND WAVE3_INTERVIEW = 9 AND WAVE4_INTERVIEW = 9 THEN R04M_STATUS = 1;
 ELSE IF WAVE1_INTERVIEW = 2 AND WAVE2_INTERVIEW = 9 AND
 WAVE3_INTERVIEW = 9 AND WAVE4_INTERVIEW = 9 THEN R04M_STATUS = 2;
 ELSE IF WAVE1_INTERVIEW IN (1,2) AND WAVE2_INTERVIEW = 1 AND
 WAVE3_INTERVIEW = 9 AND WAVE4_INTERVIEW = 9 THEN R04M_STATUS = 3;
 ELSE IF WAVE1_INTERVIEW IN (2,3) AND WAVE2_INTERVIEW = 2 AND
 WAVE3_INTERVIEW = 9 AND WAVE4_INTERVIEW = 9 THEN R04M_STATUS = 4;
 ELSE IF WAVE1_INTERVIEW IN (1,2,3) AND WAVE2_INTERVIEW IN (1,2,9) AND
 WAVE3_INTERVIEW = 1 AND WAVE4_INTERVIEW = 9 THEN R04M_STATUS = 5;
 ELSE IF WAVE1_INTERVIEW IN (2,3) AND WAVE2_INTERVIEW IN (2,3,9) AND
 WAVE3_INTERVIEW = 2 AND WAVE4_INTERVIEW = 9 THEN R04M_STATUS = 6;
 ELSE IF WAVE1_INTERVIEW IN (0,1,2,3) AND WAVE2_INTERVIEW IN (0,1,2,9)
 AND WAVE3_INTERVIEW IN (0,1,2,9) AND WAVE4_INTERVIEW = 1 THEN
 R04M_STATUS = 7; ELSE IF WAVE1_INTERVIEW IN (0,2,3) AND
 WAVE2_INTERVIEW IN (0,2,3,9) AND WAVE3_INTERVIEW IN (0,2,3,9) AND
 WAVE4_INTERVIEW = 2 THEN R04M_STATUS = 8;

Value	Label	Unweighted Frequency	%
0	0 = Shadow youth	5670	8.4 %
1	1 = Wave 1 adult	4832	7.2 %
2	2 = Wave 1 youth	1186	1.8 %
3	3 = Wave 2 adult	2358	3.5 %
4	4 = Wave 2 youth	632	0.9 %
5	5 = Wave 3 adult	3095	4.6 %
6	6 = Wave 3 youth	883	1.3 %
7	7 = Wave 4 adult	33822	50.3 %
8	8 = Wave 4 youth	14798	22.0 %
	Total	67,276	100.0%

This variable has 67,276 valid cases out of 67,276 total cases.

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric

R04M_EVR_CIGS: MARKER - Ever Cigarette User as of Wave 4

Long Description: Respondent has ever used a cigarette as of the last wave he/she participated in.

Algorithm: IF R01R_A_NVR_CIGS = 2 OR R01R_Y_EVR_CIGS = 1 OR
 R02R_A_EVR_CIGS = 1 OR R02R_Y_EVR_CIGS = 1 OR R03R_A_EVR_CIGS = 1 OR
 R03R_Y_EVR_CIGS = 1 OR R04R_A_EVR_CIGS = 1 OR R04R_Y_EVR_CIGS = 1
 THEN R04M_EVR_CIGS = 1; ELSE IF (R04R_A_EVR_CIGS = 2 AND
 R04M_STATUS = 7) OR (R04R_Y_EVR_CIGS = 2 AND R04M_STATUS = 8) OR
 (R03R_A_EVR_CIGS = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_CIGS = 2 AND
 R04M_STATUS = 6) OR (R02R_A_EVR_CIGS = 2 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_CIGS = 2 AND R04M_STATUS = 4) OR (R01R_A_NVR_CIGS = 1 AND
 R04M_STATUS = 1) OR (R01R_Y_EVR_CIGS = 2 AND R04M_STATUS = 2) THEN
 R04M_EVR_CIGS = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_CIGS =
 -99933; ELSE IF (R04R_A_EVR_CIGS = -99999 AND R04M_STATUS = 7) OR
 (R04R_Y_EVR_CIGS = -99999 AND R04M_STATUS = 8) OR
 (R03R_A_EVR_CIGS = -99999 AND R04M_STATUS = 5) OR

(R03R_Y_EVR_CIGS = -99999 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_CIGS = -99999 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_CIGS = -99999 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_CIGS = -99999 AND R04M_STATUS = 1) OR
 (R01R_Y_EVR_CIGS = -99999 AND R04M_STATUS = 2) THEN
 R04M_EVR_CIGS = -99999; ELSE IF (R04R_A_EVR_CIGS = -99988 AND
 R04M_STATUS = 7) OR (R04R_Y_EVR_CIGS = -99988 AND R04M_STATUS = 8) OR
 (R03R_A_EVR_CIGS = -99988 AND R04M_STATUS = 5) OR (R03R_Y_EVR_CIGS =
 -99988 AND R04M_STATUS = 6) OR (R02R_A_EVR_CIGS = -99988 AND
 R04M_STATUS = 3) OR (R02R_Y_EVR_CIGS = -99988 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_CIGS = -99988 AND R04M_STATUS = 1) OR (R01R_Y_EVR_CIGS =
 -99988 AND R04M_STATUS = 2) THEN R04M_EVR_CIGS = -99988; ELSE IF
 (R04R_A_EVR_CIGS = -99977 AND R04M_STATUS = 7) OR (R04R_Y_EVR_CIGS =
 -99977 AND R04M_STATUS = 8) OR (R03R_A_EVR_CIGS = -99977 AND
 R04M_STATUS = 5) OR (R03R_Y_EVR_CIGS = -99977 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_CIGS = -99977 AND R04M_STATUS = 3) OR (R02R_Y_EVR_CIGS =
 -99977 AND R04M_STATUS = 4) OR (R01R_A_NVR_CIGS = -99977 AND
 R04M_STATUS = 1) OR (R01R_Y_EVR_CIGS = -99977 AND R04M_STATUS = 2)
 THEN R04M_EVR_CIGS = -99977; ELSE IF (R04R_A_EVR_CIGS = -99966 AND
 R04M_STATUS = 7) OR (R04R_Y_EVR_CIGS = -99966 AND R04M_STATUS = 8) OR
 (R03R_A_EVR_CIGS = -99966 AND R04M_STATUS = 5) OR (R03R_Y_EVR_CIGS =
 -99966 AND R04M_STATUS = 6) OR (R02R_A_EVR_CIGS = -99966 AND
 R04M_STATUS = 3) OR (R02R_Y_EVR_CIGS = -99966 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_CIGS = -99966 AND R04M_STATUS = 1) OR (R01R_Y_EVR_CIGS =
 -99966 AND R04M_STATUS = 2) THEN R04M_EVR_CIGS = -99966; ELSE IF
 (R04R_A_EVR_CIGS = -99911 AND R04M_STATUS = 7) OR (R04R_Y_EVR_CIGS =
 -99911 AND R04M_STATUS = 8) OR (R03R_A_EVR_CIGS = -99911 AND
 R04M_STATUS = 5) OR (R03R_Y_EVR_CIGS = -99911 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_CIGS = -99911 AND R04M_STATUS = 3) OR (R02R_Y_EVR_CIGS =
 -99911 AND R04M_STATUS = 4) OR (R01R_A_NVR_CIGS = -99911 AND
 R04M_STATUS = 1) OR (R01R_Y_EVR_CIGS = -99911 AND R04M_STATUS = 2)
 THEN R04M_EVR_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	34045	50.6 %
2	2 = No	26661	39.6 %
	Total	60,706	90.2%

This variable has 60,706 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	864	1.3 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	6,570	9.8%

Percentages for both tables are based on 67,276 total cases.

Location: 18-23 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_THRSH_CIGS: MARKER - Ever Cigarette Lifetime Threshold of Use as of Wave 4

Long Description: Respondent has ever smoked 100 or more cigarettes in his/her lifetime as of the last wave he/she participated in.

Algorithm: IF R01R_A_EVR_THRSH_CIGS = 1 OR R01R_Y_EVR_THRSH_CIGS = 1
OR R02R_A_EVR_THRSH_CIGS = 1 OR R02R_Y_EVR_THRSH_CIGS = 1 OR
R03R_A_THRSHLD_CIGS = 1 OR R03R_Y_EVR_THRSH_CIGS = 1 OR
R04R_A_EVR_THRSH_CIGS = 1 OR R04R_Y_EVR_THRSH_CIGS = 1 THEN
R04M_EVR_THRSH_CIGS = 1; ELSE IF (R04R_A_EVR_THRSH_CIGS = 2 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_CIGS = 2 AND R04M_STATUS = 8)
OR (R03R_A_THRSHLD_CIGS = 2 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_THRSH_CIGS = 2 AND R04M_STATUS = 6) OR
(R02R_A_EVR_THRSH_CIGS = 2 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_CIGS = 2 AND R04M_STATUS = 4) OR
(R01R_A_EVR_THRSH_CIGS = 2 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_THRSH_CIGS = 2 AND R04M_STATUS = 2) THEN
R04M_EVR_THRSH_CIGS = 2; ELSE IF R04M_STATUS = 0 THEN
R04M_EVR_THRSH_CIGS = -99933; ELSE IF (R04R_A_EVR_THRSH_CIGS = -99999
AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_CIGS = -99999 AND
R04M_STATUS = 8) OR (R03R_A_THRSHLD_CIGS = -99999 AND R04M_STATUS =
5) OR (R03R_Y_EVR_THRSH_CIGS = -99999 AND R04M_STATUS = 6) OR
(R02R_A_EVR_THRSH_CIGS = -99999 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_CIGS = -99999 AND R04M_STATUS = 4) OR
(R01R_A_EVR_THRSH_CIGS = -99999 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_THRSH_CIGS = -99999 AND R04M_STATUS = 2) THEN
R04M_EVR_THRSH_CIGS = -99999; ELSE IF (R04R_A_EVR_THRSH_CIGS = -99988
AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_CIGS = -99988 AND
R04M_STATUS = 8) OR (R03R_A_THRSHLD_CIGS = -99988 AND R04M_STATUS =
5) OR (R03R_Y_EVR_THRSH_CIGS = -99988 AND R04M_STATUS = 6) OR
(R02R_A_EVR_THRSH_CIGS = -99988 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_CIGS = -99988 AND R04M_STATUS = 4) OR
(R01R_A_EVR_THRSH_CIGS = -99988 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_THRSH_CIGS = -99988 AND R04M_STATUS = 2) THEN
R04M_EVR_THRSH_CIGS = -99988; ELSE IF (R04R_A_EVR_THRSH_CIGS = -99977
AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_CIGS = -99977 AND
R04M_STATUS = 8) OR (R03R_A_THRSHLD_CIGS = -99977 AND
R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_CIGS = -99977 AND
R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_CIGS = -99977 AND
R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_CIGS = -99977 AND
R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_CIGS = -99977 AND
R04M_STATUS = 1) OR (R01R_Y_EVR_THRSH_CIGS = -99977 AND
R04M_STATUS = 2) THEN R04M_EVR_THRSH_CIGS = -99977; ELSE IF
(R04R_A_EVR_THRSH_CIGS = -99966 AND R04M_STATUS = 7) OR
(R04R_Y_EVR_THRSH_CIGS = -99966 AND R04M_STATUS = 8) OR
(R03R_A_THRSHLD_CIGS = -99966 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_THRSH_CIGS = -99966 AND R04M_STATUS = 6) OR

(R02R_A_EVR_THRSH_CIGS = -99966 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_CIGS = -99966 AND R04M_STATUS = 4) THEN
R04M_EVR_THRSH_CIGS = -99966; ELSE IF (R04R_A_EVR_THRSH_CIGS = -99911
AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_CIGS = -99911 AND
R04M_STATUS = 8) OR (R03R_A_THRSHLD_CIGS = -99911 AND
R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_CIGS = -99911 AND
R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_CIGS = -99911 AND
R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_CIGS = -99911 AND
R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_CIGS = -99911 AND
R04M_STATUS = 1) OR (R01R_Y_EVR_THRSH_CIGS = -99911 AND
R04M_STATUS = 2) THEN R04M_EVR_THRSH_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	21784	32.4 %
2	2 = No	36654	54.5 %
	Total	58,438	86.9%

This variable has 58,438 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	14	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	209	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	113	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	864	1.3 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1961	2.9 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	8,838	13.1%

Percentages for both tables are based on 67,276 total cases.

Location: 24-29 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_ECIG: MARKER - Ever E-Cigarette User as of Wave 4

Long Description: Respondent has ever used an e-cigarette as of the last wave he/she participated in.

Algorithm: IF R01R_A_NVR_ECIG = 2 OR R01R_Y_EVR_ECIG = 1 OR
R02R_A_EVR_ECIG IN (1,3) OR R02R_Y_EVR_ECIG IN (1, 3) OR
R03R_A_EVR_ECIG = 1 OR R03R_Y_EVR_ECIG = 1 OR R04R_A_EVR_ECIG = 1 OR
R04R_Y_EVR_ECIG = 1 THEN R04M_EVR_ECIG = 1; ELSE IF
(R04R_A_EVR_ECIG = 2 AND R04M_STATUS = 7) OR (R04R_Y_EVR_ECIG = 2 AND
R04M_STATUS = 8) OR (R03R_A_EVR_ECIG = 2 AND R04M_STATUS = 5) OR

(R03R_Y_EVR_ECIG = 2 AND R04M_STATUS = 6) OR (R02R_A_EVR_ECIG = 2 AND R04M_STATUS = 3) OR (R02R_Y_EVR_ECIG = 2 AND R04M_STATUS = 4) OR (R01R_A_NVR_ECIG = 1 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG = 2 AND R04M_STATUS = 2) THEN R04M_EVR_ECIG = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_ECIG = -99933; ELSE IF (R04R_A_EVR_ECIG = -99999 AND R04M_STATUS = 7) OR (R04R_Y_EVR_ECIG = -99999 AND R04M_STATUS = 8) OR (R03R_A_EVR_ECIG = -99999 AND R04M_STATUS = 5) OR (R03R_Y_EVR_ECIG = -99999 AND R04M_STATUS = 6) OR (R02R_A_EVR_ECIG = -99999 AND R04M_STATUS = 3) OR (R02R_Y_EVR_ECIG = -99999 AND R04M_STATUS = 4) OR (R01R_A_NVR_ECIG = -99999 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG = -99999 AND R04M_STATUS = 2) THEN R04M_EVR_ECIG = -99999; ELSE IF (R04R_A_EVR_ECIG = -99988 AND R04M_STATUS = 7) OR (R04R_Y_EVR_ECIG = -99988 AND R04M_STATUS = 8) OR (R03R_A_EVR_ECIG = -99988 AND R04M_STATUS = 5) OR (R03R_Y_EVR_ECIG = -99988 AND R04M_STATUS = 6) OR (R02R_A_EVR_ECIG = -99988 AND R04M_STATUS = 3) OR (R02R_Y_EVR_ECIG = -99988 AND R04M_STATUS = 4) OR (R01R_A_NVR_ECIG = -99988 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG = -99988 AND R04M_STATUS = 2) THEN R04M_EVR_ECIG = -99988; ELSE IF (R04R_A_EVR_ECIG = -99977 AND R04M_STATUS = 7) OR (R04R_Y_EVR_ECIG = -99977 AND R04M_STATUS = 8) OR (R03R_A_EVR_ECIG = -99977 AND R04M_STATUS = 5) OR (R03R_Y_EVR_ECIG = -99977 AND R04M_STATUS = 6) OR (R02R_A_EVR_ECIG = -99977 AND R04M_STATUS = 3) OR (R02R_Y_EVR_ECIG = -99977 AND R04M_STATUS = 4) OR (R01R_A_NVR_ECIG = -99977 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG = -99977 AND R04M_STATUS = 2) THEN R04M_EVR_ECIG = -99977; ELSE IF (R04R_A_EVR_ECIG = -99966 AND R04M_STATUS = 7) OR (R04R_Y_EVR_ECIG = -99966 AND R04M_STATUS = 8) OR (R03R_A_EVR_ECIG = -99966 AND R04M_STATUS = 5) OR (R03R_Y_EVR_ECIG = -99966 AND R04M_STATUS = 6) OR (R02R_A_EVR_ECIG = -99966 AND R04M_STATUS = 3) OR (R02R_Y_EVR_ECIG = -99966 AND R04M_STATUS = 4) OR (R01R_A_NVR_ECIG = -99966 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG = -99966 AND R04M_STATUS = 2) THEN R04M_EVR_ECIG = -99966; ELSE IF (R04R_A_EVR_ECIG = -99911 AND R04M_STATUS = 7) OR (R04R_Y_EVR_ECIG = -99911 AND R04M_STATUS = 8) OR (R03R_A_EVR_ECIG = -99911 AND R04M_STATUS = 5) OR (R03R_Y_EVR_ECIG = -99911 AND R04M_STATUS = 6) OR (R02R_A_EVR_ECIG = -99911 AND R04M_STATUS = 3) OR (R02R_Y_EVR_ECIG = -99911 AND R04M_STATUS = 4) OR (R01R_A_NVR_ECIG = -99911 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG = -99911 AND R04M_STATUS = 2) THEN R04M_EVR_ECIG = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	21281	31.6 %
2	2 = No	38576	57.3 %
	Total	59,857	89.0%

This variable has 59,857 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	99	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	72	0.1 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1570	2.3 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	7,419	11.0%

Percentages for both tables are based on 67,276 total cases.

Location: 30-35 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_EPRODS: MARKER - Ever E-Product User as of Wave 4

Long Description: Respondent has ever used an electronic nicotine product as of the last wave he/she participated in.

Algorithm: IF R01R_A_NVR_ECIG = 2 OR R01R_Y_EVR_ECIG = 1 OR
R02R_A_EVR_EPRODS IN (1,3) OR R02R_Y_EVR_EPRODS IN (1,3) OR
R03R_A_EVR_EPRODS = 1 OR R03R_Y_EVR_EPRODS = 1 OR
R04R_A_EVR_EPRODS = 1 OR R04R_Y_EVR_EPRODS = 1 THEN
R04M_EVR_EPRODS = 1; ELSE IF (R04R_A_EVR_EPRODS = 2 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_EPRODS = 2 AND R04M_STATUS = 8) OR
(R03R_A_EVR_EPRODS = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_EPRODS = 2
AND R04M_STATUS = 6) OR (R02R_A_EVR_EPRODS = 2 AND R04M_STATUS = 3)
OR (R02R_Y_EVR_EPRODS = 2 AND R04M_STATUS = 4) OR
(R01R_A_NVR_ECIG = 1 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG = 2 AND
R04M_STATUS = 2) THEN R04M_EVR_EPRODS = 2; ELSE IF R04M_STATUS = 0
THEN R04M_EVR_EPRODS = -99933; ELSE IF (R04R_A_EVR_EPRODS = -99999
AND R04M_STATUS = 7) OR (R04R_Y_EVR_EPRODS = -99999 AND
R04M_STATUS = 8) OR (R03R_A_EVR_EPRODS = -99999 AND R04M_STATUS = 5)
OR (R03R_Y_EVR_EPRODS = -99999 AND R04M_STATUS = 6) OR
(R02R_A_EVR_EPRODS = -99999 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_EPRODS = -99999 AND R04M_STATUS = 4) OR
(R01R_A_NVR_ECIG = -99999 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG =
-99999 AND R04M_STATUS = 2) THEN R04M_EVR_EPRODS = -99999; ELSE IF
(R04R_A_EVR_EPRODS = -99988 AND R04M_STATUS = 7) OR
(R04R_Y_EVR_EPRODS = -99988 AND R04M_STATUS = 8) OR
(R03R_A_EVR_EPRODS = -99988 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_EPRODS = -99988 AND R04M_STATUS = 6) OR
(R02R_A_EVR_EPRODS = -99988 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_EPRODS = -99988 AND R04M_STATUS = 4) OR
(R01R_A_NVR_ECIG = -99988 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG =
-99988 AND R04M_STATUS = 2) THEN R04M_EVR_EPRODS = -99988; ELSE IF
(R04R_A_EVR_EPRODS = -99977 AND R04M_STATUS = 7) OR
(R04R_Y_EVR_EPRODS = -99977 AND R04M_STATUS = 8) OR
(R03R_A_EVR_EPRODS = -99977 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_EPRODS = -99977 AND R04M_STATUS = 6) OR
(R02R_A_EVR_EPRODS = -99977 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_EPRODS = -99977 AND R04M_STATUS = 4) OR
(R01R_A_NVR_ECIG = -99977 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG =
-99977 AND R04M_STATUS = 2) THEN R04M_EVR_EPRODS = -99977; ELSE IF

(R04R_A_EVR_EPRODS = -99966 AND R04M_STATUS = 7) OR
 (R04R_Y_EVR_EPRODS = -99966 AND R04M_STATUS = 8) OR
 (R03R_A_EVR_EPRODS = -99966 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_EPRODS = -99966 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_EPRODS = -99966 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_EPRODS = -99966 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_ECIG = -99966 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG =
 -99966 AND R04M_STATUS = 2) THEN R04M_EVR_EPRODS = -99966; ELSE IF
 (R04R_A_EVR_EPRODS = -99911 AND R04M_STATUS = 7) OR
 (R04R_Y_EVR_EPRODS = -99911 AND R04M_STATUS = 8) OR
 (R03R_A_EVR_EPRODS = -99911 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_EPRODS = -99911 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_EPRODS = -99911 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_EPRODS = -99911 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_ECIG = -99911 AND R04M_STATUS = 1) OR (R01R_Y_EVR_ECIG =
 -99911 AND R04M_STATUS = 2) THEN R04M_EVR_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	23118	34.4 %
2	2 = No	36990	55.0 %
	Total	60,108	89.3%

This variable has 60,108 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	36	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	28	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1427	2.1 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	7,168	10.7%

Percentages for both tables are based on 67,276 total cases.

Location: 36-41 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_THRSH_EPRODS: MARKER - Ever E-Product Lifetime Threshold of Use as of Wave 4

Long Description: Respondent has ever used e-products fairly regularly as of the last wave he/she participated in.

Algorithm: IF R01R_A_EVR_THRSH_ECIG = 1 OR R02R_A_EVR_THRSH_ECIG = 1 OR R02R_A_EVR_THRSH_EPRODS = 1 OR R02R_Y_EVR_THRSH_ECIG = 1 OR R03R_A_THRSHLD_EPRODS = 1 OR R03R_Y_EVR_THRSH_EPRODS = 1 OR R04R_A_EVR_THRSH_EPRODS = 1 OR R04R_Y_EVR_THRSH_EPRODS = 1 THEN R04M_EVR_THRSH_EPRODS = 1; ELSE IF (R04R_A_EVR_THRSH_EPRODS = 2 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_EPRODS = 2 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_EPRODS = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_EPRODS = 2 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_ECIG = 2 AND R02R_A_EVR_THRSH_EPRODS = 2 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_ECIG = 2 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_ECIG = 2 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_EPRODS = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_THRSH_EPRODS = -99933; ELSE IF (R04R_A_EVR_THRSH_EPRODS = -99999 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_EPRODS = -99999 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_EPRODS = -99999 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_EPRODS = -99999 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_ECIG = -99999 AND R04M_STATUS = 3) OR (R02R_A_EVR_THRSH_EPRODS = -99999 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_ECIG = -99999 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_ECIG = -99999 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_EPRODS = -99999; ELSE IF (R04R_A_EVR_THRSH_EPRODS = -99988 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_EPRODS = -99988 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_EPRODS = -99988 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_EPRODS = -99988 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_ECIG = -99988 AND R04M_STATUS = 3) OR (R02R_A_EVR_THRSH_EPRODS = -99988 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_ECIG = -99988 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_ECIG = -99988 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_EPRODS = -99988; ELSE IF (R04R_A_EVR_THRSH_EPRODS = -99977 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_EPRODS = -99977 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_EPRODS = -99977 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_EPRODS = -99977 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_ECIG = -99977 AND R04M_STATUS = 3) OR (R02R_A_EVR_THRSH_EPRODS = -99977 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_ECIG = -99977 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_ECIG = -99977 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_EPRODS = -99977; ELSE IF (R04R_A_EVR_THRSH_EPRODS = -99966 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_EPRODS = -99966 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_EPRODS = -99966 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_EPRODS = -99966 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_ECIG = -99966 AND R04M_STATUS = 3) OR (R02R_A_EVR_THRSH_EPRODS = -99966 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_ECIG = -99966 AND R04M_STATUS = 4) THEN R04M_EVR_THRSH_EPRODS = -99966; ELSE IF (R04R_A_EVR_THRSH_EPRODS = -99911 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_EPRODS = -99911 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_EPRODS = -99911 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_EPRODS = -99911 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_ECIG = -99911 AND R04M_STATUS = 3) OR (R02R_A_EVR_THRSH_EPRODS = -99911 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_ECIG = -99911 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_ECIG = -99911 AND R04M_STATUS = 1) OR R04M_STATUS = 2 THEN R04M_EVR_THRSH_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6718	10.0 %

Value	Label	Unweighted Frequency	%
2	2 = No	49240	73.2 %
	Total	55,958	83.2%

This variable has 55,958 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	4	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	55	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	42	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1474	2.2 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4066	6.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	11,318	16.8%

Percentages for both tables are based on 67,276 total cases.

Location: 42-47 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_GTRAD: MARKER - Ever Traditional Cigar User as of Wave 3

Long Description: Respondent has ever used a traditional cigar as of the last wave he/she participated in.

Algorithm: IF R01R_A_NVR_GTRAD = 2 OR R01R_Y_EVR_GTRAD = 1 OR R02R_A_EVR_GTRAD = 1 OR R02R_Y_EVR_GTRAD = 1 OR R03R_A_EVR_GTRAD = 1 OR R03R_Y_EVR_GTRAD = 1 OR R04R_A_EVR_GTRAD = 1 OR R04R_Y_EVR_GTRAD = 1 THEN R04M_EVR_GTRAD = 1; ELSE IF (R04R_A_EVR_GTRAD = 2 AND R04M_STATUS = 7) OR (R04R_Y_EVR_GTRAD = 2 AND R04M_STATUS = 8) OR (R03R_A_EVR_GTRAD = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_GTRAD = 2 AND R04M_STATUS = 6) OR (R02R_A_EVR_GTRAD = 2 AND R04M_STATUS = 3) OR (R02R_Y_EVR_GTRAD = 2 AND R04M_STATUS = 4) OR (R01R_A_NVR_GTRAD = 1 AND R04M_STATUS = 1) OR (R01R_Y_EVR_GTRAD = 2 AND R04M_STATUS = 2) THEN R04M_EVR_GTRAD = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_GTRAD = -99933; ELSE IF (R04R_A_EVR_GTRAD = -99999 AND R04M_STATUS = 7) OR (R04R_Y_EVR_GTRAD = -99999 AND R04M_STATUS = 8) OR (R03R_A_EVR_GTRAD = -99999 AND R04M_STATUS = 5) OR (R03R_Y_EVR_GTRAD = -99999 AND R04M_STATUS = 6) OR (R02R_A_EVR_GTRAD = -99999 AND R04M_STATUS = 3) OR (R02R_Y_EVR_GTRAD = -99999 AND R04M_STATUS = 4) OR (R01R_A_NVR_GTRAD = -99999 AND R04M_STATUS = 1) OR (R01R_Y_EVR_GTRAD = -99999 AND R04M_STATUS = 2) THEN R04M_EVR_GTRAD = -99999; ELSE IF (R04R_A_EVR_GTRAD = -99988 AND R04M_STATUS = 7) OR (R04R_Y_EVR_GTRAD = -99988 AND R04M_STATUS = 8) OR

(R03R_A_EVR_GTRAD = -99988 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_GTRAD = -99988 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_GTRAD = -99988 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_GTRAD = -99988 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_GTRAD = -99988 AND R04M_STATUS = 1) OR
 (R01R_Y_EVR_GTRAD = -99988 AND R04M_STATUS = 2) THEN R04M_EVR_GTRAD =
 -99988; ELSE IF (R04R_A_EVR_GTRAD = -99977 AND R04M_STATUS = 7) OR
 (R04R_Y_EVR_GTRAD = -99977 AND R04M_STATUS = 8) OR
 (R03R_A_EVR_GTRAD = -99977 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_GTRAD = -99977 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_GTRAD = -99977 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_GTRAD = -99977 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_GTRAD = -99977 AND R04M_STATUS = 1) OR
 (R01R_Y_EVR_GTRAD = -99977 AND R04M_STATUS = 2) THEN R04M_EVR_GTRAD =
 -99977; ELSE IF (R04R_A_EVR_GTRAD = -99966 AND R04M_STATUS = 7) OR
 (R04R_Y_EVR_GTRAD = -99966 AND R04M_STATUS = 8) OR
 (R03R_A_EVR_GTRAD = -99966 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_GTRAD = -99966 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_GTRAD = -99966 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_GTRAD = -99966 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_GTRAD = -99966 AND R04M_STATUS = 1) OR
 (R01R_Y_EVR_GTRAD = -99966 AND R04M_STATUS = 2) THEN R04M_EVR_GTRAD =
 -99966; ELSE IF (R04R_A_EVR_GTRAD = -99911 AND R04M_STATUS = 7) OR
 (R04R_Y_EVR_GTRAD = -99911 AND R04M_STATUS = 8) OR
 (R03R_A_EVR_GTRAD = -99911 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_GTRAD = -99911 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_GTRAD = -99911 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_GTRAD = -99911 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_GTRAD = -99911 AND R04M_STATUS = 1) OR
 (R01R_Y_EVR_GTRAD = -99911 AND R04M_STATUS = 2) THEN
 R04M_EVR_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	15657	23.3 %
2	2 = No	43531	64.7 %
	Total	59,188	88.0%

This variable has 59,188 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	142	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	57	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2212	3.3 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %

	Missing Data		
	Total	8,088	12.0%

Percentages for both tables are based on 67,276 total cases.

Location: 48-53 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_THRSH_GTRAD: MARKER - Ever Traditional Cigar Lifetime Threshold of Use as of Wave 4

Long Description: Respondent has ever smoked traditional cigars fairly regularly as of the last wave he/she participated in.

Algorithm: IF R01R_A_EVR_THRSH_GTRAD = 1 OR R02R_A_EVR_THRSH_GTRAD = 1 OR R02R_Y_EVR_THRSH_GTRAD = 1 OR R03R_A_THRSHLD_GTRAD = 1 OR R03R_Y_EVR_THRSH_GTRAD = 1 OR R04R_A_EVR_THRSH_GTRAD = 1 OR R04R_Y_EVR_THRSH_GTRAD = 1 THEN R04M_EVR_THRSH_GTRAD = 1; ELSE IF (R04R_A_EVR_THRSH_GTRAD = 2 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GTRAD = 2 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_GTRAD = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_GTRAD = 2 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_GTRAD = 2 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_GTRAD = 2 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_GTRAD = 2 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_GTRAD = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_THRSH_GTRAD = -99933; ELSE IF (R04R_A_EVR_THRSH_GTRAD = -99999 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GTRAD = -99999 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_GTRAD = -99999 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_GTRAD = -99999 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_GTRAD = -99999 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_GTRAD = -99999 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_GTRAD = -99999 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_GTRAD = -99999; ELSE IF (R04R_A_EVR_THRSH_GTRAD = -99988 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GTRAD = -99988 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_GTRAD = -99988 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_GTRAD = -99988 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_GTRAD = -99988 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_GTRAD = -99988 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_GTRAD = -99988 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_GTRAD = -99988; ELSE IF (R04R_A_EVR_THRSH_GTRAD = -99977 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GTRAD = -99977 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_GTRAD = -99977 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_GTRAD = -99977 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_GTRAD = -99977 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_GTRAD = -99977 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_GTRAD = -99977 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_GTRAD = -99977; ELSE IF (R04R_A_EVR_THRSH_GTRAD = -99966 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GTRAD = -99966 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_GTRAD = -99966 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_GTRAD = -99966 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_GTRAD = -99966 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_GTRAD = -99966 AND R04M_STATUS = 4) THEN R04M_EVR_THRSH_GTRAD = -99966; ELSE IF (R04R_A_EVR_THRSH_GTRAD =

-99911 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GTRAD = -99911 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_GTRAD = -99911 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_GTRAD = -99911 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_GTRAD = -99911 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_GTRAD = -99911 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_GTRAD = -99911 AND R04M_STATUS = 1) OR R04M_STATUS = 2 THEN R04M_EVR_THRSH_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2780	4.1 %
2	2 = No	53393	79.4 %
	Total	56,173	83.5%

This variable has 56,173 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	13	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	123	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	61	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2212	3.3 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	3017	4.5 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	11,103	16.5%

Percentages for both tables are based on 67,276 total cases.

Location: 54-59 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_GRILLO: MARKER - Ever Cigarillo User as of Wave 4

Long Description: Respondent has ever used a cigarillo as of the last wave he/she participated in.

Algorithm: IF R01R_A_NVR_GRILLO = 2 OR R01R_Y_EVR_GRILLO = 1 OR R02R_A_EVR_GRILLO = 1 OR R02R_Y_EVR_GRILLO = 1 OR R03R_A_EVR_GRILLO = 1 OR R03R_Y_EVR_GRILLO = 1 OR R04R_A_EVR_GRILLO = 1 OR R04R_Y_EVR_GRILLO = 1 THEN R04M_EVR_GRILLO = 1; ELSE IF (R04R_A_EVR_GRILLO = 2 AND R04M_STATUS = 7) OR (R04R_Y_EVR_GRILLO = 2 AND R04M_STATUS = 8) OR (R03R_A_EVR_GRILLO = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_GRILLO = 2 AND R04M_STATUS = 6) OR (R02R_A_EVR_GRILLO = 2 AND R04M_STATUS = 3) OR (R02R_Y_EVR_GRILLO = 2 AND R04M_STATUS = 4) OR (R01R_A_NVR_GRILLO = 1 AND R04M_STATUS = 1) OR (R01R_Y_EVR_GRILLO = 2 AND R04M_STATUS = 2) THEN

R04M_EVR_GRILLO = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_GRILLO =
 -99933; ELSE IF (R04R_A_EVR_GRILLO = -99999 AND R04M_STATUS = 7) OR
 (R04R_Y_EVR_GRILLO = -99999 AND R04M_STATUS = 8) OR
 (R03R_A_EVR_GRILLO = -99999 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_GRILLO = -99999 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_GRILLO = -99999 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_GRILLO = -99999 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_GRILLO = -99999 AND R04M_STATUS = 1) OR
 (R01R_Y_EVR_GRILLO = -99999 AND R04M_STATUS = 2) THEN
 R04M_EVR_GRILLO = -99999; ELSE IF (R04R_A_EVR_GRILLO = -99988 AND
 R04M_STATUS = 7) OR (R04R_Y_EVR_GRILLO = -99988 AND R04M_STATUS = 8)
 OR (R03R_A_EVR_GRILLO = -99988 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_GRILLO = -99988 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_GRILLO = -99988 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_GRILLO = -99988 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_GRILLO = -99988 AND R04M_STATUS = 1) OR
 (R01R_Y_EVR_GRILLO = -99988 AND R04M_STATUS = 2) THEN
 R04M_EVR_GRILLO = -99988; ELSE IF (R04R_A_EVR_GRILLO = -99977 AND
 R04M_STATUS = 7) OR (R04R_Y_EVR_GRILLO = -99977 AND R04M_STATUS = 8)
 OR (R03R_A_EVR_GRILLO = -99977 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_GRILLO = -99977 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_GRILLO = -99977 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_GRILLO = -99977 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_GRILLO = -99977 AND R04M_STATUS = 1) OR
 (R01R_Y_EVR_GRILLO = -99977 AND R04M_STATUS = 2) THEN
 R04M_EVR_GRILLO = -99977; ELSE IF (R04R_A_EVR_GRILLO = -99966 AND
 R04M_STATUS = 7) OR (R04R_Y_EVR_GRILLO = -99966 AND R04M_STATUS = 8)
 OR (R03R_A_EVR_GRILLO = -99966 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_GRILLO = -99966 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_GRILLO = -99966 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_GRILLO = -99966 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_GRILLO = -99966 AND R04M_STATUS = 1) OR
 (R01R_Y_EVR_GRILLO = -99966 AND R04M_STATUS = 2) THEN
 R04M_EVR_GRILLO = -99966; ELSE IF (R04R_A_EVR_GRILLO = -99911 AND
 R04M_STATUS = 7) OR (R04R_Y_EVR_GRILLO = -99911 AND R04M_STATUS = 8)
 OR (R03R_A_EVR_GRILLO = -99911 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_GRILLO = -99911 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_GRILLO = -99911 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_GRILLO = -99911 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_GRILLO = -99911 AND R04M_STATUS = 1) OR
 (R01R_Y_EVR_GRILLO = -99911 AND R04M_STATUS = 2) THEN
 R04M_EVR_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	19623	29.2 %
2	2 = No	39227	58.3 %
	Total	58,850	87.5%

This variable has 58,850 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	215	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	98	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2436	3.6 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	8,426	12.5%

Percentages for both tables are based on 67,276 total cases.

Location: 60-65 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_THRSH_GRILLO: MARKER - Ever Cigarillo Lifetime Threshold of Use as of Wave 4

Long Description: Respondent has ever smoked cigarillos fairly regularly as of the last wave he/she participated in.

Algorithm: IF R01R_A_EVR_THRSH_GRILLO = 1 OR
R02R_A_EVR_THRSH_GRILLO = 1 OR R02R_Y_EVR_THRSH_GRILLO = 1 OR
R03R_A_THRSHLD_GRILLO = 1 OR R03R_Y_EVR_THRSH_GRILLO = 1 OR
R04R_A_EVR_THRSH_GRILLO = 1 OR R04R_Y_EVR_THRSH_GRILLO = 1 THEN
R04M_EVR_THRSH_GRILLO = 1; ELSE IF (R04R_A_EVR_THRSH_GRILLO = 2 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GRILLO = 2 AND R04M_STATUS = 8)
OR (R03R_A_THRSHLD_GRILLO = 2 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_THRSH_GRILLO = 2 AND R04M_STATUS = 6) OR
(R02R_A_EVR_THRSH_GRILLO = 2 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_GRILLO = 2 AND R04M_STATUS = 4) OR
(R01R_A_EVR_THRSH_GRILLO = 2 AND R04M_STATUS = 1) THEN
R04M_EVR_THRSH_GRILLO = 2; ELSE IF R04M_STATUS = 0 THEN
R04M_EVR_THRSH_GRILLO = -99933; ELSE IF (R04R_A_EVR_THRSH_GRILLO =
-99999 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GRILLO = -99999 AND
R04M_STATUS = 8) OR (R03R_A_THRSHLD_GRILLO = -99999 AND
R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_GRILLO = -99999 AND
R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_GRILLO = -99999 AND
R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_GRILLO = -99999 AND
R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_GRILLO = -99999 AND
R04M_STATUS = 1) THEN R04M_EVR_THRSH_GRILLO = -99999; ELSE IF
(R04R_A_EVR_THRSH_GRILLO = -99988 AND R04M_STATUS = 7) OR
(R04R_Y_EVR_THRSH_GRILLO = -99988 AND R04M_STATUS = 8) OR
(R03R_A_THRSHLD_GRILLO = -99988 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_THRSH_GRILLO = -99988 AND R04M_STATUS = 6) OR
(R02R_A_EVR_THRSH_GRILLO = -99988 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_GRILLO = -99988 AND R04M_STATUS = 4) OR
(R01R_A_EVR_THRSH_GRILLO = -99988 AND R04M_STATUS = 1) THEN
R04M_EVR_THRSH_GRILLO = -99988; ELSE IF (R04R_A_EVR_THRSH_GRILLO =
-99977 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GRILLO = -99977 AND
R04M_STATUS = 8) OR (R03R_A_THRSHLD_GRILLO = -99977 AND
R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_GRILLO = -99977 AND

R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_GRILLO = -99977 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_GRILLO = -99977 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_GRILLO = -99977 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_GRILLO = -99977; ELSE IF (R04R_A_EVR_THRSH_GRILLO = -99966 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GRILLO = -99966 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_GRILLO = -99966 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_GRILLO = -99966 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_GRILLO = -99966 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_GRILLO = -99966 AND R04M_STATUS = 4) THEN R04M_EVR_THRSH_GRILLO = -99966; ELSE IF (R04R_A_EVR_THRSH_GRILLO = -99911 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GRILLO = -99911 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_GRILLO = -99911 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_GRILLO = -99911 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_GRILLO = -99911 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_GRILLO = -99911 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_GRILLO = -99911 AND R04M_STATUS = 1) OR R04M_STATUS = 2 THEN R04M_EVR_THRSH_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	4494	6.7 %
2	2 = No	49365	73.4 %
	Total	53,859	80.1%

This variable has 53,859 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	27	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	200	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	103	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2476	3.7 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4934	7.3 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	13,417	19.9%

Percentages for both tables are based on 67,276 total cases.

Location: 66-71 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_GFILTR: MARKER - Ever Filtered Cigar User as of Wave 4

Long Description: Respondent has ever used a filtered cigar as of the last wave he/she participated in.

Algorithm: IF R01R_A_NVR_GFILTR = 2 OR R01R_Y_EVR_GFILTR = 1 OR
R02R_A_EVR_GFILTR = 1 OR R02R_Y_EVR_GFILTR = 1 OR
R03R_A_EVR_GFILTR = 1 OR R03R_Y_EVR_GFILTR = 1 OR
R04R_A_EVR_GFILTR = 1 OR R04R_Y_EVR_GFILTR = 1 THEN
R04M_EVR_GFILTR = 1; ELSE IF (R04R_A_EVR_GFILTR = 2 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_GFILTR = 2 AND R04M_STATUS = 8) OR
(R03R_A_EVR_GFILTR = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_GFILTR = 2
AND R04M_STATUS = 6) OR (R02R_A_EVR_GFILTR = 2 AND R04M_STATUS = 3)
OR (R02R_Y_EVR_GFILTR = 2 AND R04M_STATUS = 4) OR
(R01R_A_NVR_GFILTR = 1 AND R04M_STATUS = 1) OR (R01R_Y_EVR_GFILTR = 2
AND R04M_STATUS = 2) THEN R04M_EVR_GFILTR = 2; ELSE IF
R04M_STATUS = 0 THEN R04M_EVR_GFILTR = -99933; ELSE IF
(R04R_A_EVR_GFILTR = -99999 AND R04M_STATUS = 7) OR
(R04R_Y_EVR_GFILTR = -99999 AND R04M_STATUS = 8) OR
(R03R_A_EVR_GFILTR = -99999 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_GFILTR = -99999 AND R04M_STATUS = 6) OR
(R02R_A_EVR_GFILTR = -99999 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_GFILTR = -99999 AND R04M_STATUS = 4) OR
(R01R_A_NVR_GFILTR = -99999 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_GFILTR = -99999 AND R04M_STATUS = 2) THEN
R04M_EVR_GFILTR = -99999; ELSE IF (R04R_A_EVR_GFILTR = -99988 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_GFILTR = -99988 AND R04M_STATUS = 8)
OR (R03R_A_EVR_GFILTR = -99988 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_GFILTR = -99988 AND R04M_STATUS = 6) OR
(R02R_A_EVR_GFILTR = -99988 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_GFILTR = -99988 AND R04M_STATUS = 4) OR
(R01R_A_NVR_GFILTR = -99988 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_GFILTR = -99988 AND R04M_STATUS = 2) THEN
R04M_EVR_GFILTR = -99988; ELSE IF (R04R_A_EVR_GFILTR = -99977 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_GFILTR = -99977 AND R04M_STATUS = 8)
OR (R03R_A_EVR_GFILTR = -99977 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_GFILTR = -99977 AND R04M_STATUS = 6) OR
(R02R_A_EVR_GFILTR = -99977 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_GFILTR = -99977 AND R04M_STATUS = 4) OR
(R01R_A_NVR_GFILTR = -99977 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_GFILTR = -99977 AND R04M_STATUS = 2) THEN
R04M_EVR_GFILTR = -99977; ELSE IF (R04R_A_EVR_GFILTR = -99966 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_GFILTR = -99966 AND R04M_STATUS = 8)
OR (R03R_A_EVR_GFILTR = -99966 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_GFILTR = -99966 AND R04M_STATUS = 6) OR
(R02R_A_EVR_GFILTR = -99966 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_GFILTR = -99966 AND R04M_STATUS = 4) OR
(R01R_A_NVR_GFILTR = -99966 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_GFILTR = -99966 AND R04M_STATUS = 2) THEN
R04M_EVR_GFILTR = -99966; ELSE IF (R04R_A_EVR_GFILTR = -99911 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_GFILTR = -99911 AND R04M_STATUS = 8)
OR (R03R_A_EVR_GFILTR = -99911 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_GFILTR = -99911 AND R04M_STATUS = 6) OR
(R02R_A_EVR_GFILTR = -99911 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_GFILTR = -99911 AND R04M_STATUS = 4) OR
(R01R_A_NVR_GFILTR = -99911 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_GFILTR = -99911 AND R04M_STATUS = 2) THEN
R04M_EVR_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10415	15.5 %
2	2 = No	47945	71.3 %
	Total	58,360	86.7%

This variable has 58,360 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	224	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	104	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2911	4.3 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	8,916	13.3%

Percentages for both tables are based on 67,276 total cases.

Location: 72-77 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_THRSH_GFILTR: MARKER - Ever Filtered Cigar Lifetime Threshold of Use as of Wave 4

Long Description: Respondent has ever smoked filtered cigars fairly regularly as of the last wave he/she participated in.

Algorithm: IF R01R_A_EVR_THRSH_GFILTR = 1 OR
R02R_A_EVR_THRSH_GFILTR = 1 OR R02R_Y_EVR_THRSH_GFILTR = 1 OR
R03R_A_THRSHLD_GFILTR = 1 OR R03R_Y_EVR_THRSH_GFILTR = 1 OR
R04R_A_EVR_THRSH_GFILTR = 1 OR R04R_Y_EVR_THRSH_GFILTR = 1 THEN
R04M_EVR_THRSH_GFILTR = 1; ELSE IF (R04R_A_EVR_THRSH_GFILTR = 2 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GFILTR = 2 AND R04M_STATUS = 8)
OR (R03R_A_THRSHLD_GFILTR = 2 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_THRSH_GFILTR = 2 AND R04M_STATUS = 6) OR
(R02R_A_EVR_THRSH_GFILTR = 2 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_GFILTR = 2 AND R04M_STATUS = 4) OR
(R01R_A_EVR_THRSH_GFILTR = 2 AND R04M_STATUS = 1) THEN
R04M_EVR_THRSH_GFILTR = 2; ELSE IF R04M_STATUS = 0 THEN
R04M_EVR_THRSH_GFILTR = -99933; ELSE IF (R04R_A_EVR_THRSH_GFILTR =
-99999 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GFILTR = -99999 AND
R04M_STATUS = 8) OR (R03R_A_THRSHLD_GFILTR = -99999 AND R04M_STATUS =
5) OR (R03R_Y_EVR_THRSH_GFILTR = -99999 AND R04M_STATUS = 6) OR
(R02R_A_EVR_THRSH_GFILTR = -99999 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_GFILTR = -99999 AND R04M_STATUS = 4) OR

```

(R01R_A_EVR_THRSH_GFILTR = -99999 AND R04M_STATUS = 1) THEN
R04M_EVR_THRSH_GFILTR = -99999; ELSE IF (R04R_A_EVR_THRSH_GFILTR =
-99988 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GFILTR = -99988 AND
R04M_STATUS = 8) OR (R03R_A_THRSHLD_GFILTR = -99988 AND R04M_STATUS =
5) OR (R03R_Y_EVR_THRSH_GFILTR = -99988 AND R04M_STATUS = 6) OR
(R02R_A_EVR_THRSH_GFILTR = -99988 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_GFILTR = -99988 AND R04M_STATUS = 4) OR
(R01R_A_EVR_THRSH_GFILTR = -99988 AND R04M_STATUS = 1) THEN
R04M_EVR_THRSH_GFILTR = -99988; ELSE IF (R04R_A_EVR_THRSH_GFILTR =
-99977 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GFILTR = -99977 AND
R04M_STATUS = 8) OR (R03R_A_THRSHLD_GFILTR = -99977 AND R04M_STATUS =
5) OR (R03R_Y_EVR_THRSH_GFILTR = -99977 AND R04M_STATUS = 6) OR
(R02R_A_EVR_THRSH_GFILTR = -99977 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_GFILTR = -99977 AND R04M_STATUS = 4) OR
(R01R_A_EVR_THRSH_GFILTR = -99977 AND R04M_STATUS = 1) THEN
R04M_EVR_THRSH_GFILTR = -99977; ELSE IF (R04R_A_EVR_THRSH_GFILTR =
-99966 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GFILTR = -99966 AND
R04M_STATUS = 8) OR (R03R_A_THRSHLD_GFILTR = -99966 AND R04M_STATUS =
5) OR (R03R_Y_EVR_THRSH_GFILTR = -99966 AND R04M_STATUS = 6) OR
(R02R_A_EVR_THRSH_GFILTR = -99966 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_GFILTR = -99966 AND R04M_STATUS = 4) THEN
R04M_EVR_THRSH_GFILTR = -99966; ELSE IF (R04R_A_EVR_THRSH_GFILTR =
-99911 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_GFILTR = -99911 AND
R04M_STATUS = 8) OR (R03R_A_THRSHLD_GFILTR = -99911 AND R04M_STATUS =
5) OR (R03R_Y_EVR_THRSH_GFILTR = -99911 AND R04M_STATUS = 6) OR
(R02R_A_EVR_THRSH_GFILTR = -99911 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_THRSH_GFILTR = -99911 AND R04M_STATUS = 4) OR
(R01R_A_EVR_THRSH_GFILTR = -99911 AND R04M_STATUS = 1) OR
R04M_STATUS = 2 THEN R04M_EVR_THRSH_GFILTR = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	2446	3.6 %
2	2 = No	53401	79.4 %
	Total	55,847	83.0%

This variable has 55,847 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	12	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	208	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	103	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2912	4.3 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2517	3.7 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	11,429	17.0%

Percentages for both tables are based on 67,276 total cases.

Location: 78-83 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_BLUNT: MARKER - Ever Blunt User as of Wave 4

Long Description: Respondent has ever used cigars as blunts as of the last wave he/she participated in.

Algorithm: IF R04_AG9105_RS = 1 OR R04_AG9107 = 1 OR
R04_YG9105_NB = 1 OR R04_YG9107 = 1 OR R03_AG9107 = 1 OR
R03_YG9105_NB = 1 OR R03_YG9107 = 1 OR R02_AG9107 = 1 OR
R02_YG9105_NB = 1 OR R02_YG9107 = 1 OR R01_AG9105 = 1 OR
R01_YG9105 = 1 THEN R04M_EVR_BLUNT = 1; ELSE IF
((((R04_AG9107 = 2 AND (((R03_AG9107 = 2 AND (((R01_AG1001 = 2 OR
(R01_AG9002_01 = 2 AND R01_AG9002_02 = 2) OR R01_AG9105 = 2) OR
(R01_YG9101 = 2 OR (R01_YG9002_01 = 2 AND R01_YG9002_02 = 2) OR
R01_YG9105 = 2)) AND R02_AG9107 = 2) OR (((R01_YG9101 = 2 OR
(R01_YG9002_01 = 2 AND R01_YG9002_02 = 2) OR R01_YG9105 = 2) AND
R02_YG9107 = 2) OR R02_YG9105_NB = 2 OR R02_YG9101_NB = 2)))) OR
(R03_YG9105_NB = 2 OR R03_YG9101_NB = 2 OR (((R01_YG9101 = 2 OR
(R01_YG9002_01 = 2 AND R01_YG9002_02 = 2) OR R01_YG9105 = 2) AND
R02_YG9107 = 2) OR R02_YG9105_NB = 2 OR R02_YG9101_NB = 2) AND
R03_YG9107 = 2)))) OR R04_AG9105_RS = 2 OR R04_AG1001_RS = 2) AND
R04M_STATUS = 7) OR ((R04_YG9105_NB = 2 OR R04_YG9101_NB = 2 OR
(R04_YG9107 = 2 AND (((R03_YG9105_NB = 2 OR R03_YG9101_NB = 2 OR
(((R01_YG9101 = 2 OR (R01_YG9002_01 = 2 AND R01_YG9002_02 = 2) OR
R01_YG9105 = 2) AND R02_YG9107 = 2) OR R02_YG9105_NB = 2 OR
R02_YG9101_NB = 2) AND R03_YG9107 = 2)))) AND R04M_STATUS = 8) OR
(((R03_AG9107 = 2 AND (((R01_AG1001 = 2 OR (R01_AG9002_01 = 2 AND
R01_AG9002_02 = 2) OR R01_AG9105 = 2) OR (R01_YG9101 = 2 OR
(R01_YG9002_01 = 2 AND R01_YG9002_02 = 2) OR R01_YG9105 = 2)) AND
R02_AG9107 = 2) OR (((R01_YG9101 = 2 OR (R01_YG9002_01 = 2 AND
R01_YG9002_02 = 2) OR R01_YG9105 = 2) AND R02_YG9107 = 2) OR
R02_YG9105_NB = 2 OR R02_YG9101_NB = 2)))) AND R04M_STATUS = 5) OR
((R03_YG9105_NB = 2 OR R03_YG9101_NB = 2 OR (((R01_YG9101 = 2 OR
(R01_YG9002_01 = 2 AND R01_YG9002_02 = 2) OR R01_YG9105 = 2) AND
R02_YG9107 = 2) OR R02_YG9105_NB = 2 OR R02_YG9101_NB = 2) AND
R03_YG9107 = 2)) AND R04M_STATUS = 6) OR (((R01_AG1001 = 2 OR
(R01_AG9002_01 = 2 AND R01_AG9002_02 = 2) OR R01_AG9105 = 2) OR
(R01_YG9101 = 2 OR (R01_YG9002_01 = 2 AND R01_YG9002_02 = 2) OR
R01_YG9105 = 2)) AND R02_AG9107 = 2) AND R04M_STATUS = 3) OR
((((R01_YG9101 = 2 OR (R01_YG9002_01 = 2 AND R01_YG9002_02 = 2) OR
R01_YG9105 = 2) AND R02_YG9107 = 2) OR R02_YG9105_NB = 2 OR
R02_YG9101_NB = 2) AND R04M_STATUS = 4) OR ((R01_AG1001 = 2 OR
(R01_AG9002_01 = 2 AND R01_AG9002_02 = 2) OR R01_AG9105 = 2) AND
R04M_STATUS = 1) OR ((R01_YG9101 = 2 OR (R01_YG9002_01 = 2 AND
R01_YG9002_02 = 2) OR R01_YG9105 = 2) AND R04M_STATUS = 2)) THEN
R04M_EVR_BLUNT = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_BLUNT =
-99933; ELSE IF ((R04_AG9105_RS = -9 OR R04_AG1001_RS = -9 OR
R04_AG9107 = -9) AND R04M_STATUS = 7) OR ((R04_YG9105_NB = -9 OR
R04_YG9107 = -9 OR R04_YG9101_NB = -9) AND R04M_STATUS = 8) OR
(R03_AG9107 = -9 AND R04M_STATUS = 5) OR ((R03_YG9105_NB = -9 OR
R03_YG9107 = -9 OR R03_YG9101_NB = -9) AND R04M_STATUS = 6) OR
(R02_AG9107 = -9 AND R04M_STATUS = 3) OR ((R02_YG9105_NB = -9 OR
R02_YG9107 = -9 OR R02_YG9101_NB = -9) AND R04M_STATUS = 4) OR

```

((R01_AG9105 = -9 OR R01_AG1001 = -9 OR R01_AG9002_01 = -9 OR
R01_AG9002_02 = -9) AND R04M_STATUS = 1) OR ((R01_YG9105 = -9 OR
R01_YG9101 = -9 OR R01_YG9002_01 = -9 OR R01_YG9002_02 = -9) AND
R04M_STATUS = 2) THEN R04M_EVR_BLUNT = -99999; ELSE IF
((R04_AG9105_RS = -8 OR R04_AG1001_RS = -8 OR R04_AG9107 = -8) AND
R04M_STATUS = 7) OR ((R04_YG9105_NB = -8 OR R04_YG9107 = -8 OR
R04_YG9101_NB = -8) AND R04M_STATUS = 8) OR (R03_AG9107 = -8 AND
R04M_STATUS = 5) OR ((R03_YG9105_NB = -8 OR R03_YG9107 = -8 OR
R03_YG9101_NB = -8) AND R04M_STATUS = 6) OR (R02_AG9107 = -8 AND
R04M_STATUS = 3) OR ((R02_YG9105_NB = -8 OR R02_YG9107 = -8 OR
R02_YG9101_NB = -8) AND R04M_STATUS = 4) OR ((R01_AG9105 = -8 OR
R01_AG1001 = -8 OR R01_AG9002_01 = -8 OR R01_AG9002_02 = -8) AND
R04M_STATUS = 1) OR ((R01_YG9105 = -8 OR R01_YG9101 = -8 OR
R01_YG9002_01 = -8 OR R01_YG9002_02 = -8) AND R04M_STATUS = 2) THEN
R04M_EVR_BLUNT = -99988; ELSE IF ((R04_AG9105_RS = -7 OR
R04_AG1001_RS = -7 OR R04_AG9107 = -7) AND R04M_STATUS = 7) OR
((R04_YG9105_NB = -7 OR R04_YG9107 = -7 OR R04_YG9101_NB = -7) AND
R04M_STATUS = 8) OR (R03_AG9107 = -7 AND R04M_STATUS = 5) OR
((R03_YG9105_NB = -7 OR R03_YG9107 = -7 OR R03_YG9101_NB = -7) AND
R04M_STATUS = 6) OR (R02_AG9107 = -7 AND R04M_STATUS = 3) OR
((R02_YG9105_NB = -7 OR R02_YG9107 = -7 OR R02_YG9101_NB = -7) AND
R04M_STATUS = 4) OR ((R01_AG9105 = -7 OR R01_AG1001 = -7 OR
R01_AG9002_01 = -7 OR R01_AG9002_02 = -7) AND R04M_STATUS = 1) OR
((R01_YG9105 = -7 OR R01_YG9101 = -7 OR R01_YG9002_01 = -7 OR
R01_YG9002_02 = -7) AND R04M_STATUS = 2) THEN
R04M_EVR_BLUNT = -99977; ELSE IF WAVE3_INTERVIEW = 9 OR
WAVE2_INTERVIEW = 9 OR R03_AG9107 IN (-9, -8, -7) OR R03_YG9107 IN
(-9, -8, -7) OR R03_YG9105_NB IN (-9, -8, -7) OR R03_YG9101_NB IN
(-9, -8, -7) OR R02_AG9107 IN (-9, -8, -7) OR R02_YG9107 IN (-9, -8,
-7) OR R02_YG9105_NB IN (-9, -8, -7) OR R02_YG9101_NB IN (-9, -8, -7)
OR R01_AG9105 IN (-9, -8, -7) OR R01_AG1001 IN (-9, -8, -7) OR
R01_AG9002_01 IN (-9, -8, -7) OR R01_AG9002_02 IN (-9, -8, -7) OR
R01_YG9105 IN (-9, -8, -7) OR R01_YG9101 IN (-9, -8, -7) OR
R01_YG9002_01 IN (-9, -8, -7) OR R01_YG9002_02 IN (-9, -8, -7) THEN
R04M_EVR_BLUNT = -99966; ELSE IF ((R04_AG9105_RS = -1 OR
R04_AG1001_RS = -1 OR R04_AG9107 = -1) AND R04M_STATUS = 7) OR
((R04_YG9105_NB = -1 OR R04_YG9107 = -1 OR R04_YG9101_NB = -1) AND
R04M_STATUS = 8) OR (R03_AG9107 = -1 AND R04M_STATUS = 5) OR
((R03_YG9105_NB = -1 OR R03_YG9107 = -1 OR R03_YG9101_NB = -1) AND
R04M_STATUS = 6) OR (R02_AG9107 = -1 AND R04M_STATUS = 3) OR
((R02_YG9105_NB = -1 OR R02_YG9107 = -1 OR R02_YG9101_NB = -1) AND
R04M_STATUS = 4) OR ((R01_AG9105 = -1 OR R01_AG1001 = -1 OR
R01_AG9002_01 = -1 OR R01_AG9002_02 = -1) AND R04M_STATUS = 1) OR
((R01_YG9105 = -1 OR R01_YG9101 = -1 OR R01_YG9002_01 = -1 OR
R01_YG9002_02 = -1) AND R04M_STATUS = 2) THEN R04M_EVR_BLUNT =
-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	15474	23.0 %
2	2 = No	43519	64.7 %
	Total	58,993	87.7%

This variable has 58,993 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	162	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	107	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2337	3.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	8,283	12.3%

Percentages for both tables are based on 67,276 total cases.

Location: 84-89 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_PIPE: MARKER - Ever Pipe User as of Wave 4

Long Description: Respondent has ever used a pipe as of the last wave he/she participated in.

Algorithm: IF R01R_A_NVR_PIPE = 2 OR R01R_Y_EVR_PIPE = 1 OR
R02R_A_EVR_PIPE = 1 OR R02R_Y_EVR_PIPE = 1 OR R03R_A_EVR_PIPE = 1 OR
R03R_Y_EVR_PIPE = 1 OR R04R_A_EVR_PIPE = 1 OR R04R_Y_EVR_PIPE = 1
THEN R04M_EVR_PIPE = 1; ELSE IF (R04R_A_EVR_PIPE = 2 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_PIPE = 2 AND R04M_STATUS = 8) OR
(R03R_A_EVR_PIPE = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_PIPE = 2 AND
R04M_STATUS = 6) OR (R02R_A_EVR_PIPE = 2 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_PIPE = 2 AND R04M_STATUS = 4) OR (R01R_A_NVR_PIPE = 1 AND
R04M_STATUS = 1) OR (R01R_Y_EVR_PIPE = 2 AND R04M_STATUS = 2) THEN
R04M_EVR_PIPE = 2; ELSE IF R04M_STATUS = 0 THEN
R04M_EVR_PIPE = -99933; ELSE IF (R04R_A_EVR_PIPE = -99999 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_PIPE = -99999 AND R04M_STATUS = 8) OR
(R03R_A_EVR_PIPE = -99999 AND R04M_STATUS = 5) OR (R03R_Y_EVR_PIPE =
-99999 AND R04M_STATUS = 6) OR (R02R_A_EVR_PIPE = -99999 AND
R04M_STATUS = 3) OR (R02R_Y_EVR_PIPE = -99999 AND R04M_STATUS = 4) OR
(R01R_A_NVR_PIPE = -99999 AND R04M_STATUS = 1) OR (R01R_Y_EVR_PIPE =
-99999 AND R04M_STATUS = 2) THEN R04M_EVR_PIPE = -99999; ELSE IF
(R04R_A_EVR_PIPE = -99988 AND R04M_STATUS = 7) OR (R04R_Y_EVR_PIPE =
-99988 AND R04M_STATUS = 8) OR (R03R_A_EVR_PIPE = -99988 AND
R04M_STATUS = 5) OR (R03R_Y_EVR_PIPE = -99988 AND R04M_STATUS = 6) OR
(R02R_A_EVR_PIPE = -99988 AND R04M_STATUS = 3) OR (R02R_Y_EVR_PIPE =
-99988 AND R04M_STATUS = 4) OR (R01R_A_NVR_PIPE = -99988 AND
R04M_STATUS = 1) OR (R01R_Y_EVR_PIPE = -99988 AND R04M_STATUS = 2)
THEN R04M_EVR_PIPE = -99988; ELSE IF (R04R_A_EVR_PIPE = -99977 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_PIPE = -99977 AND R04M_STATUS = 8) OR
(R03R_A_EVR_PIPE = -99977 AND R04M_STATUS = 5) OR (R03R_Y_EVR_PIPE =
-99977 AND R04M_STATUS = 6) OR (R02R_A_EVR_PIPE = -99977 AND
R04M_STATUS = 3) OR (R02R_Y_EVR_PIPE = -99977 AND R04M_STATUS = 4) OR
(R01R_A_NVR_PIPE = -99977 AND R04M_STATUS = 1) OR (R01R_Y_EVR_PIPE =

-99977 AND R04M_STATUS = 2) THEN R04M_EVR_PIPE = -99977; ELSE IF (R04R_A_EVR_PIPE = -99966 AND R04M_STATUS = 7) OR (R04R_Y_EVR_PIPE = -99966 AND R04M_STATUS = 8) OR (R03R_A_EVR_PIPE = -99966 AND R04M_STATUS = 5) OR (R03R_Y_EVR_PIPE = -99966 AND R04M_STATUS = 6) OR (R02R_A_EVR_PIPE = -99966 AND R04M_STATUS = 3) OR (R02R_Y_EVR_PIPE = -99966 AND R04M_STATUS = 4) OR (R01R_A_NVR_PIPE = -99966 AND R04M_STATUS = 1) OR (R01R_Y_EVR_PIPE = -99966 AND R04M_STATUS = 2) THEN R04M_EVR_PIPE = -99966; ELSE IF (R04R_A_EVR_PIPE = -99911 AND R04M_STATUS = 7) OR (R04R_Y_EVR_PIPE = -99911 AND R04M_STATUS = 8) OR (R03R_A_EVR_PIPE = -99911 AND R04M_STATUS = 5) OR (R03R_Y_EVR_PIPE = -99911 AND R04M_STATUS = 6) OR (R02R_A_EVR_PIPE = -99911 AND R04M_STATUS = 3) OR (R02R_Y_EVR_PIPE = -99911 AND R04M_STATUS = 4) OR (R01R_A_NVR_PIPE = -99911 AND R04M_STATUS = 1) OR (R01R_Y_EVR_PIPE = -99911 AND R04M_STATUS = 2) THEN R04M_EVR_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	9389	14.0 %
2	2 = No	49995	74.3 %
	Total	59,384	88.3%

This variable has 59,384 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	39	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	31	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2145	3.2 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	7,892	11.7%

Percentages for both tables are based on 67,276 total cases.

Location: 90-95 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_THRSH_PIPE: MARKER - Ever Pipe Lifetime Threshold of Use as of Wave 4 - Adult Only

Long Description: Respondent has ever smoked pipes fairly regularly as of the last wave he/she participated in. Assessed of adult respondents only.

Algorithm: IF R01R_A_EVR_THRSH_PIPE = 1 OR R02R_A_EVR_THRSH_PIPE = 1 OR R03R_A_THRSHLD_PIPE = 1 OR R04R_A_EVR_THRSH_PIPE = 1 THEN

R04M_EVR_THRSH_PIPE = 1; ELSE IF (R04R_A_EVR_THRSH_PIPE = 2 AND
 R04M_STATUS = 7) OR (R03R_A_THRSHLD_PIPE = 2 AND R04M_STATUS = 5) OR
 (R02R_A_EVR_THRSH_PIPE = 2 AND R04M_STATUS = 3) OR
 (R01R_A_EVR_THRSH_PIPE = 2 AND R04M_STATUS = 1) THEN
 R04M_EVR_THRSH_PIPE = 2; ELSE IF R04M_STATUS = 0 THEN
 R04M_EVR_THRSH_PIPE = -99933; ELSE IF (R04R_A_EVR_THRSH_PIPE = -99999
 AND R04M_STATUS = 7) OR (R03R_A_THRSHLD_PIPE = -99999 AND
 R04M_STATUS = 5) OR (R02R_A_EVR_THRSH_PIPE = -99999 AND
 R04M_STATUS = 3) OR (R01R_A_EVR_THRSH_PIPE = -99999 AND
 R04M_STATUS = 1) THEN R04M_EVR_THRSH_PIPE = -99999; ELSE IF
 (R04R_A_EVR_THRSH_PIPE = -99988 AND R04M_STATUS = 7) OR
 (R03R_A_THRSHLD_PIPE = -99988 AND R04M_STATUS = 5) OR
 (R02R_A_EVR_THRSH_PIPE = -99988 AND R04M_STATUS = 3) OR
 (R01R_A_EVR_THRSH_PIPE = -99988 AND R04M_STATUS = 1) THEN
 R04M_EVR_THRSH_PIPE = -99988; ELSE IF (R04R_A_EVR_THRSH_PIPE = -99977
 AND R04M_STATUS = 7) OR (R03R_A_THRSHLD_PIPE = -99977 AND
 R04M_STATUS = 5) OR (R02R_A_EVR_THRSH_PIPE = -99977 AND
 R04M_STATUS = 3) OR (R01R_A_EVR_THRSH_PIPE = -99977 AND
 R04M_STATUS = 1) THEN R04M_EVR_THRSH_PIPE = -99977; ELSE IF
 (R04R_A_EVR_THRSH_PIPE = -99966 AND R04M_STATUS = 7) OR
 (R03R_A_THRSHLD_PIPE = -99966 AND R04M_STATUS = 5) OR
 (R02R_A_EVR_THRSH_PIPE = -99966 AND R04M_STATUS = 3) THEN
 R04M_EVR_THRSH_PIPE = -99966; ELSE IF (R04R_A_EVR_THRSH_PIPE = -99911
 AND R04M_STATUS = 7) OR (R03R_A_THRSHLD_PIPE = -99911 AND R04M_STATUS
 = 5) OR (R02R_A_EVR_THRSH_PIPE = -99911 AND R04M_STATUS = 3) OR
 (R01R_A_EVR_THRSH_PIPE = -99911 AND R04M_STATUS = 1) OR R04M_STATUS
 IN (2, 4, 6, 8) THEN R04M_EVR_THRSH_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1884	2.8 %
2	2 = No	38785	57.7 %
	Total	40,669	60.5%

This variable has 40,669 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	13	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	28	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	24	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1705	2.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	19160	28.5 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	26,607	39.5%

Percentages for both tables are based on 67,276 total cases.

Location: 96-101 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_HOOK: MARKER - Ever Hookah User as of Wave 4

Long Description: Respondent has ever used a hookah as of the last wave he/she participated in.

Algorithm: IF R01R_A_NVR_HOOK = 2 OR R01R_Y_EVR_HOOK = 1 OR
R02R_A_EVR_HOOK = 1 OR R02R_Y_EVR_HOOK = 1 OR R03R_A_EVR_HOOK = 1 OR
R03R_Y_EVR_HOOK = 1 OR R04R_A_EVR_HOOK = 1 OR R04R_Y_EVR_HOOK = 1
THEN R04M_EVR_HOOK = 1; ELSE IF (R04R_A_EVR_HOOK = 2 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_HOOK = 2 AND R04M_STATUS = 8) OR
(R03R_A_EVR_HOOK = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_HOOK = 2 AND
R04M_STATUS = 6) OR (R02R_A_EVR_HOOK = 2 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_HOOK = 2 AND R04M_STATUS = 4) OR (R01R_A_NVR_HOOK = 1 AND
R04M_STATUS = 1) OR (R01R_Y_EVR_HOOK = 2 AND R04M_STATUS = 2) THEN
R04M_EVR_HOOK = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_HOOK =
-99933; ELSE IF (R04R_A_EVR_HOOK = -99999 AND R04M_STATUS = 7) OR
(R04R_Y_EVR_HOOK = -99999 AND R04M_STATUS = 8) OR (R03R_A_EVR_HOOK =
-99999 AND R04M_STATUS = 5) OR (R03R_Y_EVR_HOOK = -99999 AND
R04M_STATUS = 6) OR (R02R_A_EVR_HOOK = -99999 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_HOOK = -99999 AND R04M_STATUS = 4) OR (R01R_A_NVR_HOOK =
-99999 AND R04M_STATUS = 1) OR (R01R_Y_EVR_HOOK = -99999 AND
R04M_STATUS = 2) THEN R04M_EVR_HOOK = -99999; ELSE IF
(R04R_A_EVR_HOOK = -99988 AND R04M_STATUS = 7) OR (R04R_Y_EVR_HOOK =
-99988 AND R04M_STATUS = 8) OR (R03R_A_EVR_HOOK = -99988 AND
R04M_STATUS = 5) OR (R03R_Y_EVR_HOOK = -99988 AND R04M_STATUS = 6) OR
(R02R_A_EVR_HOOK = -99988 AND R04M_STATUS = 3) OR (R02R_Y_EVR_HOOK =
-99988 AND R04M_STATUS = 4) OR (R01R_A_NVR_HOOK = -99988 AND
R04M_STATUS = 1) OR (R01R_Y_EVR_HOOK = -99988 AND R04M_STATUS = 2)
THEN R04M_EVR_HOOK = -99988; ELSE IF (R04R_A_EVR_HOOK = -99977 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_HOOK = -99977 AND R04M_STATUS = 8) OR
(R03R_A_EVR_HOOK = -99977 AND R04M_STATUS = 5) OR (R03R_Y_EVR_HOOK =
-99977 AND R04M_STATUS = 6) OR (R02R_A_EVR_HOOK = -99977 AND
R04M_STATUS = 3) OR (R02R_Y_EVR_HOOK = -99977 AND R04M_STATUS = 4) OR
(R01R_A_NVR_HOOK = -99977 AND R04M_STATUS = 1) OR (R01R_Y_EVR_HOOK =
-99977 AND R04M_STATUS = 2) THEN R04M_EVR_HOOK = -99977; ELSE IF
(R04R_A_EVR_HOOK = -99966 AND R04M_STATUS = 7) OR (R04R_Y_EVR_HOOK =
-99966 AND R04M_STATUS = 8) OR (R03R_A_EVR_HOOK = -99966 AND
R04M_STATUS = 5) OR (R03R_Y_EVR_HOOK = -99966 AND R04M_STATUS = 6) OR
(R02R_A_EVR_HOOK = -99966 AND R04M_STATUS = 3) OR (R02R_Y_EVR_HOOK =
-99966 AND R04M_STATUS = 4) OR (R01R_A_NVR_HOOK = -99966 AND
R04M_STATUS = 1) OR (R01R_Y_EVR_HOOK = -99966 AND R04M_STATUS = 2)
THEN R04M_EVR_HOOK = -99966; ELSE IF (R04R_A_EVR_HOOK = -99911 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_HOOK = -99911 AND R04M_STATUS = 8) OR
(R03R_A_EVR_HOOK = -99911 AND R04M_STATUS = 5) OR (R03R_Y_EVR_HOOK =
-99911 AND R04M_STATUS = 6) OR (R02R_A_EVR_HOOK = -99911 AND
R04M_STATUS = 3) OR (R02R_Y_EVR_HOOK = -99911 AND R04M_STATUS = 4) OR
(R01R_A_NVR_HOOK = -99911 AND R04M_STATUS = 1) OR (R01R_Y_EVR_HOOK =
-99911 AND R04M_STATUS = 2) THEN R04M_EVR_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	16169	24.0 %

Value	Label	Unweighted Frequency	%
2	2 = No	43706	65.0 %
	Total	59,875	89.0%

This variable has 59,875 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	34	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	23	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1666	2.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	7,401	11.0%

Percentages for both tables are based on 67,276 total cases.

Location: 102-107 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_THRSH_HOOK: MARKER - Ever Hookah Lifetime Threshold of Use as of Wave 4

Long Description: Respondent has ever smoked hookah fairly regularly as of the last wave he/she participated in.

Algorithm: IF R01R_A_EVR_THRSH_HOOK = 1 OR R02R_A_EVR_THRSH_HOOK = 1 OR R02R_Y_EVR_THRSH_HOOK = 1 OR R03R_A_THRSHLD_HOOK = 1 OR R03R_Y_EVR_THRSH_HOOK = 1 OR R04R_A_EVR_THRSH_HOOK = 1 OR R04R_Y_EVR_THRSH_HOOK = 1 THEN R04M_EVR_THRSH_HOOK = 1; ELSE IF (R04R_A_EVR_THRSH_HOOK = 2 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_HOOK = 2 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_HOOK = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_HOOK = 2 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_HOOK = 2 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_HOOK = 2 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_HOOK = 2 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_HOOK = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_THRSH_HOOK = -99933; ELSE IF (R04R_A_EVR_THRSH_HOOK = -99999 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_HOOK = -99999 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_HOOK = -99999 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_HOOK = -99999 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_HOOK = -99999 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_HOOK = -99999 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_HOOK = -99999 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_HOOK = -99999; ELSE IF (R04R_A_EVR_THRSH_HOOK =

-99988 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_HOOK = -99988 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_HOOK = -99988 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_HOOK = -99988 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_HOOK = -99988 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_HOOK = -99988 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_HOOK = -99988 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_HOOK = -99988; ELSE IF (R04R_A_EVR_THRSH_HOOK = -99977 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_HOOK = -99977 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_HOOK = -99977 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_HOOK = -99977 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_HOOK = -99977 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_HOOK = -99977 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_HOOK = -99977 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_HOOK = -99977; ELSE IF (R04R_A_EVR_THRSH_HOOK = -99966 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_HOOK = -99966 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_HOOK = -99966 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_HOOK = -99966 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_HOOK = -99966 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_HOOK = -99966 AND R04M_STATUS = 4) THEN R04M_EVR_THRSH_HOOK = -99966; ELSE IF (R04R_A_EVR_THRSH_HOOK = -99911 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_HOOK = -99911 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_HOOK = -99911 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_HOOK = -99911 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_HOOK = -99911 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_HOOK = -99911 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_HOOK = -99911 AND R04M_STATUS = 1) OR R04M_STATUS = 2 THEN R04M_EVR_THRSH_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2869	4.3 %
2	2 = No	54503	81.0 %
	Total	57,372	85.3%

This variable has 57,372 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	23	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	43	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	32	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	1666	2.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2463	3.7 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	9,904	14.7%

Percentages for both tables are based on 67,276 total cases.

Location: 108-113 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_SNUS: MARKER - Ever Snus Pouch User as of Wave 4

Long Description: Respondent has ever used snus pouches as of the last wave he/she participated in.

Algorithm: IF R01R_A_NVR_SNUS = 2 OR R01R_Y_EVR_SNUS = 1 OR
R02R_A_EVR_SNUS = 1 OR R02R_Y_EVR_SNUS = 1 OR R03R_A_EVR_SNUS = 1 OR
R03R_Y_EVR_SNUS = 1 OR R04R_A_EVR_SNUS = 1 OR R04R_Y_EVR_SNUS = 1
THEN R04M_EVR_SNUS = 1; ELSE IF (R04R_A_EVR_SNUS = 2 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_SNUS = 2 AND R04M_STATUS = 8) OR
(R03R_A_EVR_SNUS = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_SNUS = 2 AND
R04M_STATUS = 6) OR (R02R_A_EVR_SNUS = 2 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_SNUS = 2 AND R04M_STATUS = 4) OR (R01R_A_NVR_SNUS = 1 AND
R04M_STATUS = 1) OR (R01R_Y_EVR_SNUS = 2 AND R04M_STATUS = 2) THEN
R04M_EVR_SNUS = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_SNUS =
-99933; ELSE IF (R04R_A_EVR_SNUS = -99999 AND R04M_STATUS = 7) OR
(R04R_Y_EVR_SNUS = -99999 AND R04M_STATUS = 8) OR (R03R_A_EVR_SNUS =
-99999 AND R04M_STATUS = 5) OR (R03R_Y_EVR_SNUS = -99999 AND
R04M_STATUS = 6) OR (R02R_A_EVR_SNUS = -99999 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_SNUS = -99999 AND R04M_STATUS = 4) OR (R01R_A_NVR_SNUS =
-99999 AND R04M_STATUS = 1) OR (R01R_Y_EVR_SNUS = -99999 AND
R04M_STATUS = 2) THEN R04M_EVR_SNUS = -99999; ELSE IF
(R04R_A_EVR_SNUS = -99988 AND R04M_STATUS = 7) OR (R04R_Y_EVR_SNUS =
-99988 AND R04M_STATUS = 8) OR (R03R_A_EVR_SNUS = -99988 AND
R04M_STATUS = 5) OR (R03R_Y_EVR_SNUS = -99988 AND R04M_STATUS = 6) OR
(R02R_A_EVR_SNUS = -99988 AND R04M_STATUS = 3) OR (R02R_Y_EVR_SNUS =
-99988 AND R04M_STATUS = 4) OR (R01R_A_NVR_SNUS = -99988 AND
R04M_STATUS = 1) OR (R01R_Y_EVR_SNUS = -99988 AND R04M_STATUS = 2)
THEN R04M_EVR_SNUS = -99988; ELSE IF (R04R_A_EVR_SNUS = -99977 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_SNUS = -99977 AND R04M_STATUS = 8) OR
(R03R_A_EVR_SNUS = -99977 AND R04M_STATUS = 5) OR (R03R_Y_EVR_SNUS =
-99977 AND R04M_STATUS = 6) OR (R02R_A_EVR_SNUS = -99977 AND
R04M_STATUS = 3) OR (R02R_Y_EVR_SNUS = -99977 AND R04M_STATUS = 4) OR
(R01R_A_NVR_SNUS = -99977 AND R04M_STATUS = 1) OR (R01R_Y_EVR_SNUS =
-99977 AND R04M_STATUS = 2) THEN R04M_EVR_SNUS = -99977; ELSE IF
(R04R_A_EVR_SNUS = -99966 AND R04M_STATUS = 7) OR (R04R_Y_EVR_SNUS =
-99966 AND R04M_STATUS = 8) OR (R03R_A_EVR_SNUS = -99966 AND
R04M_STATUS = 5) OR (R03R_Y_EVR_SNUS = -99966 AND R04M_STATUS = 6) OR
(R02R_A_EVR_SNUS = -99966 AND R04M_STATUS = 3) OR (R02R_Y_EVR_SNUS =
-99966 AND R04M_STATUS = 4) OR (R01R_A_NVR_SNUS = -99966 AND
R04M_STATUS = 1) OR (R01R_Y_EVR_SNUS = -99966 AND R04M_STATUS = 2)
THEN R04M_EVR_SNUS = -99966; ELSE IF (R04R_A_EVR_SNUS = -99911 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_SNUS = -99911 AND R04M_STATUS = 8) OR
(R03R_A_EVR_SNUS = -99911 AND R04M_STATUS = 5) OR (R03R_Y_EVR_SNUS =
-99911 AND R04M_STATUS = 6) OR (R02R_A_EVR_SNUS = -99911 AND
R04M_STATUS = 3) OR (R02R_Y_EVR_SNUS = -99911 AND R04M_STATUS = 4) OR
(R01R_A_NVR_SNUS = -99911 AND R04M_STATUS = 1) OR (R01R_Y_EVR_SNUS =
-99911 AND R04M_STATUS = 2) THEN R04M_EVR_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	5050	7.5 %

Value	Label	Unweighted Frequency	%
2	2 = No	53848	80.0 %
	Total	58,898	87.5%

This variable has 58,898 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	78	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	38	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2585	3.8 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	8,378	12.5%

Percentages for both tables are based on 67,276 total cases.

Location: 114-119 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_THRSH_SNUS: MARKER - Ever Snus Pouch Lifetime Threshold of Use as of Wave 4

Long Description: Respondent has ever used snus pouches fairly regularly as of the last wave he/she participated in.

Algorithm: IF R01R_A_EVR_THRSH_SNUS = 1 OR R02R_A_EVR_THRSH_SNUS = 1 OR R02R_Y_EVR_THRSH_SNUS = 1 OR R03R_A_THRSHLD_SNUS = 1 OR R03R_Y_EVR_THRSH_SNUS = 1 OR R04R_A_EVR_THRSH_SNUS = 1 OR R04R_Y_EVR_THRSH_SNUS = 1 THEN R04M_EVR_THRSH_SNUS = 1; ELSE IF (R04R_A_EVR_THRSH_SNUS = 2 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_SNUS = 2 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_SNUS = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_SNUS = 2 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_SNUS = 2 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_SNUS = 2 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_SNUS = 2 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_SNUS = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_THRSH_SNUS = -99933; ELSE IF (R04R_A_EVR_THRSH_SNUS = -99999 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_SNUS = -99999 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_SNUS = -99999 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_SNUS = -99999 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_SNUS = -99999 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_SNUS = -99999 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_SNUS = -99999 AND R04M_STATUS = 1) THEN

R04M_EVR_THRSH_SNUS = -99999; ELSE IF (R04R_A_EVR_THRSH_SNUS = -99988
 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_SNUS = -99988 AND
 R04M_STATUS = 8) OR (R03R_A_THRSHLD_SNUS = -99988 AND R04M_STATUS =
 5) OR (R03R_Y_EVR_THRSH_SNUS = -99988 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_THRSH_SNUS = -99988 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_THRSH_SNUS = -99988 AND R04M_STATUS = 4) OR
 (R01R_A_EVR_THRSH_SNUS = -99988 AND R04M_STATUS = 1) THEN
 R04M_EVR_THRSH_SNUS = -99988; ELSE IF (R04R_A_EVR_THRSH_SNUS = -99977
 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_SNUS = -99977 AND
 R04M_STATUS = 8) OR (R03R_A_THRSHLD_SNUS = -99977 AND
 R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_SNUS = -99977 AND
 R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_SNUS = -99977 AND
 R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_SNUS = -99977 AND
 R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_SNUS = -99977 AND
 R04M_STATUS = 1) THEN R04M_EVR_THRSH_SNUS = -99977; ELSE IF
 (R04R_A_EVR_THRSH_SNUS = -99966 AND R04M_STATUS = 7) OR
 (R04R_Y_EVR_THRSH_SNUS = -99966 AND R04M_STATUS = 8) OR
 (R03R_A_THRSHLD_SNUS = -99966 AND R04M_STATUS = 5) OR
 (R03R_Y_EVR_THRSH_SNUS = -99966 AND R04M_STATUS = 6) OR
 (R02R_A_EVR_THRSH_SNUS = -99966 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_THRSH_SNUS = -99966 AND R04M_STATUS = 4) THEN
 R04M_EVR_THRSH_SNUS = -99966; ELSE IF (R04R_A_EVR_THRSH_SNUS = -99911
 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_SNUS = -99911 AND
 R04M_STATUS = 8) OR (R03R_A_THRSHLD_SNUS = -99911 AND
 R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_SNUS = -99911 AND
 R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_SNUS = -99911 AND
 R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_SNUS = -99911 AND R04M_STATUS =
 4) OR (R01R_A_EVR_THRSH_SNUS = -99911 AND R04M_STATUS = 1) OR
 R04M_STATUS = 2 THEN R04M_EVR_THRSH_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1537	2.3 %
2	2 = No	55678	82.8 %
	Total	57,215	85.0%

This variable has 57,215 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	8	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	73	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	35	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2585	3.8 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1683	2.5 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	10,061	15.0%

Percentages for both tables are based on 67,276 total cases.

Location: 120-125 (width: 6; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_SMKLS: MARKER - Ever Smokeless Tobacco User as of Wave 4

Long Description: Respondent has ever used smokeless tobacco as of the last wave he/she participated in.

Algorithm: IF R01R_A_NVR_SMKLS = 2 OR R01R_Y_EVR_SMKLS = 1 OR
R02R_A_EVR_SMKLS = 1 OR R02R_Y_EVR_SMKLS = 1 OR R03R_A_EVR_SMKLS = 1
OR R03R_Y_EVR_SMKLS = 1 OR R04R_A_EVR_SMKLS = 1 OR
R04R_Y_EVR_SMKLS = 1 THEN R04M_EVR_SMKLS = 1; ELSE IF
(R04R_A_EVR_SMKLS = 2 AND R04M_STATUS = 7) OR (R04R_Y_EVR_SMKLS = 2
AND R04M_STATUS = 8) OR (R03R_A_EVR_SMKLS = 2 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_SMKLS = 2 AND R04M_STATUS = 6) OR (R02R_A_EVR_SMKLS = 2
AND R04M_STATUS = 3) OR (R02R_Y_EVR_SMKLS = 2 AND R04M_STATUS = 4) OR
(R01R_A_NVR_SMKLS = 1 AND R04M_STATUS = 1) OR (R01R_Y_EVR_SMKLS = 2
AND R04M_STATUS = 2) THEN R04M_EVR_SMKLS = 2; ELSE IF R04M_STATUS = 0
THEN R04M_EVR_SMKLS = -99933; ELSE IF (R04R_A_EVR_SMKLS = -99999 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_SMKLS = -99999 AND R04M_STATUS = 8)
OR (R03R_A_EVR_SMKLS = -99999 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_SMKLS = -99999 AND R04M_STATUS = 6) OR
(R02R_A_EVR_SMKLS = -99999 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_SMKLS = -99999 AND R04M_STATUS = 4) OR
(R01R_A_NVR_SMKLS = -99999 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_SMKLS = -99999 AND R04M_STATUS = 2) THEN
R04M_EVR_SMKLS = -99999; ELSE IF (R04R_A_EVR_SMKLS = -99988 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_SMKLS = -99988 AND R04M_STATUS = 8)
OR (R03R_A_EVR_SMKLS = -99988 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_SMKLS = -99988 AND R04M_STATUS = 6) OR
(R02R_A_EVR_SMKLS = -99988 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_SMKLS = -99988 AND R04M_STATUS = 4) OR
(R01R_A_NVR_SMKLS = -99988 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_SMKLS = -99988 AND R04M_STATUS = 2) THEN
R04M_EVR_SMKLS = -99988; ELSE IF (R04R_A_EVR_SMKLS = -99977 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_SMKLS = -99977 AND R04M_STATUS = 8)
OR (R03R_A_EVR_SMKLS = -99977 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_SMKLS = -99977 AND R04M_STATUS = 6) OR
(R02R_A_EVR_SMKLS = -99977 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_SMKLS = -99977 AND R04M_STATUS = 4) OR
(R01R_A_NVR_SMKLS = -99977 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_SMKLS = -99977 AND R04M_STATUS = 2) THEN
R04M_EVR_SMKLS = -99977; ELSE IF (R04R_A_EVR_SMKLS = -99966 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_SMKLS = -99966 AND R04M_STATUS = 8)
OR (R03R_A_EVR_SMKLS = -99966 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_SMKLS = -99966 AND R04M_STATUS = 6) OR
(R02R_A_EVR_SMKLS = -99966 AND R04M_STATUS = 3) OR
(R02R_Y_EVR_SMKLS = -99966 AND R04M_STATUS = 4) OR
(R01R_A_NVR_SMKLS = -99966 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_SMKLS = -99966 AND R04M_STATUS = 2) THEN
R04M_EVR_SMKLS = -99966; ELSE IF (R04R_A_EVR_SMKLS = -99911 AND
R04M_STATUS = 7) OR (R04R_Y_EVR_SMKLS = -99911 AND R04M_STATUS = 8)
OR (R03R_A_EVR_SMKLS = -99911 AND R04M_STATUS = 5) OR
(R03R_Y_EVR_SMKLS = -99911 AND R04M_STATUS = 6) OR
(R02R_A_EVR_SMKLS = -99911 AND R04M_STATUS = 3) OR

(R02R_Y_EVR_SMKLS = -99911 AND R04M_STATUS = 4) OR
(R01R_A_NVR_SMKLS = -99911 AND R04M_STATUS = 1) OR
(R01R_Y_EVR_SMKLS = -99911 AND R04M_STATUS = 2) THEN
R04M_EVR_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	9653	14.3 %
2	2 = No	49467	73.5 %
	Total	59,120	87.9%

This variable has 59,120 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	1	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	67	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	38	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2373	3.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	8,156	12.1%

Percentages for both tables are based on 67,276 total cases.

Location: 126-131 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_THRSH_SMKLS: MARKER - Ever Smokeless Tobacco Lifetime Threshold of Use as of Wave 4

Long Description: Respondent has ever used smokeless tobacco fairly regularly as of the last wave he/she participated in.

Algorithm: IF R01R_A_EVR_THRSH_SMKLS = 1 OR R02R_A_EVR_THRSH_SMKLS = 1 OR R02R_Y_EVR_THRSH_SMKLS = 1 OR R03R_A_THRSHLD_SMKLS = 1 OR R03R_Y_EVR_THRSH_SMKLS = 1 OR R04R_A_EVR_THRSH_SMKLS = 1 OR R04R_Y_EVR_THRSH_SMKLS = 1 THEN R04M_EVR_THRSH_SMKLS = 1; ELSE IF (R04R_A_EVR_THRSH_SMKLS = 2 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_SMKLS = 2 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_SMKLS = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_SMKLS = 2 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_SMKLS = 2 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_SMKLS = 2 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_SMKLS = 2 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_SMKLS = 2; ELSE IF R04M_STATUS = 0 THEN

R04M_EVR_THRSH_SMKLS = -99933; ELSE IF (R04R_A_EVR_THRSH_SMKLS = -99999 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_SMKLS = -99999 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_SMKLS = -99999 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_SMKLS = -99999 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_SMKLS = -99999 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_SMKLS = -99999 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_SMKLS = -99999 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_SMKLS = -99999; ELSE IF (R04R_A_EVR_THRSH_SMKLS = -99988 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_SMKLS = -99988 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_SMKLS = -99988 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_SMKLS = -99988 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_SMKLS = -99988 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_SMKLS = -99988 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_SMKLS = -99988 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_SMKLS = -99988; ELSE IF (R04R_A_EVR_THRSH_SMKLS = -99977 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_SMKLS = -99977 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_SMKLS = -99977 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_SMKLS = -99977 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_SMKLS = -99977 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_SMKLS = -99977 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_SMKLS = -99977 AND R04M_STATUS = 1) THEN R04M_EVR_THRSH_SMKLS = -99977; ELSE IF (R04R_A_EVR_THRSH_SMKLS = -99966 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_SMKLS = -99966 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_SMKLS = -99966 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_SMKLS = -99966 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_SMKLS = -99966 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_SMKLS = -99966 AND R04M_STATUS = 4) THEN R04M_EVR_THRSH_SMKLS = -99966; ELSE IF (R04R_A_EVR_THRSH_SMKLS = -99911 AND R04M_STATUS = 7) OR (R04R_Y_EVR_THRSH_SMKLS = -99911 AND R04M_STATUS = 8) OR (R03R_A_THRSHLD_SMKLS = -99911 AND R04M_STATUS = 5) OR (R03R_Y_EVR_THRSH_SMKLS = -99911 AND R04M_STATUS = 6) OR (R02R_A_EVR_THRSH_SMKLS = -99911 AND R04M_STATUS = 3) OR (R02R_Y_EVR_THRSH_SMKLS = -99911 AND R04M_STATUS = 4) OR (R01R_A_EVR_THRSH_SMKLS = -99911 AND R04M_STATUS = 1) OR R04M_STATUS = 2 THEN R04M_EVR_THRSH_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	4191	6.2 %
2	2 = No	52613	78.2 %
	Total	56,804	84.4%

This variable has 56,804 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	10	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	65	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	37	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2377	3.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2306	3.4 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	10,472	15.6%

Percentages for both tables are based on 67,276 total cases.

Location: 132-137 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_DISSBL: MARKER - Ever Dissolvable Tobacco User as of Wave 4

Long Description: Respondent has ever used dissolvable tobacco as of the last wave he/she participated in.

Algorithm: IF R01R_A_NVR_DISSBL = 2 OR R01R_Y_EVR_DISSBL = 1 OR R02R_A_EVR_DISSBL = 1 OR R02R_Y_EVR_DISSBL = 1 OR R03R_A_EVR_DISSBL = 1 OR R03R_Y_EVR_DISSBL = 1 OR R04R_A_EVR_DISSBL = 1 OR R04R_Y_EVR_DISSBL = 1 THEN R04M_EVR_DISSBL = 1; ELSE IF (R04R_A_EVR_DISSBL = 2 AND R04M_STATUS = 7) OR (R04R_Y_EVR_DISSBL = 2 AND R04M_STATUS = 8) OR (R03R_A_EVR_DISSBL = 2 AND R04M_STATUS = 5) OR (R03R_Y_EVR_DISSBL = 2 AND R04M_STATUS = 6) OR (R02R_A_EVR_DISSBL = 2 AND R04M_STATUS = 3) OR (R02R_Y_EVR_DISSBL = 2 AND R04M_STATUS = 4) OR (R01R_A_NVR_DISSBL = 1 AND R04M_STATUS = 1) OR (R01R_Y_EVR_DISSBL = 2 AND R04M_STATUS = 2) THEN R04M_EVR_DISSBL = 2; ELSE IF R04M_STATUS = 0 THEN R04M_EVR_DISSBL = -99933; ELSE IF (R04R_A_EVR_DISSBL = -99999 AND R04M_STATUS = 7) OR (R04R_Y_EVR_DISSBL = -99999 AND R04M_STATUS = 8) OR (R03R_A_EVR_DISSBL = -99999 AND R04M_STATUS = 5) OR (R03R_Y_EVR_DISSBL = -99999 AND R04M_STATUS = 6) OR (R02R_A_EVR_DISSBL = -99999 AND R04M_STATUS = 3) OR (R02R_Y_EVR_DISSBL = -99999 AND R04M_STATUS = 4) OR (R01R_A_NVR_DISSBL = -99999 AND R04M_STATUS = 1) OR (R01R_Y_EVR_DISSBL = -99999 AND R04M_STATUS = 2) THEN R04M_EVR_DISSBL = -99999; ELSE IF (R04R_A_EVR_DISSBL = -99988 AND R04M_STATUS = 7) OR (R04R_Y_EVR_DISSBL = -99988 AND R04M_STATUS = 8) OR (R03R_A_EVR_DISSBL = -99988 AND R04M_STATUS = 5) OR (R03R_Y_EVR_DISSBL = -99988 AND R04M_STATUS = 6) OR (R02R_A_EVR_DISSBL = -99988 AND R04M_STATUS = 3) OR (R02R_Y_EVR_DISSBL = -99988 AND R04M_STATUS = 4) OR (R01R_A_NVR_DISSBL = -99988 AND R04M_STATUS = 1) OR (R01R_Y_EVR_DISSBL = -99988 AND R04M_STATUS = 2) THEN R04M_EVR_DISSBL = -99988; ELSE IF (R04R_A_EVR_DISSBL = -99977 AND R04M_STATUS = 7) OR (R04R_Y_EVR_DISSBL = -99977 AND R04M_STATUS = 8) OR (R03R_A_EVR_DISSBL = -99977 AND R04M_STATUS = 5) OR (R03R_Y_EVR_DISSBL = -99977 AND R04M_STATUS = 6) OR (R02R_A_EVR_DISSBL = -99977 AND R04M_STATUS = 3) OR (R02R_Y_EVR_DISSBL = -99977 AND R04M_STATUS = 4) OR (R01R_A_NVR_DISSBL = -99977 AND R04M_STATUS = 1) OR (R01R_Y_EVR_DISSBL = -99977 AND R04M_STATUS = 2) THEN R04M_EVR_DISSBL = -99977; ELSE IF (R04R_A_EVR_DISSBL = -99966 AND R04M_STATUS = 7) OR (R04R_Y_EVR_DISSBL = -99966 AND R04M_STATUS = 8) OR (R03R_A_EVR_DISSBL = -99966 AND R04M_STATUS = 5) OR (R03R_Y_EVR_DISSBL = -99966 AND R04M_STATUS = 6) OR

(R02R_A_EVR_DISSBL = -99966 AND R04M_STATUS = 3) OR
 (R02R_Y_EVR_DISSBL = -99966 AND R04M_STATUS = 4) OR
 (R01R_A_NVR_DISSBL = -99966 AND R04M_STATUS = 1) OR
 (R01R_Y_EVR_DISSBL = -99966 AND R04M_STATUS = 2) THEN
 R04M_EVR_DISSBL = -99966; ELSE IF (R04R_A_EVR_DISSBL = -99911 AND
 R04M_STATUS = 7) OR (R04R_Y_EVR_DISSBL = -99911 AND
 R04M_STATUS = 8) OR (R03R_A_EVR_DISSBL = -99911 AND
 R04M_STATUS = 5) OR (R03R_Y_EVR_DISSBL = -99911 AND
 R04M_STATUS = 6) OR (R02R_A_EVR_DISSBL = -99911 AND
 R04M_STATUS = 3) OR (R02R_Y_EVR_DISSBL = -99911 AND
 R04M_STATUS = 4) OR (R01R_A_NVR_DISSBL = -99911 AND
 R04M_STATUS = 1) OR (R01R_Y_EVR_DISSBL = -99911 AND
 R04M_STATUS = 2) THEN R04M_EVR_DISSBL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	666	1.0 %
2	2 = No	58367	86.8 %
	Total	59,033	87.7%

This variable has 59,033 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	51	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	31	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	2484	3.7 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	8,243	12.3%

Percentages for both tables are based on 67,276 total cases.

Location: 138-143 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_BIDI: MARKER - Ever Bidi User as of Wave 4

Long Description: Respondent has ever used a bidi as of the last wave he/she participated in.

Algorithm: IF R01R_Y_EVR_BIDI = 1 OR R02R_Y_EVR_BIDI = 1 OR
 R03R_Y_EVR_BIDI = 1 OR R04R_Y_EVR_BIDI = 1 THEN R04M_EVR_BIDI = 1;
 ELSE IF R04R_Y_EVR_BIDI = 2 OR (R03R_Y_EVR_BIDI = 2 AND
 WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_BIDI = 2 AND WAVE3_INTERVIEW
 IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_BIDI = 2 AND

WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN R04M_EVR_BIDI = 2; ELSE IF WAVE1_INTERVIEW IN (0,3) AND WAVE2_INTERVIEW IN (0,3,9) AND WAVE3_INTERVIEW IN (0,3,9) AND WAVE4_INTERVIEW IN (3,9) THEN R04M_EVR_BIDI = -99933; ELSE IF R04R_Y_EVR_BIDI = -99999 OR (R03R_Y_EVR_BIDI = -99999 AND WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_BIDI = -99999 AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_BIDI = -99999 AND WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN R04M_EVR_BIDI = -99999; ELSE IF R04R_Y_EVR_BIDI = -99988 OR (R03R_Y_EVR_BIDI = -99988 AND WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_BIDI = -99988 AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_BIDI = -99988 AND WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN R04M_EVR_BIDI = -99988; ELSE IF R04R_Y_EVR_BIDI = -99977 OR (R03R_Y_EVR_BIDI = -99977 AND WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_BIDI = -99977 AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_BIDI = -99977 AND WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN R04M_EVR_BIDI = -99977; ELSE IF R04R_Y_EVR_BIDI = -99966 OR (R03R_Y_EVR_BIDI = -99966 AND WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_BIDI = -99966 AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_BIDI = -99966 AND WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN R04M_EVR_BIDI = -99966; ELSE IF WAVE1_INTERVIEW = 1 OR WAVE2_INTERVIEW = 1 OR WAVE3_INTERVIEW = 1 OR WAVE4_INTERVIEW = 1 OR R04R_Y_EVR_BIDI = -99911 OR (R03R_Y_EVR_BIDI = -99911 AND WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_BIDI = -99911 AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_BIDI = -99911 AND WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN R04M_EVR_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	78	0.1 %
2	2 = No	22434	33.3 %
	Total	22,512	33.5%

This variable has 22,512 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	77	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	34	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	596	0.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	38380	57.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	44,764	66.5%

Percentages for both tables are based on 67,276 total cases.

Location: 144-149 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777

R04M_EVR_KRETEK: MARKER - Ever Kretek User as of Wave 4

Long Description: Respondent has ever used a kretek as of the last wave he/she participated in.

Algorithm: IF R01R_Y_EVR_KRETEK = 1 OR R02R_Y_EVR_KRETEK = 1 OR R03R_Y_EVR_KRETEK = 1 OR R04R_Y_EVR_KRETEK = 1 THEN R04M_EVR_KRETEK = 1; ELSE IF R04R_Y_EVR_KRETEK = 2 OR (R03R_Y_EVR_KRETEK = 2 AND WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_KRETEK = 2 AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_KRETEK = 2 AND WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN R04M_EVR_KRETEK = 2; ELSE IF WAVE1_INTERVIEW IN (0,3) AND WAVE2_INTERVIEW IN (0,3,9) AND WAVE3_INTERVIEW IN (0,3,9) AND WAVE4_INTERVIEW IN (3,9) THEN R04M_EVR_KRETEK = -99933; ELSE IF R04R_Y_EVR_KRETEK = -99999 OR (R03R_Y_EVR_KRETEK = -99999 AND WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_KRETEK = -99999 AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_KRETEK = -99999 AND WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN R04M_EVR_KRETEK = -99999; ELSE IF R04R_Y_EVR_KRETEK = -99988 OR (R03R_Y_EVR_KRETEK = -99988 AND WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_KRETEK = -99988 AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_KRETEK = -99988 AND WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN R04M_EVR_KRETEK = -99988; ELSE IF R04R_Y_EVR_KRETEK = -99977 OR (R03R_Y_EVR_KRETEK = -99977 AND WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_KRETEK = -99977 AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_KRETEK = -99977 AND WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN R04M_EVR_KRETEK = -99977; ELSE IF R04R_Y_EVR_KRETEK = -99966 OR (R03R_Y_EVR_KRETEK = -99966 AND WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_KRETEK = -99966 AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_KRETEK = -99966 AND WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN R04M_EVR_KRETEK = -99966; ELSE IF WAVE1_INTERVIEW = 1 OR WAVE2_INTERVIEW = 1 OR WAVE3_INTERVIEW = 1 OR WAVE4_INTERVIEW = 1 OR R04R_Y_EVR_KRETEK = -99911 OR (R03R_Y_EVR_KRETEK = -99911 AND WAVE4_INTERVIEW IN (1,9)) OR (R02R_Y_EVR_KRETEK = -99911 AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) OR (R01R_Y_EVR_KRETEK = -99911 AND WAVE2_INTERVIEW IN (1,9) AND WAVE3_INTERVIEW IN (1,9) AND WAVE4_INTERVIEW IN (1,9)) THEN

R04M_EVR_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	121	0.2 %
2	2 = No	22395	33.3 %
	Total	22,516	33.5%

This variable has 22,516 valid cases out of 67,276 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	78	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	32	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	593	0.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	5669	8.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	38380	57.0 %
-97777	-97777 = Missing due to data removed per respondent request	8	0.0 %
	Total	44,760	66.5%

Percentages for both tables are based on 67,276 total cases.

Location: 150-155 (width: 6; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -99911 , -97777