

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

Questionnaire for Wave 5: Adult Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

**PATH**Population Assessment
of Tobacco and Health*A collaboration between the NIH and FDA*

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Date: June 1, 2021

Contract Number: HHSN271201600001C
Reference Number: N01DA-16-5582

Submitted To:

Brian O'laughlin
Contracting Officer, PATH Study
National Institute on Drug Abuse
National Institutes of Health
Office of Acquisitions
3WFN MSC 6012
301 N Stonestreet Ave
Bethesda, Maryland 20892

Submitted by:

Westat
An Employee-Owned Research Corporation®
1600 Research Boulevard
Rockville, MD 20850
(301) 251-1500

Table of Contents

PATH Study Wave 5 Annotated Instrument – Explanatory Notes.....	ii
ADULT AGE CONFIRMATION.....	1
INITIAL ADMINISTRATIVE DATA.....	4
INTRODUCTORY DEMOGRAPHICS.....	5
TOBACCO USE.....	13
CIGARETTE.....	111
ELECTRONIC NICOTINE PRODUCTS (ENPs).....	168
CIGAR.....	231
PIPE.....	353
HOOKAH.....	390
SNUS.....	431
SMOKELESS TOBACCO.....	474
POLYUSE.....	518
NICOTINE DEPENDENCE.....	527
PACKAGING AND HEALTH WARNINGS.....	654
RISK PERCEPTIONS AND ATTITUDES.....	684
MEDIA USE.....	708
SECONDHAND SMOKE EXPOSURE.....	713
SOCIAL NORMS, PEER AND FAMILY INFLUENCES.....	725
HEALTH.....	731
MARKETING, ADVERTISING, AND PROMOTION.....	905
ADDITIONAL DEMOGRAPHICS.....	917
PRODUCT BARCODE SCANNING MODULE.....	934
CLOSING ADMINISTRATIVE DATA.....	948
APPENDIX – ADULT GENERIC IMAGES.....	949
APPENDIX – ADULT USER GROUP DEFINITIONS.....	961
APPENDIX – ADULT INSTRUMENT SKIP ERROR SUMMARY.....	1013
APPENDIX – ADULT INSTRUMENT DATA ERROR SUMMARY.....	1015

PATH Study Wave 5 Annotated Instrument – Explanatory Notes

BOX ID: R05_AMD07

(1) Structure of Question Boxes. Each question in the annotated instrument is presented in a box. Within the box, the top row usually indicates the name of the variable(s) in which data collected by that question are stored. However, for questions with a "choose all that apply" structure, the top row states "SEE BELOW:" and the variable names are displayed next to the corresponding response options. All variable names are displayed in bolded red font. The second row includes the question text, including any instructions for the respondent (for example, "Choose all that apply"). The next several rows display the response options. The last rows specify which respondents were asked the question, followed in many instances by special instructions used in programming. The rows that specify which respondents were asked the question are split into two parts: The first part (the "ASK Description") provides a general description of which respondents were asked; the second part (the "ASK Specification") identifies which respondents were asked as a logic statement using specific variables.

(2) Non-Question Boxes. Some boxes in the instrument do not include questions. These boxes include introductory text, display instructions, or more complex programming instructions, such as those used to create derived variables.

(3) Question Routing. The instrument was designed with the assumption that all respondents to a question would be asked the next question, unless there are specific instructions routing a subgroup of respondents to a different question. The phrase "GO TO" precedes such routing instructions. Complex routing instructions are split into two parts: The first part (the "GO TO Description") provides a general description of the routing instructions; the second part (the "GO TO Specification") reiterates the instructions as a set of logic statements, using specific variables. Non-response values ("DON'T KNOW" and "REFUSED") are treated the same as response values for routing; if they are not mentioned in specific routing instructions, then the routing follows other criteria. Many routing instructions consist of multiple statements. The first statement describes a set of conditions and indicates the next question to be asked if those conditions are met. ("IF ____, GO TO ____.") Subsequent statements use the word "else" to indicate that the conditions given in previous statements have not been met. ("ELSE, IF ____, GO TO ____.") This means that the first statement fulfilled by the respondent always indicates the next question asked.

(4) Randomized Question Order. Some series of questions were presented to respondents in a randomized order. In such instances, a non-question box precedes the series and specifies which questions are part of the randomized series. Routing within these series indicates which questions were asked of different respondents and reflects the static order of the questions in this document. It does not reflect the actual order in which the questions were displayed for respondents.

(5) Iterative Loops. There are several questions, series of questions, and entire sections that are specified as being asked in a loop. In such instances, questions were iteratively asked of the respondent to collect similar information on two or more topics. For example, the questions about cigars are asked iteratively regarding traditional cigars, cigarillos, and filtered cigars. These items are specified a single time, with programming instructions identifying the beginning and ending of the loop, how it is to be changed for each iteration, and the order in which each iteration should be presented. Looped items utilize iteration indicators to provide precise ASK Specifications and GO TO Specifications for each iteration of the item. The responses for each iteration are captured in different variables, which have different suffixes to indicate which iteration each variable applies to. For example, the variables for traditional cigars end in TC, the variables for cigarillos end in CG, and the variables for filtered cigars end in FC. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) ASK Specifications and GO TO Specifications address each iteration separately, with the particular variable identified at the start of the specification. (For example, "FOR R05_AG1005TC:" precedes the ASK specification that applies to the traditional cigar iteration of R05_AG1005; "IF LOOP =

GTRAD" precedes the GO TO Specifications that apply to the traditional cigar iteration of routing instructions.) However, the ASK Descriptions and GO TO Descriptions do not address the iterations separately. Instead, the overall description is given a single time and the iterated products are combined by slashes. (For example, "respondents who have ever smoked traditional cigars/cigarillos/filtered cigars" indicates that one iteration of the question applies to respondents who have ever smoked traditional cigars, another applies to those who have ever smoked cigarillos, and another to those who have ever smoked filtered cigars.) When GO TO Descriptions and response-level GO TO statements indicate routing to a variable within a loop, the root variable is referenced a single time and the iteration indicator suffixes are combined in brackets. (For example, "go to R05_AG1005[TC/CG/FC].") This is done to simplify the presentation. Unless explicitly stated otherwise, variables for one iteration have no impact on a different iteration. For example, if a question about cigars refers to a variable that ends in [TC/CG/FC], only the TC variable applies to the traditional cigar iteration, only the CG variable applies to the cigarillo iteration, and only the FC variable applies to the filtered cigar iteration.

(6) Variables For Multiple Components. Some questions contain separate variables for multiple components. Examples of such items include "choose all that apply" questions, where there is a separate variable for each response category; questions that ask about duration, where data are recorded in separate variables as number and unit (days, months, years) combinations (number variables are indicated by the suffix _NN and unit variables are indicated by _UN); and questions that ask for a price, where data are recorded in separate variables as dollar (_D) and cent (_C) combinations. (Variables with the suffix _D, _C or _NN are open-field variables that allow respondents to enter any numeric value. As such, no discrete values are indicated for these variables. However, variables with the suffix _UN have values corresponding to set options from which the respondent must choose. Because _NN/_UN questions combine these two variable types, item-level notes are utilized to clarify that the discrete values presented in the instrument refer only to the _UN variable.) Each component variable in such items is differentiated using an appropriate suffix. (Please refer to the PATH Study User Guide for detailed information on variable nomenclature.) However, when variables with multiple components are referenced in routing instructions that precede the question, the component suffix is omitted. This is done to simplify the presentation, since before the question is asked, the respondent's answer is not known. Unless explicitly stated otherwise, the reference to the root variable name (without the component suffix) in the logic means that the logic applies to the entire item, not just to a specific component variable. In routing instructions that come after the question, the specific variable with the component suffix is included, so that the routing instructions are clear and specific.

(7) Logic Checks. Some questions include a soft range check for responses. This means that respondents were not prevented from entering responses that were outside of the range. However, if a respondent entered a response that was out of range, they received a prompt noting their answer. They were asked to change their answer if it was incorrect or confirm their answer by proceeding to the next question. These logic checks are presented in the annotated instrument as probe questions, immediately following the question they check. Respondents are routed to the logic check and a program note specifies the conditions that trigger the prompt to be shown. If the respondent did not meet the trigger conditions, they proceeded to the next question without being shown the prompt. Logic checks are identified by the suffix _LC1 (or _LC2, etc.) added to the root variable name of the question they check. Although similar to actual questions, logic checks do not capture data. Logic checks are presented with ASK specifications, but without ASK descriptions to help distinguish them from actual questions.

(8) Section routing. Respondents are assumed to be routed through every section in the instrument in turn, unless otherwise noted. For the sections that ask questions about specific tobacco products (cigarettes, ENPs, cigars, pipe, hookah, snus, and smokeless tobacco), respondents are only routed to the section if they are ever users of the product, then to the Polyuse section. All respondents are routed to the Packaging and Health Warnings section. This routing is not explicitly defined in each section, but is driven by Box R05_AXR01, which specifies:

(a) For each product the respondent has ever used, route through product sections as appropriate. If

PATH Study Wave 5 Adult Public Use File Annotated Instrument

respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.

(b) For respondents that have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.

In some cases, a respondent is skipped from the middle of one section to the next section on the route that is applicable to them. This is noted by stating "GO TO THE NEXT SECTION." For simplicity, the specific logic for routing from one section to another is not described in these cases. Rather, it is assumed that respondents are routed through the specific tobacco product sections for every tobacco product they have ever used, and that all respondents are routed to the Packaging and Health Warnings section. After the Packaging and Health Warnings section, all remaining sections are completed in order.

(9) Never Users. The instrument refers to a respondent not reporting use of a product as having never used the product. As such, never usage includes respondents reporting that they have never used a product, or that they don't know whether they have ever used the product, or refusing to answer whether they have ever used the product. This design reflects programming and data collection necessities, rather than an analytic definition.

(10) Images. All generic images used to display examples during interview administration are included in an appendix. Images used to display tobacco brands, products, or advertisements are not included in this instrument.

(11) Conditional Display Text. Many questions include text that varies in what is displayed under different conditions. The conditional text is always enclosed by brackets in the question. In certain cases, a text fill is described for a set of words that will be used repeatedly prior to their use. For example, [ND FILL1] is used throughout the Nicotine Dependence section and a box at the start of the section describes the conditions in which that text is filled as "smoke cigarettes", "smoke traditional cigars", or other options. However, the majority of conditional text is detailed within the question box - all the text options are shown in brackets and the different conditions are explained in display instructions. For example, "About how long [have you been smoking/did you smoke] fairly regularly?" has instructions to display "have you been smoking" for current smokers, but to otherwise display "did you smoke". In some questions, a portion of text is shown in certain conditions, with nothing displayed in other conditions. For example, "In choosing your regular brand of cigarettes[when you smoked], was part of your decision based on any of the following?" displays " when you smoked" for former smokers, but not for current smokers. The brackets include the space between "cigarettes" and "when", because there should not be a space between "cigarettes" and the comma when the conditional text is not displayed.

(12) New Product Placeholder section. In the Wave 5 Adult data collection instrument, a placeholder section was included in the questionnaire to allow the possibility of adding new tobacco products to the survey during the data collection period. No product warranted activation of the section during data collection, so there are no data or variables associated with the section. Given that, the "New Product - Placeholder" section has been excluded from the Wave 5 Adult annotated instrument.

(13) References to Preload Data. As Westat prepares continuing respondent cases for data collection, data from prior waves are preloaded into the instruments for the current wave for longitudinal reference. For example, in the Wave 5 Adult instrument, identification of adults who have ever smoked a cigarette is based on the tobacco users groups and item responses from Waves 1 - 4 as well as responses to the Wave 5 instrument. Variables for this preloaded data are indicated by the prefix "R04_", signifying the most recent data at the close of Wave 4. (Wave 4 includes the nested Wave 4.5 youth study, for Wave 5 adult respondents who were younger than 18 at the time of their last completed interview.) When referencing data from previous waves, the instrument describes it as the respondents' answers "as of their last completed interview". For example, "continuing adult respondents who have ever smoked a cigarette as of their last completed interview".

(14) **/ Notation.** The **/** notation on some item IDs is indicative of a Wave 5 instrument error. The "***" represents an instrument SKIP ERROR which resulted in missing data for some respondents. See Appendix - Adult Instrument Skip Error Summary for more information. The "****" notation on some item IDs is indicative of a Wave 5 instrument DATA ERROR which are not attributed to any skip errors. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.). See Appendix - Adult Instrument Data Error Summary for more information.

(15) Nicotine Dependence Section. Respondents routed to this section were asked the questions up to two times. There is a sub-section for electronic nicotine products and a sub-section for all other products. For this reason, the nicotine dependence data are stored in two sets of variables: one that ends with an "E" suffix (for example, R05_AN0030E, R05_AN0035E, R05_AN0045E) and one that does not (for example, R05_AN0030, R05_AN0035, R05_AN0045). This note describes the variables in which the data are stored and how use is defined. Compared to Wave 4, the overall design of this section remains unchanged.

Polyuse means use of two or more tobacco products. The variables with the "E" suffix only include data about electronic nicotine products. Data for all other tobacco products are found in the variables without the suffix. Analysts interested in dependence among electronic nicotine product users only need to consider the variables with the "E" suffix.

Variables that store nicotine dependence data

- Data for single product users who use electronic nicotine products are stored in the variables with the "E" suffix.
- Data for single product users or polyusers who do not use electronic nicotine products are stored in the variables without the "E" suffix.
- Data for polyusers who use electronic nicotine products are stored in both sets of variables: those with the "E" suffix (for electronic nicotine product data) and those without the "E" suffix (for other product data).

Description of respondents who are asked questions in the nicotine dependence section.

Respondents were routed to the nicotine dependence section based on the count of tobacco products used, which is itself dependent on how use is defined.

The count of tobacco products used to determine if a respondent was a single product user or a polyuser depended on three types of use: current established use (CS), new former established use (NF) and current experimental use (CX).

The rules for counting products used are shown in the table below.

- To determine the count, the products in the use category(ies) shown in the "basis of product count" column were summed. Each of the three types of cigars (traditional cigars, cigarillos and filtered cigars) were counted separately, as were smokeless tobacco and snus.
- Based on that sum, users were categorized as single product users or polyusers.
- If one of the use categories was missing, it was considered to be no.
- The questions asked in the nicotine dependence section were about the products in the use category(ies) shown in the last column.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Current experimental user (CX)	Current established user (CS)	New former established user (NF)	Basis of product count
YES	NO	NO	CX
NO	YES	NO	CS
NO	NO	YES	NS
NO	YES	YES	CS and NF combined
YES	YES	YES	CS and NF combined
YES	YES	NO	CS
YES	NO	YES	NF
NO	NO	NO	Not applicable

Note that as shown in the table above, the only circumstance where a respondent answered nicotine dependence questions about their current experimental use is when that respondent was neither a current established user nor a new former established user. Current established users or new former established users of a single product who were experimental users of a second product were considered single product users. Once the respondent was categorized as a single product user or a polyuser, their responses to questions were stored in the data file as described in the variables section above.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF.

Questionnaire Variable	Questionnaire Variable Description
R05_CAD10	Confirm respondent DOB
R05_LAD01	Respondent's preferred language to complete ACASI interview
R05_AM0007	Ever served on active duty in the U.S. Armed Forces, Military Reserves or National Guard
R05_AM0011_NB_01	Branch served when on active duty: Army
R05_AM0011_NB_02	Branch served when on active duty: Navy
R05_AM0011_NB_03	Branch served when on active duty: Air Force
R05_AM0011_NB_04	Branch served when on active duty: Marine Corps
R05_AM0011_NB_05	Branch served when on active duty: Coast Guard
R05_AM0072_OS	Other language spoken at home: Some other language - specify
R05_AZ1002_OS	Ever used any other tobacco products - Specify
R05_AC1033MC_OS	Retail location where your cigarettes are purchased most of the time: Somewhere else - specify
R05_AC1049MC	Brand of cigarettes usually/last smoked - Specify
R05_AC1071MC	Sub-brand of cigarette product usually/last smoked - Specify
R05_AC1033RY_OS	Retail location where your roll-your-own cigarette tobacco is purchased most of the time: Somewhere else - specify
R05_AC1049RY	Brand of roll-your-own cigarette tobacco usually/last smoked - Specify
R05_AC1071RY	Sub-brand of roll-your-own cigarette tobacco product usually/last smoked - Specify
R05_AV9003	Brand of electronic nicotine product owned - specify
R05_AV1011_OS	Flavor of electronic nicotine product when first started using: Some other flavor - specify
R05_AV9035_OS	Electronic nicotine product you have used: Something else - specify
R05_AV1131_OS	In past 30 days, [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavor used: Some other flavor - specify
R05_AV1033_OS	Retail location where your [electronic nicotine products/electronic nicotine cartridges/e-liquid] are purchased most of the time: Somewhere else - specify
R05_AV1012_OS	Flavor of electronic nicotine product brand regularly/last used: Some other flavor - specify
R05_AV1049	Brand of electronic nicotine products / electronic nicotine cartridges / e-liquid usually/last used - specify
R05_AJ1033TC_OS	Retail location where your traditional cigars for blunts are purchased most of the time: Somewhere else - specify
R05_AJ1049TC	Brand of traditional cigars for blunts usually/last smoked - Specify
R05_AJ1071TC	Sub-brand of traditional cigar as a blunt product usually/last smoked - Specify
R05_AJ1033CG_OS	Retail location where your cigarillos for blunts are purchased most of the time: Somewhere else - specify
R05_AJ1049CG	Brand of cigarillos for blunts usually/last smoked - Specify
R05_AJ1071CG	Sub-brand of cigarillo as a blunt product usually/last smoked - Specify
R05_AJ1033FC_OS	Retail location where your filtered cigars for blunts are purchased most of the time: Somewhere else - specify

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF. (Continued)

Questionnaire Variable	Questionnaire Variable Description
R05_AJ1049FC	Brand of filtered cigars for blunts usually/last smoked - Specify
R05_AJ1071FC	Sub-brand of filtered cigar as a blunt product usually/last smoked - Specify
R05_AG1033TC_OS	Retail location where your traditional cigars are purchased most of the time: Somewhere else - specify
R05_AG1049TC	Brand of traditional cigars usually/last smoked - Specify
R05_AG1071TC	Sub-brand of traditional cigar product usually/last smoked - Specify
R05_AG1033CG_OS	Retail location where your cigarillos are purchased most of the time: Somewhere else - specify
R05_AG1049CG	Brand of cigarillos usually/last smoked - Specify
R05_AG1071CG	Sub-brand of cigarillo product usually/last smoked - Specify
R05_AG1033FC_OS	Retail location where your traditional cigars are purchased most of the time: Somewhere else - specify
R05_AG1049FC	Brand of filtered cigars usually/last smoked - Specify
R05_AG1071FC	Sub-brand of filtered cigar product usually/last smoked - Specify
R05_AP1033_OS	Retail location where your pipe tobacco is purchased most of the time: Somewhere else - specify
R05_AP1049	Brand of pipe tobacco usually/last smoked - Specify
R05_AP1071	Sub-brand of pipe tobacco product usually/last smoked - Specify
R05_AH9011_OS	Place where usually smoke/smoked a hookah: Somewhere else -specify
R05_AH1033_OS	Retail location where your shisha or hookah tobacco is purchased most of the time: Somewhere else - specify
R05_AH1049	Brand of shisha or hookah tobacco usually/last smoked - Specify
R05_AH1071	Sub-brand of hookah tobacco product usually/last smoked - Specify
R05_AU1033_OS	Retail location where your snus is purchased most of the time: Somewhere else - specify
R05_AU1049	Brand of snus usually/last used - specify
R05_AU1071	Sub-brand of snus product usually/last used - specify
R05_AS1033_OS	Retail location where your smokeless tobacco is purchased most of the time: Somewhere else - specify
R05_AS1049	Brand of smokeless tobacco usually/last used - Specify
R05_AS1071	Sub-brand of smokeless tobacco product usually/last used - Specify
R05_AX0686_OS	In past 12 months, liked or followed brand on social media sites: Some other brand - specify
R05_AX0190_NB	Is deaf or has serious difficulty hearing
R05_AX0191_NB	Is blind or has serious difficulty seeing, even when wearing glasses
R05_AX0203_OS	In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Somewhere else - specify
R05_AX0677_OS	In past 30 days, noticed cigarettes or other tobacco products being advertised: Somewhere else - specify
R05_AM0067	Enrolled in High School
R05_AM0068	Current grade in school
R05_AM0020_OS	Type of degree program currently enrolled in: Other type of degree program - specify

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF. (Continued)

Questionnaire Variable	Questionnaire Variable Description
R05_AM0012_12M	In past 12 months, been enrolled in VA Health Care
R05_AM0012_NB	Ever been enrolled in VA Health Care
R05_AM0021	Sexual attraction to gender
R05_AM0061	Consider yourself to be transgender
R05_AM0062	Consider self to be male-to-female, female-to-male, or non-conforming
R05_LCAD01	Language in which CAPI portions of adult interview were conducted
R05_AX0217_1A	Tobacco Product 1, bar code scan
R05_AX0217_2A	Tobacco Product 2, bar code scan
R05_AX0217_3A	Tobacco Product 3, bar code scan
R05_AX0217_4A	Tobacco Product 4, bar code scan
R05_AX0217_5A	Tobacco Product 5, bar code scan
R05_AX0217_6A	Tobacco Product 6, bar code scan
R05_AX0217_7A	Tobacco Product 7, bar code scan
R05_AX0217_8A	Tobacco Product 8, bar code scan
R05_AX0217_9A	Tobacco Product 9, bar code scan
R05_AX0217_10A	Tobacco Product 10, bar code scan
R05_AG1011CG_OS	Flavor of cigarillo when first started smoking: Some other flavor - specify
R05_AG1011FC_OS	Flavor of filtered cigar when first started smoking: Some other flavor - specify
R05_AG1011TC_OS	Flavor of traditional cigar when first started smoking: Some other flavor - specify
R05_AG1012CG_OS	Cigarillo flavor usually/last smoked: Some other flavor - specify
R05_AG1012FC_OS	Filtered cigar flavor usually/last smoked: Some other flavor - specify
R05_AG1012TC_OS	Traditional cigar flavor usually/last smoked: Some other flavor - specify
R05_AG1131CG_OS	In past 30 days, cigarillo flavor smoked: Some other flavor - specify
R05_AG1131FC_OS	In past 30 days, filtered cigar flavor smoked: Some other flavor - specify
R05_AG1131TC_OS	In past 30 days, traditional cigar flavor smoked: Some other flavor - specify
R05_AH1011_OS	Flavor of hookah tobacco when first started smoking: Some other flavor - specify
R05_AH1012_OS	Hookah tobacco flavor usually/last smoked: Some other flavor - specify
R05_AH1131_OS	In past 30 days, hookah tobacco flavor smoked: Some other flavor - specify
R05_AJ1011CG_OS	Flavor of cigarillo used as blunts when first started smoking: Some other flavor - specify
R05_AJ1011FC_OS	Flavor of filtered cigar used as blunts when first started smoking: Some other flavor - specify
R05_AJ1011TC_OS	Flavor of traditional cigar used as blunts when first started smoking: Some other flavor - specify
R05_AJ1012CG_OS	Cigarillo as blunts flavor usually/last smoked: Some other flavor - specify
R05_AJ1012FC_OS	Filtered cigar as blunts flavor usually/last smoked: Some other flavor - specify

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF. (Continued)

Questionnaire Variable	Questionnaire Variable Description
R05_AJ1012TC_OS	Traditional cigar as blunts flavor usually/last smoked: Some other flavor - specify
R05_AJ1131CG_OS	In past 30 days, cigarillo as blunts flavor smoked: Some other flavor - specify
R05_AJ1131FC_OS	In past 30 days, filtered cigar as blunts flavor smoked: Some other flavor - specify
R05_AJ1131TC_OS	In past 30 days, traditional cigar as blunts flavor smoked: Some other flavor - specify
R05_AN0336_OS	Main reason you used a nicotine patch, gum, inhaler, nasal spray, or lozenge: Some other reason - specify (current established, current experimental or recent former established non-electronic tobacco users)
R05_AP1011_OS	Flavor of pipe tobacco when first started smoking: Some other flavor - specify
R05_AP1012_OS	Pipe tobacco flavor usually/last smoked: Some other flavor - specify
R05_AP1131_OS	In past 30 days, pipe tobacco flavor smoked: Some other flavor - specify
R05_AS1011_OS	Flavor of smokeless tobacco when first started using: Some other flavor - specify
R05_AS1012_OS	Smokeless tobacco flavor usually/last used: Some other flavor - specify
R05_AS1131_OS	In past 30 days, smokeless tobacco flavor used: Some other flavor - specify
R05_AU1011_OS	Flavor of snus when first started using: Some other flavor - specify
R05_AU1012_OS	Snus flavor usually/last used: Some other flavor - specify
R05_AU1131_OS	In past 30 days, snus flavor used: Some other flavor - specify
R05_AV1133_OS	In past 30 days, flavor of electronic nicotine product / electronic nicotine cartridge / e-liquid used most often: Some other flavor - specify
R05_AV9001_OS	Type of electronic nicotine product used most often: Something else - specify
R05_AU1133_OS	In past 30 days, flavor of snus used most often: Some other flavor - specify
R05_AV0335_OS	Main reason you stopped using electronic nicotine products: Some other reason - specify
R05_AM0069	Adult respondent is a citizen of the United States
R05_AG1133CG_OS	In past 30 days, flavor of cigarillo smoked most often: Some other flavor - specify
R05_AG1133FC_OS	In past 30 days, flavor of filtered cigar smoked most often: Some other flavor - specify
R05_AG1133TC_OS	In past 30 days, flavor of traditional cigar smoked most often: Some other flavor - specify
R05_AH1133_OS	In past 30 days, flavor of hookah tobacco smoked most often: Some other flavor - specify
R05_AH9045_OS	Location when first tried a hookah: Somewhere else - specify
R05_AJ1133CG_OS	In past 30 days, flavor of cigarillos smoked as blunts most often: Some other flavor - specify
R05_AJ1133FC_OS	In past 30 days, flavor of filtered cigars smoked as blunts most often: Some other flavor - specify
R05_AJ1133TC_OS	In past 30 days, flavor of traditional cigars smoked as blunts most often: Some other flavor - specify

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Table 1. Questionnaire variables entirely excluded from the PUF. (Continued)

Questionnaire Variable	Questionnaire Variable Description
R05_AN0349_OS	Strength of nicotine patch last used (current or recent former established non-electronic tobacco users): Some other strength - specify
R05_AN0349E_OS	Strength of nicotine patch last used (current or recent former established non-marijuana electronic nicotine product users): Some other strength - specify
R05_AN0349H_OS	Strength of nicotine patch last used (former experimental or long-term former established tobacco users): Some other strength - specify
R05_AP1133_OS	In past 30 days, flavor of pipe tobacco smoked most often: Some other flavor - specify
R05_AS1133_OS	In past 30 days, flavor of smokeless tobacco used most often: Some other flavor - specify

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable.

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R05_AM0001	R05R_A_AGE CAT6	Age range when interviewed (6 levels)
R05_AM0002		
R05_AM0003		
R05_AM0065	R05R_A_AM0065_V2	Number of years lived in the United States (2 levels)
R05_AC1007_NB	R05R_A_AC1007_NB	Age range when first started smoking cigarettes fairly regularly (6 levels)
R05_AC1121_NB		
R05_AC1020_NB	R05R_A_AC1020_NB	Age range when first started smoking cigarettes every day (6 levels)
R05_AC1122_NB		
R05_AV1007_NB	R05R_A_AV1007_NB	Age range when first started using [EPRODTYPE1]s fairly regularly (6 levels)
R05_AV1121_NB		
R05_AV1020_NB	R05R_A_AV1020_NB	Age range when first started using [EPRODTYPE1]s every day (6 levels)
R05_AV1122_NB		
R05_AG1007TC_NB	R05R_A_AG1007TC_NB	Age range when first started smoking traditional cigars fairly regularly (6 levels)
R05_AG1121TC_NB		
R05_AG1020TC_NB	R05R_A_AG1020TC_NB	Age range when first started smoking cigarillos every day (6 levels)
R05_AG1122TC_NB		
R05_AG1007CG_NB	R05R_A_AG1007CG_NB	Age range when first started smoking filtered cigars fairly regularly (6 levels)
R05_AG1121CG_NB		
R05_AG1020CG_NB	R05R_A_AG1020CG_NB	Age range when first started smoking cigarillos every day (6 levels)
R05_AG1122CG_NB		
R05_AG1007FC_NB	R05R_A_AG1007FC_NB	Age range when first started smoking filtered cigars fairly regularly (6 levels)
R05_AG1121FC_NB		
R05_AG1020FC_NB	R05R_A_AG1020FC_NB	Age range when first started smoking filtered cigars every day (6 levels)
R05_AG1122FC_NB		
R05_AP1007_NB	R05R_A_AP1007_NB	Age range when first started smoking a pipe filled with tobacco fairly regularly (6 levels)
R05_AP1121_NB		
R05_AP1020_NB	R05R_A_AP1020_NB	Age range when first started smoking a pipe filled with tobacco every day (6 levels)
R05_AP1122_NB		
R05_AH1007_NB	R05R_A_AH1007_NB	Age range when first started smoking hookah fairly regularly (6 levels)
R05_AH1121_NB		
R05_AH1020_NB	R05R_A_AH1020_NB	Age range when first started smoking hookah every day (6 levels)
R05_AH1122_NB		
R05_AU1007_NB	R05R_A_AU1007_NB	Age range when first started smoking snus pouches fairly regularly (6 levels)
R05_AU1121_NB		
R05_AU1020_NB	R05R_A_AU1020_NB	Age range when first started smoking snus pouches every day (6 levels)
R05_AU1122_NB		
R05_AS1007_NB	R05R_A_AS1007_NB	Age range when first started using smokeless tobacco fairly regularly (6 levels)
R05_AS1121_NB		
R05_AS1020_NB	R05R_A_AS1020_NB	Age range when first started using smokeless tobacco every day (6 levels)
R05_AS1122_NB		
R05_AX0114_NB	R05R_A_AX0114_NB	Age range when you were first told you had high blood pressure (6 levels)
R05_AX0253_NB		

PATH Study Wave 5 Adult Public Use File Annotated Instrument

**Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable.
(Continued)**

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R05_AX0115_NB	R05R_A_AX0115_NB	Age range when you were first told you had high cholesterol (6 levels)
R05_AX0254_NB		
R05_AX0116_NB	R05R_A_AX0116_NB	Age range when you were first told you had congestive heart failure (6 levels)
R05_AX0255_NB		
R05_AX0117_NB	R05R_A_AX0117_NB	Age range when you were first told you had a stroke (6 levels)
R05_AX0256_NB		
R05_AX0112_NB	R05R_A_AX0112_NB	Age range when you were first told you had a heart attack (6 levels)
R05_AX0252_NB		
R05_AX0120_NB	R05R_A_AX0120_NB	Age range when you were first told you had COPD (6 levels)
R05_AX0257_NB		
R05_AX0121_NB	R05R_A_AX0121_NB	Age range when you were first told you had chronic bronchitis (6 levels)
R05_AX0258_NB		
R05_AX0123_NB	R05R_A_AX0123_NB	Age range when you were first told you had emphysema (6 levels)
R05_AX0259_NB		
R05_AX0124_NB	R05R_A_AX0124_NB	Age range when you were first told you had asthma (6 levels)
R05_AX0260_NB		
R05_AX0131_NB	R05R_A_AX0131_NB	Age range when you were first told you had gum disease (6 levels)
R05_AX0261_NB		
R05_AX0133_NB	R05R_A_AX0133_NB	Age range when you were first told you had pre-cancerous oral lesions (6 levels)
R05_AX0262_NB		
R05_AX0280_NB	R05R_A_AX0280_NB	Age range when you were first told you had diabetes, sugar diabetes, high blood sugar or borderline diabetes (6 levels)
R05_AX0263_NB		
R05_AX0143_NB	R05R_A_AX0143_NB	Age range when you were first told you had an ulcer (6 levels)
R05_AX0264_NB		
R05_AX0148_NB	R05R_A_AX0148_NB	Age range when you were first told you had stomach or gastro-intestinal bleeding (6 levels)
R05_AX0266_NB		
R05_AX0150_NB	R05R_A_AX0150_NB	Age range when you were first told you had osteoporosis (6 levels)
R05_AX0267_NB		
R05_AX0198_NB	R05R_A_AX0198_NB	Age range when you were first told you had a bone fracture because you have fragile bones (6 levels)
R05_AX0268_NB		
R05_AX0152_NB	R05R_A_AX0152_NB	Age range when you were first told you had a cataract or glaucoma (6 levels)
R05_AX0269_NB		
R05_AX0703	R05R_A_AX0703	Age range when you were first told you had macular degeneration (6 levels)
R05_AX0704		

PATH Study Wave 5 Adult Public Use File Annotated Instrument

**Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable.
(Continued)**

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R05_AX0145_02	R05R_A_AX0145_NONTOB	Type of cancer is a non-tobacco related cancer (2 levels)
R05_AX0145_03		
R05_AX0145_04		
R05_AX0145_05		
R05_AX0145_09		
R05_AX0145_12		
R05_AX0145_15		
R05_AX0145_18		
R05_AX0145_19		
R05_AX0145_21		
R05_AX0145_16		
R05_AX0145_23		
R05_AX0145_24		
R05_AX0145_25		
R05_AX0145_27		
R05_AX0145_29		
R05_AX0145_30		
R05_AX0145_31		
R05_AX0145_01	R05R_A_AX0145_TOB	Type of cancer is a tobacco related cancer (2 levels)
R05_AX0145_06		
R05_AX0145_07		
R05_AX0145_08		
R05_AX0145_10		
R05_AX0145_11		
R05_AX0145_13		
R05_AX0145_14		
R05_AX0145_17		
R05_AX0145_20		
R05_AX0145_22		
R05_AX0145_26		
R05_AX0145_28		

PATH Study Wave 5 Adult Public Use File Annotated Instrument

**Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable.
(Continued)**

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R05_AX0146_NB_02	R05R_A_AX0146_NONTOB	Age range when nontobacco related cancer was diagnosed (6 levels)
R05_AX0265_NB_02		
R05_AX0146_NB_03		
R05_AX0265_NB_03		
R05_AX0146_NB_04		
R05_AX0265_NB_04		
R05_AX0146_NB_05		
R05_AX0265_NB_05		
R05_AX0146_NB_09		
R05_AX0265_NB_09		
R05_AX0146_NB_12		
R05_AX0265_NB_12		
R05_AX0146_NB_15		
R05_AX0265_NB_15		
R05_AX0146_NB_18		
R05_AX0265_NB_18		
R05_AX0146_NB_19		
R05_AX0265_NB_19		
R05_AX0146_NB_21		
R05_AX0265_NB_21		
R05_AX0146_NB_16		
R05_AX0265_NB_16		
R05_AX0146_NB_23		
R05_AX0265_NB_23		
R05_AX0146_NB_24		
R05_AX0265_NB_24		
R05_AX0146_NB_25		
R05_AX0265_NB_25		
R05_AX0146_NB_27		
R05_AX0265_NB_27		
R05_AX0146_NB_29		
R05_AX0265_NB_29		
R05_AX0146_NB_30		
R05_AX0265_NB_30		
R05_AX0146_NB_31		
R05_AX0265_NB_31		

PATH Study Wave 5 Adult Public Use File Annotated Instrument

**Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable.
(Continued)**

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R05_AX0146_NB_01	R05R_A_AX0146_TOB	Age range when tobacco related cancer was diagnosed (6 levels)
R05_AX0265_NB_01		
R05_AX0146_NB_06		
R05_AX0265_NB_06		
R05_AX0146_NB_07		
R05_AX0265_NB_07		
R05_AX0146_NB_08		
R05_AX0265_NB_08		
R05_AX0146_NB_10		
R05_AX0265_NB_10		
R05_AX0146_NB_11		
R05_AX0265_NB_11		
R05_AX0146_NB_13		
R05_AX0265_NB_13		
R05_AX0146_NB_14		
R05_AX0265_NB_14		
R05_AX0146_NB_17		
R05_AX0265_NB_17		
R05_AX0146_NB_20		
R05_AX0265_NB_20		
R05_AX0146_NB_22		
R05_AX0265_NB_22		
R05_AX0146_NB_26		
R05_AX0265_NB_26		
R05_AX0146_NB_28		
R05_AX0265_NB_28		
R05_AX0135_12M	R05R_A_AX0135_12M	Outcome of last pregnancy was miscarriage, induced abortion, ectopic or tubal pregnancy or stillbirth (2 levels)
R05_AX0300_12M_01	R05R_A_AX0300_12M	Outcome for live birth was preterm birth, low birth weight, birth defects, placenta previa, placenta abruption, preeclampsia, or cleft lip or palate (2 levels)
R05_AX0300_12M_02		
R05_AX0300_12M_03		
R05_AX0300_12M_04		
R05_AX0300_12M_05		
R05_AX0300_12M_06		
R05_AX0300_12M_07		
R05_AX0706		
R05_AM0018	R05R_A_AM0018_V2	Highest grade or level of school completed (5 levels)
R05_AM0030	R05R_A_AM0030	Total household income in the past 12 months (5 levels)

PATH Study Wave 5 Adult Public Use File Annotated Instrument

**Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable.
(Continued)**

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R05_AM0033	R05R_A_AM0033_V2	Highest grade or year of school completed by mother, step-mother or mother-figure (5 levels)
R05_AM0034	R05R_A_AM0034_V2	Highest grade or year of school completed by father, step-father or father-figure (5 levels)
R05_AM0036	R05R_A_AM0036	In past 12 months, parents' total household income (5 levels)
R05_AM0026_01	R05R_A_AM0026_V2	Currently covered by health insurance or health coverage plan (2 levels)
R05_AM0026_02		
R05_AM0026_03		
R05_AM0026_04		
R05_AM0026_05		
R05_AM0026_06		
R05_AM0026_07		
R05_AM0026_08		
R05_AM0063	R05R_A_SEXORIENT2	Adult sexual orientation (2 levels)
R05_AX0313	R05R_A_BMI	Body mass index
R05_AX0679_FT		
R05_AX0679_IN		
R05_AX0316		
R05_AX0109		
R05_AX0312		
R05_AT0047	R05R_A_AT0047	Recoded marital status (3 levels)
R05_AL0040	R05R_A_AL0040	Indicator of home ownership (2 levels)
R05_AM0017	R05R_A_AM0017	Recoded reason for not working for pay (5 levels)
R05_AM0042	R05R_A_AM0042	Recoded where you currently live (3 levels)
R05_AM0072_02	R05R_A_AM0072_02	Indicator of other language spoken at home (2 levels)
R05_AM0072_03		
R05_AM0072_04		
R05_AM0072_05		
R05_AM0072_06		
R05_AM0072_07		
R05_AM0072_08		
R05_AM0072_09		
R05_AM0072_10		

PATH Study Wave 5 Adult Public Use File Annotated Instrument

**Table 2. Questionnaire variables excluded from the PUF that are replaced with a derived variable.
(Continued)**

Questionnaire Variable	PUF Derived Variable	PUF Derived Variable Description
R05_AX0066_01	R05R_A_AX0066	Recoded anyone who lives with you now: Cigarettes, cigars, cigarillos or filtered cigars, pipe tobacco, e-products exclusively, other tobacco products, including smokeless, snus and hookah, or no one living in the home uses tobacco (4 levels)
R05_AX0066_02		
R05_AX0066_03		
R05_AX0066_04		
R05_AX0066_05		
R05_AX0066_06		
R05_AX0066_07		
R05_AX0066_08		
R05_AX0066_09		
R05_AX0093	R05R_A_AX0093	Extent to which you are able to carry out your everyday physical activities (2 levels)
R05_AX0691	R05R_A_AX0691	Recoded type of living space currently living in (4 levels)
R05_AX0757_NB	R05R_A_AX0757_NB	Age range when you were first told by a doctor, therapist or other mental health professional that you had schizophrenia, schizoaffective disorder or psychosis (6 levels)
R05_AX0758_NB		
R05_AX0762_NB	R05R_A_AX0762_NB	Age range when you were first told by a doctor, therapist or other mental health professional that you had a psychotic illness or episode (6 levels)
R05_AX0772_NB		
R05_AX0411	R05R_A_AX0411	Age range when you were first told you have poor circulation (PAD or PVD) (6 levels)
R05_AX0412		

ADULT AGE CONFIRMATION

BOX ID: R05_CADBOX2

If adult SP's date of birth is available, go to R05_AM0027.
Else, if adult SP's date of birth is not available, go to R05_AM0001.

IF BestDOB != NULL, GO TO R05_AM0027.
ELSE, IF BestDOB = NULL, GO TO R05_AM0001.

Variable(s): R05_AM0027

I have that your date of birth is {DOB}. Is that correct?

- | | |
|---------------|-------------------|
| 1 YES | GO TO R05_CADBOX3 |
| 2 NO | |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: Adult SPs whose R05_BestDOB is available.

ASK Specification: IF R05_BestDOB != NULL.

DISPLAY: Fill {DOB} with R05_BestDOB.

Variable(s): R05_AM0001 (R05R_A_AGE)

What is your date of birth?

- | | |
|---------------------------------------|------------------|
| I _ _ _ MONTH I _ _ _ DAY | |
| I _ _ _ _ YEAR | |
| -8 DON'T KNOW | GO TO R05_AM0002 |
| -7 REFUSED | GO TO R05_AM0002 |

ASK: Asked of SPs who did not confirm R05_BestDOB in R05_AM0027 (or) asked of SPs who did not have a R05_BestDOB.

ASK Specification: IF R05_AM0027 = 2, -8, -7 OR R05_BestDOB = NULL.

NOTES: R05R_A_AGE was created after data collection. It is the age variable that is included in the dataset. The variable R05_AM0001 is not included in the dataset, but the question is included here for reference.

CHECK ID: R05_AM0001_LC

I recorded that your date of birth is {DOB}. Is that correct?

PRESS S IF YES.

PRESS G TO GO BACK AND EDIT ENTRY.

- | | |
|------------|-------------------|
| 1 SUPPRESS | GO TO R05_CADBOX3 |
| 2 GO BACK | GO TO R05_AM0001 |

ASK: R05_AM0001 response given.

DISPLAY: Display instructional text in blue. Fill {DOB2} with R05_AM0001 response.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AM0002 (R05R_A_AGE)

What is your age?

I__I__I__I Years old

GO TO R05_CADBOX3

-8 DON'T KNOW

-7 REFUSED

ASK: IF R05_AM0001 = -8, -7.

NOTES: R05R_A_AGE was created after data collection. It is the age variable that is included in the dataset. The variable R05_AM0002 is not included in the dataset, but the question is included here for reference.

Variable(s): R05_AM0003

Are you...

1 LESS THAN 18 YEARS OLD

2 18 TO 24 YEARS OLD

3 25 TO 29 YEARS OLD

4 30 TO 44 YEARS OLD

5 45 TO 64 YEARS OLD

6 65 YEARS OLD OR OLDER

-8 DON'T KNOW

END INTERVIEW AND RETURN TO IMS

-7 REFUSED

END INTERVIEW AND RETURN TO IMS

ASK: IF R05_AM0002 = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_CADBOX3

Create a derived variable, called R05_ACHIEVEDAGE, as follows:

IF R05_AM0027 = 1, THEN SET R05_ACHIEVEDAGE = Today's Date - BestDOB.

ELSE, IF R05_AM0001 != (-7, -8), THEN SET R05_ACHIEVEDAGE = Today's Date - DOB from R05_AM0001.

ELSE, IF R05_AM0002 != (-7, -8), THEN SET R05_ACHIEVEDAGE = age from R05_AM0002.

ELSE, IF R05_AM0003 = (1, 2, 3, 4, 5, 6), THEN SET R05_ACHIEVEDAGE = (17, 21, 27, 37, 54, 65), respectively.

Create a derived variable, called R05_ADULTTYPE as follows:

IF R05_ACHIEVEDAGE >= 18 AND A_PWAVE_COMP = 1, SET R05_ADULTTYPE = 1 (ContinuingAdult).

ELSE, IF R05_ACHIEVEDAGE >= 18 AND A_PWAVE_COMP = 2, SET R05_ADULTTYPE = 2 (Aged-upAdult).

PROGRAM ROUTING INSTRUCTIONS:

IF R05_ADULTTYPE = 1, GO TO R05_CAD08.

ELSE, IF R05_ADULTTYPE = 2, GO TO R05_CAD15.

ELSE, IF R05_ACHIEVEDAGE < 18, GO TO R05_CAD28.

INITIAL ADMINISTRATIVE DATA

Variable(s): R05_LAD01
I'm going to give you the computer to complete the survey. Do you want to answer questions in English or Spanish?
1 ENGLISH
2 SPANISH
ASK: All adult respondents who signed the consent.
ASK Specification: Specification: IF R05_MultLang = 1.

INTRODUCTORY DEMOGRAPHICS

BOX ID: R05_AMV02

PROGRAM: LOAD THE FOLLOWING DERIVED VARIABLES FROM PRELOAD FILE.

R04_CIG_USER_STATUS - Cigarette user status (current established, current experimental, former experimental, recent former established, long-term former established) as of the last completed interview.

R04_EPROD_USER_STATUS - ENP user status (current established, current experimental, former experimental, recent former established, long-term former established) as of the last completed interview.

R04_GTRAD_USER_STATUS - Traditional cigar user status (current established, current experimental, former experimental, recent former established, long-term former established) as of the last completed interview.

R04_GRILLO_USER_STATUS - Cigarillo user status (current established, current experimental, former experimental, recent former established, long-term former established) as of the last completed interview.

R04_GFILTR_USER_STATUS - Filtered cigar user status (current established, current experimental, former experimental, recent former established, long-term former established) as of the last completed interview.

R04_PIPE_USER_STATUS - Pipe user status (current established, current experimental, former experimental, recent former established, long-term former established) as of the last completed interview.

R04_HOOK_USER_STATUS - Hookah user status (current established, current experimental, former experimental, recent former established, long-term former established) as of the last completed interview.

R04_SNUS_USER_STATUS - Snus user status (current established, current experimental, former experimental, recent former established, long-term former established) as of the last completed interview.

R04_SMKLS_USER_STATUS - Smokeless tobacco user status (current established, current experimental, former experimental, recent former established, long-term former established) as of the last completed interview.

R04_TOBACCO_USER_STATUS - Tobacco user status (current established, current experimental, former experimental, recent former established, long-term former established) as of the last completed interview.

R04_EVER_NEVER_CIGS - Ever or never user of cigarettes as of the last completed interview.

R04_EVER_NEVER_EPRODS - Ever or never user of ENPs as of the last completed interview.

R04_EVER_NEVER_GTRAD - Ever or never user of traditional cigars as of the last completed interview.

R04_EVER_NEVER_GRILLO - Ever or never user of cigarillos as of the last completed interview.

R04_EVER_NEVER_GFILTR - Ever or never user of filtered cigars as of the last completed interview.

R04_EVER_NEVER_BTRAD - Ever or never user of traditional cigars as blunts as of the last completed interview.

R04_EVER_NEVER_BRILLO - Ever or never user of cigarillos as blunts as of the last completed interview.

R04_EVER_NEVER_BFILTR - Ever or never user of filtered cigars as blunts as of the last completed interview.

R04_EVER_NEVER_PIPE - Ever or never user of pipes as of the last completed interview.

R04_EVER_NEVER_HOOK - Ever or never user of hookah as of the last completed interview.

R04_EVER_NEVER_SNUS - Ever or never user of snus as of the last completed interview.

R04_EVER_NEVER_SMKLS - Ever or never user of smokeless tobacco as of the last completed interview.

R04_EVER_NEVER_DISSBL - Ever or never user of dissolvable tobacco as of the last completed interview.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R04_NUMLIFE_CIGS - The respondent reported smoking 100+ cigarettes in their lifetime as of their last completed interview.

R04_NUMLIFE_EPROD - The respondent reported using ENPs 100+ times in their lifetime as of their last completed interview.

R04_NUMLIFE_GTRAD - The respondent reported smoking 100+ traditional cigars in their lifetime as of their last completed interview.

R04_NUMLIFE_GRILLO - The respondent reported smoking 100+ cigarillos in their lifetime as of their last completed interview.

R04_NUMLIFE_GFILTR - The respondent reported smoking 100+ filtered cigars in their lifetime as of their last completed interview.

R04_NUMLIFE_PIPE - The respondent reported smoking a pipe 100+ times in their lifetime as of their last completed interview.

R04_NUMLIFE_HOOK - The respondent reported smoking hookah 100+ times in their lifetime as of their last completed interview.

R04_NUMLIFE_SNUS - The respondent reported using 100+ snus pouches in their lifetime as of their last completed interview.

R04_NUMLIFE_SMKLS - The respondent reported using smokeless tobacco 100+ times as of their last completed interview.

R04_REGUSE_CIGS - The respondent reported smoking cigarettes fairly regularly as of their last completed interview.

R04_REGUSE_EPROD - The respondent reported using ENPs fairly regularly as of their last completed interview.

R04_REGUSE_GTRAD - The respondent reported smoking traditional cigars fairly regularly as of their last completed interview.

R04_REGUSE_GRILLO - The respondent reported smoking cigarillos fairly regularly as of their last completed interview.

R04_REGUSE_GFILTR - The respondent reported smoking filtered cigars fairly regularly as of their last completed interview.

R04_REGUSE_PIPE - The respondent reported smoking a pipe fairly regularly as of their last completed interview.

R04_REGUSE_HOOK - The respondent reported smoking hookah fairly regularly as of their last completed interview.

R04_REGUSE_SNUS - The respondent reported using snus fairly regularly as of their last completed interview.

R04_REGUSE_SMKLS - The respondent reported using smokeless tobacco fairly regularly as of their last completed interview.

R04_GENDER - Respondent's reported gender.

R04_PREGNANT - Respondent reported being pregnant as of their last completed interview.

R04_VA_HEALTHCARE - Respondent reported being enrolled in VA health care as of their last completed interview.

R04_ASTHMA - Respondent reported being diagnosed with asthma as of their last completed interview.

R04_HIGH_CHOLESTEROL - Respondent reported being diagnosed with high cholesterol as of their last completed interview.

R04_HIGH_BLOOD_PRESSURE - Respondent reported being diagnosed with high blood pressure as of their last completed interview.

R04_STROKE - Respondent reported having had a stroke as of their last completed interview.

R04_ANY_HEART_CONDITION - Respondent reported being diagnosed with any heart condition as of their last completed interview.

R04_CANCER - Respondent reported being diagnosed with cancer as of their last completed interview.

R04_ULCER - Respondent reported being diagnosed with an ulcer as of their last completed interview.

R04_LUNGCOND - Respondent reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview.

R04_DIABETES - Respondent reported being diagnosed with diabetes as of their last completed interview.

R04_EVER_USER_ALCOHOL - Respondent reported ever using alcohol as of their last completed interview.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R04_EVER_USER_MARIJUANA - Respondent reported ever using marijuana as of their last completed interview.

R04_EVER_USER_RITALIN - Respondent reported ever using ritalin as of their last completed interview.

R04_EVER_USER_PAINKILLERS - Respondent reported ever using painkillers as of their last completed interview.

R04_EVER_USER_COCAINE - Respondent reported ever using cocaine as of their last completed interview.

R04_EVER_USER_STIMULANTS - Respondent reported ever using stimulants as of their last completed interview.

R04_EVER_USER_OTHERDRUG - Respondent reported ever using other drugs as of their last completed interview.

R04_USCITIZEN - Respondent reported US citizenship as of their last completed interview.

VT_R - Respondent completed the household screener.

CONTACTFLAG_LD - Adult respondent or parent/guardian of youth respondent has provided contact information.

LinkedAddress1 - Best street address from IMS.

LinkedAddress2 - Best apartment/unit number from IMS.

LinkedCity - Best city from IMS.

LinkedState - Best state from IMS.

LinkedZip - Best zip code from IMS.

PHONE1 - Respondents' best phone number from IMS.

PHONE2 - Respondents' second phone number from IMS.

EMAIL - Respondents' email from IMS.

R05_PARENT_COMPLETE_LD - Adult respondent has completed a parent survey about a youth or shadow youth respondent.

R05_WNR - Respondents who are previous wave non-responders.

R05_IQOS_AVAILABLE - Whether iQOS has become available in US markets.

R05_HNBRAND1 - Whether an additional heated tobacco brand has become available in US markets.

R05_HNBRAND2 - Whether a second additional heated tobacco brand has become available in US markets.

R05_HNBRAND3 - Whether a third additional heated tobacco brand has become available in US markets.

BOX ID: R05_AMR03

Adult respondents who did not already complete a parent interview, go to R05_AT0047.
Else, go to R05_AM0007.

IF R05_PARENT_COMPLETE_LD != 1, GO TO R05_AT0047.
ELSE, GO TO R05_AM0007.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AT0047

What is your marital status?

- 1 Now married
- 2 Widowed
- 3 Divorced
- 4 Separated
- 5 Never married
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

Variable(s): R05_AM0007

Have you ever served on active duty in the U.S. Armed Forces, Military Reserves, or National Guard?

Note: Active duty for the Military Reserves or National Guard does not include regular training for the Military Reserves or National Guard. It does include being activated for deployment, such as for the Iraq War.

- 1 Yes, now on active duty
- 2 Yes, on active duty in the past, but not now
- 3 No, training for Reserves or National Guard only
- 4 No, never served in the military
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_AMR11

New baseline adult respondents who are now on active duty or have been on active duty in the past, go to R05_AM0011_NB.
Else, go to Box R05_AMR13.

IF R05_ADULTTYPE = 2 AND R05_AM0007 = 1, 2, GO TO R05_AM0011_NB.
ELSE, GO TO BOX R05_AMR13.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **SEE BELOW:**

In which branch or branches [do/did] you serve on active duty? Choose all that apply.

- R05_AM0011_NB_01** 1 Army
- R05_AM0011_NB_02** 2 Navy
- R05_AM0011_NB_03** 3 Air Force
- R05_AM0011_NB_04** 4 Marine Corps
- R05_AM0011_NB_05** 5 Coast Guard
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who are now on active duty or have been on active duty in the past.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AM0007 = 1, 2.

DISPLAY: IF R05_AM0007 = 2, DISPLAY "did".
ELSE, DISPLAY "do".

PROGRAM: Allow respondent to choose all that apply.

BOX ID: **R05_AMR13**

Adult respondents who did not report US citizenship as of their last completed interview and did not already complete a parent interview, go to R05_AM0069.

Else, adult respondents who did not already complete a parent interview, go to R05_AM0065.

Else, go to Box R05_AMR15.

IF R04_USCITIZEN != 1 AND R05_PARENT_COMPLETE_LD != 1, GO TO R05_AM0069.

ELSE, IF R05_PARENT_COMPLETE_LD != 1, GO TO R05_AM0065.

ELSE, GO TO BOX R05_AMR15.

Variable(s): **R05_AM0069**

Are you a citizen of the United States?

- 1 Yes, born in the United States
- 2 Yes, born in Puerto Rico, Guam, the U.S. Virgin Islands, or Northern Marianas
- 3 Yes, born abroad of U.S. citizen parent or parents
- 4 Yes, U.S. citizen by naturalization
- 5 No, not a U.S. citizen
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not report US citizenship as of their last completed interview and did not already complete a parent interview.

ASK Specification: IF R04_USCITIZEN != 1 AND R05_PARENT_COMPLETE_LD != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AM0065**

About how many years have you lived in the United States? (If you have lived in the United States for less than a year, enter 1.)

-2 I have lived in the United States my whole life GO TO BOX R05_AMR15

I__|__|__| YEARS

-8 DON'T KNOW GO TO BOX R05_AMR15

-7 REFUSED GO TO BOX R05_AMR15

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "I have lived in the United States my whole life" ON RIGHT.

DISPLAY "YEARS" AS TITLE.

PROGRAM: Allow 3 digits.

CHECK ID: **R05_AM0065_LC1**

The computer recorded that you have lived in the United States for [R05_AM0065] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R05_AM0065

2 NEXT GO TO BOX R05_AMR15

ASK: IF R05_PARENT_COMPLETE_LD != 1 AND (R05_AM0065 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AM0065 > R05R_A_AGE.

ELSE, GO TO BOX R05_AMR15 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: **R05_AMR15**

Adult respondents who did not already complete a parent interview, go to Box R05_AMD03.
Else, go to Box R05_ACT02.

IF R05_PARENT_COMPLETE_LD != 1, GO TO BOX R05_AMD03.
ELSE, GO TO BOX R05_ACT02.

BOX ID: **R05_AMD03**

Display questions R05_AM0066 through R05_AM0073 using the expanded WVB stem-leaf screen. The introduction text from R05_AM0066 is the stem. Show all leaves on the screen at once.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AM0066***

How well do you...

speak English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AM0070***

read English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AM0073***

write in English?

- 1 Very well
- 2 Well
- 3 Not well
- 4 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AM0071***

Do you speak a language other than English at home?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_ACT02 |
| -8 DON'T KNOW | GO TO BOX R05_ACT02 |
| -7 REFUSED | GO TO BOX R05_ACT02 |

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): SEE BELOW:

What other languages do you speak at home? Choose all that apply.

- | | |
|---|----------------------------------|
| R05_AM0072_01 | 1 Spanish |
| R05_AM0072_02 | 2 Chinese |
| R05_AM0072_03 | 3 Tagalog |
| R05_AM0072_04 | 4 Vietnamese |
| R05_AM0072_05 | 5 French |
| R05_AM0072_06 | 6 Korean |
| R05_AM0072_07 | 7 German |
| R05_AM0072_08 | 8 Arabic |
| R05_AM0072_09 | 9 Russian |
| R05_AM0072_10;
R05_AM0072_OS | 10 Some other language (SPECIFY) |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who did not already complete a parent interview and speak another language at home.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1 AND R05_AM0071 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

TOBACCO USE

BOX ID: R05_ACT02
The next questions are about your experience with cigarettes .
BOLD "cigarettes".

BOX ID: R05_ACR50
Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview, go to R05_AC1002. Else, go to R05_AC1004.
IF R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2, GO TO R05_AC1002. ELSE, GO TO R05_AC1004.

Variable(s):	R05_AC1002
Have you ever smoked a cigarette, even one or two puffs?	
1	Yes
2	No
	GO TO BOX R05_ACV04
-8	DON'T KNOW
	GO TO BOX R05_ACV04
-7	REFUSED
	GO TO BOX R05_ACV04
ASK: Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview.	
ASK Specification: IF R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2.	

Variable(s): R05_AC1004	
In the past 30 days, have you smoked a cigarette, even one or two puffs?	
1 Yes	GO TO BOX R05_ACR14
2 No	
-8 DON'T KNOW	
-7 REFUSED	
ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked a cigarette as of their last completed interview, or adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette.	
ASK Specification: IF R05_WNR = 2 OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 1) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1).	

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1002_12M

In the past 12 months, have you smoked a cigarette, even one or two puffs?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not previous wave non-responders and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days, or

Adult respondents who are previous wave non-responders and have ever smoked a cigarette as of their last completed interview and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days, or

Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days.

ASK Specification: IF (R05_WNR = 2 AND R05_AC1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 1 AND R05_AC1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1004 = 2, -8, -7).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR14

Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months, or adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months, go to R05_AC1003.

Else, adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental, recent former established, or long-term former established cigarette smokers as of their last completed interview and have not smoked a cigarette in the past 12 months, or adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and have not smoked a cigarette in the past 12 months, go to R05_AC1009.

Else, adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental cigarette smokers as of their last completed interview and have not smoked a cigarette in the past 12 months, go to R05_AC1010.

Else, go to Box R05_ACV04.

IF R05_AC1004 = 1 OR R05_AC1002_12M = 1 OR (R04_EVER_NEVER_CIGS = 1 AND R05_AC1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1002_12M = -8, -7), GO TO R05_AC1003.

ELSE, IF (R04_EVER_NEVER_CIGS = 1 AND R04_CIG_USER_STATUS != 3, 4, 5 AND R05_AC1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1002_12M = 2), GO TO R05_AC1009.

ELSE, IF R05_AC1002_12M = 2 AND R04_EVER_NEVER_CIGS = 1 AND R04_CIG_USER_STATUS != 3, GO TO R05_AC1010.

ELSE, GO TO BOX R05_ACV04.

Variable(s): R05_AC1003

Do you now smoke cigarettes...

- | | |
|---------------|---------------------|
| 1 Every day | GO TO BOX R05_ACV04 |
| 2 Some days | GO TO BOX R05_ACV04 |
| 3 Not at all | |
| -8 DON'T KNOW | GO TO BOX R05_ACV04 |
| -7 REFUSED | GO TO BOX R05_ACV04 |

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months, or Adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months.

ASK Specification: IF R05_AC1004 = 1 OR R05_AC1002_12M = 1 OR (R04_EVER_NEVER_CIGS = 1 AND R05_AC1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1002_12M = -8, -7).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1009_NN; R05_AC1009_UN

About how long has it been since you last smoked a cigarette? (If it was earlier today, enter 1 day)

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R05_AC1010

-7 REFUSED

GO TO R05_AC1010

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or

Adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or

Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or
Adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental, recent former established, or long-term former established cigarette smokers as of their last completed interview and have not smoked a cigarette in the past 12 months, or
Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and have not smoked a cigarette in the past 12 months.

ASK Specification: IF ((R05_AC1004 = 1 OR R05_AC1002_12M = 1) AND R05_AC1003 = 3) OR (R04_EVER_NEVER_CIGS = 1 AND R05_AC1002_12M = -8, -7 AND R05_AC1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1002_12M = -8, -7 AND R05_AC1003 = 3) OR (R04_EVER_NEVER_CIGS = 1 AND R04_CIG_USER_STATUS != 3, 4, 5 AND R05_AC1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1002_12M = 2).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AC1009_UN = Days; the value "2" refers to R05_AC1009_UN = Months; the value "3" refers to R05_AC1009_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked a cigarette.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1009

2 NEXT

GO TO R05_AC1009_LC2

ASK: IF (((R05_AC1004 = 1 OR R05_AC1002_12M = 1) AND R05_AC1003 = 3) OR (R04_EVER_NEVER_CIGS = 1 AND R05_AC1002_12M = -8, -7 AND R05_AC1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1002_12M = -8, -7 AND R05_AC1003 = 3) OR (R04_EVER_NEVER_CIGS = 1 AND R04_CIG_USER_STATUS != 3, 4, 5 AND R05_AC1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1002_12M = 2)) AND R05_AC1009_NN = 0.

DISPLAY: IF R05_AC1009_UN = 1, DISPLAY "days".

ELSE, IF R05_AC1009_UN = 2, DISPLAY "months".

ELSE, IF R05_AC1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R05_AC1009_NN = 0.

ELSE, GO TO R05_AC1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AC1009_LC2

The computer recorded that it has been [R05_AC1009_NN] years since you last smoked a cigarette. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1009

2 NEXT

GO TO R05_AC1010

ASK: IF (((R05_AC1004 = 1 OR R05_AC1002_12M = 1) AND R05_AC1003 = 3) OR (R04_EVER_NEVER_CIGS = 1 AND R05_AC1002_12M = -8, -7 AND R05_AC1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1002_12M = -8, -7 AND R05_AC1003 = 3) OR (R04_EVER_NEVER_CIGS = 1 AND R04_CIG_USER_STATUS != 3, 4, 5 AND R05_AC1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1002_12M = 2)) AND (R05_AC1009_NN > R05R_A_AGE) AND R05_AC1009_UN = 3.

PROGRAM: TRIGGER CHECK IF (R05_AC1009_NN > R05R_A_AGE) AND R05_AC1009_UN = 3.

ELSE, GO TO R05_AC1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1010

Have you completely quit smoking cigarettes?

- 1 Yes
- 2 No
- 3 I have never smoked a cigarette in my entire life, not even one or two puffs
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a cigarette in the past 30 days or in the past 12 months and now smoke cigarettes not at all, or

Adult respondents who have ever smoked a cigarette as of their last completed interview and did not know or refused to report whether they have smoked a cigarette in the past 12 months and now smoke cigarettes not at all, or

Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and did not know or refused to report whether they have smoked a cigarette in the past 12 months, or

Adult respondents who have ever smoked a cigarette as of their last completed interview and were not former experimental cigarette smokers as of their last completed interview and have not smoked a cigarette in the past 12 months, or

Adult respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette and have not smoked a cigarette in the past 30 days or did not know or refused to report whether they have smoked a cigarette in the past 30 days and have not smoked a cigarette in the past 12 months.

ASK Specification: IF ((R05_AC1004 = 1 OR R05_AC1002_12M = 1) AND R05_AC1003 = 3) OR (R04_EVER_NEVER_CIGS = 1 AND R05_AC1002_12M = -8, -7 AND R05_AC1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1002_12M = -8, -7 AND R05_AC1003 = 3) OR (R04_EVER_NEVER_CIGS = 1 AND R04_CIG_USER_STATUS != 3 AND R05_AC1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2 AND R05_AC1002 = 1 AND R05_AC1002_12M = 2).

DISPLAY: IF R04_CIG_USER_STATUS = 4, 5, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACV04 PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R05_EVER_NEVER_CIGS = 1 (Ever user) Adult respondents who have ever smoked a cigarette and did not recant prior use. R05_EVER_NEVER_CIGS = 2 (Never user) Adult respondents who have never smoked a cigarette. R05_INIT_CIGS_ADULT = 1 (Initiator) Adult respondents who initiated cigarette smoking since their last completed interview. R05_EVER_NEVER_CIGS = 1: IF ((R04_EVER_NEVER_CIGS = 1 AND R05_AC1002 != 2) OR R05_AC1002 = 1 OR R05_AC1004 = 1 OR R05_AC1002_12M = 1 OR R05_AC1003 = 1, 2) AND R05_AC1010 != 3, THEN R05_EVER_NEVER_CIGS = 1. R05_EVER_NEVER_CIGS = 2: ELSE, R05_EVER_NEVER_CIGS = 2. R05_INIT_CIGS_ADULT = 1: IF R04_EVER_NEVER_CIGS != 1 AND R05_EVER_NEVER_CIGS = 1, THEN R05_INIT_CIGS_ADULT = 1. ELSE, R05_INIT_CIGS_ADULT = 2.
BOX ID: R05_ACR10 Young adult respondents who have never smoked a cigarette, go to R05_AC1103. Else, young adult respondents who have not smoked a cigarette in the past 12 months or did not know or refused to report whether they have smoked a cigarette in the past 12 months, go to R05_AC1206. Else, go to Box R05_ACR17. IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_CIGS = 2, GO TO R05_AC1103. ELSE, IF 18 <= R05R_A_AGE < 25 AND R05_AC1002_12M = 2, -8, -7, GO TO R05_AC1206. ELSE, GO TO BOX R05_ACR17.
Variable(s): R05_AC1103 Have you ever been curious about smoking a cigarette? 1 Very curious 2 Somewhat curious 3 A little curious 4 Not at all curious -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who have never smoked a cigarette. ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_CIGS = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1206

Do you think you will smoke a cigarette in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette, or young adult respondents who have not smoked a cigarette in the past 12 months or did not know or refused to report whether they have smoked a cigarette in the past 12 months.

ASK Specification: IF (18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_CIGS = 2) OR (18 <= R05R_A_AGE < 25 AND R05_AC1002_12M = 2, -8, -7).

BOX ID: R05_ACR17

Adult respondents who have never smoked a cigarette, go to R05_AC1104.
Else, go to Box R05_ACR48.

IF R05_EVER_NEVER_CIGS = 2, GO TO R05_AC1104.
ELSE, GO TO BOX R05_ACR48.

Variable(s): R05_AC1104

Do you think that you will try a cigarette soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS = 2.

BOX ID: R05_ACR48

Young adult respondents who have never smoked a cigarette, go to R05_AC1205.
Else, go to Box R05_AVT01.

IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_CIGS = 2, GO TO R05_AC1205.
ELSE, GO TO BOX R05_AVT01.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1205

If one of your best friends were to offer you a cigarette, would you smoke it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked a cigarette.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_CIGS = 2.

BOX ID: R05_AVT01

The next questions are about **electronic nicotine products**, such as e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.

These products are battery-powered and produce vapor or aerosol instead of smoke. Some electronic nicotine products can be bought as one-time, disposable products, while others can be bought as re-usable kits with cartridges or a tank system. They typically use a nicotine liquid called "e-liquid", although the amount of nicotine can vary and some may not contain any nicotine at all.

Some common brands include Vuse, Blu, Logic, MarkTen, JUUL, NJOY, eGo, and iTaste.

[SHOW GENERIC IMAGE OF E-PRODUCTS]

BOLD "electronic nicotine products".

BOX ID: R05_AVR49

Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview, go to R05_AV1002.

Else, go to R05_AV1004.

IF R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2, GO TO R05_AV1002.
ELSE, GO TO R05_AV1004.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1002

Have you ever used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_AVV02 |
| -8 | DON'T KNOW | GO TO BOX R05_AVV02 |
| -7 | REFUSED | GO TO BOX R05_AVV02 |

ASK: Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview.

ASK Specification: IF R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

Variable(s): R05_AV1004

In the past 30 days, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R05_AVR04 |
| 2 | No | |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview, or adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP.

ASK Specification: IF R05_WNR = 2 OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 1) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1).

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1002_12M

In the past 12 months, have you used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not previous wave non-responders and have not used an ENP in the past 30 days or did not know or refused to report whether they have used an ENP in the past 30 days, or

Adult respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview and have not used an ENP in the past 30 days or did not know or refused to report whether they have used an ENP in the past 30 days, or

Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 30 days or did not know or refused to report whether they have used an ENP in the past 30 days.

ASK Specification: IF (R05_WNR = 2 AND R05_AV1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 1 AND R05_AV1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR04

Adult respondents who have used an ENP in the past 30 days or in the past 12 months, or adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months, or adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP did not know or refused to report whether they have used an ENP in the past 12 months, go to R05_AV1003.

Else, adult respondents who have ever used an ENP as of their last completed interview and were not former experimental, recent former established, or long-term former established ENP users as of their last completed interview and have not used an ENP in the past 12 months, or adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 12 months, go to R05_AV1009.

Else, adult respondents who have not used an ENP in the past 12 months and have ever used an ENP as of their last completed interview and were not former experimental ENP users as of their last completed interview, go to R05_AV1010.

Else, go to Box R05_AVV02.

IF R05_AV1004 = 1 OR R05_AV1002_12M = 1 OR (R04_EVER_NEVER_EPRODS = 1 AND R05_AV1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1002_12M = -8, -7), GO TO R05_AV1003.

ELSE, IF (R04_EVER_NEVER_EPRODS = 1 AND R04_EPROD_USER_STATUS != 3, 4, 5 AND R05_AV1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1002_12M = 2), GO TO R05_AV1009.

ELSE, IF R05_AV1002_12M = 2 AND R04_EVER_NEVER_EPRODS = 1 AND R04_EPROD_USER_STATUS != 3, GO TO R05_AV1010.

ELSE, GO TO BOX R05_AVV02.

Variable(s): R05_AV1003

Do you now use electronic nicotine products...

- | | |
|---------------|---------------------|
| 1 Every day | GO TO BOX R05_AVV02 |
| 2 Some days | GO TO BOX R05_AVV02 |
| 3 Not at all | |
| -8 DON'T KNOW | GO TO BOX R05_AVV02 |
| -7 REFUSED | GO TO BOX R05_AVV02 |

ASK: Adult respondents who have used an ENP in the past 30 days or in the past 12 months, or Adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months, or Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months.

ASK Specification: IF R05_AV1004 = 1 OR R05_AV1002_12M = 1 OR (R04_EVER_NEVER_EPRODS = 1 AND R05_AV1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1002_12M = -8, -7).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1009_NN; R05_AV1009_UN

About how long has it been since you last took a puff from an electronic nicotine product? (If it was earlier today, enter 1 day).

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R05_AV1010

-7 REFUSED

GO TO R05_AV1010

ASK: Adult respondents who have used an ENP in the past 30 days or in the past 12 months and now use ENPs not at all, or

Adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or
Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or

Adult respondents who have ever used an ENP as of their last completed interview and were not former experimental, recent former established, or long-term former established ENP users as of their last completed interview and have not used an ENP in the past 12 months, or

Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 12 months.

ASK Specification: IF ((R05_AV1004 = 1 OR R05_AV1002_12M = 1) AND R05_AV1003 = 3) OR (R04_EVER_NEVER_EPRODS = 1 AND R05_AV1002_12M = -8, -7 AND R05_AV1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1002_12M = -8, -7 AND R05_AV1003 = 3) OR (R04_EVER_NEVER_EPRODS = 1 AND R04_EPROD_USER_STATUS != 3, 4, 5 AND R05_AV1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1002_12M = 2).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AV1009_UN = Days; the value "2" refers to R05_AV1009_UN = Months; the value "3" refers to R05_AV1009_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AV1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last took a puff from an electronic nicotine product.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1009

2 NEXT

GO TO R05_AV1009_LC2

ASK: IF (((R05_AV1004 = 1 OR R05_AV1002_12M = 1) AND R05_AV1003 = 3) OR (R04_EVER_NEVER_EPRODS = 1 AND R05_AV1002_12M = -8, -7 AND R05_AV1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1002_12M = -8, -7 AND R05_AV1003 = 3) OR (R04_EVER_NEVER_EPRODS = 1 AND R04_EPROD_USER_STATUS != 3, 4, 5 AND R05_AV1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1002_12M = 2)) AND R05_AV1009_NN = 0.

DISPLAY: IF R05_AV1009_UN = 1, DISPLAY "days".

ELSE, IF R05_AV1009_UN = 2, DISPLAY, "months".

ELSE, IF R05_AV1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R05_AV1009_NN = 0.

ELSE, GO TO R05_AV1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AV1009_LC2

The computer recorded that it has been [R05_AV1009_NN] years since you last took a puff from an electronic nicotine product. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1009

2 NEXT

GO TO R05_AV1010

ASK: IF (((R05_AV1004 = 1 OR R05_AV1002_12M = 1) AND R05_AV1003 = 3) OR (R04_EVER_NEVER_EPRODS = 1 AND R05_AV1002_12M = -8, -7 AND R05_AV1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1002_12M = -8, -7 AND R05_AV1003 = 3) OR (R04_EVER_NEVER_EPRODS = 1 AND R04_EPROD_USER_STATUS != 3, 4, 5 AND R05_AV1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1002_12M = 2)) AND (R05_AV1009_NN > R05R_A_AGE) AND R05_AV1009_UN = 3.

PROGRAM: TRIGGER CHECK IF (R05_AV1009_NN > R05R_A_AGE) AND R05_AV1009_UN = 3.

ELSE, GO TO R05_AV1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1010

Have you completely quit using electronic nicotine products?

- 1 Yes
- 2 No
- 3 I have never used an electronic nicotine product in my entire life, not even one or two times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used an ENP in the past 30 days or in the past 12 months and now use ENPs not at all, or
 Adult respondents who have ever used an ENP as of their last completed interview and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or
 Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and did not know or refused to report whether they have used an ENP in the past 12 months and now use ENPs not at all, or
 Adult respondents who have ever used an ENP as of their last completed interview and were not former experimental ENP users as of their last completed interview and have not used an ENP in the past 12 months, or
 Adult respondents who are previous wave non-responders and have never used an ENP as of their last completed interview and have ever used an ENP and have not used an ENP in the past 12 months.

ASK Specification: IF ((R05_AV1004 = 1 OR R05_AV1002_12M = 1) AND R05_AV1003 = 3) OR (R04_EVER_NEVER_EPRODS = 1 AND R05_AV1002_12M = -8, -7 AND R05_AV1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1002_12M = -8, -7 AND R05_AV1003 = 3) OR (R04_EVER_NEVER_EPRODS = 1 AND R04_EPROD_USER_STATUS != 3 AND R05_AV1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2 AND R05_AV1002 = 1 AND R05_AV1002_12M = 2).

DISPLAY: IF R04_EPROD_USER_STATUS = 4, 5, DISPLAY OPTION 3.
 ELSE, DO NOT DISPLAY OPTION 3.

BOX ID: R05_AVV02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_EPRODS = 1 (Ever user) Adult respondents who have ever used any ENPs and did not recant prior use.

R05_EVER_NEVER_EPRODS = 2 (Never user) Adult respondents who have never used any ENPs.

R05_INIT_EPRODS_ADULT = 1 (Initiator) Adult respondents who initiated ENP use since their last completed interview.

R05_EVER_NEVER_EPRODS = 1:

IF ((R04_EVER_NEVER_EPRODS = 1 AND R05_AV1002 != 2) OR R05_AV1002 = 1 OR R05_AV1004 = 1 OR R05_AV1002_12M = 1 OR R05_AV1003 = 1, 2) AND R05_AV1010 != 3, THEN R05_EVER_NEVER_EPRODS = 1.

R05_EVER_NEVER_EPRODS = 2:

ELSE, R05_EVER_NEVER_EPRODS = 2.

R05_INIT_EPRODS_ADULT = 1:

IF R04_EVER_NEVER_EPRODS != 1 AND R05_EVER_NEVER_EPRODS = 1, THEN R05_INIT_EPRODS_ADULT = 1.

ELSE, R05_INIT_EPRODS_ADULT = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR18

Young adult respondents who have never used an ENP, go to R05_AV1103.
Else, young adult respondents who have not used an ENP in the past 12 months or did not know or refused to report whether they have used an ENP in the past 12 months, go to R05_AV1206.
Else, go to Box R05_AVR16.

IF $18 \leq R05R_A_AGE < 25$ AND $R05_EVER_NEVER_EPRODS = 2$, GO TO R05_AV1103.
ELSE, IF $(18 \leq R05R_A_AGE < 25$ AND $R05_EVER_NEVER_EPRODS = 2)$ OR $(18 \leq R05R_A_AGE < 25$ AND $R05_AV1002_12M = 2, -8, -7)$, GO TO R05_AV1206.
ELSE, GO TO BOX R05_AVR16.

Variable(s): R05_AV1103

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used an ENP.

ASK Specification: IF $18 \leq R05R_A_AGE < 25$ AND $R05_EVER_NEVER_EPRODS = 2$.

Variable(s): R05_AV1206

Do you think you will use an electronic nicotine product in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used an ENP, or young adult respondents who have not used an ENP in the past 12 months or did not know or refused to report whether they have used an ENP in the past 12 months.

ASK Specification: IF $(18 \leq R05R_A_AGE < 25$ AND $R05_EVER_NEVER_EPRODS = 2)$ OR $(18 \leq R05R_A_AGE < 25$ AND $R05_AV1002_12M = 2, -8, -7)$.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR16
Adult respondents who have never used an ENP, go to R05_AV1104. Else, go to Box R05_AVR48.
IF R05_EVER_NEVER_EPRODS = 2, GO TO R05_AV1104. ELSE, GO TO BOX R05_AVR48.

Variable(s): R05_AV1104
Do you think that you will try an electronic nicotine product soon?
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED
ASK: Adult respondents who have never used an ENP.
ASK Specification: IF R05_EVER_NEVER_EPRODS = 2.

BOX ID: R05_AVR48
Young adult respondents who have never used an ENP, go to R05_AV1105. Else, go to Box R05_AGR52.
IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_EPRODS = 2, GO TO R05_AV1105. ELSE, GO TO BOX R05_AGR52.

Variable(s): R05_AV1105
If one of your best friends were to offer you an electronic nicotine product, would you try it?
1 Definitely yes 2 Probably yes 3 Probably not 4 Definitely not -8 DON'T KNOW -7 REFUSED
ASK: Young adult respondents who have never used an ENP.
ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_EPRODS = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR52

Adult respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview, go to Box R05_AGT06.
Else, go to R05_AGT01.

IF R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2), GO TO BOX R05_AGT06.
ELSE, GO TO BOX R05_AGT01.

BOX ID: R05_AGT06

The next questions are about **traditional cigars**, **cigarillos**, and **filtered cigars**. These products go by lots of different names, so please use these descriptions and photos to understand what they are.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

BOLD "traditional cigars", "cigarillos", "filtered cigars", AND "Traditional cigars".
(This screen is only shown to adult respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview.)

BOX ID: R05_AGT05

Cigarillos and **filtered cigars** are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with filters or with plastic or wooden tips. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, and Cheyenne.

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

BOLD "Cigarillos" AND "filtered cigars".
(This screen is only shown to adult respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview.)

BOX ID: R05_AGR57

Adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview, go to R05_AG9003.
Else, go to Box R05_AGR56.

IF R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2, GO TO R05_AG9003.
ELSE, GO TO BOX R05_AGR56.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9003

Have you ever smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview.

ASK Specification: IF R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

BOX ID: R05_AGR56

Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview, go to R05_AG9004.

Else, go to Box R05_AGR54.

IF R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2), GO TO R05_AG9004.

ELSE, GO TO BOX R05_AGR54.

Variable(s): R05_AG9004

Have you ever smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_AGR54 |
| -8 DON'T KNOW | GO TO BOX R05_AGR54 |
| -7 REFUSED | GO TO BOX R05_AGR54 |

ASK: Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview.

ASK Specification: IF R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- | | |
|----------------------|---|
| R05_AG9009_01 | 1 With a plastic or wooden tip |
| R05_AG9009_02 | 2 With a filter (like a cigarette filter) |
| R05_AG9009_03 | 3 Without a tip or filter |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1.

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS

BOX ID: R05_AGR54

Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview, or adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar, go to R05_AG9030. Else, go to Box R05_AGR55.

IF R05_WNR = 2 OR (R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1) OR (R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1), GO TO R05_AG9030. ELSE, GO TO BOX R05_AGR55.

BOX ID: R05_AGT01

The next questions are about **traditional cigars**, **cigarillos**, and **filtered cigars**. These products go by lots of different names, so please use these descriptions and photos to understand what they are.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Some common brands of cigars include Macanudo, Romeo y Julieta, Arturo Fuente, and Cohiba, but there are many others.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

BOLD "traditional cigars", "cigarillos", "filtered cigars", AND "Traditional cigars".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9030

In the past 30 days, have you smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Yes GO TO BOX R05_AGR55
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview, or adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar.

ASK Specification: IF R05_WNR = 2 OR (R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1) OR (R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

Variable(s): R05_AG9003_12M

In the past 12 months, have you smoked a traditional cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not previous wave non-responders and did not smoke a traditional cigar in the past 30 days or did not know or refused to report whether they smoked a traditional cigar in the past 30 days, or

Adult respondents who are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview and did not smoke a traditional cigar in the past 30 days or did not know or refused to report whether they smoked a traditional cigar in the past 30 days, or

Adult respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and did not smoke a traditional cigar in the past 30 days or did not know or refused to report whether they smoked a traditional cigar in the past 30 days.

ASK Specification: IF (R05_WNR = 2 AND R05_AG9030 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1 AND R05_AG9030 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR55

Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview, go to Box R05_AGT02.

Else, adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar, go to R05_AG9031.

Else, go to R05_AG9107.

IF R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1)), GO TO BOX R05_AGT02.

ELSE, IF R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1, GO TO R05_AG9031.

ELSE, GO TO R05_AG9107.

BOX ID: R05_AGT02

Cigarillos and **filtered cigars** are smaller than traditional cigars. They are usually brown. Some are the same size as cigarettes, and some come with filters or with plastic or wooden tips. Some common brands are Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, and Cheyenne.

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

BOLD "Cigarillos" AND "filtered cigars".

Variable(s): R05_AG9031

In the past 30 days, have you smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

1 Yes

2 No

GO TO R05_AG9004_12M

-8 DON'T KNOW

GO TO R05_AG9004_12M

-7 REFUSED

GO TO R05_AG9004_12M

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview, or adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1)) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 30 days? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- | | |
|----------------------|---|
| R05_AG9049_01 | 1 With a plastic or wooden tip |
| R05_AG9049_02 | 2 With a filter (like a cigarette filter) |
| R05_AG9049_03 | 3 Without a tip or filter |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days, or

Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days, or

Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days.

ASK Specification: IF (R05_WNR = 2 AND R05_AG9031 = 1) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 1) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 1).

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR18

Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R05_AG9051.

Else, adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R05_AG9052.

Else, adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R05_AG9053.

Else, go to R05_AG9107.

IF (R05_WNR = 2 AND R05_AG9031 = 1 AND R05_AG9049_01 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 1 AND R05_AG9049_01 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 1 AND R05_AG9049_01 = 2, -8, -7), GO TO R05_AG9051.

ELSE, IF (R05_WNR = 2 AND R05_AG9031 = 1 AND R05_AG9049_02 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 1 AND R05_AG9049_02 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 1 AND R05_AG9049_02 = 2, -8, -7), GO TO R05_AG9052.

ELSE, IF (R05_WNR = 2 AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7), GO TO R05_AG9053.

ELSE, GO TO R05_AG9107.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9051

In the past 12 months, have you smoked the kind with a plastic or wooden tip, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a tip in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R05_WNR = 2 AND R05_AG9031 = 1 AND R05_AG9049_01 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 1 AND R05_AG9049_01 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 1 AND R05_AG9049_01 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR19

Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R05_AG9052.

Else, adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R05_AG9053.

Else, go to R05_AG9107.

IF (R05_WNR = 2 AND R05_AG9031 = 1 AND R05_AG9049_02 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 1 AND R05_AG9049_02 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 1 AND R05_AG9049_02 = 2, -8, -7), GO TO R05_AG9052.

ELSE, IF (R05_WNR = 2 AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7), GO TO R05_AG9053.

ELSE, GO TO R05_AG9107.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9052

In the past 12 months, have you smoked the kind with a filter (like a cigarette filter), even one or two puffs?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind with a filter or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R05_WNR = 2 AND R05_AG9031 = 1 AND R05_AG9049_02 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 1 AND R05_AG9049_02 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 1 AND R05_AG9049_02 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR20

Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, go to R05_AG9053.

Else, go to R05_AG9107.

IF (R05_WNR = 2 AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7), GO TO R05_AG9053.
ELSE, GO TO R05_AG9107.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9053

In the past 12 months, have you smoked the kind without a tip or filter, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS]

- | | |
|---------------|------------------|
| 1 Yes | GO TO R05_AG9107 |
| 2 No | GO TO R05_AG9107 |
| -8 DON'T KNOW | GO TO R05_AG9107 |
| -7 REFUSED | GO TO R05_AG9107 |

ASK: Adult respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or

Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days, or
 Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 30 days and did not smoke the kind without a tip or filter in the past 30 days or did not know or refused to report which kind of cigarillo or filtered cigar they smoked in the past 30 days.

ASK Specification: IF (R05_WNR = 2 AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 1 AND R05_AG9049_03 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITHOUT TIPS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9004_12M

In the past 12 months, have you smoked a cigarillo or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS]

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AG9107 |
| -8 | DON'T KNOW | GO TO R05_AG9107 |
| -7 | REFUSED | GO TO R05_AG9107 |

ASK: Adult respondents who are not previous wave non-responders and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked, or Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked, or Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked.

ASK Specification: IF (R05_WNR = 2 AND R05_AG9031 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 2, -8, -7) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS AND FILTERED CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months?
Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

- R05_AG9009_12M_01** 1 With a plastic or wooden tip
- R05_AG9009_12M_02** 2 With a filter (like a cigarette filter)
- R05_AG9009_12M_03** 3 Without a tip or filter
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not previous wave non-responders and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months, or

Adult respondents who are previous wave non-responders and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months, or

Adult respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have not smoked a cigarillo or filtered cigar in the past 30 days or did not know or refused to report whether they smoked and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R05_WNR = 2 AND R05_AG9031 = 2, -8, -7 AND R05_AG9004_12M = 1) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) AND R05_AG9031 = 2, -8, -7 AND R05_AG9004_12M = 1) OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_AG9004 = 1 AND R05_AG9031 = 2, -8, -7 AND R05_AG9004_12M = 1).

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS

Variable(s): R05_AG9107

Sometimes people take tobacco out of a traditional cigar, cigarillo, or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO BOX R05_AGV01
GO TO BOX R05_AGV01
GO TO BOX R05_AGV01

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

- | | | | |
|----------------------|----|------------|---------------------|
| R05_AG1095_01 | 1 | Group 1 | |
| R05_AG1095_02 | 2 | Group 2 | |
| R05_AG1095_03 | 3 | Group 3 | |
| | -8 | DON'T KNOW | GO TO BOX R05_AGV01 |
| | -7 | REFUSED | GO TO BOX R05_AGV01 |

ASK: Adult respondents who have smoked all or part of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF R05_AG9107 = 1.

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF 3 CIGAR GROUPS

Note: Group 1 is traditional cigars; group 2 is cigarillos with tips and cigarillos without tips; group 3 is filtered cigars.

Variable(s): R05_AG9106_01; R05_AG9106_02; R05_AG9106_03

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]]

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months and usually smoke traditional cigars/cigarillos/filtered cigars as blunts.

ASK Specification: FOR R05_AG9106_01: IF R05_AG9107 = 1 AND R05_AG1095_01 = 1.

FOR R05_AG9106_02: IF R05_AG9107 = 1 AND R05_AG1095_02 = 1.

FOR R05_AG9106_03: IF R05_AG9107 = 1 AND R05_AG1095_03 = 1.

PROGRAM: Repeat this question for every cigar type identified in R05_AG1095[_01/_02/_03].

If R05_AG1095_01 = 1, show image of traditional cigars.

If R05_AG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R05_AG1095_03 = 1, show image of filtered cigars.

IMAGE: SHOW GENERIC IMAGE OF [AG1095CIGARTYPE]

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_12MBLUNT_ONLY_BTRAD = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months.

R05_12MBLUNT_ONLY_BRILLO = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months.

R05_12MBLUNT_ONLY_BFILTR = 1 (Past 12 month blunt-only smoker) Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.

R05_INIT_BLUNT_BTRAD_ADULT = 1 (Initiator - Blunt-only) Adult respondents who initiated smoking traditional cigars as blunts since their last completed interview and smoked traditional cigars as blunts every time they smoked traditional cigars in the past 12 months.

R05_INIT_BLUNT_BRILLO_ADULT = 1 (Initiator - Blunt-only) Adult respondents who initiated smoking cigarillos as blunts since their last completed interview and smoked cigarillos as blunts every time they smoked cigarillos in the past 12 months.

R05_INIT_BLUNT_BFILTR_ADULT = 1 (Initiator - Blunt-only) Adult respondents who initiated smoking filtered cigars as blunts since their last completed interview and smoked filtered cigars as blunts every time they smoked filtered cigars in the past 12 months.

R05_12MBLUNT_ONLY_BTRAD = 1:

IF R05_AG1095_01 = 1 AND R05_AG9106_01 = 1, THEN R05_12MBLUNT_ONLY_BTRAD = 1.
ELSE, R05_12MBLUNT_ONLY_BTRAD = 2.

R05_12MBLUNT_ONLY_BRILLO = 1:

IF R05_AG1095_02 = 1 AND R05_AG9106_02 = 1, THEN R05_12MBLUNT_ONLY_BRILLO = 1.
ELSE, R05_12MBLUNT_ONLY_BRILLO = 2.

R05_12MBLUNT_ONLY_BFILTR = 1:

IF R05_AG1095_03 = 1 AND R05_AG9106_03 = 1, THEN R05_12MBLUNT_ONLY_BFILTR = 1.
ELSE, R05_12MBLUNT_ONLY_BFILTR = 2.

R05_INIT_BLUNT_BTRAD_ADULT = 1:

IF R04_EVER_NEVER_BTRAD != 1 AND (R05_AG1095_01 = 1 AND R05_AG9106_01 = 1), THEN
R05_INIT_BLUNT_BTRAD_ADULT = 1.
ELSE, R05_INIT_BLUNT_BTRAD_ADULT = 2.

R05_INIT_BLUNT_BRILLO_ADULT = 1:

IF R04_EVER_NEVER_BRILLO != 1 AND R05_AG1095_02 = 1 AND R05_AG9106_02 = 1, THEN
R05_INIT_BLUNT_BRILLO_ADULT = 1.
ELSE, R05_INIT_BLUNT_BRILLO_ADULT = 2.

R05_INIT_BLUNT_BFILTR_ADULT = 1:

IF R04_EVER_NEVER_BFILTR != 1 AND R05_AG1095_03 = 1 AND R05_AG9106_03 = 1, THEN
R05_INIT_BLUNT_BFILTR_ADULT = 1.
ELSE, R05_INIT_BLUNT_BFILTR_ADULT = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGD02

PROGRAM: CREATE [CIGARFILL]

If respondent has ever smoked traditional cigars, including when smoked as blunt-only, [CIGARFILL] = "traditional cigar".

If respondent has ever smoked cigarillos, including when smoked as blunt-only, [CIGARFILL] = "cigarillo".

If respondent has ever smoked filtered cigars, including when smoked as blunt-only, [CIGARFILL] = "filtered cigar".

IF CIGARLOOP1 = GTRAD OR BTRAD, [CIGARFILL] = "traditional cigar".

IF CIGARLOOP1 = GRILLO OR BRILLO, [CIGARFILL] = "cigarillo".

IF CIGARLOOP1 = GFILTR OR BFILTR, [CIGARFILL] = "filtered cigar".

BOX ID: R05_AGR09

PROGRAM: CREATE **CIGARLOOP1** FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES:

For Cigars (non-blunt):

Repeat Box R05_AGR05 through Box R05_AGR06 in a loop for each type of cigar the respondent has used in the following order: traditional cigars, cigarillos, filtered cigars.

For Cigars as Blunt-Only:

Past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers will be asked Box R05_AGR05 through Box R05_AGR06 in a loop for each type of cigar the respondent has used as blunt-only in the following order: traditional cigars, cigarillos, filtered cigars. The purpose is to assess for recent nicotine exposure via blunt usage to inform the biospecimen analysis. Display text instructions in addition to [CIGARFILL] text will be specified in the question DISPLAY statement.

PROGRAM: SEE DERIVED VARIABLES IN APPENDIX FOR DEFINITION OF CIGARLOOP1.

Cigar Loops (non-blunt)

IF LOOP = GTRAD, REPEAT BOX R05_AGR05 THROUGH BOX R05_AGR06 ONCE FOR TRADITIONAL CIGARS WITH [CIGARFILL] = "traditional cigar". DO NOT DISPLAY ANY BLUNT-RELATED FILLS.

IF LOOP = GRILLO, REPEAT BOX R05_AGR05 THROUGH BOX R05_AGR06 ONCE FOR CIGARILLOS WITH [CIGARFILL] = "cigarillo". DO NOT DISPLAY ANY BLUNT-RELATED FILLS.

IF LOOP = GFILTR, REPEAT BOX R05_AGR05 THROUGH BOX R05_AGR06 ONCE FOR FILTERED CIGARS WITH [CIGARFILL] = "filtered cigar". DO NOT DISPLAY ANY BLUNT-RELATED FILLS.

COMPLETE ANY/ALL LOOPS FOR NON-BLUNT CIGAR TYPES FIRST.

Cigar Loops (blunt-only)

IF LOOP = BTRAD, REPEAT BOX R05_AGR05 THROUGH BOX R05_AGR06 ONCE FOR TRADITIONAL CIGARS AS BLUNTS. [CIGARFILL] = "traditional cigar". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY.

IF LOOP = BRILLO, REPEAT BOX R05_AGR05 THROUGH BOX R05_AGR06 ONCE FOR CIGARILLOS AS BLUNTS. [CIGARFILL] = "cigarillo". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY.

IF LOOP = BFILTR, REPEAT BOX R05_AGR05 THROUGH BOX R05_AGR06 ONCE FOR FILTERED CIGARS AS BLUNTS. [CIGARFILL] = "filtered cigar". DISPLAY BLUNT-RELATED FILLS APPROPRIATELY.

COMPLETE ANY/ALL LOOPS FOR BLUNT-ONLY CIGAR TYPES SECOND.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGT04

DISPLAY THE FOLLOWING TEXT EACH TIME THEY REPEAT A LOOP. ADD THE LAST SENTENCE ONLY IF THEY STILL HAVE ANOTHER CIGARFILL TO ANSWER QUESTIONS ABOUT.

The next questions are about [CIGARFILL]s, like those shown below.

As you answer these questions, please think ONLY about your use of [CIGARFILL]s[when smoked as blunts].

[ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION, DISPLAY THE FOLLOWING:]
There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF CIGARFILL].

IF CIGARLOOP = BTRAD, BRILLO OR BFILTR, DISPLAY " when smoked as blunts".
ELSE, DISPLAY [CIGARFILL]s AS SPECIFIED.
BOLD "[CIGARFILL]s". BOLD AND UNDERLINE "blunts" WHEN DISPLAYED.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR05

Loop through R05_AG1003[TC/.../FJ], R05_AG1009[TC/.../FJ], R05_AG1010[TC/CG/FC], and Box R05_AGR06 following appropriate routing:

Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months, or adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG1003[TC/CG/FC].

Else, adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and were not former experimental, recent former established, or long-term former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R05_AG1009[TC/CG/FC].

Else, adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and were not former experimental traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R05_AG1010[TC/CG/FC].

Else, go to Box R05_AGR06.

IF LOOP = GTRAD:

IF (R05_12MBLUNT_ONLY_BTRAD != 1 AND (R05_AG9030 = 1 OR R05_AG9003_12M = 1)) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R05_AG9003_12M = -8, -7) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = -8, -7), GO TO R05_AG1003TC.

ELSE, IF (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_GTRAD_USER_STATUS != 3, 4, 5 AND R05_AG9003_12M = 2) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = 2), GO TO R05_AG1009TC. ELSE, IF R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_GTRAD_USER_STATUS != 3 AND R05_AG9003_12M = 2, GO TO R05_AG1010TC. ELSE, GO TO BOX R05_AGR06.

IF LOOP = GRILLO:

IF (R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR R05_AG9053 = 1 OR R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1)) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7))) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M

= -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7))), GO TO R05_AG1003CG.
 ELSE, IF (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_GRILLO_USER_STATUS != 3, 4, 5 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GFILTR = 1 OR (R04_EVER_NEVER_GFILTR != 1 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1)))))) AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG1003CG != 1, 2, -8, -7) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1) AND ((R05_AG9051 = 2 AND R05_AG9053 = 2) OR R05_AG9004_12M = 2 OR (R05_AG9009_12M_01 = 2 AND R05_AG9009_12M_03 = 2))), GO TO R05_AG1009CG.
 ELSE, IF R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_GRILLO_USER_STATUS != 3 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GFILTR = 1 OR (R04_EVER_NEVER_GFILTR != 1 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1)))))) AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG1003CG != 1, 2, -8, -7, GO TO R05_AG1010CG.
 ELSE, GO TO BOX R05_AGR06.

IF LOOP = GFILTR:

IF (R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1)) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7)) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7))), GO TO R05_AG1003FC.
 ELSE, IF (R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND R04_GFILTR_USER_STATUS != 3, 4, 5 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 OR (R04_EVER_NEVER_GRILLO != 1 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1)))) AND R05_AG9049_02 != 1 AND R05_AG9052 != 1 AND R05_AG9009_12M_02 != 1 AND R05_AG1003FC != 1, 2, -8, -7) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1 AND (R05_AG9052 = 2 OR R05_AG9004_12M = 2 OR R05_AG9009_12M_02 = 2)), GO TO R05_AG1009FC.
 ELSE, IF R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND R04_GFILTR_USER_STATUS != 3 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 OR (R04_EVER_NEVER_GRILLO != 1 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1)))) AND R05_AG9049_02 != 1 AND R05_AG9052 != 1 AND R05_AG9009_12M_02 != 1 AND R05_AG1003FC != 1, 2, -8, -7, GO TO R05_AG1010FC.
 ELSE, GO TO BOX R05_AGR06.

IF LOOP = BTRAD:

IF R05_12MBLUNT_ONLY_BTRAD = 1, GO TO R05_AG1003TJ.
 ELSE, GO TO BOX R05_AGR06.

IF LOOP = BRILLO:

IF R05_12MBLUNT_ONLY_BRILLO = 1, GO TO R05_AG1003GJ.
 ELSE, GO TO BOX R05_AGR06.

IF LOOP = BFILTR:

IF R05_12MBLUNT_ONLY_BFILTR = 1, GO TO R05_AG1003FJ.
 ELSE, GO TO BOX R05_AGR06.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1003TC; R05_AG1003CG***; R05_AG1003FC***; R05_AG1003TJ;
R05_AG1003GJ; R05_AG1003FJ

Do you now smoke [[CIGARFILL]s/ as blunts]...

- | | |
|---------------|---------------------|
| 1 Every day | GO TO BOX R05_AGR06 |
| 2 Some days | GO TO BOX R05_AGR06 |
| 3 Not at all | |
| -8 DON'T KNOW | GO TO BOX R05_AGR06 |
| -7 REFUSED | GO TO BOX R05_AGR06 |

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months, or

Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months, or

Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1003TC: IF (R05_12MBLUNT_ONLY_BTRAD != 1 AND (R05_AG9030 = 1 OR R05_AG9003_12M = 1)) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R05_AG9003_12M = -8, -7) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = -8, -7).
FOR R05_AG1003CG: IF (R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR R05_AG9053 = 1 OR R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1)) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7))) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7))).
FOR R05_AG1003FC: IF (R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1)) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7)) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7)).
FOR R05_AG1003TJ: IF R05_12MBLUNT_ONLY_BTRAD = 1.
FOR R05_AG1003GJ: IF R05_12MBLUNT_ONLY_BRILLO = 1.
FOR R05_AG1003FJ: IF R05_12MBLUNT_ONLY_BFILTR = 1.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as blunts".
ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1009TC_NN; R05_AG1009TC_UN; R05_AG1009CG_NN;
R05_AG1009CG_UN; R05_AG1009FC_NN*; R05_AG1009FC_UN;
R05_AG1009TJ_NN; R05_AG1009TJ_UN; R05_AG1009GJ_NN; R05_AG1009GJ_UN;
R05_AG1009FJ_NN; R05_AG1009FJ_UN

About how long has it been since you last smoked a [[CIGARFILL]]/ as a blunt]? (If it was earlier today, enter 1 day.)

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_AGR32

-7 REFUSED

GO TO BOX R05_AGR32

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or
Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or
Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or
Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and were not former experimental, recent former established, or long-term former established traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or
Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or
Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and now smoke traditional cigars/cigarillos/filtered cigars as blunts not at all.

ASK Specification: FOR R05_AG1009TC: IF (R05_12MBLUNT_ONLY_BTRAD != 1 AND (R05_AG9030 = 1 OR R05_AG9003_12M = 1) AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R05_AG9003_12M = -8, -7 AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = -8, -7 AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_GTRAD_USER_STATUS != 3, 4, 5 AND R05_AG9003_12M = 2) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = 2).
FOR R05_AG1009CG: IF (R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR R05_AG9053 = 1 OR R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7))

PATH Study Wave 5 Adult Public Use File Annotated Instrument

AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7))) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_GRILLO_USER_STATUS != 3, 4, 5 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GFILTR = 1 OR (R04_EVER_NEVER_GFILTR != 1 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1)))))) AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG1003CG != 1, 2, -8, -7) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1) AND ((R05_AG9051 = 2 AND R05_AG9053 = 2) OR R05_AG9004_12M = 2 OR (R05_AG9009_12M_01 = 2 AND R05_AG9009_12M_03 = 2))).

FOR R05_AG1009FC: IF (R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND R04_GFILTR_USER_STATUS != 3, 4, 5 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 OR (R04_EVER_NEVER_GRILLO != 1 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1)))) AND R05_AG9049_02 != 1 AND R05_AG9052 != 1 AND R05_AG9009_12M_02 != 1 AND R05_AG1003FC != 1, 2, -8, -7) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1 AND (R05_AG9052 = 2 OR R05_AG9004_12M = 2 OR R05_AG9009_12M_02 = 2)).

FOR R05_AG1009TJ: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AG1003TJ = 3.

FOR R05_AG1009GJ: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AG1003GJ = 3.

FOR R05_AG1009FJ: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AG1003FJ = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AG1009[TC/.../FJ]_UN = Days; the value "2" refers to R05_AG1009[TC/.../FJ]_UN = Months; the value "3" refers to R05_AG1009[TC/.../FJ]_UN = Years.

**SKIP ERROR: This item was skipped incorrectly by some adult respondents who were previous wave non-responders (R05_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last completed interview (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) and had not smoked a filtered cigar in the past 12 months (R05_AG9052 = 2). This issue was fixed in a field update on 3/26/2019.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1009TC_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked traditional cigars [as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1009TC

2 NEXT

GO TO R05_AG1009TC_LC2

ASK: IF ((R05_12MBLUNT_ONLY_BTRAD != 1 AND (R05_AG9030 = 1 OR R05_AG9003_12M = 1) AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R05_AG9003_12M = -8, -7 AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = -8, -7 AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_GTRAD_USER_STATUS != 3, 4, 5 AND R05_AG9003_12M = 2) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = 2)) AND R05_AG1009TC_NN = 0.

DISPLAY: IF R05_AG1009TC_UN = 1, DISPLAY "days".

ELSE, IF R05_AG1009TC_UN = 2, DISPLAY "months".

ELSE, IF R05_AG1009TC_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R05_AG1009TC_NN = 0.

ELSE, GO TO R05_AG1009TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1009TC_LC2

The computer recorded that it has been [R05_AG1009TC_NN] years since you last smoked traditional cigars[as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1009TC

2 NEXT

GO TO BOX R05_AGR32

ASK: IF ((R05_12MBLUNT_ONLY_BTRAD != 1 AND (R05_AG9030 = 1 OR R05_AG9003_12M = 1) AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R05_AG9003_12M = -8, -7 AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = -8, -7 AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_GTRAD_USER_STATUS != 3, 4, 5 AND R05_AG9003_12M = 2) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = 2)) AND (R05_AG1009TC_NN > R05R_A_AGE) AND R05_AG1009TC_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF (R05_AG1009TC_NN > R05R_A_AGE) AND R05_AG1009TC_UN = 3.

ELSE, GO TO BOX R05_AGR32 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1009CG_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked cigarillos[as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1009CG

2 NEXT

GO TO R05_AG1009CG_LC2

ASK: IF ((R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR R05_AG9053 = 1 OR R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7)) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7)) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_GRILLO_USER_STATUS != 3, 4, 5 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GFILTR = 1 OR (R04_EVER_NEVER_GFILTR != 1 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1)))))) AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG1003CG != 1, 2, -8, -7) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1) AND ((R05_AG9051 = 2 AND R05_AG9053 = 2) OR R05_AG9004_12M = 2 OR (R05_AG9009_12M_01 = 2 AND R05_AG9009_12M_03 = 2)))) AND R05_AG1009CG_NN = 0.

DISPLAY: IF R05_AG1009CG_UN = 1, DISPLAY "days".

ELSE, IF R05_AG1009CG_UN = 2, DISPLAY "months".

ELSE, IF R05_AG1009CG_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R05_AG1009CG_NN = 0.

ELSE, GO TO R05_AG1009CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1009CG_LC2

The computer recorded that it has been [R05_AG1009CG_NN] years since you last smoked cigarillos [as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1009CG

2 NEXT

GO TO BOX R05_AGR32

ASK: IF ((R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR R05_AG9053 = 1 OR R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7)) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7)) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_GRILLO_USER_STATUS != 3, 4, 5 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GFILTR = 1 OR (R04_EVER_NEVER_GFILTR != 1 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1)))))) AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG1003CG != 1, 2, -8, -7) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1) AND ((R05_AG9051 = 2 AND R05_AG9053 = 2) OR R05_AG9004_12M = 2 OR (R05_AG9009_12M_01 = 2 AND R05_AG9009_12M_03 = 2)))) AND (R05_AG1009CG_NN > R05R_A_AGE) AND R05_AG1009CG_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt".
ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF (R05_AG1009CG_NN > R05R_A_AGE) AND R05_AG1009CG_UN = 3.
ELSE, GO TO BOX R05_AGR32 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1009FC_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked filtered cigars [as a blunt].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1009FC

2 NEXT

GO TO R05_AG1009FC_LC2

ASK: IF ((R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND R04_GFILTR_USER_STATUS != 3, 4, 5 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 OR (R04_EVER_NEVER_GRILLO != 1 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1)))) AND R05_AG9049_02 != 1 AND R05_AG9052 != 1 AND R05_AG9009_12M_02 != 1 AND R05_AG1003FC != 1, 2, -8, -7) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1 AND (R05_AG9052 = 2 OR R05_AG9004_12M = 2 OR R05_AG9009_12M_02 = 2))) AND R05_AG1009FC_NN = 0.

DISPLAY: IF R05_AG1009FC_UN = 1, DISPLAY "days".

ELSE, IF R05_AG1009FC_UN = 2, DISPLAY "months".

ELSE, IF R05_AG1009FC_UN = 3, DISPLAY "years".

IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R05_AG1009FC_NN = 0.

ELSE, GO TO R05_AG1009FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1009FC_LC2

The computer recorded that it has been [R05_AG1009FC_NN] years since you last smoked filtered cigars[as a blunt]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1009FC

2 NEXT

GO TO BOX R05_AGR32

ASK: IF ((R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND R04_GFILTR_USER_STATUS != 3, 4, 5 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 OR (R04_EVER_NEVER_GRILLO != 1 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1)))) AND R05_AG9049_02 != 1 AND R05_AG9052 != 1 AND R05_AG9009_12M_02 != 1 AND R05_AG1003FC != 1, 2, -8, -7) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1 AND (R05_AG9052 = 2 OR R05_AG9004_12M = 2 OR R05_AG9009_12M_02 = 2))) AND (R05_AG1009FC_NN > R05R_A_AGE) AND R05_AG1009FC_UN = 3.

DISPLAY: IF LOOP = BTRAD, BRILLO, BFILTR, DISPLAY " as a blunt".

ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF (R05_AG1009FC_NN > R05R_A_AGE) AND R05_AG1009FC_UN = 3.

ELSE, GO TO BOX R05_AGR32 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR32

Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and were not former experimental traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, go to R05_AG1010[TC/CG/FC].
Else, go to Box R05_AGR06.

IF LOOP = GTRAD:

IF (R05_12MBLUNT_ONLY_BTRAD != 1 AND (R05_AG9030 = 1 OR R05_AG9003_12M = 1) AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R05_AG9003_12M = -8, -7 AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = -8, -7 AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_GTRAD_USER_STATUS != 3 AND R05_AG9003_12M = 2) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = 2), GO TO R05_AG1010TC. ELSE, GO TO BOX R05_AGR06.

IF LOOP = GRILLO:

IF (R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR R05_AG9053 = 1 OR R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7)) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7)) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_GRILLO_USER_STATUS != 3 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GFILTR = 1 OR (R04_EVER_NEVER_GFILTR != 1 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1)))))) AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG1003CG != 1, 2, -8, -7) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1) AND ((R05_AG9051 = 2 AND R05_AG9053 = 2) OR R05_AG9004_12M = 2 OR (R05_AG9009_12M_01 = 2 AND R05_AG9009_12M_03 = 2))), GO TO R05_AG1010CG.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

ELSE, GO TO BOX R05_AGR06.

IF LOOP = GFILTR:

IF (R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND (R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7) AND R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND R04_GFILTR_USER_STATUS != 3 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GRILLO = 1 OR (R04_EVER_NEVER_GRILLO != 1 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1)))) AND R05_AG9049_02 != 1 AND R05_AG9052 != 1 AND R05_AG9009_12M_02 != 1 AND R05_AG1003FC != 1, 2, -8, -7) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND R05_AG9009_02 = 1 AND (R05_AG9052 = 2 OR R05_AG9004_12M = 2 OR R05_AG9009_12M_02 = 2)), GO TO R05_AG1010FC.
ELSE, GO TO BOX R05_AGR06.

IF LOOP = BTRAD, BRILLO, BFILTR, GO TO BOX R05_AGR06.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1010TC; R05_AG1010CG**; R05_AG1010FC**

Have you completely quit smoking [CIGARFILL]s?

- 1 Yes
- 2 No
- 3 I have never smoked a [CIGARFILL] in my entire life, not even one or two puffs
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or
 Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and did not know or refused to report whether they smoked in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or
 Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months and now smoke traditional cigars/cigarillos/filtered cigars not at all, or
 Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have ever smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and were not former experimental traditional cigar/cigarillo/filtered cigar smokers as of their last completed interview and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months, or
 Adult respondents who are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are previous wave non-responders and have never smoked a traditional cigar/cigarillo/filtered cigar as of their last completed interview and have ever smoked a traditional cigar/cigarillo/filtered cigar and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar in the past 30 days and have not smoked a traditional cigar/cigarillo/filtered cigar in the past 12 months.

ASK Specification: FOR R05_AG1010TC: IF (R05_12MBLUNT_ONLY_BTRAD != 1 AND (R05_AG9030 = 1 OR R05_AG9003_12M = 1) AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R05_AG9003_12M = -8, -7 AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = -8, -7 AND R05_AG1003TC = 3) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_GTRAD_USER_STATUS != 3 AND R05_AG9003_12M = 2) OR (R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 2 AND R05_AG9003 = 1 AND R05_AG9030 = 2, -8, -7 AND R05_AG9003_12M = 2).

FOR R05_AG1010CG: IF (R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR R05_AG9053 = 1 OR R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7)) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2 AND R05_AG9004 = 1 AND ((R05_AG9051 = -8, -7 AND R05_AG9053 = -8, -7) OR R05_AG9004_12M = -8, -7 OR (R05_AG9009_12M_01 = -8, -7 AND R05_AG9009_12M_03 = -8, -7)) AND R05_AG1003CG = 3) OR (R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_GRILLO_USER_STATUS != 3 AND (R05_WNR = 2 OR (R05_WNR = 1 AND (R04_EVER_NEVER_GFILTR = 1 OR (R04_EVER_NEVER_GFILTR != 1 AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1)))))) AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

```

R05_AG9049_01 != 1 AND R05_AG9049_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND
R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG1003CG != 1, 2, -8, -7) OR
(R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GRILLO = 2
AND R05_AG9004 = 1 AND (R05_AG9009_01 = 1 OR R05_AG9009_03 = 1) AND ((R05_AG9051 = 2
AND R05_AG9053 = 2) OR R05_AG9004_12M = 2 OR (R05_AG9009_12M_01 = 2 AND
R05_AG9009_12M_03 = 2))).
FOR R05_AG1010FC: IF (R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_AG9049_02 = 1 OR
R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1) AND R05_AG1003FC = 3) OR
(R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND
(R05_AG9052 = -8, -7 OR R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7) AND
R05_AG1003FC = 3) OR (R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND
R04_EVER_NEVER_GFILTR = 2 AND R05_AG9004 = 1 AND (R05_AG9052 = -8, -7 OR
R05_AG9004_12M = -8, -7 OR R05_AG9009_12M_02 = -8, -7) AND R05_AG1003FC = 3) OR
(R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_EVER_NEVER_GFILTR = 1 AND
R04_GFILTR_USER_STATUS != 3 AND (R05_WNR = 2 OR (R05_WNR = 1 AND
(R04_EVER_NEVER_GRILLO = 1 OR (R04_EVER_NEVER_GRILLO != 1 AND R05_AG9004 = 1 AND
R05_AG9009_02 = 1)))) AND R05_AG9049_02 != 1 AND R05_AG9052 != 1 AND
R05_AG9009_12M_02 != 1 AND R05_AG1003FC != 1, 2, -8, -7) OR
(R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GFILTR = 2 AND
R05_AG9004 = 1 AND R05_AG9009_02 = 1 AND (R05_AG9052 = 2 OR R05_AG9004_12M = 2 OR
R05_AG9009_12M_02 = 2)).
DISPLAY: FOR R05_AG1010TC: IF R04_GTRAD_USER_STATUS = 4, 5, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.
FOR R05_AG1010CG: IF R04_GRILLO_USER_STATUS = 4, 5, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.
FOR R05_AG1010FC: IF R04_GFILTR_USER_STATUS = 4, 5, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.
NOTES: **SKIP ERROR: R05_AG1010CG: This item was skipped incorrectly by some respondents
who had ever smoked a cigarillo as of their last completed interview (R04_EVER_NEVER_GRILLO = 1)
and were not former experimental cigarillo smokers as of their last completed interview
(R04_GRILLO_USER_STATUS != 3) and did not know or refused to report which type of cigarillo or
filtered cigar they had smoked in the past 30 days (R05_AG9049_01 = -8, -7 AND
R05_AG9049_03 = -8, -7). This issue was fixed in a field update on 3/26/2019.
R05_AG1010FC: This item was skipped incorrectly by some adult respondents who were previous wave
non-responders (R05_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last
completed interview (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) and had
not smoked a filtered cigar in the past 12 months (R05_AG9052 = 2). This issue was fixed in a field
update on 3/26/2019.

```

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR06

If LOOP = GTRAD and adult respondent has ever smoked cigarillos/filtered cigars as of their last completed interview, or has smoked a cigarillo/filtered cigar in the past 30 days or in the past 12 months, or is a past 12 month blunt-only cigarillo/filtered cigar smoker, go back to Box R05_AGR05 and complete for the next product.

Else, if LOOP = GRILLO and adult respondent has ever smoked filtered cigars as of their last completed interview, or has smoked a filtered cigar in the past 30 days or in the past 12 months, or is a past 12 month blunt-only traditional cigar/filtered cigar smoker, go back to Box R05_AGR05 and complete for the next product.

Else, if LOOP = GFILTR and adult respondent is a past 12 month blunt-only traditional cigar/cigarillo smoker, go back to Box R05_AGR05 and complete for the next product.

Else, if LOOP = BTRAD and adult respondent is a past 12 month blunt-only cigarillo/filtered cigar smoker, go back to Box R05_AGR05 and complete for the next product.

Else, if LOOP = BRILLO and adult respondent is a past 12 month blunt-only filtered cigar smoker, go back to Box R05_AGR05 and complete for the next product.

Else, if all loops complete, go to Box R05_AGV04.

IF LOOP = GTRAD AND (R04_EVER_NEVER_GRILLO = 1 OR R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR AG9053 = 1 OR R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1 OR R04_EVER_NEVER_GFILTR = 1 OR R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1 OR R05_12MBLUNT_ONLY_BTRAD = 1 OR R05_12MBLUNT_ONLY_BRILLO = 1 OR R05_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R05_AGR05.

ELSE, IF LOOP = GRILLO AND (R04_EVER_NEVER_GFILTR = 1 OR R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1 OR R05_12MBLUNT_ONLY_BTRAD = 1 OR R05_12MBLUNT_ONLY_BRILLO = 1 OR R05_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R05_AGR05.

ELSE, IF LOOP = GFILTR AND (R05_12MBLUNT_ONLY_BTRAD = 1 OR R05_12MBLUNT_ONLY_BRILLO = 1 OR R05_12MBLUNT_ONLY_BFILTR = 1), GO BACK TO BOX R05_AGR05.

ELSE, IF LOOP = BTRAD AND (R05_12MBLUNT_ONLY_BRILLO = 1 OR R05_12MBLUNT_ONLY_BFILTR = 1) GO BACK TO BOX R05_AGR05.

ELSE, IF LOOP = BRILLO AND R05_12MBLUNT_ONLY_BFILTR = 1, GO BACK TO BOX R05_AGR05.

ELSE, IF ALL LOOPS COMPLETE, GO TO BOX R05_AGV04.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGV04

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_GTRAD = 1 (Ever user) Adult respondents who have ever smoked a traditional cigar and did not recant prior use.

R05_EVER_NEVER_GTRAD = 2 (Never user) Adult respondents who have never smoked a traditional cigar.

R05_EVER_NEVER_GRILLO = 1 (Ever user) Adult respondents who have ever smoked a cigarillo and did not recant prior use.

R05_EVER_NEVER_GRILLO = 2 (Never user) Adult respondents who have never smoked a cigarillo.

R05_EVER_NEVER_GFILTR = 1 (Ever user) Adult respondents who have ever smoked a filtered cigar and did not recant prior use.

R05_EVER_NEVER_GFILTR = 2 (Never user) Adult respondents who have never smoked a filtered cigar.

R05_INIT_GTRAD_ADULT = 1 (Initiator) Adult respondents who initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers.

R05_INIT_GRILLO_ADULT = 1 (Initiator) Adult respondents who initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers.

R05_INIT_GFILTR_ADULT = 1 (Initiator) Adult respondents who initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers.

R05_EVER_NEVER_GTRAD = 1:

IF ((R04_EVER_NEVER_GTRAD = 1 AND R05_AG9003 != 2) OR R05_AG9003 = 1 OR R05_AG9030 = 1 OR R05_AG9003_12M = 1 OR R05_AG1003TC = 1, 2) AND R05_AG1010TC != 3, THEN R05_EVER_NEVER_GTRAD = 1.

R05_EVER_NEVER_GTRAD = 2:

ELSE, R05_EVER_NEVER_GTRAD = 2.

R05_EVER_NEVER_GRILLO = 1:

IF ((R04_EVER_NEVER_GRILLO = 1 AND R05_AG9004 != 2 AND R05_AG9009_01 != 2 AND R05_AG9009_03 != 2) OR R05_AG9009_01 = 1 OR R05_AG9009_03 = 1 OR R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR R05_AG9053 = 1 OR R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1 OR R05_AG1003CG = 1, 2) AND R05_AG1010CG != 3, THEN R05_EVER_NEVER_GRILLO = 1.

R05_EVER_NEVER_GRILLO = 2:

ELSE, R05_EVER_NEVER_GRILLO = 2.

R05_EVER_NEVER_GFILTR = 1:

IF ((R04_EVER_NEVER_GFILTR = 1 AND R05_AG9004 != 2 AND R05_AG9009_02 != 2) OR R05_AG9009_02 = 1 OR R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1 OR R05_AG1003FC = 1, 2) AND R05_AG1010FC != 3, THEN R05_EVER_NEVER_GFILTR = 1.

R05_EVER_NEVER_GFILTR = 2:

ELSE, R05_EVER_NEVER_GFILTR = 2.

R05_INIT_GTRAD_ADULT = 1:

IF R04_EVER_NEVER_GTRAD != 1 AND R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, THEN R05_INIT_GTRAD_ADULT = 1.

ELSE, R05_INIT_GTRAD_ADULT = 2.

R05_INIT_GRILLO_ADULT = 1:

IF R04_EVER_NEVER_GRILLO != 1 AND R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, THEN R05_INIT_GRILLO_ADULT = 1.

ELSE, R05_INIT_GRILLO_ADULT = 2.

R05_INIT_GFILTR_ADULT = 1:

IF R04_EVER_NEVER_GFILTR != 1 AND R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, THEN R05_INIT_GFILTR_ADULT = 1.

ELSE, R05_INIT_GFILTR_ADULT = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR22

Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, go to R05_AG9010.

Else, young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have not smoked a traditional cigar in the past 12 months or did not know or refused to report whether they have smoked a traditional cigar in the past 12 months, go to R05_AG9020.

Else, go to Box R05_AGR23.

IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_EVER_NEVER_GTRAD = 2, GO TO R05_AG9010.

ELSE, IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG9003_12M = 2, -8, -7, GO TO R05_AG9020.

ELSE, GO TO BOX R05_AGR23.

Variable(s): R05_AG9010

The next questions are about traditional cigars.

Have you ever been curious about smoking a traditional cigar?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_EVER_NEVER_GTRAD = 2.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9020

[The next question is about traditional cigars.

]Do you think you will smoke a traditional cigar in the next year?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar or have not smoked a traditional cigar in the past 12 months or did not know or refused to report whether they have smoked a traditional cigar in the past 12 months.

ASK Specification: IF $18 \leq R05R_A_AGE < 25$ AND $R05_12MBLUNT_ONLY_BTRAD \neq 1$ AND $(R05_EVER_NEVER_GTRAD = 2 \text{ OR } R05_AG9003_12M = 2, -8, -7)$.

DISPLAY: IF $R05_EVER_NEVER_GTRAD = 1$ AND $R05_AG9003_12M \neq 1$, DISPLAY "The next question is about traditional cigars."

ELSE, IF $R05_EVER_NEVER_GTRAD = 2$, DO NOT DISPLAY CONDITIONAL TEXT.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR23

Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, go to R05_AG9013.
Else, go to Box R05_AGR40.

IF R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_EVER_NEVER_GTRAD = 2, GO TO R05_AG9013.
ELSE, GO TO BOX R05_AGR40.

Variable(s): R05_AG9013

Do you think that you will try a traditional cigar soon?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar.

ASK Specification: IF R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_EVER_NEVER_GTRAD = 2.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

BOX ID: R05_AGR40

Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar, go to R05_AG9016.
Else, go to Box R05_AGR07.

IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND
R05_EVER_NEVER_GTRAD = 2, GO TO R05_AG9016.
ELSE, GO TO BOX R05_AGR07.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9016

If one of your best friends were to offer you a traditional cigar, would you smoke it?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only traditional cigar smokers and have never smoked a traditional cigar.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_EVER_NEVER_GTRAD = 2.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

BOX ID: R05_AGR07

Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, go to R05_AG9011.

Else, young adult respondents who are not past 12 month blunt-only cigarillo smokers and have not smoked a cigarillo in the past 12 months or did not know or refused to report whether they have smoked a cigarillo in the past 12 months, go to R05_AG9021.

Else, go to Box R05_AGR24.

IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_EVER_NEVER_GRILLO = 2, GO TO R05_AG9011.

ELSE, IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_AG9004_12M != 1 OR (R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1)) AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1, GO TO R05_AG9021.

ELSE, GO TO BOX R05_AGR24.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AG9011**

The next questions are about cigarillos.

Have you ever been curious about smoking a cigarillo?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo.

ASK Specification: IF $18 \leq R05R_A_AGE < 25$ AND $R05_12MBLUNT_ONLY_BRILLO \neq 1$ AND $R05_EVER_NEVER_GRILLO = 2$.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9021**/**

[The next question is about cigarillos.

]Do you think you will smoke a cigarillo in the next year?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo or have not smoked a cigarillo in the past 12 months or did not know or refused to report whether they have smoked a cigarillo in the past 12 months.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_EVER_NEVER_GRILLO = 2 OR ((R05_AG9004_12M != 1 OR (R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1)) AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1)).

DISPLAY: IF R05_EVER_NEVER_GRILLO = 1 AND (R05_AG9004_12M = 2 OR (R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1)), DISPLAY "The next question is about cigarillos."

ELSE, IF R05_EVER_NEVER_GRILLO = 2, DO NOT DISPLAY CONDITIONAL TEXT.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

NOTES: **SKIP ERROR: This item was skipped incorrectly by some young adult respondents (between ages 18 and 24) who had ever smoked a cigarillo (R05_EVER_NEVER_GRILLO = 1) and smoked a cigarillo or filtered cigar in the past 30 days (R05_AG9031 = 1) and did not smoke a cigarillo in the 12 months (R05_AG9051 = 2 AND R05_AG9053 = 2). This issue was fixed in a field update on 1/24/2019.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AGR24

Adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, go to R05_AG9014.

Else, go to Box R05_AGR41.

IF R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_EVER_NEVER_GRILLO = 2, GO TO R05_AG9014.
ELSE, GO TO BOX R05_AGR41.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9014

Do you think that you will try a cigarillo soon?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo.

ASK Specification: IF R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_EVER_NEVER_GRILLO = 2.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

BOX ID: R05_AGR41

Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo, go to R05_AG9017.
Else, go to Box R05_AGR08.

IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND
R05_EVER_NEVER_GRILLO = 2, GO TO R05_AG9017.
ELSE, GO TO BOX R05_AGR08.

Variable(s): R05_AG9017

If one of your best friends were to offer you a cigarillo, would you smoke it?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only cigarillo smokers and have never smoked a cigarillo.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND
R05_EVER_NEVER_GRILLO = 2.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR08

Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, go to R05_AG9012.
 Else, young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have not smoked a filtered cigar in the past 12 months or did not know or refused to report whether they have smoked a filtered cigar in the past 12 months, go to R05_AG9022.
 Else, go to Box R05_AGR25.

IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND
 R05_EVER_NEVER_GFILTR = 2, GO TO R05_AG9012.
 ELSE, IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND
 R05_AG9049_02 != 1 AND R05_AG9052 != 1 AND (R05_AG9004_12M != 1 OR
 R05_AG9009_12M_02 != 1), GO TO R05_AG9022.
 ELSE, GO TO BOX R05_AGR25.

Variable(s): R05_AG9012

The next questions are about filtered cigars.

Have you ever been curious about smoking a filtered cigar?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND
 R05_EVER_NEVER_GFILTR = 2.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9022**/**

[The next question is about filtered cigars.

]Do you think you will smoke a filtered cigar in the next year?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar or have not smoked a filtered cigar in the past 12 months or did not know or refused to report whether they have smoked a filtered cigar in the past 12 months.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_EVER_NEVER_GFILTR = 2 OR (R05_AG9049_02 != 1 AND R05_AG9052 != 1 AND (R05_AG9004_12M != 1 OR R05_AG9009_12M_02 != 1))).

DISPLAY: IF R05_EVER_NEVER_GFILTR = 1 AND (R05_AG9004_12M = 2 OR R05_AG9009_12M_01 != 1), DISPLAY "The next question is about filtered cigars."
ELSE, IF R05_EVER_NEVER_GFILTR = 2, DO NOT DISPLAY CONDITIONAL TEXT.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

NOTES: **SKIP ERROR: This item was skipped incorrectly by some young adult respondents (between ages 18 and 24) who had ever smoked a filtered cigar (R05_EVER_NEVER_GFILTR = 1) and smoked a cigarillo or filtered cigar in the past 30 days (R05_AG9031 = 1) and did not smoke a filtered cigar in the past 30 days (R05_AG9049_02 = 2) and did not smoke a filtered cigar in the past 12 months (R05_AG9052 = 2). This issue was fixed in a field update on 1/24/2019.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AGR25

Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, go to R05_AG9015.
Else, go to Box R05_AGR42.

IF R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_EVER_NEVER_GFILTR = 2, GO TO R05_AG9015.
ELSE, GO TO BOX R05_AGR42.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AG9015**

Do you think that you will try a filtered cigar soon?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar.

ASK Specification: IF R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_EVER_NEVER_GFILTR = 2.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

BOX ID: **R05_AGR42**

Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar, go to R05_AG9018.
Else, go to Box R05_APT01.

IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND
R05_EVER_NEVER_GFILTR = 2, GO TO R05_AG9018.
ELSE, GO TO BOX R05_APT01.

Variable(s): **R05_AG9018**

If one of your best friends were to offer you a filtered cigar, would you smoke it?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who are not past 12 month blunt-only filtered cigar smokers and have never smoked a filtered cigar.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND
R05_EVER_NEVER_GFILTR = 2.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APT01

The next questions are about smoking tobacco in **pipes**.

There are many different types of pipes. They all have a bowl that holds the tobacco and a stem. The picture below shows a typical pipe.

[SHOW GENERIC IMAGE OF PIPE]

BOLD "pipes".

BOX ID: R05_APR33

Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview, go to R05_AP1002.

Else, go to R05_AP1004.

IF R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2, GO TO R05_AP1002.

ELSE, GO TO R05_AP1004.

Variable(s): R05_AP1002

Have you ever smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

1 Yes

2 No

GO TO BOX R05_APV02

-8 DON'T KNOW

GO TO BOX R05_APV02

-7 REFUSED

GO TO BOX R05_APV02

ASK: Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview.

ASK Specification: IF R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2.

IMAGE: SHOW GENERIC IMAGE OF PIPE

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1004

In the past 30 days, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

1 Yes

GO TO BOX R05_APR05

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked a pipe as of their last completed interview, or adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe as of their last completed interview.

ASK Specification: IF R05_WNR = 2 OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 1) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1).

IMAGE: SHOW GENERIC IMAGE OF PIPE

Variable(s): R05_AP1002_12M

In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are not previous wave non-responders and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days, or

Adult respondents who are previous wave non-responders and have ever smoked a pipe as of their last completed interview and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days, or

Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days.

ASK Specification: IF (R05_WNR = 2 AND R05_AP1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 1 AND R05_AP1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF PIPE

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR05

Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months, or adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months, or adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 12 months, go to R05_AP1003.

Else, adult respondents who have ever smoked a pipe as of their last completed interview and were not former experimental, recent former established, or long-term former established pipe smokers as of their last completed interview and have not smoked a pipe in the past 12 months, or adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days and have not smoked a pipe in the past 12 months, go to R05_AP1009.

Else, adult respondents who have not smoked a pipe in the past 12 months and have ever smoked a pipe as of their last completed interview and were not former experimental pipe smokers as of their last completed interview, go to R05_AP1010.

Else, go to Box R05_APV02.

IF R05_AP1004 = 1 OR R05_AP1002_12M = 1 OR (R04_EVER_NEVER_PIPE = 1 AND R05_AP1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1002_12M = -8, -7), GO TO R05_AP1003.

ELSE, IF (R04_EVER_NEVER_PIPE = 1 AND R04_PIPE_USER_STATUS != 3, 4, 5 AND R05_AP1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1002_12M = 2), GO TO R05_AP1009.

ELSE, IF R05_AP1002_12M = 2 AND R04_EVER_NEVER_PIPE = 1 AND R04_PIPE_USER_STATUS != 3, GO TO R05_AP1010.

ELSE, GO TO BOX R05_APV02.

Variable(s): R05_AP1003

Do you now smoke a pipe filled with tobacco...

- | | |
|---------------|---------------------|
| 1 Every day | GO TO BOX R05_APV02 |
| 2 Some days | GO TO BOX R05_APV02 |
| 3 Not at all | |
| -8 DON'T KNOW | GO TO BOX R05_APV02 |
| -7 REFUSED | GO TO BOX R05_APV02 |

ASK: Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months, or Adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 12 months.

ASK Specification: IF R05_AP1004 = 1 OR R05_AP1002_12M = 1 OR (R04_EVER_NEVER_PIPE = 1 AND R05_AP1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1002_12M = -8, -7).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1009_NN; R05_AP1009_UN

About how long has it been since you last smoked a pipe filled with tobacco? (If it was earlier today, enter 1 day).

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R05_AP1010

-7 REFUSED

GO TO R05_AP1010

ASK: Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months and now smoke a pipe not at all, or

Adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or

Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or

Adult respondents who have ever smoked a pipe as of their last completed interview and were not former experimental, recent former established, or long-term former established pipe smokers as of their last completed interview and have not smoked a pipe in the past 12 months, or

Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 30 days or did not know or refused to report whether they have smoked a pipe in the past 30 days and have not smoked a pipe in the past 12 months.

ASK Specification: IF ((R05_AP1004 = 1 OR R05_AP1002_12M = 1) AND R05_AP1003 = 3) OR (R04_EVER_NEVER_PIPE = 1 AND R05_AP1002_12M = -8, -7 AND R05_AP1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1002_12M = -8, -7 AND R05_AP1003 = 3) OR (R04_EVER_NEVER_PIPE = 1 AND R04_PIPE_USER_STATUS != 3, 4, 5 AND R05_AP1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1002_12M = 2).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AP1009_UN = Days; the value "2" refers to R05_AP1009_UN = Months; the value "3" refers to R05_AP1009_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AP1009_LC1

The computer recorded that it has been "0" [days/months /years] since you last smoked a pipe.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP1009

2 NEXT

GO TO R05_AP1009_LC2

ASK: IF (((R05_AP1004 = 1 OR R05_AP1002_12M = 1) AND R05_AP1003 = 3) OR (R04_EVER_NEVER_PIPE = 1 AND R05_AP1002_12M = -8, -7 AND R05_AP1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1002_12M = -8, -7 AND R05_AP1003 = 3) OR (R04_EVER_NEVER_PIPE = 1 AND R04_PIPE_USER_STATUS != 3, 4, 5 AND R05_AP1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1002_12M = 2)) AND R05_AP1009_NN = 0.

DISPLAY: IF R05_AP1009_UN = 1, DISPLAY "days".

ELSE, IF R05_AP1009_UN = 2, DISPLAY "months".

ELSE, IF R05_AP1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R05_AP1009_NN = 0.

ELSE, GO TO R05_AP1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AP1009_LC2

The computer recorded that it has been [R05_AP1009_NN] years since you last smoked a pipe. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP1009

2 NEXT

GO TO R05_AP1010

ASK: IF (((R05_AP1004 = 1 OR R05_AP1002_12M = 1) AND R05_AP1003 = 3) OR (R04_EVER_NEVER_PIPE = 1 AND R05_AP1002_12M = -8, -7 AND R05_AP1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1002_12M = -8, -7 AND R05_AP1003 = 3) OR (R04_EVER_NEVER_PIPE = 1 AND R04_PIPE_USER_STATUS != 3, 4, 5 AND R05_AP1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1002_12M = 2)) AND (R05_AP1009_NN > R05R_A_AGE) AND R05_AP1009_UN = 3.

PROGRAM: TRIGGER CHECK IF (R05_AP1009_NN > R05R_A_AGE) AND R05_AP1009_UN = 3.

ELSE, GO TO R05_AP1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1010

Have you completely quit smoking pipes filled with tobacco?

- 1 Yes
- 2 No
- 3 I have never smoked a pipe filled with tobacco in my entire life, not even one or two puffs
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked a pipe in the past 30 days or in the past 12 months and now smoke a pipe not at all, or

Adult respondents who have ever smoked a pipe as of their last completed interview and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or

Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and did not know or refused to report whether they have smoked a pipe in the past 12 months and now smoke a pipe not at all, or

Adult respondents who have ever smoked a pipe as of their last completed interview and were not former experimental pipe smokers as of their last completed interview and have not smoked a pipe in the past 12 months, or

Adult respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview and have ever smoked a pipe and have not smoked a pipe in the past 12 months.

ASK Specification: IF ((R05_AP1004 = 1 OR R05_AP1002_12M = 1) AND R05_AP1003 = 3) OR (R04_EVER_NEVER_PIPE = 1 AND R05_AP1002_12M = -8, -7 AND R05_AP1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1002_12M = -8, -7 AND R05_AP1003 = 3) OR (R04_EVER_NEVER_PIPE = 1 AND R04_PIPE_USER_STATUS != 3 AND R05_AP1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2 AND R05_AP1002 = 1 AND R05_AP1002_12M = 2).

DISPLAY: IF R04_PIPE_USER_STATUS = 4, 5, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):
R05_EVER_NEVER_PIPE = 1 (Ever user) Adult respondents who have ever smoked a pipe and did not recant prior use. R05_EVER_NEVER_PIPE = 2 (Never user) Adult respondents who have never smoked a pipe. R05_INIT_PIPE_ADULT = 1 (Initiator) Adult respondents who initiated pipe smoking since their last completed interview.
R05_EVER_NEVER_PIPE = 1: IF ((R04_EVER_NEVER_PIPE = 1 AND R05_AP1002 != 2) OR R05_AP1002 = 1 OR R05_AP1004 = 1 OR R05_AP1002_12M = 1 OR R05_AP1003 = 1, 2) AND R05_AP1010 != 3, THEN R05_EVER_NEVER_PIPE = 1. R05_EVER_NEVER_PIPE = 2: ELSE, R05_EVER_NEVER_PIPE = 2. R05_INIT_PIPE_ADULT = 1: IF R04_EVER_NEVER_PIPE != 1 AND R05_EVER_NEVER_PIPE = 1, THEN R05_INIT_PIPE_ADULT = 1. ELSE, R05_INIT_PIPE_ADULT = 2.

BOX ID: R05_AHT01
We next ask about smoking tobacco in a hookah, which is a type of water pipe. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe. There are many types of hookahs. People often smoke tobacco in hookahs in groups at cafes or in hookah bars. The picture below shows a typical hookah. [SHOW GENERIC IMAGE OF HOOKAH] BOLD "hookah".

BOX ID: R05_AHR49
Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview, go to R05_AH1002. Else, go to R05_AH1004.
IF R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2, GO TO R05_AH1002. ELSE, GO TO R05_AH1004.

Variable(s): R05_AH1002								
Have you ever smoked tobacco in a hookah, even one or two puffs? [SHOW GENERIC IMAGE OF HOOKAH] <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">1 Yes</td> <td style="width: 50%;"></td> </tr> <tr> <td>2 No</td> <td>GO TO BOX R05_AHV02</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td>GO TO BOX R05_AHV02</td> </tr> <tr> <td>-7 REFUSED</td> <td>GO TO BOX R05_AHV02</td> </tr> </table> ASK: Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview. ASK Specification: IF R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2. IMAGE: SHOW GENERIC IMAGE OF HOOKAH	1 Yes		2 No	GO TO BOX R05_AHV02	-8 DON'T KNOW	GO TO BOX R05_AHV02	-7 REFUSED	GO TO BOX R05_AHV02
1 Yes								
2 No	GO TO BOX R05_AHV02							
-8 DON'T KNOW	GO TO BOX R05_AHV02							
-7 REFUSED	GO TO BOX R05_AHV02							

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1004

In the past 30 days, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

1 Yes

GO TO BOX R05_AHR06

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever smoked hookah as of their last completed interview, or adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah.

ASK Specification: IF R05_WNR = 2 OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 1) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1).

IMAGE: SHOW GENERIC IMAGE OF HOOKAH

Variable(s): R05_AH1002_12M

In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are not previous wave non-responders and have not smoked hookah in the past 30 days or did not know or refused to report whether they have smoked hookah in the past 30 days, or

Adult respondents who are previous wave non-responders and have ever smoked hookah as of their last completed interview and have not smoked hookah in the past 30 days or did not know or refused to report whether they have smoked hookah in the past 30 days, or

Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 30 days or did not know or refused to report whether they have smoked hookah in the past 30 days.

ASK Specification: IF (R05_WNR = 2 AND R05_AH1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 1 AND R05_AH1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF HOOKAH

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR06

Adult respondents who have smoked hookah in the past 30 days or in the past 12 months, or adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months, or adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months, go to R05_AH1003.

Else, adult respondents who have ever smoked hookah as of their last completed interview and were not former experimental, recent former established, or long-term former established hookah smokers as of their last completed interview and have not smoked hookah in the past 12 months, or adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 12 months, go to R05_AH1009.

Else, adult respondents who have not smoked hookah in the past 12 months and have ever smoked hookah as of their last completed interview and were not former experimental hookah smokers as of their last completed interview, go to R05_AH1010.

Else, go to Box R05_AHV02.

IF R05_AH1004 = 1 OR R05_AH1002_12M = 1 OR (R04_EVER_NEVER_HOOK = 1 AND R05_AH1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1002_12M = -8, -7), GO TO R05_AH1003.

ELSE, IF (R04_EVER_NEVER_HOOK = 1 AND R04_HOOK_USER_STATUS != 3, 4, 5 AND R05_AH1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1002_12M = 2), GO TO R05_AH1009.

ELSE, IF R05_AH1002_12M = 2 AND R04_EVER_NEVER_HOOK = 1 AND R04_HOOK_USER_STATUS != 3, GO TO R05_AH1010.

ELSE, GO TO BOX R05_AHV02.

Variable(s): R05_AH1003

Do you now smoke tobacco in a hookah...

- | | |
|---------------|---------------------|
| 1 Every day | GO TO BOX R05_AHV02 |
| 2 Some days | GO TO BOX R05_AHV02 |
| 3 Not at all | |
| -8 DON'T KNOW | GO TO BOX R05_AHV02 |
| -7 REFUSED | GO TO BOX R05_AHV02 |

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months, or Adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months, or Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months.

ASK Specification: IF R05_AH1004 = 1 OR R05_AH1002_12M = 1 OR (R04_EVER_NEVER_HOOK = 1 AND R05_AH1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1002_12M = -8, -7).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1009_NN; R05_AH1009_UN

About how long has it been since you last smoked tobacco in a hookah? (If it was earlier today, enter 1 day)

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R05_AH1010

-7 REFUSED

GO TO R05_AH1010

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or

Adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

Adult respondents who have ever smoked hookah as of their last completed interview and were not former experimental, recent former established, or long-term former established hookah smokers as of their last completed interview and have not smoked hookah in the past 12 months, or

Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 12 months.

ASK Specification: IF ((R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 = 3) OR (R04_EVER_NEVER_HOOK = 1 AND R05_AH1002_12M = -8, -7 AND R05_AH1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1002_12M = -8, -7 AND R05_AH1003 = 3) OR (R04_EVER_NEVER_HOOK = 1 AND R04_HOOK_USER_STATUS != 3, 4, 5 AND R05_AH1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1002_12M = 2).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers R05_AH1009_UN = Days; the value "2" refers to R05_AH1009_UN = Months; the value "3" refers to R05_AH1009_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AH1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last smoked tobacco in a hookah.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH1009

2 NEXT

GO TO R05_AH1009_LC2

ASK: IF (((R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 = 3) OR (R04_EVER_NEVER_HOOK = 1 AND R05_AH1002_12M = -8, -7 AND R05_AH1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1002_12M = -8, -7 AND R05_AH1003 = 3) OR (R04_EVER_NEVER_HOOK = 1 AND R04_HOOK_USER_STATUS != 3, 4, 5 AND R05_AH1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1002_12M = 2)) AND R05_AH1009_NN = 0.

DISPLAY: IF R05_AH1009_UN = 1, DISPLAY "days".

ELSE, IF R05_AH1009_UN = 2, DISPLAY "months".

ELSE, IF R05_AH1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R05_AH1009_NN = 0.

ELSE, GO TO R05_AH1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AH1009_LC2

The computer recorded that it has been [R05_AH1009_NN] years since you last smoked tobacco in a hookah. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH1009

2 NEXT

GO TO R05_AH1010

ASK: IF (((R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 = 3) OR (R04_EVER_NEVER_HOOK = 1 AND R05_AH1002_12M = -8, -7 AND R05_AH1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1002_12M = -8, -7 AND R05_AH1003 = 3) OR (R04_EVER_NEVER_HOOK = 1 AND R04_HOOK_USER_STATUS != 3, 4, 5 AND R05_AH1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1002_12M = 2)) AND (R05_AH1009_NN > R05R_A_AGE) AND R05_AH1009_UN = 3.

PROGRAM: TRIGGER CHECK IF (R05_AH1009_NN > R05R_A_AGE) AND R05_AH1009_UN = 3.

ELSE, GO TO R05_AH1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1010

Have you completely quit smoking tobacco in a hookah?

- 1 Yes
- 2 No
- 3 I have never smoked hookah in my entire life, not even one or two puffs
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and now smoke tobacco in a hookah not at all, or

Adult respondents who have ever smoked hookah as of their last completed interview and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and did not know or refused to report whether they have smoked hookah in the past 12 months and now smoke tobacco in a hookah not at all, or

Adult respondents who have ever smoked hookah as of their last completed interview and were not former experimental hookah smokers as of their last completed interview and have not smoked hookah in the past 12 months, or

Adult respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview and have ever smoked hookah and have not smoked hookah in the past 12 months.

ASK Specification: IF ((R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 = 3) OR (R04_EVER_NEVER_HOOK = 1 AND R05_AH1002_12M = -8, -7 AND R05_AH1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1002_12M = -8, -7 AND R05_AH1003 = 3) OR (R04_EVER_NEVER_HOOK = 1 AND R04_HOOK_USER_STATUS != 3 AND R05_AH1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2 AND R05_AH1002 = 1 AND R05_AH1002_12M = 2).

DISPLAY: IF R04_HOOK_USER_STATUS = 4, 5, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHV02
PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX): R05_EVER_NEVER_HOOK = 1 (Ever user) Adult respondents who have ever smoked hookah and did not recant prior use. R05_EVER_NEVER_HOOK = 2 (Never user) Adult respondents who have never smoked hookah. R05_INIT_HOOK_ADULT = 1 (Initiator) Adult respondents who initiated hookah smoking since their last completed interview. R05_EVER_NEVER_HOOK = 1: IF ((R04_EVER_NEVER_HOOK = 1 AND R05_AH1002 != 2) OR R05_AH1002 = 1 OR R05_AH1004 = 1 OR R05_AH1002_12M = 1 OR R05_AH1003 = 1, 2) AND R05_AH1010 != 3, THEN R05_EVER_NEVER_HOOK = 1. R05_EVER_NEVER_HOOK = 2: ELSE, R05_EVER_NEVER_HOOK = 2. R05_INIT_HOOK_ADULT = 1: IF R04_EVER_NEVER_HOOK != 1 AND R05_EVER_NEVER_HOOK = 1, THEN R05_INIT_HOOK_ADULT = 1. ELSE, R05_INIT_HOOK_ADULT = 2.

BOX ID: R05_AHR03
Young adult respondents who have never smoked hookah, go to R05_AH1103. Else, young adult respondents who have not smoked hookah in the past 12 months or did not know or refused to report whether they have smoked hookah in the past 12 months, go to R05_AH1206. Else, go to Box R05_AHR08. IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_HOOK = 2, GO TO R05_AH1103. ELSE, IF (18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_HOOK = 2) OR (18 <= R05R_A_AGE < 25 AND R05_AH1002_12M = 2, -8, -7), GO TO R05_AH1206. ELSE, GO TO BOX R05_AHR08.

Variable(s): R05_AH1103
Have you ever been curious about smoking tobacco in a hookah? 1 Very curious 2 Somewhat curious 3 A little curious 4 Not at all curious -8 DON'T KNOW -7 REFUSED ASK: Young adult respondents who have never smoked hookah. ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_HOOK = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1206

Do you think you will smoke tobacco in a hookah in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked hookah, or young adult respondents who have not smoked hookah in the past 12 months or did not know or refused to report whether they have smoked hookah in the past 12 months.

ASK Specification: IF (18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_HOOK = 2) OR (18 <= R05R_A_AGE < 25 AND R05_AH1002_12M = 2, -8, -7).

BOX ID: R05_AHR08

Adult respondents who have never smoked hookah, go to R05_AH1104.
Else, go to Box R05_AHR48.

IF R05_EVER_NEVER_HOOK = 2, GO TO R05_AH1104.
ELSE, GO TO BOX R05_AHR48.

Variable(s): R05_AH1104

Do you think you will try smoking tobacco in a hookah soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked hookah.

ASK Specification: IF R05_EVER_NEVER_HOOK = 2.

BOX ID: R05_AHR48

Young adult respondents who have never smoked hookah, go to R05_AH1205.
Else, go to R05_AH9031.

IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_HOOK = 2, GO TO R05_AH1205.
ELSE, GO TO R05_AH9031.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1205

If one of your best friends were to offer you a hookah, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never smoked hookah.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_HOOK = 2.

Variable(s): R05_AH9031

Have you ever smoked marijuana from a hookah? (Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AH9040

Have you ever smoked herbal or tobacco-free shisha in a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_AST01

Smokeless tobacco is tobacco which you put in your mouth. Smokeless tobacco may be loose or it may be packaged in small pouches that you place under your lip. Frequently you chew, suck, or spit while using smokeless tobacco, although for some types you may not need to.

There are many different types of smokeless tobacco which go by lots of different names, so please use these descriptions and photos to understand what they are.

[SHOW GENERIC IMAGE OF SNUS AND OTHER SMOKELESS TOBACCO]

BOLD "Smokeless tobacco".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AUT03

Snus is a type of smokeless tobacco. Snus usually comes in small pouches, although some snus may be sold as loose snus. Typically, with most kinds of smokeless tobacco, you spit, but you do not need to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus, and General Snus.

Please think about **snus** as you answer the following questions. There will be a separate section later about other types of smokeless tobacco products (such as dip, spit, chewing tobacco, and smokeless tobacco pouches).

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

BOLD "Snus".

UNDERLINE "Please think about snus as you answer the following questions" and BOLD "snus".

BOX ID: R05_AUR49

Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview, go to R05_AU1002.

Else, go to R05_AU1004.

IF R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2, GO TO R05_AU1002.

ELSE, GO TO R05_AU1004.

Variable(s): R05_AU1002

Have you ever used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

1 Yes

2 No

GO TO BOX R05_AUV03

-8 DON'T KNOW

GO TO BOX R05_AUV03

-7 REFUSED

GO TO BOX R05_AUV03

ASK: Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview.

ASK Specification: IF R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2.

IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1004

In the past 30 days, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- 1 Yes GO TO BOX R05_AUR22
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever used snus as of their last completed interview, or adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus.

ASK Specification: IF R05_WNR = 2 OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 1) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1).

IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES

Variable(s): R05_AU1002_12M

In the past 12 months, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not previous wave non-responders and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days, or Adult respondents who are previous wave non-responders and have ever used snus as of their last completed interview and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days, or Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 30 days or did not know or refused to report whether they have used snus in the past 30 days.

ASK Specification: IF (R05_WNR = 2 AND R05_AU1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 1 AND R05_AU1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AUR22

Adult respondents who have used snus in the past 30 days or in the past 12 months, or adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months, or adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months, go to R05_AU1003.

Else, adult respondents who have ever used snus as of their last completed interview and were not former experimental, recent former established, or long-term former established snus users as of their last completed interview and have not used snus in the past 12 months, or adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 12 months, go to R05_AU1009.

Else, adult respondents who have not used snus in the past 12 months and have ever used snus as of their last completed interview and were not former experimental snus users as of their last completed interview, go to R05_AU1010.

Else, go to Box R05_AUV03.

IF R05_AU1004 = 1 OR R05_AU1002_12M = 1 OR (R04_EVER_NEVER_SNUS = 1 AND R05_AU1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1002_12M = -8, -7), GO TO R05_AU1003.

ELSE, IF (R04_EVER_NEVER_SNUS = 1 AND R04_SNUS_USER_STATUS != 3, 4, 5 AND R05_AU1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1002_12M = 2), GO TO R05_AU1009.

ELSE, IF R05_AU1002_12M = 2 AND R04_EVER_NEVER_SNUS = 1 AND R04_SNUS_USER_STATUS != 3, GO TO R05_AU1010.

ELSE, GO TO BOX R05_AUV03.

Variable(s): R05_AU1003

Do you now use snus...

- | | |
|---------------|---------------------|
| 1 Every day | GO TO BOX R05_AUV03 |
| 2 Some days | GO TO BOX R05_AUV03 |
| 3 Not at all | |
| -8 DON'T KNOW | GO TO BOX R05_AUV03 |
| -7 REFUSED | GO TO BOX R05_AUV03 |

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months, or Adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months, or Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months.

ASK Specification: IF R05_AU1004 = 1 OR R05_AU1002_12M = 1 OR (R04_EVER_NEVER_SNUS = 1 AND R05_AU1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1002_12M = -8, -7).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1009_NN***; R05_AU1009_UN

About how long has it been since you last used snus? (If it was earlier today, enter 1 day.)

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R05_AU1010

-7 REFUSED

GO TO R05_AU1010

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or

Adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or
Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or

Adult respondents who have ever used snus as of their last completed interview and were not former experimental, recent former established, or long-term former established snus users as of their last completed interview and have not used snus in the past 12 months, or

Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 12 months.

ASK Specification: IF ((R05_AU1004 = 1 OR R05_AU1002_12M = 1) AND R05_AU1003 = 3) OR (R04_EVER_NEVER_SNUS = 1 AND R05_AU1002_12M = -8, -7 AND R05_AU1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1002_12M = -8, -7 AND R05_AU1003 = 3) OR (R04_EVER_NEVER_SNUS = 1 AND R04_SNUS_USER_STATUS != 3, 4, 5 AND R05_AU1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1002_12M = 2).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AU1009_UN = Days; the value "2" refers to R05_AU1009_UN = Months; the value "3" refers to R05_AU1009_UN = Years.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AU1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last used snus.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1009

2 NEXT

GO TO R05_AU1009_LC2

ASK: IF (((R05_AU1004 = 1 OR R05_AU1002_12M = 1) AND R05_AU1003 = 3) OR (R04_EVER_NEVER_SNUS = 1 AND R05_AU1002_12M = -8, -7 AND R05_AU1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1002_12M = -8, -7 AND R05_AU1003 = 3) OR (R04_EVER_NEVER_SNUS = 1 AND R04_SNUS_USER_STATUS != 3, 4, 5 AND R05_AU1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1002_12M = 2)) AND R05_AU1009_NN = 0.

DISPLAY: IF R05_AU1009_UN = 1, DISPLAY "days".

ELSE, IF R05_AU1009_UN = 2, DISPLAY "months".

ELSE, IF R05_AU1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R05_AU1009_NN = 0.

ELSE, GO TO R05_AU1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AU1009_LC2

The computer recorded that it has been [R05_AU1009_NN] years since you last used snus. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1009

2 NEXT

GO TO R05_AU1010

ASK: IF (((R05_AU1004 = 1 OR R05_AU1002_12M = 1) AND R05_AU1003 = 3) OR (R04_EVER_NEVER_SNUS = 1 AND R05_AU1002_12M = -8, -7 AND R05_AU1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1002_12M = -8, -7 AND R05_AU1003 = 3) OR (R04_EVER_NEVER_SNUS = 1 AND R04_SNUS_USER_STATUS != 3, 4, 5 AND R05_AU1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1002_12M = 2)) AND (R05_AU1009_NN > R05R_A_AGE) AND R05_AU1009_UN = 3.

PROGRAM: TRIGGER CHECK IF (R05_AU1009_NN > R05R_A_AGE) AND R05_AU1009_UN = 3.

ELSE, GO TO R05_AU1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AU1010**

Have you completely quit using snus?

- 1 Yes
- 2 No
- 3 I have never used snus in my entire life, not even one or two times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used snus in the past 30 days or in the past 12 months and now use snus not at all, or

Adult respondents who have ever used snus as of their last completed interview and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or
Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and did not know or refused to report whether they have used snus in the past 12 months and now use snus not at all, or

Adult respondents who have ever used snus as of their last completed interview and were not former experimental snus users as of their last completed interview and have not used snus in the past 12 months, or

Adult respondents who are previous wave non-responders and have never used snus as of their last completed interview and have ever used snus and have not used snus in the past 12 months.

ASK Specification: IF ((R05_AU1004 = 1 OR R05_AU1002_12M = 1) AND R05_AU1003 = 3) OR (R04_EVER_NEVER_SNUS = 1 AND R05_AU1002_12M = -8, -7 AND R05_AU1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1002_12M = -8, -7 AND R05_AU1003 = 3) OR (R04_EVER_NEVER_SNUS = 1 AND R04_SNUS_USER_STATUS != 3 AND R05_AU1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2 AND R05_AU1002 = 1 AND R05_AU1002_12M = 2).

DISPLAY: IF R04_SNUS_USER_STATUS = 4, 5, DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY OPTION 3.

BOX ID: **R05_AUV03**

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_SNUS = 1 (Ever user) Adult respondents who have ever used snus and did not recant prior use.

R05_EVER_NEVER_SNUS = 2 (Never user) Adult respondents who have never used snus.

R05_INIT_SNUS_ADULT = 1 (Initiator) Adult respondents who initiated snus use since their last completed interview.

R05_EVER_NEVER_SNUS = 1:

IF ((R04_EVER_NEVER_SNUS = 1 AND R05_AU1002 != 2) OR R05_AU1002 = 1 OR R05_AU1004 = 1 OR R05_AU1002_12M = 1 OR R05_AU1003 = 1, 2) AND R05_AU1010 != 3, THEN
R05_EVER_NEVER_SNUS = 1.

R05_EVER_NEVER_SNUS = 2:

ELSE, R05_EVER_NEVER_SNUS = 2.

R05_INIT_SNUS_ADULT = 1:

IF R04_EVER_NEVER_SNUS != 1 AND R05_EVER_NEVER_SNUS = 1, THEN

R05_INIT_SNUS_ADULT = 1.

ELSE, R05_INIT_SNUS_ADULT = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AUR06

Young adult respondents who have never used snus, go to R05_AU1103.
Else, young adult respondents who have not used snus in the past 12 months or did not know or refused to report whether they have used snus in the past 12 months, go to R05_AU1206.
Else, go to Box R05_AUR24.

IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_SNUS = 2, GO TO R05_AU1103.
ELSE, IF 18 <= R05R_A_AGE < 25 AND R05_AU1002_12M = 2, -8, -7, GO TO R05_AU1206.
ELSE, GO TO BOX R05_AUR24.

Variable(s): R05_AU1103

Have you ever been curious about using snus?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used snus.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_SNUS = 2.

Variable(s): R05_AU1206

Do you think you will use snus in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used snus, or young adult respondents who have not used snus in the past 12 months or did not know or refused to report whether they have used snus in the past 12 months.

ASK Specification: IF (18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_SNUS = 2) OR (18 <= R05R_A_AGE < 25 AND R05_AU1002_12M = 2, -8, -7).

BOX ID: R05_AUR24

Adult respondents who have never used snus, go to R05_AU1104.
Else, go to Box R05_AUR48.

IF R05_EVER_NEVER_SNUS = 2, GO TO R05_AU1104.
ELSE, GO TO BOX R05_AUR48.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1104

Do you think you will try snus soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never used snus.

ASK Specification: IF R05_EVER_NEVER_SNUS = 2.

BOX ID: R05_AUR48

Young adult respondents who have never used snus, go to R05_AU1205.
Else, go to Box R05_AST03.

IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_SNUS = 2, GO TO R05_AU1205.
ELSE, GO TO BOX R05_AST03.

Variable(s): R05_AU1205

If one of your best friends were to offer you snus, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used snus.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_SNUS = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AST03

The next questions are about **smokeless tobacco** other than snus.

Smokeless tobacco is a type of tobacco which you put in your mouth and chew, suck, or spit. It may be loose or packaged in small pouches that you can place directly in your mouth. There are many kinds of smokeless tobacco, such as dip, spit, moist snuff, pouches, and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman, and Levi Garrett.

Please do **not** include snus when answering the following questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

BOLD "smokeless tobacco".

UNDERLINE "other than snus".

UNDERLINE "Please do not include snus when answering the following questions." and BOLD "not".

BOX ID: R05_ASR49

Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview, go to R05_AS1002.

Else, go to R05_AS1004.

IF R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2, GO TO R05_AS1002.

ELSE, GO TO R05_AS1004.

Variable(s): R05_AS1002

Have you ever used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

1 Yes

2 No

GO TO BOX R05_ASV03

-8 DON'T KNOW

GO TO BOX R05_ASV03

-7 REFUSED

GO TO BOX R05_ASV03

ASK: Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview.

ASK Specification: IF R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO, EXCLUDING SNUS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1004

In the past 30 days, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Yes GO TO BOX R05_ASR29
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not previous wave non-responders, or adult respondents who are previous wave non-responders and have ever used smokeless tobacco as of their last completed interview, or adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco.

ASK Specification: IF R05_WNR = 2 OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 1) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1).

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS

Variable(s): R05_AS1002_12M

In the past 12 months, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are not previous wave non-responders and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days, or

Adult respondents who are previous wave non-responders and have ever used smokeless tobacco as of their last completed interview and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days, or

Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 30 days or did not know or refused to report whether they have used smokeless tobacco in the past 30 days.

ASK Specification: IF (R05_WNR = 2 AND R05_AS1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 1 AND R05_AS1004 = 2, -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1004 = 2, -8, -7).

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ASR29

Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months, or adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, or adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, go to R05_AS1003.

Else, adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental, recent former established, or long-term former established smokeless tobacco users as of their last completed interview and have not used smokeless tobacco in the past 12 months, or adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months, go to R05_AS1009.

Else, adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental smokeless tobacco users as of their last completed interview, go to R05_AS1010.

Else, go to Box R05_ASV03.

IF R05_AS1004 = 1 OR R05_AS1002_12M = 1 OR (R04_EVER_NEVER_SMKLS = 1 AND R05_AS1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1002_12M = -8, -7), GO TO R05_AS1003.

ELSE, IF (R04_EVER_NEVER_SMKLS = 1 AND R04_SMKLS_USER_STATUS != 3, 4, 5 AND R05_AS1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1002_12M = 2), GO TO R05_AS1009.

ELSE, IF R05_AS1002_12M = 2 AND R04_EVER_NEVER_SMKLS = 1 AND R04_SMKLS_USER_STATUS != 3, GO TO R05_AS1010.

ELSE, GO TO BOX R05_ASV03.

Variable(s): R05_AS1003

Do you now use smokeless tobacco...

- | | |
|---------------|---------------------|
| 1 Every day | GO TO BOX R05_ASV03 |
| 2 Some days | GO TO BOX R05_ASV03 |
| 3 Not at all | |
| -8 DON'T KNOW | GO TO BOX R05_ASV03 |
| -7 REFUSED | GO TO BOX R05_ASV03 |

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months, or

Adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months, or Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months.

ASK Specification: IF R05_AS1004 = 1 OR R05_AS1002_12M = 1 OR (R04_EVER_NEVER_SMKLS = 1 AND R05_AS1002_12M = -8, -7) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1002_12M = -8, -7).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1009_NN; R05_AS1009_UN

About how long has it been since you last used smokeless tobacco? (If it was earlier today, enter 1 day.)

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R05_AS1010

-7 REFUSED

GO TO R05_AS1010

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or

Adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or

Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or

Adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental, recent former established, or long-term former established smokeless tobacco users as of their last completed interview and have not used smokeless tobacco in the past 12 months, or

Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months.

ASK Specification: IF ((R05_AS1004 = 1 OR R05_AS1002_12M = 1) AND R05_AS1003 = 3) OR (R04_EVER_NEVER_SMKLS = 1 AND R05_AS1002_12M = -8, -7 AND R05_AS1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1002_12M = -8, -7 AND R05_AS1003 = 3) OR (R04_EVER_NEVER_SMKLS = 1 AND R04_SMKLS_USER_STATUS != 3, 4, 5 AND R05_AS1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1002_12M = 2).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AS1009_UN = Days; the value "2" refers to R05_AS1009_UN = Months; the value "3" refers to R05_AS1009_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AS1009_LC1

The computer recorded that it has been "0" [days/months/years] since you last used smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1009

2 NEXT

GO TO R05_AS1009_LC2

ASK: IF (((R05_AS1004 = 1 OR R05_AS1002_12M = 1) AND R05_AS1003 = 3) OR (R04_EVER_NEVER_SMKLS = 1 AND R05_AS1002_12M = -8, -7 AND R05_AS1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1002_12M = -8, -7 AND R05_AS1003 = 3) OR (R04_EVER_NEVER_SMKLS = 1 AND R04_SMKLS_USER_STATUS != 3, 4, 5 AND R05_AS1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1002_12M = 2)) AND R05_AS1009_NN = 0.

DISPLAY: IF R05_AS1009_UN = 1, DISPLAY "days".

ELSE, IF R05_AS1009_UN = 2, DISPLAY "months".

ELSE, IF R05_AS1009_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF R05_AS1009_NN = 0.

ELSE, GO TO R05_AS1009_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AS1009_LC2

The computer recorded that it has been [R05_AS1009_NN] years since you last used smokeless tobacco. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1009

2 NEXT

GO TO R05_AS1010

ASK: IF (((R05_AS1004 = 1 OR R05_AS1002_12M = 1) AND R05_AS1003 = 3) OR (R04_EVER_NEVER_SMKLS = 1 AND R05_AS1002_12M = -8, -7 AND R05_AS1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1002_12M = -8, -7 AND R05_AS1003 = 3) OR (R04_EVER_NEVER_SMKLS = 1 AND R04_SMKLS_USER_STATUS != 3, 4, 5 AND R05_AS1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1002_12M = 2)) AND (R05_AS1009_NN > R05R_A_AGE) AND R05_AS1009_UN = 3.

PROGRAM: TRIGGER CHECK IF (R05_AS1009_NN > R05R_A_AGE) AND R05_AS1009_UN = 3. ELSE, GO TO R05_AS1010 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1010

Have you completely quit using smokeless tobacco?

- 1 Yes
- 2 No
- 3 I have never used smokeless tobacco in my entire life, not even one or two times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have used smokeless tobacco in the past 30 days or in the past 12 months and now use smokeless tobacco not at all, or

Adult respondents who have ever used smokeless tobacco as of their last completed interview and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or

Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and did not know or refused to report whether they have used smokeless tobacco in the past 12 months and now use smokeless tobacco not at all, or

Adult respondents who have ever used smokeless tobacco as of their last completed interview and were not former experimental smokeless tobacco users as of their last completed interview and have not used smokeless tobacco in the past 12 months, or

Adult respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco and have not used smokeless tobacco in the past 12 months.

ASK Specification: IF ((R05_AS1004 = 1 OR R05_AS1002_12M = 1) AND R05_AS1003 = 3) OR (R04_EVER_NEVER_SMKLS = 1 AND R05_AS1002_12M = -8, -7 AND R05_AS1003 = 3) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1002_12M = -8, -7 AND R05_AS1003 = 3) OR (R04_EVER_NEVER_SMKLS = 1 AND R04_SMKLS_USER_STATUS != 3 AND R05_AS1002_12M = 2) OR (R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2 AND R05_AS1002 = 1 AND R05_AS1002_12M = 2).

DISPLAY: IF R04_SMKLS_USER_STATUS = 4, 5, DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY OPTION 3.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ASV03

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_SMKLS = 1 (Ever user) Adult respondents who have ever used smokeless tobacco and did not recant prior use.

R05_EVER_NEVER_SMKLS = 2 (Never user) Adult respondents who have never used smokeless tobacco.

R05_INIT_SMKLS_ADULT = 1 (Initiator) Adult respondents who initiated smokeless tobacco use since their last completed interview.

R05_EVER_NEVER_SMKLS = 1:

IF ((R04_EVER_NEVER_SMKLS = 1 AND R05_AS1002 != 2) OR R05_AS1002 = 1 OR R05_AS1004 = 1 OR R05_AS1002_12M = 1 OR R05_AS1003 = 1, 2) AND R05_AS1010 != 3, THEN

R05_EVER_NEVER_SMKLS = 1.

R05_EVER_NEVER_SMKLS = 2:

ELSE, R05_EVER_NEVER_SMKLS = 2.

R05_INIT_SMKLS_ADULT = 1:

IF R04_EVER_NEVER_SMKLS != 1 AND R05_EVER_NEVER_SMKLS = 1, THEN

R05_INIT_SMKLS_ADULT = 1.

ELSE, R05_INIT_SMKLS_ADULT = 2.

BOX ID: R05_ASR06

Young adult respondents who have never used smokeless tobacco, go to R05_AS1103.

Else, young adult respondents who have not used smokeless tobacco in the past 12 months or did not know or refused to report whether they have used smokeless tobacco in the past 12 months, go to R05_AS1206.

Else, go to Box R05_ASR24.

IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_SMKLS = 2, GO TO R05_AS1103.

ELSE, IF (18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_SMKLS = 2) OR (18 <= R05R_A_AGE < 25 AND R05_AS1002_12M = 2, -8, -7), GO TO R05_AS1206.

ELSE, GO TO BOX R05_ASR24.

Variable(s): R05_AS1103

Have you ever been curious about using smokeless tobacco?

- 1 Very curious
- 2 Somewhat curious
- 3 A little curious
- 4 Not at all curious
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used smokeless tobacco.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_SMKLS = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1206

Do you think you will use smokeless tobacco in the next year?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used smokeless tobacco, or young adult respondents who have not used smokeless tobacco in the past 12 months or did not know or refused to report whether they have used smokeless tobacco in the past 12 months.

ASK Specification: IF (18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_SMKLS = 2) OR (18 <= R05R_A_AGE < 25 AND R05_AS1002_12M = 2, -8, -7).

BOX ID: R05_ASR24

Adult respondents who have never used smokeless tobacco, go to R05_AS1104.
Else, go to Box R05_ASR48.

IF R05_EVER_NEVER_SMKLS = 2, GO TO R05_AS1104.
ELSE, GO TO BOX R05_ASR48.

Variable(s): R05_AS1104

Do you think you will try smokeless tobacco soon?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never used smokeless tobacco.

ASK Specification: IF R05_EVER_NEVER_SMKLS = 2.

BOX ID: R05_ASR48

Young adult respondents who have never used smokeless tobacco, go to R05_AS1205.
Else, go to Box R05_ADT01.

IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_SMKLS = 2, GO TO R05_AS1205.
ELSE, GO TO BOX R05_ADT01.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1205

If one of your best friends were to offer you smokeless tobacco, would you try it?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have never used smokeless tobacco.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_SMKLS = 2.

BOX ID: R05_ADT01

The next question asks about another type of tobacco called **dissolvable tobacco**. You don't smoke dissolvable tobacco products – they are made of finely ground flavored tobacco that dissolves in your mouth.

Dissolvable tobacco products come in a variety of shapes, including small round pellets, thin sticks, and flat strips. Some common brands are Ariva, Stonewall, and Camel Orbs, Sticks, or Strips.

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

BOLD "dissolvable tobacco".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ADR01

Adult respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview, go to R05_AD1002.
Else, go to R05_AD1002_12M.

IF R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 2, GO TO R05_AD1002.
ELSE, GO TO R05_AD1002_12M.

Variable(s): R05_AD1002

Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_ADV01 |
| -8 | DON'T KNOW | GO TO BOX R05_ADV01 |
| -7 | REFUSED | GO TO BOX R05_ADV01 |

ASK: Adult respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview.

ASK Specification: IF R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 2.

IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO

Variable(s): R05_AD1002_12M

In the past 12 months, have you used dissolvable tobacco, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are not previous wave non-responders, or
Adult respondents who are previous wave non-responders and have ever used dissolvable tobacco as of their last completed interview, or
Adult respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview and have ever used dissolvable tobacco.

ASK Specification: IF R05_WNR = 2 OR (R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 1) OR (R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 2 AND R05_AD1002 = 1).

IMAGE: SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ADV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EVER_NEVER_DISSBL = 1 (Ever user) Adult respondents who have ever used dissolvable tobacco.

R05_EVER_NEVER_DISSBL = 2 (Never user) Adult respondents who have never used dissolvable tobacco.

R05_EVER_NEVER_DISSBL = 1:

IF (R04_EVER_NEVER_DISSBL = 1 AND R05_AD1002 != 2) OR R05_AD1002 = 1 OR R05_AD1002_12M = 1, THEN R05_EVER_NEVER_DISSBL = 1.

R05_EVER_NEVER_DISSBL = 2:

ELSE, R05_EVER_NEVER_DISSBL = 2.

Variable(s): R05_AZ1002; R05_AZ1002_OS

You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipe tobacco, hookah tobacco, snus, smokeless tobacco, [and]dissolvable tobacco[LIST ALL AVAILABLE HEATED TOBACCO BRANDS].

Besides these products, have you ever used any other tobacco products? Please **do not include** products such as a nicotine patch, gum, inhaler, nasal spray or lozenge.

1 Yes (SPECIFY)

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "do not include".

IF IQOS AND OTHER HEATED TOBACCO BRANDS HAVE NOT BECOME AVAILABLE, DISPLAY "and ".

ELSE, DO NOT DISPLAY.

IF IQOS OR OTHER HEATED TOBACCO BRANDS HAVE BECOME AVAILABLE, DISPLAY THE LIST OF ALL AVAILABLE HEATED TOBACCO BRANDS.

ELSE, DO NOT DISPLAY.

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Which other products have you ever used? Please type your answer using the computer keyboard."

PROGRAM: If IQOS or other heated tobacco brands have become available on the US market, then list the available brands after dissolvable tobacco (tabaco que se disuelve). Include all the heated tobacco brands that have been made available. Separate with commas with ", and" preceding the last brand for English. Separate with commas with "y" preceding the last brand for Spanish.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR01

For each product the respondent has ever used, route through product sections as appropriate. If respondent has ever smoked cigarettes, go to the Cigarette Section, then to sections (in order) for the other products they use (if any). Then go to the Polyuse Section. Complete remaining sections in order.

For respondents that have never used any tobacco products, go to the Packaging and Health Warnings Section. Complete remaining sections in order.

CIGARETTE

BOX ID: R05_ACR13

Adult respondents who were recent former established or long-term former established cigarette smokers and had smoked 100 or more cigarettes and had smoked fairly regularly as of their last completed interview, and have not smoked cigarettes in the past 12 months or now smoke cigarettes not at all, go to Box R05_ACV01.
Else, go to Box R05_ACT01.

IF R04_CIG_USER_STATUS = 4, 5 AND R04_NUMLIFE_CIGS = 1 AND R04_REGUSE_CIGS = 1 AND (R05_AC1002_12M = 2 OR R05_AC1003 = 3), GO TO BOX R05_ACV01.
ELSE, GO TO BOX R05_ACT01.

BOX ID: R05_ACT01

The next questions ask about your experience with **cigarettes**.

BOLD "cigarettes".

BOX ID: R05_ACR11

Adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes as of their last completed interview, go to R05_AC1005.

Else, adult respondents who have ever smoked a cigarette and had smoked 100 or more cigarettes as of their last completed interview and had not reported ever smoking cigarettes fairly regularly as of their last completed interview, go to R05_AC1100.

Else, go to Box R05_ACV01.

IF R05_EVER_NEVER_CIGS = 1 AND R04_NUMLIFE_CIGS != 1, GO TO R05_AC1005.
ELSE, IF R04_NUMLIFE_CIGS = 1 AND R04_REGUSE_CIGS != 1, GO TO R05_AC1100.
ELSE, GO TO BOX R05_ACV01.

Variable(s): R05_AC1005

How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

- 1 1 or more puffs but never a whole cigarette
- 2 1 to 10 cigarettes (about ½ pack total)
- 3 11 to 20 cigarettes (about ½ pack to 1 pack)
- 4 21 to 50 cigarettes (more than 1 pack but less than 3 packs)
- 5 51 to 99 cigarettes (more than 2 ½ packs but less than 5 packs)
- 6 100 or more cigarettes (5 packs or more)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked a cigarette and had not smoked 100 or more cigarettes as of their last completed interview.

ASK Specification: IF R05_EVER_NEVER_CIGS = 1 AND R04_NUMLIFE_CIGS != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR53

Adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview, go to R05_AC1100.

Else, go to Box R05_ACV01.

IF R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1, GO TO R05_AC1100.
ELSE, GO TO BOX R05_ACV01.

Variable(s): R05_AC1100

Have you ever smoked cigarettes fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview.

ASK Specification: IF R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1.

BOX ID: R05_ACR19

New baseline adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, go to R05_AC1007_NB.
Else, go to Box R05_ACV01.

IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1, GO TO R05_AC1007_NB.
ELSE, GO TO BOX R05_ACV01.

Variable(s): R05_AC1007_NB

How old were you when you first started smoking cigarettes fairly regularly?

- | | |
|-----------------------|---------------------|
| I ___ I ___ Years old | |
| -8 DON'T KNOW | GO TO R05_AC1121_NB |
| -7 REFUSED | GO TO R05_AC1121_NB |

ASK: New baseline adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1007_NB_LC1

The computer recorded that you started smoking cigarettes fairly regularly at age [R05_AC1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1007_NB

2 NEXT

GO TO R05_AC1007_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND R05_AC1007_NB <= 5.

PROGRAM: TRIGGER CHECK IF R05_AC1007_NB <= 5.
ELSE, GO TO R05_AC1007_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AC1007_NB_LC2

The computer recorded that you started smoking cigarettes fairly regularly at age [R05_AC1007_NB].
This is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1007_NB

2 NEXT

GO TO BOX R05_ACV01

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND (R05_AC1007_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AC1007_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_ACV01 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AC1121_NB**

When you first started smoking cigarettes fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report the age they started smoking cigarettes fairly regularly.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND R05_AC1007_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_CIG_USER_STATUS = 1 (Current established user) Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days.

R05_CIG_USER_STATUS = 2 (Current experimental user) Adult respondents who have not smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days.

R05_CIG_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a cigarette and have not smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all.

R05_CIG_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental cigarette smokers as of their last completed interview, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked cigarettes as of their last completed interview, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated cigarette smoking since their last completed interview, have smoked at least 100 cigarettes in their entire life, have smoked in the past 12 months and currently smoke not at all.

R05_CIG_USER_STATUS = 5 (Long-term former established user) Continuing adult respondents who were recent former established or long-term former established cigarette smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all.

R05_CURRENT_CIG_USE = 1 (Every day established user) Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day.

R05_CURRENT_CIG_USE = 2 (Some day established user) Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke some days.

R05_FORMER_THIRTYDAY_USER_CIGS = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established cigarette smokers who have smoked any cigarettes in the past 30 days.

R05_CIG_USER_STATUS = 1:

IF R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R05_AC1003 = 1, 2, THEN R05_CIG_USER_STATUS = 1.

R05_CIG_USER_STATUS = 2:

ELSE, IF R05_EVER_NEVER_CIGS = 1 AND R04_NUMLIFE_CIGS != 1 AND R05_AC1005 != 6 AND R05_AC1003 = 1, 2, THEN R05_CIG_USER_STATUS = 2.

R05_CIG_USER_STATUS = 3:

ELSE, IF R05_EVER_NEVER_CIGS = 1 AND (R05_AC1002_12M = 2 OR R05_AC1003 = 3) AND R04_NUMLIFE_CIGS != 1 AND R05_AC1005 != 6, THEN R05_CIG_USER_STATUS = 3.

R05_CIG_USER_STATUS = 4:

ELSE, IF (R04_CIG_USER_STATUS = 1, 2, 3 OR R05_INIT_CIGS_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_CIGS = 1)) AND R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND (R05_AC1002_12M = 2 OR R05_AC1003 = 3), THEN R05_CIG_USER_STATUS = 4.

R05_CIG_USER_STATUS = 5:

ELSE, IF R04_CIG_USER_STATUS = 4, 5 AND R05_EVER_NEVER_CIGS = 1 AND (R05_AC1002_12M = 2 OR R05_AC1003 = 3), THEN R05_CIG_USER_STATUS = 5.

R05_CURRENT_CIG_USE = 1:

IF R05_CIG_USER_STATUS = 1 AND R05_AC1003 = 1, THEN R05_CURRENT_CIG_USE = 1.

R05_CURRENT_CIG_USE = 2:

ELSE, IF R05_CIG_USER_STATUS = 1 AND R05_AC1003 = 2, THEN R05_CURRENT_CIG_USE = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R05_FORMER_THIRTYDAY_USER_CIGS = 1:

IF R05_CIG_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AC1009_NN <= 30 AND R05_AC1009_UN = 1) OR (R05_AC1009_NN = 1 AND R05_AC1009_UN = 2) OR R05_AC1004 = 1), THEN
R05_FORMER_THIRTYDAY_USER_CIGS = 1.
ELSE, R05_FORMER_THIRTYDAY_USER_CIGS = 2.

BOX ID: R05_ACR01

New baseline adult respondents who are every day established cigarette smokers, go to R05_AC1020_NB.
Else, adult respondents who initiated cigarette smoking since their last completed interview, go to R05_AC1008.
Else, go to Box R05_ACR42.

IF R05_ADULTTYPE = 2 AND R05_CURRENT_CIG_USE = 1, GO TO R05_AC1020_NB.
ELSE, IF R05_INIT_CIGS_ADULT = 1, GO TO R05_AC1008.
ELSE, GO TO BOX R05_ACR42.

Variable(s): R05_AC1020_NB

How old were you when you first started smoking cigarettes every day?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO BOX R05_AC1122_NB

-7 REFUSED

GO TO BOX R05_AC1122_NB

ASK: New baseline adult respondents who are every day established cigarette smokers.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_CURRENT_CIG_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AC1020_NB_LC1

The computer recorded that you started smoking cigarettes every day at age [R05_AC1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1020_NB

2 NEXT

GO TO R05_AC1020_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_CIG_USE = 1 AND (R05_AC1020_NB <= 5 OR R05_AC1020_NB < R05_AC1007_NB).

PROGRAM: TRIGGER CHECK IF R05_AC1020_NB <= 5 OR R05_AC1020_NB < R05_AC1007_NB.
ELSE, GO TO R05_AC1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1020_NB_LC2

The computer recorded that you started smoking cigarettes every day at age [R05_AC1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1020_NB

2 NEXT

GO TO BOX R05_ACR21

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_CIG_USE = 1 AND (R05_AC1020_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AC1020_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_ACR21 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AC1122_NB

When you first started smoking cigarettes every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who are every day established cigarettes smokers and did not know or refused to report the age they started smoking cigarettes every day.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_CURRENT_CIG_USE = 1 AND R05_AC1020_NB = -8, -7.

BOX ID: R05_ACR21

Adult respondents who initiated cigarette smoking since their last completed interview, go to R05_AC1008.

Else, go to Box R05_ACR22.

IF R05_INIT_CIGS_ADULT = 1, GO TO R05_AC1008.
ELSE, GO TO BOX R05_ACR22.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1008

When you first started smoking cigarettes, did you start with cigarettes flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated cigarette smoking since their last completed interview.

ASK Specification: IF R05_INIT_CIGS_ADULT = 1.

BOX ID: R05_ACR22

Young adult respondents who initiated cigarette smoking since their last completed interview, go to R05_AC9904.

Else, go to Box R05_ACR42.

IF 18 <= R05R_A_AGE < 25 AND R05_INIT_CIGS_ADULT = 1, GO TO R05_AC9904.
ELSE, GO TO BOX R05_ACR42.

Variable(s): R05_AC9904

How much did you experience pleasant sensations the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who initiated cigarette smoking since their last completed interview.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_INIT_CIGS_ADULT = 1.

DISPLAY: UNDERLINE "pleasant" IN THE QUESTION TEXT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9905

How much did you experience unpleasant sensations the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who initiated cigarette smoking since their last completed interview.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_INIT_CIGS_ADULT = 1.

DISPLAY: UNDERLINE "unpleasant" IN THE QUESTION TEXT.

Variable(s): R05_AC9906

How much did you feel sick to your stomach the first time you smoked a cigarette?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who initiated cigarette smoking since their last completed interview.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_INIT_CIGS_ADULT = 1.

BOX ID: R05_ACR42

Adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, go to R05_AC9002.
Else, go to Box R05_ACR23.

IF R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1, GO TO R05_AC9002.
ELSE, GO TO BOX R05_ACR23.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9002_NN; R05_AC9002_UN

About how long [have you been smoking/did you smoke] fairly regularly? Do not count any time you may have stayed off cigarettes.

1 |__|__| Months

2 |__|__| Years

-8 DON'T KNOW

GO TO BOX R05_ACR23

-7 REFUSED

GO TO BOX R05_ACR23

ASK: Adult respondents who have ever smoked a cigarette and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly.

ASK Specification: IF R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1.

DISPLAY: IF R05_CIG_USER_STATUS = 1, DISPLAY "have you been smoking".
ELSE, DISPLAY "did you smoke".

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AC9002_UN = Months; the value "2" refers to R05_AC9002_UN = Years.

CHECK ID: R05_AC9002_LC1

The computer recorded that you have smoked fairly regularly for [R05_AC9002] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC9002

2 NEXT

GO TO R05_AC9002_LC2

ASK: IF R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND (R05_AC9002_NN > R05R_A_AGE) AND R05_AC9002_UN = 2.

PROGRAM: TRIGGER CHECK IF (R05_AC9002_NN > R05R_A_AGE) AND R05_AC9002_UN = 2.
ELSE, GO TO R05_AC9002_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC9002_LC2

The computer recorded that you entered [R05_AC9002] years. This question is about how long you have been smoking fairly regularly, not when you started.

Please double check the number of years you entered.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC9002

2 NEXT

GO TO BOX R05_ACR23

ASK: IF R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND ((R05_AC9002_UN = 2 AND R05_AC9002_NN > (R05R_A_AGE - 10)) OR (R05_AC9002_NN > 60 AND R05_AC9002_UN = 2)).

PROGRAM: TRIGGER CHECK IF (R05_AC9002_UN = 2 AND R05_AC9002_NN > (R05R_A_AGE - 10)) OR (R05_AC9002_NN > 60 AND R05_AC9002_UN = 2).

ELSE, GO TO BOX R05_ACR23 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ACR23

Adult respondents who are recent former established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly, go to R05_AC9003.

Else, go to Box R05_ACR04.

IF R05_CIG_USER_STATUS = 4 AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1, GO TO R05_AC9003.

ELSE, GO TO BOX R05_ACR04.

Variable(s): R05_AC9003_NN; R05_AC9003_UN

On average, about how many cigarettes did you smoke per day while you were smoking fairly regularly? A pack usually has 20 cigarettes in it.

1 |__|__| Cigarettes per day

2 |__|__| Packs per day

-8 DON'T KNOW

GO TO BOX R05_ACR04

-7 REFUSED

GO TO BOX R05_ACR04

ASK: Adult respondents who are recent former established cigarette smokers and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly.

ASK Specification: IF R05_CIG_USER_STATUS = 4 AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AC9003_UN = Cigarettes per day; the value "2" refers to R05_AC9003_UN = Packs per day.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC9003_LC1

The computer recorded that on average you smoked [R05_AC9003] [cigarettes/packs] a day while you were smoking regularly.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC9003

2 NEXT

GO TO BOX R05_ACR04

ASK: IF R05_CIG_USER_STATUS = 4 AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND ((R05_AC9003_NN > 40 AND R05_AC9003_UN = 1) OR R05_AC9003_NN = 11, 22, 33 OR (R05_AC9003_NN > 2 AND R05_AC9003_UN = 2)).

DISPLAY: IF R05_AC9003_UN = 1, DISPLAY "cigarettes".

ELSE, IF R05_AC9003_UN = 2, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF (R05_AC9003_NN > 40 AND R05_AC9003_UN = 1) OR R05_AC9003_NN = 11, 22, 33 OR (R05_AC9003_NN > 2 AND R05_AC9003_UN = 2).

ELSE, GO TO BOX R05_ACR04 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ACR04

Adult respondents who are every day established cigarette smokers, go to R05_AC1021.

Else, adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers, go to R05_AC1022.

Else, adult respondents who are recent former established cigarette smokers, go to R05_AC1047MC.

Else, go to the next section.

IF R05_CURRENT_CIG_USE = 1, GO TO R05_AC1021.

ELSE, IF R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR

R05_FORMER_THIRTYDAY_USER_CIGS = 1, GO TO R05_AC1022.

ELSE, IF R05_CIG_USER_STATUS = 4, GO TO R05_AC1047MC.

ELSE, GO TO THE NEXT SECTION.

Variable(s): R05_AC1021_NN; R05_AC1021_UN

On average, about how many cigarettes do you now smoke each day? A pack usually has 20 cigarettes in it.

1 |__|__| Cigarettes per day

2 |__|__| Packs per day

-8 DON'T KNOW

GO TO R05_AC1090

-7 REFUSED

GO TO R05_AC1090

ASK: Adult respondents who are every day established cigarette smokers.

ASK Specification: IF R05_CURRENT_CIG_USE = 1.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AC1021_UN = Cigarettes per day; the value "2" refers to R05_AC1021_UN = Packs per day.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1021_LC1

The computer recorded that you now smoke [R05_AC1021] [cigarettes/packs] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------|
| 1 BACK | GO TO R05_AC1021 |
| 2 NEXT | GO TO BOX R05_ACV03 |

ASK: IF R05_CURRENT_CIG_USE = 1 AND ((R05_AC1021_NN > 40 AND R05_AC1021_UN = 1) OR R05_AC1021_NN = 11, 22, 33 OR (R05_AC1021_NN > 2 AND R05_AC1021_UN = 2)).

DISPLAY: IF R05_AC1021 REPORTED IN CIGARETTES, DISPLAY "cigarettes".
ELSE, IF R05_AC1021 REPORTED IN PACKS, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF (R05_AC1021_NN > 40 AND R05_AC1021_UN = 1) OR R05_AC1021_NN = 11, 22, 33 OR (R05_AC1021_NN > 2 AND R05_AC1021_UN = 2).
ELSE, GO TO BOX R05_ACV03 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AC1090

Would you say that, on average, you now smoke more than 20 cigarettes, about 20 cigarettes, or less than 20 cigarettes each day?

- | | |
|------------------------------------|---------------------|
| 1 More than 20 cigarettes each day | GO TO BOX R05_ACV03 |
| 2 About 20 cigarettes each day | GO TO BOX R05_ACV03 |
| 3 Less than 20 cigarettes each day | GO TO BOX R05_ACV03 |
| -8 DON'T KNOW | GO TO BOX R05_ACV03 |
| -7 REFUSED | GO TO BOX R05_ACV03 |

ASK: Adult respondents who are every day established cigarette smokers and did not know or refused to report how many cigarettes they now smoke each day.

ASK Specification: IF R05_CURRENT_CIG_USE = 1 AND R05_AC1021_NN = -8, -7.

Variable(s): R05_AC1022

On how many of the past 30 days did you smoke cigarettes?

- I ___ I ___ DAYS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers.

ASK Specification: IF R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1.

DISPLAY: DISPLAY "DAYS" AS TITLE.

PROGRAM: Range check: 0-30 days.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR25

Adult respondents who are some day established or current experimental cigarette smokers and smoked on 0 days of the past 30 days, go to R05_AC9029.
 Else, adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R05_AC1023.
 Else, go to Box R05_ACV03.

IF (R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2) AND R05_AC1022 = 0, GO TO R05_AC9029.
 ELSE, IF (R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0, GO TO R05_AC1023.
 ELSE, GO TO BOX R05_ACV03.

Variable(s): R05_AC9029_NN; R05_AC9029_UN

About how long has it been since you last smoked a cigarette?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_ACV03

-7 REFUSED

GO TO BOX R05_ACV03

ASK: Adult respondents who are some day established or current experimental cigarette smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2) AND R05_AC1022 = 0.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AC9029_UN = Days; the value "2" refers to R05_AC9029_UN = Months; the value "3" refers to R05_AC9029_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC9029_LC1

The computer recorded that you last smoked a cigarette [R05_AC9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC9029

2 NEXT

GO TO BOX R05_ACV03

ASK: IF (R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2) AND R05_AC1022 = 0 AND ((R05_AC9029_NN < 30 AND R05_AC9029_UN = 1) OR (R05_AC9029_NN < 1 AND R05_AC9029_UN = 2) OR (R05_AC9029_NN > 18 AND R05_AC9029_UN = 2) OR (R05_AC9029_NN > (R05R_A_AGE - 10) AND R05_AC9029 = 3)).

DISPLAY: IF R05_AC9029_UN = 1, DISPLAY "days".

ELSE, IF R05_AC9029_UN = 2, DISPLAY "months".

ELSE, IF R05_AC9029_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AC9029_NN < 30 AND R05_AC9029_UN = 1) OR (R05_AC9029_NN < 1 AND R05_AC9029_UN = 2) OR (R05_AC9029_NN > 18 AND R05_AC9029_UN = 2) OR (R05_AC9029_NN > (R05R_A_AGE - 10) AND R05_AC9029 = 3).
ELSE, GO TO BOX R05_ACV03 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AC1023_NN; R05_AC1023_UN

On average, on those [FILL NUMBER OF DAYS FROM R05_AC1022 days/days you smoked], how many cigarettes did you usually smoke each day? A pack usually has 20 cigarettes in it.

1 |__|__| Cigarettes per day

2 |__|__| Packs per day

-8 DON'T KNOW

GO TO BOX R05_ACV03

-7 REFUSED

GO TO BOX R05_ACV03

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day cigarette smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0.

DISPLAY: IF R05_AC1022 = 1, -8, -7, DISPLAY "days you smoked".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R05_AC1022 AND "days" (EX. "2 days").

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AC1023_UN = Cigarettes per day; the value "2" refers to R05_AC1023_UN = Packs per day.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1023_LC1

The computer recorded that on the days you smoked in the past 30 days, you smoked [R05_AC1023] [cigarettes/packs] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1023

2 NEXT

GO TO BOX R05_ACV03

ASK: IF (R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0 AND ((R05_AC1023_NN > 40 AND R05_AC1023_UN = 1) OR R05_AC1023_NN = 0, 11, 22, 33 OR (R05_AC1023_NN > 2 AND R05_AC1023_UN = 2)).

DISPLAY: IF R05_AC1023_UN = 1, DISPLAY "cigarettes".

ELSE, IF R05_AC1023_UN = 2, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF (R05_AC1023_NN > 40 AND R05_AC1023_UN = 1) OR R05_AC1023_NN = 0, 11, 22, 33 OR (R05_AC1023_NN > 2 AND R05_AC1023_UN = 2). ELSE, GO TO BOX R05_ACV03 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ACV03

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R05_CIGSPERDAY = Number of cigarettes smoked per day for current established, current experimental, and recent former established cigarette smokers.

R05_PCKSPERDAY = Number of packs smoked per day for current established, current experimental, and recent former established cigarette smokers.

R05_CIGSPERDAY2 = Estimate of cigarettes smoked per day for current established, current experimental, and recent former established cigarette smokers when actual number is DK/RF.

R05_CIGSPERDAY:

IF R05_CURRENT_CIG_USE = 1 AND R05_AC1021_NN != -7, -8 AND R05_AC1021_UN = 1, THEN R05_CIGSPERDAY = R05_AC1021_NN.

IF R05_CURRENT_CIG_USE = 2 AND R05_AC1023_NN != -8, -7 AND R05_AC1023_UN = 1, THEN R05_CIGSPERDAY = R05_AC1023_NN.

IF R05_CIG_USER_STATUS = 4 AND R05_AC9003_NN != -8, -7 AND R05_AC9003_UN = 1, THEN R05_CIGSPERDAY = R05_AC9003_NN.

R05_PCKSPERDAY:

IF R05_CURRENT_CIG_USE = 1 AND R05_AC1021_NN != -7, -8 AND R05_AC1021_UN = 2, THEN R05_PCKSPERDAY = R05_AC1021_NN.

IF R05_CURRENT_CIG_USE = 2 AND R05_AC1023_NN != -8, -7 AND R05_AC1023_UN = 2, THEN R05_PCKSPERDAY = R05_AC1023_NN.

IF R05_CIG_USER_STATUS = 4 AND R05_AC9003_NN != -8, -7 AND R05_AC9003_UN = 2, THEN R05_PCKSPERDAY = R05_AC9003_NN.

R05_CIGSPERDAY2:

IF R05_AC1090 = 1, THEN R05_CIGSPERDAY2 = "more than 20 cigarettes each day".

IF R05_AC1090 = 2, THEN R05_CIGSPERDAY2 = "about 20 cigarettes each day".

IF R05_AC1090 = 3, THEN R05_CIGSPERDAY2 = "less than 20 cigarettes each day".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR05

New baseline adult respondents who are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, or adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, go to R05_AC9004.

Else, new baseline adult respondents who are every day established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, or adult respondents who initiated cigarette smoking since their last completed interview and are every day established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, go to R05_AC9009.

Else, go to Box R05_ACR41.

IF (R05_ADULTTYPE = 2 AND R05_CIG_USER_STATUS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND (R05_AC1023_NN > 0 OR R05_AC1021_NN > 0)) OR (R05_INIT_CIGS_ADULT = 1 AND R05_CIG_USER_STATUS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND (R05_AC1023_NN > 0 OR R05_AC1021_NN > 0)), GO TO R05_AC9004.

ELSE, IF (R05_ADULTTYPE = 2 AND R05_CURRENT_CIG_USE = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND R05_AC1021 = -8, -7 AND R05_AC1090 = 1, 2, 3) OR (R05_INIT_CIGS_ADULT = 1 AND R05_CURRENT_CIG_USE = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND R05_AC1021 = -8, -7 AND R05_AC1090 = 1, 2, 3), GO TO R05_AC9009.

ELSE, GO TO BOX R05_ACR41.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9004

You mentioned that you smoke [#] [[cigarette[s]/pack[s]] per day[on the days that you smoke]. Have you smoked about this many [cigarettes/packs] per day since you started smoking fairly regularly?

- | | |
|---------------|---------------------|
| 1 Yes | GO TO BOX R05_ACR41 |
| 2 No | GO TO R05_AC9005 |
| -8 DON'T KNOW | GO TO R05_AC9005 |
| -7 REFUSED | GO TO R05_AC9005 |

ASK: New baseline adult respondents who are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke, or

Adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke.

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_CIG_USER_STATUS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND (R05_AC1023_NN > 0 OR R05_AC1021_NN > 0)) OR (R05_INIT_CIGS_ADULT = 1 AND R05_CIG_USER_STATUS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND (R05_AC1023_NN > 0 OR R05_AC1021_NN > 0)).

DISPLAY: AUTOFILL [#] WITH R05_CIGSPERDAY OR R05_PCKSPERDAY.

IF R05_CIGSPERDAY = 1, DISPLAY "cigarette" AND "cigarettes".

ELSE, IF R05_CIGSPERDAY > 1, DISPLAY "cigarettes" AND "cigarettes".

ELSE, IF R05_PCKSPERDAY = 1, DISPLAY "pack" AND "packs".

ELSE, IF R05_PCKSPERDAY > 1, DISPLAY "packs" AND "packs".

IF R05_CURRENT_CIG_USE = 2, DISPLAY " on the days that you smoke".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9009

You mentioned that you smoke [R05_CIGSPERDAY2]. Have you smoked about this many cigarettes per day since you started smoking fairly regularly?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R05_ACR41 |
| 2 | No | |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: New baseline adult respondents who are every day established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day, or

Adult respondents who initiated cigarette smoking since their last completed interview and are every day established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and did not know or refused to report how many cigarettes they smoke each day and reported the average number of cigarettes they smoke each day.

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_CURRENT_CIG_USE = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND R05_AC1021_NN = -8, -7 AND R05_AC1090 = 1, 2, 3) OR (R05_INIT_CIGS_ADULT = 1 AND R05_CURRENT_CIG_USE = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND R05_AC1021_NN = -8, -7 AND R05_AC1090 = 1, 2, 3).

DISPLAY: IF R05_AC1090 = 1, FILL R05_CIGSPERDAY2 WITH "more than 20 cigarettes each day".
ELSE, IF R05_AC1090 = 2, FILL WITH "about 20 cigarettes each day".
ELSE, IF R05_AC1090 = 3, FILL WITH "less than 20 cigarettes each day".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9005_NN; R05_AC9005_UN

On average, about how many cigarettes did you smoke per day when you smoked fairly regularly in the past?

1 |__|__| Cigarettes per day

2 |__|__| Packs per day

-8 DON'T KNOW

GO TO BOX R05_ACR41

-7 REFUSED

GO TO BOX R05_ACR41

ASK: New baseline adult respondents who are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past, or

Adult respondents who initiated cigarette smoking since their last completed interview and are current established cigarette smokers and have ever smoked 100 or more cigarettes and had not reported ever smoking cigarettes fairly regularly as of their last completed interview and have ever smoked cigarettes fairly regularly and smoke at least 1 cigarette each day they smoke and report smoking a different amount now than in the past or did not know or refused to report how many cigarettes they smoke each day and report smoking a different amount now than in the past.

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_CIG_USER_STATUS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND (((R05_AC1023_NN > 0 OR R05_AC1021_NN > 0) AND R05_AC9004 != 1) OR (R05_AC1021_NN = -8, -7 AND R05_AC1090 = 1, 2, 3 AND R05_AC9009 != 1))) OR (R05_INIT_CIGS_ADULT = 1 AND R05_CIG_USER_STATUS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND (((R05_AC1023_NN > 0 OR R05_AC1021_NN > 0) AND R05_AC9004 != 1) OR (R05_AC1021_NN = -8, -7 AND R05_AC1090 = 1, 2, 3 AND R05_AC9009 != 1))).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AC9005_UN = Cigarettes per day; the value "2" refers to R05_AC9005_UN = Packs per day.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC9005_LC1

The computer recorded that, when you smoked regularly in the past, you smoked [R05_AC9005_NN] [cigarettes/packs] a day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC9005

2 NEXT

GO TO BOX R05_ACR41

ASK: IF (R05_ADULTTYPE = 2 AND R05_CIG_USER_STATUS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND (((R05_AC1023_NN > 0 OR R05_AC1021_NN > 0) AND R05_AC9004 != 1) OR (R05_AC1021_NN = -8, -7 AND R05_AC1090 = 1, 2, 3 AND R05_AC9009 != 1))) OR (R05_INIT_CIGS_ADULT = 1 AND R05_CIG_USER_STATUS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R04_REGUSE_CIGS != 1 AND R05_AC1100 = 1 AND (((R05_AC1023_NN > 0 OR R05_AC1021_NN > 0) AND R05_AC9004 != 1) OR (R05_AC1021_NN = -8, -7 AND R05_AC1090 = 1, 2, 3 AND R05_AC9009 != 1))) AND ((R05_AC9005_NN > 40 AND R05_AC9005_UN = 1) OR (R05_AC9005_NN = 11, 22, 33 AND R05_AC9005_UN = 1) OR (R05_AC9005_NN > 2 AND R05_AC9005_UN = 2)).

DISPLAY: IF R05_AC9005_UN = 1, DISPLAY "cigarettes".

ELSE, IF R05_AC9005_UN = 2, DISPLAY "packs".

PROGRAM: TRIGGER CHECK IF (R05_AC9005_NN > 40 AND R05_AC9005_UN = 1) OR (R05_AC9005_NN = 11, 22, 33 AND R05_AC9005_UN = 1) OR (R05_AC9005_NN > 2 AND R05_AC9005_UN = 2).

ELSE, GO TO BOX R05_ACR41 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ACR41

Adult respondents who are current established or current experimental cigarette smokers, go to R05_AC9022.

Else, adult respondents who are non-current 30-day cigarette smokers, go to R05_AC1024_30D.

Else, go to the next section.

IF R05_CIG_USER_STATUS = 1, 2, GO TO R05_AC9022.

ELSE, IF R05_FORMER_THIRTYDAY_USER_CIGS = 1, GO TO R05_AC1024_30D.

ELSE, GO TO THE NEXT SECTION.

Variable(s): R05_AC9022

Do you consider yourself a smoker?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9045

Please rate your level of agreement using the following scale: 1 = Not at all to 7 = Extremely.

Do you enjoy the sensation in your throat and chest when you smoke a cigarette?

- 1 Not at all
- 2
- 3
- 4
- 5
- 6
- 7 Extremely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2.

PROGRAM: Display response options as a horizontal scale, with labels as anchors on left and right.

Variable(s): R05_AC1024_NN; R05_AC1024_UN

[On the days that you smoke, how/How] soon after you wake up do you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

- 1 |_|_|_| Minutes after waking
- 2 |_|_|_| Hours after waking
- 8 DON'T KNOW GO TO R05_AC1092
- 7 REFUSED GO TO R05_AC1092

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2.

DISPLAY: IF R05_CURRENT_CIG_USE = 1, DISPLAY "How".

ELSE, DISPLAY "On the days that you smoke, how".

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers to R05_AC1024_UN = Minutes after waking; the value "2" refers to R05_AC1024_UN = Hours after waking.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1024_LC1

The computer recorded that you typically smoke your first cigarette of the day [R05_AC1024_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1024

2 NEXT

GO TO R05_AC1024_LC2

ASK: IF [R05_CIG_USER_STATUS = 1, 2 AND R05_CURRENT_CIG_USE = 1 AND ((R05_AC1024_NN > 60 AND R05_AC1024_UN = 1) OR (R05_AC1024_NN > 4 AND R05_AC1024_UN = 2))] OR [R05_CIG_USER_STATUS = 1, 2 AND (R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2) AND ((R05_AC1024_NN > 60 AND R05_AC1024_UN = 1) OR (R05_AC1024_NN > 12 AND R05_AC1024_UN = 2))].

DISPLAY: IF R05_AC1024_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AC1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF [R05_CURRENT_CIG_USE = 1 AND ((R05_AC1024_NN > 60 AND R05_AC1024_UN = 1) OR (R05_AC1024_NN > 4 AND R05_AC1024_UN = 2))] OR [(R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2) AND ((R05_AC1024_NN > 60 AND R05_AC1024_UN = 1) OR (R05_AC1024_NN > 12 AND R05_AC1024_UN = 2))].
ELSE, GO TO R05_AC1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AC1024_LC2

The computer recorded "0" for how soon you typically smoke your first cigarette of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1024

2 NEXT

GO TO R05_AC9052

ASK: IF R05_CIG_USER_STATUS = 1, 2 AND R05_AC1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AC1024_NN = 0.

ELSE, GO TO R05_AC9052 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1092

[On the days that you smoke, would/Would] you say you smoke your first cigarette of the day within the first 30 minutes after you wake up?

- | | |
|---------------|------------------|
| 1 Yes | GO TO R05_AC9052 |
| 2 No | GO TO R05_AC9052 |
| 3 It varies | GO TO R05_AC9052 |
| -8 DON'T KNOW | GO TO R05_AC9052 |
| -7 REFUSED | GO TO R05_AC9052 |

ASK: Adult respondents who are current established or current experimental cigarette smokers and did not know or refused to report how soon after waking up they smoke their first cigarette of the day.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2 AND R05_AC1024_NN = -8, -7.

DISPLAY: IF R05_CURRENT_CIG_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you smoke, would".

Variable(s): R05_AC1024_30D_NN; R05_AC1024_30D_UN

On the days that you smoked, how soon after you woke up did you typically smoke your first cigarette of the day? Please enter the number of minutes or hours.

- | | |
|--------------------------------|----------------------|
| 1 _ _ _ Minutes after waking | |
| 2 _ _ _ Hours after waking | |
| -8 DON'T KNOW | GO TO R05_AC1092_30D |
| -7 REFUSED | GO TO R05_AC1092_30D |

ASK: Adult respondents who are non-current 30-day cigarette smokers.

ASK Specification: IF R05_FORMER_THIRTYDAY_USER_CIGS = 1.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers to R05_AC1024_30D_UN = Minutes after waking; the value "2" refers to R05_AC1024_30D_UN = Hours after waking.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1024_30D_LC1

The computer recorded that you typically smoked your first cigarette of the day [R05_AC1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|--------------------------|
| 1 BACK | GO TO R05_AC1024_30D |
| 2 NEXT | GO TO R05_AC1024_30D_LC2 |

ASK: IF R05_FORMER_THIRTYDAY_USER_CIGS = 1 AND ((R05_AC1024_30D_NN > 60 AND R05_AC1024_30D_UN = 1) OR (R05_AC1024_30D_NN > 12 AND R05_AC1024_30D_UN = 2)).

DISPLAY: IF R05_AC1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AC1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_AC1024_30D_NN > 60 AND R05_AC1024_30D_UN = 1) OR (R05_AC1024_30D_NN > 12 AND R05_AC1024_30D_UN = 2).

ELSE, GO TO R05_AC1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AC1024_30D_LC2

The computer recorded "0" for how soon you typically smoked your first cigarette of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------|
| 1 BACK | GO TO R05_AC1024_30D |
| 2 NEXT | GO TO R05_AC9048 |

ASK: IF R05_FORMER_THIRTYDAY_USER_CIGS = 1 AND R05_AC1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AC1024_30D_NN = 0.

ELSE, GO TO R05_AC9048 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AC1092_30D

On the days that you smoked, would you say you smoked your first cigarette of the day within the first 30 minutes after you woke up?

- | | |
|---------------|------------------|
| 1 Yes | GO TO R05_AC9048 |
| 2 No | GO TO R05_AC9048 |
| 3 It varies | GO TO R05_AC9048 |
| -8 DON'T KNOW | GO TO R05_AC9048 |
| -7 REFUSED | GO TO R05_AC9048 |

ASK: Adult respondents who are non-current 30-day cigarette smokers and did not know or refused to report how soon after waking up they typically smoke their first cigarette of the day.

ASK Specification: IF R05_FORMER_THIRTYDAY_USER_CIGS = 1 AND R05_AC1024_30D_NN = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9052

Which cigarette would you hate most to give up?

- 1 The first one in the morning
- 2 All others
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2.

Variable(s): R05_AC9053

Do you smoke more frequently during the first hours after waking than during the rest of the day?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2.

Variable(s): R05_AC9054

Do you smoke if you are so ill that you are in bed most of the day?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9048

When you [smoke/smoked] cigarettes, [do/did] you usually smoke manufactured cigarettes or [do/did] you smoke roll-your-own cigarettes?

- 1 Manufactured cigarettes
- 2 Roll-your-own cigarettes
- 3 Both manufactured and roll-your-own cigarettes
- 4 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1.

DISPLAY: IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "smoke", "do", AND "do".

ELSE, IF R05_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY "smoked", "did", AND "did".

PROGRAM: If option 3 is selected, other options cannot be selected.

BOX ID: R05_ACR36

If adult respondent usually smokes both manufactured and roll-your-own cigarettes, create and repeat R05_AC0100[MC/Ry] to R05_AC1051[MC/Ry] as a loop once for each cigarette type, following appropriate skip patterns. Loop manufactured cigarettes first, then roll-your-own cigarette tobacco second.

If adult respondent usually smoked only manufactured cigarettes or did not know or refused to report the type of cigarettes they usually smoke, loop through R05_AC0100MC to R05_AC1051MC only once, following the display instructions for manufactured cigarettes.

If adult respondent usually smokes only roll-your-own cigarettes, loop through R05_AC0100RY to R05_AC1051RY only once, following the display instructions for roll-your-own cigarettes.

IF R05_AC9048 = 3, LOOP R05_AC0100[MC/Ry] TO R05_AC1051[MC/Ry] ONCE FOR EACH CIGARETTE TYPE, FOLLOWING APPROPRIATE SKIP PATTERNS. LOOP MANUFACTURED CIGARETTES FIRST, THEN ROLL-YOUR-OWN TOBACCO SECOND.

IF R05_AC9048 = 1, 4, -8, -7, LOOP THROUGH R05_AC0100MC TO R05_AC1051MC ONLY ONCE, FOLLOWING THE DISPLAY INSTRUCTIONS FOR MANUFACTURED CIGARETTES.

IF R05_AC9048 = 2, LOOP THROUGH R05_AC0100RY TO R05_AC1051RY ONLY ONCE, FOLLOWING THE DISPLAY INSTRUCTIONS FOR ROLL-YOUR-OWN CIGARETTES.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR45

Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R05_AC0100 [MC/RY].

Else, go to R05_AC1030[MC/RY].

IF LOOP = MANUFACTURED:

IF R05_AC9048 = 1, 3, 4, -8, -7 AND (R05_CURRENT_CIG_USE = 1 OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0)), GO TO R05_AC0100MC.

ELSE, GO TO R05_AC1030MC.

IF LOOP = ROLL-YOUR-OWN:

IF R05_AC9048 = 2, 3 AND (R05_CURRENT_CIG_USE = 1 OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0)), GO TO R05_AC0100RY.

ELSE, GO TO R05_AC1030RY.

Variable(s): R05_AC0100MC; R05_AC0100RY

When did you last smoke a [cigarette/roll-your-own cigarette]?

- | | |
|---|-------------------------|
| 1 In the past hour | GO TO R05_AC0103[MC/RY] |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_AC1130[MC/RY] |
| -8 DON'T KNOW | GO TO R05_AC1130[MC/RY] |
| -7 REFUSED | GO TO R05_AC1130[MC/RY] |

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05_AC0100MC: IF R05_AC9048 = 1, 3, 4, -8, -7 AND (R05_CURRENT_CIG_USE = 1 OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0)).

FOR R05_AC0100RY: IF R05_AC9048 = 2, 3 AND (R05_CURRENT_CIG_USE = 1 OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0)).

DISPLAY: IF R05_AC9048 = 2, DISPLAY "roll-your-own cigarette".

ELSE, IF R05_AC9048 = 3, DISPLAY "cigarette" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette" THE SECOND TIME.

ELSE, DISPLAY "cigarette".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC0102MC; R05_AC0102RY

When you last smoked a [cigarette/roll-your-own cigarette] [FILL BASED ON R05_AC0100[MC/RY]], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a cigarette sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05_AC0102MC: IF R05_AC9048 = 1, 3, 4, -8, -7 AND ((R05_CURRENT_CIG_USE = 1 AND R05_AC0100MC = 2, 3, 4) OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0 AND R05_AC0100MC = 2, 3, 4)).

FOR R05_AC0102RY: IF R05_AC9048 = 2, 3 AND ((R05_CURRENT_CIG_USE = 1 AND R05_AC0100RY = 2, 3, 4) OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0 AND R05_AC0100RY = 2, 3, 4)).

DISPLAY: IF R05_AC9048 = 2, DISPLAY "roll-your-own cigarette".
ELSE, IF R05_AC9048 = 3, DISPLAY "cigarette" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette" THE SECOND TIME.
ELSE, DISPLAY "cigarette".

FOR [FILL BASED ON R05_AC0100]:
IF R05_AC0100[MC/RY] = 2, DISPLAY "today".
ELSE, IF R05_AC0100[MC/RY] = 3, DISPLAY "yesterday".
ELSE, IF R05_AC0100[MC/RY] = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC0103MC; R05_AC0103RY

How many [cigarettes/roll-your-own cigarettes] [have/did] you [smoked/smoke] [FILL BASED ON R05_AC0100]? [A pack usually has 20 cigarettes in it.]

I ___|___|___| Number of cigarettes

-8 DON'T KNOW

GO TO R05_AC1130[MC/Ry]

-7 REFUSED

GO TO R05_AC1130[MC/Ry]

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05_AC0103MC: IF R05_AC9048 = 1, 3, 4, -8, -7 AND ((R05_CURRENT_CIG_USE = 1 AND R05_AC0100MC = 1, 2, 3, 4) OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0 AND R05_AC0100MC = 1, 2, 3, 4)).

FOR R05_AC0103RY: IF R05_AC9048 = 2, 3 AND ((R05_CURRENT_CIG_USE = 1 AND R05_AC0100RY = 1, 2, 3, 4) OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0 AND R05_AC0100RY = 1, 2, 3, 4)).

DISPLAY: DISPLAY "Number of cigarettes" AS A TITLE.

IF R05_AC9048 = 1, 4, -8, -7, DISPLAY "cigarettes" AND "A pack usually has 20 cigarettes in it."

ELSE, IF R05_AC9048 = 2, DISPLAY "roll-your-own cigarettes".

ELSE, IF R05_AC9048 = 3, DISPLAY "cigarettes" AND "A pack usually has 20 cigarettes in it." THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarettes" THE SECOND TIME.

IF R05_AC0100[MC/Ry] = 1, 2, DISPLAY "have" AND "smoked".

ELSE, IF R05_AC0100[MC/Ry] = 3, 4, DISPLAY, "did" AND "smoke".

FOR [FILL BASED ON R05_AC0100]:

IF R05_AC0100[MC/Ry] = 1, 2, DISPLAY "today".

ELSE, IF R05_AC0100[MC/Ry] = 3, DISPLAY "yesterday".

ELSE, IF R05_AC0100[MC/Ry] = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC0103_LC1

The computer recorded that you smoked [R05_AC0103] cigarettes [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC0103[MC/Ry]

2 NEXT

GO TO R05_AC1130[MC/Ry]

ASK: IF (R05_AC9048 = 1, 3, 4, -8, -7 AND ((R05_CURRENT_CIG_USE = 1 AND R05_AC0100MC = 1, 2, 3, 4) OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0 AND R05_AC0100MC = 1, 2, 3, 4)) AND (R05_AC0103MC_NN > 60 OR R05_AC0103MC_NN = 11, 22, 33, 44, 55)) OR (R05_AC9048 = 2, 3 AND ((R05_CURRENT_CIG_USE = 1 AND R05_AC0100RY = 1, 2, 3, 4) OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0 AND R05_AC0100RY = 1, 2, 3, 4)) AND (R05_AC0103RY_NN > 60 OR R05_AC0103RY_NN = 11, 22, 33, 44, 55)).

DISPLAY: IF R05_AC0100[MC/Ry] = 1, 2, DISPLAY "today".

IF R05_AC0100[MC/Ry] = 3, DISPLAY "yesterday".

IF R05_AC0100[MC/Ry] = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AC0103[MC/Ry]_NN > 60 OR R05_AC0103[MC/Ry]_NN = 11, 22, 33, 44, 55.

ELSE, GO TO R05_AC1130[MC/Ry] AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1130MC; R05_AC1130RY

In the past 30 days, [were any of the cigarettes/was any of the roll-your-own cigarette tobacco] you smoked flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established manufactured/roll-your-own cigarette smokers, or adult respondents who are some day established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: FOR R05_AC1130MC: IF R05_AC9048 = 1, 3, 4, -8, -7 AND (R05_CURRENT_CIG_USE = 1 OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0)).
FOR R05_AC1130RY: IF R05_AC9048 = 2, 3 AND (R05_CURRENT_CIG_USE = 1 OR ((R05_CURRENT_CIG_USE = 2 OR R05_CIG_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1022 != 0)).

DISPLAY: IF R05_AC9048 = 2, DISPLAY "was any of the roll-your-own cigarette tobacco".
ELSE, IF R05_AC9048 = 3, DISPLAY "were any of the cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "was any of the roll-your-own cigarette tobacco" THE SECOND TIME.
ELSE, DISPLAY "were any of the cigarettes".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1030MC; R05_AC1030RY

The next questions ask about your experience buying cigarettes.

How [do/did] you usually buy [cigarettes/a pouch of roll-your-own cigarette tobacco] for yourself?

- | | | |
|----|--|---------------------|
| 1 | In person | |
| 2 | From the internet | GO TO BOX R05_ACR07 |
| 3 | By telephone | GO TO BOX R05_ACR07 |
| 4 | I do not buy my own [cigarettes/cigarette tobacco] | GO TO BOX R05_ACR07 |
| -8 | DON'T KNOW | GO TO BOX R05_ACR07 |
| -7 | REFUSED | GO TO BOX R05_ACR07 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R05_AC1030MC: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7.

FOR R05_AC1030RY: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 2, 3.

DISPLAY: IF R05_AC9048 = 2, DISPLAY "a pouch of roll-your-own cigarette tobacco" IN QUESTION TEXT, AND "cigarette tobacco" IN RESPONSE OPTION 4.

ELSE, IF R05_AC9048 = 3, DISPLAY "cigarettes" IN QUESTION TEXT AND RESPONSE OPTION 4 THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "a pouch of roll-your-own cigarette tobacco" IN QUESTION TEXT, AND "cigarette tobacco" IN RESPONSE OPTION 4 THE SECOND TIME.

ELSE, DISPLAY "cigarettes" IN QUESTION TEXT AND RESPONSE OPTION 4.

IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1032MC; R05_AC1032RY

[Do/Did] you usually buy [cigarettes/roll-your-own cigarette tobacco]...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: FOR R05_AC1032MC: IF R05_AC1030MC = 1 AND (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7.

FOR R05_AC1032RY: IF R05_AC1030RY = 1 AND (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 2, 3.

DISPLAY: IF R05_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R05_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1033MC; R05_AC1033MC_OS; R05_AC1033RY; R05_AC1033RY_OS

Where [do/did] you buy your [cigarettes/roll-your-own cigarette tobacco] most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store, or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant, or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A store on an Indian reservation
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers and usually buy their manufactured/roll-your-own cigarettes in person.

ASK Specification: FOR R05_AC1033MC: IF R05_AC1030MC = 1 AND (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7.

FOR R05_AC1033RY: IF R05_AC1030RY = 1 AND (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 2, 3.

DISPLAY: IF R05_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R05_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR07

Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person, from the internet, or by telephone, go to R05_AC9049.

Else, adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone, go to R05_AC1039.

Else, go to R05_AC1047[MC/Ry].

IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R05_AC9048 = 3)) AND R05_AC1030RY != 4, -8, -7, GO TO R05_AC9049.

ELSE, IF (R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R05_AC1030MC != 4, -8, -7, GO TO R05_AC1039.

ELSE, GO TO R05_AC1047[MC/Ry].

Variable(s): R05_AC9049RY_D; R05_AC9049RY_C

How much do you usually pay for a pouch of roll-your-own cigarette tobacco?

\$ | | | | Dollars . | | | Cents

-8 DON'T KNOW

GO TO R05_AC1047RY

-7 REFUSED

GO TO R05_AC1047RY

ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers and usually buy their roll-your-own cigarettes in person, from the internet, or by telephone.

ASK Specification: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 2 OR (R05_AC9048 = 3 AND LOOP = RYO CIGARETTES)) AND R05_AC1030RY != 4, -8, -7.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_AC9049_LC1

The computer recorded that you usually pay \$[R05_AC9049_D].[R05_AC9049_C] for a pouch of roll-your-own cigarette tobacco. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC9049RY

2 NEXT

GO TO R05_AC1047RY

ASK: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 2 OR (R05_AC9048 = 3 AND LOOP = RYO CIGARETTES)) AND R05_AC1030RY != 4, -8, -7 AND R05_AC9049_D > 30.

PROGRAM: TRIGGER CHECK IF R05_AC9049_D > 30.

ELSE, GO TO R05_AC1047RY AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1039

Do you usually buy cigarettes by the carton, pack, or as single cigarettes?

- | | | |
|----|-------------------|--------------------|
| 1 | Carton | |
| 2 | Pack | GO TO R05_AC1042MC |
| 3 | Single cigarettes | GO TO R05_AC1043MC |
| -8 | DON'T KNOW | GO TO R05_AC1047MC |
| -7 | REFUSED | GO TO R05_AC1047MC |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone.

ASK Specification: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R05_AC1030MC != 4, -8, -7.

Variable(s): R05_AC1040

How many packs of cigarettes are in the carton you usually buy?

- | | | |
|----|------------|--------------------|
| | _ _ _ | |
| -8 | DON'T KNOW | GO TO R05_AC1041MC |
| -7 | REFUSED | GO TO R05_AC1041MC |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton.

ASK Specification: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R05_AC1030MC != 4, -8, -7 AND R05_AC1039 = 1.

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1040_LC1

A carton of cigarettes usually has 10 packs in it, but not always. The computer recorded that there [is R05_AC1040 pack/are R05_AC1040 packs] of cigarettes in the carton you usually buy.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_AC1040 |
| 2 NEXT | GO TO R05_AC1041 |

ASK: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R05_AC1030MC != 4, -8, -7 AND R05_AC1039 = 1 AND R05_AC1040 != 10.

DISPLAY: IF R05_AC1040 = 1, DISPLAY "is [R05_AC1040] pack".
ELSE, DISPLAY "are [R05_AC1040] packs".

PROGRAM: TRIGGER CHECK IF R05_AC1040 != 10.
ELSE, GO TO R05_AC1041 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AC1041_D; R05_AC1041_C

How much do you usually pay for a carton of cigarettes?

\$ | | | | Dollars . | | | Cents

- | | |
|---------------|--------------------|
| -8 DON'T KNOW | GO TO R05_AC1047MC |
| -7 REFUSED | GO TO R05_AC1047MC |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the carton.

ASK Specification: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R05_AC1030MC != 4, -8, -7 AND R05_AC1039 = 1.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.
DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1041_LC1

The computer recorded that you usually pay \$[R05_AC1041_D].[R05_AC1041_C] for a carton of cigarettes. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1041

2 NEXT

GO TO R05_AC1047MC

ASK: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R05_AC1030MC != 4, -8, -7 AND R05_AC1039 = 1 AND (R05_AC1041_D > 125 OR (R05_AC1041_D = 125 AND R05_AC1041_C > 00) OR R05_AC1041_D < 25).

PROGRAM: TRIGGER CHECK IF R05_AC1041_D > 125 OR (R05_AC1041_D = 125 AND R05_AC1041_C > 00) OR R05_AC1041_D < 25.

ELSE, GO TO R05_AC1047MC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AC1042_D; R05_AC1042_C

How much do you usually pay for a pack of cigarettes?

\$ |__|__|__| Dollars . |__|__| Cents

-8 DON'T KNOW

GO TO R05_AC1047MC

-7 REFUSED

GO TO R05_AC1047MC

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy manufactured cigarettes by the pack.

ASK Specification: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R05_AC1030MC != 4, -8, -7 AND R05_AC1039 = 2.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1042_LC1

The computer recorded that you paid \$[R05_AC1042_D].[R05_AC1042_C] for a pack of cigarettes. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1042

2 NEXT

GO TO R05_AC1047MC

ASK: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R05_AC1030MC != 4, -8, -7 AND R05_AC1039 = 2 AND (R05_AC1042_D > 15 OR (R05_AC1042_D = 15 AND R05_AC1042_C > 00) OR R05_AC1042_D < 3 OR (R05_AC1042_D = 3 AND R05_AC1042_C < 99)).

PROGRAM: TRIGGER CHECK IF R05_AC1042_D > 15 OR (R05_AC1042_D = 15 AND R05_AC1042_C > 00) OR R05_AC1042_D < 3 OR (R05_AC1042_D = 3 AND R05_AC1042_C < 99). ELSE, GO TO R05_AC1047MC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AC1043_D; R05_AC1043_C

How much do you usually pay for a single cigarette?

\$ |__|__|__| Dollars . |__|__| Cents

-8 DON'T KNOW

GO TO R05_AC1047MC

-7 REFUSED

GO TO R05_AC1047MC

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers and usually buy their manufactured cigarettes in person, from the internet, or by telephone and usually buy single manufactured cigarettes.

ASK Specification: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R05_AC1030MC != 4, -8, -7 AND R05_AC1039 = 3.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1043_LC1

The computer recorded that you usually pay \$[R05_AC1043_D].[R05_AC1043_C] for a single cigarette. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|--------------------|
| 1 BACK | GO TO R05_AC1043 |
| 2 NEXT | GO TO R05_AC1047MC |

ASK: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES)) AND R05_AC1030MC != 4, -8, -7 AND R05_AC1039 = 3 AND (R05_AC1043_D > 3 OR (R05_AC1043_D = 3 AND R05_AC1043_C > 00) OR (R05_AC1043_D = 0 AND R05_AC1043_C < 50)).

PROGRAM: TRIGGER CHECK IF R05_AC1043_D > 3 OR (R05_AC1043_D = 3 AND R05_AC1043_C > 00) OR (R05_AC1043_D = 0 AND R05_AC1043_C < 50).
ELSE, GO TO R05_AC1047MC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AC1047MC; R05_AC1047RY

[Do/Did] you have a regular brand of [cigarettes/roll-your-own cigarette tobacco] that you usually [smoke/ smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers.

ASK Specification: FOR R05_AC1047MC: IF (R05_AC9048 = 1, 3, 4, -8, -7 AND (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1)) OR (R05_CIG_USER_STATUS = 4 AND R05_AC9048 != 2).

FOR R05_AC1047RY: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 2, 3.

DISPLAY: IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "Do" AND "smoke".

ELSE, IF R05_CIG_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1, DISPLAY "Did" AND "smoked".

IF R05_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R05_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR29

Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers, or recent former established cigarette smokers who are not non-current 30-day cigarette smokers, go to R05_AC1050.
Else, adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers, go to R05_AC9150.

IF ((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR (R05_CIG_USER_STATUS = 4 AND R05_FORMER_THIRTYDAY_USER_CIGS != 1), GO TO R05_AC1050MC.
ELSE, IF R05_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R05_AC9048 = 3), GO TO R05_AC9150RY.

Variable(s): R05_AC1050

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol or mint?

- | | |
|----------------|--------------------|
| 1 Yes | GO TO R05_AC1945MC |
| 2 No | GO TO R05_AC1945MC |
| 3 I don't know | GO TO R05_AC1945MC |
| -8 DON'T KNOW | GO TO R05_AC1945MC |
| -7 REFUSED | GO TO R05_AC1945MC |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers, or recent former established cigarette smokers who are not non-current 30-day cigarette smokers.

ASK Specification: IF ((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR (R05_CIG_USER_STATUS = 4 AND R05_FORMER_THIRTYDAY_USER_CIGS != 1).

DISPLAY: IF R05_CIG_USER_STATUS = 1, 2 AND R05_AC1047MC = 1, DISPLAY "Is" AND "your regular brand" AND "smoke".

ELSE, IF R05_CIG_USER_STATUS = 1, 2 AND R05_AC1047MC = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked".

ELSE, IF (R05_CIG_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1047MC = 1, DISPLAY "Was" AND "your regular brand" AND "smoked".

ELSE, IF (R05_CIG_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1047MC = 2, -8, -7, DISPLAY "Was" AND "the last brand" and "smoked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9150

[Is/Was] [your regular brand/the last brand] of roll-your-own cigarette tobacco [you smoked] flavored to taste like menthol or mint?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day roll-your-own cigarette smokers.

ASK Specification: IF R05_AC9048 = 2 OR (LOOP = RYO CIGARETTES AND R05_AC9048 = 3).

DISPLAY: IF R05_CIG_USER_STATUS = 1 AND R05_AC1047RY = 1, DISPLAY "Is" AND "your regular brand".

ELSE, IF R05_CIG_USER_STATUS = 1 AND R05_AC1047RY = 2, -8, -7), DISPLAY, "Was", "the last brand" AND "you smoked".

ELSE, IF R05_AC1047RY = 1, DISPLAY "Was" AND "your regular brand".

ELSE, IF R05_AC1047RY = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "you smoked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1945MC; R05_AC1945RY

Do you know the name of the brand of [cigarettes/roll-your-own cigarette tobacco] you [usually smoke/usually smoked/last smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers, or recent former established cigarette smokers who are not non-current 30-day cigarette smokers.

ASK Specification: FOR R05_AC1945MC: IF (R05_AC9048 = 1, 3, 4, -8, -7 AND (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1)) OR (R05_CIG_USER_STATUS = 4 AND R05_AC9048 != 2).

FOR R05_AC1945RY: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 2, 3.

DISPLAY: IF R05_AC1047[MC/Ry] = 1 AND R05_CIG_USER_STATUS = 1, 2, DISPLAY "usually smoke".

ELSE, IF R05_AC1047[MC/Ry] = 1 AND R05_CIG_USER_STATUS != 1, 2, DISPLAY "usually smoked".

ELSE, IF R05_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "last smoked".

IF R05_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R05_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

UNDERLINE "name of the brand".

BOX ID: R05_ACR44

Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked, go to R05_AC1048[MC/Ry]_BRAND.

Else, adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes, go to R05_AC1051[MC/Ry].

Else, go to Box R05_ACR43.

IF (((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR R05_CIG_USER_STATUS = 4) AND R05_AC1945[MC/Ry] = 1, GO TO R05_AC1048[MC/Ry]_BRAND.

ELSE, IF R05_AC1047[MC/Ry] = 1, GO TO R05_AC1051[MC/Ry].

ELSE, GO TO BOX R05_ACR43.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1048MC_BRAND; R05_AC1048RY_BRAND

What brand of [cigarettes/roll-your-own cigarette tobacco] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked.

ASK Specification: FOR R05_AC1048MC_BRAND: IF (((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR R05_CIG_USER_STATUS = 4) AND R05_AC1945MC = 1.

FOR R05_AC1048RY_BRAND: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1945RY = 1 AND R05_AC9048 = 2, 3.

DISPLAY: IF R05_CIG_USER_STATUS = 1, 2 AND R05_AC1047[MC/Ry] = 1, DISPLAY "do" AND "usually".

ELSE, IF R05_CIG_USER_STATUS = 1, 2 AND R05_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R05_CIG_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1047[MC/Ry] = 1, DISPLAY "did" AND "usually".

ELSE, IF (R05_CIG_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "did" AND "last".

IF R05_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco".

ELSE, IF R05_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME.

ELSE, DISPLAY "cigarettes".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

FOR R05_AC1048MC_BRAND: DISPLAY ONLY BRANDS OF MANUFACTURED CIGARETTES.

FOR R05_AC1048RY_BRAND: DISPLAY ONLY BRANDS OF ROLL-YOUR-OWN CIGARETTE TOBACCO.

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR30

Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected "Something else" for their brand of manufactured/roll-your-own cigarettes, go to R05_AC1049 [MC/Ry].

Else, if respondent selects "Something else" for their brand, go to R05_AC1070[MC/Ry]_PRODUCT. Else, go to Box R05_ACR33.

IF LOOP = MANUFACTURED:

IF (((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR R05_CIG_USER_STATUS = 4) AND R05_AC1945MC = 1 AND R05_AC1048MC_BRAND = 9995, GO TO R05_AC1049MC.

ELSE, IF (((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR R05_CIG_USER_STATUS = 4) AND R05_AC1945MC = 1 AND R05_AC1048MC_BRAND != 9995, -8, -7, GO TO R05_AC1070MC_PRODUCT. ELSE, GO TO BOX R05_ACR33.

IF LOOP = ROLL-YOUR-OWN:

IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1945RY = 1 AND R05_AC9048 = 2, 3 AND R05_AC1048RY_BRAND = 9995, GO TO R05_AC1049RY.

ELSE, IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1945RY = 1 AND R05_AC9048 = 2, 3 AND R05_AC1048RY_BRAND != 9995, -8, -7, GO TO R05_AC1070RY_PRODUCT. ELSE, GO TO BOX R05_ACR33.

Variable(s): R05_AC1049MC; R05_AC1049RY

You said that your brand was not listed. What is it?

-8 DON'T KNOW

GO TO BOX R05_ACR33

-7 REFUSED

GO TO BOX R05_ACR33

GO TO BOX R05_ACR33

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected "Something else" for their brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R05_AC1049MC: IF (((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR R05_CIG_USER_STATUS = 4) AND R05_AC1945MC = 1 AND R05_AC1048MC_BRAND = 9995.

FOR R05_AC1049RY: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1945RY = 1 AND R05_AC9048 = 2, 3 AND R05_AC1048RY_BRAND = 9995.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC1070MC_PRODUCT; R05_AC1070RY_PRODUCT

You selected [CIGBRANDFILL/RYOBRANDFILL] as your brand. What kind of [CIGBRANDFILL/RYOBRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R05_AC1070MC_PRODUCT: IF (((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR R05_CIG_USER_STATUS = 4) AND R05_AC1945MC = 1 AND R05_AC1048MC_BRAND != 9995, -8, -7.

FOR R05_AC1070RY_PRODUCT: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1945RY = 1 AND R05_AC9048 = 2, 3 AND R05_AC1048RY_BRAND != 9995, -8, -7.

DISPLAY: IF R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL [CIGBRANDFILL] WITH BRAND CHOSEN IN R05_AC1048MC_BRAND. ELSE, IF R05_AC9048 = 2 OR (R05_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL [RYOBRANDFILL] WITH BRAND CHOSEN IN R05_AC1048RY_BRAND.

IF R05_CIG_USER_STATUS = 1, 2 AND R05_AC1047[MC/Ry] = 1, DISPLAY "do" AND "usually". ELSE, IF R05_CIG_USER_STATUS = 1, 2 AND R05_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R05_CIG_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1047[MC/Ry] = 1, DISPLAY "did" AND "usually".

ELSE, IF (R05_CIG_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR31

Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes and selected "Something else" for their subbrand of manufactured/roll-your-own cigarettes, go to R05_AC1071[MC/Ry].
Else, go to Box R05_ACR33.

IF (R05_CIG_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1945[MC/Ry] = 1 AND R05_AC1048[MC/Ry]_BRAND != 9995, -8, -7 AND R05_AC1070[MC/Ry]_PRODUCT = 99995, GO TO R05_AC1071[MC/Ry].
ELSE, GO TO BOX R05_ACR33.

Variable(s): R05_AC1071MC; R05_AC1071RY

You said that the type of [CIGBRANDFILL/RYOBRANDFILL]s that you [smoke/smoked] is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand of manufactured/roll-your-own cigarettes and selected "Something else" for their subbrand of manufactured/roll-your-own cigarettes.

ASK Specification: FOR R05_AC1071MC: IF (((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR R05_CIG_USER_STATUS = 4) AND R05_AC1945MC = 1 AND R05_AC1048MC_BRAND != 9995, -8, -7 AND R05_AC1070MC_PRODUCT = 99995.

FOR R05_AC1071RY: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1945RY = 1 AND R05_AC9048 = 2, 3 AND R05_AC1048RY_BRAND != 9995, -8, -7 AND R05_AC1070RY_PRODUCT = 99995.

DISPLAY: IF R05_AC9048 = 1, 4, -8, -7 OR (R05_AC9048 = 3 AND LOOP = MANUFACTURED CIGARETTES), FILL CIGBRANDFILL WITH BRAND CHOSEN IN R05_AC1048MC_BRAND.

ELSE, IF R05_AC9048 = 2 OR (R05_AC9048 = 3 AND LOOP = RYO CIGARETTES), FILL RYOBRANDFILL WITH BRAND CHOSEN IN R05_AC1048RY_BRAND.

IF R05_CIG_USER_STATUS = 1, 2 AND R05_AC1047[MC/Ry] = 1, DISPLAY "smoke".

ELSE, IF (R05_CIG_USER_STATUS = 1, 2 AND R05_AC1047[MC/Ry] != 1) OR R05_CIG_USER_STATUS = 4, DISPLAY "smoked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR33
Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes, go to R05_AC1051[MC/RY]. Else, go to Box R05_ACR43.
IF (R05_CIG_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1047[MC/RY] = 1, GO TO R05_AC1051[MC/RY]. ELSE, GO TO BOX R05_ACR43.
Variable(s): R05_AC1051MC_NN; R05_AC1051MC_UN; R05_AC1051RY_NN; R05_AC1051RY_UN
About how long [have you been smoking/did you smoke] your regular brand of [cigarettes/roll-your-own cigarette tobacco]? 1 __ __ DAYS 2 __ __ MONTHS 3 __ __ YEARS -8 DON'T KNOW GO TO BOX R05_ACR43 -7 REFUSED GO TO BOX R05_ACR43 ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured/roll-your-own cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured/roll-your-own cigarettes. ASK Specification: FOR R05_AC1051MC: IF (R05_CIG_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 != 2 AND R05_AC1047MC = 1. FOR R05_AC1051RY: IF (R05_CIG_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 2, 3 AND R05_AC1047RY = 1. DISPLAY: IF R05_AC9048 = 2, DISPLAY "roll-your-own cigarette tobacco". ELSE, IF R05_AC9048 = 3, DISPLAY "cigarettes" THE FIRST TIME THROUGH THE LOOP, THEN DISPLAY "roll-your-own cigarette tobacco" THE SECOND TIME. ELSE, DISPLAY "cigarettes". IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "have you been smoking". ELSE, DISPLAY "did you smoke". PROGRAM: Display as Quantity/Units. Allow 2 digits. NOTES: The value "1" refers to R05_AC1051[MC/RY]_UN = Days; the value "2" refers to R05_AC1051[MC/RY]_UN = Months; the value "3" refers to R05_AC1051[MC/RY]_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1051_LC1

The computer recorded that you [have been smoking/smoked] your regular brand for [R05_AC1051MC_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1051MC

2 NEXT

GO TO R05_AC1051_LC2

ASK: IF (R05_CIG_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 != 2 AND R05_AC1047MC = 1 AND (R05_AC1051MC_NN > R05R_A_AGE) AND R05_AC1051MC_UN = 3.

DISPLAY: IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R05_AC1051MC_NN > R05R_A_AGE) AND R05_AC1051MC_UN = 3.
ELSE, GO TO R05_AC1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AC1051_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarettes.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1051MC

2 NEXT

GO TO BOX R05_ACR43

ASK: IF (R05_CIG_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 != 2 AND R05_AC1047MC = 1 AND R05_AC1051MC_NN = 0.

DISPLAY: IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R05_AC1051MC_NN = 0.
ELSE, GO TO BOX R05_ACR43 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AC1051RY_LC1

The computer recorded that you [have been smoking/smoked] your regular brand for [R05_AC1051RY_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1051RY

2 NEXT

GO TO R05_AC1051RY_LC2

ASK: IF (R05_CIG_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 2, 3 AND R05_AC1047RY = 1 AND (R05_AC1051RY_NN > R05R_A_AGE) AND R05_AC1051RY_UN = 3.

DISPLAY: IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R05_AC1051RY_NN > R05R_A_AGE) AND R05_AC1051RY_UN = 3.
ELSE, GO TO R05_AC1051RY_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AC1051RY_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarettes.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AC1051RY

2 NEXT

GO TO BOX R05_ACR09

ASK: IF (R05_CIG_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 2, 3 AND R05_AC1047RY = 1 AND R05_AC1051RY_NN = 0.

DISPLAY: IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R05_AC1051RY_NN = 0.
ELSE, GO TO BOX R05_ACR09 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ACR43

Adult respondents who smoke both manufactured and roll-your-own cigarettes, go back to R05_AC0100RY and loop through for roll-your-own cigarettes.
Else, go to Box R05_ACR09.

IF R05_AC9048 = 3, GO BACK TO R05_AC0100RY AND COMPLETE RYO CIGARETTE LOOP.
ELSE, GO TO BOX R05_ACR09.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR09

Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes, go to Box R05_ACD01.
Else, adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers, go to R05_AC9019.
Else, go to Box R05_ACR35.

IF (((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR R05_CIG_USER_STATUS = 4) AND R05_AC1047MC = 1, GO TO BOX R05_ACD01.
ELSE, IF ((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR R05_CIG_USER_STATUS = 4, GO TO R05_AC9019.
ELSE, GO TO BOX R05_ACR35.

BOX ID: R05_ACD01

Randomize order of R05_AC9010 through R05_AC9015.

Display question R05_AC9010, R05_AC9011, R05_AC9014, R05_AC9015 on one screen. Show the intro/transition text from R05_AC9010 first, then show each item with a Y/N response. As each item is answered, show the next one.

Variable(s): R05_AC9010

[The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes.]In choosing your regular brand of cigarettes[when you smoked], was part of your decision based on any of the following?

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1047MC = 1 AND R05_AC9048 = 1, 3, 4, -8, -7) OR (R05_CIG_USER_STATUS = 4 AND R05_AC1047MC = 1).

DISPLAY: IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "is".

ELSE, DISPLAY "when you smoked" AND "was".

IF R05_CIG_USER_STATUS = 1 AND R05_AC9048 = 3, DISPLAY TRANSITION TEXT: "The next questions ask about your regular brand of cigarettes. While answering these questions, please think about the brand of your manufactured cigarettes."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9011

The tar and nicotine levels.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1047MC = 1 AND R05_AC9048 = 1, 3, 4, -8, -7) OR (R05_CIG_USER_STATUS = 4 AND R05_AC1047MC = 1).

Variable(s): R05_AC9014

The taste.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1047MC = 1 AND R05_AC9048 = 1, 3, 4, -8, -7) OR (R05_CIG_USER_STATUS = 4 AND R05_AC1047MC = 1).

Variable(s): R05_AC9015

As a way to help you quit.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers and have a regular brand of manufactured cigarettes.

ASK Specification: IF ((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC1047MC = 1 AND R05_AC9048 = 1, 3, 4, -8, -7) OR (R05_CIG_USER_STATUS = 4 AND R05_AC1047MC = 1).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AC9019**

Do you think the brand of cigarettes you [usually smoke/usually smoked/last smoked] might be less harmful, no different, or more harmful, compared to other cigarette brands?

- 1 Less harmful
- 2 No different
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day manufactured cigarette smokers or recent former established cigarette smokers.

ASK Specification: IF ((R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 1, 3, 4, -8, -7) OR R05_CIG_USER_STATUS = 4.

DISPLAY: IF R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1 AND R05_AC1047MC = 1, DISPLAY "usually smoke".

ELSE, IF R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1 AND R05_AC1047MC = 2, -8, -7, DISPLAY "last smoked".

ELSE, IF R05_CIG_USER_STATUS = 4 AND R05_AC1047MC = 1, DISPLAY "usually smoked".

ELSE, IF R05_CIG_USER_STATUS = 4 AND R05_AC1047MC = 2, -8, -7, DISPLAY "last smoked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ACR35

Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and subbrands of both types of cigarettes, go to R05_AC0105.

Else, adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers and did not report smoking both manufactured and roll-your-own cigarettes and last smoked a manufactured/roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes, or adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of one type of cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes but did not know the name of the brand of the other type of cigarettes they usually smoke or last smoked or did not select a brand or did not select a subbrand of the other type of cigarettes, go to R05_AC0104.

Else, go to the next section.

IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 3 AND (R05_AC0100MC = 1, 2, 3, 4 OR R05_AC0100RY = 1, 2, 3, 4) AND R05_AC1945MC = 1 AND R05_AC1048MC_BRAND != 9995, -8, -7 AND R05_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND R05_AC1945RY = 1 AND R05_AC1048RY_BRAND != 9995, -8, -7 AND R05_AC1070RY_PRODUCT != 99990, 99995, -8, -7, GO TO R05_AC0105.

ELSE, IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (((R05_AC9048 = 1, 4, -8, -7 AND R05_AC0100MC = 1, 2, 3, 4 AND R05_AC1945MC = 1 AND R05_AC1048MC_BRAND != 9995, -8, -7 AND R05_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R05_AC9048 = 2 AND R05_AC0100RY = 1, 2, 3, 4 AND R05_AC1945RY = 1 AND R05_AC1048RY_BRAND != 9995, -8, -7 AND R05_AC1070RY_PRODUCT != 99990, 99995, -8, -7)) AND ((R05_AC9048 != 1, 4, -8, -7 OR R05_AC0100MC != 1, 2, 3, 4 OR R05_AC1945MC != 1 OR R05_AC1048MC_BRAND = 9995, -8, -7 OR R05_AC1070MC_PRODUCT = 99990, 99995, -8, -7) OR (R05_AC9048 != 2 OR R05_AC0100RY != 1, 2, 3, 4 OR R05_AC1945RY != 1 OR R05_AC1048RY_BRAND = 9995, -8, -7 OR R05_AC1070RY_PRODUCT = 99990, 99995, -8, -7))) OR (R05_AC9048 = 3 AND ((R05_AC0100MC = 1, 2, 3, 4 AND R05_AC1945MC = 1 AND R05_AC1048MC_BRAND != 9995, -8, -7 AND R05_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R05_AC0100RY = 1, 2, 3, 4 AND R05_AC1945RY = 1 AND R05_AC1048RY_BRAND != 9995, -8, -7 AND R05_AC1070RY_PRODUCT != 99990, 99995, -8, -7)) AND ((R05_AC1945MC != 1 OR R05_AC1048MC_BRAND = 9995, -8, -7 OR R05_AC1070MC_PRODUCT = 99990, 99995, -8, -7) OR (R05_AC1945RY != 1 OR R05_AC1048RY_BRAND = 9995, -8, -7 OR R05_AC1070RY_PRODUCT = 99990, 99995, -8, -7))))), GO TO R05_AC0104.

ELSE, GO TO THE NEXT SECTION.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC0105

You said earlier that you smoked a cigarette [TIME OF LAST USE]. Think about the very last cigarette you smoked. Was the brand...

- | | |
|--------------------|------------------------|
| 1 [NEQBRAND] | GO TO THE NEXT SECTION |
| 2 [NEQBRAND] | GO TO THE NEXT SECTION |
| 3 Some other brand | GO TO THE NEXT SECTION |
| -8 DON'T KNOW | GO TO THE NEXT SECTION |
| -7 REFUSED | GO TO THE NEXT SECTION |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the names of the brands of both types of cigarettes they usually smoke or last smoked and selected brands and subbrands of both types of cigarettes.

ASK Specification: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND R05_AC9048 = 3 AND (R05_AC0100MC = 1, 2, 3, 4 OR R05_AC0100RY = 1, 2, 3, 4) AND R05_AC1945MC = 1 AND R05_AC1048MC_BRAND != 9995, -8, -7 AND R05_AC1070MC_PRODUCT != 99990, 99995, -8, -7 AND R05_AC1945RY = 1 AND R05_AC1048RY_BRAND != 9995, -8, -7 AND R05_AC1070RY_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_AC0100MC = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R05_AC0100RY = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R05_AC0100MC = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R05_AC0100RY = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R05_AC0100MC = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R05_AC0100RY = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R05_AC0100MC = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

ELSE, IF R05_AC0100RY = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH R05_AC1070MC_PRODUCT RESPONSE CODE 1 FOR MANUFACTURED.

FILL [NEQBRAND] WITH R05_AC1070RY_PRODUCT RESPONSE CODE 2 FOR ROLL-YOUR-OWN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC0104***

We just have one more question about [your regular brand / the last brand] of cigarettes[you smoked].

You said earlier that you smoked a cigarette [TIME OF LAST USE].

Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers and did not report smoking both manufactured and roll-your-own cigarettes and last smoked a manufactured/roll-your-own cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of manufactured/roll-your-own cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes, or Adult respondents who are current established, current experimental, or non-current 30-day cigarette smokers of both manufactured and roll-your-own cigarettes and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of one type of cigarettes they usually smoke or last smoked and selected a brand and subbrand of manufactured/roll-your-own cigarettes but did not know the name of the brand of the other type of cigarettes they usually smoke or last smoked or did not select a brand or did not select a subbrand of the other type of cigarettes.

ASK Specification: IF (R05_CIG_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_CIGS = 1) AND (((R05_AC9048 = 1, 4, -8, -7 AND R05_AC0100MC = 1, 2, 3, 4 AND R05_AC1945MC = 1 AND R05_AC1048MC_BRAND != 9995, -8, -7 AND R05_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R05_AC9048 = 2 AND R05_AC0100RY = 1, 2, 3, 4 AND R05_AC1945RY = 1 AND R05_AC1048RY_BRAND != 9995, -8, -7 AND R05_AC1070RY_PRODUCT != 99990, 99995, -8, -7)) AND ((R05_AC9048 != 1, 4, -8, -7 OR R05_AC0100MC != 1, 2, 3, 4 OR R05_AC1945MC != 1 OR R05_AC1048MC_BRAND = 9995, -8, -7 OR R05_AC1070MC_PRODUCT = 99990, 99995, -8, -7) OR (R05_AC9048 != 2 OR R05_AC0100RY != 1, 2, 3, 4 OR R05_AC1945RY != 1 OR R05_AC1048RY_BRAND = 9995, -8, -7 OR R05_AC1070RY_PRODUCT = 99990, 99995, -8, -7))) OR (R05_AC9048 = 3 AND ((R05_AC0100MC = 1, 2, 3, 4 AND R05_AC1945MC = 1 AND R05_AC1048MC_BRAND != 9995, -8, -7 AND R05_AC1070MC_PRODUCT != 99990, 99995, -8, -7) OR (R05_AC0100RY = 1, 2, 3, 4 AND R05_AC1945RY = 1 AND R05_AC1048RY_BRAND != 9995, -8, -7 AND R05_AC1070RY_PRODUCT != 99990, 99995, -8, -7)) AND ((R05_AC1945MC != 1 OR R05_AC1048MC_BRAND = 9995, -8, -7 OR R05_AC1070MC_PRODUCT = 99990, 99995, -8, -7) OR (R05_AC1945RY != 1 OR R05_AC1048RY_BRAND = 9995, -8, -7 OR R05_AC1070RY_PRODUCT = 99990, 99995, -8, -7))))).

DISPLAY: UNDERLINE "your regular brand" AND "the last brand" IN THE QUESTION TEXT.

IF R05_AC1047[MC/Ry] = 1, DISPLAY "your regular brand".

ELSE, IF R05_AC1047[MC/Ry] = 2, -8, -7, DISPLAY "the last brand" AND "you smoked".

IF R05_AC0100[MC/Ry] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R05_AC0100[MC/Ry] = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R05_AC0100[MC/Ry] = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE IF R05_AC0100[MC/Ry] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH R05_AC1070[MC/Ry]_PRODUCT RESPONSE.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

ELECTRONIC NICOTINE PRODUCTS (ENPs)

BOX ID: R05_AVT02

The next questions are about **electronic nicotine products**.

Some electronic nicotine products can be bought as one-time, disposable products, while others can be bought as re-usable kits with a cartridge or tank system. Some people refill their own electronic nicotine products with nicotine fluid, sometimes called "e-liquid" or "e-juice".

Disposable electronic nicotine products, electronic nicotine product cartridges and e-liquid come in many different flavors and nicotine concentrations. Some common brands include Vuse, Blu, Logic, MarkTen, JUUL, NJOY, eGo, and iTaste.

[SHOW GENERIC IMAGE OF E-PRODUCTS].

BOLD "electronic nicotine products".

Variable(s): R05_AV1090

Do you own an electronic nicotine product?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AV9041 |
| -8 | DON'T KNOW | GO TO R05_AV9041 |
| -7 | REFUSED | GO TO R05_AV9041 |

ASK: Adult respondents who have ever used an ENP.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1.

Variable(s): R05_AV9945

Do you know the name of the brand of electronic nicotine product that you own?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AV9004 |
| -8 | DON'T KNOW | GO TO R05_AV9004 |
| -7 | REFUSED | GO TO R05_AV9004 |

ASK: Adult respondents who have ever used an ENP and own an ENP.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1 AND R05_AV1090 = 1.

DISPLAY: UNDERLINE "name of the brand".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9002_BRAND

What brand of electronic nicotine product do you own? (If you own more than one electronic nicotine product, answer about the one you use most often.)

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". / If you do not see it below, touch the box marked "Something else".]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever used an ENP and own an ENP and know the name of the brand of ENP they own.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1 AND R05_AV1090 = 1 AND R05_AV9945 = 1.

DISPLAY: IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

[SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

BOLD AND UNDERLINE "most often".

BOX ID: R05_AVR36

Adult respondents who have ever used an ENP and own an ENP and know the name of the brand of ENP they own and selected "Something else" for their brand, go to R05_AV9003.
Else, go to R05_AV9004.

IF R05_EVER_NEVER_EPRODS = 1 AND R05_AV1090 = 1 AND R05_AV9945 = 1 AND R05_AV9002 = 9995, GO TO R05_AV9003.
ELSE, GO TO R05_AV9004.

Variable(s): R05_AV9003

You said that the brand of electronic nicotine product you own was not listed. What brand is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever used an ENP and own an ENP and know the name of the brand of ENP they own and selected "Something else" for their brand.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1 AND R05_AV1090 = 1 AND R05_AV9945 = 1 AND R05_AV9002_BRAND = 9995.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9004

About how much did you pay for your electronic nicotine product? Do not include the cost of additional cartridges or accessories unless they were included in a starter kit.

(If you own more than one electronic nicotine product, answer about the one you use **most often**.)

- 1 Less than \$10
- 2 \$10 to \$20
- 3 \$21 to \$100
- 4 More than \$100
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an ENP and own an ENP.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1 AND R05_AV1090 = 1.

DISPLAY: BOLD AND UNDERLINE "most often".

Variable(s): R05_AV9041

Does anyone else living in your home own an electronic nicotine product?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an ENP.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1.

BOX ID: R05_AVR20

Adult respondents who have ever used an ENP and had not used ENPs 100 or more times as of their last completed interview, go to R05_AV1005.

Else, adult respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview, go to R05_AV1100.

Else, go to Box R05_AVV01.

IF R05_EVER_NEVER_EPRODS = 1 AND R04_NUMLIFE_EPROD != 1, GO TO R05_AV1005.
ELSE, IF R05_EVER_NEVER_EPRODS = 1 AND R04_REGUSE_EPROD != 1, GO TO R05_AV1100.
ELSE, GO TO BOX R05_AVV01.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1005

How many times have you used an electronic nicotine product in your entire life?

- 1 1 time, even just a few puffs
- 2 2 to 10 times
- 3 11 to 20 times
- 4 21 to 50 times
- 5 51 to 99 times
- 6 100 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an ENP and had not used ENPs 100 or more times as of their last completed interview.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1 AND R04_NUMLIFE_EPROD != 1.

BOX ID: R05_AVR21

Adult respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview, go to R05_AV1100.
Else, go to Box R05_AVV01.

IF R05_EVER_NEVER_EPRODS = 1 AND R04_REGUSE_EPROD != 1, GO TO R05_AV1100.
ELSE, GO TO BOX R05_AVV01.

Variable(s): R05_AV1100

Have you ever used electronic nicotine products fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1 AND R04_REGUSE_EPROD != 1.

BOX ID: R05_AVR22

New baseline adult respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview and have ever used ENPs fairly regularly, go to R05_AV1007_NB.
Else, go to Box R05_AVV01.

IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_EPRODS = 1 AND R05_AV1100 = 1, GO TO R05_AV1007_NB.
ELSE, GO TO BOX R05_AVV01.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1007_NB

How old were you when you first started using electronic nicotine products fairly regularly?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R05_AV1121_NB

-7 REFUSED

GO TO R05_AV1121_NB

ASK: New baseline adult respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview and have ever used ENPs fairly regularly.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_EPRODS = 1 AND R05_AV1100 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AV1007_NB_LC1

The computer recorded that you started using electronic nicotine products fairly regularly at age [R05_AV1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1007_NB

2 NEXT

GO TO R05_AV1007_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_EPRODS = 1 AND R05_AV1100 = 1 AND R05_AV1007_NB <= 5.

PROGRAM: TRIGGER CHECK IF R05_AV1007_NB <= 5.

ELSE, GO TO R05_AV1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AV1007_NB_LC2

The computer recorded that you started using electronic nicotine products fairly regularly at age [R05_AV1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1007_NB

2 NEXT

GO TO BOX R05_AVV01

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_EPRODS = 1 AND R05_AV1100 = 1 AND (R05_AV1007_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AV1007_NB > R05R_A_AGE.

ELSE, GO TO BOX R05_AVV01 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AV1121_NB**

When you first started using electronic nicotine products fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview and have ever used ENPs fairly regularly and did not know or refused to report the age they started using ENPs fairly regularly.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_EPRODS = 1 AND R05_AV1100 = 1 AND R05_AV1007_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVV01

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_EPROD_USER_STATUS = 1 (Current established user) Adult respondents who have ever used ENPs fairly regularly, and currently use every day or some days.

R05_EPROD_USER_STATUS = 2 (Current experimental user) Adult respondents who have never used ENPs fairly regularly, and currently use every day or some days.

R05_EPROD_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever used ENPs and have never used ENPs fairly regularly, and did not use them in the past 12 months or currently use not at all.

R05_EPROD_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental ENP users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and new baseline adult respondents who have ever used ENPs as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and adult respondents who initiated ENP use since their last completed interview, have ever used ENPs fairly regularly, have used in the past 12 months and currently use not at all.

R05_EPROD_USER_STATUS = 5 (Long-term former established user) Continuing adult respondents who were recent former established or long-term former established ENP users as of their last completed interview and did not use in the past 12 months or currently use not at all.

R05_CURRENT_EPROD_USE = 1 (Every day established user) Adult respondents who have ever used ENPs fairly regularly, and currently use every day.

R05_CURRENT_EPROD_USE = 2 (Some day established user) Adult respondents who have ever used ENPs fairly regularly, and currently use some days.

R05_FORMER_THIRTYDAY_USER_EPROD = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established users who have used any ENPs in the past 30 days.

R05_EPROD_USER_STATUS = 1:

IF R05_EVER_NEVER_EPRODS = 1 AND (R04_REGUSE_EPROD = 1 OR R05_AV1100 = 1) AND R05_AV1003 = 1, 2, THEN R05_EPROD_USER_STATUS = 1.

R05_EPROD_USER_STATUS = 2:

ELSE, IF R05_EVER_NEVER_EPRODS = 1 AND R04_REGUSE_EPROD != 1 AND R05_AV1100 != 1 AND R05_AV1003 = 1, 2, THEN R05_EPROD_USER_STATUS = 2.

R05_EPROD_USER_STATUS = 3:

ELSE, IF R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1002_12M = 2 OR R05_AV1003 = 3) AND R04_REGUSE_EPROD != 1 AND R05_AV1100 != 1, THEN R05_EPROD_USER_STATUS = 3.

R05_EPROD_USER_STATUS = 4:

ELSE, IF (R04_EPROD_USER_STATUS = 1, 2, 3 OR R05_INIT_EPRODS_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_EPRODS = 1)) AND (R04_REGUSE_EPROD = 1 OR R05_AV1100 = 1) AND R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1002_12M = 2 OR R05_AV1003 = 3), THEN R05_EPROD_USER_STATUS = 4.

R05_EPROD_USER_STATUS = 5:

ELSE, IF R04_EPROD_USER_STATUS = 4, 5 AND R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1002_12M = 2 OR R05_AV1003 = 3), THEN R05_EPROD_USER_STATUS = 5.

R05_CURRENT_EPROD_USE = 1:

IF R05_EPROD_USER_STATUS = 1 AND R05_AV1003 = 1, THEN R05_CURRENT_EPROD_USE = 1.

R05_CURRENT_EPROD_USE = 2:

ELSE, IF R05_EPROD_USER_STATUS = 1 AND R05_AV1003 = 2, THEN R05_CURRENT_EPROD_USE = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R05_FORMER_THIRTYDAY_USER_EPROD = 1:

IF R05_EPROD_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AV1009_NN <= 30 AND R05_AV1009_UN = 1) OR (R05_AV1009_NN = 1 AND R05_AV1009_UN = 2) OR R05_AV1004 = 1), THEN
R05_FORMER_THIRTYDAY_USER_EPROD = 1.
ELSE, R05_FORMER_THIRTYDAY_USER_EPROD = 2.

BOX ID: R05_AVR02

New baseline adult respondents who are every day established ENP users, go to R05_AV1020_NB.
Else, adult respondents who initiated ENP use since their last completed interview, go to R05_AV1011.
Else, adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months, go to R05_AV9035.
Else, go to Box R05_AVR46.

IF R05_ADULTTYPE = 2 AND R05_CURRENT_EPROD_USE = 1, GO TO R05_AV1020_NB.
ELSE, IF R05_INIT_EPRODS_ADULT = 1, GO TO R05_AV1011.
ELSE, IF R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1004 = 1 OR R05_AV1002_12M = 1), GO TO R05_AV9035.
ELSE, GO TO BOX R05_AVR46.

Variable(s): R05_AV1020_NB

How old were you when you first started using electronic nicotine products every day?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AV1122_NB

-7 REFUSED

GO TO R05_AV1122_NB

ASK: New baseline adult respondents who are every day established ENP users.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_CURRENT_EPROD_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AV1020_NB_LC1

The computer recorded that you started using electronic nicotine products every day at age [R05_AV1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1020_NB

2 NEXT

GO TO R05_AV1020_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_EPROD_USE = 1 AND (R05_AV1020_NB <= 10 OR R05_AV1020_NB < R05_AV1007_NB).

PROGRAM: TRIGGER CHECK IF R05_AV1020_NB <= 10 OR R05_AV1020_NB < R05_AV1007_NB.
ELSE, GO TO R05_AV1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AV1020_NB_LC2

The computer recorded that you started using electronic nicotine products every day at age [R05_AV1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1020_NB

2 NEXT

GO TO BOX R05_AVR23

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_EPROD_USE = 1 AND (R05_AV1020_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AV1020_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_AVR23 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AV1122_NB

When you first started using electronic nicotine products every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who are every day established ENP users and did not know or refused to report the age they first started using ENPs every day.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_CURRENT_EPROD_USE = 1 AND R05_AV1020_NB = -8, -7.

BOX ID: R05_AVR23

Adult respondents who initiated ENP use since their last completed interview, go to R05_AV1011.
Else, go to R05_AV9035.

IF R05_INIT_EPRODS_ADULT = 1, GO TO R05_AV1011.
ELSE, GO TO R05_AV9035.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

When you first started using electronic nicotine products, which flavor did you use? Choose all that apply.

- | | |
|---|---|
| R05_AV1011_01 | 1 Tobacco-flavored |
| R05_AV1011_02 | 2 Menthol or mint |
| R05_AV1011_03 | 3 Clove or spice |
| R05_AV1011_04 | 4 Fruit |
| R05_AV1011_05 | 5 Chocolate |
| R05_AV1011_06 | 6 An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AV1011_07 | 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages) |
| R05_AV1011_08 | 8 Candy, desserts, or other sweets |
| R05_AV1011_09;
R05_AV1011_OS | 9 Some other flavor (SPECIFY) |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who initiated ENP use since their last completed interview.

ASK Specification: IF R05_INIT_EPRODS_ADULT = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which of the following types of electronic nicotine products have you used? Choose all that apply.

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

- R05_AV9035_01** 1 E-cigarette including a vape pen, personal vaporizer, or mod
- R05_AV9035_02** 2 E-cigar
- R05_AV9035_03** 3 E-pipe
- R05_AV9035_04** 4 E-hookah including a hookah pen
- R05_AV9035_05;** 5 Something else (SPECIFY)
- R05_AV9035_OS**
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1004 = 1 OR R05_AV1002_12M = 1 OR R05_INIT_EPRODS_ADULT = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE

BOX ID: R05_AVR56

If the only device type selected is "Something else" or the respondent did not know or refused to report which device types they have used, go to Box R05_AVR59.

Else, repeat R05_AV9060 for each device type selected, except "Something else".
When all loops complete, go to Box R05_AVV04.

IF (R05_AV9035_01 != 1 AND R05_AV9035_02 != 1 AND R05_AV9035_03 != 1 AND R05_AV9035_04 != 1) AND R05_AV9035_05 = 1, -8, -7, GO TO BOX R05_AVR59.

ELSE, IF R05_AV9035_01 = 1, GO TO R05_AV9060_01.

ELSE, IF R05_AV9035_02 = 1, GO TO R05_AV9060_02.

ELSE, IF R05_AV9035_03 = 1, GO TO R05_AV9060_03.

ELSE, IF R05_AV9035_04 = 1, GO TO R05_AV9060_04.

WHEN ALL LOOPS COMPLETE, GO TO BOX R05_AVV04.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9060_01***; R05_AV9060_02; R05_AV9060_03; R05_AV9060_04
[Do/Did] you use more than one kind of [FILL WITH DEVICE TYPE SELECTED IN R05_AV9035]? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever used an ENP and have used ENPs in the past 30 days or in the past 12 months or initiated ENP use since their last completed interview and selected a type of ENP they have used. ASK Specification: FOR R05_AV9060_01: IF R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1004 = 1 OR R05_AV1002_12M = 1 OR R05_INIT_EPRODS_ADULT = 1) AND R05_AV9035_01 = 1. FOR R05_AV9060_02: IF R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1004 = 1 OR R05_AV1002_12M = 1 OR R05_INIT_EPRODS_ADULT = 1) AND R05_AV9035_02 = 1. FOR R05_AV9060_03: IF R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1004 = 1 OR R05_AV1002_12M = 1 OR R05_INIT_EPRODS_ADULT = 1) AND R05_AV9035_03 = 1. FOR R05_AV9060_04: IF R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1004 = 1 OR R05_AV1002_12M = 1 OR R05_INIT_EPRODS_ADULT = 1) AND R05_AV9035_04 = 1. DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do". ELSE, IF R05_EPROD_USER_STATUS = 3, 4, 5, DISPLAY "did". FOR R05_AV9060_01, DISPLAY "e-cigarette". FOR R05_AV9060_02, DISPLAY "e-cigar". FOR R05_AV9060_03, DISPLAY "e-pipe". FOR R05_AV9060_04, DISPLAY "e-hookah". NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AVR60
If there are remaining device types, go back to Box R05_AVR56 and complete loop for all remaining device types. Else, if all loops are complete, go to Box R05_AVV04. IF R05_AV9035_02 = 1 AND R05_AV9060_02 = -1, GO BACK TO BOX R05_AVR56. ELSE, IF R05_AV9035_03 = 1 AND R05_AV9060_03 = -1, GO BACK TO BOX R05_AVR56. ELSE, IF R05_AV9035_04 = 1 AND R05_AV9060_04 = -1, GO BACK TO BOX R05_AVR56. ELSE, IF ALL LOOPS ARE COMPLETE, GO TO BOX R05_AVV04.

BOX ID: R05_AVV04
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX): R05_EPRODCOUNT = Number of ENPs used. R05_EPRODCOUNT: R05_EPRODCOUNT = 0; IF R05_AV9035_01 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_AV9035_02 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_AV9035_03 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_AV9035_04 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_AV9035_05 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR58
Adult respondents who have used more than one type of ENP go to R05_AV9044. Else, go to Box R05_AVR59.
IF R05_EPRODCOUNT > 1, GO TO R05_AV9044. ELSE, GO TO BOX R05_AVR59.

Variable(s): R05_AV9044***
You mentioned that you have used more than one type of electronic nicotine product. Which type of electronic nicotine product [do/did] you use <u>most often</u>? [SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE] 1 E-cigarette including a vape pen, personal vaporizer, or mod 2 E-cigar 3 E-pipe 4 E-hookah including a hookah pen 5 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have used more than one type of ENP. ASK Specification: IF R05_EPRODCOUNT > 1. DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did". BOLD AND UNDERLINE "most often". IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AVR59
Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users, go to R05_AV9040. Else, go to Box R05_AVR12.
IF R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1, GO TO R05_AV9040. ELSE, GO TO BOX R05_AVR12.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AV9040**

Please look at this picture. Which group is most like the electronic nicotine product you [use/used] **most often**?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 4 Group 4
- 5 Group 5
- 6 Group 6
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "use".

ELSE, DISPLAY "used".

BOLD AND UNDERLINE "most often".

IMAGE: SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS

Note: Group 1 is tank system 'box style' e-cigarettes; group 2 is tank system 'vapor pen' e-cigarettes; group 3 is disposable 'cig-a-like' e-cigarettes; group 4 is e-cigars; group 5 is e-pipes; group 6 is e-hookah and hookah pens.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9001; R05_AV9001_OS

For the following question, please think about the electronic nicotine product you [use/used] **most often**.

What kind of electronic nicotine product [is/was] it?

- 1 A disposable device
- 2 A device that uses replaceable prefilled cartridges
- 3 A device with a tank that you refill with liquids
- 4 A mod system
- 5 Something else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "use" AND "Is".
ELSE, DISPLAY "used" AND "was".

BOLD AND UNDERLINE "most often".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT
AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

BOX ID: R05_AVV03

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R05_EDEVICETYPE (ENP device type):

R05_EDEVICETYPE = 1 (Disposable device type).

R05_EDEVICETYPE = 2 (Prefilled Cartridge device type).

R05_EDEVICETYPE = 3 (Refillable Tank device type).

R05_EDEVICETYPE = 4 (Mod System device type).

R05_EDEVICETYPE = 5 (Unknown device type).

R05_EDEVICETYPE:

IF R05_AV9001 = 1, THEN R05_EDEVICETYPE = 1 (Disposable device type).

ELSE, IF R05_AV9001 = 2, THEN R05_EDEVICETYPE = 2 (Prefilled Cartridge device type).

ELSE, IF R05_AV9001 = 3, THEN R05_EDEVICETYPE = 3 (Refillable Tank device type).

ELSE, IF R05_AV9001 = 4, THEN R05_EDEVICETYPE = 4 (Mod System device type).

ELSE, R05_EDEVICETYPE = 5 (Unknown).

BOX ID: R05_AVR57

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use a refillable tank device type or a mod system device type, go to R05_AV9046.

Else, go to Box R05_AVT04.

IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND
R05_EDEVICETYPE = 3, 4, GO TO R05_AV9046.

ELSE, GO TO BOX R05_AVT04.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9046***

How often [do/did] you refill your electronic nicotine product with e-liquid?

- 1 At least once a day
- 2 Once every couple of days
- 3 Once a week
- 4 A few times a month
- 5 Once a month
- 6 A few times a year
- 7 Once a year
- 8 Never GO TO R05_AV9045
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use a refillable tank device type or a mod system device type.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_EDEVICETYPE = 3, 4.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AV9036***

Who [refills/refilled] it with e-liquid?

- 1 I [refill/refilled] it myself
- 2 I [get/got] it refilled at a vape shop or vapor lounge
- 3 I [buy/bought] it already filled
- 4 I [get/got] it refilled some other way
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use a refillable tank device type or a mod system device type and have refilled their ENP or did not know or refused to report how often they refill their ENP.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_EDEVICETYPE = 3, 4 AND R05_AV9046 != 8.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "refills" IN QUESTION TEXT AND "refill", "get", "buy", AND "get" IN RESPONSE OPTIONS.
ELSE, DISPLAY "refilled" IN QUESTION TEXT AND "refilled", "got", "bought", AND "got" IN RESPONSE OPTIONS.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9045***

How many milliliters of e-liquid [does/did] your tank system hold?

|_|_|_|_|

-2 I don't know

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use a refillable tank device type or a mod system device type.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_EDEVICETYPE = 3, 4.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "does".
ELSE, DISPLAY "did".

PROGRAM: Allow 3 digits.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AVT04

PROGRAM - CREATE [EPRODFILL1-3]:

EPRODFILL1:

R05_EDEVICETYPE = 1, 5 (Disposable/Unknown), EPRODFILL1 = "electronic nicotine products".

R05_EDEVICETYPE = 2 (Prefilled Cartridges), EPRODFILL1 = "electronic nicotine cartridges".

R05_EDEVICETYPE = 3, 4 (Tank/Mod), EPRODFILL1 = "milliliters of e-liquid".

EPRODFILL2:

R05_EDEVICETYPE = 1, 5 (Disposable/Unknown), EPRODFILL2 = "electronic nicotine products".

R05_EDEVICETYPE = 2 (Prefilled Cartridges), EPRODFILL2 = "electronic nicotine cartridges".

R05_EDEVICETYPE = 3, 4 (Tank/Mod), EPRODFILL2 = "e-liquid".

EPRODFILL3:

R05_EDEVICETYPE = 1, 5 (Disposable/Unknown), EPRODFILL3 = "electronic nicotine product".

R05_EDEVICETYPE = 2 (Prefilled Cartridges), EPRODFILL3 = "electronic nicotine cartridge".

R05_EDEVICETYPE = 3, 4 (Tank/Mod), EPRODFILL3 = "e-liquid".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9010

Please think about the [EPRODFILL3] you [use/used] **most often**.

[Does/Did] it contain nicotine?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_AVR12 |
| -8 | DON'T KNOW | GO TO BOX R05_AVR12 |
| -7 | REFUSED | GO TO BOX R05_AVR12 |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "use" AND "Does".
ELSE, DISPLAY "used" AND "Did".

BOLD AND UNDERLINE "most often".

Variable(s): R05_AV9006

What concentration of nicotine [do/did] you usually use?

- | | | |
|----|--------------------------------|---------------------|
| 1 | I don't know the concentration | GO TO BOX R05_AVR12 |
| 2 | 1-3mg/mL or 0.1-0.3% | |
| 3 | 4-6mg/mL or 0.4-0.6% | |
| 4 | 7-12mg/mL or 0.7-1.2% | |
| 5 | 13-17mg/mL or 1.3-1.7% | |
| 6 | 18-24mg/mL or 1.8-2.4% | |
| 7 | 25-39mg/mL or 2.5-3.9% | |
| 8 | 40-49mg/mL or 4.0-4.9% | |
| 9 | 50-59mg/mL or 5.0-5.9% | |
| 10 | 60+mg/mL or 6.0+% | |
| -8 | DON'T KNOW | GO TO BOX R05_AVR12 |
| -7 | REFUSED | GO TO BOX R05_AVR12 |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use an ENP that contains nicotine.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV9010 = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9056

Have you changed the concentration of nicotine you use since you first started using electronic nicotine products?

- 1 Yes
- 2 No GO TO BOX R05_AVR12
- 8 DON'T KNOW GO TO BOX R05_AVR12
- 7 REFUSED GO TO BOX R05_AVR12

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use an ENP that contains nicotine and usually use a nicotine concentration of 1-3mg/mL, 4-6mg/mL, 7-12mg/mL, 13-17mg/mL, 18-24mg/mL, 25-39mg/mL, 40-49mg/mL, 50-59mg/mL, or 60+mg/mL.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV9010 = 1 AND R05_AV9006 = 2, 3, 4, 5, 6, 7, 8, 9, 10.

Variable(s): R05_AV9956

Is the concentration of nicotine you currently use higher or lower than the concentration you used when you first started using electronic nicotine products?

- 1 Higher
- 2 Lower
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and use an ENP that contains nicotine and usually use a nicotine concentration of 1-3mg/mL, 4-6mg/mL, 7-12mg/mL, 13-17mg/mL, 18-24mg/mL, 25-39mg/mL, 40-49mg/mL, 50-59mg/mL, or 60+mg/mL and have changed their concentration of nicotine.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV9010 = 1 AND R05_AV9006 = 2, 3, 4, 5, 6, 7, 8, 9, 10 AND R05_AV9056 = 1.

BOX ID: R05_AVR12

Adult respondents who are every day established ENP users, go to R05_AV1021.
Else, adult respondents who are some day established, current experimental, or non-current 30-day ENP users, go to R05_AV1022.
Else, adult respondents who are recent former established ENP users, go to R05_AV1047.
Else, go to Box R05_AVR41.

IF R05_CURRENT_EPROD_USE = 1, GO TO R05_AV1021.
ELSE, IF R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1, GO TO R05_AV1022.
ELSE, IF R05_EPROD_USER_STATUS = 4, GO TO R05_AV1047.
ELSE, GO TO BOX R05_AVR41.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1021

On average, about how many [EPRODFILL1] do you now use each day?

-2 Less than 1 each day GO TO R05_AV1026

I__I__I

-8 DON'T KNOW GO TO R05_AV1026

-7 REFUSED GO TO R05_AV1026

ASK: Adult respondents who are every day established ENP users.

ASK Specification: IF R05_CURRENT_EPROD_USE = 1.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AV1021_LC1

The computer recorded that you now use [R05_AV1021] [EPRODFILL1] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R05_AV1021

2 NEXT GO TO R05_AV1026

ASK: IF R05_CURRENT_EPROD_USE = 1 AND R05_AV1021 > 1.

PROGRAM: TRIGGER CHECK IF R05_AV1021 > 1.

ELSE, GO TO R05_AV1026 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AV1022

On how many of the past 30 days did you use an electronic nicotine product?

I__I__I DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day ENP users.

ASK Specification: IF R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR42

Adult respondents who are some day established or current experimental ENP users and used on 0 days of the past 30 days, go to R05_AV9029.

Else, adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R05_AV1026.

Else, go to Box R05_AVR32.

IF (R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2) AND R05_AV1022 = 0, GO TO R05_AV9029.

ELSE, IF R05_CURRENT_EPROD_USE = 1 OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0), GO TO R05_AV1026.

ELSE, GO TO BOX R05_AVR32.

Variable(s): R05_AV9029_NN; R05_AV9029_UN

About how long has it been since you last took a puff from an electronic nicotine product?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_AVR32

-7 REFUSED

GO TO BOX R05_AVR32

ASK: Adult respondents who are some day established or current experimental ENP users and used on 0 days of the past 30 days.

ASK Specification: IF (R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2) AND R05_AV1022 = 0.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AV9029_UN = Days; the value "2" refers to R05_AV9029_UN = Months; the value "3" refers to R05_AV9029_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AV9029_LC1

The computer recorded that you last took a puff from an electronic nicotine product [R05_AV9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV9029

2 NEXT

GO TO BOX R05_AVR32

ASK: IF (R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2) AND R05_AV1022 = 0 AND ((R05_AV9029_NN < 30 AND R05_AV9029_UN = 1) OR ((R05_AV9029_NN < 1 OR R05_AV9029_NN > 18) AND R05_AV9029_UN = 2) OR ((R05_AV9029_NN > (R05R_A_AGE - 10)) AND R05_AV9029_UN = 3)).

DISPLAY: IF R05_AV9029_UN = 1, DISPLAY "days".

ELSE, IF R05_AV9029_UN = 2, DISPLAY "months".

ELSE, IF R05_AV9029_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AV9029_NN < 30 AND R05_AV9029_UN = 1) OR ((R05_AV9029_NN < 1 OR R05_AV9029_NN > 18) AND R05_AV9029_UN = 2) OR ((R05_AV9029_NN > (R05R_A_AGE - 10)) AND R05_AV9029_UN = 3).

ELSE, GO TO BOX R05_AVR32 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AV1026

On average, on the days that you use, how many times each day do you pick up your electronic nicotine product to use it, whether you take one puff or several?

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_AV1027

-7 REFUSED

GO TO R05_AV1027

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05_CURRENT_EPROD_USE = 1 OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0).

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AV1026_LC1

The computer recorded that on the days you use, you pick up your electronic nicotine product to use it [R05_AV1026] [time / times] a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1026

2 NEXT

GO TO R05_AV1027

ASK: IF R05_CURRENT_EPROD_USE = 1 OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0) AND (R05_AV1026 > 50 OR R05_AV1026 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R05_AV1026 = 1, DISPLAY "time".

ELSE, DISPLAY "times".

PROGRAM: TRIGGER CHECK IF R05_AV1026 > 50 OR R05_AV1026 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO R05_AV1027 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AV1027

Each time you pick up your electronic nicotine product to use it, about how many puffs do you take?

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_AVR32

-7 REFUSED

GO TO BOX R05_AVR32

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05_CURRENT_EPROD_USE = 1 OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0).

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AV1027_LC1

The computer recorded that you take [R05_AV1027] [puff / puffs] from your electronic nicotine product each time you use it, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1027

2 NEXT

GO TO BOX R05_AVR32

ASK: IF R05_CURRENT_EPROD_USE = 1 OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0) AND (R05_AV1027 > 50 OR R05_AV1027 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R05_AV1027 = 1, DISPLAY "puff".

ELSE, DISPLAY "puffs".

PROGRAM: TRIGGER CHECK IF R05_AV1027 > 50 OR R05_AV1027 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO BOX R05_AVR32 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_AVR32

Adult respondents who are current established or current experimental ENP users, go to R05_AV1024.

Else, adult respondents who are non-current 30-day ENP users, go to R05_AV1024_30D.

Else, adult respondents who are recent former established ENP users, go to R05_AV1047.

Else, go to Box R05_AVR41.

IF R05_EPROD_USER_STATUS = 1, 2, GO TO R05_AV1024.

ELSE, IF R05_FORMER_THIRTYDAY_USER_EPROD = 1, GO TO R05_AV1024_30D.

ELSE, IF R05_EPROD_USER_STATUS = 4, GO TO R05_AV1047.

ELSE, GO TO BOX R05_AVR41.

Variable(s): R05_AV1024_NN; R05_AV1024_UN

[On the days that you use an electronic nicotine product, how/How] soon after you wake up do you typically take your first puff of the day? Please enter the number of minutes or hours.

1 |_|_|_| Minutes after waking

2 |_|_|_| Hours after waking

-8 DON'T KNOW

GO TO R05_AV1092

-7 REFUSED

GO TO R05_AV1092

ASK: Adult respondents who are current established or current experimental ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2.

DISPLAY: IF R05_CURRENT_EPROD_USE = 1, DISPLAY "How".

ELSE, DISPLAY "On the days that you use an electronic nicotine product, how".

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers to R05_AV1024_UN = Minutes after waking; the value "2" refers to R05_AV1024_UN = Hours after waking.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AV1024_LC1

The computer recorded that you typically take your first puff from an electronic nicotine product [R05_AV1024_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1024

2 NEXT

GO TO R05_AV1024_LC2

ASK: IF [R05_EPROD_USER_STATUS = 1, 2 AND R05_CURRENT_EPROD_USE = 1 AND ((R05_AV1024_NN > 60 AND R05_AV1024_UN = 1) OR (R05_AV1024_NN > 4 AND R05_AV1024_UN = 2))] OR [R05_EPROD_USER_STATUS = 1, 2 AND (R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2) AND ((R05_AV1024_NN > 60 AND R05_AV1024_UN = 1) OR (R05_AV1024_NN > 12 AND R05_AV1024_UN = 2))].

DISPLAY: IF R05_AV1024_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AV1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF [R05_CURRENT_EPROD_USE = 1 AND ((R05_AV1024_NN > 60 AND R05_AV1024_UN = 1) OR (R05_AV1024_NN > 4 AND R05_AV1024_UN = 2))] OR [(R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2) AND ((R05_AV1024_NN > 60 AND R05_AV1024_UN = 1) OR (R05_AV1024_NN > 12 AND R05_AV1024_UN = 2))].

ELSE, GO TO R05_AV1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AV1024_LC2

The computer recorded "0" for how soon you typically take your first puff from an electronic nicotine product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1024

2 NEXT

GO TO BOX R05_AVR46

ASK: IF R05_EPROD_USER_STATUS = 1, 2 AND R05_AV1024 = 0.

PROGRAM: TRIGGER CHECK IF R05_AV1024 = 0.

ELSE, GO TO BOX R05_AVR46 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1092

(On the days that you use electronic nicotine products, would/Would) you say you take your first puff of the day within the first 30 minutes after you wake up?

- | | |
|---------------|---------------------|
| 1 Yes | GO TO BOX R05_AVR46 |
| 2 No | GO TO BOX R05_AVR46 |
| 3 It varies | GO TO BOX R05_AVR46 |
| -8 DON'T KNOW | GO TO BOX R05_AVR46 |
| -7 REFUSED | GO TO BOX R05_AVR46 |

ASK: Adult respondents who are current established or current experimental ENP users and did not know or refused to report how soon after waking up they typically take their first puff from an ENP.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2 AND R05_AV1024_NN = -8, -7.

DISPLAY: IF R05_CURRENT_EPROD_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you use electronic nicotine products, would".

Variable(s): R05_AV1024_30D_NN; R05_AV1024_30D_UN

On the days that you used an electronic nicotine product, how soon after you woke up did you typically take your first puff of the day? Please enter the number of minutes or hours.

- | | |
|--------------------------------|----------------------|
| 1 _ _ _ Minutes after waking | |
| 2 _ _ _ Hours after waking | |
| -8 DON'T KNOW | GO TO R05_AV1092_30D |
| -7 REFUSED | GO TO R05_AV1092_30D |

ASK: Adult respondents who are non-current 30-day ENP users.

ASK Specification: IF R05_FORMER_THIRTYDAY_USER_EPROD = 1.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers to R05_AV1024_30D_UN = Minutes after waking; the value "2" refers to R05_AV1024_30D_UN = Hours after waking.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AV1024_30D_LC1

The computer recorded that you typically took your first puff from an electronic nicotine product [R05_AV1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1024_30D

2 NEXT

GO TO R05_AV1024_30D_LC2

ASK: IF R05_FORMER_THIRTYDAY_USER_EPROD = 1 AND ((R05_AV1024_30D_NN > 60 AND R05_AV1024_30D_UN = 1) OR (R05_AV1024_30D_NN > 12 AND R05_AV1024_30D_UN = 2)).

DISPLAY: IF R05_AV1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AV1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_AV1024_30D_NN > 60 AND R05_AV1024_30D_UN = 1) OR (R05_AV1024_30D_NN > 12 AND R05_AV1024_30D_UN = 2).

ELSE, GO TO R05_AV1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AV1024_30D_LC2

The computer recorded "0" for how soon you typically took your first puff from an electronic nicotine product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1024_30D

2 NEXT

GO TO BOX R05_AVR46

ASK: IF R05_FORMER_THIRTYDAY_USER_EPROD = 1 AND R05_AV1024_30D = 0.

PROGRAM: TRIGGER CHECK IF R05_AV1024_30D = 0.

ELSE, GO TO R05_AV1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AV1092_30D

On the days that you used electronic nicotine products, would you say you took your first puff of the day within the first 30 minutes after you woke up?

1 Yes

2 No

3 It varies

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are non-current 30-day ENP users and did not know or refused to report how soon after waking up they typically take their first puff from an ENP.

ASK Specification: IF R05_FORMER_THIRTYDAY_USER_EPROD = 1 AND R05_AV1024_30D_NN = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR46

Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R05_AV0100.

Else, adult respondents who are current established, current experimental, or non-current 30-day ENP users, go to R05_AV1030.

Else, adult respondents who are recent former established ENP users, go to R05_AV1047.

Else, adult respondents who have ever used an ENP, go to Box R05_AVR41.

Else, go to the next section.

IF R05_CURRENT_EPROD_USE = 1 OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0), GO TO R05_AV0100.

ELSE, IF R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1, GO TO R05_AV1030.

ELSE, IF R05_EPROD_USER_STATUS = 4, GO TO R05_AV1047.

ELSE, IF R05_EVER_NEVER_USER_EPRODS = 1, GO TO BOX R05_AVR41.

ELSE, GO TO THE NEXT SECTION.

Variable(s): R05_AV0100

When did you last use an electronic nicotine product?

- | | |
|---|------------------|
| 1 In the past hour | GO TO R05_AV0103 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_AV1131 |
| -8 DON'T KNOW | GO TO R05_AV1131 |
| -7 REFUSED | GO TO R05_AV1131 |

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05_CURRENT_EPROD_USE = 1 OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV0102

When you last used an electronic nicotine product [FILL BASED ON R05_AV0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established ENP users and last used an ENP sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used an ENP sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_CURRENT_EPROD_USE = 1 AND R05_AV0100 = 2, 3, 4) OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0 AND R05_AV0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R05_AV0100]:

IF R05_AV0100 = 2, DISPLAY "today".

ELSE, IF R05_AV0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AV0100 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV0103

How many puffs from an electronic nicotine product [have/did] you [taken/take] [FILL BASED ON R05_AV0100]?

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are every day established ENP users and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_CURRENT_EPROD_USE = 1 AND R05_AV0100 = 1, 2, 3, 4) OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0 AND R05_AV0100 = 1, 2, 3, 4).

DISPLAY: IF R05_AV0100 = 1, 2, DISPLAY "have" AND "taken".

ELSE, IF R05_AV0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R05_AV0100]:

IF R05_AV0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_AV0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AV0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

CHECK ID: R05_AV0103_LC1

The computer recorded you took [R05_AV0103] puffs from an electronic nicotine product [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV0103

2 NEXT

GO TO R05_AV1131

ASK: IF (R05_CURRENT_EPROD_USE = 1 AND R05_AV0100 = 1, 2, 3, 4) OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0 AND R05_AV0100 = 1, 2, 3, 4) AND (R05_AV0103 > 200 OR R05_AV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R05_AV0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_AV0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AV0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AV0103 > 200 OR R05_AV0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO R05_AV1131 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 30 days, which flavors of [EPRODFILL2] have you used? Choose all that apply.

- | | |
|---|---|
| R05_AV1131_01 | 1 Tobacco-flavored |
| R05_AV1131_02 | 2 Menthol or mint |
| R05_AV1131_03 | 3 Clove or spice |
| R05_AV1131_04 | 4 Fruit |
| R05_AV1131_05 | 5 Chocolate |
| R05_AV1131_06 | 6 An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AV1131_07 | 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages) |
| R05_AV1131_08 | 8 Candy, desserts, or other sweets |
| R05_AV1131_09;
R05_AV1131_OS | 9 Some other flavor (SPECIFY) |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who are every day established ENP users, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05_CURRENT_EPROD_USE = 1 OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R05_AVR37

Adult respondents who are every day established ENP users and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, go to R05_AV1133.
Else, go to Box R05_AVR53.

IF (R05_CURRENT_EPROD_USE = 1 AND (R05_AV1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R05_AV1131_[01/.../09] = -8, -7)) OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0 AND (R05_AV1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R05_AV1131_[01/.../09] = -8, -7)), GO TO R05_AV1133.
ELSE, GO TO BOX R05_AVR53.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1133***; R05_AV1133_OS

In the past 30 days, which flavor of [EPRODFILL2] have you used most often?

- 1 Tobacco-flavored
- 2 Menthol or mint
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita, or other cocktails)
- 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)
- 8 Candy, desserts, or other sweets
- 9 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established ENP users and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF (R05_CURRENT_EPROD_USE = 1 AND (R05_AV1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R05_AV1131_[01/.../09] = -8, -7)) OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0 AND (R05_AV1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R05_AV1131_[01/.../09] = -8, -7)).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR53

Adult respondents who are every day established ENP users and used menthol or mint flavored ENPs in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used menthol or mint flavored ENPs in the past 30 days, go to R05_AV1147.

Else, adult respondents who are every day established ENP users and used flavored ENPs in the past 30 days other than tobacco-flavored or menthol or mint, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored ENPs in the past 30 days other than tobacco-flavored or menthol or mint, go to R05_AV1157.

Else, go to R05_AV1030.

IF (R05_CURRENT_EPROD_USE = 1 AND R05_AV1131_02 = 1) OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0 AND R05_AV1131_02 = 1), GO TO R05_AV1147.

ELSE, IF (R05_CURRENT_EPROD_USE = 1 AND R05_AV1131[_03/_04/_05/_06/_07/_08] = 1) OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0 AND R05_AV1131[_03/_04/_05/_06/_07/_08] = 1), GO TO R05_AV1157.

ELSE, GO R05_AV1030.

Variable(s): R05_AV1147***

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like menthol or mint?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established ENP users and used menthol or mint flavored ENPs in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used menthol or mint flavored ENPs in the past 30 days.

ASK Specification: IF (R05_CURRENT_EPROD_USE = 1 AND R05_AV1131_02 = 1) OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0 AND R05_AV1131_02 = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR55

Adult respondents who are every day established ENP users and used flavored ENPs in the past 30 days other than tobacco-flavored or menthol or mint, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored ENPs in the past 30 days other than tobacco-flavored or menthol or mint, go to R05_AV1157.
Else, go to R05_AV1030.

IF (R05_CURRENT_EPROD_USE = 1 AND R05_AV1131[_03/_04/_05/_06/_07/_08] = 1) OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0 AND R05_AV1131[_03/_04/_05/_06/_07/_08] = 1), GO TO R05_AV1157.
ELSE, GO TO R05_AV1030.

Variable(s): R05_AV1157***

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts, or other sweets?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established ENP users and used flavored ENPs in the past 30 days, other than tobacco-flavored or menthol or mint, or adult respondents who are some day established, current experimental, or non-current 30-day ENP users and have used on at least 1 day of the past 30 days or did not know or refused to report on how many of the past 30 days they used and used flavored ENPs in the past 30 days, other than tobacco-flavored or menthol or mint.

ASK Specification: IF (R05_CURRENT_EPROD_USE = 1 AND R05_AV1131[_03/_04/_05/_06/_07/_08] = 1) OR ((R05_CURRENT_EPROD_USE = 2 OR R05_EPROD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1022 != 0 AND R05_AV1131[_03/_04/_05/_06/_07/_08] = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AV1030**

The next questions ask about your experience buying [EPRODFILL2].

How [do/did] you usually buy [EPRODFILL2] for yourself?

- | | | |
|----|----------------------------------|---------------------|
| 1 | In person | |
| 2 | From the internet | GO TO BOX R05_AVR05 |
| 3 | By telephone | GO TO BOX R05_AVR05 |
| 4 | I do not buy my own [EPRODFILL2] | GO TO R05_AV1047 |
| -8 | DON'T KNOW | GO TO R05_AV1047 |
| -7 | REFUSED | GO TO R05_AV1047 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

Variable(s): **R05_AV1098**

In the past 30 days, how often have you used a coupon when buying [EPRODFILL2]?

- | | |
|----|------------|
| 1 | Always |
| 2 | Sometimes |
| 3 | Rarely |
| 4 | Never |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1032

[Do/Did] you usually buy [EPRODFILL2]...

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, display "Do".
ELSE, DISPLAY "Did".

Variable(s): R05_AV1033; R05_AV1033_OS

Where [do/did] you buy your [EPRODFILL2] most of the time?

- 12 A vape shop or vapor lounge
- 1 A mall kiosk
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store, or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant, or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1.

DISPLAY: IF R05_EPROD_USERS_STATUS = 1, 2, display "do".
ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT
AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR05

Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a disposable device type or an unknown device type, go to R05_AV1136.

Else, adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a refillable tank device type or a mod system device type, go to R05_AV1041.

Else, adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a prefilled cartridge device type, go to R05_AV1039.

Else, go to R05_AV1047.

IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 1, 5, GO TO R05_AV1136.

ELSE, IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 3, 4, GO TO R05_AV1041.

ELSE, IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 2, GO TO R05_AV1039.

ELSE, GO TO R05_AV1047.

Variable(s): R05_AV1136

[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single [EPRODFILL1]?

1 Box or pack

2 Single [EPRODFILL1]

GO TO R05_AV1034

-8 DON'T KNOW

GO TO R05_AV1047

-7 REFUSED

GO TO R05_AV1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a disposable device type or an unknown device type.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 1, 5.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1137

How many [EPRODFILL1] [come/came] in the box or pack that you usually [buy/bought]?

I _ _ I _ _

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 1, 5 AND R05_AV1136 = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "come" AND "buy".
ELSE, DISPLAY "came" AND "bought".

PROGRAM: Allow 2 digits.

Variable(s): R05_AV1138_D; R05_AV1138_C

How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?

\$ I _ _ I _ _ Dollars . I _ _ I _ _ Cents GO TO R05_AV1047

-8 DON'T KNOW GO TO R05_AV1047

-7 REFUSED GO TO R05_AV1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 1, 5 AND R05_AV1136 = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1034_D; R05_AV1034_C

How much [do/did] you usually pay for a single [EPRODFILL3]?

\$ I ___ I ___ I ___ I Dollars . I ___ I ___ I Cents

-8 DON'T KNOW

GO TO R05_AV1047

-7 REFUSED

GO TO R05_AV1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a disposable device type or an unknown device type and usually buy single ENPs.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 1, 5 AND R05_AV1136 = 2.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_AV1034_LC1

The computer recorded that you paid \$[R05_AV1034_D].[R05_AV1034_C] for a single [EPRODFILL3]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1034

2 NEXT

GO TO R05_AV1047

ASK: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 1, 5 AND R05_AV1136 = 2 AND R05_AV1034_D > 50.

PROGRAM: TRIGGER CHECK IF R05_AV1034_D > 50.

ELSE, GO TO R05_AV1047 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1041_D***; R05_AV1041_C***

How much [do/did] you usually pay for a bottle or container of e-liquid?

\$ I ___ I ___ I ___ I Dollars . I ___ I ___ I Cents

-8 DON'T KNOW

GO TO R05_AV1047

-7 REFUSED

GO TO R05_AV1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a refillable tank device type or a mod system device type.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 3, 4.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

CHECK ID: R05_AV1041_LC1

The computer recorded that you paid \$[R05_AV1041_D].[R05_AV1041_C] for a bottle or container of e-liquid. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1041

2 NEXT

GO TO R05_AV1047

ASK: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 3, 4 AND R05_AV1041_D > 50.

PROGRAM: TRIGGER CHECK IF R05_AV1041_D > 50.

ELSE, GO TO R05_AV1047 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1039***

[Do/Did] you usually buy [EPRODFILL1] by the box or pack, or as single cartridges?

- 1 Box or pack
- 2 Single cartridges GO TO R05_AV1043
- 8 DON'T KNOW GO TO R05_AV1047
- 7 REFUSED GO TO R05_AV1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a prefilled cartridge device type.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 2.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AV1040

How many [EPRODFILL1] [come/came] in the box or pack that you [buy/bought]?

- |_|_|_|
- 8 DON'T KNOW
 - 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a prefilled cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 2 AND R05_AV1039 = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "come" AND "buy".
ELSE, DISPLAY "came" AND "bought".

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1042_D; R05_AV1042_C

How much [do/did] you usually pay for a box or pack of [EPRODFILL1]?

\$ I ___ I ___ I ___ I Dollars . I ___ I ___ I Cents

-8 DON'T KNOW

GO TO R05_AV1047

-7 REFUSED

GO TO R05_AV1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a prefilled cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 2 AND R05_AV1039 = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_AV1042_LC1

The computer recorded that you paid \$[R05_AV1042_D].[R05_AV1042_C] for a box or pack of [EPRODFILL1]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1042

2 NEXT

GO TO R05_AV1047

ASK: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 2 AND R05_AV1039 = 1 AND R05_AV1042_D > 50.

PROGRAM: TRIGGER CHECK IF R05_AV1042_D > 50.

ELSE, GO TO R05_AV1047 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1043_D; R05_AV1043_C

How much [do/did] you usually pay for a single [EPRODFILL3]?

\$ I__I__I__I Dollars . I__I__I Cents

-8 DON'T KNOW

GO TO R05_AV1047

-7 REFUSED

GO TO R05_AV1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and usually buy their ENPs in person, from the internet, or by telephone and use a prefilled cartridge device type and usually buy their ENPs as single cartridges.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 2 AND R05_AV1039 = 2.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_AV1043_LC1

The computer recorded that you paid \$[R05_AV1043_D].[R05_AV1043_C] for a single [EPRODFILL3]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1043

2 NEXT

GO TO R05_AV1047

ASK: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1030 = 1, 2, 3 AND R05_EDEVICETYPE = 2 AND R05_AV1039 = 2 AND R05_AV1043_D > 50.

PROGRAM: TRIGGER CHECK IF R05_AV1043_D > 50.

ELSE, GO TO R05_AV1047 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AV1047**

[Do/Did] you have a regular brand of [EPRODFILL2] that you usually [use/used]?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "Do" AND "use".
ELSE, DISPLAY "Did" AND "used".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

What flavor [is/was] [your regular brand/the brand you last used]? Choose all that apply.

- | | |
|---|---|
| R05_AV1012_01 | 1 Tobacco-flavored |
| R05_AV1012_02 | 2 Menthol or mint |
| R05_AV1012_03 | 3 Clove or spice |
| R05_AV1012_04 | 4 Fruit |
| R05_AV1012_05 | 5 Chocolate |
| R05_AV1012_06 | 6 An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AV1012_07 | 7 A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages) |
| R05_AV1012_08 | 8 Candy, desserts, or other sweets |
| R05_AV1012_09;
R05_AV1012_OS | 9 Some other flavor (SPECIFY) |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

IF R05_AV1047 = 1 AND R05_EPROD_USER_STATUS = 1, 2, DISPLAY "Is" AND "your regular brand".
ELSE, IF R05_AV1047 = 1, DISPLAY "Was" AND "your regular brand".

IF R05_AV1047 = 2, 3, -8, -7 AND R05_EPROD_USER_STATUS = 1, 2, DISPLAY "Is" AND "the brand you last used".

ELSE IF R05_AV1047 = 2, 3, -8, -7, DISPLAY "Was" AND "the brand you last used".

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1945

Do you know the name of the brand of [EPROD FILL2] you [usually use/usually used/last used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_AV1047 = 1 AND R05_EPROD_USER_STATUS = 1, 2, DISPLAY "usually use".

IF R05_AV1047 = 1 AND R05_EPROD_USER_STATUS != 1, 2, DISPLAY "usually used".

IF R05_AV1047 = 2, 3, -8, -7, DISPLAY "last used".

UNDERLINE "name of the brand".

BOX ID: R05_AVR45

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and know the name of the brand of ENPs they usually use or last used, go to R05_AV1048_BRAND.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and have a regular brand of ENPs, go to R05_AV1051.

Else, go to Box R05_AVD02.

IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND
R05_AV1945 = 1, GO TO R05_AV1048_BRAND.

ELSE, IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD =
1) AND R05_AV1047 = 1, GO TO R05_AV1051.

ELSE, GO TO BOX R05_AVD02.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AV1048_BRAND**

What brand of [EPRODFILL2] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT". I If you do not see it below, touch the box marked "Something else".]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and know the name of the brand of ENPs they usually use or last used.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1945 = 1.

DISPLAY: IF R05_AV1047 = 1 AND R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do" AND "usually". ELSE, IF R05_AV1047 = 1, DISPLAY "did" AND "usually".

IF R05_AV1047 = 2, 3, -8, -7 AND R05_EPROD_USER_STATUS = 1, 2, DISPLAY "did" AND "last".

ELSE IF R05_AV1047 = 2, 3, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else".

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

BOX ID: **R05_AVR33**

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and know the name of the brand of ENPs they usually use or last used and selected "Something else" for their brand of ENPs, go to R05_AV1049.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and have a regular brand of ENPs, go to R05_AV1051.

Else, go to Box R05_AVR44.

IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1945 = 1 AND R05_AV1048_BRAND = 9995, GO TO R05_AV1049.

ELSE, IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1047 = 1, GO TO R05_AV1051.

ELSE, GO TO BOX R05_AVR44.

Variable(s): **R05_AV1049**

You said that your brand was not listed. What is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and know the name of the brand of ENPs they usually use or last used and selected "Something else" for their brand of ENPs.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1945 = 1 AND R05_AV1048_BRAND = 9995.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR43

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and have a regular brand of ENPs, go to R05_AV1051.
Else, go to Box R05_AVR44.

IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1047 = 1, GO TO R05_AV1051.
ELSE, GO TO BOX R05_AVR44.

Variable(s): R05_AV1051_NN; R05_AV1051_UN

About how long [did you use/have you been using] your regular brand of [EPRODFILL2]?

- 1 | | | DAYS
- 2 | | | MONTHS
- 3 | | | YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and have a regular brand of ENPs.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1047 = 1.

DISPLAY: R05_EPROD_USER_STATUS = 1, 2, DISPLAY "have you been using".
ELSE, DISPLAY "did you use".

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

NOTES: The value "1" refers to R05_AV1051_UN = Days; the value "2" refers to R05_AV1051_UN = Months; the value "3" refers to R05_AV1051_UN = Years.

CHECK ID: R05_AV1051_LC1

The computer recorded that you have used your regular brand of [EPRODFILL2] for [R05_AV1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------|
| 1 BACK | GO TO R05_AV1051 |
| 2 NEXT | GO TO R05_AV1051_LC2 |

ASK: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1047 = 1 AND (R05_AV1051_NN > R05R_A_AGE) AND R05_AV1051_UN = 3.

PROGRAM: TRIGGER CHECK IF (R05_AV1051_NN > R05R_A_AGE) AND R05_AV1051_UN = 3.
ELSE, GO TO R05_AV1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AV1051_LC2

The computer recorded "0" for how long you have used your regular brand of [EPRODFILL3].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1051

2 NEXT

GO TO R05_AV1051_LC3

ASK: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1047 = 1 AND R05_AV1051 = 0.

PROGRAM: TRIGGER CHECK IF R05_AV1051 = 0.

ELSE, GO TO R05_AV1051_LC3 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AV1051_LC3

The computer recorded that you have used your regular brand of [EPRODFILL2] for [R05_AV1051_NN] years.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AV1051

2 NEXT

GO TO BOX R05_AVR44

ASK: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV1047 = 1 AND R05_AV1051_NN > (Today's date - 2010) AND R05_AV1051_UN = 3.

PROGRAM: TRIGGER CHECK IF R05_AV1051_NN > (Today's date - 2010) AND R05_AV1051_UN = 3.

ELSE, GO TO BOX R05_AVR44 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR44

Adult respondents who are current established, current experimental, or non-current 30-day ENP users and last used an ENP in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs, go to R05_AV0104.

Else, go to Box R05_AVD02.

IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV0100 = 1, 2, 3, 4 AND R05_AV1945 = 1 AND R05_AV1048_BRAND != 9995, -8, -7, GO TO R05_AV0104.

ELSE, GO TO BOX R05_AVD02.

Variable(s): R05_AV0104***

You said earlier that you last used an electronic nicotine product [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and last used an ENP in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_AV0100 = 1, 2, 3, 4 AND R05_AV1945 = 1 AND R05_AV1048_BRAND != 9995, -8, -7.

DISPLAY: IF R05_AV0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

IF R05_AV0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

IF R05_AV0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

IF R05_AV0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH SELECTION MADE IN R05_AV1048_BRAND.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AVD02

Randomize order of R05_AV1060 through R05_AV1077.

Display question R05_AV1060, R05_AV1085, R05_AV1062, R05_AV1075, R05_AV1063, R05_AV1064, R05_AV1065, R05_AV1066, R05_AV1067 and R05_AV1077 on one screen. Show the intro/transition text from R05_AV1060 first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1060

The next questions are about the reasons people use electronic nicotine products. Please select which reasons [apply to you/applied to you when you used to use electronic nicotine products].

I [use/used] electronic nicotine products because...

They [are/were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "are".
ELSE, DISPLAY "applied to you when you used to use electronic nicotine products", "used" AND "were".

Variable(s): R05_AV1085

I [can/could] use electronic nicotine products at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "can" AND "isn't".
ELSE, DISPLAY "could" AND "wasn't".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1062

They might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "be". ELSE, DISPLAY "have been".

Variable(s): R05_AV1075

They might [be/have been] less harmful to people around me than cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "be". ELSE, DISPLAY "have been".

Variable(s): R05_AV1063

E-liquid [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "comes" AND "like". ELSE, IF R05_EPROD_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1, DISPLAY "came" AND "liked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR34

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and are current established, current experimental, or recent former established cigarette smokers, go to R05_AV1064.
Else, go to R05_AV1065.

IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AV1064.
ELSE, GO TO R05_AV1065.

Variable(s): R05_AV1064

Using electronic nicotine products helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

Variable(s): R05_AV1065

Electronic nicotine products don't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1066

Using an electronic nicotine product [feels/felt] like smoking a regular cigarette.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "feels".
ELSE, DISPLAY "felt".

Variable(s): R05_AV1067

Electronic nicotine products [are/were] more acceptable to non-tobacco users.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "are".
ELSE, DISPLAY "were".

BOX ID: R05_AVR62

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and are current established, current experimental, or recent former established cigarette smokers, go to R05_AV1077.
Else, go to Box R05_AVR35.

IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND
R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AV1077.
ELSE, GO TO BOX R05_AVR35.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1077

Using electronic nicotine products [satisfies/satisfied] my cravings for cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "satisfies".
ELSE, DISPLAY "satisfied".

BOX ID: R05_AVR35

Adult respondents who are current established, current experimental, or non-current 30-day ENP users and are current established or current experimental cigarette smokers, go to R05_AV1086.
Else, go to Box R05_AVR51.

IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_CIG_USER_STATUS = 1, 2, GO TO R05_AV1086.
ELSE, GO TO BOX R05_AVR51.

Variable(s): R05_AV1086

In the past 30 days, have you used an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_AVR51 |
| -8 DON'T KNOW | GO TO BOX R05_AVR51 |
| -7 REFUSED | GO TO BOX R05_AVR51 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and are current established or current experimental cigarette smokers.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_CIG_USER_STATUS = 1, 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AV1087**

How often [do/did] you use an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day ENP users and are current established or current experimental cigarette smokers and have used ENPs at times when or in places where they could not smoke regular cigarettes.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_CIG_USER_STATUS = 1, 2 AND R05_AV1086 = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, IF R05_FORMER_THIRTYDAY_USER_EPROD = 1, DISPLAY "did".

BOX ID: **R05_AVR51**

Adult respondents who are current established or current experimental ENP users and are current established or current experimental cigarette smokers, go to R05_AV9054.
Else, go to Box R05_AVR54.

IF R05_EPROD_USER_STATUS = 1, 2 AND R05_CIG_USER_STATUS = 1, 2, GO TO R05_AV9054.
ELSE, GO TO BOX R05_AVR54.

Variable(s): **R05_AV9054**

On the days you use both cigarettes and electronic nicotine products, do you smoke...

- 1 Fewer cigarettes than usual
- 2 The same amount of cigarettes
- 3 More cigarettes than usual
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental ENP users and are current established or current experimental cigarette smokers.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2 AND R05_CIG_USER_STATUS = 1, 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AVR54

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and are current established or recent former established cigarette users, go to R05_AV1080.
Else, go to R05_AV1139.

IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_CIG_USER_STATUS = 1, 4, GO TO R05_AV1080.
ELSE, GO TO R05_AV1139.

Variable(s): R05_AV1080

[Do/Did] you use electronic nicotine products as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and are current established or recent former established cigarette users.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

Variable(s): R05_AV1082

[Are/Did] you [using/use] electronic nicotine products as a way to quit smoking cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05_EPROD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_EPROD = 1) AND R05_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "Are" and "using".
ELSE, DISPLAY "Did" and "use".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1139

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using an electronic nicotine product.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "is".
ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R05_AV1139-1141 SERIES.

Variable(s): R05_AV1140

While using an electronic nicotine product, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "feel".
ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R05_AV1139-1141 SERIES.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1141

I [use/used] electronic nicotine products much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_EPROD = 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "use" AND "am".
ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R05_AV1139-1141 SERIES.

BOX ID: R05_AVR41

Adult respondents who are former experimental or recent former established ENP users, go to
R05_AV0335.
Else, go to R05_AV9042.

IF R05_EPROD_USER_STATUS = 3, 4, GO TO R05_AV0335.
ELSE, GO TO R05_AV9042.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV0335; R05_AV0335_OS

What is the main reason you stopped using electronic nicotine products?

- 1 They cost too much money
- 2 I didn't like how they tasted
- 3 Using them didn't help me deal with cravings to smoke regular cigarettes
- 4 Using them didn't help me quit or cut back on smoking regular cigarettes
- 5 Using them didn't feel like smoking regular cigarettes
- 6 They are poor quality, defective, or break easily
- 7 They were a hassle to use
- 8 I was concerned about the health risks caused by using them
- 9 I didn't like the side effects of using them
- 10 I was just experimenting with them
- 11 Some other reason (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are former experimental or recent former established ENP users.

ASK Specification: IF R05_EPROD_USER_STATUS = 3, 4.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R05_AV9042

Have you ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

(Remember all information you give to the PATH Study will be kept private.)

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO THE NEXT SECTION
GO TO THE NEXT SECTION
GO TO THE NEXT SECTION

ASK: Adult respondents who have ever used an ENP.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1.

DISPLAY: UNDERLINE "electronic product".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9106

When you have used an electronic product, how often were you using it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils?

- 1 Every time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

GO TO THE NEXT SECTION

ASK: Adult respondents who have ever used an ENP and have ever used marijuana in an electronic product.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1 AND R05_AV9042 = 1.

Variable(s): R05_AM0100

When did you last use marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

- 1 In the past hour
- 2 Sometime today, but more than an hour ago
- 3 Yesterday
- 4 Day before yesterday
- 5 Three or more days ago
- 8 DON'T KNOW
- 7 REFUSED

GO TO R05_AM0103

GO TO THE NEXT SECTION

GO TO THE NEXT SECTION

GO TO THE NEXT SECTION

ASK: Adult respondents who have ever used an ENP and have ever used marijuana in an electronic product.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1 AND R05_AV9042 = 1 AND R05_AV9106 != 5.

DISPLAY: UNDERLINE "electronic product".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AM0102

When you last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product [FILL BASED ON R05_AM0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used an ENP and have ever used marijuana in an ENP and last used marijuana in an electronic product sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1 AND R05_AV9042 = 1 AND R05_AV9106 != 5 AND R05_AM0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_AM0100]:

IF R05_AM0100 = 2, DISPLAY "today".

IF R05_AM0100 = 3, DISPLAY "yesterday".

IF R05_AM0100 = 4, DISPLAY "the day before yesterday".

UNDERLINE "electronic product".

Variable(s): R05_AM0103

How many puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils from an electronic product [have/did] you [taken/take] [FILL BASED ON R05_AM0100]?

- |_|_|_|_|
- 8 DON'T KNOW
 - 7 REFUSED

GO TO THE NEXT SECTION

GO TO THE NEXT SECTION

ASK: Adult respondents who have ever used an ENP and have ever used marijuana in an ENP and last used marijuana in an electronic product in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 1 AND R05_AV9042 = 1 AND R05_AV9106 != 5 AND R05_AM0100 = 1, 2, 3, 4.

DISPLAY: IF R05_AM0100 = 1, 2, DISPLAY "have" AND "taken".

IF R05_AM0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R05_AM0100]:

IF R05_AM0100 = 1, 2, DISPLAY "today".

IF R05_AM0100 = 3, DISPLAY "yesterday".

IF R05_AM0100 = 4, DISPLAY "the day before yesterday".

UNDERLINE "electronic product".

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AM0103_LC1

The computer recorded you took [R05_AM0103] puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oil from an electronic product [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AM0103

2 NEXT

GO TO THE NEXT SECTION

ASK: IF R05_EVER_NEVER_EPRODS = 1 AND R05_AV9042 = 1 AND R05_AV9106 != 5 AND R05_AM0100 = 1, 2, 3, 4 AND (R05_AM0103 > 200 OR R05_AM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111).

DISPLAY: IF R05_AM0100 = 1, 2, DISPLAY "today".

IF R05_AM0100 = 3, DISPLAY "yesterday".

IF R05_AM0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AM0103 > 200 OR R05_AM0103 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111.

ELSE, GO TO THE NEXT SECTION AND DO NOT DISPLAY THIS SCREEN.

CIGAR

BOX ID: R05_AGR03 PROGRAM: CREATE CIGARLOOP2 FOLLOWING ROUTING INSTRUCTIONS FOR VARIOUS CIGAR TYPES: Blunt/Cigar Loops If the respondent is a past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smoker, repeat R05_AJ1008[TC/CG/FC] through R05_AJ1071[TC/CG/FC] in a loop for each cigar type smoked as blunts. See Box R05_AJT03 for transition text shown at the start of each loop. After all blunt loops are complete, items from R05_AG1005[TC/CG/FC] through R05_AG1141[TC/CG/FC] are repeated once for each type of cigar the respondent has smoked, following skips appropriately. See Box R05_AGT03 for transition text shown at the start of each loop. If the respondent is a traditional cigar/cigarillo/filtered cigar smoker (as non-blunt), repeat R05_AG1005[TC/CG/FC] through R05_AG1141[TC/CG/FC] in a loop for each cigar type. See Box R05_AGT03 for transition text shown at the start of each loop. If the respondent is a past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smoker, go to Box R05_AJT03. Else, if the respondent has ever smoked traditional cigars, cigarillos, or filtered cigars, go to Box R05_AGR10. [CIGARFILL] If traditional cigar/blunt smoker, [CIGARFILL] = "traditional cigar". If cigarillo/blunt smoker, [CIGARFILL] = "cigarillo". If filtered cigar/blunt smoker, [CIGARFILL] = "filtered cigar". IF R05_12MBLUNT_ONLY_BTRAD = 1, THEN CIGAR LOOP = BTRAD AND LOOP THROUGH SECTION FOR TRADITIONAL CIGARS AS BLUNTS. IF R05_12MBLUNT_ONLY_BRILLO = 1, THEN CIGAR LOOP = BRILLO AND LOOP THROUGH SECTION FOR CIGARILLOS AS BLUNTS. IF R05_12MBLUNT_ONLY_BFILTR = 1, THEN CIGAR LOOP = BFILTR AND LOOP THROUGH SECTION FOR FILTERED CIGARS AS BLUNTS. IF R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2, THEN CIGAR LOOP = GTRAD, GO TO BOX R05_AGR10 AND LOOP THROUGH SECTION FOR TRADITIONAL CIGARS. IF R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2, THEN CIGAR LOOP = GRILLO, GO TO BOX R05_AGR10 AND LOOP THROUGH SECTION FOR CIGARILLOS. IF R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR = 2, THEN CIGAR LOOP = GFILTR, GO TO BOX R05_AGR10 AND LOOP THROUGH SECTION FOR FILTERED CIGARS.
--

BOX ID: R05_AJT03

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=BTRAD (Traditional Cigars as blunts-only):

The next questions are about traditional cigars when smoked as blunts.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf. Sometimes people take tobacco out of a traditional cigar and replace it with marijuana. This is sometimes called a blunt. As you answer these questions, please think only about your use of traditional cigars when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

IF LOOP=BRILLO (Cigarillos as blunts-only):

The next questions are about cigarillos when smoked as blunts.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips. [Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of cigarillos when smoked as blunts like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE BLUNT SECTION:] There will be a separate section later about other kinds of blunts.

[SHOW GENERIC IMAGE OF CIGARILLOS]

IF LOOP=BFILTR (Filtered Cigars as blunts-only):

The next questions are about filtered cigars when smoked as blunts.

Filtered cigars are usually brown and have a filter like a cigarette. [Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt.] As you answer these questions, please think only about your use of filtered cigars when smoked as blunts like those shown below.

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

IF LOOP = BRILLO AND R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2, DISPLAY THE TEXT "Sometimes people take tobacco out of a cigarillo and replace it with marijuana. This is sometimes called a blunt." ELSE, DO NOT DISPLAY THIS TEXT.

IF LOOP = BFILTR AND R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2 AND R05_12MBLUNT_ONLY_BTRAD = 2, DISPLAY THE TEXT "Sometimes people take tobacco out of a filtered cigar and replace it with marijuana. This is sometimes called a blunt." ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AJR10

Adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview, go to R05_AJ1008[TC/CG/FC].
Else, go to R05_AJ9030[TC/CG/FC].

IF LOOP = BTRAD:

IF R05_INIT_BLUNT_BTRAD_ADULT = 1, GO TO R05_AJ1008TC.

ELSE, GO TO R05_AJ9030TC.

IF LOOP = BRILLO:

IF R05_INIT_BLUNT_BRILLO_ADULT = 1, GO TO R05_AJ1008CG.

ELSE, GO TO R05_AJ9030CG.

IF LOOP = BFILTR:

IF R05_INIT_BLUNT_BFILTR_ADULT = 1, GO TO R05_AJ1008FC.

ELSE, GO TO R05_AJ9030FC.

Variable(s): R05_AJ1008TC; R05_AJ1008CG; R05_AJ1008FC

When you first started smoking [CIGARFILL]s as blunts, did you smoke blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

1 Yes

2 No

GO TO R05_AJ9030[TC/CG/FC]

3 I don't know

GO TO R05_AJ9030[TC/CG/FC]

-8 DON'T KNOW

GO TO R05_AJ9030[TC/CG/FC]

-7 REFUSED

GO TO R05_AJ9030[TC/CG/FC]

ASK: Adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview.

ASK Specification: FOR R05_AJ1008TC: IF R05_INIT_BLUNT_BTRAD_ADULT = 1.

FOR R05_AJ1008CG: IF R05_INIT_BLUNT_BRILLO_ADULT = 1.

FOR R05_AJ1008FC: IF R05_INIT_BLUNT_BFILTR_ADULT = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavor did you first start smoking? Choose all that apply.

- | | | |
|---|----|--|
| R05_AJ1011TC_01;
R05_AJ1011CG_01;
R05_AJ1011FC_01 | 1 | Menthol or mint |
| R05_AJ1011TC_02;
R05_AJ1011CG_02;
R05_AJ1011FC_02 | 2 | Clove or spice |
| R05_AJ1011TC_03;
R05_AJ1011CG_03;
R05_AJ1011FC_03 | 3 | Fruit |
| R05_AJ1011TC_04;
R05_AJ1011CG_04;
R05_AJ1011FC_04 | 4 | Chocolate |
| R05_AJ1011TC_05;
R05_AJ1011CG_05;
R05_AJ1011FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AJ1011TC_06;
R05_AJ1011CG_06;
R05_AJ1011FC_06 | 6 | Candy or other sweets |
| R05_AJ1011TC_07;
R05_AJ1011TC_OS;
R05_AJ1011CG_07;
R05_AJ1011CG_OS;
R05_AJ1011FC_07;
R05_AJ1011FC_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who initiated blunt-only traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and whose first traditional cigar/cigarillo/filtered cigar for blunts was flavored.

ASK Specification: FOR R05_AJ1011TC: IF R05_INIT_BLUNT_BTRAD_ADULT = 1 AND R05_AJ1008TC = 1.

FOR R05_AJ1011CG: IF R05_INIT_BLUNT_BRILLO_ADULT = 1 AND R05_AJ1008CG = 1.

FOR R05_AJ1011FC: IF R05_INIT_BLUNT_BFILTR_ADULT = 1 AND R05_AJ1008FC = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ9030TC; R05_AJ9030CG; R05_AJ9030FC

In the past 30 days, have you smoked a [CIGARFILL] as a blunt, even one or two puffs?

1 Yes

2 No

GO TO R05_AJ9029[TC/CG/FC]

-8 DON'T KNOW

GO TO R05_AJ9029[TC/CG/FC]

-7 REFUSED

GO TO R05_AJ9029[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AJ9030TC: IF R05_12MBLUNT_ONLY_BTRAD = 1.

FOR R05_AJ9030CG: IF R05_12MBLUNT_ONLY_BRILLO = 1.

FOR R05_AJ9030FC: IF R05_12MBLUNT_ONLY_BFILTR = 1.

Variable(s): R05_AJ1022TC; R05_AJ1022CG; R05_AJ1022FC

On how many of the past 30 days did you smoke [CIGARFILL]s as blunts?

I ___ | ___ | DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days.

ASK Specification: FOR R05_AJ1022TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1.

FOR R05_AJ1022CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1.

FOR R05_AJ1022FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R05_AJR11

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days, go to R05_AJ9029[TC/CG/FC].
Else, go to R05_AJ1023[TC/CG/FC].

IF LOOP = BTRAD:

IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1022TC = 0, GO TO R05_AJ9029TC.

ELSE, GO TO R05_AJ1023TC.

IF LOOP = BRILLO:

IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1022CG = 0, GO TO R05_AJ9029CG.

ELSE, GO TO R05_AJ1023CG.

IF LOOP = BFILTR:

IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1022FC = 0, GO TO R05_AJ9029FC.

ELSE, GO TO R05_AJ1023FC.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ9029TC_NN; R05_AJ9029TC_UN; R05_AJ9029CG_NN; R05_AJ9029CG_UN; R05_AJ9029FC_NN; R05_AJ9029FC_UN

About how long has it been since you last smoked a [CIGARFILL] as a blunt?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R05_AJ1030[TC/CG/FC]

-7 REFUSED

GO TO R05_AJ1030[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not smoke a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days or did not know or refused to report whether they have smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days, or smoked a traditional cigar/cigarillo/filtered cigar as a blunt in the past 30 days and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05_AJ9029TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND (R05_AJ9030TC = 2, -8, -7 OR (R05_AJ9030TC = 1 AND R05_AJ1022TC = 0)).

FOR R05_AJ9029CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND (R05_AJ9030CG = 2, -8, -7 OR (R05_AJ9030CG = 1 AND R05_AJ1022CG = 0)).

FOR R05_AJ9029FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND (R05_AJ9030FC = 2, -8, -7 OR (R05_AJ9030FC = 1 AND R05_AJ1022FC = 0)).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AJ9029[TC/CG/FC]_UN = Days; the value "2" refers to R05_AJ9029[TC/CG/FC]_UN = Months; the value "3" refers to R05_AJ9029[TC/CG/FC]_UN = Years.

CHECK ID: R05_AJ9029TC_LC1

The computer recorded that you last smoked traditional cigars as blunts [R05_AJ9029TC_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ9029TC

2 NEXT

GO TO R05_AJ1030TC

ASK: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND (R05_AJ9030TC = 2, -8, -7 OR (R05_AJ9030TC = 1 AND R05_AJ1022TC = 0)) AND ((R05_AJ9029TC_NN < 30 AND R05_AJ9029TC_UN = 1) OR (R05_AJ9029TC_NN < 1 AND R05_AJ9029TC_UN = 2) OR (R05_AJ9029TC_NN > 18 AND R05_AJ9029TC_UN = 2) OR (R05_AJ9029TC_NN > (R05R_A_AGE - 10) AND R05_AJ9029TC_UN = 3)).

DISPLAY: IF R05_AJ9029TC_UN = 1, DISPLAY "days".

ELSE, IF R05_AJ9029TC_UN = 2, DISPLAY "months".

ELSE, IF R05_AJ9029TC_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AJ9029TC_NN < 30 AND R05_AJ9029TC_UN = 1) OR (R05_AJ9029TC_NN < 1 AND R05_AJ9029TC_UN = 2) OR (R05_AJ9029TC_NN > 18 AND R05_AJ9029TC_UN = 2) OR (R05_AJ9029TC_NN > (R05R_A_AGE - 10) AND R05_AJ9029TC_UN = 3).

ELSE, GO TO R05_AJ1030TC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AJ9029CG_LC1

The computer recorded that you last smoked cigarillos as blunts [R05_AJ9029CG_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ9029CG

2 NEXT

GO TO R05_AJ1030CG

ASK: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND (R05_AJ9030CG = 2, -8, -7 OR (R05_AJ9030CG = 1 AND R05_AJ1022CG = 0)) AND ((R05_AJ9029CG_NN < 30 AND R05_AJ9029CG_UN = 1) OR (R05_AJ9029CG_NN < 1 AND R05_AJ9029CG_UN = 2) OR (R05_AJ9029CG_NN > 18 AND R05_AJ9029CG_UN = 2) OR (R05_AJ9029CG_NN > (R05R_A_AGE - 10) AND R05_AJ9029CG_UN = 3)).

DISPLAY: IF R05_AJ9029CG_UN = 1, DISPLAY "days".

ELSE, IF R05_AJ9029CG_UN = 2, DISPLAY "months".

ELSE, IF R05_AJ9029CG_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AJ9029CG_NN < 30 AND R05_AJ9029CG_UN = 1) OR (R05_AJ9029CG_NN < 1 AND R05_AJ9029CG_UN = 2) OR (R05_AJ9029CG_NN > 18 AND R05_AJ9029CG_UN = 2) OR (R05_AJ9029CG_NN > (R05R_A_AGE - 10) AND R05_AJ9029CG_UN = 3).

ELSE, GO TO R05_AJ1030CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AJ9029FC_LC1

The computer recorded that you last smoked filtered cigars as blunts [R05_AJ9029FC_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ9029FC

2 NEXT

GO TO R05_AJ1030FC

ASK: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND (R05_AJ9030FC = 2, -8, -7 OR (R05_AJ9030FC = 1 AND R05_AJ1022FC = 0)) AND ((R05_AJ9029FC_NN < 30 AND R05_AJ9029FC_UN = 1) OR (R05_AJ9029FC_NN < 1 AND R05_AJ9029FC_UN = 2) OR (R05_AJ9029FC_NN > 18 AND R05_AJ9029FC_UN = 2) OR (R05_AJ9029FC_NN > (R05R_A_AGE - 10) AND R05_AJ9029FC_UN = 3)).

DISPLAY: IF R05_AJ9029FC_UN = 1, DISPLAY "days".

ELSE, IF R05_AJ9029FC_UN = 2, DISPLAY "months".

ELSE, IF R05_AJ9029FC_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AJ9029FC_NN < 30 AND R05_AJ9029FC_UN = 1) OR (R05_AJ9029FC_NN < 1 AND R05_AJ9029FC_UN = 2) OR (R05_AJ9029FC_NN > 18 AND R05_AJ9029FC_UN = 2) OR (R05_AJ9029FC_NN > (R05R_A_AGE - 10) AND R05_AJ9029FC_UN = 3).

ELSE, GO TO R05_AJ1030FC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1023TC; R05_AJ1023CG; R05_AJ1023FC

On average, on those [FILL NUMBER OF DAYS FROM R05_AJ1022[TC/CG/FC] days/days you smoked], how many [CIGARFILL]s did you usually smoke as a blunt each day?

-2 Less than 1 each day

|_|_|_|

-8 DON'T KNOW

GO TO R05_AJ9012[TC/CG/FC]

-7 REFUSED

GO TO R05_AJ9012[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05_AJ1023TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0.

FOR R05_AJ1023CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0.

FOR R05_AJ1023FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

FOR R05_AJ1023[TC/CG/FC]: IF R05_AJ1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "days you smoked".

ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R05_AJ1022[TC/CG/FC].

PROGRAM: Allow 2 digits.

CHECK ID: R05_AJ1023TC_LC1

The computer recorded that on the days you smoked traditional cigars as blunts in the past 30 days, you smoked [R05_AJ1023TC_NN] traditional cigars as blunts a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ1023TC

2 NEXT

GO TO R05_AJ9012TC

ASK: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0 AND R05_AJ1023TC_NN > 20.

PROGRAM: TRIGGER CHECK IF R05_AJ1023TC_NN > 20.

ELSE, GO TO R05_AJ9012TC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AJ1023CG_LC1

The computer recorded that on the days you smoked cigarillos as blunts in the past 30 days, you smoked [R05_AJ1023CG_NN] cigarillos as blunts a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ1023CG

2 NEXT

GO TO R05_AJ9012CG

ASK: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0 AND R05_AJ1023CG_NN > 20.

PROGRAM: TRIGGER CHECK IF R05_AJ1023CG_NN > 20.
ELSE, GO TO R05_AJ9012CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AJ1023FC_LC1

The computer recorded that on the days you smoked filtered cigars as blunts in the past 30 days, you smoked [R05_AJ1023FC_NN] filtered cigars as blunts a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ1023FC

2 NEXT

GO TO R05_AJ9012FC

ASK: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0 AND R05_AJ1023FC_NN > 20.

PROGRAM: TRIGGER CHECK IF R05_AJ1023FC_NN > 20.
ELSE, GO TO R05_AJ9012FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AJ9012TC; R05_AJ9012CG; R05_AJ9012FC

Do you usually share blunts with others when you smoke them?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05_AJ9012TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0.

FOR R05_AJ9012CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0.

FOR R05_AJ9012FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ0100TC; R05_AJ0100CG; R05_AJ0100FC

When did you last smoke a [CIGARFILL] as a blunt?

- | | | |
|----|---|----------------------------|
| 1 | In the past hour | GO TO R05_AJ0103[TC/CG/FC] |
| 2 | Sometime today, but more than an hour ago | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R05_AJ1130[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R05_AJ1130[TC/CG/FC] |
| -7 | REFUSED | GO TO R05_AJ1130[TC/CG/FC] |

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05_AJ0100TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0.

FOR R05_AJ0100CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0.

FOR R05_AJ0100FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0.

Variable(s): R05_AJ0102TC; R05_AJ0102CG; R05_AJ0102FC

When you last smoked a [CIGARFILL] as a blunt [FILL BASED ON R05_AJ0100[TC/CG/FC]], was it...

- | | |
|----|-------------------------------|
| 1 | Between midnight and 6AM |
| 2 | After 6AM but before noon |
| 3 | Between noon and 6PM |
| 4 | After 6PM but before midnight |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R05_AJ0102TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0 AND R05_AJ0100TC = 2, 3, 4.

FOR R05_AJ0102CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0 AND R05_AJ0100CG = 2, 3, 4.

FOR R05_AJ0102FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0 AND R05_AJ0100FC = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_AJ0100[TC/CG/FC]]:

IF R05_AJ0100[TC/CG/FC] = 2, DISPLAY "today".

IF R05_AJ0100[TC/CG/FC] = 3, DISPLAY "yesterday".

IF R05_AJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ0103TC; R05_AJ0103CG; R05_AJ0103FC

How many [CIGARFILL]s [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R05_AJ0100[TC/CG/FC]]? (If less than 1, enter 1.)

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: FOR R05_AJ0103TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0 AND R05_AJ0100TC = 1, 2, 3, 4.

FOR R05_AJ0103CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0 AND R05_AJ0100CG = 1, 2, 3, 4.

FOR R05_AJ0103FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0 AND R05_AJ0100FC = 1, 2, 3, 4.

DISPLAY: IF R05_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "have" AND "smoked".

IF R05_AJ0100[TC/CG/FC] = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R05_AJ0100[TC/CG/FC]]:

IF R05_AJ0100[TC/CG/FC] = 1, 2, DISPLAY "today".

IF R05_AJ0100[TC/CG/FC] = 3, DISPLAY "yesterday".

IF R05_AJ0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

CHECK ID: R05_AJ0103TC_LC1

The computer recorded that you smoked [R05_AJ0103TC_NN] traditional cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ0103TC

2 NEXT

GO TO R05_AJ1130TC

ASK: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0 AND R05_AJ0100TC = 1, 2, 3, 4 AND (R05_AJ0103TC_NN > 15 OR R05_AJ0103TC_NN = 11).

DISPLAY: IF R05_AJ0100TC = 1, 2, DISPLAY "today".

IF R05_AJ0100TC = 3, DISPLAY "yesterday".

IF R05_AJ0100TC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AJ0103TC_NN > 15 OR R05_AJ0103TC_NN = 11.
ELSE, GO TO R05_AJ1130TC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AJ0103CG_LC1

The computer recorded that you smoked [R05_AJ0103CG_NN] cigarillos as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ0103CG

2 NEXT

GO TO R05_AJ1130CG

ASK: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0 AND R05_AJ0100CG = 1, 2, 3, 4 AND (R05_AJ0103CG_NN > 15 OR R05_AJ0103CG_NN = 11).

DISPLAY: IF R05_AJ0100CG = 1, 2, DISPLAY "today".

IF R05_AJ0100CG = 3, DISPLAY "yesterday".

IF R05_AJ0100CG = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AJ0103CG_NN > 15 OR R05_AJ0103CG_NN = 11.

ELSE, GO TO R05_AJ1130CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AJ0103FC_LC1

The computer recorded that you smoked [R05_AJ0103FC_NN] filtered cigars as blunts [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ0103FC

2 NEXT

GO TO R05_AJ1130FC

ASK: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0 AND R05_AJ0100FC = 1, 2, 3, 4 AND (R05_AJ0103FC_NN > 15 OR R05_AJ0103FC_NN = 11).

DISPLAY: IF R05_AJ0100FC = 1, 2, DISPLAY "today".

IF R05_AJ0100FC = 3, DISPLAY "yesterday".

IF R05_AJ0100FC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AJ0103FC_NN > 15 OR R05_AJ0103FC_NN = 11.

ELSE, GO TO R05_AJ1130FC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1130TC; R05_AJ1130CG; R05_AJ1130FC

In the past 30 days, were any of the [CIGARFILL]s that you smoked as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|----------------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AJ1030[TC/CG/FC] |
| 3 | I don't know | GO TO R05_AJ1030[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R05_AJ1030[TC/CG/FC] |
| -7 | REFUSED | GO TO R05_AJ1030[TC/CG/FC] |

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05_AJ1130TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0.

FOR R05_AJ1130CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0.

FOR R05_AJ1130FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavors have you smoked in the past 30 days? Choose all that apply.

- | | | |
|---|----|--|
| R05_AJ1131TC_01;
R05_AJ1131CG_01;
R05_AJ1131FC_01 | 1 | Menthol or mint |
| R05_AJ1131TC_02;
R05_AJ1131CG_02;
R05_AJ1131FC_02 | 2 | Clove or spice |
| R05_AJ1131TC_03;
R05_AJ1131CG_03;
R05_AJ1131FC_03 | 3 | Fruit |
| R05_AJ1131TC_04;
R05_AJ1131CG_04;
R05_AJ1131FC_04 | 4 | Chocolate |
| R05_AJ1131TC_05;
R05_AJ1131CG_05;
R05_AJ1131FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AJ1131TC_06;
R05_AJ1131CG_06;
R05_AJ1131FC_06 | 6 | Candy or other sweets |
| R05_AJ1131TC_07;
R05_AJ1131TC_OS;
R05_AJ1131CG_07;
R05_AJ1131CG_OS;
R05_AJ1131FC_07;
R05_AJ1131FC_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05_AJ1131TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0 AND R05_AJ1130TC = 1.

FOR R05_AJ1131CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0 AND R05_AJ1130CG = 1.

FOR R05_AJ1131FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0 AND R05_AJ1130FC = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AJR37

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days, go to R05_AJ1133[TC/CG/FC]. Else, go to R05_AJ1147[TC/CG/FC].

IF LOOP = BTRAD:

IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0 AND R05_AJ1130TC = 1 AND (R05_AJ1131TC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AJ1131TC_[01/.../07] = -8, -7), GO TO R05_AJ1133TC.
ELSE, GO TO R05_AJ1147TC.

IF LOOP = BRILLO:

IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0 AND R05_AJ1130CG = 1 AND (R05_AJ1131CG_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AJ1131CG_[01/.../07] = -8, -7), GO TO R05_AJ1133CG.
ELSE, GO TO R05_AJ1147CG.

IF LOOP = BFILTR:

IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0 AND R05_AJ1130FC = 1 AND (R05_AJ1131FC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AJ1131FC_[01/.../07] = -8, -7), GO TO R05_AJ1133FC.
ELSE, GO TO R05_AJ1147FC.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1133TC***; R05_AJ1133TC_OS; R05_AJ1133CG***; R05_AJ1133CG_OS; R05_AJ1133FC; R05_AJ1133FC_OS

In the past 30 days, which flavor of [CIGARFILL]s have you smoked as blunts most often?

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita, or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days.

ASK Specification: FOR R05_AJ1133TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0 AND R05_AJ1130TC = 1 AND (R05_AJ1131TC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AJ1131TC_[01/.../07] = -8, -7).

FOR R05_AJ1133CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0 AND R05_AJ1130CG = 1 AND (R05_AJ1131CG_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AJ1131CG_[01/.../07] = -8, -7).

FOR R05_AJ1133FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0 AND R05_AJ1130FC = 1 AND (R05_AJ1131FC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AJ1131FC_[01/.../07] = -8, -7).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1147TC; R05_AJ1147CG; R05_AJ1147FC

On the days you smoked [CIGARFILL]s as blunts in the past 30 days, how often did you smoke flavored [CIGARFILL]s?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars as blunts in the past 30 days.

ASK Specification: FOR R05_AJ1147TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0 AND R05_AJ1130TC = 1.

FOR R05_AJ1147CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0 AND R05_AJ1130CG = 1.

FOR R05_AJ1147FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0 AND R05_AJ1130FC = 1.

DISPLAY: UNDERLINE "flavored".

Variable(s): R05_AJ1030TC; R05_AJ1030CG; R05_AJ1030FC

How do you usually buy [CIGARFILL]s for yourself when you smoke blunts?

- 1 In person (such as at a store or cigar bar)
- 2 From the internet GO TO R05_AJ1039[TC/CG/FC]
- 3 By telephone GO TO R05_AJ1039[TC/CG/FC]
- 4 I do not buy my own [CIGARFILL]s for blunts GO TO R05_AJ1047[TC/CG/FC]
- 8 DON'T KNOW GO TO R05_AJ1047[TC/CG/FC]
- 7 REFUSED GO TO R05_AJ1047[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AJ1030TC: IF R05_12MBLUNT_ONLY_BTRAD = 1.

FOR R05_AJ1030CG: IF R05_12MBLUNT_ONLY_BRILLO = 1.

FOR R05_AJ1030FC: IF R05_12MBLUNT_ONLY_BFILTR = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1032TC; R05_AJ1032CG; R05_AJ1032FC

Do you usually buy [CIGARFILL]s for blunts...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: FOR R05_AJ1032TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1030TC = 1.

FOR R05_AJ1032CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1030CG = 1.

FOR R05_AJ1032FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1030FC = 1.

Variable(s): R05_AJ1033TC; R05_AJ1033TC_OS; R05_AJ1033CG; R05_AJ1033CG_OS; R05_AJ1033FC; R05_AJ1033FC_OS

Where do you buy your [CIGARFILL]s for blunts most of the time?

- 1 A cigar bar
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store, or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant, or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person.

ASK Specification: FOR R05_AJ1033TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1030TC = 1.

FOR R05_AJ1033CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1030CG = 1.

FOR R05_AJ1033FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1030FC = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1039TC; R05_AJ1039CG; R05_AJ1039FC

Do you usually buy [CIGARFILL]s for blunts by the box or pack, or as single [CIGARFILL]s?

- 1 Box or pack
- 2 Single [CIGARFILL]s
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone.

ASK Specification: FOR R05_AJ1039TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1030TC = 1, 2, 3.

FOR R05_AJ1039CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1030CG = 1, 2, 3.

FOR R05_AJ1039FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1030FC = 1, 2, 3.

BOX ID: R05_AJR34

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack, go to R05_AJ1040[TC/CG/FC].

Else, adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars for blunts, go to R05_AJ1043[TC/CG/FC].

Else, go to R05_AJ1047[TC/CG/FC].

IF LOOP = BTRAD:

IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1030TC = 1, 2, 3 AND R05_AJ1039TC = 1, GO TO R05_AJ1040TC.

ELSE, IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1030TC = 1, 2, 3 AND R05_AJ1039TC = 2, GO TO R05_AJ1043TC.

ELSE, GO TO R05_AJ1047TC.

IF LOOP = BRILLO:

IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1030CG = 1, 2, 3, AND R05_AJ1039CG = 1, GO TO R05_AJ1040CG.

ELSE, IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1030CG = 1, 2, 3, AND R05_AJ1039CG = 2, GO TO R05_AJ1043CG.

ELSE, GO TO R05_AJ1047CG.

IF LOOP = BFILTR:

IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1030FC = 1, 2, 3 AND R05_AJ1039FC = 1, GO TO R05_AJ1040FC.

ELSE, IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1030FC = 1, 2, 3 AND R05_AJ1039FC = 2, GO TO R05_AJ1043FC.

ELSE, GO TO R05_AJ1047FC.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1040TC; R05_AJ1040CG; R05_AJ1040FC

How many [CIGARFILL]s come in the box or pack that you usually buy for blunts?

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: FOR R05_AJ1040TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1030TC = 1, 2, 3 AND R05_AJ1039TC = 1.

FOR R05_AJ1040CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1030CG = 1, 2, 3 AND R05_AJ1039CG = 1.

FOR R05_AJ1040FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1030FC = 1, 2, 3 AND R05_AJ1039FC = 1.

PROGRAM: Allow 3 digits.

CHECK ID: R05_AJ1040TC_LC1

The computer recorded that [R05_AJ1040TC_NN] traditional cigars come in the box or pack you usually buy for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ1040TC

2 NEXT

GO TO R05_AJ1042TC

ASK: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1030TC = 1, 2, 3 AND R05_AJ1039TC = 1 AND R05_AJ1040TC_NN > 50.

PROGRAM: TRIGGER CHECK IF R05_AJ1040TC_NN > 50.

ELSE, GO TO R05_AJ142TC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AJ1040CG_LC1

The computer recorded that [R05_AJ1040CG_NN] cigarillos come in the box or pack you usually buy for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ1040CG

2 NEXT

GO TO R05_AJ1042CG

ASK: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1030CG = 1, 2, 3 AND R05_AJ1039CG = 1 AND R05_AJ1040CG_NN > 20.

PROGRAM: TRIGGER CHECK IF R05_AJ1040CG_NN > 20.

ELSE, GO TO R05_AJ1042CG AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AJ1040FC_LC1

The computer recorded that [R05_AJ1040FC_NN] filtered cigars come in the box or pack you usually buy for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ1040FC

2 NEXT

GO TO R05_AJ1042FC

ASK: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1030FC = 1, 2, 3 AND R05_AJ1039FC = 1 AND R05_AJ1040FC_NN > 100.

PROGRAM: TRIGGER CHECK IF R05_AJ1040FC_NN > 100.

ELSE, GO TO R05_AJ1042FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AJ1042TC_D; R05_AJ1042TC_C; R05_AJ1042CG_D; R05_AJ1042CG_C; R05_AJ1042FC_D; R05_AJ1042FC_C

How much do you usually pay for a box or pack of [CIGARFILL]s for blunts?

\$ | | | Dollars . | | Cents

-8 DON'T KNOW

GO TO R05_AJ1047[TC/CG/FC]

-7 REFUSED

GO TO R05_AJ1047[TC/CG/FC]

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack.

ASK Specification: FOR R05_AJ1042TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1030TC = 1, 2, 3 AND R05_AJ1039TC = 1.

FOR R05_AJ1042CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1030CG = 1, 2, 3 AND R05_AJ1039CG = 1.

FOR R05_AJ1042FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1030FC = 1, 2, 3 AND R05_AJ1039FC = 1.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AJ1042TC_LC1

The computer recorded that you usually pay \$[R05_AJ1042TC_D].[R05_AJ1042TC_C] for a box of traditional cigars for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ1042TC

2 NEXT

GO TO R05_AJ1047TC

ASK: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1030TC = 1, 2, 3 AND R05_AJ1039TC = 1 AND (R05_AJ1042TC_D > 300 OR R05_AJ1042TC_D < 10).

PROGRAM: TRIGGER CHECK IF R05_AJ1042TC_D > 300 OR R05_AJ1042TC_D < 10.
ELSE, GO TO R05_AJ1047TC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AJ1042CG_LC1

The computer recorded that you usually pay \$[R05_AJ1042CG_D].[R05_AJ1042CG_C] for a box of cigarillos for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ1042CG

2 NEXT

GO TO R05_AJ1047CG

ASK: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1030CG = 1, 2, 3 AND R05_AJ1039CG = 1 AND (R05_AJ1042CG_D > 11 OR R05_AJ1042CG_D < 1).

PROGRAM: TRIGGER CHECK IF R05_AJ1042CG_D > 11 OR R05_AJ1042CG_D < 1.
ELSE, GO TO R05_AJ1047CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AJ1042FC_LC1

The computer recorded that you usually pay \$[R05_AJ1042FC_D].[R05_AJ1042FC_C] for a box of filtered cigars for blunts. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ1042FC

2 NEXT

GO TO R05_AJ1047FC

ASK: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1030FC = 1, 2, 3 AND R05_AJ1039FC = 1 AND (R05_AJ1042FC_D > 100 OR R05_AJ1042FC_D < 1).

PROGRAM: TRIGGER CHECK IF R05_AJ1042FC_D > 100 OR R05_AJ1042FC_D < 1.
ELSE, GO TO R05_AJ1047FC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1043TC_D; R05_AJ1043TC_C; R05_AJ1043CG_D; R05_AJ1043CG_C; R05_AJ1043FC_D; R05_AJ1043FC_C

How much do you usually pay for a single [CIGARFILL] for a blunt?

\$ |__|__|__| Dollars . |__|__| Cents

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars for blunts in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R05_AJ1043TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1030TC = 1, 2, 3 AND R05_AJ1039TC = 2.

FOR R05_AJ1043CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1030CG = 1, 2, 3 AND R05_AJ1039CG = 2.

FOR R05_AJ1043FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1030FC = 1, 2, 3 AND R05_AJ1039FC = 2.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_AJ1043TC_LC1

The computer recorded that you usually pay \$[R05_AJ1043TC_D].[R05_AJ1043TC_C] for a single traditional cigar for a blunt. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AJ1043TC

2 NEXT

GO TO R05_AJ1047TC

ASK: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1030TC = 1, 2, 3 AND R05_AJ1039TC = 2 AND (R05_AJ1043TC_D > 15 OR R05_AJ1043TC_D < 1).

PROGRAM: TRIGGER CHECK IF R05_AJ1043TC_D > 15 OR R05_AJ1043TC_D < 1. ELSE, GO TO R05_AJ1047TC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AJ1043CG_LC1

The computer recorded that you usually pay \$[R05_AJ1043CG_D].[R05_AJ1043CG_C] for a single cigarillo for a blunt. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|--------------------|
| 1 BACK | GO TO R05_AJ1043CG |
| 2 NEXT | GO TO R05_AJ1047CG |

ASK: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1030CG = 1, 2, 3 AND R05_AJ1039CG = 2 AND (R05_AJ1043CG_D > 3 OR (R05_AJ1043CG_D = 0 AND R05_AJ1043CG_C < 50)).

PROGRAM: TRIGGER CHECK IF R05_AJ1043CG_D > 3 OR (R05_AJ1043CG_D = 0 AND R05_AJ1043CG_C < 50).
ELSE, GO TO R05_AJ1047CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AJ1043FC_LC1

The computer recorded that you usually pay \$[R05_AJ1043FC_D].[R05_AJ1043FC_C] for a single filtered cigar for a blunt. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|--------------------|
| 1 BACK | GO TO R05_AJ1043FC |
| 2 NEXT | GO TO R05_AJ1047FC |

ASK: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1030FC = 1, 2, 3 AND R05_AJ1039FC = 2 AND (R05_AJ1043FC_D > 3 OR (R05_AJ1043FC_D = 0 AND R05_AJ1043FC_C < 50)).

PROGRAM: TRIGGER CHECK IF R05_AJ1043FC_D > 3 OR (R05_AJ1043FC_D = 0 AND R05_AJ1043FC_C < 50).
ELSE, GO TO R05_AJ1047FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AJ1047TC; R05_AJ1047CG; R05_AJ1047FC

Do you have a regular brand of [CIGARFILL]s that you usually use for blunts?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AJ1047TC: IF R05_12MBLUNT_ONLY_BTRAD = 1.
FOR R05_AJ1047CG: IF R05_12MBLUNT_ONLY_BRILLO = 1.
FOR R05_AJ1047FC: IF R05_12MBLUNT_ONLY_BFILTR = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1050TC; R05_AJ1050CG; R05_AJ1050FC

[Is/was] [your regular brand/the last brand] you [smoke/smoked] as blunts flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|----------------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AJ1945[TC/CG/FC] |
| 3 | I don't know | GO TO R05_AJ1945[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R05_AJ1945[TC/CG/FC] |
| -7 | REFUSED | GO TO R05_AJ1945[TC/CG/FC] |

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AJ1050TC: IF R05_12MBLUNT_ONLY_BTRAD = 1.

FOR R05_AJ1050CG: IF R05_12MBLUNT_ONLY_BRILLO = 1.

FOR R05_AJ1050FC: IF R05_12MBLUNT_ONLY_BFILTR = 1.

DISPLAY: IF R05_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".
ELSE, IF R05_AJ1047[TC/CG/FC] = 1, DISPLAY "Is", "your regular brand" AND "smoke".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavor [is/was] it? Choose all that apply.

- | | | |
|---|----|--|
| R05_AJ1012TC_01;
R05_AJ1012CG_01;
R05_AJ1012FC_01 | 1 | Menthol or mint |
| R05_AJ1012TC_02;
R05_AJ1012CG_02;
R05_AJ1012FC_02 | 2 | Clove or spice |
| R05_AJ1012TC_03;
R05_AJ1012CG_03;
R05_AJ1012FC_03 | 3 | Fruit |
| R05_AJ1012TC_04;
R05_AJ1012CG_04;
R05_AJ1012FC_04 | 4 | Chocolate |
| R05_AJ1012TC_05;
R05_AJ1012CG_05;
R05_AJ1012FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AJ1012TC_06;
R05_AJ1012CG_06;
R05_AJ1012FC_06 | 6 | Candy or other sweets |
| R05_AJ1012TC_07;
R05_AJ1012TC_OS;
R05_AJ1012CG_07;
R05_AJ1012CG_OS;
R05_AJ1012FC_07;
R05_AJ1012FC_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigars/cigarillos/filtered cigars smoked as blunts was flavored.

ASK Specification: FOR R05_AJ1012TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1050TC = 1.

FOR R05_AJ1012CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1050CG = 1.

FOR R05_AJ1012FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1050FC = 1.

DISPLAY: IF R05_AJ1047[TC/CG/FC] = 1 DISPLAY "is".

ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1945TC; R05_AJ1945CG; R05_AJ1945FC

Do you know the name of the brand of [CIGARFILL]s that you [usually use/last used] for blunts?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AJ1945TC: IF R05_12MBLUNT_ONLY_BTRAD = 1.

FOR R05_AJ1945CG: IF R05_12MBLUNT_ONLY_BRILLO = 1.

FOR R05_AJ1945FC: IF R05_12MBLUNT_ONLY_BFILTR = 1.

DISPLAY: IF R05_AJ1047[TC/CG/FC] = 1, DISPLAY "usually use".

IF R05_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "last used".

UNDERLINE "name of the brand".

BOX ID: R05_AJR33

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts, go to R05_AJ1048[TC/CG/FC]_BRAND.

Else, go to Box R05_AJR04.

IF LOOP = BTRAD:

IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1945TC = 1, GO TO R05_AJ1048TC_BRAND.

ELSE, GO TO BOX R05_AJR04.

IF LOOP = BRILLO:

IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1945CG = 1, GO TO R05_AJ1048CG_BRAND.

ELSE, GO TO BOX R05_AJR04.

IF LOOP = BFILTR:

IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1945FC = 1, GO TO R05_AJ1048FC_BRAND.

ELSE, GO TO BOX R05_AJR04.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1048TC_BRAND; R05_AJ1048CG_BRAND; R05_AJ1048FC_BRAND

What brand of [CIGARFILL] for blunts [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: FOR R05_AJ1048TC_BRAND: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1945TC = 1.

FOR R05_AJ1048CG_BRAND: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1945CG = 1.

FOR R05_AJ1048FC_BRAND: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1945FC = 1.

DISPLAY: IF R05_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF R05_AJ1047[TC/CG/FC] = 1, DISPLAY "do" AND "usually".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AJR01

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R05_AJ1049[TC/CG/FC].

Else, adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts, go to R05_AJ1070_PRODUCT[TC/CG/FC].

Else, go to Box R05_AJR04.

IF LOOP = BTRAD:

IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1945TC = 1 AND R05_AJ1048TC_BRAND = 9995, GO TO R05_AJ1049TC.

ELSE, IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1945TC = 1 AND R05_AJ1048TC_BRAND != 9995, -8, -7, GO TO R05_AJ1070TC_PRODUCT.

ELSE, GO TO BOX R05_AJR04.

IF LOOP = BRILLO:

IF R05_12MBLUNT_ONLY_BRILLO= 1 AND R05_AJ1945CG = 1 AND R05_AJ1048CG_BRAND = 9995, GO TO R05_AJ1049CG.

ELSE, IF R05_12MBLUNT_ONLY_BRILLO= 1 AND R05_AJ1945CG = 1 AND R05_AJ1048CG_BRAND != 9995, -8, -7, GO TO R05_AJ1070CG_PRODUCT.

ELSE, GO TO BOX R05_AJR04.

IF LOOP = BFILTR:

IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1945FC = 1 AND R05_AJ1048FC_BRAND = 9995, GO TO R05_AJ1049FC.

ELSE, IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1945FC = 1 AND R05_AJ1048FC_BRAND != 9995, -8, -7, GO TO R05_AJ1070FC_PRODUCT.

ELSE, GO TO BOX R05_AJR04.

Variable(s): R05_AJ1049TC; R05_AJ1049CG; R05_AJ1049FC

You said that your brand was not listed. What is it?

_____	GO TO BOX R05_AJR04
-8 DON'T KNOW	GO TO BOX R05_AJR04
-7 REFUSED	GO TO BOX R05_AJR04

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R05_AJ1049TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1945TC = 1 AND R05_AJ1048TC_BRAND = 9995.

FOR R05_AJ1049CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1945CG = 1 AND R05_AJ1048CG_BRAND = 9995.

FOR R05_AJ1049FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1945FC = 1 AND R05_AJ1048FC_BRAND = 9995.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1070TC_PRODUCT; R05_AJ1070CG_PRODUCT; R05_AJ1070FC_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R05_AJ1070TC_PRODUCT: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1945TC = 1 AND R05_AJ1048TC_BRAND != 9995, -8, -7.

FOR R05_AJ1070CG_PRODUCT: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1945CG = 1 AND R05_AJ1048CG_BRAND != 9995, -8, -7.

FOR R05_AJ1070FC_PRODUCT: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1945FC = 1 AND R05_AJ1048FC_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R05_AJ1048[TC/CG/FC]_BRAND.

IF R05_AJ1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF R05_AJ1047[TC/CG/FC] = 1, DISPLAY "do" AND "usually".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT"."

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

BOX ID: R05_AJR02

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars for blunts, go to R05_AJ1071[TC/CG/FC].

Else, go to Box R05_AJR05.

IF LOOP = BTRAD:

IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1945TC = 1 AND R05_AJ1048TC_BRAND != 9995, -8, -7 AND R05_AJ1070TC_PRODUCT = 99995, GO TO R05_AJ1071TC.

ELSE, GO TO BOX R05_AJR05.

IF LOOP = BRILLO:

IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1945CG = 1 AND R05_AJ1048CG_BRAND != 9995, -8, -7 AND R05_AJ1070CG_PRODUCT = 99995, GO TO R05_AJ1071CG.

ELSE, GO TO BOX R05_AJR05.

IF LOOP = BFILTR:

IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1945FC = 1 AND R05_AJ1048FC_BRAND != 9995, -8, -7 AND R05_AJ1070FC_PRODUCT = 99995, GO TO R05_AJ1071FC.

ELSE, GO TO BOX R05_AJR05.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ1071TC; R05_AJ1071CG; R05_AJ1071FC

You said that the type of [BRANDFILL]s that you smoke as blunts is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars/cigarillos/filtered cigars for blunts and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R05_AJ1071TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ1945TC = 1 AND R05_AJ1048TC_BRAND != 9995, -8, -7 AND R05_AJ1070TC_PRODUCT = 99995.

FOR R05_AJ1071CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ1945CG = 1 AND R05_AJ1048CG_BRAND != 9995, -8, -7 AND R05_AJ1070CG_PRODUCT = 99995.

FOR R05_AJ1071FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ1945FC = 1 AND R05_AJ1048FC_BRAND != 9995, -8, -7 AND R05_AJ1070FC_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R05_AJ1048[TC/CG/FC]_BRAND.

BOX ID: R05_AJR05

Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars for blunts, go to R05_AJ0104[TC/CG/FC].
Else, go to Box R05_AJR04.

IF LOOP = BTRAD:

IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0 AND R05_AJ0100TC = 1, 2, 3, 4 AND R05_AJ1945TC = 1 AND R05_AJ1048TC_BRAND != 9995, -8, -7 AND R05_AJ1070TC_PRODUCT != 99990, 99995, -8, -7, GO TO R05_AJ0104TC.
ELSE, GO TO BOX R05_AJR04.

IF LOOP = BRILLO:

IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0 AND R05_AJ0100CG = 1, 2, 3, 4 AND R05_AJ1945CG = 1 AND R05_AJ1048CG_BRAND != 9995, -8, -7 AND R05_AJ1070CG_PRODUCT != 99990, 99995, -8, -7, GO TO R05_AJ0104CG.
ELSE, GO TO BOX R05_AJR04.

IF LOOP = BFILTR:

IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0 AND R05_AJ0100FC = 1, 2, 3, 4 AND R05_AJ1945FC = 1 AND R05_AJ1048FC_BRAND != 9995, -8, -7 AND R05_AJ1070FC_PRODUCT != 99990, 99995, -8, -7, GO TO R05_AJ0104FC.
ELSE, GO TO BOX R05_AJR04.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AJ0104TC**/**; R05_AJ0104CG**/**; R05_AJ0104FC

You said earlier that you smoked a [CIGARFILL] as a blunt [TIME OF LAST USE].

Think about the very last [CIGARFILL] you smoked as a blunt.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke as blunts or last smoked as blunts, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars for blunts.

ASK Specification: FOR R05_AJ0104TC: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_AJ9030TC = 1 AND R05_AJ1022TC != 0 AND R05_AJ0100TC = 1, 2, 3, 4 AND R05_AJ1945TC = 1 AND R05_AJ1048TC_BRAND != 9995, -8, -7 AND R05_AJ1070TC_PRODUCT != 99990, 99995, -8, -7.
FOR R05_AJ0104CG: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_AJ9030CG = 1 AND R05_AJ1022CG != 0 AND R05_AJ0100CG = 1, 2, 3, 4 AND R05_AJ1945CG = 1 AND R05_AJ1048CG_BRAND != 9995, -8, -7 AND R05_AJ1070CG_PRODUCT != 99990, 99995, -8, -7.
FOR R05_AJ0104FC: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_AJ9030FC = 1 AND R05_AJ1022FC != 0 AND R05_AJ0100FC = 1, 2, 3, 4 AND R05_AJ1945FC = 1 AND R05_AJ1048FC_BRAND != 9995, -8, -7 AND R05_AJ1070FC_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_AJ0100[TC/CG/FC] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".
ELSE, IF R05_AJ0100[TC/CG/FC] = 2, FILL [TIME OF LAST USE] WITH "sometime today".
ELSE, IF R05_AJ0100[TC/CG/FC] = 3, FILL [TIME OF LAST USE] WITH "yesterday".
ELSE, IF R05_AJ0100[TC/CG/FC] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".
FILL [NEQBRAND] WITH RESPONSE TO R05_AJ1070[TC/CG/FC]_PRODUCT.

NOTES: **SKIP ERROR: R05_AJ0104TC: This item was skipped incorrectly by some respondents who did not know or refused to report how many traditional cigars they smoked as a blunt in the past 30 days (R05_AJ1022TC = -8, -7). This issue was fixed in a field update on 1/24/2019.

R05_AJ0104CG: This item was skipped incorrectly by some respondents who did not know or refused to report how many cigarillos they smoked as a blunt in the past 30 days (R05_AJ1022CG = -8, -7). This issue was fixed in a field update on 1/24/2019.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AJR04

END BLUNT LOOP:

Adult respondents who have remaining blunt-only traditional cigar/cigarillo/filtered cigar loops to complete, return to Box R05_AJT03 and complete remaining blunt-only traditional cigar/cigarillo/filtered cigar loops.

Else, adult respondents who have traditional cigar/cigarillo/filtered cigar loops to complete, go to Box R05_AGR10.

Else, adult respondents who have no more remaining blunt-only traditional cigar/cigarillo/filtered cigar loops to complete and have no traditional cigar/cigarillo/filtered cigar loops to complete, go to the next section.

IF THERE ARE REMAINING BLUNT-ONLY CIGAR LOOPS TO BE COMPLETED, GO BACK TO BOX R05_AJT03 AND LOOP THROUGH SUBSECTION FOR ANY BLUNT-ONLY CIGAR TYPES.

ELSE, IF THERE ARE NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO TO BOX R05_AGR10.

ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED FOR BLUNTS OR CIGARS, GO TO THE NEXT SECTION.

BOX ID: R05_AGR10

Adult respondents who were recent former established or long-term former established traditional cigar/cigarillo/filtered cigar smokers and had smoked 100 or more traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, and have not smoked in the past 12 months or currently smoke not at all, or adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to Box R05_AGV02.

Else, continue with Box R05_AGT03.

IF LOOP = GTRAD:

IF (R04_GTRAD_USER_STATUS = 4, 5 AND R04_NUMLIFE_GTRAD = 1 AND R04_REGUSE_GTRAD = 1 AND (R05_AG9003TC_12M = 2 OR R05_AG1003TC = 3)) OR (R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD = 1), GO TO BOX R05_AGV02.

ELSE, GO TO BOX R05_AGT03.

IF LOOP = GRILLO:

IF (R04_GRILLO_USER_STATUS = 4, 5 AND R04_NUMLIFE_GRILLO = 1 AND R04_REGUSE_GRILLO = 1 AND (((R05_AG9009CG_12M_1 != 1 AND R05_AG9009CG_12M_3 != 1 AND R05_AG9049CG_1 != 1 AND R05_AG9049CG_3 != 1) OR R05_AG1003CG = 3) OR (R05_AG9051CG = 2 AND R05_AG9053CG = 2))) OR (R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO = 1), GO TO BOX R05_AGV02.

ELSE, GO TO BOX R05_AGT03.

IF LOOP = GFILTR:

IF (R04_GFILTR_USER_STATUS = 4, 5 AND R04_NUMLIFE_GFILTR = 1 AND R04_REGUSE_GFILTR = 1 AND (((R05_AG9009FC_12M_2 != 1 AND R05_AG9049FC_2 != 1) OR R05_AG1003FC = 3) OR R05_AG9052FC = 2)) OR (R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR = 1), GO TO BOX R05_AGV02.

ELSE, GO TO BOX R05_AGT03.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGT03

PROGRAM - DISPLAY THE FOLLOWING TRANSITION TEXT AT THE START OF LOOPS:

IF LOOP=GTRAD (Traditional Cigars):

The next questions are about traditional cigars.

Traditional cigars contain tightly rolled tobacco that is wrapped in a tobacco leaf.

As you answer these questions, please think only about your use of traditional cigars like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

IF LOOP=GRILLO (Cigarillos):

The next questions are about cigarillos.

Cigarillos are medium-sized cigars and sometimes come with plastic or wood tips.

As you answer these questions, please think only about your use of cigarillos like those shown below. [ONLY IF THIS IS NOT THE LAST TIME THROUGH THE SECTION:] There will be a separate section later about other kinds of cigars.

[SHOW GENERIC IMAGE OF CIGARILLOS].

IF LOOP=GFILTR (Filtered Cigars):

The next questions are about filtered cigars.

Filtered cigars are usually brown and have a filter like a cigarette. As you answer these questions, please think only about your use of filtered cigars like those shown below.

[SHOW GENERIC IMAGE OF FILTERED CIGARS].

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR01

Adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview, go to R05_AG1005[TC/CG/FC].

Else, adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, go to R05_AG1100[TC/CG/FC].

Else, go to Box R05_AGR12.

IF LOOP = GTRAD:

IF R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_NUMLIFE_GTRAD != 1, GO TO R05_AG1005TC.

ELSE, IF R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_REGUSE_GTRAD != 1, GO TO R05_AG1100TC.

ELSE, GO TO BOX R05_AGR12.

IF LOOP = GRILLO:

IF R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_NUMLIFE_GRILLO != 1, GO TO R05_AG1005CG.

ELSE, IF R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_REGUSE_GRILLO != 1, GO TO R05_AG1100CG.

ELSE, GO TO BOX R05_AGR12.

IF LOOP = GFILTR:

IF R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_NUMLIFE_GFILTR != 1, GO TO R05_AG1005FC.

ELSE, IF R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_REGUSE_GFILTR != 1, GO TO R05_AG1100FC.

ELSE, GO TO BOX R05_AGR12.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1005TC; R05_AG1005CG***; R05_AG1005FC***

How many [CIGARFILL]s have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not smoked 100 or more traditional cigars/cigarillos/filtered cigars as of their last completed interview.

ASK Specification: FOR R05_AG1005TC: IF R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_NUMLIFE_GTRAD != 1.

FOR R05_AG1005CG: IF R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_NUMLIFE_GRILLO != 1.

FOR R05_AG1005FC: IF R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_NUMLIFE_GFILTR != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR26

Adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview, go to R05_AG1100[TC/CG/FC].
Else, go to Box R05_AGV02.

IF LOOP = GTRAD:

IF R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_REGUSE_GTRAD != 1, GO TO R05_AG1100TC.
ELSE, GO TO BOX R05_AGV02.

IF LOOP = GRILLO:

IF R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_REGUSE_GRILLO != 1, GO TO R05_AG1100CG.
ELSE, GO TO BOX R05_AGV02.

IF LOOP = GFILTR:

IF R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_REGUSE_GFILTR != 1, GO TO R05_AG1100FC.
ELSE, GO TO BOX R05_AGV02.

Variable(s): R05_AG1100TC; R05_AG1100CG*; R05_AG1100FC*****

Have you ever smoked [CIGARFILL]s fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview.

ASK Specification: FOR R05_AG1100TC: IF R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_REGUSE_GTRAD != 1.

FOR R05_AG1100CG: IF R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_REGUSE_GRILLO != 1.

FOR R05_AG1100FC: IF R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_REGUSE_GFILTR != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR12

New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly, go to R05_AG1007[TC/CG/FC]_NB.

Else, go to Box R05_AGV02.

IF LOOP = GTRAD:

IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GTRAD = 1 AND

R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_REGUSE_GTRAD != 1 AND R05_AG1100TC = 1, GO TO R05_AG1007TC_NB.

ELSE, GO TO BOX R05_AGV02.

IF LOOP = GRILLO:

IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GRILLO = 1 AND

R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_REGUSE_GRILLO != 1 AND R05_AG1100CG = 1, GO TO R05_AG1007CG_NB.

ELSE, GO TO BOX R05_AGV02.

IF LOOP = GFILTR:

IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GFILTR = 1 AND

R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_REGUSE_GFILTR != 1 AND R05_AG1100FC = 1, GO TO R05_AG1007FC_NB.

ELSE, GO TO BOX R05_AGV02.

Variable(s): R05_AG1007TC_NB; R05_AG1007CG_NB; R05_AG1007FC_NB

How old were you when you first started smoking [CIGARFILL]s fairly regularly?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R05_AG1121[TC/CG/FC]_NB

-7 REFUSED

GO TO R05_AG1121[TC/CG/FC]_NB

ASK: New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and have ever smoked traditional cigars/cigarillos/filtered cigars fairly regularly.

ASK Specification: FOR R05_AG1007TC_NB: IF R05_ADULTTYPE = 2 AND

R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND

R04_REGUSE_GTRAD != 1 AND R05_AG1100TC = 1.

FOR R05_AG1007CG_NB: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GRILLO = 1 AND

R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_REGUSE_GRILLO != 1 AND R05_AG1100CG = 1.

FOR R05_AG1007FC_NB: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GFILTR = 1 AND

R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_REGUSE_GFILTR != 1 AND R05_AG1100FC = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1007TC_NB_LC1

The computer recorded that you started smoking traditional cigars fairly regularly at age [R05_AG1007TC_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1007TC_NB

2 NEXT

GO TO R05_AG1007TC_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_REGUSE_GTRAD != 1 AND R05_AG1100TC = 1 AND R05_AG1007TC_NB <= 12.

PROGRAM: TRIGGER CHECK IF R05_AG1007TC_NB <= 12.
ELSE, GO TO R05_AG1007TC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1007TC_NB_LC2

The computer recorded that you started smoking traditional cigars fairly regularly at age [R05_AG1007TC_NB]. This is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1007TC_NB

2 NEXT

GO TO BOX R05_AGV02

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_REGUSE_GTRAD != 1 AND R05_AG1100TC = 1 AND (R05_AG1007TC_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AG1007TC_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_AGV02 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1007CG_NB_LC1

The computer recorded that you started smoking cigarillos fairly regularly at age [R05_AG1007CG_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1007CG_NB

2 NEXT

GO TO R05_AG1007CG_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_REGUSE_GRILLO != 1 AND R05_AG1100CG = 1 AND R05_AG1007CG_NB <= 10.

PROGRAM: TRIGGER CHECK IF R05_AG1007CG_NB <= 10.
ELSE, GO TO R05_AG1007CG_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1007CG_NB_LC2

The computer recorded that you started smoking cigarillos fairly regularly at age [R05_AG1007CG_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1007CG_NB

2 NEXT

GO TO BOX R05_AGV02

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_REGUSE_GRILLO != 1 AND R05_AG1100CG = 1 AND (R05_AG1007CG_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AG1007CG_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_AGV02 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1007FC_NB_LC1

The computer recorded that you started smoking filtered cigars fairly regularly at age [R05_AG1007FC_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1007FC_NB

2 NEXT

GO TO R05_AG1007FC_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_REGUSE_GFILTR != 1 AND R05_AG1100FC = 1 AND R05_AG1007FC_NB <= 10.

PROGRAM: TRIGGER CHECK IF R05_AG1007FC_NB <= 10.
ELSE, GO TO R05_AG1007FC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1007FC_NB_LC2

The computer recorded that you started smoking filtered cigars fairly regularly at age [R05_AG1007FC_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1007FC_NB

2 NEXT

GO TO BOX R05_AGV02

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_REGUSE_GFILTR != 1 AND R05_AG1100FC = 1 AND (R05_AG1007FC_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AG1007FC_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_AGV02 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1121TC_NB; R05_AG1121CG_NB; R05_AG1121FC_NB

When you first started smoking [CIGARFILL]s fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever smoked traditional cigars/cigarillos/filtered cigars and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and had not reported ever smoking traditional cigars/cigarillos/filtered cigars fairly regularly as of their last completed interview and have ever traditional cigars/cigarillos/filtered cigars fairly regularly and did not know or refused to report the age when they first started smoking traditional cigars/cigarillos/filtered cigars fairly regularly.

ASK Specification: FOR R05_AG1121TC_NB: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R04_REGUSE_GTRAD != 1 AND R05_AG1100TC = 1 AND R05_AG1007TC_NB = -8, -7.
 FOR R05_AG1121CG_NB: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R04_REGUSE_GRILLO != 1 AND R05_AG1100CG = 1 AND R05_AG1007CG_NB = -8, -7.
 FOR R05_AG1121FC_NB: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R04_REGUSE_GFILTR != 1 AND R05_AG1100FC = 1 AND R05_AG1007FC_NB = -8, -7.

BOX ID: R05_AGV02

PROGRAM - CREATE THE FOLLOWING USER GROUPS (SEE APPENDIX):

IF LOOP = GTRAD, THEN DEFINE:

R05_GTRAD_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke every day or some days.

R05_GTRAD_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked traditional cigars fairly regularly, and currently smoke every day or some days.

R05_GTRAD_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a traditional cigar and have never smoked traditional cigars fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R05_GTRAD_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental traditional cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked traditional cigars as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated traditional cigar smoking since their last completed interview, have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all.

R05_GTRAD_USER_STATUS = 5 (Long-term former established user) Continuing adult respondents who were recent former established or long-term former established traditional cigar smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all.

R05_CURRENT_GTRAD_USE = 1 (Every day established user) Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke every day.

R05_CURRENT_GTRAD_USE = 2 (Some day established user) Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke some days.

R05_FORMER_THIRTYDAY_USER_GTRAD = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established traditional cigar smokers who have smoked any traditional cigars in the past 30 days.

IF LOOP = GRILLO, THEN DEFINE:

R05_GRILLO_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke every day or some days.

R05_GRILLO_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked cigarillos fairly regularly, and currently smoke every day or some days.

R05_GRILLO_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a cigarillo and have never smoked cigarillos fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R05_GRILLO_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental cigarillo smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked cigarillos as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated cigarillo smoking since their last completed interview, have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and currently smoke not at all.

R05_GRILLO_USER_STATUS = 5 (Long-term former established user) Continuing adult respondents who were recent former established or long-term former established cigarillo smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all.

R05_CURRENT_GRILLO_USE = 1 (Every day established user) Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke every day.

R05_CURRENT_GRILLO_USE = 2 (Some day established user) Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke some days.

R05_FORMER_THIRTYDAY_USER_GRILLO = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established cigarillo smokers who have smoked any cigarillos in the past 30 days.

IF LOOP = GFILTR, THEN DEFINE:

R05_GFILTR_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke every day or some days.

R05_GFILTR_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked filtered cigars fairly regularly, and currently smoke every day or some days.

R05_GFILTR_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a filtered cigar and have never smoked filtered cigars fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R05_GFILTR_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental filtered cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked filtered cigars as of their last completed interview, who have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated filtered cigar smoking since their last completed interview, have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all.

R05_GFILTR_USER_STATUS = 5 (Long-term former established user) Continuing adult respondents who were recent former established or long-term former established filtered cigar smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all.

R05_CURRENT_GFILTR_USE = 1 (Every day established user) Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke every day.

R05_CURRENT_GFILTR_USE = 2 (Some day established user) Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke some days.

R05_FORMER_THIRTYDAY_USER_GFILTR = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established filtered cigar smokers who have smoked any filtered cigars in the past 30 days.

IF LOOP = GTRAD (Traditional Cigar), THEN DEFINE:

R05_GTRAD_USER_STATUS = 1:

IF R05_EVER_NEVER_GTRAD = 1 AND (R04_REGUSE_GTRAD = 1 OR R05_AG1100TC = 1) AND R05_AG1003TC = 1, 2, THEN R05_GTRAD_USER_STATUS = 1.

R05_GTRAD_USER_STATUS = 2:

ELSE, IF R05_EVER_NEVER_GTRAD = 1 AND R04_REGUSE_GTRAD != 1 AND R05_AG1100TC != 1 AND R05_AG1003TC = 1, 2, THEN R05_GTRAD_USER_STATUS = 2.

R05_GTRAD_USER_STATUS = 3:

ELSE, IF R05_EVER_NEVER_GTRAD = 1 AND R04_REGUSE_GTRAD != 1 AND R05_AG1100TC != 1 AND (R05_AG9003_12M = 2 OR R05_AG1003TC = 3), THEN R05_GTRAD_USER_STATUS = 3.

R05_GTRAD_USER_STATUS = 4:

ELSE, IF (R04_GTRAD_USER_STATUS = 1, 2, 3 OR R05_INIT_GTRAD_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_GTRAD = 1)) AND (R04_REGUSE_GTRAD = 1 OR R05_AG1100TC = 1) AND (R05_AG9003_12M = 2 OR R05_AG1003TC = 3) AND R05_EVER_NEVER_GTRAD = 1, THEN R05_GTRAD_USER_STATUS = 4.

R05_GTRAD_USER_STATUS = 5:

ELSE, IF R04_GTRAD_USER_STATUS = 4, 5 AND (R05_AG9003_12M = 2 OR R05_AG1003TC = 3) AND R05_EVER_NEVER_GTRAD = 1, THEN R05_GTRAD_USER_STATUS = 5.

R05_CURRENT_GTRAD_USE = 1:

IF R05_GTRAD_USER_STATUS = 1 AND R05_AG1003TC = 1, THEN R05_CURRENT_GTRAD_USE = 1.

R05_CURRENT_GTRAD_USE = 2:

ELSE, IF R05_GTRAD_USER_STATUS = 1 AND R05_AG1003TC = 2, THEN R05_CURRENT_GTRAD_USE = 2.

R05_FORMER_THIRTYDAY_USER_GTRAD = 1:

IF R05_GTRAD_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AG1009TC_NN <= 30 AND R05_AG1009TC_UN = 1) OR (R05_AG1009TC_NN = 1 AND R05_AG1009TC_UN = 2) OR R05_AG9030 = 1) AND R05_12MBLUNT_ONLY_BTRAD = 2, THEN

R05_FORMER_THIRTYDAY_USER_GTRAD = 1.

ELSE, R05_FORMER_THIRTYDAY_USER_GTRAD = 2.

IF LOOP = GRILLO (Cigarillo), THEN DEFINE:**R05_GRILLO_USER_STATUS = 1:**

IF R05_EVER_NEVER_GRILLO = 1 AND (R04_REGUSE_GRILLO = 1 OR R05_AG1100CG = 1) AND R05_AG1003CG = 1, 2, THEN R05_GRILLO_USER_STATUS = 1.

R05_GRILLO_USER_STATUS = 2:

ELSE, IF R05_EVER_NEVER_GRILLO = 1 AND R05_AG1100CG != 1 AND R04_REGUSE_GRILLO != 1 AND R05_AG1003CG = 1, 2, THEN R05_GRILLO_USER_STATUS = 2.

R05_GRILLO_USER_STATUS = 3:

ELSE, IF R05_EVER_NEVER_GRILLO = 1 AND R05_AG1100CG != 1 AND R04_REGUSE_GRILLO != 1 AND ((R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1) OR R05_AG1003CG = 3), THEN R05_GRILLO_USER_STATUS = 3.

R05_GRILLO_USER_STATUS = 4:

ELSE, IF (R04_GRILLO_USER_STATUS = 1, 2, 3 OR R05_INIT_GRILLO_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_GRILLO = 1)) AND (R04_REGUSE_GRILLO = 1 OR R05_AG1100CG = 1) AND ((R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1) OR R05_AG1003CG = 3) AND R05_EVER_NEVER_GRILLO = 1, THEN R05_GRILLO_USER_STATUS = 4.

R05_GRILLO_USER_STATUS = 5:

ELSE, IF R04_GRILLO_USER_STATUS = 4, 5 AND ((R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1) OR R05_AG1003CG = 3) AND R05_EVER_NEVER_GRILLO = 1, THEN R05_GRILLO_USER_STATUS = 5.

R05_CURRENT_GRILLO_USE = 1:

IF R05_GRILLO_USER_STATUS = 1 AND R05_AG1003CG = 1, THEN R05_CURRENT_GRILLO_USE = 1.

R05_CURRENT_GRILLO_USE = 2:

ELSE, IF R05_GRILLO_USER_STATUS = 1 AND R05_AG1003CG = 2, THEN R05_CURRENT_GRILLO_USE = 2.

R05_FORMER_THIRTYDAY_USER_GRILLO = 1:

IF R05_GRILLO_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AG1009CG_NN <= 30 AND R05_AG1009CG_UN = 1) OR (R05_AG1009CG_NN = 1 AND R05_AG1009CG_UN = 2) OR R05_AG9049_01 = 1 OR R05_AG9049_03 = 1) AND R05_12MBLUNT_ONLY_BRILLO = 2, THEN R05_FORMER_THIRTYDAY_USER_GRILLO = 1.

ELSE, R05_FORMER_THIRTYDAY_USER_GRILLO = 2.

IF LOOP = GFILTR (Filtered Cigar), THEN DEFINE:**R05_GFILTR_USER_STATUS = 1:**

IF R05_EVER_NEVER_GFILTR = 1 AND (R04_REGUSE_GFILTR = 1 OR R05_AG1100FC = 1) AND R05_AG1003FC = 1, 2, THEN R05_GFILTR_USER_STATUS = 1.

R05_GFILTR_USER_STATUS = 2:

PATH Study Wave 5 Adult Public Use File Annotated Instrument

ELSE, IF R05_EVER_NEVER_GFILTR = 1 AND R05_AG1100FC != 1 AND R04_REGUSE_GFILTR != 1 AND R05_AG1003FC = 1, 2, THEN R05_GFILTR_USER_STATUS = 2.

R05_GFILTR_USER_STATUS = 3:

ELSE, IF R05_EVER_NEVER_GFILTR = 1 AND R05_AG1100FC != 1 AND R04_REGUSE_GFILTR != 1 AND ((R05_AG9009_12M_02 != 1 AND R05_AG9052 != 1 AND R05_AG9049_02 != 1) OR R05_AG1003FC = 3), THEN R05_GFILTR_USER_STATUS = 3.

R05_GFILTR_USER_STATUS = 4:

ELSE, IF (R04_GFILTR_USER_STATUS = 1, 2, 3 OR R05_INIT_GFILTR_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_GFILTR = 1)) AND (R04_REGUSE_GFILTR = 1 OR R05_AG1100FC = 1) AND ((R05_AG9009_12M_02 != 1 AND R05_AG9052 != 1 AND R05_AG9049_02 != 1) OR R05_AG1003FC = 3) AND R05_EVER_NEVER_GFILTR = 1, THEN R05_GFILTR_USER_STATUS = 4.

R05_GFILTR_USER_STATUS = 5:

ELSE, IF R04_GFILTR_USER_STATUS = 4, 5 AND ((R05_AG9009_12M_02 != 1 AND R05_AG9052 != 1 AND R05_AG9049_02 != 1) OR R05_AG1003FC = 3) AND R05_EVER_NEVER_GFILTR = 1, THEN R05_GFILTR_USER_STATUS = 5.

R05_CURRENT_GFILTR_USE = 1:

IF R05_GFILTR_USER_STATUS = 1 AND R05_AG1003FC = 1, THEN R05_CURRENT_GFILTR_USE = 1.

R05_CURRENT_GFILTR_USE = 2:

ELSE, IF R05_GFILTR_USER_STATUS = 1 AND R05_AG1003FC = 2, THEN R05_CURRENT_GFILTR_USE = 2.

R05_FORMER_THIRTYDAY_USER_GFILTR = 1:

IF R05_GFILTR_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AG1009FC_NN <= 30 AND R05_AG1009FC_UN = 1) OR (R05_AG1009FC_NN = 1 AND R05_AG1009FC_UN = 2) OR R05_AG9049_02 = 1) AND R05_12MBLUNT_ONLY_BFILTR = 2, THEN R05_FORMER_THIRTYDAY_USER_GFILTR = 1.

ELSE, R05_FORMER_THIRTYDAY_USER_GFILTR = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR02

New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG1020[TC/CG/FC]_NB.

Else, adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG1008[TC/CG/FC].

Else, adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG1021[TC/CG/FC].

Else, adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG1022[TC/CG/FC].

Else, adult respondents who are current established or recent former established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG9040[TC/CG/FC].

Else, go to Box R05_AGR04.

IF LOOP = GTRAD:

IF R05_ADULTTYPE = 2 AND R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG1020TC_NB.

ELSE, IF R05_INIT_GTRAD_ADULT = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG1008TC.

ELSE, IF R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG1021TC.

ELSE, IF (R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG1022TC.

ELSE, IF (R05_GTRAD_USER_STATUS = 1, 4) AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG9040TC.

ELSE, GO TO BOX R05_AGR04.

IF LOOP = GRILLO:

IF R05_ADULTTYPE = 2 AND R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG1020CG_NB.

ELSE, IF R05_INIT_GRILLO_ADULT = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG1008CG.

ELSE, IF R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG1021CG.

ELSE, IF (R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG1022CG.

ELSE, IF (R05_GRILLO_USER_STATUS = 1, 4) AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG9040CG.

ELSE, GO TO BOX R05_AGR04.

IF LOOP = GFILTR:

IF R05_ADULTTYPE = 2 AND R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG1020FC_NB.

ELSE, IF R05_INIT_GFILTR_ADULT = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG1008FC.

ELSE, IF R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG1021FC.

ELSE, IF (R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG1022FC.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

ELSE, IF (R05_GFILTR_USER_STATUS = 1, 4) AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG9040FC.
ELSE, GO TO BOX R05_AGR04.

Variable(s): R05_AG1020TC_NB; R05_AG1020CG_NB; R05_AG1020FC_NB

How old were you when you first started smoking [CIGARFILL]s every day?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R05_AG1122[TC/CG/FC]_NB

-7 REFUSED

GO TO R05_AG1122[TC/CG/FC]_NB

ASK: New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1020TC_NB: IF R05_ADULTTYPE = 2 AND

R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1.

FOR R05_AG1020CG_NB: IF R05_ADULTTYPE = 2 AND R05_CURRENT_GRILLO_USE = 1 AND

R05_12MBLUNT_ONLY_BRILLO != 1.

FOR R05_AG1020FC_NB: IF R05_ADULTTYPE = 2 AND R05_CURRENT_GFILTR_USE = 1 AND

R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AG1020TC_NB_LC1

The computer recorded that you started smoking traditional cigars every day at age [R05_AG1020TC_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1020TC_NB

2 NEXT

GO TO R05_AG1020TC_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_GTRAD_USE = 1 AND

R05_12MBLUNT_ONLY_BTRAD != 1 AND (R05_AG1020TC_NB <= 12 OR R05_AG1020TC_NB < R05_AG1007TC_NB).

PROGRAM: TRIGGER CHECK IF R05_AG1020TC_NB <= 12 OR R05_AG1020TC_NB < R05_AG1007TC_NB.

ELSE, GO TO R05_AG1020TC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1020TC_NB_LC2

The computer recorded that you started smoking traditional cigars every day at age [R05_AG1020TC_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|-----------------------|
| 1 BACK | GO TO R05_AG1020TC_NB |
| 2 NEXT | GO TO BOX R05_AGR27 |

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND (R05_AG1020TC_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AG1020TC_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_AGR27 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1020CG_NB_LC1

The computer recorded that you started smoking cigarillos every day at age [R05_AG1020CG_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------------|
| 1 BACK | GO TO R05_AG1020CG_NB |
| 2 NEXT | GO TO R05_AG1020CG_NB_LC2 |

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_AG1020CG_NB <= 10 OR R05_AG1020CG_NB < R05_AG1007CG_NB).

PROGRAM: TRIGGER CHECK IF R05_AG1020CG_NB <= 10 OR R05_AG1020CG_NB < R05_AG1007CG_NB.
ELSE, GO TO R05_AG1020CG_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1020CG_NB_LC2

The computer recorded that you started smoking cigarillos every day at age [R05_AG1020CG_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|-----------------------|
| 1 BACK | GO TO R05_AG1020CG_NB |
| 2 NEXT | GO TO BOX R05_AGR27 |

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND (R05_AG1020CG_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AG1020CG_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_AGR27 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1020FC_NB_LC1

The computer recorded that you started smoking filtered cigars every day at age [R05_AG1020FC_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1020FC_NB

2 NEXT

GO TO R05_AG1020FC_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_GFILTR_USE = 1 AND
R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_AG1020FC_NB <= 5 OR R05_AG1020FC_NB <
R05_AG1007FC_NB).

PROGRAM: TRIGGER CHECK IF R05_AG1020FC_NB <= 5 OR R05_AG1020FC_NB <
R05_AG1007FC_NB.

ELSE, GO TO R05_AG1020FC_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1020FC_NB_LC2

The computer recorded that you started smoking filtered cigars every day at age [R05_AG1020FC_NB].
That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1020FC_NB

2 NEXT

GO TO BOX R05_AGR27

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_GFILTR_USE = 1 AND
R05_12MBLUNT_ONLY_BFILTR != 1 AND (R05_AG1020FC_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AG1020FC_NB > R05R_A_AGE.

ELSE, GO TO BOX R05_AGR27 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1122TC_NB; R05_AG1122CG_NB; R05_AG1122FC_NB

When you first started smoking [CIGARFILL]s every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report the age they first started smoking traditional cigars/cigarillos/filtered cigars every day.

ASK Specification: FOR R05_AG1122TC_NB: IF R05_ADULTTYPE = 2 AND R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1020TC_NB = -8, -7.
FOR R05_AG1122CG_NB: IF R05_ADULTTYPE = 2 AND R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1020CG_NB = -8, -7.
FOR R05_AG1122FC_NB: IF R05_ADULTTYPE = 2 AND R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1020FC_NB = -8, -7.

BOX ID: R05_AGR27

Adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG1008[TC/CG/FC].
Else, go to Box R05_AGR11.

IF LOOP = GTRAD:
IF R05_INIT_GTRAD_ADULT = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG1008TC.
ELSE, GO TO BOX R05_AGR11.

IF LOOP = GRILLO:
IF R05_INIT_GRILLO_ADULT = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG1008CG.
ELSE, GO TO BOX R05_AGR11.

IF LOOP = GFILTR:
IF R05_INIT_GFILTR_ADULT = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG1008FC.
ELSE, GO TO BOX R05_AGR11.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1008TC; R05_AG1008CG; R05_AG1008FC

When you first started smoking [CIGARFILL]s, did you smoke [CIGARFILL]s flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

1 Yes

2 No

GO TO BOX R05_AGR11

3 I don't know

GO TO BOX R05_AGR11

-8 DON'T KNOW

GO TO BOX R05_AGR11

-7 REFUSED

GO TO BOX R05_AGR11

ASK: Adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1008TC: IF R05_INIT_GTRAD_ADULT = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1.

FOR R05_AG1008CG: IF R05_INIT_GRILLO_ADULT = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1.

FOR R05_AG1008FC: IF R05_INIT_GFILTR_ADULT = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavor did you first start smoking? Choose all that apply.

- | | | |
|---|----|--|
| R05_AG1011TC_01;
R05_AG1011CG_01;
R05_AG1011FC_01 | 1 | Menthol or mint |
| R05_AG1011TC_02;
R05_AG1011CG_02;
R05_AG1011FC_02 | 2 | Clove or spice |
| R05_AG1011TC_03;
R05_AG1011CG_03;
R05_AG1011FC_03 | 3 | Fruit |
| R05_AG1011TC_04;
R05_AG1011CG_04;
R05_AG1011FC_04 | 4 | Chocolate |
| R05_AG1011TC_05;
R05_AG1011CG_05;
R05_AG1011FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AG1011TC_06;
R05_AG1011CG_06;
R05_AG1011FC_06 | 6 | Candy or other sweets |
| R05_AG1011TC_07;
R05_AG1011TC_OS;
R05_AG1011CG_07;
R05_AG1011CG_OS;
R05_AG1011FC_07;
R05_AG1011FC_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who initiated traditional cigar/cigarillo/filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first traditional cigar/cigarillo/filtered cigar was flavored.

ASK Specification: FOR R05_AG1011TC: IF R05_INIT_GTRAD_ADULT = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1008TC = 1.

FOR R05_AG1011CG: IF R05_INIT_GRILLO_ADULT = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1008CG = 1.

FOR R05_AG1011FC: IF R05_INIT_GFILTR_ADULT = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1008FC = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR11

Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG1021[TC/CG/FC].

Else, adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG1022[TC/CG/FC].

Else, adult respondents who are current established or recent former established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG9040[TC/CG/FC].

Else, go to Box R05_AGR04.

IF LOOP = GTRAD:

IF R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG1021TC.

ELSE, IF (R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG1022TC.

ELSE, IF (R05_GTRAD_USER_STATUS = 1, 4) AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG9040TC.

ELSE, GO TO BOX R05_AGR04.

IF LOOP = GRILLO:

IF R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG1021CG.

ELSE, IF (R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG1022CG.

ELSE, IF (R05_GRILLO_USER_STATUS = 1, 4) AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG9040CG.

ELSE, GO TO BOX R05_AGR04.

IF LOOP = GFILTR:

IF R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG1021FC.

ELSE, IF (R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG1022FC.

ELSE, IF (R05_GFILTR_USER_STATUS = 1, 4) AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG9040FC.

ELSE, GO TO BOX R05_AGR04.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1021TC; R05_AG1021CG; R05_AG1021FC

On average, about how many [CIGARFILL]s do you now smoke each day?

-2 Less than 1 each day GO TO R05_AG1024[TC/CG/FC]

|_|_|_|

-8 DON'T KNOW GO TO R05_AG1024[TC/CG/FC]

-7 REFUSED GO TO R05_AG1024[TC/CG/FC]

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1021TC: IF R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1.

FOR R05_AG1021CG: IF R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1.

FOR R05_AG1021FC: IF R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: DISPLAY AS A NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AG1021TC_LC1

The computer recorded that you now smoke [R05_AG1021TC] traditional cigars a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R05_AG1021TC

2 NEXT GO TO R05_AG1024TC

ASK: IF R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1021TC > 20.

PROGRAM: TRIGGER CHECK IF R05_AG1021TC > 20.

ELSE, GO TO R05_AG1024TC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1021CG_LC1

The computer recorded that you now smoke [R05_AG1021CG] cigarillos a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R05_AG1021CG

2 NEXT GO TO R05_AG1024CG

ASK: IF IF R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1021CG > 20.

PROGRAM: TRIGGER CHECK IF R05_AG1021CG > 20.

ELSE, GO TO R05_AG1024CG AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1021FC_LC1

The computer recorded that you now smoke [R05_AG1021FC] filtered cigars a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1021FC

2 NEXT

GO TO R05_AG1024FC

ASK: IF R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1021FC > 20.

PROGRAM: TRIGGER CHECK IF R05_AG1021FC > 20.

ELSE, GO TO R05_AG1024FC AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AG1022TC; R05_AG1022CG; R05_AG1022FC

On how many of the past 30 days did you smoke [CIGARFILL]s?

|_|_|_| DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1022TC: IF (R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.

FOR R05_AG1022CG: IF (R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.

FOR R05_AG1022FC: IF (R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR13

Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days, go to R05_AG9029[TC/CG/FC].

Else, adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R05_AG1023[TC/CG/FC].
Else, go to Box R05_AGR30.

IF LOOP = GTRAD

IF (R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2) AND
R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1022TC = 0, GO TO R05_AG9029TC.
ELSE, IF (R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR
R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND
R05_AG1022TC != 0, GO TO R05_AG1023TC.
ELSE, GO TO BOX R05_AGR30.

IF LOOP = GRILLO

IF (R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2) AND
R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG = 0, GO TO R05_AG9029CG.
ELSE, IF (R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR
R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND
R05_AG1022CG != 0, GO TO R05_AG1023CG.
ELSE, GO TO BOX R05_AGR30.

IF LOOP = GFILTR

IF (R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2) AND
R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC = 0, GO TO R05_AG9029FC.
ELSE, IF (R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR
R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND
R05_AG1022FC != 0, GO TO R05_AG1023FC.
ELSE, GO TO BOX R05_AGR30.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9029TC_NN; R05_AG9029TC_UN; R05_AG9029CG_NN;
R05_AG9029CG_UN; R05_AG9029FC_NN; R05_AG9029FC_UN

About how long has it been since you last smoked [CIGARFILL]s?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_AGR30

-7 REFUSED

GO TO BOX R05_AGR30

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked on 0 days of the past 30 days.

ASK Specification: FOR R05_AG9029TC: IF (R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1022TC = 0.

FOR R05_AG9029CG: IF (R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG = 0.

FOR R05_AG9029FC: IF (R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC = 0.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AG9029[TC/CG/FC]_UN = Days; the value "2" refers to R05_AG9029[TC/CG/FC]_UN = Months; the value "3" refers to R05_AG9029[TC/CG/FC]_UN = Years.

CHECK ID: R05_AG9029TC_LC1

The computer recorded that you last smoked traditional cigars [R05_AG9029TC_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG9029TC

2 NEXT

GO TO BOX R05_AGR30

ASK: IF (R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1022TC = 0 AND ((R05_AG9029TC_NN < 30 AND R05_AG9029TC_UN = 1) OR (R05_AG9029TC_NN < 1 AND R05_AG9029TC_UN = 2) OR (R05_AG9029TC_NN > 18 AND R05_AG9029TC_UN = 2) OR (R05_AG9029TC_NN > (R05R_A_AGE - 10) AND R05_AG9029TC_UN = 3)).

DISPLAY: IF R05_AG9029TC_UN = 1, DISPLAY "days".

ELSE, IF R05_AG9029TC_UN = 2, DISPLAY "months".

ELSE, IF R05_AG9029TC_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AG9029TC_NN < 30 AND R05_AG9029TC_UN = 1) OR (R05_AG9029TC_NN < 1 AND R05_AG9029TC_UN = 2) OR (R05_AG9029TC_NN > 18 AND R05_AG9029TC_UN = 2) OR (R05_AG9029TC_NN > (R05R_A_AGE - 10) AND R05_AG9029TC_UN = 3).

ELSE, GO TO BOX R05_AGR30 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG9029CG_LC1

The computer recorded that you last smoked cigarillos [R05_AG9029CG_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG9029CG

2 NEXT

GO TO BOX R05_AGR30

ASK: IF (R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG = 0 AND ((R05_AG9029CG_NN < 30 AND R05_AG9029CG_UN = 1) OR (R05_AG9029CG_NN < 1 AND R05_AG9029CG_UN = 2) OR (R05_AG9029CG_NN > 18 AND R05_AG9029CG_UN = 2) OR (R05_AG9029CG_NN > (R05R_A_AGE - 10) AND R05_AG9029CG_UN = 3)).

DISPLAY: IF R05_AG9029CG_UN = 1, DISPLAY "days".

ELSE, IF R05_AG9029CG_UN = 2, DISPLAY "months".

ELSE, IF R05_AG9029CG_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AG9029CG_NN < 30 AND R05_AG9029CG_UN = 1) OR (R05_AG9029CG_NN < 1 AND R05_AG9029CG_UN = 2) OR (R05_AG9029CG_NN > 18 AND R05_AG9029CG_UN = 2) OR (R05_AG9029CG_NN > (R05R_A_AGE - 10) AND R05_AG9029CG_UN = 3).

ELSE, GO TO BOX R05_AGR30 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG9029FC_LC1

The computer recorded that you last smoked filtered cigars [R05_AG9029FC_NN] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG9029FC

2 NEXT

GO TO BOX R05_AGR30

ASK: IF (R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC = 0 AND ((R05_AG9029FC_NN < 30 AND R05_AG9029FC_UN = 1) OR (R05_AG9029FC_NN < 1 AND R05_AG9029FC_UN = 2) OR (R05_AG9029FC_NN > 18 AND R05_AG9029FC_UN = 2) OR (R05_AG9029FC_NN > (R05R_A_AGE - 10) AND R05_AG9029FC_UN = 3)).

DISPLAY: IF R05_AG9029FC_UN = 1, DISPLAY "days".

ELSE, IF R05_AG9029FC_UN = 2, DISPLAY "months".

ELSE, IF R05_AG9029FC_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AG9029FC_NN < 30 AND R05_AG9029FC_UN = 1) OR (R05_AG9029FC_NN < 1 AND R05_AG9029FC_UN = 2) OR (R05_AG9029FC_NN > 18 AND R05_AG9029FC_UN = 2) OR (R05_AG9029FC_NN > (R05R_A_AGE - 10) AND R05_AG9029FC_UN = 3).

ELSE, GO TO BOX R05_AGR30 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1023TC; R05_AG1023CG; R05_AG1023FC

On average, on those [FILL NUMBER OF DAYS FROM R05_AG1022 days/days you smoked], how many [CIGARFILL]s did you usually smoke each day?

-2 Less than 1 each day

|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_AGR30

-7 REFUSED

GO TO BOX R05_AGR30

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05_AG1023TC: IF (R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1022TC != 0.
FOR R05_AG1023CG: IF (R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG != 0.
FOR R05_AG1023FC: IF (R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC != 0.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

IF R05_AG1022[TC/CG/FC] = 1 day, -8, -7, DISPLAY "days you smoked".

ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R05_AG1022[TC/CG/FC].

PROGRAM: Allow 2 digits.

CHECK ID: R05_AG1023TC_LC1

The computer recorded that on the days you smoked in the past 30 days, you smoked [R05_AG1023TC] traditional cigars a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1023TC

2 NEXT

GO TO BOX R05_AGR30

ASK: IF (R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1022TC != 0 AND R05_AG1023TC > 20.

PROGRAM: TRIGGER CHECK IF R05_AG1023TC > 20.

ELSE, GO TO BOX R05_AGR30 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1023CG_LC1

The computer recorded that on the days you smoked in the past 30 days, you smoked [R05_AG1023CG] cigarillos a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1023CG

2 NEXT

GO TO BOX R05_AGR30

ASK: IF (R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG != 0 AND R05_AG1023CG > 20.

PROGRAM: TRIGGER CHECK IF R05_AG1023CG > 20.
ELSE, GO TO BOX R05_AGR30 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1023FC_LC1

The computer recorded that on the days you smoked in the past 30 days, you smoked [R05_AG1023FC] filtered cigars a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1023FC

2 NEXT

GO TO BOX R05_AGR30

ASK: IF (R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC != 0 AND R05_AG1023FC > 20.

PROGRAM: TRIGGER CHECK IF R05_AG1023FC > 20.
ELSE, GO TO BOX R05_AGR30 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR30

Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG1024[TC/CG/FC].

Else, adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG1024[TC/CG/FC]_30D.

Else, adult respondents who recent former established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, go to R05_AG9040[TC/CG/FC].

Else, go to the next section.

IF LOOP = GTRAD:

IF R05_GTRAD_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG1024TC.

ELSE, IF R05_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG1024TC_30D.

ELSE, IF R05_GTRAD_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BTRAD != 1, GO TO R05_AG9040TC.

ELSE, GO TO THE NEXT SECTION.

IF LOOP = GRILLO:

IF R05_GRILLO_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG1024CG.

ELSE, IF R05_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG1024CG_30D.

ELSE, IF R05_GRILLO_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BRILLO != 1, GO TO R05_AG9040CG.

ELSE, GO TO THE NEXT SECTION.

IF LOOP = GFILTR:

IF R05_GFILTR_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG1024FC.

ELSE, IF R05_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG1024FC_30D.

ELSE, IF R05_GFILTR_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BFILTR != 1, GO TO R05_AG9040FC.

ELSE, GO TO THE NEXT SECTION.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1024TC_NN; R05_AG1024TC_UN; R05_AG1024CG_NN;
R05_AG1024CG_UN; R05_AG1024FC_NN; R05_AG1024FC_UN

[On the days that you smoke [CIGARFILL]s, how/How] soon after you wake up do you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.

1 |_|_|_| Minutes after waking

2 |_|_|_| Hours after waking

-8 DON'T KNOW

GO TO R05_AG1092[TC/CG/FC]

-7 REFUSED

GO TO R05_AG1092[TC/CG/FC]

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1024TC: IF R05_GTRAD_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BTRAD != 1.

FOR R05_AG1024CG: IF R05_GRILLO_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BRILLO != 1.

FOR R05_AG1024FC: IF R05_GFILTR_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R05_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R05_CURRENT_GFILTR_USE = 1), DISPLAY "How".

ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, how".

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers to R05_AG1024[TC/CG/FC]_UN = Minutes after waking; the value "2" refers to R05_AG1024[TC/CG/FC]_UN = Hours after waking.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1024TC_LC1

The computer recorded that you typically smoke your first traditional cigar of the day [R05_AG1024TC_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1024TC

2 NEXT

GO TO R05_AG1024TC_LC2

ASK: IF R05_GTRAD_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND ((R05_CURRENT_GTRAD_USE = 1 AND (R05_AG1024TC_NN > 60 AND R05_AG1024TC_UN = 1) OR (R05_AG1024TC_NN > 4 AND R05_AG1024TC_UN = 2)) OR ((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2) AND (R05_AG1024TC_NN > 60 AND R05_AG1024TC_UN = 1) OR (R05_AG1024TC_NN > 12 AND R05_AG1024TC_UN = 2))).

DISPLAY: IF R05_AG1024TC_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AG1024TC_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_CURRENT_GTRAD_USE = 1 AND (R05_AG1024TC_NN > 60 AND R05_AG1024TC_UN = 1) OR (R05_AG1024TC_NN > 4 AND R05_AG1024TC_UN = 2)) OR ((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2) AND (R05_AG1024TC_NN > 60 AND R05_AG1024TC_UN = 1) OR (R05_AG1024TC_NN > 12 AND R05_AG1024TC_UN = 2)).

ELSE, GO TO R05_AG1024TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1024TC_LC2

The computer recorded "0" for how long you typically smoke your first traditional cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1024TC

2 NEXT

GO TO BOX R05_AGR34

ASK: IF R05_GTRAD_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1024TC_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AG1024TC_NN = 0.

ELSE, GO TO BOX R05_AGR34 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1024CG_LC1

The computer recorded that you typically smoke your first cigarillo of the day [R05_AG1024CG_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1024CG

2 NEXT

GO TO R05_AG1024CG_LC2

ASK: IF R05_GRILLO_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND ((R05_CURRENT_GRILLO_USE = 1 AND (R05_AG1024CG_NN > 60 AND R05_AG1024CG_UN = 1) OR (R05_AG1024CG_NN > 4 AND R05_AG1024CG_UN = 2)) OR ((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2) AND (R05_AG1024CG_NN > 60 AND R05_AG1024CG_UN = 1) OR (R05_AG1024CG_NN > 12 AND R05_AG1024CG_UN = 2))).

DISPLAY: IF R05_AG1024TC_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AG1024TC_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_CURRENT_GRILLO_USE = 1 AND (R05_AG1024CG_NN > 60 AND R05_AG1024CG_UN = 1) OR (R05_AG1024CG_NN > 4 AND R05_AG1024CG_UN = 2)) OR ((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2) AND (R05_AG1024CG_NN > 60 AND R05_AG1024CG_UN = 1) OR (R05_AG1024CG_NN > 12 AND R05_AG1024CG_UN = 2)).

ELSE, GO TO R05_AG1024CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1024CG_LC2

The computer recorded "0" for how long you typically smoke your first cigarillo of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1024CG

2 NEXT

GO TO BOX R05_AGR34

ASK: IF R05_GRILLO_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1024CG_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AG1024CG_NN = 0.

ELSE, GO TO BOX R05_AGR34 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1024FC_LC1

The computer recorded that you typically smoke your first filtered cigar of the day [R05_AG1024FC_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1024FC

2 NEXT

GO TO R05_AG1024FC_LC2

ASK: IF R05_GFILTR_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND ((R05_CURRENT_GFILTR_USE = 1 AND (R05_AG1024FC_NN > 60 AND R05_AG1024FC_UN = 1) OR (R05_AG1024FC_NN > 4 AND R05_AG1024FC_UN = 2)) OR ((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2) AND (R05_AG1024FC_NN > 60 AND R05_AG1024FC_UN = 1) OR (R05_AG1024FC_NN > 12 AND R05_AG1024FC_UN = 2))).

DISPLAY: IF R05_AG1024TC_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AG1024TC_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_CURRENT_GFILTR_USE = 1 AND (R05_AG1024FC_NN > 60 AND R05_AG1024FC_UN = 1) OR (R05_AG1024FC_NN > 4 AND R05_AG1024FC_UN = 2)) OR ((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2) AND (R05_AG1024FC_NN > 60 AND R05_AG1024FC_UN = 1) OR (R05_AG1024FC_NN > 12 AND R05_AG1024FC_UN = 2)).

ELSE, GO TO R05_AG1024FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1024FC_LC2

The computer recorded "0" for how long you typically smoke your first filtered cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1024FC

2 NEXT

GO TO BOX R05_AGR34

ASK: IF R05_GFILTR_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1024FC_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AG1024FC_NN = 0.

ELSE, GO TO BOX R05_AGR34 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1092TC; R05_AG1092CG; R05_AG1092FC

[On the days that you smoke [CIGARFILL]s, would/Would] you say you smoke your first [CIGARFILL] of the day within the first 30 minutes after you wake up?

- | | |
|---------------|---------------------|
| 1 Yes | GO TO BOX R05_AGR34 |
| 2 No | GO TO BOX R05_AGR34 |
| 3 It varies | GO TO BOX R05_AGR34 |
| -8 DON'T KNOW | GO TO BOX R05_AGR34 |
| -7 REFUSED | GO TO BOX R05_AGR34 |

ASK: Adult respondents who are current established or current experimental traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoke their first traditional cigar/cigarillo/filtered cigar.

ASK Specification: FOR R05_AG1092TC: IF R05_GTRAD_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1024TC_NN = -8, -7.

FOR R05_AG1092CG: IF R05_GRILLO_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1024CG_NN = -8, -7.

FOR R05_AG1092FC: IF R05_GFILTR_USER_STATUS = 1, 2 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1024FC_NN = -8, -7.

DISPLAY: IF (LOOP = GTRAD AND R05_CURRENT_GTRAD_USE = 1) OR (LOOP = GRILLO AND R05_CURRENT_GRILLO_USE = 1) OR (LOOP = GFILTR AND R05_CURRENT_GFILTR_USE = 1), DISPLAY "Would".

ELSE, DISPLAY "On the days that you smoke [CIGARFILL]s, would".

Variable(s): R05_AG1024TC_30D_NN; R05_AG1024TC_30D_UN; R05_AG1024CG_30D_NN; R05_AG1024CG_30D_UN; R05_AG1024FC_30D_NN; R05_AG1024FC_30D_UN

On the days that you smoked [CIGARFILL]s, how soon after you woke up did you typically smoke your first [CIGARFILL] of the day? Please enter the number of minutes or hours.

- | | |
|--------------------------------|--------------------------------|
| 1 _ _ _ Minutes after waking | |
| 2 _ _ _ Hours after waking | |
| -8 DON'T KNOW | GO TO R05_AG1092[TC/CG/FC]_30D |
| -7 REFUSED | GO TO R05_AG1092[TC/CG/FC]_30D |

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1024TC_30D: IF R05_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1.

FOR R05_AG1024CG_30D: IF R05_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1.

FOR R05_AG1024FC_30D: IF R05_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers to R05_AG1024[TC/CG/FC]_30D_UN = Minutes after waking; the value "2" refers to R05_AG1024[TC/CG/FC]_30D_UN = Hours after waking.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1024TC_30D_LC1

The computer recorded that you typically smoked your first traditional cigar of the day [R05_AG1024TC_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1024TC_30D

2 NEXT

GO TO R05_AG1024TC_30D_LC2

ASK: IF R05_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND ((R05_AG1024TC_30D_NN AND > 60 AND R05_AG1024TC_30D_UN = 1) OR (R05_AG1024TC_30D > 12 AND R05_AG1024TC_30D_UN = 2)).

DISPLAY: IF R05_AG1024TC_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AG1024TC_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_AG1024TC_30D_NN AND > 60 AND R05_AG1024TC_30D_UN = 1) OR (R05_AG1024TC_30D > 12 AND R05_AG1024TC_30D_UN = 2). ELSE, GO TO R05_AG1024TC_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1024TC_30D_LC2

The computer recorded "0" for how long you typically smoked your first traditional cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1024TC_30D

2 NEXT

GO TO BOX R05_AGR34

ASK: IF R05_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1024TC_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AG1024TC_30D_NN = 0.

ELSE, GO TO BOX R05_AGR34 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1024CG_30D_LC1

The computer recorded that you typically smoked your first cigarillo of the day [R05_AG1024CG_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------------|
| 1 BACK | GO TO R05_AG1024CG_30D |
| 2 NEXT | GO TO R05_AG1024CG_30D_LC2 |

ASK: IF R05_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND ((R05_AG1024CG_30D_NN AND > 60 AND R05_AG1024CG_30D_UN = 1) OR (R05_AG1024CG_30D > 12 AND R05_AG1024CG_30D_UN = 2)).

DISPLAY: IF R05_AG1024CG_30D_UN = 1, DISPLAY "minutes".
ELSE, IF R05_AG1024CG_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_AG1024CG_30D_NN AND > 60 AND R05_AG1024CG_30D_UN = 1) OR (R05_AG1024CG_30D > 12 AND R05_AG1024CG_30D_UN = 2).
ELSE, GO TO R05_AG1024CG_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1024CG_30D_LC2

The computer recorded "0" for how long you typically smoked your first cigarillo of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------------|
| 1 BACK | GO TO R05_AG1024FC_30D |
| 2 NEXT | GO TO BOX R05_AGR34 |

ASK: IF R05_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1024CG_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AG1024CG_30D_NN = 0.
ELSE, GO TO BOX R05_AGR34 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1024FC_30D_LC1

The computer recorded that you typically smoked your first filtered cigar of the day [R05_AG1024FC_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1024FC_30D

2 NEXT

GO TO R05_AG1024FC_30D_LC2

ASK: IF R05_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND ((R05_AG1024FC_30D_NN AND > 60 AND R05_AG1024FC_30D_UN = 1) OR (R05_AG1024FC_30D > 12 AND R05_AG1024FC_30D_UN = 2)).

DISPLAY: IF R05_AG1024FC_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AG1024FC_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_AG1024FC_30D_NN AND > 60 AND R05_AG1024FC_30D_UN = 1) OR (R05_AG1024FC_30D > 12 AND R05_AG1024FC_30D_UN = 2). ELSE, GO TO R05_AG1024FC_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1024FC_30D_LC2

The computer recorded "0" for how long you typically smoked your first filtered cigar of the day after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1024FC_30D

2 NEXT

GO TO BOX R05_AGR34

ASK: IF R05_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1024FC_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AG1024FC_30D_NN = 0.

ELSE, GO TO BOX R05_AGR34 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1092TC_30D; R05_AG1092CG_30D; R05_AG1092FC_30D

On the days that you smoked [CIGARFILL]s, would you say you smoked your first [CIGARFILL] of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and did not know or refused to report how soon after waking up they typically smoked their first a traditional cigar/cigarillo/filtered cigar.

ASK Specification: FOR R05_AG1092TC_30D: IF R05_FORMER_THIRTYDAY_USER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1024TC_30D_NN = -8, -7.
FOR R05_AG1092CG_30D: IF R05_FORMER_THIRTYDAY_USER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1024CG_30D_NN = -8, -7.
FOR R05_AG1092FC_30D: IF R05_FORMER_THIRTYDAY_USER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1024FC_30D_NN = -8, -7.

BOX ID: R05_AGR34

Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R05_AG0100[TC/CG/FC].
Else, go to R05_AG1030[TC/CG/FC].

IF LOOP = GTRAD;
IF (R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR
((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR
R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND
R05_AG1022TC != 0), GO TO R05_AG0100TC.
ELSE, GO TO R05_AG1030TC.

IF LOOP = GRILLO:
IF (R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR
((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR
R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND
R05_AG1022CG != 0), GO TO R05_AG0100CG.
ELSE, GO TO R05_AG1030CG.

IF LOOP = GFILTR:
IF (R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR
((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR
R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND
R05_AG1022FC != 0), GO TO R05_AG0100FC.
ELSE, GO TO R05_AG1030FC.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG0100TC; R05_AG0100CG; R05_AG0100FC

When did you last smoke a [CIGARFILL]?

- | | | |
|----|---|----------------------------|
| 1 | In the past hour | GO TO R05_AG0103[TC/CG/FC] |
| 2 | Sometime today, but more than an hour ago | |
| 3 | Yesterday | |
| 4 | Day before yesterday | |
| 5 | Three or more days ago | GO TO R05_AG1130[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R05_AG1130[TC/CG/FC] |
| -7 | REFUSED | GO TO R05_AG1130[TC/CG/FC] |

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05_AG0100TC: IF (R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR ((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1022TC != 0).
 FOR R05_AG0100CG: IF (R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR ((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG != 0).
 FOR R05_AG0100FC: IF (R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR ((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC != 0).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG0102TC; R05_AG0102CG; R05_AG0102FC

When you last smoked a [CIGARFILL] [FILL BASED ON R05_AG0100[TC/CG/FC]], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05_AG0102TC: IF (R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG0100TC = 2, 3, 4) OR ((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1022TC != 0 AND R05_AG0100TC = 2, 3, 4).

FOR R05_AG0102CG: IF (R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG0100CG = 2, 3, 4) OR ((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG != 0 AND R05_AG0100CG = 2, 3, 4).

FOR R05_AG0102FC: IF (R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG0100FC = 2, 3, 4) OR ((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC != 0 AND R05_AG0100FC = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R05_AG0100[TC/CG/FC]]:

IF R05_AG0100[TC/CG/FC] = 2, DISPLAY "today".

ELSE, IF R05_AG0100[TC/CG/FC] = 3, DISPLAY "yesterday".

ELSE, IF R05_AG0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG0103TC; R05_AG0103CG; R05_AG0103FC

How many [CIGARFILL]s [have/did] you [smoked/smoke] [FILL BASED ON R05_AG0100[TC/CG/FC]]? (If less than 1, enter 1.)

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_AG1130[TC/CG/FC]

-7 REFUSED

GO TO R05_AG1130[TC/CG/FC]

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: FOR R05_AG0103TC: IF (R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG0100TC = 1, 2, 3, 4) OR ((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1022TC != 0 AND R05_AG0100TC = 1, 2, 3, 4).

FOR R05_AG0103CG: IF (R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG0100CG = 1, 2, 3, 4) OR ((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG != 0 AND R05_AG0100CG = 1, 2, 3, 4).

FOR R05_AG0103FC: IF (R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG0100FC = 1, 2, 3, 4) OR ((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC != 0 AND R05_AG0100FC = 1, 2, 3, 4).

DISPLAY: IF (R05_AG0100[TC/CG/FC] = 1, 2, DISPLAY "have" AND "smoked".

ELSE, IF R05_AG0100[TC/CG/FC] = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R05_AG0100[TC/CG/FC]],

IF R05_AG0100[TC/CG/FC] = 1, 2, DISPLAY "today";

ELSE, IF R05_AG0100[TC/CG/FC] = 3, DISPLAY "yesterday";

ELSE, IF R05_AG0100[TC/CG/FC] = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG0103TC_LC1

The computer recorded that you smoked [R05_AG0103TC] traditional cigars [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG0103TC

2 NEXT

GO TO R05_AG1130TC

ASK: IF (R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG0100TC = 1, 2, 3, 4) OR ((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1022TC != 0 AND R05_AG0100TC = 1, 2, 3, 4) AND (R05_AG0103TC > 15 OR R05_AG0103TC = 11).

DISPLAY: IF R05_AG0100TC = 1, 2, DISPLAY "today".

ELSE, IF R05_AG0100TC = 3, DISPLAY "yesterday".

ELSE, IF R05_AG0100TC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AG0103TC > 15 OR R05_AG0103TC = 11.

ELSE, GO TO R05_AG1130TC AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG0103CG_LC1

The computer recorded that you smoked [R05_AG0103CG] cigarillos [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG0103CG

2 NEXT

GO TO R05_AG1130CG

ASK: IF (R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG0100CG = 1, 2, 3, 4) OR ((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG != 0 AND R05_AG0100CG = 1, 2, 3, 4) AND (R05_AG0103CG > 15 OR R05_AG0103CG = 11).

DISPLAY: IF R05_AG0100CG = 1, 2, DISPLAY "today".

ELSE, IF R05_AG0100CG = 3, DISPLAY "yesterday".

ELSE, IF R05_AG0100CG = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AG0103CG > 15 OR R05_AG0103CG = 11.

ELSE, GO TO R05_AG1130CG AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG0103FC_LC1

The computer recorded that you smoked [R05_AG0103FC] filtered cigars [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG0103FC

2 NEXT

GO TO R05_AG1130FC

ASK: IF (R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG0100FC = 1, 2, 3, 4) OR ((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC != 0 AND R05_AG0100FC = 1, 2, 3, 4) AND (R05_AG0103FC > 15 OR R05_AG0103FC = 11).

DISPLAY: IF R05_AG0100FC = 1, 2, DISPLAY "today".

ELSE, IF R05_AG0100FC = 3, DISPLAY "yesterday".

ELSE, IF R05_AG0100FC = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AG0103FC > 15 OR R05_AG0103FC = 11.

ELSE, GO TO R05_AG1130FC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1130TC; R05_AG1130CG; R05_AG1130FC

In the past 30 days, were any of the [CIGARFILL]s that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|----------------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AG1030[TC/CG/FC] |
| 3 | I don't know | GO TO R05_AG1030[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R05_AG1030[TC/CG/FC] |
| -7 | REFUSED | GO TO R05_AG1030[TC/CG/FC] |

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: FOR R05_AG1130TC: IF (R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR ((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1022TC != 0).
 FOR R05_AG1130CG: IF (R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR ((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG != 0).
 FOR R05_AG1130FC: IF (R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR ((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC != 0).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavors have you smoked in the past 30 days? Choose all that apply.

- | | | |
|---|----|--|
| R05_AG1131TC_01;
R05_AG1131CG_01;
R05_AG1131FC_01 | 1 | Menthol or mint |
| R05_AG1131TC_02;
R05_AG1131CG_02;
R05_AG1131FC_02 | 2 | Clove or spice |
| R05_AG1131TC_03;
R05_AG1131CG_03;
R05_AG1131FC_03 | 3 | Fruit |
| R05_AG1131TC_04;
R05_AG1131CG_04;
R05_AG1131FC_04 | 4 | Chocolate |
| R05_AG1131TC_05;
R05_AG1131CG_05;
R05_AG1131FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AG1131TC_06;
R05_AG1131CG_06;
R05_AG1131FC_06 | 6 | Candy or other sweets |
| R05_AG1131TC_07;
R05_AG1131TC_OS;
R05_AG1131CG_07;
R05_AG1131CG_OS;
R05_AG1131FC_07;
R05_AG1131FC_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R05_AG1131TC: IF (R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1130TC = 1) OR ((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_AG1022TC != 0 AND R05_AG1130TC = 1).
FOR R05_AG1131CG: IF (R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1130CG = 1) OR ((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG != 0 AND R05_AG1130CG = 1).
FOR R05_AG1131FC: IF (R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1130FC = 1) OR ((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC != 0 AND R05_AG1130FC = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R05_AGR37

Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, go to R05_AG1133[TC/CG/FC]. Else, go to R05_AG1147[TC/CG/FC].

IF LOOP = GTRAD:

IF (R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1130TC = 1 AND (R05_AG1131TC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131TC_[01/.../07] = -8, -7)) OR ((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_AG1022TC != 0 AND R05_AG1130TC = 1 AND (R05_AG1131TC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131TC_[01/.../07] = -8, -7)), GO TO R05_AG1133TC.
ELSE, GO TO R05_AG1147TC.

IF LOOP = GRILLO:

IF (R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1130CG = 1 AND (R05_AG1131CG_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131CG_[01/.../07] = -8, -7)) OR ((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG != 0 AND R05_AG1130CG = 1 AND (R05_AG1131CG_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131CG_[01/.../07] = -8, -7)), GO TO R05_AG1133CG.
ELSE, GO TO R05_AG1147CG.

IF LOOP = GFILTR:

IF (R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1130FC = 1 AND (R05_AG1131FC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131FC_[01/.../07] = -8, -7)) OR ((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC != 0 AND R05_AG1130FC = 1 AND (R05_AG1131FC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131FC_[01/.../07] = -8, -7)), GO TO R05_AG1133FC.
ELSE, GO TO R05_AG1147FC.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1133TC; R05_AG1133TC_OS; R05_AG1133CG***; R05_AG1133CG_OS; R05_AG1133FC; R05_AG1133FC_OS

In the past 30 days, which flavor of [CIGARFILL]s have you smoked most often?

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita, or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: FOR R05_AG1133TC: IF (R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1130TC = 1 AND (R05_AG1131TC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131TC_[01/.../07] = -8, -7)) OR ((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_AG1022TC != 0 AND R05_AG1130TC = 1 AND (R05_AG1131TC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131TC_[01/.../07] = -8, -7)).

FOR R05_AG1133CG: IF (R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1130CG = 1 AND (R05_AG1131CG_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131CG_[01/.../07] = -8, -7)) OR ((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG != 0 AND R05_AG1130CG = 1 AND (R05_AG1131CG_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131CG_[01/.../07] = -8, -7)).

FOR R05_AG1133FC: IF (R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1130FC = 1 AND (R05_AG1131FC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131FC_[01/.../07] = -8, -7)) OR ((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC != 0 AND R05_AG1130FC = 1 AND (R05_AG1131FC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AG1131FC_[01/.../07] = -8, -7)).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1147TC; R05_AG1147CG; R05_AG1147FC

On the days you smoked [CIGARFILL]s in the past 30 days, how often did you smoke flavored [CIGARFILL]s?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and smoked flavored traditional cigars/cigarillos/filtered cigars in the past 30 days.

ASK Specification: FOR R05_AG1147TC: IF (R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1130TC = 1) OR ((R05_CURRENT_GTRAD_USE = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1022TC != 0 AND R05_AG1130TC = 1).
 FOR R05_AG1147CG: IF (R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1130CG = 1) OR ((R05_CURRENT_GRILLO_USE = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1022CG != 0 AND R05_AG1130CG = 1).
 FOR R05_AG1147FC: IF (R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1130FC = 1) OR ((R05_CURRENT_GFILTR_USE = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1022FC != 0 AND R05_AG1130FC = 1).

DISPLAY: UNDERLINE "flavored".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1030TC; R05_AG1030CG; R05_AG1030FC

The next questions ask about your experience buying [CIGARFILL]s.

How [do/did] you usually buy [CIGARFILL]s for yourself?

- | | |
|---|----------------------------|
| 1 In person (such as at a store or cigar bar) | |
| 2 From the internet | GO TO R05_AG1039[TC/CG/FC] |
| 3 By telephone | GO TO R05_AG1039[TC/CG/FC] |
| 4 I do not buy my own [CIGARFILL]s | GO TO R05_AG9040[TC/CG/FC] |
| -8 DON'T KNOW | GO TO R05_AG9040[TC/CG/FC] |
| -7 REFUSED | GO TO R05_AG9040[TC/CG/FC] |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1030TC: IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.

FOR R05_AG1030CG: IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.

FOR R05_AG1030FC: IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2) DISPLAY "do".

ELSE, DISPLAY "did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1032TC; R05_AG1032CG; R05_AG1032FC

[Do/Did] you usually buy [CIGARFILL]s...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: FOR R05_AG1032TC: IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1030TC = 1.

FOR R05_AG1032CG: IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1030CG = 1.

FOR R05_AG1032FC: IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1030FC = 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2) DISPLAY "Do".
ELSE, DISPLAY "Did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1033TC; R05_AG1033TC_OS; R05_AG1033CG; R05_AG1033CG_OS; R05_AG1033FC; R05_AG1033FC_OS

Where [do/did] you buy your [CIGARFILL]s most of the time?

- 1 A cigar bar
- 2 A convenience store or gas station
- 3 A supermarket, grocery store, or drug store
- 4 A warehouse club, such as Sam's or Costco
- 5 A smoke shop, tobacco specialty store, or tobacco outlet store
- 6 A duty free shop or military commissary
- 7 A bar, pub, restaurant, or casino
- 8 A friend or relative
- 9 A swap meet or flea market
- 10 A liquor store
- 11 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillos/filtered cigars smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person.

ASK Specification: FOR R05_AG1033TC: IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1030TC = 1.

FOR R05_AG1033CG: IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1030CG = 1.

FOR R05_AG1033FC: IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1030FC = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "do".

ELSE, DISPLAY "did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1039TC; R05_AG1039CG; R05_AG1039FC

{Do you usually buy [CIGARFILL]s/Did you buy the last [CIGARFILL]s you smoked} by the box or pack, or as single [CIGARFILL]s?

- 1 Box or pack
- 2 Single [CIGARFILL]s
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone.

ASK Specification: FOR R05_AG1039TC: IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1030TC = 1, 2, 3.

FOR R05_AG1039CG: IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1030CG = 1, 2, 3.

FOR R05_AG1039FC: IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1030FC = 1, 2, 3.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "Do you usually buy [CIGARFILL]s".

ELSE, DISPLAY "Did you buy the last [CIGARFILL]s you smoked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR58

Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack, go to R05_AG1040[TC/CG/FC].

Else, adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars, go to R05_AG1043[TC/CG/FC].

Else, go to R05_AG9040[TC/CG/FC].

IF LOOP = GTRAD:

IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1030TC = 1, 2, 3 AND R05_AG1039TC = 1, GO TO R05_AG1040TC.

ELSE, IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1030TC = 1, 2, 3 AND R05_AG1039TC = 2, GO TO R05_AG1043TC.

ELSE, GO TO R05_AG9040TC.

IF LOOP = GRILLO:

IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1030CG = 1, 2, 3 AND R05_AG1039CG = 1, GO TO R05_AG1040CG.

ELSE, IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1030CG = 1, 2, 3 AND R05_AG1039CG = 2, GO TO R05_AG1043CG.

ELSE, GO TO R05_AG9040CG.

IF LOOP = GFILTR:

IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1030FC = 1, 2, 3 AND R05_AG1039FC = 1, GO TO R05_AG1040FC.

ELSE, IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1030FC = 1, 2, 3 AND R05_AG1039FC = 2, GO TO R05_AG1043FC.

ELSE, GO TO R05_AG9040FC.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1040TC; R05_AG1040CG; R05_AG1040FC

How many [CIGARFILL]s [come/came] in the box or pack that you [usually buy/bought]?

|_|_|_|_|

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack.

ASK Specification: FOR R05_AG1040TC: IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1030TC = 1, 2, 3 AND R05_AG1039TC = 1.

FOR R05_AG1040CG: IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1030CG = 1, 2, 3 AND R05_AG1039CG = 1.

FOR R05_AG1040FC: IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1030FC = 1, 2, 3 AND R05_AG1039FC = 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "come" AND "usually buy".

ELSE, DISPLAY "came" AND "bought".

PROGRAM: Allow 3 digits.

CHECK ID: R05_AG1040TC_LC1

The computer recorded that [R05_AG1040TC] traditional cigars [come/came] in the box or pack you [usually buy/bought]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1040TC

2 NEXT

GO TO R05_AG1042TC

ASK: IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1030TC = 1, 2, 3 AND R05_AG1039TC = 1 AND R05_AG1040TC > 50.

DISPLAY: IF R05_GTRAD_USER_STATUS = 1, 2, DISPLAY "come" AND "usually buy".

ELSE, DISPLAY "came" AND "bought".

PROGRAM: TRIGGER CHECK IF R05_AG1040TC > 50.

ELSE, GO TO R05_AG1042TC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1040CG_LC1

The computer recorded that [R05_AG1040CG] cigarillos [come/came] in the box or pack you [usually buy/bought]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1040CG

2 NEXT

GO TO R05_AG1042CG

ASK: IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1030CG = 1, 2, 3 AND R05_AG1039CG = 1 AND R05_AG1040CG > 20.

DISPLAY: IF R05_GRILLO_USER_STATUS = 1, 2, DISPLAY "come" AND "usually buy".
ELSE, DISPLAY "came" AND "bought".

PROGRAM: TRIGGER CHECK IF R05_AG1040CG > 20.
ELSE, GO TO R05_AG1042CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1040FC_LC1

The computer recorded that [R05_AG1040FC] filtered cigars [come/came] in the box or pack you [usually buy/bought]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1040FC

2 NEXT

GO TO R05_AG1042FC

ASK: IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1030FC = 1, 2, 3 AND R05_AG1039FC = 1 AND R05_AG1040FC > 100.

DISPLAY: IF R05_GFILTR_USER_STATUS = 1, 2, DISPLAY "come" AND "usually buy".
ELSE, DISPLAY "came" AND "bought".

PROGRAM: TRIGGER CHECK IF R05_AG1040FC > 100.
ELSE, GO TO R05_AG1042FC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1042TC_D; R05_AG1042TC_C; R05_AG1042CG_D; R05_AG1042CG_C; R05_AG1042FC_D; R05_AG1042FC_C	
[How much do you usually pay for a box or pack of [CIGARFILL]s/How much did you pay for the last box or pack of [CIGARFILL]s that you smoked]? \$ Dollars . Cents -8 DON'T KNOW GO TO R05_AG9040[TC/CG/FC] -7 REFUSED GO TO R05_AG9040[TC/CG/FC] ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy traditional cigars/cigarillos/filtered cigars by the box or pack. ASK Specification: FOR R05_AG1042TC: IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1030TC = 1, 2, 3 AND R05_AG1039TC = 1. FOR R05_AG1042CG: IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1030CG = 1, 2, 3 AND R05_AG1039CG = 1. FOR R05_AG1042FC: IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1030FC = 1, 2, 3 AND R05_AG1039FC = 1. DISPLAY: DISPLAY "\$" AS LEFT LABEL. DISPLAY "Dollars" AND "Cents" AS TITLES. IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "How much do you usually pay for a box or pack of [CIGARFILL]s". ELSE, DISPLAY "How much did you pay for the last box or pack of [CIGARFILL]s that you smoked". PROGRAM: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.	

CHECK ID: R05_AG1042TC_LC1	
The computer recorded that you [usually pay/paid] \$[R05_AG1042TC_D].[R05_AG1042TC_C] for a box of traditional cigars. Is that correct? If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. 1 BACK GO TO R05_AG1042TC 2 NEXT GO TO R05_AG9040TC ASK: IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1030TC = 1, 2, 3 AND R05_AG1039TC = 1 AND (R05_AG1042TC_D > 300 OR R05_AG1042TC_D < 10). DISPLAY: IF R05_GTRAD_USER_STATUS = 1, 2, DISPLAY "usually pay". ELSE, DISPLAY "paid". PROGRAM: TRIGGER CHECK IF R05_AG1042TC_D > 300 OR R05_AG1042TC_D < 10. ELSE, GO TO R05_AG9040TC AND DO NOT DISPLAY THIS SCREEN.	

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1042CG_LC1

The computer recorded that you [usually pay/paid] \$[R05_AG1042CG_D].[R05_AG1042CG_C] for a box of cigarillos. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R05_AG1042CG |
| 2 | NEXT | GO TO R05_AG9040CG |

ASK: IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1030CG = 1, 2, 3 AND R05_AG1039CG = 1 AND (R05_AG1042CG_D > 11 OR R05_AG1042CG_D < 1).

DISPLAY: IF R05_GRILLO_USER_STATUS = 1, 2, DISPLAY "usually pay".
ELSE, DISPLAY "paid".

PROGRAM: TRIGGER CHECK IF R05_AG1042CG_D > 11 OR R05_AG1042CG_D < 1.
ELSE, GO TO R05_AG9040CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1042FC_LC1

The computer recorded that you [usually pay/paid] \$[R05_AG1042FC_D].[R05_AG1042FC_C] for a box of filtered cigars. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|--------------------|
| 1 | BACK | GO TO R05_AG1042FC |
| 2 | NEXT | GO TO R05_AG9040FC |

ASK: IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1030FC = 1, 2, 3 AND R05_AG1039FC = 1 AND (R05_AG1042FC_D > 100 OR R05_AG1042FC_D < 1).

DISPLAY: IF R05_GFILTR_USER_STATUS = 1, 2, DISPLAY "usually pay".
ELSE, DISPLAY "paid".

PROGRAM: TRIGGER CHECK IF R05_AG1042FC_D > 100 OR R05_AG1042FC_D < 1.
ELSE, GO TO R05_AG9040FC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1043TC_D; R05_AG1043TC_C; R05_AG1043CG_D; R05_AG1043CG_C; R05_AG1043FC_D; R05_AG1043FC_C
[How much do you usually pay for a single [CIGARFILL]?/How much did you pay for the single [CIGARFILL] that you last smoked?] \$ __ __ __ Dollars . __ __ Cents -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and usually buy their traditional cigars/cigarillos/filtered cigars in person, from the internet, or by telephone and usually buy single traditional cigars/cigarillos/filtered cigars. ASK Specification: FOR R05_AG1043TC: IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1030TC = 1, 2, 3 AND R05_AG1039TC = 2. FOR R05_AG1043CG: IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1030CG = 1, 2, 3 AND R05_AG1039CG = 2. FOR R05_AG1043FC: IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1030FC = 1, 2, 3 AND R05_AG1039FC = 2. DISPLAY: DISPLAY "\$" AS LEFT LABEL. DISPLAY "Dollars" AND "Cents" AS TITLES. IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "How much do you usually pay for a single [CIGARFILL]?". ELSE, DISPLAY "How much did you pay for the single [CIGARFILL] that you last smoked?". PROGRAM: Display as Quantity/Quantity. Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_AG1043TC_LC1				
The computer recorded that you [usually pay/paid] \$[R05_AG1043TC_D].[R05_AG1043TC_C] for a single traditional cigar. Is that correct? If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. <table style="width: 100%;"> <tr> <td style="width: 50%; text-align: center;">1 BACK</td> <td style="width: 50%; text-align: center;">GO TO R05_AG1043TC</td> </tr> <tr> <td style="text-align: center;">2 NEXT</td> <td style="text-align: center;">GO TO R05_AG9040TC</td> </tr> </table> ASK: IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1030TC = 1, 2, 3 AND R05_AG1039TC = 2 AND (R05_AG1043TC_D > 15 OR R05_AG1043TC_D < 1). DISPLAY: IF R05_GTRAD_USER_STATUS = 1, 2, DISPLAY "usually pay". ELSE, DISPLAY "paid". PROGRAM: TRIGGER CHECK IF R05_AG1043TC_D > 15 OR R05_AG1043TC_D < 1. ELSE, GO TO R05_AG9040TC AND DO NOT DISPLAY THIS SCREEN.	1 BACK	GO TO R05_AG1043TC	2 NEXT	GO TO R05_AG9040TC
1 BACK	GO TO R05_AG1043TC			
2 NEXT	GO TO R05_AG9040TC			

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1043CG_LC1

The computer recorded that you [usually pay/paid] \$[R05_AG1043CG_D].[R05_AG1043CG_C] for a single cigarillo. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1043CG

2 NEXT

GO TO R05_AG9040CG

ASK: IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1030CG = 1, 2, 3 AND R05_AG1039CG = 2 AND (R05_AG1043CG_D > 3 OR (R05_AG1043CG_D = 0 AND R05_AG1043CG_C < 50)).

DISPLAY: IF R05_GRILLO_USER_STATUS = 1, 2, DISPLAY "usually pay".
ELSE, DISPLAY "paid".

PROGRAM: TRIGGER CHECK IF R05_AG1043CG_D > 3 OR (R05_AG1043CG_D = 0 AND R05_AG1043CG_C < 50).
ELSE, GO TO R05_AG9040CG AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1043FC_LC1

The computer recorded that you [usually pay/paid] \$[R05_AG1043FC_D].[R05_AG1043FC_C] for a single filtered cigar. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1043FC

2 NEXT

GO TO R05_AG9040FC

ASK: IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1030FC = 1, 2, 3 AND R05_AG1039FC = 2 AND (R05_AG1043FC_D > 3 OR (R05_AG1043FC_D = 0 AND R05_AG1043FC_C < 50)).

DISPLAY: IF R05_GFILTR_USER_STATUS = 1, 2, DISPLAY "usually pay".
ELSE, DISPLAY "paid".

PROGRAM: TRIGGER CHECK IF R05_AG1043FC_D > 3 OR (R05_AG1043FC_D = 0 AND R05_AG1043FC_C < 50).
ELSE, GO TO R05_AG9040FC AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9040TC; R05_AG9040CG; R05_AG9040FC***

Please look at this picture. Which group is most like the [CIGARFILL] you [usually smoke/last smoked]?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

- 1 Group 1
- 2 Group 2
- 3 Group 3
- 4 Group 4
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG9040TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_AG9040CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_AG9040FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "usually smoke".
ELSE, DISPLAY "last smoked".

IMAGE: SHOW GENERIC IMAGE OF 4 CIGAR GROUPS

Note: Group 1 is traditional cigars; group 2 is cigarillos with tips; group 3 is cigarillos without tips; group 4 is filtered cigars.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1047TC; R05_AG1047CG; R05_AG1047FC***

[Do/Did] you have a regular brand of [[CIGARFILL]s] that you usually [smoke/smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1047TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_AG1047CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_AG1047FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "Do", "smoke" AND "[CIGARFILL]s".

ELSE, DISPLAY "Did", "smoked" AND "[CIGARFILL]s".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1050TC; R05_AG1050CG; R05_AG1050FC***

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|----------------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AG1945[TC/CG/FC] |
| 3 | I don't know | GO TO R05_AG1945[TC/CG/FC] |
| -8 | DON'T KNOW | GO TO R05_AG1945[TC/CG/FC] |
| -7 | REFUSED | GO TO R05_AG1945[TC/CG/FC] |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1050TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_AG1050CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_AG1050FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF R05_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2)), DISPLAY "Is", "your regular brand" AND "smoke".
ELSE, IF R05_AG1047[TC/CG/FC] = 2, -8, -7 AND ((LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2)), DISPLAY "Was", "the last brand" AND "smoked".

ELSE, IF ((LOOP = GTRAD AND (R05_GTRAD_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1)) OR (LOOP = GRILLO AND (R05_GRILLO_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1)) OR (LOOP = GFILTR AND (R05_GFILTR_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1)) AND R05_AG1047[TC/CG/FC] = 1, DISPLAY "Was", "your regular brand" AND "smoked".

ELSE, IF ((LOOP = GTRAD AND (R05_GTRAD_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1)) OR (LOOP = GRILLO AND (R05_GRILLO_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1)) OR (LOOP = GFILTR AND (R05_GFILTR_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1))) AND R05_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavor [is/was] it? Choose all that apply.

- | | | |
|---|----|--|
| R05_AG1012TC_01;
R05_AG1012CG_01;
R05_AG1012FC_01 | 1 | Menthol or mint |
| R05_AG1012TC_02;
R05_AG1012CG_02;
R05_AG1012FC_02 | 2 | Clove or spice |
| R05_AG1012TC_03;
R05_AG1012CG_03;
R05_AG1012FC_03 | 3 | Fruit |
| R05_AG1012TC_04;
R05_AG1012CG_04;
R05_AG1012FC_04 | 4 | Chocolate |
| R05_AG1012TC_05;
R05_AG1012CG_05;
R05_AG1012FC_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AG1012TC_06;
R05_AG1012CG_06;
R05_AG1012FC_06 | 6 | Candy or other sweets |
| R05_AG1012TC_07;
R05_AG1012TC_OS;
R05_AG1012CG_07;
R05_AG1012CG_OS;
R05_AG1012FC_07;
R05_AG1012FC_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers whose regular brand or last brand of traditional cigar/cigarillo/filtered cigar smoked was flavored.

ASK Specification: FOR R05_AG1012TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1050TC = 1.

FOR R05_AG1012CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1050CG = 1.

FOR R05_AG1012FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1050FC = 1.

DISPLAY: IF R05_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2)), DISPLAY "is".
ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1945TC; R05_AG1945CG; R05_AG1945FC***

Do you know the name of the brand of [CIGARFILL]s you [usually smoke/usually smoked/last smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1945TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_AG1945CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_AG1945FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF R05_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2)), DISPLAY "usually smoke".

IF R05_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R05_GTRAD_USER_STATUS != 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS != 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS != 1, 2)), DISPLAY "usually smoked".

IF R05_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "last smoked".

UNDERLINE "name of the brand".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR33

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, go to R05_AG1048[TC/CG/FC]_BRAND. Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars, go to R05_AG1051[TC/CG/FC]. Else, go to Box R05_AGD03.

IF LOOP = GTRAD:

IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1945TC = 1, GO TO R05_AG1048TC_BRAND. ELSE, IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1047TC = 1, GO TO R05_AG1051TC. ELSE, GO TO BOX R05_AGD03.

IF LOOP = GRILLO:

IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1945CG = 1, GO TO R05_AG1048CG_BRAND. ELSE, IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1047CG = 1, GO TO R05_AG1051CG. ELSE, GO TO BOX R05_AGD03.

IF LOOP = GFILTR:

IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1945FC = 1, GO TO R05_AG1048FC_BRAND. ELSE, IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1047FC = 1, GO TO R05_AG1051FC. ELSE, GO TO BOX R05_AGD03.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1048TC_BRAND; R05_AG1048CG_BRAND; R05_AG1048FC_BRAND
What brand of [CIGARFILL]s [do/did] you [usually/last] smoke? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked. ASK Specification: FOR R05_AG1048TC_BRAND: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1945TC = 1. FOR R05_AG1048CG_BRAND: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1945CG = 1. FOR R05_AG1048FC_BRAND: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1945FC = 1. DISPLAY: IF R05_AG1047[TC/CG/FC] = 1 AND ((LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2)), DISPLAY "do" AND "usually". ELSE, IF R05_AG1047[TC/CG/FC] = 1, DISPLAY "did" AND "usually". ELSE, IF R05_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last". IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else".". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR16

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars, go to R05_AG1049[TC/CG/FC].

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars, go to R05_AG1070[TC/CG/FC]_PRODUCT.

Else, go to Box R05_AGR31.

IF LOOP = GTRAD:

IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1945TC = 1 AND R05_AG1048TC_BRAND = 9995, GO TO R05_AG1049TC.

ELSE, IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1945TC = 1 AND R05_AG1048TC_BRAND != 9995, -8, -7, GO TO R05_AG1070TC_PRODUCT.

ELSE, GO TO BOX R05_AGR31.

IF LOOP = GRILLO:

IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1945CG = 1 AND R05_AG1048CG_BRAND = 9995, GO TO R05_AG1049CG.

ELSE, IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1945CG = 1 AND R05_AG1048CG_BRAND != 9995, -8, -7, GO TO R05_AG1070CG_PRODUCT.

ELSE, GO TO BOX R05_AGR31.

IF LOOP = GFILTR:

IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1945FC = 1 AND R05_AG1048FC_BRAND = 9995, GO TO R05_AG1049FC.

ELSE, IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1945FC = 1 AND R05_AG1048FC_BRAND != 9995, -8, -7, GO TO R05_AG1070FC_PRODUCT.

ELSE, GO TO BOX R05_AGR31.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1049TC; R05_AG1049CG; R05_AG1049FC

You said that your brand was not listed. What is it?

-8 DON'T KNOW

GO TO BOX R05_AGR31[TC/CG/FC]

GO TO BOX R05_AGR31[TC/CG/FC]

-7 REFUSED

GO TO BOX R05_AGR31[TC/CG/FC]

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected "Something else" for their brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R05_AG1049TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1945TC = 1 AND R05_AG1048TC_BRAND = 9995.

FOR R05_AG1049CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1945CG = 1 AND R05_AG1048CG_BRAND = 9995.

FOR R05_AG1049FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1945FC = 1 AND R05_AG1048FC_BRAND = 9995.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1070TC_PRODUCT; R05_AG1070CG_PRODUCT;
R05_AG1070FC_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R05_AG1070TC_PRODUCT: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1945TC = 1 AND R05_AG1048TC_BRAND != 9995, -8, -7.

FOR R05_AG1070CG_PRODUCT: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1945CG = 1 AND R05_AG1048CG_BRAND != 9995, -8, -7.

FOR R05_AG1070FC_PRODUCT: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1945FC = 1 AND R05_AG1048FC_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R05_AG1048[TC/CG/FC]_BRAND.

IF R05_AG1047[TC/CG/FC] = 1 AND (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2)), DISPLAY "do" AND "usually".

ELSE, IF R05_AG1047[TC/CG/FC] = 1, DISPLAY "did" AND "usually".

ELSE, IF R05_AG1047[TC/CG/FC] = 2, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR17

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars, go to R05_AG1071[TC/CG/FC].
Else, go to Box R05_AGR31.

IF LOOP = GTRAD:

IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1945TC = 1 AND R05_AG1048TC_BRAND != 9995, -8, -7 AND R05_AG1070TC_PRODUCT = 99995, GO TO R05_AG1071TC.
ELSE, GO TO BOX R05_AGR31.

IF LOOP = GRILLO:

IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1945CG = 1 AND R05_AG1048CG_BRAND != 9995, -8, -7 AND R05_AG1070CG_PRODUCT = 99995, GO TO R05_AG1071CG.
ELSE, GO TO BOX R05_AGR31.

IF LOOP = GFILTR:

IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1945FC = 1 AND R05_AG1048FC_BRAND != 9995, -8, -7 AND R05_AG1070FC_PRODUCT = 99995, GO TO R05_AG1071FC.
ELSE, GO TO BOX R05_AGR31.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1071TC; R05_AG1071CG; R05_AG1071FC

You said that the type of [BRANDFILL]s that you [smoke/smoked][as blunts] is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked and selected a brand of traditional cigars/cigarillos/filtered cigars and selected "Something else" for their subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R05_AG1071TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1945TC = 1 AND R05_AG1048TC_BRAND != 9995, -8, -7 AND R05_AG1070TC_PRODUCT = 99995.

FOR R05_AG1071CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1945CG = 1 AND R05_AG1048CG_BRAND != 9995, -8, -7 AND R05_AG1070CG_PRODUCT = 99995.

FOR R05_AG1071FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1945FC = 1 AND R05_AG1048FC_BRAND != 9995, -8, -7 AND R05_AG1070FC_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R05_AG1048[TC/CG/FC]_BRAND.
IF ((LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2)) AND R05_AG1047[TC/CG/FC] = 1, DISPLAY "smoke".
ELSE, DISPLAY "smoked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR31

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars, go to R05_AG1051[TC/CG/FC].
Else, go to Box R05_AGR29.

IF LOOP = GTRAD:

IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1047TC = 1, GO TO R05_AG1051TC.
ELSE, GO TO BOX R05_AGR29.

IF LOOP = GRILLO:

IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1047CG = 1, GO TO R05_AG1051CG.
ELSE, GO TO BOX R05_AGR29.

IF LOOP = GFILTR:

IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1047FC = 1, GO TO R05_AG1051FC.
ELSE, GO TO BOX R05_AGR29.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1051TC_NN; R05_AG1051TC_UN; R05_AG1051CG_NN;
R05_AG1051CG_UN; R05_AG1051FC_NN; R05_AG1051FC_UN

About how long [did you smoke/have you been smoking] your regular brand of [CIGARFILL]?

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 3 |__|__| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and have a regular brand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R05_AG1051TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1047TC = 1.

FOR R05_AG1051CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1047CG = 1.

FOR R05_AG1051FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1047FC = 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "have you been smoking".
ELSE, DISPLAY "did you smoke".

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

NOTES: The value "1" refers to R05_AG1051[TC/CG/FC]_UN = Days; the value "2" refers to R05_AG1051[TC/CG/FC]_UN = Months; the value "3" refers to R05_AG1051[TC/CG/FC]_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1051TC_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of traditional cigar for [R05_AG1051TC_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1051TC

2 NEXT

GO TO R05_AG1051TC_LC2

ASK: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1047TC = 1 AND (R05_AG1051TC_NN > R05R_A_AGE) AND R05_AG1051TC_UN = 3.

DISPLAY: IF R05_GTRAD_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R05_AG1051TC_NN > R05R_A_AGE) AND R05_AG1051TC_UN = 3.
ELSE, GO TO R05_AG1051TC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1051TC_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of traditional cigar.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1051TC

2 NEXT

GO TO BOX R05_AGR29

ASK: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG1047TC = 1 AND R05_AG1051TC_NN = 0.

DISPLAY: IF R05_GTRAD_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R05_AG1051TC_NN = 0.
ELSE, GO TO BOX R05_AGR29 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1051CG_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of cigarillo for [R05_AG1051CG_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1051CG

2 NEXT

GO TO R05_AG1051CG_LC2

ASK: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1047CG = 1 AND (R05_AG1051CG_NN > R05R_A_AGE) AND R05_AG1051CG_UN = 3.

DISPLAY: IF R05_GRILLO_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R05_AG1051CG_NN > R05R_A_AGE) AND R05_AG1051CG_UN = 3.
ELSE, GO TO R05_AG1051CG_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1051CG_LC2

The computer recorded "0" for how long you [have been smoking/smoked] your regular brand of cigarillo.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1051CG

2 NEXT

GO TO BOX R05_AGR29

ASK: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1047CG = 1 AND R05_AG1051CG_NN = 0.

DISPLAY: IF R05_GRILLO_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R05_AG1051CG_NN = 0.
ELSE, GO TO BOX R05_AGR29 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AG1051FC_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of filtered cigar for [R05_AG1051FC_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1051FC

2 NEXT

GO TO R05_AG1051FC_LC2

ASK: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1047FC = 1 AND (R05_AG1051FC_NN > R05R_A_AGE) AND R05_AG1051FC_UN = 3.

DISPLAY: IF R05_GFILTR_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R05_AG1051FC_NN > R05R_A_AGE) AND R05_AG1051FC_UN = 3.
ELSE, GO TO R05_AG1051FC_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AG1051FC_LC2

The computer recorded "0" for how long you [have been smoking /smoked] your regular brand of filtered cigar.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AG1051FC

2 NEXT

GO TO BOX R05_AGR29

ASK: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1047FC = 1 AND R05_AG1051FC_NN = 0.

DISPLAY: IF R05_GFILTR_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R05_AG1051FC_NN = 0.
ELSE, GO TO BOX R05_AGR29 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR29

Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars, go to R05_AG0104[TC/CG/FC].
Else, go to Box R05_AGD03.

IF LOOP = GTRAD:

IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG0100TC = 1, 2, 3, 4 AND R05_AG1945TC = 1 AND R05_AG1048TC_BRAND != 9995, -8, -7 AND R05_AG1070TC_PRODUCT != 99990, 99995, -8, -7, GO TO R05_AG0104TC.
ELSE, GO TO BOX R05_AGD03.

IF LOOP = GRILLO:

IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG0100CG = 1, 2, 3, 4 AND R05_AG1945CG = 1 AND R05_AG1048CG_BRAND != 9995, -8, -7 AND R05_AG1070CG_PRODUCT != 99990, 99995, -8, -7, GO TO R05_AG0104CG.
ELSE, GO TO BOX R05_AGD03.

IF LOOP = GFILTR:

IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG0100FC = 1, 2, 3, 4 AND R05_AG1945FC = 1 AND R05_AG1048FC_BRAND != 9995, -8, -7 AND R05_AG1070FC_PRODUCT != 99990, 99995, -8, -7, GO TO R05_AG0104FC.
ELSE, GO TO BOX R05_AGD03.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG0104TC***; R05_AG0104CG***; R05_AG0104FC***

You said earlier that you smoked a [CIGARFILL] [TIME OF LAST USE].

Think about the very last [CIGARFILL] you smoked.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and last smoked a traditional cigar/cigarillo/filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday, and know the name of the brand of traditional cigars/cigarillos/filtered cigars they usually smoke or last smoked, and selected a brand and subbrand of traditional cigars/cigarillos/filtered cigars.

ASK Specification: FOR R05_AG0104TC: IF (R05_GTRAD_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_AG0100TC = 1, 2, 3, 4 AND R05_AG1945TC = 1 AND R05_AG1048TC_BRAND != 9995, -8, -7 AND R05_AG1070TC_PRODUCT != 99990, 99995, -8, -7.
FOR R05_AG0104CG: IF (R05_GRILLO_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG0100CG = 1, 2, 3, 4 AND R05_AG1945CG = 1 AND R05_AG1048CG_BRAND != 9995, -8, -7 AND R05_AG1070CG_PRODUCT != 99990, 99995, -8, -7.
FOR R05_AG0104FC: IF (R05_GFILTR_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG0100FC = 1, 2, 3, 4 AND R05_AG1945FC = 1 AND R05_AG1048FC_BRAND != 9995, -8, -7 AND R05_AG1070FC_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_AG0100[TC/CG/FC] = 1, FILL [TIME OF LAST USE] WITH "in the past hour".
ELSE, IF R05_AG0100[TC/CG/FC] = 2, FILL [TIME OF LAST USE] WITH "sometime today".
ELSE, IF R05_AG0100[TC/CG/FC] = 3, FILL [TIME OF LAST USE] WITH "yesterday".
ELSE, IF R05_AG0100[TC/CG/FC] = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".
FILL [NEQBRAND] WITH RESPONSE TO R05_AG1070[TC/CG/FC]_PRODUCT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AG03

Randomize order of R05_AG1060[TC/CG/FC] through R05_AG1077[TC/CG/FC].

Display question R05_AG1060[TC/CG/FC], R05_AG1085[TC/CG/FC], R05_AG1062[TC/CG/FC], R05_AG1075[TC/CG/FC], R05_AG1063[TC/CG/FC], R05_AG1064[TC/CG/FC], R05_AG1066[TC/CG/FC] and R05_AG1077[TC/CG/FC] on one screen. Show the intro/transition text from R05_AG1060[TC/CG/FC] first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1060TC; R05_AG1060CG; R05_AG1060FC***

The next questions are about the reasons people smoke [CIGARFILL]s. Please select which reasons [apply to you/applied to you when you used to smoke [CIGARFILL]s].

I [smoke/smoked] [CIGARFILL]s because...

They [are/were] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1060TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_AG1060CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_AG1060FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "apply to you", "smoke" AND "are".

ELSE, DISPLAY "applied to you when you used to smoke [CIGARFILL]", "smoked" AND "were".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1085TC; R05_AG1085CG; R05_AG1085FC***

I [can/could] smoke [CIGARFILL]s at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1085TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.

FOR R05_AG1085CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.

FOR R05_AG1085FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AG1062TC; R05_AG1062CG; R05_AG1062FC***

They might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1062TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.

FOR R05_AG1062CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.

FOR R05_AG1062FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "be".

ELSE, DISPLAY "have been".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1075TC; R05_AG1075CG; R05_AG1075FC***

They might [be/have been] less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1075TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_AG1075CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_AG1075FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "be".

ELSE, DISPLAY "have been".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AG1063TC; R05_AG1063CG; R05_AG1063FC***

[CIGARFILL]s [come/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1063TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_AG1063CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_AG1063FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "come" AND "like".

ELSE, DISPLAY "came" AND "liked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR15

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established, current experimental, or recent former established cigarette smokers, go to R05_AG1064[TC/CG/FC].
Else, go to R05_AG1066[TC/CG/FC].

IF LOOP = GTRAD:

IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AG1064TC.
ELSE, GO TO R05_AG1066TC.

IF LOOP = GRILLO:

IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AG1064CG.
ELSE, GO TO R05_AG1066CG.

IF LOOP = GFILTR:

IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AG1064FC.
ELSE, GO TO R05_AG1066FC.

Variable(s): R05_AG1064TC; R05_AG1064CG; R05_AG1064FC***

Smoking [CIGARFILL]s helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: FOR R05_AG1064TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_CIG_USER_STATUS = 1, 2, 4.

FOR R05_AG1064CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_CIG_USER_STATUS = 1, 2, 4.

FOR R05_AG1064FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_CIG_USER_STATUS = 1, 2, 4.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1066TC**; R05_AG1066CG**; R05_AG1066FC**

Smoking a [CIGARFILL] [feels/felt] like smoking a regular cigarette.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1066TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_AG1066CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_AG1066FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "feels".
ELSE, DISPLAY "felt".

NOTES: **SKIP ERROR: R05_AG1066TC: This item was skipped incorrectly by some respondents who were ever users of cigarettes (R05_EVER_NEVER_CIGS = 1) and were current established, current experimental, recent former established, or non-current 30-day traditional cigar smokers (R05_GTRAD_USER_STATUS = 1, 2, 4) and were not past 12 month blunt-only traditional cigar smokers (R05_12MBLUNT_ONLY_BTRAD != 1). This issue was fixed in a field update on 1/24/2019.
R05_AG1066CG: This item was skipped incorrectly by some respondents who were ever users of cigarettes (R05_EVER_NEVER_CIGS = 1) and were current established, current experimental, recent former established, or non-current 30-day cigarillo smokers (R05_GRILLO_USER_STATUS = 1, 2, 4) and were not past 12 month blunt-only cigarillo smokers (R05_12MBLUNT_ONLY_BRILLO != 1). This issue was fixed in a field update on 1/24/2019.

R05_AG1066FC: This item was skipped incorrectly by some respondents who were ever users of cigarettes (R05_EVER_NEVER_CIGS = 1) and were current established, current experimental, recent former established, or non-current 30-day filtered cigar smokers (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_GFILTR_USER_STATUS = 1, 2, 4) and were not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers (R05_12MBLUNT_ONLY_BTRAD != 1 OR R05_12MBLUNT_ONLY_BRILLO != 1 OR R05_12MBLUNT_ONLY_BFILTR != 1). This issue was fixed in a field update on 1/24/2019.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR59

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established, current experimental, or recent former established cigarette smokers, go to R05_AG1077[TC/CG/FC].
Else, go to Box R05_AGR28.

IF LOOP = GTRAD:

IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AG1077TC.
ELSE, GO TO BOX R05_AGR28.

IF LOOP = GRILLO:

IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AG1077CG.
ELSE, GO TO BOX R05_AGR28.

IF LOOP = GFILTR:

IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AG1077FC.
ELSE, GO TO BOX R05_AGR28.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1077TC; R05_AG1077CG; R05_AG1077FC***

Smoking [CIGARFILL]s [satisfies/satisfied] my cravings for cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: FOR R05_AG1077TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_CIG_USER_STATUS = 1, 2, 4.

FOR R05_AG1077CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_CIG_USER_STATUS = 1, 2, 4.

FOR R05_AG1077FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_CIG_USER_STATUS = 1, 2, 4.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "satisfies".

ELSE, DISPLAY "satisfied".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AGR28

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established or recent former established cigarette smokers, go to R05_AG1080[TC/CG/FC].
Else, go to R05_AG1139[TC/CG/FC].

IF LOOP = GTRAD:

IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_CIG_USER_STATUS = 1, 4, GO TO R05_AG1080TC.
ELSE, GO TO R05_AG1139TC.

IF LOOP = GRILLO:

IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_CIG_USER_STATUS = 1, 4, GO TO R05_AG1080CG.
ELSE, GO TO R05_AG1139CG.

IF LOOP = GFILTR:

IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_CIG_USER_STATUS = 1, 4, GO TO R05_AG1080FC.
ELSE, GO TO R05_AG1139FC.

Variable(s): R05_AG1080TC; R05_AG1080CG; R05_AG1080FC***

[Do/Did] you smoke [CIGARFILL]s as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established or recent former established cigarette smokers.

ASK Specification: FOR R05_AG1080TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_CIG_USER_STATUS = 1, 4.

FOR R05_AG1080CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_CIG_USER_STATUS = 1, 4.

FOR R05_AG1080FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_CIG_USER_STATUS = 1, 4.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "Do".

ELSE, DISPLAY "Did".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1082TC; R05_AG1082CG; R05_AG1082FC***

[Are/Did] you [smoking/smoke] [CIGARFILL]s as a way to quit smoking cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and are current established or recent former established cigarette smokers.

ASK Specification: FOR R05_AG1082TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_CIG_USER_STATUS = 1, 4.

FOR R05_AG1082CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_CIG_USER_STATUS = 1, 4.

FOR R05_AG1082FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_CIG_USER_STATUS = 1, 4.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "Are" AND "smoking".
ELSE, DISPLAY "Did" AND "smoke".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1139TC; R05_AG1139CG; R05_AG1139FC***

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a [CIGARFILL].

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1139TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_AG1139CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_AG1139FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "is",
ELSE, DISPLAY "was".

Display scale for the R05_AG1139[TC/CG/FC]-R05_AG1141[TC/CG/FC] series.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1140TC; R05_AG1140CG; R05_AG1140FC***

While smoking a [CIGARFILL], I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1140TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_AG1140CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_AG1140FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "feel",
ELSE, DISPLAY "felt".

Display scale for the R05_AG1139[TC/CG/FC]-R05_AG1141[TC/CG/FC] series.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1141TC; R05_AG1141CG; R05_AG1141FC***

I [smoke/smoked] [CIGARFILL]s much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers.

ASK Specification: FOR R05_AG1141TC: IF (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GTRAD = 1) AND R05_12MBLUNT_ONLY_BTRAD != 1.
FOR R05_AG1141CG: IF (R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GRILLO = 1) AND R05_12MBLUNT_ONLY_BRILLO != 1.
FOR R05_AG1141FC: IF (R05_GFILTR_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_GFILTR = 1) AND R05_12MBLUNT_ONLY_BFILTR != 1.

DISPLAY: IF (LOOP = GTRAD AND R05_GTRAD_USER_STATUS = 1, 2) OR (LOOP = GRILLO AND R05_GRILLO_USER_STATUS = 1, 2) OR (LOOP = GFILTR AND R05_GFILTR_USER_STATUS = 1, 2), DISPLAY "smoke" AND "am",
ELSE, DISPLAY "smoked" AND "was".

Display scale for the R05_AG1139[TC/CG/FC]-R05_AG1141[TC/CG/FC] series.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AGR04

END CIGAR LOOP:

Adult respondents who have remaining traditional cigar/cigarillo/filtered cigar loops to complete, return to Box R05_AGR10 and complete remaining traditional cigar/cigarillo/filtered cigar loops.

Else, adult respondents who have no more remaining traditional cigar/cigarillo/filtered cigar loops to complete, go to the next section.

IF THERE ARE REMAINING NON-BLUNT CIGAR LOOPS TO BE COMPLETED, GO BACK TO R05_AGR10 AND REPEAT SECTION.

ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED, GO TO THE NEXT SECTION.

PIPE

BOX ID: R05_APR04

Adult respondents who were recent former established or long-term former established pipe smokers and had smoked 100 or more bowls of pipe tobacco and had smoked fairly regularly as of their last completed interview, and have not smoked a pipe in the past 12 months or now smoke a pipe not at all, go to Box R05_APV01.
Else, continue with Box R05_APT02.

IF R04_PIPE_USER_STATUS = 4, 5 AND R04_NUMLIFE_PIPE = 1 AND R04_REGUSE_PIPE = 1 AND (R05_AP1002_12M = 2 OR R05_AP1003 = 3), GO TO BOX R05_APV01.
ELSE, GO TO BOX R05_APT02.

BOX ID: R05_APT02

The next questions are about smoking tobacco in **pipes**.

Pipes come in many shapes and sizes. They all have a bowl that holds the tobacco and a stem. Pipe tobacco is often sold loose in packages or tins. In the following section, we are only asking about smoking pipes filled with tobacco. The picture below shows a typical pipe and some pipe tobacco.

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

BOLD "pipes".

BOX ID: R05_APR03

Adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco as of their last completed interview, go to R05_AP1005.
Else, go to Box R05_APR08.

IF R05_EVER_NEVER_PIPE = 1 AND R04_NUMLIFE_PIPE != 1, GO TO R05_AP1005.
ELSE, GO TO BOX R05_APR08.

Variable(s): R05_AP1005

How many bowls filled with pipe tobacco have you smoked in your entire life?

- 1 1 or more puffs but never a whole one
- 2 1 to 10
- 3 11 to 20
- 4 21 to 50
- 5 51 to 99
- 6 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked a pipe and had not smoked 100 or more bowls of pipe tobacco as of their last completed interview.

ASK Specification: IF R05_EVER_NEVER_PIPE = 1 AND R04_NUMLIFE_PIPE != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR08
Adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as their last completed interview, go to R05_AP1100. Else, go to Box R05_APV01.
IF R05_EVER_NEVER_PIPE = 1 AND R04_REGUSE_PIPE != 1, GO TO R05_AP1100. ELSE, GO TO BOX R05_APV01.

Variable(s): R05_AP1100
Have you ever smoked a pipe filled with tobacco fairly regularly? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview. ASK Specification: IF R05_EVER_NEVER_PIPE = 1 AND R04_REGUSE_PIPE != 1.

BOX ID: R05_APR09
New baseline adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview and have ever smoked a pipe fairly regularly, go to R05_AP1007_NB. Else, go to Box R05_APV01.
IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_PIPE = 1 AND R05_AP1100 = 1, GO TO R05_AP1007_NB. ELSE, GO TO BOX R05_APV01.

Variable(s): R05_AP1007_NB
How old were you when you first started smoking a pipe filled with tobacco fairly regularly? _ _ _ Years old -8 DON'T KNOW -7 REFUSED
ASK: New baseline adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview and have ever smoked a pipe fairly regularly. ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_PIPE = 1 AND R05_AP1100 = 1. DISPLAY: DISPLAY "Years old" AS A TITLE. PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AP1007_NB_LC1

The computer recorded that you started smoking pipes fairly regularly at age [R05_AP1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP1007_NB

2 NEXT

GO TO R05_AP1007_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_PIPE = 1 AND R05_AP1100 = 1 AND R05_AP1007_NB <= 10.

PROGRAM: TRIGGER CHECK IF R05_AP1007_NB <= 10.

ELSE, GO TO R05_AP1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AP1007_NB_LC2

The computer recorded that you started smoking pipes fairly regularly at age [R05_AP1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP1007_NB

2 NEXT

GO TO BOX R05_APV01

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_PIPE = 1 AND R05_AP1100 = 1 AND (R05_AP1007_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AP1007_NB > R05R_A_AGE.

ELSE, GO TO BOX R05_APV01 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AP1121_NB

When you first started smoking a pipe filled with tobacco fairly regularly, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever smoked a pipe and had not reported ever smoking a pipe fairly regularly as of their last completed interview and have ever smoked a pipe fairly regularly and did not know or refused to report the age they first started smoking a pipe fairly regularly.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_PIPE = 1 AND R05_AP1100 = 1 AND R05_AP1007_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_PIPE_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke every day or some days.

R05_PIPE_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked a pipe fairly regularly, and currently smoke every day or some days.

R05_PIPE_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a pipe and have never smoked a pipe fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R05_PIPE_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental pipe smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked a pipe as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated pipe smoking since their last completed interview, have ever smoked a pipe fairly regularly, have smoked in the past 12 months and currently smoke not at all.

R05_PIPE_USER_STATUS = 5 (Long-term former established user) Continuing adult respondents who were recent former established or long-term former established pipe smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all.

R05_CURRENT_PIPE_USE = 1 (Every day established user) Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke every day.

R05_CURRENT_PIPE_USE = 2 (Some day established user) Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke some days.

R05_FORMER_THIRTYDAY_USER_PIPE = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established pipe smokers who have smoked any pipe tobacco in the past 30 days.

R05_PIPE_USER_STATUS = 1:

IF R05_EVER_NEVER_PIPE = 1 AND (R04_REGUSE_PIPE = 1 OR R05_AP1100 = 1) AND R05_AP1003 = 1, 2, THEN R05_PIPE_USER_STATUS = 1.

R05_PIPE_USER_STATUS = 2:

ELSE, IF R05_EVER_NEVER_PIPE = 1 AND R04_REGUSE_PIPE != 1 AND R05_AP1100 != 1 AND R05_AP1003 = 1, 2, THEN R05_PIPE_USER_STATUS = 2.

R05_PIPE_USER_STATUS = 3:

ELSE, IF R05_EVER_NEVER_PIPE = 1 AND (R05_AP1002_12M = 2 OR R05_AP1003 = 3) AND R04_REGUSE_PIPE != 1 AND R05_AP1100 != 1, THEN R05_PIPE_USER_STATUS = 3.

R05_PIPE_USER_STATUS = 4:

ELSE, IF (R04_PIPE_USER_STATUS = 1, 2, 3 OR R05_INIT_PIPE_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_PIPE = 1)) AND (R04_REGUSE_PIPE = 1 OR R05_AP1100 = 1) AND R05_EVER_NEVER_PIPE = 1 AND (R05_AP1002_12M = 2 OR R05_AP1003 = 3), THEN R05_PIPE_USER_STATUS = 4.

R05_PIPE_USER_STATUS = 5:

ELSE, IF R04_PIPE_USER_STATUS = 4, 5 AND R05_EVER_NEVER_PIPE = 1 AND (R05_AP1002_12M = 2 OR R05_AP1003 = 3), THEN R05_PIPE_USER_STATUS = 5.

R05_CURRENT_PIPE_USE = 1:

IF R05_PIPE_USER_STATUS = 1 AND R05_AP1003 = 1, THEN R05_CURRENT_PIPE_USE = 1.

R05_CURRENT_PIPE_USE = 2:

ELSE, IF R05_PIPE_USER_STATUS = 1 AND R05_AP1003 = 2, THEN R05_CURRENT_PIPE_USE = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R05_FORMER_THIRTYDAY_USER_PIPE = 1:

IF R05_PIPE_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AP1009_NN <= 30 AND R05_AP1009_UN = 1) OR (R05_AP1009_NN = 1 AND R05_AP1009_UN = 2) OR R05_AP1004 = 1), THEN
R05_FORMER_THIRTYDAY_USER_PIPE = 1.
ELSE, R05_FORMER_THIRTYDAY_USER_PIPE = 2.

BOX ID: R05_APR01

New baseline adult respondents who are every day established pipe smokers, go to R05_AP1020_NB.
Else, adult respondents who have initiated pipe smoking since their last completed interview, go to R05_AP1008.
Else, adult respondents who are every day established pipe smokers, go to R05_AP1021.
Else, adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, go to R05_AP1022.
Else, adult respondents who are recent former established pipe smokers, go to R05_AP1047.
Else, go to the next section.

IF R05_ADULTTYPE = 2 AND R05_CURRENT_PIPE_USE = 1, GO TO R05_AP1020_NB.
ELSE, IF R05_INIT_PIPE_ADULT = 1, GO TO R05_AP1008.
ELSE, IF R05_CURRENT_PIPE_USE = 1, GO TO R05_AP1021.
ELSE, IF R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR
R05_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R05_AP1022.
ELSE, IF R05_PIPE_USER_STATUS = 4, GO TO R05_AP1047.
ELSE, GO TO THE NEXT SECTION.

Variable(s): R05_AP1020_NB

How old were you when you first started smoking a pipe filled with tobacco every day?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AP1122_NB

-7 REFUSED

GO TO R05_AP1122_NB

ASK: New baseline adult respondents who are every day established pipe smokers.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_CURRENT_PIPE_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AP1020_NB_LC1

The computer recorded that you started smoking a pipe every day at age [R05_AP1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP1020_NB

2 NEXT

GO TO R05_AP1020_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_PIPE_USE = 1 AND (R05_AP1020_NB <= 10 OR R05_AP1020_NB < R05_AP1007_NB).

PROGRAM: TRIGGER CHECK IF R05_AP1020_NB <= 10 OR R05_AP1020_NB < R05_AP1007_NB. ELSE, GO TO R05_AP1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AP1020_NB_LC2

The computer recorded that you started smoking a pipe every day at age [R05_AP1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP1020_NB

2 NEXT

GO TO BOX R05_APR12

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_PIPE_USE = 1 AND (R05_AP1020_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AP1020_NB > R05R_A_AGE. ELSE, GO TO BOX R05_APR12 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AP1122_NB

When you first started smoking a pipe filled with tobacco every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who are every day established pipe smokers and did not know or refused to report the age they first started smoking a pipe every day.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_CURRENT_PIPE_USE = 1 AND R05_AP1020_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR12

Adult respondents who have initiated pipe smoking since their last completed interview, go to R05_AP1008.
Else, go to Box R05_APR13.

IF R05_INIT_PIPE_ADULT = 1, GO TO R05_AP1008.
ELSE, GO TO BOX R05_APR13.

Variable(s): R05_AP1008

When you first started smoking a pipe, did you smoke pipe tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_APR13 |
| 3 | I don't know | GO TO BOX R05_APR13 |
| -8 | DON'T KNOW | GO TO BOX R05_APR13 |
| -7 | REFUSED | GO TO BOX R05_APR13 |

ASK: Adult respondents who initiated pipe smoking since their last completed interview.

ASK Specification: IF R05_INIT_PIPE_ADULT = 1.

Variable(s): SEE BELOW:

Which flavor did you first start smoking? Choose all that apply.

- | | | |
|---|----|--|
| R05_AP1011_01 | 1 | Menthol or mint |
| R05_AP1011_02 | 2 | Clove or spice |
| R05_AP1011_03 | 3 | Fruit |
| R05_AP1011_04 | 4 | Chocolate |
| R05_AP1011_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AP1011_06 | 6 | Candy or other sweets |
| R05_AP1011_07;
R05_AP1011_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who initiated pipe smoking since their last completed interview and whose first pipe tobacco was flavored.

ASK Specification: IF R05_INIT_PIPE_ADULT = 1 AND R05_AP1008 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR13

Adult respondents who are every day established pipe smokers, go to R05_AP1021.
Else, adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers, go to R05_AP1022.
Else, go to the next section.

IF R05_CURRENT_PIPE_USE = 1, GO TO R05_AP1021.
ELSE, IF R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR
R05_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R05_AP1022.
ELSE, GO TO THE NEXT SECTION.

Variable(s): R05_AP1021

On average, about how many bowls filled with pipe tobacco do you now smoke each day?

-2 Less than 1 each day GO TO R05_AP1024

|_|_|_|

-8 DON'T KNOW GO TO R05_AP1024

-7 REFUSED GO TO R05_AP1024

ASK: Adult respondents who are every day established pipe smokers.

ASK Specification: IF R05_CURRENT_PIPE_USE = 1.

DISPLAY: DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON "Less than 1 each day" ON RIGHT.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AP1021_LC1

The computer recorded that you now smoke [R05_AP1021] bowls filled with pipe tobacco a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK GO TO R05_AP1021

2 NEXT GO TO R05_AP1024

ASK: IF R05_CURRENT_PIPE_USE = 1 AND R05_AP1021 > 10.

PROGRAM: TRIGGER CHECK IF R05_AP1021 > 10.

ELSE, GO TO R05_AP1024 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1022

On how many of the past 30 days did you smoke a pipe filled with tobacco?

I__I__I DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers.

ASK Specification: IF R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R05_APR15

Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and smoked on 0 days of the past 30 days, go to R05_AP9029.

Else, adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked, go to R05_AP1023.

Else, go to Box R05_APR29.

IF R05_AP1022 = 0 AND (R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2), GO TO R05_AP9029.

ELSE, IF (R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0, GO TO R05_AP1023.
ELSE, GO TO BOX R05_APR29.

Variable(s): R05_AP9029_NN; R05_AP9029_UN

About how long has it been since you last smoked a pipe filled with tobacco?

1 I__I__I DAYS

2 I__I__I MONTHS

3 I__I__I YEARS

-8 DON'T KNOW

GO TO BOX R05_APR29

-7 REFUSED

GO TO BOX R05_APR29

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and smoked on 0 days of the past 30 days.

ASK Specification: IF (R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2) AND R05_AP1022 = 0.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AP9029_UN = Days; the value "2" refers to R05_AP9029_UN = Months; the value "3" refers to R05_AP9029_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AP9029_LC1

The computer recorded that you last smoked a pipe [R05_AP9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP9029

2 NEXT

GO TO BOX R05_APR29

ASK: IF (R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2) AND R05_AP1022 = 0 AND ((R05_AP9029_NN < 30 AND R05_AP9029_UN = 1) OR (R05_AP9029_NN < 1 AND R05_AP9029_UN = 2) OR (R05_AP9029_NN > 18 AND R05_AP9029_UN = 2) OR (R05_AP9029_NN > (R05R_A_AGE - 10) AND R05_AP9029_UN = 3)).

DISPLAY: IF R05_AP9029 REPORTED IN DAYS, DISPLAY "days".

IF R05_AP9029 REPORTED IN MONTHS, DISPLAY "months".

IF R05_AP9029 REPORTED IN YEARS, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AP9029_NN < 30 AND R05_AP9029_UN = 1) OR (R05_AP9029_NN < 1 AND R05_AP9029_UN = 2) OR (R05_AP9029_NN > 18 AND R05_AP9029_UN = 2) OR (R05_AP9029_NN > (R05R_A_AGE - 10) AND R05_AP9029_UN = 3).

ELSE, GO TO BOX R05_APR29 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AP1023

On average, on those [FILL NUMBER OF DAYS FROM R05_AP1022 days/days you smoked], how many bowls filled with pipe tobacco did you usually smoke each day?

-2 Less than 1 each day

GO TO BOX R05_APR29

|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_APR29

-7 REFUSED

GO TO BOX R05_APR29

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF (R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0.

DISPLAY: IF R05_AP1022 = 1, -8, -7, DISPLAY "days you smoked".

ELSE, DISPLAY "# days" WHERE # = NUMBER OF DAYS REPORTED IN R05_AP1022.

DISPLAY AS NUMERIC QUANTITY FIELD, WITH BUTTON LABEL: "Less than 1 each day" ON RIGHT.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AP1023_LC1

The computer recorded that on the days you smoked in the past 30 days, you smoked [R05_AP1023] bowls filled with pipe tobacco a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP1023

2 NEXT

GO TO BOX R05_APR29

ASK: IF (R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0 AND R05_AP1023 > 10.

PROGRAM: TRIGGER CHECK IF R05_AP1023 > 10.

ELSE, GO TO BOX R05_APR29 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_APR29

Adult respondents who are current established or current experimental pipe smokers, go to R05_AP1024.

Else, adult respondents who are non-current 30-day pipe smokers, go to R05_AP1024_30D.

Else, adult respondents who are recent former established pipe smokers, go to R05_AP1047.

Else, go to the next section.

IF R05_PIPE_USER_STATUS = 1, 2, GO TO R05_AP1024.

ELSE, IF R05_FORMER_THIRTYDAY_USER_PIPE = 1, GO TO R05_AP1024_30D.

ELSE, IF R05_PIPE_USER_STATUS = 4, GO TO R05_AP1047.

ELSE, GO TO THE NEXT SECTION.

Variable(s): R05_AP1024_NN; R05_AP1024_UN

[On the days that you smoke a pipe filled with tobacco, how/How] soon after you wake up do you typically take your first puff from a pipe? Please enter the number of minutes or hours.

1 |__|__|__| Minutes after waking

2 |__|__|__| Hours after waking

-8 DON'T KNOW

GO TO R05_AP1092

-7 REFUSED

GO TO R05_AP1092

ASK: Adult respondents who are current established or current experimental pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2.

DISPLAY: IF R05_CURRENT_PIPE_USE = 1, DISPLAY "How".

ELSE, DISPLAY "On the days that you smoke a pipe filled with tobacco, how".

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers to R05_AP1024_UN = Minutes after waking; the value "2" refers to R05_AP1024_UN = Hours after waking.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AP1024_LC1

The computer recorded that you typically smoke your first pipe bowl of the day [R05_AP1024] [minutes/ hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP1024

2 NEXT

GO TO R05_AP1024_LC2

ASK: IF [R05_PIPE_USER_STATUS = 1, 2 AND R05_CURRENT_PIPE_USE = 1 AND ((R05_AP1024_NN > 60 AND R05_AP1024_UN = 1) OR (R05_AP1024_NN > 4 AND R05_AP1024_UN = 2))] OR [R05_PIPE_USER_STATUS = 1, 2 AND (R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2) AND ((R05_AP1024_NN > 60 AND R05_AP1024_UN = 1) OR (R05_AP1024_NN > 12 AND R05_AP1024_UN = 2))].

DISPLAY: IF R05_AP1024_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AP1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF [R05_CURRENT_PIPE_USE = 1 AND ((R05_AP1024_NN > 60 AND R05_AP1024_UN = 1) OR (R05_AP1024_NN > 4 AND R05_AP1024_UN = 2))] OR [(R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2) AND ((R05_AP1024_NN > 60 AND R05_AP1024_UN = 1) OR (R05_AP1024_NN > 12 AND R05_AP1024_UN = 2))].
ELSE, GO TO R05_AP1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AP1024_LC2

The computer recorded "0" for how soon you typically take your first puff from a pipe after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP1024

2 NEXT

GO TO BOX R05_APR31

ASK: IF R05_PIPE_USER_STATUS = 1, 2 AND R05_AP1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AP1024_NN = 0.

ELSE, GO TO BOX R05_APR31 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1092

[On the days that you smoke a pipe filled with tobacco, would/Would] you say you take your first puff from a pipe within the first 30 minutes after you wake up?

- | | |
|---------------|------------------|
| 1 Yes | GO TO R05_AP0100 |
| 2 No | GO TO R05_AP0100 |
| 3 It varies | GO TO R05_AP0100 |
| -8 DON'T KNOW | GO TO R05_AP0100 |
| -7 REFUSED | GO TO R05_AP0100 |

ASK: Adult respondents who are current established or current experimental pipe smokers and did not know or refused to report how soon after waking up they first smoke a pipe.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2 AND R05_AP1024_NN = -8, -7.

DISPLAY: IF R05_CURRENT_PIPE_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you smoke a pipe filled with tobacco, would".

Variable(s): R05_AP1024_30D_NN; R05_AP1024_30D_UN

On the days that you smoked a pipe filled with tobacco, how soon after you woke up did you typically take your first puff from a pipe? Please enter the number of minutes or hours.

- | | |
|--------------------------------|----------------------|
| 1 _ _ _ Minutes after waking | |
| 2 _ _ _ Hours after waking | |
| -8 DON'T KNOW | GO TO R05_AP1092_30D |
| -7 REFUSED | GO TO R05_AP1092_30D |

ASK: Adult respondents who are non-current 30-day pipe smokers.

ASK Specification: IF R05_FORMER_THIRTYDAY_USER_PIPE = 1.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers to R05_AP1024_30D_UN = Minutes after waking; the value "2" refers to R05_AP1024_30D_UN = Hours after waking.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AP1024_30D_LC1

The computer recorded that you typically smoked your first pipe bowl of the day [R05_AP1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|--------------------------|
| 1 BACK | GO TO R05_AP1024_30D |
| 2 NEXT | GO TO R05_AP1024_30D_LC2 |

ASK: IF R05_FORMER_THIRTYDAY_USER_PIPE = 1 AND ((R05_AP1024_30D_NN > 60 AND R05_AP1024_30D_UN = 1) OR (R05_AP1024_30D_NN > 12 AND R05_AP1024_30D_UN = 2)).

DISPLAY: IF R05_AP1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AP1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_AP1024_30D_NN > 60 AND R05_AP1024_30D_UN = 1) OR (R05_AP1024_30D_NN > 12 AND R05_AP1024_30D_UN = 2).

ELSE, GO TO R05_AP1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AP1024_30D_LC2

The computer recorded "0" for how soon you typically took your first puff from a pipe after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------|
| 1 BACK | GO TO R05_AP1024_30D |
| 2 NEXT | GO TO R05_AP0100 |

ASK: IF R05_FORMER_THIRTYDAY_USER_PIPE = 1 AND R05_AP1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AP1024_30D_NN = 0.

ELSE, GO TO R05_AP0100 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AP1092_30D

On the days that you smoked a pipe filled with tobacco, would you say you took your first puff from a pipe within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are non-current 30-day pipe smokers and did not know or refused to report how soon after waking up they typically take their first puff from a pipe.

ASK Specification: IF R05_FORMER_THIRTYDAY_USER_PIPE = 1 AND R05_AP1024_30D_NN = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR31

Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, go to R05_AP0100.
Else, go to R05_AP1030.

IF R05_CURRENT_PIPE_USE = 1 OR ((R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0), GO TO R05_AP0100.
ELSE, GO TO R05_AP1030.

Variable(s): R05_AP0100

When did you last smoke a pipe filled with tobacco?

- | | |
|---|------------------|
| 1 In the past hour | GO TO R05_AP0103 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_AP1130 |
| -8 DON'T KNOW | GO TO R05_AP1130 |
| -7 REFUSED | GO TO R05_AP1130 |

ASK: Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R05_CURRENT_PIPE_USE = 1 OR ((R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP0102

When you last smoked a pipe filled with tobacco [FILL BASED ON R05_AP0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established pipe smokers and last smoked a pipe sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they smoked and last smoked a pipe sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_CURRENT_PIPE_USE = 1 AND R05_AP0100 = 2, 3, 4) OR
((R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR
R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0 AND R05_AP0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R05_AP0100]:

IF R05_AP0100 = 2, DISPLAY "today".

ELSE, IF R05_AP0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AP0100 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP0103

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke] [FILL BASED ON R05_AP0100]? (If less than 1, enter 1.)

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_AP1130

-7 REFUSED

GO TO R05_AP1130

ASK: Adult respondents who are every day established pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_CURRENT_PIPE_USE = 1 AND R05_AP0100 = 1, 2, 3, 4) OR ((R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0 AND R05_AP0100 = 1, 2, 3, 4).

DISPLAY: IF R05_AP0100 = 1, 2, DISPLAY "have" AND "smoked".

ELSE, IF R05_AP0100 = 3, 4, DISPLAY "did" AND "smoke".

FOR [FILL BASED ON R05_AP0100]:

IF R05_AP0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_AP0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AP0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

CHECK ID: R05_AP0103_LC1

The computer recorded that you smoked [R05_AP0103] bowls filled with pipe tobacco [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP0103

2 NEXT

GO TO R05_AP1130

ASK: IF ((R05_CURRENT_PIPE_USE = 1 AND R05_AP0100 = 1, 2, 3, 4) OR ((R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0 AND R05_AP0100 = 1, 2, 3, 4)) AND R05_AP0103 > 10.

DISPLAY: IF R05_AP0100 = 1, 2, DISPLAY "today".

IF R05_AP0100 = 3, DISPLAY "yesterday".

IF R05_AP0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AP0103 > 10.

ELSE, GO TO R05_AP1130 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1130

In the past 30 days, was any of the pipe tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AP1030 |
| 3 | I don't know | GO TO R05_AP1030 |
| -8 | DON'T KNOW | GO TO R05_AP1030 |
| -7 | REFUSED | GO TO R05_AP1030 |

ASK: Adult respondents who are every day established pipe smokers, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked.

ASK Specification: IF R05_CURRENT_PIPE_USE = 1 OR ((R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0).

Variable(s): SEE BELOW:

Which flavors have you smoked in the past 30 days? Choose all that apply.

- | | | |
|---------------------------------|----|--|
| R05_AP1131_01 | 1 | Menthol or mint |
| R05_AP1131_02 | 2 | Clove or spice |
| R05_AP1131_03 | 3 | Fruit |
| R05_AP1131_04 | 4 | Chocolate |
| R05_AP1131_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AP1131_06 | 6 | Candy or other sweets |
| R05_AP1131_07;
R05_AP1131_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days.

ASK Specification: IF (R05_CURRENT_PIPE_USE = 1 AND R05_AP1130 = 1) OR ((R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0 AND R05_AP1130 = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR37

Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, go to R05_AP1133. Else, go to R05_AP1030.

IF (R05_CURRENT_PIPE_USE = 1 AND R05_AP1130 = 1 AND (R05_AP1131_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AP1131_[01/.../07] = -8, -7)) OR ((R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0 AND R05_AP1130 = 1 AND (R05_AP1131_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AP1131_[01/.../07] = -8, -7)), GO TO R05_AP1133. ELSE, GO TO R05_AP1030.

Variable(s): R05_AP1133; R05_AP1133_OS

In the past 30 days, which flavor of pipe tobacco have you smoked most often?

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita, or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established pipe smokers and smoked flavored pipe tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day pipe smokers and have smoked on at least 1 day in the past 30 days of did not know or refused to report on how many of the past 30 days they smoked, and smoked flavored pipe tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF (R05_CURRENT_PIPE_USE = 1 AND R05_AP1130 = 1 AND (R05_AP1131_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AP1131_[01/.../07] = -8, -7)) OR ((R05_CURRENT_PIPE_USE = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1022 != 0 AND R05_AP1130 = 1 AND (R05_AP1131_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AP1131_[01/.../07] = -8, -7)).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AP1030**

The next questions ask about your experience buying pipe tobacco.

How [do/did] you usually buy pipe tobacco for yourself?

- | | | |
|----|----------------------------------|------------------|
| 1 | In person | |
| 2 | From the internet | GO TO R05_AP1034 |
| 3 | By telephone | GO TO R05_AP1034 |
| 4 | I do not buy my own pipe tobacco | GO TO R05_AP1047 |
| -8 | DON'T KNOW | GO TO R05_AP1047 |
| -7 | REFUSED | GO TO R05_AP1047 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

Variable(s): **R05_AP1032**

[Do/Did] you usually buy pipe tobacco...?

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1030 = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1033; R05_AP1033_OS

Where [do/did] you buy your pipe tobacco most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store, or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant, or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1030 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

IF R05_PIPE_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

Variable(s): R05_AP1034_D; R05_AP1034_C

How much [do/did] you usually pay for a pouch of pipe tobacco?

\$ |__|__|__| Dollars . |__|__| Cents

- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and usually buy their pipe tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1030 = 1, 2, 3.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

IF R05_PIPE_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AP1034_LC1

The computer recorded that you paid \$[R05_AP1034_D].[R05_AP1034_C] for a pouch of pipe tobacco. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_AP1034 |
| 2 NEXT | GO TO R05_AP1047 |

ASK: IF (R05_PIPE_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1030 = 1, 2, 3 AND R05_AP1034_D > 50.

PROGRAM: TRIGGER CHECK IF R05_AP1034_D > 50.
ELSE, GO TO R05_AP1047 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AP1047

[Do/Did] you have a regular brand of pipe tobacco that you usually [smoke/smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2, DISPLAY "Do" AND "smoke".
ELSE, DISPLAY "Did" AND "smoked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1050

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AP1945 |
| 3 | I don't know | GO TO R05_AP1945 |
| -8 | DON'T KNOW | GO TO R05_AP1945 |
| -7 | REFUSED | GO TO R05_AP1945 |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 AND R05_AP1047 = 1, DISPLAY "Is" AND "your regular brand" AND "smoke".

ELSE, IF R05_PIPE_USER_STATUS = 1, 2 AND R05_AP1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "smoked".

ELSE, IF (R05_PIPE_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1047 = 1, DISPLAY "Was" AND "your regular brand" AND "smoked".

ELSE, IF (R05_PIPE_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1047 = 2, -8, -7, DISPLAY "Was" and "the last brand" and "smoked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavor [is/was] it? Choose all that apply.

- | | | |
|---|----|--|
| R05_AP1012_01 | 1 | Menthol or mint |
| R05_AP1012_02 | 2 | Clove or spice |
| R05_AP1012_03 | 3 | Fruit |
| R05_AP1012_04 | 4 | Chocolate |
| R05_AP1012_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AP1012_06 | 6 | Candy or other sweets |
| R05_AP1012_07;
R05_AP1012_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers whose regular brand or last brand of pipe tobacco smoked was flavored.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1050 = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 AND R05_AP1047 = 1, DISPLAY "is".

ELSE, IF R05_PIPE_USER_STATUS = 4 OR R05_AP1047 = 2, -8, -7 OR

R05_FORMER_THIRTYDAY_USER_PIPE = 1, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R05_AP1945

Do you know the name of the brand of pipe tobacco you [usually smoke/usually smoked/last smoked]?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_AP1047 = 1 AND R05_PIPE_USER_STATUS = 1, 2, DISPLAY "usually smoke".

ELSE, IF R05_AP1047 = 1 AND R05_PIPE_USER_STATUS != 1, 2, DISPLAY "usually smoked".

ELSE, IF R05_AP1047 = 2, -8, -7, DISPLAY "last smoked".

UNDERLINE "name of the brand".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR30

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked, go to R05_AP1048_BRAND.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco, go to R05_AP1051.

Else, go to Box R05_APD01.

IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1945 = 1, GO TO R05_AP1048_BRAND.

ELSE, IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1047 = 1, GO TO R05_AP1051.

ELSE, GO TO BOX R05_APD01.

Variable(s): R05_AP1048_BRAND

What brand of pipe tobacco [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1945 = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 AND R05_AP1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R05_PIPE_USER_STATUS = 1, 2 AND R05_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF R05_AP1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF R05_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR22

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected "Something else" for their brand of pipe tobacco, go to R05_AP1049.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco, go to R05_AP1070_PRODUCT.

Else, go to Box R05_APR23.

IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1945 = 1 AND R05_AP1048_BRAND = 9995, GO TO R05_AP1049.

ELSE, IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1945 = 1 AND R05_AP1048_BRAND != 9995, -8, -7, GO TO R05_AP1070_PRODUCT. ELSE, GO TO BOX R05_APR23.

Variable(s): R05_AP1049

You said that your brand was not listed. What is it?

_____	GO TO BOX R05_APR23
-8 DON'T KNOW	GO TO BOX R05_APR23
-7 REFUSED	GO TO BOX R05_APR23

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected "Something else" for their brand of pipe tobacco.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1945 = 1 AND R05_AP1048_BRAND = 9995.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1070_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1945 = 1 AND R05_AP1048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R05_AP1048_BRAND.

IF R05_PIPE_USER_STATUS = 1, 2 AND R05_AP1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R05_PIPE_USER_STATUS = 1, 2 AND R05_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R05_PIPE_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R05_PIPE_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1047 = 2, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR28

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco and selected "Something else" for their subbrand of pipe tobacco, go to R05_AP1071.
Else, go to Box R05_APR23.

IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1945 = 1 AND R05_AP1048_BRAND != 9995, -8, -7 AND R05_AP1070_PRODUCT = 99995, GO TO R05_AP1071.
ELSE, GO TO BOX R05_APR23.

Variable(s): R05_AP1071

You said that the type of [BRANDFILL]s that you [smoke/smoked] is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand of pipe tobacco and selected "Something else" for their subbrand of pipe tobacco.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1945 = 1 AND R05_AP1048_BRAND != 9995, -8, -7 AND R05_AP1070_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R05_AP1048_BRAND.

IF R05_PIPE_USER_STATUS = 1, 2 AND R05_AP1047 = 1, DISPLAY "smoke".

ELSE, DISPLAY "smoked".

BOX ID: R05_APR23

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco, go to R05_AP1051.
Else, go to Box R05_APR25.

IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1047 = 1, GO TO R05_AP1051.
ELSE, GO TO BOX R05_APR25.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1051_NN; R05_AP1051_UN

About how long [did you smoke/have you been smoking] your regular brand of pipe tobacco?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_APR25

-7 REFUSED

GO TO BOX R05_APR25

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and have a regular brand of pipe tobacco.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1047 = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2, DISPLAY "have you been smoking".
ELSE, DISPLAY "did you smoke".

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

NOTES: The value "1" refers to R05_AP1051_UN = Days; the value "2" refers to R05_AP1051_UN = Months; the value "3" refers to R05_AP1051_UN = Years.

CHECK ID: R05_AP1051_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of pipe tobacco for [R05_AP1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP1051

2 NEXT

GO TO R05_AP1051_LC2

ASK: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1047 = 1 AND (R05_AP1051_NN > R05R_A_AGE) AND R05_AP1051_UN = 3.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R05_AP1051_NN > R05R_A_AGE) AND R05_AP1051_UN = 3.
ELSE, GO TO R05_AP1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AP1051_LC2

The computer recorded "0" for how long you [have been smoking /smoked] your regular brand of pipe tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AP1051

2 NEXT

GO TO BOX R05_APR25

ASK: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP1047 = 1 AND R05_AP1051_NN = 0.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2, DISPLAY "have been smoking".
ELSE, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R05_AP1051_NN = 0.
ELSE, GO TO BOX R05_APR25 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_APR25

Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and subbrand of pipe tobacco, go to R05_AP0104.
Else, go to Box R05_APD01.

IF (R05_PIPE_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP0100 = 1, 2, 3, 4 AND R05_AP1945 = 1 AND R05_AP1048_BRAND != 9995, -8, -7 AND R05_AP1070_PRODUCT != 99990, 99995, -8, -7, GO TO R05_AP0104.
ELSE, GO TO BOX R05_APD01.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP0104

You said earlier that you last smoked a pipe [TIME OF LAST USE].

Think about the very last bowl of pipe tobacco you smoked.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day pipe smokers and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of pipe tobacco they usually smoke or last smoked and selected a brand and subbrand of pipe tobacco.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_AP0100 = 1, 2, 3, 4 AND R05_AP1945 = 1 AND R05_AP1048_BRAND != 9995, -8, -7 AND R05_AP1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_AP0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R05_AP0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R05_AP0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R05_AP0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R05_AP1070_PRODUCT.

BOX ID: R05_APD01

Randomize order of R05_AP1060 through R05_AP1077.

Display question R05_AP1060, R05_AP1085, R05_AP1062, R05_AP1075, R05_AP1063, R05_AP1064 and R05_AP1077 on one screen. Show the intro/transition text from R05_AP1060 first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1060

The next questions are about the reasons people smoke pipes. Please select which reasons [apply to you/applied to you when you used to smoke pipes].

I [smoke/smoked] a pipe filled with tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 DISPLAY "apply to you", "smoke", AND "is".
ELSE, DISPLAY "applied to you when you used to smoke pipes", "smoked", AND "was".

Variable(s): R05_AP1085

I [can/could] smoke pipes at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 DISPLAY "can" AND "isn't".
ELSE, DISPLAY "could" AND "wasn't".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1062

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 DISPLAY "be".
ELSE, DISPLAY "have been".

Variable(s): R05_AP1075

It might [be/have been] less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 DISPLAY "be".
ELSE, DISPLAY "have been".

Variable(s): R05_AP1063

Pipe tobacco [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 DISPLAY "comes" AND "like".
ELSE, DISPLAY "came" AND "liked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR26

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established, current experimental, or recent former established cigarette smokers, go to R05_AP1064.
Else, go to R05_AP1139.

IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AP1064.
ELSE, GO TO R05_AP1139.

Variable(s): R05_AP1064

Smoking a pipe helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

Variable(s): R05_AP1077

Smoking a pipe [satisfies/satisfied] my cravings for cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2, DISPLAY "satisfies".
ELSE, DISPLAY "satisfied".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR27

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established or recent former established cigarette smokers, go to R05_AP1080.
Else, go to R05_AP1139.

IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_CIG_USER_STATUS = 1, 4, GO TO R05_AP1080.
ELSE, GO TO R05_AP1139.

Variable(s): R05_AP1080

[Do/Did] you smoke pipes filled with tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 DISPLAY "Do".
ELSE, DISPLAY "Did".

Variable(s): R05_AP1082

[Are/Did] you [smoking/smoke] pipes filled with tobacco as a way to quit smoking cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05_PIPE_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_PIPE = 1) AND R05_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 DISPLAY "Are" AND "smoking".
ELSE, DISPLAY "Did" AND "smoke".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1139

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking a pipe.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 DISPLAY "is",
ELSE, DISPLAY "was".

Display scale for the R05_AP1139-1141 series.

Variable(s): R05_AP1140

While smoking a pipe, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 DISPLAY "feel".
ELSE, DISPLAY "felt".

Display scale for the R05_AP1139-1141 series.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AP1141

I [smoke/smoked] a pipe much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day pipe smokers.

ASK Specification: IF R05_PIPE_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_PIPE = 1.

DISPLAY: IF R05_PIPE_USER_STATUS = 1, 2 DISPLAY "smoke" AND "am".
ELSE, DISPLAY "smoked" AND "was".

Display scale for the R05_AP1139-1141 series.

HOOKAH

BOX ID: R05_AHT02

The next questions are about smoking tobacco in a **hookah**, which is a type of water pipe. It is sometimes also called a "narghile" pipe. From now on, we will use "hookah" to refer to a water pipe or narghile pipe.

People smoke **shisha** or **hookah tobacco** in a hookah. Shisha comes in many different flavors. Some types of shisha contain tobacco and some do not.

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

BOLD "hookah", "shisha" AND "hookah tobacco".

Variable(s): R05_AH1090

Do you own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah.

ASK Specification: IF R05_EVER_NEVER_HOOK = 1.

BOX ID: R05_AHR13

Young adult respondents who have ever smoked hookah, go to R05_AH9041.
Else, go to Box R05_AHR04.

IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_HOOK = 1, GO TO R05_AH9041.
ELSE, GO TO BOX R05_AHR04.

Variable(s): R05_AH9041

Does anyone else living in your home own a hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who have ever smoked hookah.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_EVER_NEVER_HOOK = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR04

Adult respondents who have ever smoked hookah and had not smoked hookah 100 or more times as of their last completed interview, go to R05_AH1005.
Else, go to Box R05_AHR09.

IF R05_EVER_NEVER_HOOK = 1 AND R04_NUMLIFE_HOOK != 1, GO TO R05_AH1005.
ELSE, GO TO BOX R05_AHR09.

Variable(s): R05_AH1005

How many times have you smoked tobacco in a hookah in your entire life? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah and had not smoked hookah 100 or more times as of their last completed interview.

ASK Specification: IF R05_EVER_NEVER_HOOK = 1 AND R04_NUMLIFE_HOOK != 1.

BOX ID: R05_AHR09

Adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview, go to R05_AH1100.
Else, go to Box R05_AHR10.

IF R05_EVER_NEVER_HOOK = 1 AND R04_REGUSE_HOOK != 1, GO TO R05_AH1100.
ELSE, GO TO BOX R05_AHR10.

Variable(s): R05_AH1100

Have you ever smoked tobacco in a hookah fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview.

ASK Specification: IF R05_EVER_NEVER_HOOK = 1 AND R04_REGUSE_HOOK != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR10

New baseline adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and have ever smoked hookah fairly regularly, go to R05_AH1007_NB.
Else, go to Box R05_AHR01.

IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_HOOK = 1 AND R04_REGUSE_HOOK != 1 AND R05_AH1100 = 1, GO TO R05_AH1007_NB.
ELSE, GO TO BOX R05_AHR01.

Variable(s): R05_AH1007_NB

How old were you when you first started smoking tobacco in a hookah fairly regularly?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AH1121_NB

-7 REFUSED

GO TO R05_AH1121_NB

ASK: New baseline adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and have ever smoked hookah fairly regularly.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_HOOK = 1 AND R04_REGUSE_HOOK != 1 AND R05_AH1100 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AH1007_NB_LC1

The computer recorded that you started smoking tobacco in a hookah fairly regularly at age [R05_AH1007_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH1007_NB

2 NEXT

GO TO R05_AH1007_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_HOOK = 1 AND R04_REGUSE_HOOK != 1 AND R05_AH1100 = 1 AND R05_AH1007_NB <= 12.

PROGRAM: TRIGGER CHECK IF R05_AH1007_NB <= 12.

ELSE, GO TO R05_AH1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AH1007_NB_LC2

The computer recorded that you started smoking tobacco in a hookah fairly regularly at age [R05_AH1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH1007_NB

2 NEXT

GO TO BOX R05_AHR01

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_HOOK = 1 AND R04_REGUSE_HOOK != 1 AND R05_AH1100 = 1 AND (R05_AH1007_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AH1007_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_AHR01 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AH1121_NB

When you first started smoking tobacco in a hookah fairly regularly, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview and have ever smoked hookah fairly regularly and did not know or refused to report the age they first started smoking hookah fairly regularly.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_HOOK = 1 AND R04_REGUSE_HOOK != 1 AND R05_AH1100 = 1 AND R05_AH1007_NB = -8, -7.

BOX ID: R05_AHR01

New baseline adult respondents who now smoke hookah every day, go to R05_AH1020_NB.
Else, go to Box R05_AHR11.

IF R05_ADULTTYPE = 2 AND R05_AH1003 = 1, GO TO R05_AH1020_NB.
ELSE, GO TO BOX R05_AHR11.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1020_NB

How old were you when you first started smoking tobacco in a hookah every day?

I ___|___| Years old

-8 DON'T KNOW

GO TO R05_AH1122_NB

-7 REFUSED

GO TO R05_AH1122_NB

ASK: New baseline adult respondents who now smoke hookah every day.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AH1003 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AH1020_NB_LC1

The computer recorded that you started smoking tobacco in a hookah every day at age [R05_AH1020_NB]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH1020_NB

2 NEXT

GO TO R05_AH1020_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_AH1003 = 1 AND (R05_AH1020_NB <= 12 OR R05_AH1020_NB < R05_AH1007_NB).

PROGRAM: TRIGGER CHECK IF R05_AH1020_NB <= 12 OR R05_AH1020_NB < R05_AH1007_NB. ELSE, GO TO R05_AH1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AH1020_NB_LC2

The computer recorded that you started smoking tobacco in a hookah every day at age [R05_AH1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH1020_NB

2 NEXT

GO TO BOX R05_AHR11

ASK: IF R05_ADULTTYPE = 2 AND R05_AH1003 = 1 AND (R05_AH1020_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AH1020_NB > R05R_A_AGE. ELSE, GO TO BOX R05_AHR11 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AH1122_NB**

When you first started smoking tobacco in a hookah every day, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who now smoke hookah every day and did not know or refused to report the age they first started smoking tobacco in a hookah every day.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AH1003 = 1 AND R05_AH1020_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR11

Adult respondents who initiated hookah smoking since their last completed interview, go to R05_AH1008.
Else, go to Box R05_AHR27.

IF R05_INIT_HOOK_ADULT = 1, GO TO R05_AH1008.
ELSE, GO TO BOX R05_AHR27.

Variable(s): R05_AH1008

When you first started smoking hookah, did you smoke shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AH9045 |
| 3 | I don't know | GO TO R05_AH9045 |
| -8 | DON'T KNOW | GO TO R05_AH9045 |
| -7 | REFUSED | GO TO R05_AH9045 |

ASK: Adult respondents who initiated hookah smoking since their last completed interview.

ASK Specification: IF R05_INIT_HOOK_ADULT = 1.

Variable(s): SEE BELOW:

Which flavor did you first start smoking? Choose all that apply.

- | | | |
|---|----|--|
| R05_AH1011_01 | 1 | Menthol or mint |
| R05_AH1011_02 | 2 | Clove or spice |
| R05_AH1011_03 | 3 | Fruit |
| R05_AH1011_04 | 4 | Chocolate |
| R05_AH1011_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AH1011_06 | 6 | Candy or other sweets |
| R05_AH1011_07;
R05_AH1011_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF R05_INIT_HOOK_ADULT = 1 AND R05_AH1008 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH9045; R05_AH9045_OS

Where were you when you first tried a hookah, even one or two puffs?

- 1 In your home
- 2 In someone else's home
- 3 In a hookah bar or café
- 4 In a dance club or lounge
- 5 Somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who initiated hookah smoking since their last completed interview.

ASK Specification: IF R05_INIT_HOOK_ADULT = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

BOX ID: R05_AHR27

Adult respondents who have ever smoked hookah and have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they smoke hookah every day, some days, or not at all, go to R05_AH9003.
Else, go to Box R05_AHV01.

IF R05_EVER_NEVER_HOOK = 1 AND (R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 != 1, GO TO R05_AH9003.
ELSE, GO TO BOX R05_AHV01.

Variable(s): R05_AH9003

Which of the following choices best describes your hookah smoking? Usually I smoke tobacco in a hookah...

- 1 Every day
- 2 Weekly
- 3 Monthly
- 4 Every couple of months
- 5 About once a year
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever smoked hookah and have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they smoke hookah every day, some days, or not at all.

ASK Specification: IF R05_EVER_NEVER_HOOK = 1 AND (R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 != 1.

PROGRAM: DISPLAY RESPONSE OPTION 1 ONLY IF R05_AH1003 = -8, -7

BOX ID: R05_AHV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_HOOK_USER_STATUS = 1 (Current established user) Adult respondents who have ever smoked hookah fairly regularly, and currently smoke every day, some days, weekly, monthly, or in the past 30 days.

R05_HOOK_USER_STATUS = 2 (Current experimental user) Adult respondents who have never smoked hookah fairly regularly, and currently smoke every day, some days, weekly, monthly, or in the past 30 days.

R05_HOOK_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever smoked a hookah and have never smoked fairly regularly and did not smoke in the past 12 months or currently smoke not at all.

R05_HOOK_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental hookah smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked hookah as of their last completed interview, have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated hookah smoking since their last completed interview, have ever smoked fairly regularly, have smoked in the past 12 months and currently smoke not at all.

R05_HOOK_USER_STATUS = 5 (Long-term former established user) Continuing adult respondents who were recent former established or long-term former established hookah smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all.

R05_THIRTY_DAY_USER_HOOK = 1 (Past 30 day user) Adult respondents who have smoked hookah in the past 30 days.

R05_HOOK_USER_STATUS = 1:

IF R05_EVER_NEVER_HOOK = 1 AND (R04_REGUSE_HOOK = 1 OR R05_AH1100 = 1) AND (R05_AH1003 = 1, 2 OR R05_AH9003 = 1, 2, 3), THEN R05_HOOK_USER_STATUS = 1.

R05_HOOK_USER_STATUS = 2:

ELSE, IF R05_EVER_NEVER_HOOK = 1 AND R04_REGUSE_HOOK != 1 AND R05_AH1100 != 1 AND (R05_AH1003 = 1, 2 OR R05_AH9003 = 1, 2, 3 OR (1 <= R05_AH1009_NN <= 30 AND R05_AH1009_UN = 1) OR (R05_AH1009_NN = 1 AND R05_AH1009_UN = 2) OR R05_AH1004 = 1), THEN R05_HOOK_USER_STATUS = 2.

R05_HOOK_USER_STATUS = 3:

ELSE, IF R05_EVER_NEVER_HOOK = 1 AND (R05_AH1002_12M = 2 OR R05_AH1003 = 3) AND R05_AH1100 != 1 AND R04_REGUSE_HOOK != 1, THEN R05_HOOK_USER_STATUS = 3.

R05_HOOK_USER_STATUS = 4:

ELSE, IF (R04_HOOK_USER_STATUS = 1, 2, 3 OR R05_INIT_HOOK_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_HOOK = 1)) AND (R04_REGUSE_HOOK = 1 OR R05_AH1100 = 1) AND R05_EVER_NEVER_HOOK = 1 AND (R05_AH1002_12M = 2 OR R05_AH1003 = 3), THEN R05_HOOK_USER_STATUS = 4.

R05_HOOK_USER_STATUS = 5:

ELSE, IF R04_HOOK_USER_STATUS = 4, 5 AND R05_EVER_NEVER_HOOK = 1 AND (R05_AH1002_12M = 2 OR R05_AH1003 = 3), THEN R05_HOOK_USER_STATUS = 5.

R05_THIRTY_DAY_USER_HOOK = 1:

IF R05_EVER_NEVER_HOOK = 1 AND (((1 <= R05_AH1009_NN <= 30 AND R05_AH1009_UN = 1) OR (R05_AH1009_NN = 1 AND R05_AH1009_UN = 2)) OR R05_AH1004 = 1), THEN

R05_THIRTY_DAY_USER_HOOK = 1.

ELSE, R05_THIRTY_DAY_USER_HOOK = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR24

Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers, go to R05_AH9011.
Else, go to Box R05_AHV03.

IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1, GO TO R05_AH9011.
ELSE, GO TO BOX R05_AHV03.

Variable(s): SEE BELOW:

Where [do/did] you usually smoke hookah? Choose all that apply.

- | | |
|---|----------------------------------|
| R05_AH9011_01 | 1 In your home |
| R05_AH9011_02 | 2 In someone else's home |
| R05_AH9011_03 | 3 In a hookah bar or hookah café |
| R05_AH9011_04 | 4 In a dance club or lounge |
| R05_AH9011_05;
R05_AH9011_OS | 5 Somewhere else (SPECIFY) |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do".

ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH9048

When you [smoke/smoked] a hookah, how often [do/did] you experience unpleasant sensations such as headache, dizziness, nausea, or difficulty breathing?

- 1 Every time
- 2 Most of the time
- 3 Some of the time
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "smoke" AND "do".

ELSE, DISPLAY "smoked" AND "did".

Variable(s): R05_AH9012

[Do/Did] you usually share a hookah with others when you [smoke/smoked]?

- 1 Yes
- 2 No GO TO R05_AH9014
- 8 DON'T KNOW GO TO R05_AH9014
- 7 REFUSED GO TO R05_AH9014

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do" AND "smoke".

ELSE, DISPLAY "Did" AND "smoked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH9013

How many people [do/did] you usually share a hookah with?

- 1 1 other person
- 2 2 other people
- 3 3 other people
- 4 4 or more other people
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and usually share a hookah with others.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH9012 = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do".

ELSE, DISPLAY "did".

Variable(s): R05_AH9014

On average, how long [is/was] one hookah session for you[and the people you share/d it with]?

- 1 Less than 30 minutes
- 2 More than 30 minutes up to 1 hour
- 3 1 to 2 hours
- 4 More than 2 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH9012 = 1, DISPLAY "is" AND " and the people you share it with".

ELSE, IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH9012 != 1, DISPLAY "is" AND DO NOT DISPLAY " and the people you share it with".

ELSE, IF R05_HOOK_USER_STATUS = 4 AND R05_AH9012 = 1, DISPLAY "was" AND " and the people you shared it with".

ELSE, IF R05_HOOK_USER_STATUS = 4 AND R05_AH9012 != 1, DISPLAY "was" AND DO NOT DISPLAY " and the people you shared it with".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AH9015**

On average, when you [smoke/smoked/share a/shared a] hookah, how many times [is/was] the hookah refilled with tobacco during a session?

- 1 0 times
- 2 1 time
- 3 2 to 3 times
- 4 4 or more times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH9012 = 1, DISPLAY "share a" AND "is".

ELSE, IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH9012 = 2, DISPLAY "smoke" AND "is".

ELSE, IF R05_HOOK_USER_STATUS = 4 AND R05_AH9012 = 1, DISPLAY "shared a" AND "was".

ELSE, IF R05_HOOK_USER_STATUS = 4 AND R05_AH9012 = 2, DISPLAY "smoked" AND "was".

Variable(s): **R05_AH9016**

How often [do/did] you personally set up the hookah?

- 1 Every time
- 2 Most of the time
- 3 Some of the time
- 4 Rarely
- 5 Never, someone else always [set/sets] it up for me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "do" AND "sets".

ELSE, DISPLAY "did" AND "set".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH9043

When you [smoke/smoked] hookah, [does/did] your shisha usually contain tobacco?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "smoke" AND "does".

ELSE, IF R05_HOOK_USER_STATUS = 4, DISPLAY "smoked" AND "did".

Variable(s): R05_AH9042

Have you ever used another liquid besides water in the bowl of the hookah?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

BOX ID: R05_AHV03

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_CURRENT_HOOK_USE = 1 (Every day established user) Adult respondents who have ever smoked hookah fairly regularly, and currently smoke every day.

R05_CURRENT_HOOK_USE = 2 (Some day established user) Adult respondents who have ever smoked hookah fairly regularly, and currently smoke some days.

R05_CURRENT_HOOK_USE = 1:

IF R05_HOOK_USER_STATUS = 1 AND (R05_AH1003 = 1 OR R05_AH9003 = 1), THEN R05_CURRENT_HOOK_USE = 1.

R05_CURRENT_HOOK_USE = 2:

ELSE, IF R05_HOOK_USER_STATUS = 1 AND (R05_AH1003 = 2 OR R05_AH9003 = 2, 3), THEN R05_CURRENT_HOOK_USE = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR12

Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah monthly, go to R05_AH9004.
 Else, adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah weekly, go to R05_AH9005.
 Else, adult respondents who are every day established hookah smokers or smoke hookah every day, go to R05_AH9006.
 Else, go to Box R05_AHR25.

IF (R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 != 1 AND R05_AH9003 = 3, GO TO R05_AH9004.
 ELSE, IF (R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 != 1 AND R05_AH9003 = 2, GO TO R05_AH9005.
 ELSE, IF R05_CURRENT_HOOK_USE = 1 OR R05_AH1003 = 1 OR R05_AH9003 = 1, GO TO R05_AH9006.
 ELSE, GO TO BOX R05_AHR25.

Variable(s): R05_AH9004

On average, about how many times do you smoke hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_AHR25

-7 REFUSED

GO TO BOX R05_AHR25

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah monthly.

ASK Specification: IF (R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 != 1 AND R05_AH9003 = 3.

PROGRAM: Allow 3 digits.

CHECK ID: R05_AH9004_LC1

The computer recorded that, on average, you smoke tobacco in a hookah [R05_AH9004] times in a month. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH9004

2 NEXT

GO TO BOX R05_AHR25

ASK: IF (R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 != 1 AND R05_AH9003 = 3 AND R05_AH9004 > 100.

PROGRAM: TRIGGER CHECK IF R05_AH9004 > 100.

ELSE, GO TO BOX R05_AHR25 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH9005

On average, about how many times do you smoke hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_AHR25

-7 REFUSED

GO TO BOX R05_AHR25

ASK: Adult respondents who have smoked hookah in the past 30 days or in the past 12 months and do not smoke hookah every day or did not know or refused to report whether they now smoke hookah every day, some days, or not at all and usually smoke hookah weekly.

ASK Specification: IF (R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 != 1 AND R05_AH9003 = 2.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AH9005_LC1

The computer recorded that, on average, you smoke tobacco in a hookah [R05_AH9005] times in a week. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH9005

2 NEXT

GO TO BOX R05_AHR25

ASK: IF (R05_AH1004 = 1 OR R05_AH1002_12M = 1) AND R05_AH1003 != 1 AND R05_AH9003 = 2 AND R05_AH9005 > 15.

PROGRAM: TRIGGER CHECK IF R05_AH9005 > 15.

ELSE, GO TO BOX R05_AHR25 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AH9006

On average, about how many times do you smoke hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_AHR25

-7 REFUSED

GO TO BOX R05_AHR25

ASK: Adult respondents who are every day established hookah smokers or smoke hookah every day.

ASK Specification: IF R05_CURRENT_HOOK_USE = 1 OR R05_AH1003 = 1 OR R05_AH9003 = 1.

PROGRAM: Allow 2 digits

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AH9006_LC1

The computer recorded that, on average, you smoke tobacco in a hookah [R05_AH9006] times each day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH9006

2 NEXT

GO TO BOX R05_AHR25

ASK: IF (R05_CURRENT_HOOK_USE = 1 OR R05_AH1003 = 1 OR R05_AH9003 = 1) AND R05_AH9006 > 2.

PROGRAM: TRIGGER CHECK IF R05_AH9006 > 2.

ELSE, GO TO BOX R05_AHR25 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_AHR25

Adult respondents who are past 30-day hookah smokers and are not every day established hookah smokers, go to R05_AH1022.
Else, go to Box R05_AHR51.

IF R05_THIRTY_DAY_USER_HOOK = 1 AND R05_CURRENT_HOOK_USE != 1, GO TO R05_AH1022.

ELSE, GO TO BOX R05_AHR51.

Variable(s): R05_AH1022

On how many of the past 30 days did you smoke hookah?

I ___ I ___ DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 30-day hookah smokers and are not every day established hookah smokers.

ASK Specification: IF R05_THIRTY_DAY_USER_HOOK = 1 AND R05_CURRENT_HOOK_USE != 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

BOX ID: R05_AHR51

Adult respondents who are past 30-day hookah smokers and are not every day established hookah smokers and smoked on 0 days of the past 30 days, or adult respondents who are some day established or current experimental hookah smokers and are not past 30-day hookah smokers, go to R05_AH9029.

Else, go to Box R05_AHR52.

IF (R05_THIRTY_DAY_USER_HOOK = 1 AND R05_CURRENT_HOOK_USE != 1 AND R05_AH1022 = 0) OR ((R05_CURRENT_HOOK_USE = 2 OR R05_HOOK_USER_STATUS = 2) AND R05_THIRTY_DAY_USER_HOOK != 1), GO TO R05_AH9029.

ELSE, GO TO BOX R05_AHR52.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH9029_NN; R05_AH9029_UN

About how long has it been since you last smoked hookah?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_AHR52

-7 REFUSED

GO TO BOX R05_AHR52

ASK: Adult respondents who are past 30-day hookah smokers and are not every day established hookah smokers and smoked on 0 days of the past 30 days, or adult respondents who are some day established or current experimental hookah smokers and are not past 30-day hookah smokers.

ASK Specification: IF (R05_THIRTY_DAY_USER_HOOK = 1 AND R05_CURRENT_HOOK_USE != 1 AND R05_AH1022 = 0) OR ((R05_CURRENT_HOOK_USE = 2 OR R05_HOOK_USER_STATUS = 2) AND R05_THIRTY_DAY_USER_HOOK != 1).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers R05_AH9029_UN = Days; the value "2" refers to R05_AH9029_UN = Months; the value "3" refers to R05_AH9029_UN = Years.

CHECK ID: R05_AH9029_LC1

The computer recorded that you last smoked hookah [R05_AH9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH9029

2 NEXT

GO TO BOX R05_AHR52

ASK: IF ((R05_THIRTY_DAY_USER_HOOK = 1 AND R05_CURRENT_HOOK_USE != 1 AND R05_AH1022 = 0) OR ((R05_CURRENT_HOOK_USE = 2 OR R05_HOOK_USER_STATUS = 2) AND R05_THIRTY_DAY_USER_HOOK != 1)) AND ((R05_AH9029_NN < 30 AND R05_AH9029_UN = 1) OR (R05_AH9029_NN < 1 AND R05_AH9029_UN = 2) OR (R05_AH9029_NN > 18 AND R05_AH9029_UN = 2) OR (R05_AH9029_NN > (R05R_A_AGE - 10) AND R05_AH9029_UN = 3)).

DISPLAY: IF R05_AH9029_UN = 1, DISPLAY "days".

ELSE, IF R05_AH9029_UN = 2, DISPLAY "months".

ELSE, IF R05_AH9029_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AH9029_NN < 30 AND R05_AH9029_UN = 1) OR (R05_AH9029_NN < 1 AND R05_AH9029_UN = 2) OR (R05_AH9029_NN > 18 AND R05_AH9029_UN = 2) OR (R05_AH9029_NN > (R05R_A_AGE - 10) AND R05_AH9029_UN = 3).
ELSE, GO TO BOX R05_AHR52 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR52

Adult respondents who are current established, current experimental, or past 30-day hookah smokers, go to R05_AH1024.
Else, go to Box R05_AHR02.

IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, GO TO R05_AH1024.
ELSE, GO TO BOX R05_AHR02.

Variable(s): R05_AH1024

[On the days that you smoke hookah, what/What] time of day do you typically take your first puff of tobacco from a hookah?

- | | |
|----------------------------------|---------------------|
| 1 After 6 AM but before noon | GO TO BOX R05_AHR02 |
| 2 Between noon and 6 PM | GO TO BOX R05_AHR02 |
| 3 After 6 PM but before midnight | GO TO BOX R05_AHR02 |
| 4 Between midnight and 6 AM | GO TO BOX R05_AHR02 |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_CURRENT_HOOK_USE = 1, DISPLAY "What".

ELSE, DISPLAY "On the days that you smoke hookah, what".

Variable(s): R05_AH1092

[On the days that you smoke hookah, would/Would] you say you typically take your first puff of tobacco from a hookah within the first 30 minutes after you wake up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and did not know or refused to report what time of day they smoke hookah.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1024 = -8, -7.

DISPLAY: IF R05_CURRENT_HOOK_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you smoke hookah, would".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR02

Adult respondents who are past 30-day hookah smokers, go to R05_AH0100.
Else, go to Box R05_AHR23.

IF R05_THIRTY_DAY_USER_HOOK = 1, GO TO R05_AH0100.
ELSE, GO TO BOX R05_AHR23.

Variable(s): R05_AH0100

When did you last smoke tobacco in a hookah?

- | | |
|---|------------------|
| 1 In the past hour | GO TO R05_AH0103 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_AH1130 |
| -8 DON'T KNOW | GO TO R05_AH1130 |
| -7 REFUSED | GO TO R05_AH1130 |

ASK: Adult respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_THIRTY_DAY_USER_HOOK = 1.

Variable(s): R05_AH0102

When you last smoked tobacco in a hookah [FILL BASED ON R05_AH0100], was it...

- | |
|---------------------------------|
| 1 Between midnight and 6AM |
| 2 After 6AM but before noon |
| 3 Between noon and 6PM |
| 4 After 6PM but before midnight |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Adult respondents who are past 30-day hookah smokers and last smoked hookah sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_THIRTY_DAY_USER_HOOK = 1 AND R05_AH0100 = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_AH0100]:

IF R05_AH0100 = 2, DISPLAY "today".

ELSE, IF R05_AH0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AH0100 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH0103

How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R05_AH0100]?

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_AH1130

-7 REFUSED

GO TO R05_AH1130

ASK: Adult respondents who are past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_THIRTY_DAY_USER_HOOK = 1 AND R05_AH0100 = 1, 2, 3, 4.

DISPLAY: IF R05_AH0100 = 1, 2, DISPLAY "have" AND "taken".

IF R05_AH0100 = 3, 4, DISPLAY "did" AND "take".

FOR [FILL BASED ON R05_AH0100]:

IF R05_AH0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_AH0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AH0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

CHECK ID: R05_AH0103_LC1

The computer recorded that you took [R05_AH0103] puffs from a hookah [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH0103

2 NEXT

GO TO R05_AH1130

ASK: IF R05_THIRTY_DAY_USER_HOOK = 1 AND R05_AH0100 = 1, 2, 3, 4 AND (R05_AH0103 > 50 OR R05_AH0103 = 11, 22, 33, 44).

DISPLAY: IF R05_AH0100 = 1, 2, DISPLAY "today".

IF R05_AH0100 = 3, DISPLAY "yesterday".

IF R05_AH0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AH0103 > 50 OR R05_AH0103 = 11, 22, 33, 44.

ELSE, GO TO R05_AH1130 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1130

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_AHR23 |
| 3 | I don't know | GO TO BOX R05_AHR23 |
| -8 | DON'T KNOW | GO TO BOX R05_AHR23 |
| -7 | REFUSED | GO TO BOX R05_AHR23 |

ASK: Adult respondents who are past 30-day hookah smokers.

ASK Specification: IF R05_THIRTY_DAY_USER_HOOK = 1.

Variable(s): SEE BELOW:

Which flavors have you smoked in the past 30 days? Choose all that apply.

- | | | |
|---------------------------------|----|--|
| R05_AH1131_01 | 1 | Menthol or mint |
| R05_AH1131_02 | 2 | Clove or spice |
| R05_AH1131_03 | 3 | Fruit |
| R05_AH1131_04 | 4 | Chocolate |
| R05_AH1131_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AH1131_06 | 6 | Candy or other sweets |
| R05_AH1131_07;
R05_AH1131_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_THIRTY_DAY_USER_HOOK = 1 AND R05_AH1130 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R05_AHR37

Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days, go to R05_AH1133.
Else, go to R05_AH1147.

IF R05_THIRTY_DAY_USER_HOOK = 1 AND R05_AH1130 = 1 AND (R05_AH1131_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AH1131_[01/.../07] = -8, -7), GO TO R05_AH1133.
ELSE, GO TO R05_AH1147.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1133; R05_AH1133_OS

In the past 30 days, which flavor of hookah have you smoked most often?

- 1 Menthol or mint
- 2 Clove or spice
- 3 Fruit
- 4 Chocolate
- 5 An alcoholic drink (such as wine, cognac, margarita, or other cocktails)
- 6 Candy or other sweets
- 7 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF R05_THIRTY_DAY_USER_HOOK = 1 AND R05_AH1130 = 1 AND (R05_AH1131_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_AH1131_[01/.../07] = -8, -7).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R05_AH1147

On the days you smoked shisha or hookah tobacco in the past 30 days, how often did you smoke flavored shisha or hookah tobacco?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 30-day hookah smokers and smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_THIRTY_DAY_USER_HOOK = 1 AND R05_AH1130 = 1.

DISPLAY: UNDERLINE "flavored".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR23

Adult respondents who are current established, current experimental, or past 30-day hookah smokers, go to R05_AH1030.

Else, adult respondents who are recent former established hookah smokers, go to R05_AH1047.

Else, go to Box R05_AHR19.

IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, GO TO R05_AH1030.

ELSE, IF R05_HOOK_USER_STATUS = 4, GO TO R05_AH1047.

ELSE, GO TO BOX R05_AHR19.

Variable(s): R05_AH1030

The next questions ask about your experience buying shisha or hookah tobacco.

How do you usually buy shisha or hookah tobacco for yourself?

- | | |
|--|------------------|
| 1 In person (such as at a store or hookah bar) | |
| 2 From the internet | GO TO R05_AH1047 |
| 3 By telephone | GO TO R05_AH1047 |
| 4 I do not buy my own shisha or hookah tobacco | GO TO R05_AH1047 |
| -8 DON'T KNOW | GO TO R05_AH1047 |
| -7 REFUSED | GO TO R05_AH1047 |

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1.

Variable(s): R05_AH1032

Do you usually buy shisha or hookah tobacco...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1030 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1033; R05_AH1033_OS

Where do you buy your shisha or hookah tobacco most of the time?

- | | | |
|----|--|------------------|
| 1 | A hookah bar or cafe | |
| 2 | A convenience store or gas station | GO TO R05_AH1047 |
| 3 | A supermarket, grocery store, or drug store | GO TO R05_AH1047 |
| 4 | A warehouse club, such as Sam's or Costco | GO TO R05_AH1047 |
| 5 | A smoke shop, tobacco specialty store, or tobacco outlet store | GO TO R05_AH1047 |
| 6 | A duty free shop or military commissary | GO TO R05_AH1047 |
| 7 | A bar, pub, restaurant, or casino | GO TO R05_AH1047 |
| 8 | A friend or relative | GO TO R05_AH1047 |
| 9 | A swap meet or flea market | GO TO R05_AH1047 |
| 10 | A liquor store | GO TO R05_AH1047 |
| 11 | Or from somewhere else (SPECIFY) | GO TO R05_AH1047 |
| -8 | DON'T KNOW | GO TO R05_AH1047 |
| -7 | REFUSED | GO TO R05_AH1047 |

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1030 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R05_AH1035_D; R05_AH1035_C

Think about the last time you smoked hookah at a hookah bar or café. How much did a single session cost?

\$ | | | | Dollars . | | | | Cents

- | | | |
|----|------------|------------------|
| -8 | DON'T KNOW | GO TO R05_AH1036 |
| -7 | REFUSED | GO TO R05_AH1036 |

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person and buy at a hookah bar or cafe.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1030 = 1 AND R05_AH1033 = 1.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1037

You reported that the last time you smoked hookah at a hookah bar or café, it cost \$[R05_AH1035]. How many refills of shisha or hookah tobacco did that include?

- 1 None
- 2 1
- 3 2
- 4 3
- 5 4
- 6 More than 4
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person and buy at a hookah bar or cafe and reported the cost of a single session the last time they smoked hookah at a hookah bar or cafe.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1030 = 1 AND R05_AH1033 = 1 AND R05_AH1035_D != -8, -7.

Variable(s): R05_AH1036_D; R05_AH1036_C

How much do you usually pay for a container of shisha or hookah tobacco?

- \$ |__|__|__| Dollars . |__|__| Cents
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and usually buy their shisha or hookah tobacco in person and buy at a hookah bar or cafe.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1030 = 1 AND R05_AH1033 = 1.

DISPLAY: DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1047

[Do/Did] you have a regular brand of shisha or hookah tobacco that you usually [smoke/smoked]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do" AND "smoke".

ELSE, DISPLAY "Did" AND "smoked".

Variable(s): R05_AH1050

[Is/Was] [your regular brand/the last brand] you [smoke/smoked] flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | |
|----------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AH1945 |
| 3 I don't know | GO TO R05_AH1945 |
| -8 DON'T KNOW | GO TO R05_AH1945 |
| -7 REFUSED | GO TO R05_AH1945 |

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 1, DISPLAY "Is", "your regular brand" AND "smoke".

ELSE, IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".

ELSE, IF (R05_HOOK_USER_STATUS = 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 1, DISPLAY "Was", "your regular brand" AND "smoked".

ELSE, IF (R05_HOOK_USER_STATUS = 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 2, -8, -7, DISPLAY "Was", "the last brand" AND "smoked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavor [is/was] it? Choose all that apply.

- | | | |
|---|----|--|
| R05_AH1012_01 | 1 | Menthol or mint |
| R05_AH1012_02 | 2 | Clove or spice |
| R05_AH1012_03 | 3 | Fruit |
| R05_AH1012_04 | 4 | Chocolate |
| R05_AH1012_05 | 5 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AH1012_06 | 6 | Candy or other sweets |
| R05_AH1012_07;
R05_AH1012_OS | 7 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers whose regular brand or last brand of shisha or hookah tobacco smoked was flavored.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1050 = 1.

DISPLAY: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 1, DISPLAY "is".

ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondents to choose all that apply.

Variable(s): R05_AH1945

Do you know the name of the brand of shisha or hookah tobacco you [usually smoke/usually smoked/last smoked]?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_AH1047 = 1 AND R05_HOOK_USER_STATUS = 1, 2, DISPLAY "usually smoke".

ELSE, IF R05_AH1047 = 1 AND R05_HOOK_USER_STATUS != 1, 2, DISPLAY "usually smoked".

ELSE, IF R05_AH1047 = 2, -8, -7, DISPLAY "last smoked".

UNDERLINE "name of the brand".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR26

Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, go to R05_AH1048_BRAND.

Else, adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and have a regular brand of shisha or hookah tobacco, go to R05_AH1051.

Else, go to Box R05_AHD01.

IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1945 = 1, GO TO R05_AH1048_BRAND.

ELSE, IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 1, GO TO R05_AH1051.

ELSE, GO TO BOX R05_AHD01.

Variable(s): R05_AH1048_BRAND

What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1945 = 1.

DISPLAY: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF R05_AH1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF R05_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else."."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR17

Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected "Something else" for their brand of shisha or hookah tobacco, go to R05_AH1049.

Else, adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco, go to R05_AH1070_PRODUCT.
Else, go to Box R05_AHR22.

IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1945 = 1 AND R05_AH1048_BRAND = 9995, GO TO R05_AH1049.
ELSE, IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1945 = 1 AND R05_AH1048_BRAND != 9995, -8, -7, GO TO R05_AH1070_PRODUCT.
ELSE, GO TO BOX R05_AHR22.

Variable(s): R05_AH1049

You said that your brand was not listed. What is it?

_____	GO TO BOX R05_AHR20
-8 DON'T KNOW	GO TO BOX R05_AHR20
-7 REFUSED	GO TO BOX R05_AHR20

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected "Something else" for their brand of shisha or hookah tobacco.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1945 = 1 AND R05_AH1048_BRAND = 9995.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1070_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1945 = 1 AND R05_AH1048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R05_AH1048_BRAND.

IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF R05_AH1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF R05_AH1047 = 2, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

BOX ID: R05_AHR18

Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco and selected "Something else" for their subbrand of shisha or hookah tobacco, go to R05_AH1071.

Else, go to Box R05_AHR20.

IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1945 = 1 AND R05_AH1048_BRAND != 9995, -8, -7 AND R05_AH1070_PRODUCT = 99995, GO TO R05_AH1071.

ELSE, GO TO BOX R05_AHR20.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1071

You said that the type of [BRANDFILL]s that you [smoke/smoked] is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco and selected "Something else" for their subbrand of shisha or hookah tobacco.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1945 = 1 AND R05_AH1048_BRAND != 9995, -8, -7 AND R05_AH1070_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R05_AH1048_BRAND.

IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 1, DISPLAY "smoke".

ELSE, DISPLAY "smoked".

BOX ID: R05_AHR20

Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is, go to R05_AH9108.

Else, go to Box R05_AHR22.

IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1945 = 1 AND (R05_AH1048_BRAND != 9995, -8, -7 OR (R05_AH1048_BRAND = 9995 AND R05_AH1049 != -8, -7)), GO TO R05_AH9108.
ELSE, GO TO BOX R05_AHR22.

Variable(s): R05_AH9108

Does this brand of shisha contain tobacco?

1 Yes

2 No

3 I don't know

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1945 = 1 AND (R05_AH1048_BRAND != 9995, -8, -7 OR (R05_AH1048_BRAND = 9995 AND R05_AH1049 != -1, -8, -7)).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR22

Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and have a regular brand of shisha or hookah tobacco, go to R05_AH1051. Else, go to Box R05_AHR19.

IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 1, GO TO R05_AH1051.
ELSE, GO TO BOX R05_AHR19.

Variable(s): R05_AH1051_NN; R05_AH1051_UN

About how long [did you smoke/have you been smoking] your regular brand of shisha or hookah tobacco?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_AHR19

-7 REFUSED

GO TO BOX R05_AHR19

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and have a regular brand of shisha or hookah tobacco.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "have you been smoking".

ELSE, DISPLAY "did you smoke".

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers R05_AH1051_UN = Days; the value "2" refers to R05_AH1051_UN = Months; the value "3" refers to R05_AH1051_UN = Years.

CHECK ID: R05_AH1051_LC1

The computer recorded that you [have been smoking/smoked] your regular brand of shisha or hookah tobacco for [R05_AH1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH1051

2 NEXT

GO TO R05_AH1051_LC2

ASK: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 1 AND (R05_AH1051_NN > R05R_A_AGE) AND R05_AH1051_UN = 3.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "have been smoking".

IF R05_HOOK_USER_STATUS = 4, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF (R05_AH1051_NN > R05R_A_AGE) AND R05_AH1051_UN = 3. ELSE, GO TO R05_AH1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AH1051_LC2

The computer recorded "0" for how long you [have been smoking/ smoked] your regular brand of shisha or hookah tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AH1051

2 NEXT

GO TO BOX R05_AHR19

ASK: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH1047 = 1 AND R05_AH1051_NN = 0.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "have been smoking".

IF R05_HOOK_USER_STATUS = 4, DISPLAY "smoked".

PROGRAM: TRIGGER CHECK IF R05_AH1051_NN = 0.

ELSE, GO TO BOX R05_AHR19 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_AHR19

Adult respondents who are current established, current experimental, or past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and subbrand of shisha or hookah tobacco, go to R05_AH0104.

Else, adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers, go to Box R05_AHD01.

Else, go to the next section.

IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH0100 = 1, 2, 3, 4 AND R05_AH1945 = 1 AND R05_AH1048_BRAND != 9995, -8, -7 AND R05_AH1070_PRODUCT != 99990, 99995, -8, -7, GO TO R05_AH0104.

ELSE, IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1, GO TO BOX R05_AHD01.

ELSE, GO TO THE NEXT SECTION.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH0104

You said earlier that you last smoked hookah [TIME OF LAST USE].

Think about the very last puff you took.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or past 30-day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked, and selected a brand and subbrand of shisha or hookah tobacco.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_AH0100 = 1, 2, 3, 4 AND R05_AH1945 = 1 AND R05_AH1048_BRAND != 9995, -8, -7 AND R05_AH1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_AH0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R05_AH0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R05_AH0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R05_AH0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R05_AH1070_PRODUCT.

BOX ID: R05_AHD01

Randomize order of R05_AH1060 through R05_AH1077.

Display question R05_AH1060, R05_AH1085, R05_AH1062, R05_AH1075, R05_AH1063, R05_AH1064, R05_AH1073 and R05_AH1077 on one screen. Show the intro/transition text from R05_AH1060 first, then show each item with responses. As each item is answered, show the next one.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1060

The next questions are about the reasons people smoke hookah. Please select which reasons [apply to you/applied to you when you used to smoke hookah].

I [smoke/smoked] hookah because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "apply to you", "smoke" AND "is".

ELSE, DISPLAY "applied to you when you used to smoke hookah", "smoked" AND "was".

Variable(s): R05_AH1085

I [can/could] smoke hookah at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "can" AND "isn't".

ELSE, DISPLAY "could" AND "wasn't".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1062

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "be".

ELSE, DISPLAY "have been".

Variable(s): R05_AH1075

It might [be/have been] less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "be".

ELSE, DISPLAY "have been".

Variable(s): R05_AH1063

Shisha or hookah tobacco [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "comes" AND "like".

ELSE, DISPLAY "came" AND "liked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AHR15
Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers, go to R05_AH1064. Else, go to R05_AH1073.
IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AH1064. ELSE, GO TO R05_AH1073.

Variable(s): R05_AH1064
Smoking hookah helps people quit smoking cigarettes.
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers.
ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

Variable(s): R05_AH1073
Smoking hookah is part of my cultural tradition.
1 Yes 2 No -8 DON'T KNOW -7 REFUSED
ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.
ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

BOX ID: R05_AHR53
Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers, go to R05_AH1077. Else, go to Box R05_AHR16.
IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AH1077. ELSE, GO TO BOX R05_AHR16.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1077

Smoking hookah [satisfies/satisfied] my cravings for cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "satisfies".

ELSE, DISPLAY "satisfied".

BOX ID: R05_AHR16

Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers, go to R05_AH1080.

Else, go to R05_AH1139.

IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AH1080.

ELSE, GO TO R05_AH1139.

Variable(s): R05_AH1080

[Do/Did] you smoke hookah as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Do".

ELSE, DISPLAY "Did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1082

[Are/Did] you [smoking/smoke] hookah as a way to quit smoking cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "Are" and "smoking".
ELSE, DISPLAY "Did" and "smoke".

Variable(s): R05_AH1139

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when smoking hookah.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "is",
ELSE, DISPLAY "was".

Display scale for the R05_AH1139-1141 series.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1140

While smoking hookah, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "feel",
ELSE, DISPLAY "felt".

Display scale for the R05_AH1139-1141 series.

Variable(s): R05_AH1141

I [smoke/smoked] hookah much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or past 30-day hookah smokers.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 4 OR R05_THIRTY_DAY_USER_HOOK = 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2 OR R05_THIRTY_DAY_USER_HOOK = 1, DISPLAY "smoke" AND "am",
ELSE, DISPLAY "smoked" AND "was".

Display scale for the R05_AH1139-1141 series.

SNUS

BOX ID: R05_AUR08

Adult respondents who were recent former established or long-term former established snus users and had used snus 100 or more times and had used fairly regularly as of their last completed interview, and have not used snus in the past 12 months or now use snus not at all, go to Box R05_AUV02.
Else, continue with Box R05_AUT02.

IF R04_SNUS_USER_STATUS = 4, 5 AND R04_NUMLIFE_SNUS = 1 AND R04_REGUSE_SNUS = 1 AND (R05_AU1002_12M = 2 OR R05_AU1003 = 3), GO TO BOX R05_AUV02.
ELSE, GO TO BOX R05_AUT02.

BOX ID: R05_AUT02

IF RESPONDENT ONLY USES SNUS (R05_EVER_NEVER_SNUS = 1 AND R05_EVER_NEVER_SMKLS = 2), DISPLAY THE FOLLOWING TRANSITION TEXT:
The next questions ask about **snus**, a type of smokeless tobacco that comes loose or in a small pouch that you put under your lip. You do not have to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus, and General Snus.

Please think about your use of **snus** as you answer these questions.

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R05_EVER_NEVER_SNUS = 1 AND R05_EVER_NEVER_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:
The next questions ask about **snus**, a type of smokeless tobacco that comes loose or in a small pouch that you put under your lip. You do not have to spit when using snus. Common brands of snus include Camel Snus, Marlboro Snus, and General Snus.

Please think about your use of **snus** as you answer these questions. There will be a separate section later about other types of smokeless tobacco products.

[SHOW GENERIC IMAGE OF SNUS - BOTH LOOSE AND POUCHES]

BOLD "snus".

BOX ID: R05_AUR07

Adult respondents who have ever used snus and had not used snus 100 or more times as of their last completed interview, go to R05_AU1005.
Else, adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview, go to R05_AU1100.
Else, go to Box R05_AUV02.

IF R05_EVER_NEVER_SNUS = 1 AND R04_NUMLIFE_SNUS != 1, GO TO R05_AU1005.
ELSE, IF R05_EVER_NEVER_SNUS = 1 AND R04_REGUSE_SNUS != 1, GO TO R05_AU1100.
ELSE, GO TO BOX R05_AUV02.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1005

How many times have you used snus in your entire life?

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used snus and had not used snus 100 or more times as of their last completed interview.

ASK Specification: IF R05_EVER_NEVER_SNUS = 1 AND R04_NUMLIFE_SNUS != 1.

BOX ID: R05_AUR10

Adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview, go to R05_AU1100.
Else, go to Box R05_AUV02.

IF R05_EVER_NEVER_SNUS = 1 AND R04_REGUSE_SNUS != 1, GO TO R05_AU1100.
ELSE, GO TO BOX R05_AUV02.

Variable(s): R05_AU1100

Have you ever used snus fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview.

ASK Specification: IF R05_EVER_NEVER_SNUS = 1 AND R04_REGUSE_SNUS != 1.

BOX ID: R05_AUR11

New baseline adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and have ever used snus fairly regularly, go to R05_AU1007_NB.
Else, go to Box R05_AUV02.

IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SNUS = 1 AND R05_AU1100 = 1, GO TO R05_AU1007_NB.
ELSE, GO TO BOX R05_AUV02.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1007_NB

How old were you when you first started using snus fairly regularly?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R05_AU1121_NB

-7 REFUSED

GO TO R05_AU1121_NB

ASK: New baseline adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and have ever used snus fairly regularly.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SNUS = 1 AND R05_AU1100 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AU1007_NB_LC1

The computer recorded that you started using snus fairly regularly at age [R05_AU1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1007_NB

2 NEXT

GO TO R05_AU1007_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SNUS = 1 AND R05_AU1100 = 1 AND R05_AU1007_NB <= 8.

PROGRAM: TRIGGER CHECK IF R05_AU1007_NB <= 8.

ELSE, GO TO R05_AU1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AU1007_NB_LC2

The computer recorded that you started using snus fairly regularly at age [R05_AU1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1007_NB

2 NEXT

GO TO BOX R05_AUV02

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SNUS = 1 AND R05_AU1100 = 1 AND (R05_AU1007_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AU1007_NB > R05R_A_AGE.

ELSE, GO TO BOX R05_AUV02 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1121_NB

When you first started using snus fairly regularly, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview and have ever used snus fairly regularly and did not know or refused to report the age they first started using snus fairly regularly.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SNUS = 1 AND R05_AU1100 = 1 AND R05_AU1007_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AUV02

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R05_SNUS_USER_STATUS = 1 (Current established user) Adult respondents who have ever used snus fairly regularly, and currently use every day or some days.

R05_SNUS_USER_STATUS = 2 (Current experimental user) Adult respondents who have never used snus fairly regularly, and currently use every day or some days.

R05_SNUS_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever used snus and have never used snus fairly regularly and did not use in the past 12 months or currently use not at all.

R05_SNUS_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental snus users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and new baseline adult respondents who have ever used snus as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and adult respondents who initiated snus use since their last completed interview, have ever used snus fairly regularly, have used in the past 12 months and currently use not at all.

R05_SNUS_USER_STATUS = 5 (Long-term former established user) Continuing adult respondents who were recent former established or long-term former established snus users as of their last completed interview and did not use in the past 12 months or currently use not at all.

R05_CURRENT_SNUS_USE = 1 (Every day established user) Adult respondents who have ever used snus fairly regularly, and currently use every day.

R05_CURRENT_SNUS_USE = 2 (Some day established user) Adult respondents who have ever used snus fairly regularly, and currently use some days.

R05_FORMER_THIRTYDAY_USER_SNUS = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established snus users who have used any snus in the past 30 days.

R05_SNUS_USER_STATUS = 1:

IF R05_EVER_NEVER_SNUS = 1 AND (R04_REGUSE_SNUS = 1 OR R05_AU1100 = 1) AND R05_AU1003 = 1, 2, THEN R05_SNUS_USER_STATUS = 1.

R05_SNUS_USER_STATUS = 2:

ELSE, IF R05_EVER_NEVER_SNUS = 1 AND R04_REGUSE_SNUS != 1 AND R05_AU1100 != 1 AND R05_AU1003 = 1, 2, THEN R05_SNUS_USER_STATUS = 2.

R05_SNUS_USER_STATUS = 3:

ELSE, IF R05_EVER_NEVER_SNUS = 1 AND (R05_AU1002_12M = 2 OR R05_AU1003 = 3) AND R04_REGUSE_SNUS != 1 AND R05_AU1100 != 1, THEN R05_SNUS_USER_STATUS = 3.

R05_SNUS_USER_STATUS = 4:

ELSE, IF (R04_SNUS_USER_STATUS = 1, 2, 3 OR R05_INIT_SNUS_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_SNUS = 1)) AND (R04_REGUSE_SNUS = 1 OR R05_AU1100 = 1) AND R05_EVER_NEVER_SNUS = 1 AND (R05_AU1002_12M = 2 OR R05_AU1003 = 3), THEN R05_SNUS_USER_STATUS = 4.

R05_SNUS_USER_STATUS = 5:

ELSE, IF R04_SNUS_USER_STATUS = 4, 5 AND R05_EVER_NEVER_SNUS = 1 AND (R05_AU1002_12M = 2 OR R05_AU1003 = 3), THEN R05_SNUS_USER_STATUS = 5.

R05_CURRENT_SNUS_USE = 1:

IF R05_SNUS_USER_STATUS = 1 AND R05_AU1003 = 1, THEN R05_CURRENT_SNUS_USE = 1.

R05_CURRENT_SNUS_USE = 2:

ELSE, IF R05_SNUS_USER_STATUS = 1 AND R05_AU1003 = 2, THEN R05_CURRENT_SNUS_USE = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R05_FORMER_THIRTYDAY_USER_SNUS = 1:

IF R05_SNUS_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AU1009_NN <= 30 AND R05_AU1009_UN = 1) OR (R05_AU1009_NN = 1 AND R05_AU1009_UN = 2) OR R05_AU1004 = 1), THEN
R05_FORMER_THIRTYDAY_USER_SNUS = 1.
ELSE, R05_FORMER_THIRTYDAY_USER_SNUS = 2.

BOX ID: R05_AUR02

New baseline adult respondents who are every day established snus users, go to R05_AU1020_NB.
Else, go to Box R05_AUR12.

IF R05_ADULTTYPE = 2 AND R05_CURRENT_SNUS_USE = 1, GO TO R05_AU1020_NB.
ELSE, GO TO BOX R05_AUR12.

Variable(s): R05_AU1020_NB

How old were you when you first started using snus every day?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R05_AU1122_NB

-7 REFUSED

GO TO R05_AU1122_NB

ASK: New baseline adult respondents who are every day established snus users.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_CURRENT_SNUS_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AU1020_NB_LC1

The computer recorded that you started using snus every day at age [R05_AU1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1020_NB

2 NEXT

GO TO R05_AU1020_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_SNUS_USE = 1 AND (R05_AU1020_NB <= 8 OR R05_AU1020_NB < R05_AU1007_NB).

PROGRAM: TRIGGER CHECK IF R05_AU1020_NB <= 8 OR R05_AU1020_NB < R05_AU1007_NB.
ELSE, GO TO R05_AU1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AU1020_NB_LC2

The computer recorded that you started using snus every day at age [R05_AU1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1020_NB

2 NEXT

GO TO BOX R05_AUR12

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_SNUS_USE = 1 AND (R05_AU1020_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AU1020_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_AUR12 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AU1122_NB

When you first started using snus every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who are every day established snus users and did not know or refused to report the age they first started using snus every day.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_CURRENT_SNUS_USE = 1 AND
R05_AU1020_NB = -8, -7.

BOX ID: R05_AUR12

Adult respondents who initiated snus use since their last completed interview, go to R05_AU1008.
Else, go to Box R05_AUR09.

IF R05_INIT_SNUS_ADULT = 1, GO TO R05_AU1008.
ELSE, GO TO BOX R05_AUR09.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AU1008**

When you first started using snus, did you use snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_AUR09 |
| 3 | I don't know | GO TO BOX R05_AUR09 |
| -8 | DON'T KNOW | GO TO BOX R05_AUR09 |
| -7 | REFUSED | GO TO BOX R05_AUR09 |

ASK: Adult respondents who initiated snus use since their last completed interview.

ASK Specification: IF R05_INIT_SNUS_ADULT = 1.

Variable(s): **SEE BELOW:**

Which flavor did you first start using? Choose all that apply.

- | | | |
|---|----|--|
| R05_AU1011_01 | 1 | Menthol or mint |
| R05_AU1011_02 | 2 | Wintergreen, spearmint, or frost |
| R05_AU1011_03 | 3 | Clove or spice |
| R05_AU1011_04 | 4 | Fruit |
| R05_AU1011_05 | 5 | Chocolate |
| R05_AU1011_06 | 6 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AU1011_07 | 7 | Candy or other sweets |
| R05_AU1011_08;
R05_AU1011_OS | 8 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF R05_INIT_SNUS_ADULT = 1 AND R05_AU1008 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AUR09

Adult respondents who are every day established snus users, go to R05_AU1021.
 Else, adult respondents who are some day established, current experimental, or non-current 30-day snus users, go to R05_AU1022.
 Else, adult respondents who are recent former established snus users, go to R05_AU1047.
 Else, go to the next section.

IF R05_CURRENT_SNUS_USE = 1, GO TO R05_AU1021.
 ELSE, IF R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR
 R05_FORMER_THIRTYDAY_USER_SNUS = 1, GO TO R05_AU1022.
 ELSE, IF R05_SNUS_USER_STATUS = 4, GO TO R05_AU1047.
 ELSE, GO TO THE NEXT SECTION.

Variable(s): R05_AU1021

On average, about how many times do you now use snus each day?

_ _ _	
-8 DON'T KNOW	GO TO R05_AU1024
-7 REFUSED	GO TO R05_AU1024

ASK: Adult respondents who are every day established snus users.

ASK Specification: IF R05_CURRENT_SNUS_USE = 1.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AU1021_LC1

The computer recorded that on average, you now use snus [R05_AU1021] times a day. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK	GO TO R05_AU1021
2 NEXT	GO TO R05_AU1024

ASK: IF R05_CURRENT_SNUS_USE = 1 AND R05_AU1021 > 20.

PROGRAM: TRIGGER CHECK IF R05_AU1021 > 20.

ELSE, GO TO R05_AU1024 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1022

On how many of the past 30 days did you use snus?

I ___ I ___ DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AUR13

Adult respondents who are some day established or current experimental snus users and used on 0 days of the past 30 days, go to R05_AU9029.
 Else, adult respondents who are some day established, current experimental, or non-current 30-day snus users and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R05_AU1023.
 Else, go to Box R05_AUR26.

IF R05_AU1022 = 0 AND (R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2), GO TO R05_AU9029.
 ELSE, IF (R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0, GO TO R05_AU1023.
 ELSE, GO TO BOX R05_AUR26.

Variable(s): R05_AU9029_NN; R05_AU9029_UN

About how long has it been since you last used snus?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_AUR26

-7 REFUSED

GO TO BOX R05_AUR26

ASK: Adult respondents who are some day established or current experimental snus users and used on 0 days of the past 30 days.

ASK Specification: IF (R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2) AND R05_AU1022 = 0.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers R05_AU9029_UN = Days; the value "2" refers to R05_AU9029_UN = Months; the value "3" refers to R05_AU9029_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AU9029_LC1

The computer recorded that you used snus [R05_AU9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU9029

2 NEXT

GO TO BOX R05_AUR26

ASK: IF (R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2) AND R05_AU1022 = 0 AND ((R05_AU9029_NN < 30 AND R05_AU9029_UN = 1) OR (R05_AU9029_NN < 1 AND R05_AU9029_UN = 2) OR (R05_AU9029_NN > 18 AND R05_AU9029_UN = 2) OR (R05_AU9029_NN > (R05R_A_AGE - 10) AND R05_AU9029_UN = 3)).

DISPLAY: IF R05_AU9029_UN = 1, DISPLAY "days".

ELSE, IF R05_AU9029_UN = 2, DISPLAY "months".

ELSE, IF R05_AU9029_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AU9029_NN < 30 AND R05_AU9029_UN = 1) OR (R05_AU9029_NN < 1 AND R05_AU9029_UN = 2) OR (R05_AU9029_NN > 18 AND R05_AU9029_UN = 2) OR (R05_AU9029_NN > (R05R_A_AGE - 10) AND R05_AU9029_UN = 3). ELSE, GO TO BOX R05_AUR26 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AU1023

On average, on those [FILL NUMBER OF DAYS FROM R05_AU1022 days/days you used], how many times did you usually use snus each day?

|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_AUR26

-7 REFUSED

GO TO BOX R05_AUR26

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day snus users and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF (R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0.

DISPLAY: IF R05_AU1022 = 1, -8, -7, DISPLAY "days you used".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R05_AU1022 AND "days" (EX. "2 days").

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AU1023_LC1

The computer recorded that on the days you used in the past 30 days, you used snus [R05_AU1023] times a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1023

2 NEXT

GO TO BOX R05_AUR26

ASK: IF (R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0 AND R05_AU1023 > 20.

PROGRAM: TRIGGER CHECK IF R05_AU1023 > 20.

ELSE, GO TO BOX R05_AUR26 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_AUR26

Adult respondents who are current established or current experimental snus users, go to R05_AU1024. Else, adult respondents who are non-current 30-day snus users, go to R05_AU1024_30D. Else, go to the next section.

IF R05_SNUS_USER_STATUS = 1, 2, GO TO R05_AU1024.

ELSE, IF R05_FORMER_THIRTYDAY_USER_SNUS = 1, GO TO R05_AU1024_30D.

ELSE, GO TO THE NEXT SECTION.

Variable(s): R05_AU1024_NN; R05_AU1024_UN

[On the days that you use snus, how/How] soon after you wake up do you typically use your first snus product of the day? Please enter the number of minutes or hours.

1 |__|__|__| Minutes after waking

2 |__|__|__| Hours after waking

-8 DON'T KNOW

GO TO R05_AU1092

-7 REFUSED

GO TO R05_AU1092

ASK: Adult respondents who are current established or current experimental snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2.

DISPLAY: IF R05_CURRENT_SNUS_USE = 1, DISPLAY "How".

ELSE, DISPLAY "On the days that you use snus, how".

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers R05_AU1024_UN = Minutes after waking; the value "2" refers to R05_AU1024_UN = Hours after waking.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AU1024_LC1

The computer recorded that you typically use your first snus product [R05_AU1024_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1024

2 NEXT

GO TO R05_AU1024_LC2

ASK: IF [R05_SNUS_USER_STATUS = 1, 2 AND R05_CURRENT_SNUS_USE = 1 AND ((R05_AU1024_NN > 60 AND R05_AU1024_UN = 1) OR (R05_AU1024_NN > 4 AND R05_AU1024_UN = 2))] OR [R05_SNUS_USER_STATUS = 1, 2 AND (R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2) AND ((R05_AU1024_NN > 60 AND R05_AU1024_UN = 1) OR (R05_AU1024_NN > 12 AND R05_AU1024_UN = 2))].

DISPLAY: IF R05_AU1024_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AU1024_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF [R05_CURRENT_SNUS_USE = 1 AND ((R05_AU1024_NN > 60 AND R05_AU1024_UN = 1) OR (R05_AU1024_NN > 4 AND R05_AU1024_UN = 2))] OR [(R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2) AND ((R05_AU1024_NN > 60 AND R05_AU1024_UN = 1) OR (R05_AU1024_NN > 12 AND R05_AU1024_UN = 2))].
ELSE, GO TO R05_AU1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AU1024_LC2

The computer recorded "0" for how soon you typically use your first snus product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1024

2 NEXT

GO TO BOX R05_AUR28

ASK: IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AU1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AU1024_NN = 0.

ELSE, GO TO BOX R05_AUR28 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AU1092**

[On the days that you use snus, would/Would] you say you use your first snus product of the day within the first 30 minutes after you wake up?

- | | |
|---------------|---------------------|
| 1 Yes | GO TO BOX R05_AUR28 |
| 2 No | GO TO BOX R05_AUR28 |
| 3 It varies | GO TO BOX R05_AUR28 |
| -8 DON'T KNOW | GO TO BOX R05_AUR28 |
| -7 REFUSED | GO TO BOX R05_AUR28 |

ASK: Adult respondents who are current established or current experimental snus users and did not know or refused to report how soon after waking up they first use snus.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AU1024_NN = -8, -7.

DISPLAY: IF R05_CURRENT_SNUS_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you use snus, would".

Variable(s): **R05_AU1024_30D_NN; R05_AU1024_30D_UN**

On the days that you used snus, how soon after you woke up did you typically use your first snus product of the day? Please enter the number of minutes or hours.

- | | |
|--------------------------------|----------------------|
| 1 _ _ _ Minutes after waking | |
| 2 _ _ _ Hours after waking | |
| -8 DON'T KNOW | GO TO R05_AU1092_30D |
| -7 REFUSED | GO TO R05_AU1092_30D |

ASK: Adult respondents who are non-current 30-day snus users.

ASK Specification: IF R05_FORMER_THIRTYDAY_USER_SNUS = 1.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers R05_AU1024_30D_UN = Minutes after waking; the value "2" refers to R05_AU1024_30D_UN = Hours after waking.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AU1024_30D_LC1

The computer recorded that you typically used your first snus product [R05_AU1024_30D_NN] [minutes/ hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|--------------------------|
| 1 BACK | GO TO R05_AU1024_30D |
| 2 NEXT | GO TO R05_AU1024_30D_LC2 |

ASK: IF R05_FORMER_THIRTYDAY_USER_SNUS = 1 AND ((R05_AU1024_30D_NN > 60 AND R05_AU1024_30D_UN = 1) OR (R05_AU1024_30D_NN > 12 AND R05_AU1024_30D_UN = 2)).

DISPLAY: IF R05_AU1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AU1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_AU1024_30D_NN > 60 AND R05_AU1024_30D_UN = 1) OR (R05_AU1024_30D_NN > 12 AND R05_AU1024_30D_UN = 2).

ELSE, GO TO R05_AU1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AU1024_30D_LC2

The computer recorded "0" for how soon after waking you typically used your first snus product.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------|
| 1 BACK | GO TO R05_AU1024_30D |
| 2 NEXT | GO TO BOX R05_AUR28 |

ASK: IF R05_FORMER_THIRTYDAY_USER_SNUS = 1 AND R05_AU1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AU1024_30D_NN = 0.

ELSE, GO TO BOX R05_AUR28 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AU1092_30D

On the days that you used snus, would you say you used your first snus product of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are non-current 30-day snus users and did not know or refused to report how soon after waking up they typically used their first snus of the day.

ASK Specification: IF R05_FORMER_THIRTYDAY_USER_SNUS = 1 AND R05_AU1024_30D_NN = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AUR28

Adult respondents who are every day established snus users, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R05_AU0100.

Else, go to R05_AU9041.

IF R05_CURRENT_SNUS_USE = 1 OR ((R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0), GO TO R05_AU0100.

ELSE, GO TO R05_AU9041.

Variable(s): R05_AU0100

When did you last use snus?

- | | |
|---|------------------|
| 1 In the past hour | GO TO R05_AU0103 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_AU1130 |
| -8 DON'T KNOW | GO TO R05_AU1130 |
| -7 REFUSED | GO TO R05_AU1130 |

ASK: Adult respondents who are every day established snus users, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05_CURRENT_SNUS_USE = 1 OR ((R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU0102

When you last used snus [FILL BASED ON R05_AU0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established snus users and last used snus sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_CURRENT_SNUS_USE = 1 AND R05_AU0100 = 2, 3, 4) OR ((R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0 AND R05_AU0100 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R05_AU0100]:

IF R05_AU0100 = 2, DISPLAY "today".

ELSE, IF R05_AU0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AU0100 = 4, DISPLAY "the day before yesterday".

Variable(s): R05_AU0103

How many times [have/did] you [used/use] snus [FILL BASED ON R05_AU0100]?

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_AU1130

-7 REFUSED

GO TO R05_AU1130

ASK: Adult respondents who are every day established snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used snus in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_CURRENT_SNUS_USE = 1 AND R05_AU0100 = 1, 2, 3, 4) OR ((R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0 AND R05_AU0100 = 1, 2, 3, 4).

DISPLAY: IF R05_AU0100 = 1, 2, DISPLAY "have" AND "used".

ELSE, IF R05_AU0100 = 3, 4, DISPLAY "did" AND "use".

FOR [FILL BASED ON R05_AU0100]:

IF R05_AU0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_AU0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AU0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AU0103_LC1

The computer recorded that you used snus [R05_AU0103] times [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_AU0103 |
| 2 NEXT | GO TO R05_AU1130 |

ASK: IF ((R05_CURRENT_SNUS_USE = 1 AND R05_AU0100 = 1, 2, 3, 4) OR ((R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0 AND R05_AU0100 = 1, 2, 3, 4)) AND (R05_AU0103 > 20 OR R05_AU0103 = 11).

DISPLAY: IF R05_AU0100 = 1, 2, DISPLAY "today".
ELSE, IF R05_AU0100 = 3, DISPLAY "yesterday".
ELSE, IF R05_AU0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AU0103 > 20 OR R05_AU0103 = 11.
ELSE, GO TO R05_AU1130 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AU1130

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | |
|----------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AU9041 |
| 3 I don't know | GO TO R05_AU9041 |
| -8 DON'T KNOW | GO TO R05_AU9041 |
| -7 REFUSED | GO TO R05_AU9041 |

ASK: Adult respondents who are every day established snus users, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05_CURRENT_SNUS_USE = 1 OR ((R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavors have you used in the past 30 days? Choose all that apply.

- | | | |
|---|----|--|
| R05_AU1131_01 | 1 | Menthol or mint |
| R05_AU1131_02 | 2 | Wintergreen, spearmint, or frost |
| R05_AU1131_03 | 3 | Clove or spice |
| R05_AU1131_04 | 4 | Fruit |
| R05_AU1131_05 | 5 | Chocolate |
| R05_AU1131_06 | 6 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AU1131_07 | 7 | Candy or other sweets |
| R05_AU1131_08;
R05_AU1131_OS | 8 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R05_CURRENT_SNUS_USE = 1 AND R05_AU1130 = 1) OR ((R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0 AND R05_AU1130 = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R05_AUR37

Adult respondents who are every day established snus users and used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, go to R05_AU1133.
Else, go to R05_AU1147.

IF (R05_CURRENT_SNUS_USE = 1 AND R05_AU1130 = 1 AND (R05_AU1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_AU1131_[01/.../08] = -8, -7)) OR ((R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0 AND R05_AU1130 = 1 AND (R05_AU1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_AU1131_[01/.../08] = -8, -7)), GO TO R05_AU1133.
ELSE, GO TO R05_AU1147.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1133; R05_AU1133_OS

In the past 30 days, which flavor of snus have you used most often?

- 1 Menthol or mint
- 2 Wintergreen, spearmint, or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita, or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF (R05_CURRENT_SNUS_USE = 1 AND R05_AU1130 = 1 AND (R05_AU1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_AU1131_[01/.../08] = -8, -7)) OR ((R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0 AND R05_AU1130 = 1 AND (R05_AU1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_AU1131_[01/.../08] = -8, -7)).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1147

On the days you used snus in the past 30 days, how often did you use flavored snus?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established snus users and used flavored snus in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day snus users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored snus in the past 30 days.

ASK Specification: IF (R05_CURRENT_SNUS_USE = 1 AND R05_AU1130 = 1) OR ((R05_CURRENT_SNUS_USE = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1022 != 0 AND R05_AU1130 = 1).

DISPLAY: UNDERLINE "flavored".

Variable(s): R05_AU9041

What type of snus [do you use/have you used]?

[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]

- | | |
|------------------------------------|------------------|
| 1 Snus pouches | GO TO R05_AU1030 |
| 2 Loose snus | GO TO R05_AU1030 |
| 3 Both snus pouches and loose snus | |
| -8 DON'T KNOW | GO TO R05_AU1030 |
| -7 REFUSED | GO TO R05_AU1030 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "do you use".
ELSE, DISPLAY "have you used".

IMAGE: SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU9042

You mentioned you have used both snus pouches and loose snus. Which type of snus [do/did] you use most often?

[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]

- 1 Snus pouches
- 2 Loose snus
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and have used both snus pouches and loose snus.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU9041 = 3.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

IMAGE: SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS

Variable(s): R05_AU1030

The next questions ask about your experience buying snus. [Please think about the type of snus you use most often when answering these questions.

]How [do/did] you usually buy snus for yourself?

- | | |
|----------------------------|------------------|
| 1 In person | |
| 2 From the internet | GO TO R05_AU1042 |
| 3 By telephone | GO TO R05_AU1042 |
| 4 I do not buy my own snus | GO TO R05_AU1047 |
| -8 DON'T KNOW | GO TO R05_AU1047 |
| -7 REFUSED | GO TO R05_AU1047 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

IF R05_AU9041 = 3, DISPLAY "Please think about the type of snus you use most often when answering these questions.".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1032

[Do/Did] you usually buy snus...?

- 1 In your own state
- 2 In another state
- 3 Outside the US
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1030 = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

Variable(s): R05_AU1033; R05_AU1033_OS

Where [do/did] you buy your snus most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store, or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant, or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1030 = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT
AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1042_D; R05_AU1042_C

How much [do you usually/did you] pay for a container of snus?

\$ I ___ I ___ I ___ I Dollars . I ___ I ___ I Cents

-8 DON'T KNOW

GO TO BOX R05_AUR52

-7 REFUSED

GO TO BOX R05_AUR52

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1030 = 1, 2, 3.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "do you usually".

ELSE, DISPLAY "did you",

DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

CHECK ID: R05_AU1042_LC1

The computer recorded that you paid \$[R05_AU1042_D].[R05_AU1042_C] for a container of snus.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1042

2 NEXT

GO TO BOX R05_AUR52

ASK: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1030 = 1, 2, 3 AND (R05_AU1042_D > 6 OR R05_AU1042_D < 1).

PROGRAM: TRIGGER CHECK IF R05_AU1042_D > 6 OR R05_AU1042_D < 1.

ELSE, GO TO BOX R05_AUR52 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_AUR52

Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone, and most often use snus pouches, go to R05_AU9001.

Else, go to R05_AU1047.

IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1030 = 1, 2, 3 AND (R05_AU9041 = 1 OR R05_AU9042 = 1), GO TO R05_AU9001.

ELSE, GO TO R05_AU1047.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU9001

How many pouches [are/were] in the container of snus that you usually [buy/bought]?

I__|__|

-8 DON'T KNOW

GO TO R05_AU1047

-7 REFUSED

GO TO R05_AU1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone, and most often use snus pouches.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1030 = 1, 2, 3 AND (R05_AU9041 = 1 OR R05_AU9042 = 1).

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "are" AND "buy".

ELSE, DISPLAY "were" AND "bought".

PROGRAM: Allow 2 digits.

CHECK ID: R05_AU9001_LC1

The computer recorded that there are [R05_AU9001] pouches in the container you bought.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU9001

2 NEXT

GO TO R05_AU9002

ASK: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1030 = 1, 2, 3 AND (R05_AU9041 = 1 OR R05_AU9042 = 1) AND (R05_AU9001 > 50 OR R05_AU9001 < 5).

PROGRAM: TRIGGER CHECK IF R05_AU9001 > 50 OR R05_AU9001 < 5.

ELSE, GO TO R05_AU9002 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU9002

About how many days [does/did] it take you to use up a container this size?

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_AU1047

-7 REFUSED

GO TO R05_AU1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and usually buy their snus in person, from the internet, or by telephone, and most often use snus pouches and provided the number of snus pouches in the container they usually buy.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1030 = 1, 2, 3 AND (R05_AU9041 = 1 OR R05_AU9042 = 1) AND R05_AU9001 != -8, -7.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "does".

ELSE, DISPLAY "did".

PROGRAM: Allow 3 digits.

CHECK ID: R05_AU9002_LC1

The computer recorded that it took you [R05_AU9002] days to use up a container of snus.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU9002

2 NEXT

GO TO R05_AU1047

ASK: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1030 = 1, 2, 3 AND (R05_AU9041 = 1 OR R05_AU9042 = 1) AND R05_AU9001 != -8, -7 AND (R05_AU9002 > (R05_AU9001*7) OR R05_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99).

PROGRAM: TRIGGER CHECK IF R05_AU9002 > (R05_AU9001*7) OR R05_AU9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.

ELSE, GO TO R05_AU1047 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AU1047

[Do/Did] you have a regular brand of snus that you usually [use/used]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "Do" AND "use".

ELSE, DISPLAY "Did" AND "used".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AU1050**

[Is/was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AU1945 |
| 3 | I don't know | GO TO R05_AU1945 |
| -8 | DON'T KNOW | GO TO R05_AU1945 |
| -7 | REFUSED | GO TO R05_AU1945 |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AU1047 = 1, DISPLAY "Is" AND "your regular brand" AND "use".

ELSE, IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AU1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".

ELSE, IF (R05_SNUS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1047 = 1, DISPLAY "Was" AND "your regular brand" AND "used".

ELSE, IF (R05_SNUS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavor [is/was] it? Choose all that apply.

- | | | |
|---|----|--|
| R05_AU1012_01 | 1 | Menthol or mint |
| R05_AU1012_02 | 2 | Wintergreen, spearmint, or frost |
| R05_AU1012_03 | 3 | Clove or spice |
| R05_AU1012_04 | 4 | Fruit |
| R05_AU1012_05 | 5 | Chocolate |
| R05_AU1012_06 | 6 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AU1012_07 | 7 | Candy or other sweets |
| R05_AU1012_08;
R05_AU1012_OS | 8 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users whose regular brand or last brand of snus used was flavored.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1050 = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AU1047 = 1, DISPLAY "is".
ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT
AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R05_AU1945

Do you know the name of the brand of snus you [usually use/usually used/last used]?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-daysnus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: UNDERLINE "name of the brand".

IF R05_AU1047 = 1 AND R05_SNUS_USER_STATUS = 1, 2, DISPLAY "usually use".

ELSE, IF R05_AU1047 = 1 AND R05_SNUS_USER_STATUS != 1, 2, DISPLAY "usually used".

ELSE, IF R05_AU1047 = 2, -8, -7, DISPLAY "last used".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AUR27

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used, go to R05_AU1048_BRAND.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus pouch users and have a regular brand of snus, go to R05_AU1051.

Else, go to Box R05_AUD03.

IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1945 = 1, GO TO R05_AU1048_BRAND.

ELSE, IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1047 = 1, GO TO R05_AU1051.

ELSE, GO TO BOX R05_AUD03.

Variable(s): R05_AU1048_BRAND

What brand of snus [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

9995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-daysnus users and know the name of the brand of snus they usually use or last used.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1945 = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AU1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R05_SNUS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R05_SNUS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else."."

PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AUR16

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected "Something else" for their brand of snus, go to R05_AU1049.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus, go to R05_AU1070_PRODUCT.

Else, go to Box R05_AUR25.

IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1945 = 1 AND R05_AU1048_BRAND = 9995, GO TO R05_AU1049.

ELSE, IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1945 = 1 AND R05_AU1048_BRAND != 9995, -8, -7, GO TO R05_AU1070_PRODUCT. ELSE, GO TO BOX R05_AUR25.

Variable(s): R05_AU1049

You said that your brand was not listed. What is it?

_____	GO TO BOX R05_AUR25
-8 DON'T KNOW	GO TO BOX R05_AUR25
-7 REFUSED	GO TO BOX R05_AUR25

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected "Something else" for their brand of snus.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1945 = 1 AND R05_AU1048_BRAND = 9995.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1070_PRODUCT

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1945 = 1 AND R05_AU1048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND CHOSEN IN R05_AU1048_BRAND.

IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AU1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R05_SNUS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R05_SNUS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1047 = 2, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

BOX ID: R05_AUR17

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus and selected "Something else" for their subbrand of snus, go to R05_AU1071. Else, go to Box R05_AUR25.

IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1945 = 1 AND R05_AU1048_BRAND != 9995, -8, -7 AND R05_AU1070_PRODUCT = 99995, GO TO R05_AU1071.

ELSE, GO TO BOX R05_AUR25.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1071

You said that the type of [BRANDFILL]s that you [use/used] is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and know the name of the brand of snus they usually use or last used and selected a brand of snus and selected "Something else" for their subbrand of snus.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1945 = 1 AND R05_AU1048_BRAND != 9995, -8, -7 AND R05_AU1070_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R05_AU1048_BRAND.

IF R05_CURRENT_USER_SNUS = 1, 2 AND R05_AU1047 = 1, DISPLAY "use".

ELSE, DISPLAY "used".

BOX ID: R05_AUR25

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and have a regular brand of snus, go to R05_AU1051.
Else, go to Box R05_AUR18.

IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1047 = 1, GO TO R05_AU1051.

ELSE, GO TO BOX R05_AUR18.

Variable(s): R05_AU1051_NN; R05_AU1051_UN

About how long [did you use/have you been using] your regular brand of snus?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_AUR18

-7 REFUSED

GO TO BOX R05_AUR18

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and have a regular brand of snus.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1047 = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers R05_AU1051_UN = Days; the value "2" refers to R05_AU1051_UN = Months; the value "3" refers to R05_AU1051_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AU1051_LC1

The computer recorded that you [have been using/used] your regular brand of snus for [R05_AU1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1051

2 NEXT

GO TO R05_AU1051_LC2

ASK: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1047 = 1 AND ((R05_AU1051_NN > R05R_A_AGE) AND R05_AU1051_UN = 3).

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "have been using".
ELSE, DISPLAY "used".

PROGRAM: TRIGGER CHECK IF (R05_AU1051_NN > R05R_A_AGE) AND R05_AU1051_UN = 3.
ELSE, GO TO R05_AU1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AU1051_LC2

The computer recorded "0" for how long you [have been using/used] your regular brand of snus.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AU1051

2 NEXT

GO TO BOX R05_AUR18

ASK: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU1047 = 1 AND R05_AU1051_NN = 0.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "have been using".
ELSE, DISPLAY "used".

PROGRAM: TRIGGER CHECK IF R05_AU1051_NN = 0.
ELSE, GO TO BOX R05_AUR18 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_AUR18

Adult respondents who are current established, current experimental, or non-current 30-day snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and subbrand of snus, go to R05_AU0104.

Else, go to Box R05_AUD03.

IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU0100 = 1, 2, 3, 4 AND R05_AU1945 = 1 AND R05_AU1048_BRAND != 9995, -8, -7 AND R05_AU1070_PRODUCT != 99990, 99995, -8, -7, GO TO R05_AU0104.
ELSE, GO TO BOX R05_AUD03.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU0104***

You said earlier that you last used snus [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and subbrand of snus.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_AU0100 = 1, 2, 3, 4 AND R05_AU1945 = 1 AND R05_AU1048_BRAND != 9995, -8, -7 AND R05_AU1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_AU0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R05_AU0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R05_AU0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R05_AU0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R05_AU1070_PRODUCT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AUD03

Randomize order of R05_AU1060 through R05_AU1077.

Display question R05_AU1060, R05_AU1085, R05_AU1062, R05_AU1075, R05_AU1063, R05_AU1064, R05_AU1065, R05_AU1067, R05_AU1076 and R05_AU1077 on one screen. Show the intro/transition text from R05_AU1060 first, then show each item with a Y/N response. As each item is answered, show the next one.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1060

The next questions are about the reasons people use snus. Please select which reasons [apply to you/ applied to you when you used to use snus].

I [use/used] snus because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "is".
ELSE, DISPLAY "applied to you when you used to use snus", "used" AND "was".

Variable(s): R05_AU1085

I [can/could] use snus at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "can" AND "isn't".
ELSE, DISPLAY "could" AND "wasn't".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1062

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

Variable(s): R05_AU1075

It might [be/have been] less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

Variable(s): R05_AU1063

Snus [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "comes" AND "like".
ELSE, DISPLAY "came" AND "liked".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AUR19

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established, current experimental, or recent former established cigarette smokers, go to R05_AU1064.
Else, go to R05_AU1065.

IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AU1064.
ELSE, GO TO R05_AU1065.

Variable(s): R05_AU1064

Using snus helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

Variable(s): R05_AU1065

Snus doesn't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AU1067**

Snus [is/was] more acceptable to non-tobacco users.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "is".
ELSE, DISPLAY "was".

Variable(s): **R05_AU1076**

No one [can/could] tell when I [am/was] using snus.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "can" AND "am".
ELSE, DISPLAY "could" AND "was".

BOX ID: **R05_AUR53**

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established, current experimental, or recent former established cigarette smokers, go to R05_AU1077.
Else, go to Box R05_AUR20.

IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND
R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AU1077.
ELSE, GO TO BOX R05_AUR20.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1077

Using snus [satisfies/satisfied] my cravings for cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "satisfies".
ELSE, DISPLAY "satisfied".

BOX ID: R05_AUR20

Adult respondents who are current established, current experimental, or non-current 30-day snus users and are current established or current experimental cigarette smokers, go to R05_AU1086.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established or recent former established cigarette smokers, go to R05_AU1080.

Else, go to R05_AU1139.

IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_CIG_USER_STATUS = 1, 2, GO TO R05_AU1086.

ELSE, IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_CIG_USER_STATUS = 1, 4, GO TO R05_AU1080.
ELSE, GO TO R05_AU1139.

Variable(s): R05_AU1086

In the past 30 days have you used snus at times when or in places where you could not smoke cigarettes?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AU1080 |
| -8 DON'T KNOW | GO TO R05_AU1080 |
| -7 REFUSED | GO TO R05_AU1080 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and are current established or current experimental cigarette smokers.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_CIG_USER_STATUS = 1, 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1087

How often [do/did] you use snus at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day snus users and are current established or current experimental cigarette smokers and used snus at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_CIG_USER_STATUS = 1, 2 AND R05_AU1086 = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, IF R05_FORMER_THIRTYDAY_USER_SNUS = 1, DISPLAY "did".

Variable(s): R05_AU1080

[Do/Did] you use snus as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1082

[Are/Did] you [using/use] snus as a way to quit smoking cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1) AND R05_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "Are" AND "using".
ELSE, DISPLAY "Did" AND "use".

Variable(s): R05_AU1139

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using snus.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "is".
ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R05_AU1139-1141 SERIES.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1140

While using snus, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "feel".
ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R05_AU1139-1141 SERIES.

Variable(s): R05_AU1141

I [use/used] snus much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day snus users.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SNUS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "use" AND "am".
ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R05_AU1139-1141 SERIES.

SMOKELESS TOBACCO

BOX ID: R05_ASR08

Adult respondents who were recent former established or long-term former established smokeless tobacco users and had used smokeless tobacco 100 or more times and had used fairly regularly as of their last completed interview, and have not used smokeless tobacco in the past 12 months or now use smokeless tobacco not at all, go to Box R05_ASV02.
Else, continue with Box R05_AST02.

IF R04_SMKLS_USER_STATUS = 4, 5 AND R04_NUMLIFE_SMKLS = 1 AND R04_REGUSE_SMKLS = 1 AND (R05_AS1002_12M = 2 OR R05_AS1003 = 3), GO TO BOX R05_ASV02.
ELSE, GO TO BOX R05_AST02.

BOX ID: R05_AST02

IF RESPONDENT USES ONLY SMOKELESS TOBACCO (R05_EVER_NEVER_SNUS = 2 AND R05_EVER_NEVER_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:
The next questions ask about **smokeless tobacco** which you put in your mouth and chew, suck, or spit.

There are many types of smokeless tobacco products such as dip, spit, moist snuff, pouches, and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman, and Levi Garrett, but there are many others.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

IF RESPONDENT USES BOTH SNUS AND SMOKELESS TOBACCO (R05_EVER_NEVER_SNUS = 1 AND R05_EVER_NEVER_SMKLS = 1), DISPLAY THE FOLLOWING TRANSITION TEXT:
You just answered questions about snus. The next questions are about your use of other types of **smokeless tobacco** products which you put in your mouth and chew, suck, or spit.

There are many types of smokeless tobacco such as dip, spit, moist snuff, pouches, and chewing tobacco. Common brands include Skoal, Copenhagen, Grizzly, Redman, and Levi Garrett, but there are many others.

The questions will use the phrase "**smokeless tobacco**" to refer to these products. Please think about your use of smokeless tobacco products, not including snus, as you answer these questions.

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

BOLD "smokeless tobacco".
UNDERLINE "not including snus".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ASR07

Adult respondents who have ever used smokeless tobacco and had not used smokeless tobacco 100 or more times as of their last completed interview, go to R05_AS1005.

Else, adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview, go to R05_AS1100.
Else, go to Box R05_ASV02.

IF R05_EVER_NEVER_SMKLS = 1 AND R04_NUMLIFE_SMKLS != 1, GO TO R05_AS1005.
ELSE, IF R05_EVER_NEVER_SMKLS = 1 AND R04_REGUSE_SMKLS != 1, GO TO R05_AS1100.
ELSE, GO TO BOX R05_ASV02.

Variable(s): R05_AS1005

How many times have you used smokeless tobacco in your entire life?

- 1 1 to 10
- 2 11 to 20
- 3 21 to 50
- 4 51 to 99
- 5 100 or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used smokeless tobacco and had not used 100 or more times as of their last completed interview.

ASK Specification: IF R05_EVER_NEVER_SMKLS = 1 AND R04_NUMLIFE_SMKLS != 1.

BOX ID: R05_ASR10

Adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview, go to R05_AS1100.
Else, go to Box R05_ASV02.

IF R05_EVER_NEVER_SMKLS = 1 AND R04_REGUSE_SMKLS != 1, GO TO R05_AS1100.
ELSE, GO TO BOX R05_ASV02.

Variable(s): R05_AS1100

Have you ever used smokeless tobacco fairly regularly?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview.

ASK Specification: IF R05_EVER_NEVER_SMKLS = 1 AND R04_REGUSE_SMKLS != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ASR11

New baseline adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and have ever used smokeless tobacco fairly regularly, go to R05_AS1007_NB.
Else, go to Box R05_ASV02.

IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SMKLS = 1 AND R05_AS1100 = 1, GO TO R05_AS1007_NB.
ELSE, GO TO BOX R05_ASV02.

Variable(s): R05_AS1007_NB

How old were you when you first started using smokeless tobacco fairly regularly?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AS1121_NB

-7 REFUSED

GO TO R05_AS1121_NB

ASK: New baseline adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and have ever used smokeless tobacco fairly regularly.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SMKLS = 1 AND R05_AS1100 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AS1007_NB_LC1

The computer recorded that you started using smokeless tobacco fairly regularly at age [R05_AS1007_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1007_NB

2 NEXT

GO TO R05_AS1007_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SMKLS = 1 AND R05_AS1100 = 1 AND R05_AS1007_NB <= 8.

PROGRAM: TRIGGER CHECK IF R05_AS1007_NB <= 8.

ELSE, GO TO R05_AS1007_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AS1007_NB_LC2

The computer recorded that you started using smokeless tobacco fairly regularly at age [R05_AS1007_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1007_NB

2 NEXT

GO TO BOX R05_ASV02

ASK: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SMKLS = 1 AND R05_AS1100 = 1 AND (R05_AS1007_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AS1007_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_ASV02 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AS1121_NB

When you first started using smokeless tobacco fairly regularly, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview and have ever used smokeless tobacco fairly regularly and did not know or refused to report the age they first started using smokeless tobacco fairly regularly.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SMKLS = 1 AND R05_AS1100 = 1 AND R05_AS1007_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ASV02

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R05_SMKLS_USER_STATUS = 1 (Current established user) Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use every day or some days.

R05_SMKLS_USER_STATUS = 2 (Current experimental user) Adult respondents who have never used smokeless tobacco fairly regularly, and currently use every day or some days.

R05_SMKLS_USER_STATUS = 3 (Former experimental user) Adult respondents who have ever used smokeless tobacco and have never used smokeless tobacco fairly regularly and did not use in the past 12 months or currently use not at all.

R05_SMKLS_USER_STATUS = 4 (Recent former established user) Continuing adult respondents who were current established, current experimental, or former experimental smokeless tobacco users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and new baseline adult respondents who have ever used smokeless tobacco as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and adult respondents who initiated smokeless tobacco use since their last completed interview, have ever used smokeless tobacco fairly regularly, have used in the past 12 months and currently use not at all.

R05_SMKLS_USER_STATUS = 5 (Long-term former established user) Continuing adult respondents who were recent former established or long-term former established smokeless tobacco users as of their last completed interview and did not use in the past 12 months or currently use not at all.

R05_CURRENT_SMKLS_USE = 1 (Every day established user) Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use every day.

R05_CURRENT_SMKLS_USE = 2 (Some day established user) Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use some days.

R05_FORMER_THIRTYDAY_USER_SMKLS = 1 (Non-current 30-day user) Adult respondents who are former experimental, recent former established, or long-term former established smokeless tobacco users who have used any smokeless tobacco in the past 30 days.

R05_SMKLS_USER_STATUS = 1:

IF R05_EVER_NEVER_SMKLS = 1 AND (R04_REGUSE_SMKLS = 1 OR R05_AS1100 = 1) AND R05_AS1003 = 1, 2, THEN R05_SMKLS_USER_STATUS = 1.

R05_SMKLS_USER_STATUS = 2:

ELSE, IF R05_EVER_NEVER_SMKLS = 1 AND R04_REGUSE_SMKLS != 1 AND R05_AS1100 != 1 AND R05_AS1003 = 1, 2, THEN R05_SMKLS_USER_STATUS = 2.

R05_SMKLS_USER_STATUS = 3:

ELSE, IF R05_EVER_NEVER_SMKLS = 1 AND (R05_AS1002_12M = 2 OR R05_AS1003 = 3) AND R04_REGUSE_SMKLS != 1 AND R05_AS1100 != 1, THEN R05_SMKLS_USER_STATUS = 3.

R05_SMKLS_USER_STATUS = 4:

ELSE, IF (R04_SMKLS_USER_STATUS = 1, 2, 3 OR R05_INIT_SMKLS_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_SMKLS = 1)) AND (R04_REGUSE_SMKLS = 1 OR R05_AS1100 = 1) AND R05_EVER_NEVER_SMKLS = 1 AND (R05_AS1002_12M = 2 OR R05_AS1003 = 3), THEN R05_SMKLS_USER_STATUS = 4.

R05_SMKLS_USER_STATUS = 5:

ELSE, IF R04_SMKLS_USER_STATUS = 4, 5 AND R05_EVER_NEVER_SMKLS = 1 AND (R05_AS1002_12M = 2 OR R05_AS1003 = 3), THEN R05_SMKLS_USER_STATUS = 5.

R05_CURRENT_SMKLS_USE = 1:

IF R05_SMKLS_USER_STATUS = 1 AND R05_AS1003 = 1, THEN R05_CURRENT_SMKLS_USE = 1.

R05_CURRENT_SMKLS_USE = 2:

ELSE, IF R05_SMKLS_USER_STATUS = 1 AND R05_AS1003 = 2, THEN R05_CURRENT_SMKLS_USE = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R05_FORMER_THIRTYDAY_USER_SMKLS = 1:

IF R05_SMKLS_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AS1009_NN <= 30 AND R05_AS1009_UN = 1) OR (R05_AS1009_NN = 1 AND R05_AS1009_UN = 2) OR R05_AS1004 = 1), THEN
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.
ELSE, R05_FORMER_THIRTYDAY_USER_SMKLS = 2.

BOX ID: R05_ASR02

New baseline adult respondents who are every day established smokeless tobacco users, go to R05_AS1020_NB.
Else, go to Box R05_ASR12.

IF R05_ADULTTYPE = 2 AND R05_CURRENT_SMKLS_USE = 1, GO TO R05_AS1020_NB.
ELSE, GO TO BOX R05_ASR12.

Variable(s): R05_AS1020_NB

How old were you when you first started using smokeless tobacco every day?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AS1122_NB

-7 REFUSED

GO TO R05_AS1122_NB

ASK: New baseline adult respondents who are every day established smokeless tobacco users.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_CURRENT_SMKLS_USE = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AS1020_NB_LC1

The computer recorded that you started using smokeless tobacco every day at age [R05_AS1020_NB].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1020_NB

2 NEXT

GO TO R05_AS1020_NB_LC2

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_SMKLS_USE = 1 AND (R05_AS1020_NB <= 8 OR R05_AS1020_NB < R05_AS1007_NB).

PROGRAM: TRIGGER CHECK IF R05_AS1020_NB <= 8 OR R05_AS1020_NB < R05_AS1007_NB.
ELSE, GO TO R05_AS1020_NB_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AS1020_NB_LC2

The computer recorded that you started using smokeless tobacco every day at age [R05_AS1020_NB]. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1020_NB

2 NEXT

GO TO BOX R05_ASR12

ASK: IF R05_ADULTTYPE = 2 AND R05_CURRENT_SMKLS_USE = 1 AND (R05_AS1020_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AS1020_NB > R05R_A_AGE.
ELSE, GO TO BOX R05_ASR12 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AS1122_NB

When you first started using smokeless tobacco every day, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who are every day established smokeless tobacco users and did not know or refused to report the age they first started using smokeless tobacco every day.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_CURRENT_SMKLS_USE = 1 AND R05_AS1020_NB = -8, -7.

BOX ID: R05_ASR12

Adult respondents who initiated smokeless tobacco use since their last completed interview, go to R05_AS1008.

Else, go to Box R05_ASR09.

IF R05_INIT_SMKLS_ADULT = 1, GO TO R05_AS1008.
ELSE, GO TO BOX R05_ASR09.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AS1008**

When you first started using smokeless tobacco, did you use smokeless tobacco flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_ASR09 |
| 3 | I don't know | GO TO BOX R05_ASR09 |
| -8 | DON'T KNOW | GO TO BOX R05_ASR09 |
| -7 | REFUSED | GO TO BOX R05_ASR09 |

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview.

ASK Specification: IF R05_INIT_SMKLS_ADULT = 1.

Variable(s): **SEE BELOW:**

Which flavor did you first start using? Choose all that apply.

- | | | |
|---|----|--|
| R05_AS1011_01 | 1 | Menthol or mint |
| R05_AS1011_02 | 2 | Wintergreen, spearmint, or frost |
| R05_AS1011_03 | 3 | Clove or spice |
| R05_AS1011_04 | 4 | Fruit |
| R05_AS1011_05 | 5 | Chocolate |
| R05_AS1011_06 | 6 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AS1011_07 | 7 | Candy or other sweets |
| R05_AS1011_08;
R05_AS1011_OS | 8 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF R05_INIT_SMKLS_ADULT = 1 AND R05_AS1008 = 1.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ASR09

Adult respondents who are every day established smokeless tobacco users, go to R05_AS1021.
 Else, adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, go to R05_AS1022.
 Else, adult respondents who are recent former established smokeless tobacco users, go to R05_AS1047.
 Else, go to the next section.

IF R05_CURRENT_SMKLS_USE = 1, GO TO R05_AS1021.
 ELSE, IF R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR
 R05_FORMER_THIRTYDAY_USER_SMKLS = 1, GO TO R05_AS1022.
 ELSE, IF R05_SMKLS_USER_STATUS = 4, GO TO R05_AS1047.
 ELSE, GO TO THE NEXT SECTION.

Variable(s): R05_AS1021

On average, about how many times do you now use smokeless tobacco each day?

_ _ _	
-8 DON'T KNOW	GO TO R05_AS1024
-7 REFUSED	GO TO R05_AS1024

ASK: Adult respondents who are every day established smokeless tobacco users.

ASK Specification: IF R05_CURRENT_SMKLS_USE = 1.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AS1021_LC1

The computer recorded that on average, you now use smokeless tobacco [R05_AS1021] times a day.
 Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK	GO TO R05_AS1021
2 NEXT	GO TO R05_AS1024

ASK: IF R05_CURRENT_SMKLS_USE = 1 AND R05_AS1021 > 20.

PROGRAM: TRIGGER CHECK IF R05_AS1021 > 20.

ELSE, GO TO R05_AS1024 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1022

On how many of the past 30 days did you use smokeless tobacco?

I__|__| DAYS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day smokeless users.

ASK Specification: IF R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: DISPLAY "DAYS" AS A TITLE.

PROGRAM: Range check: 0-30 days.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ASR13

Adult respondents who are some day established or current experimental smokeless tobacco users and used on 0 days of the past 30 days, go to R05_AS9029.
 Else, adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R05_AS1023.
 Else, go to Box R05_ASR26.

IF R05_AS1022 = 0 AND (R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2),
 GO TO R05_AS9029.
 ELSE, IF (R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR
 R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0, GO TO R05_AS1023.
 ELSE, GO TO BOX R05_ASR26.

Variable(s): R05_AS9029_NN; R05_AS9029_UN

About how long has it been since you last used smokeless tobacco?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_ASR26

-7 REFUSED

GO TO BOX R05_ASR26

ASK: Adult respondents who are some day established or current experimental smokeless tobacco users and used on 0 days of the past 30 days.

ASK Specification: IF (R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2) AND R05_AS1022 = 0.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers R05_AS9029_UN = Days; the value "2" refers to R05_AS9029_UN = Months; the value "3" refers to R05_AS9029_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AS9029_LC1

The computer recorded that you used smokeless tobacco [R05_AS9029] [days/months/years] ago.

If that is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS9029

2 NEXT

GO TO BOX R05_ASR26

ASK: IF (R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2) AND R05_AS1022 = 0 AND ((R05_AS9029_NN < 30 AND R05_AS9029_UN = 1) OR (R05_AS9029_NN < 1 AND R05_AS9029_UN = 2) OR (R05_AS9029_NN > 18 AND R05_AS9029_UN = 2) OR (R05_AS9029_NN > (R05R_A_AGE - 10) AND R05_AS9029_UN = 3)).

DISPLAY: IF R05_AS9029 REPORTED IN DAYS, DISPLAY "days".

ELSE, IF R05_AS9029 REPORTED IN MONTHS DISPLAY "months".

ELSE, IF R05_AS9029 REPORTED IN YEARS, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AS9029_NN < 30 AND R05_AS9029_UN = 1) OR (R05_AS9029_NN < 1 AND R05_AS9029_UN = 2) OR (R05_AS9029_NN > 18 AND R05_AS9029_UN = 2) OR (R05_AS9029_NN > (R05R_A_AGE - 10) AND R05_AS9029_UN = 3).

ELSE, GO TO BOX R05_ASR26 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AS1023

On average, on those [FILL NUMBER OF DAYS FROM R05_AS1022 days/days you used], how many times did you usually use smokeless tobacco each day?

|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_ASR26

-7 REFUSED

GO TO BOX R05_ASR26

ASK: Adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF (R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0.

DISPLAY: IF R05_AS1022 = 1, -8, -7, DISPLAY "days you used".

ELSE, DISPLAY THE NUMBER OF DAYS REPORTED IN R05_AS1022 AND "days" (EX. "2 days").

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AS1023_LC1

The computer recorded that on the days you used in the past 30 days, you used smokeless tobacco [R05_AS1023] times a day, on average.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1023

2 NEXT

GO TO BOX R05_ASR26

ASK: IF (R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0 AND R05_AS1023 > 20.

PROGRAM: TRIGGER CHECK IF R05_AS1023 > 20.

ELSE, GO TO BOX R05_ASR26 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ASR26

Adult respondents who are current established or current experimental smokeless tobacco users, go to R05_AS1024.

Else, adult respondents who are non-current 30-day smokeless tobacco users, go to R05_AS1024_30D. Else, go to the next section.

IF R05_SMKLS_USER_STATUS = 1, 2, GO TO R05_AS1024.

ELSE, IF R05_FORMER_THIRTYDAY_USER_SMKLS = 1, GO TO R05_AS1024_30D.

ELSE, GO TO THE NEXT SECTION.

Variable(s): R05_AS1024_NN; R05_AS1024_UN

[On the days that you use smokeless tobacco, how/How] soon after you wake up do you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

1 |__|__|__| Minutes after waking

2 |__|__|__| Hours after waking

-8 DON'T KNOW

GO TO R05_AS1092

-7 REFUSED

GO TO R05_AS1092

ASK: Adult respondents who are current established or current experimental smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2.

DISPLAY: IF R05_CURRENT_SMKLS_USE = 1, DISPLAY "How".

ELSE, DISPLAY "On the days that you use smokeless tobacco, how".

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers R05_AS1024_UN = Minutes after waking; the value "2" refers to R05_AS1024_UN = Hours after waking.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AS1024_LC1

The computer recorded that you typically use your first smokeless tobacco product [R05_AS1024_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1024

2 NEXT

GO TO R05_AS1024_LC2

ASK: IF [R05_SMKLS_USER_STATUS = 1, 2 AND R05_CURRENT_SMKLS_USE = 1 AND ((R05_AS1024_NN > 60 AND R05_AS1024_NN = 1) OR (R05_AS1024_NN > 4 AND R05_AS1024_NN = 2))] OR [R05_SMKLS_USER_STATUS = 1, 2 AND (R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2) AND ((R05_AS1024_NN > 60 AND R05_AS1024_UN = 1) OR (R05_AS1024_NN > 12 AND R05_AS1024_UN = 2))].

DISPLAY: IF R05_AS1024_UN = 1, DISPLAY "minutes".
ELSE, IF R05_AS1024_UN = 2 DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF [R05_CURRENT_SMKLS_USE = 1 AND ((R05_AS1024_NN > 60 AND R05_AS1024_NN = 1) OR (R05_AS1024_NN > 4 AND R05_AS1024_NN = 2))] OR [(R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2) AND ((R05_AS1024_NN > 60 AND R05_AS1024_UN = 1) OR (R05_AS1024_NN > 12 AND R05_AS1024_UN = 2))].
ELSE, GO TO R05_AS1024_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AS1024_LC2

The computer recorded "0" for how soon you typically use your first smokeless tobacco product after waking.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1024

2 NEXT

GO TO BOX R05_ASR28

ASK: IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AS1024_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AS1024_NN = 0.
ELSE, GO TO BOX R05_ASR28 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1092

[On the days that you use smokeless tobacco, would/Would] you say you use your first smokeless tobacco product of the day within the first 30 minutes after you wake up?

- | | | |
|----|------------|---------------------|
| 1 | Yes | GO TO BOX R05_ASR28 |
| 2 | No | GO TO BOX R05_ASR28 |
| 3 | It varies | GO TO BOX R05_ASR28 |
| -8 | DON'T KNOW | GO TO BOX R05_ASR28 |
| -7 | REFUSED | GO TO BOX R05_ASR28 |

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and did not know or refused to report how soon after waking up they first use smokeless tobacco.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AS1024_NN = -8, -7.

DISPLAY: IF R05_CURRENT_SMKLS_USE = 1, DISPLAY "Would".

ELSE, DISPLAY "On the days that you use smokeless tobacco, would".

Variable(s): R05_AS1024_30D_NN**; R05_AS1024_30D_UN

On the days that you used smokeless tobacco, how soon after you woke up did you typically use your first smokeless tobacco product of the day? Please enter the number of minutes or hours.

- | | | |
|----|-----------------------------|----------------------|
| 1 | _ _ _ Minutes after waking | |
| 2 | _ _ _ Hours after waking | |
| -8 | DON'T KNOW | GO TO R05_AS1092_30D |
| -7 | REFUSED | GO TO R05_AS1092_30D |

ASK: Adult respondents who are non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers R05_AS1024_30D_UN = Minutes after waking; the value "2" refers to R05_AS1024_30D_UN = Hours after waking.

**SKIP ERROR: This item was skipped incorrectly by some respondents who were non-current 30-day smokeless tobacco users (R05_FORMER_THIRTYDAY_USER_SMKLS = 1) and recent former established smokeless tobacco users (R05_SMKLS_USER_STATUS = 4). This issue was fixed in a field update on 4/11/2019.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AS1024_30D_LC1

The computer recorded that you typically used your first smokeless tobacco product [R05_AS1024_30D_NN] [minutes/hours] after waking. Is this correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|--------------------------|
| 1 BACK | GO TO R05_AS1024_30D |
| 2 NEXT | GO TO R05_AS1024_30D_LC2 |

ASK: IF R05_FORMER_THIRTYDAY_USER_SMKLS = 1 AND ((R05_AS1024_30D_NN > 60 AND R05_AS1024_30D_UN = 1) OR (R05_AS1024_30D_NN > 12 AND R05_AS1024_30D_NN = 2)).

DISPLAY: IF R05_AS1024_30D_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AS1024_30D_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_AS1024_30D_NN > 60 AND R05_AS1024_30D_UN = 1) OR (R05_AS1024_30D_NN > 12 AND R05_AS1024_30D_UN = 2).

ELSE, GO TO R05_AS1024_30D_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AS1024_30D_LC2

The computer recorded "0" for how soon after waking you typically used your first smokeless tobacco product.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------|
| 1 BACK | GO TO R05_AS1024_30D |
| 2 NEXT | GO TO BOX R05_ASR28 |

ASK: IF R05_FORMER_THIRTYDAY_USER_SMKLS = 1 AND R05_AS1024_30D_NN = 0.

PROGRAM: TRIGGER CHECK IF R05_AS1024_30D_NN = 0.

ELSE, GO TO BOX R05_ASR28 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AS1092_30D

On the days that you used smokeless tobacco, would you say you used your first smokeless tobacco product of the day within the first 30 minutes after you woke up?

- 1 Yes
- 2 No
- 3 It varies
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are non-current 30-day smokeless tobacco users and did not know or refused to report how soon after waking up they typically used their first smokeless tobacco of the day.

ASK Specification: IF R05_FORMER_THIRTYDAY_USER_SMKLS = 1 AND R05_AS1024_30D_NN = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ASR28

Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, go to R05_AS0100.
Else, go to R05_AS9041.

IF R05_CURRENT_SMKLS_USE = 1 OR ((R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0), GO TO R05_AS0100.
ELSE, GO TO R05_AS9041.

Variable(s): R05_AS0100**

When did you last use smokeless tobacco [not including snus]?

- | | |
|---|------------------|
| 1 In the past hour | GO TO R05_AS0103 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_AS1130 |
| -8 DON'T KNOW | GO TO R05_AS1130 |
| -7 REFUSED | GO TO R05_AS1130 |

ASK: Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05_CURRENT_SMKLS_USE = 1 OR ((R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0).

DISPLAY: IF R05_EVER_NEVER_SNUS = 1, DISPLAY "not including snus".
ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were non-current 30-day smokeless tobacco users (R05_FORMER_THIRTYDAY_USER_SMKLS = 1) and recent former established smokeless tobacco users (R05_SMKLS_USER_STATUS = 4). This issue was fixed in a field update on 4/11/2019.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS0102

When you last used smokeless tobacco [not including snus] [FILL BASED ON R05_AS0100], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established smokeless tobacco users and last used smokeless tobacco sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_CURRENT_SMKLS_USE = 1 AND R05_AS0100 = 2, 3, 4) OR ((R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0 AND R05_AS0100 = 2, 3, 4).

DISPLAY: IF R05_EVER_NEVER_SNUS = 1, DISPLAY "not including snus".

ELSE, DO NOT DISPLAY THIS TEXT.

FOR [FILL BASED ON R05_AS0100]:

IF R05_AS0100 = 2, DISPLAY "today".

ELSE, IF R05_AS0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AS0100 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS0103

How many times [have/did] you [used/use] smokeless tobacco [not including snus] [FILL BASED ON R05_AS0100]?

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_AS1130

-7 REFUSED

GO TO R05_AS1130

ASK: Adult respondents who are every day established smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users, and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_CURRENT_SMKLS_USE = 1 AND R05_AS0100 = 1, 2, 3, 4) OR ((R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0 AND R05_AS0100 = 1, 2, 3, 4).

DISPLAY: IF R05_EVER_NEVER_SNUS = 1, DISPLAY "not including snus".

ELSE, DO NOT DISPLAY THIS TEXT.

IF R05_AS0100 = 1, 2, DISPLAY "have" AND "used".

ELSE, IF R05_AS0100 = 3, 4, DISPLAY "did" AND "use".

FOR [FILL BASED ON R05_AS0100]:

IF R05_AS0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_AS0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AS0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 3 digits.

CHECK ID: R05_AS0103_LC1

The computer recorded that you used smokeless tobacco [R05_AS0103] times [today/yesterday/the day before yesterday]. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS0103

2 NEXT

GO TO R05_AS1130

ASK: IF (R05_CURRENT_SMKLS_USE = 1 AND R05_AS0100 = 1, 2, 3, 4) OR ((R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0 AND R05_AS0100 = 1, 2, 3, 4) AND (R05_AS0103 > 20 OR R05_AS0103 = 11).

DISPLAY: IF R05_AS0100 = 1, 2, DISPLAY "today".

ELSE, IF R05_AS0100 = 3, DISPLAY "yesterday".

ELSE, IF R05_AS0100 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AS0103 > 20 OR R05_AS0103 = 11.

ELSE, GO TO R05_AS1130 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1130**

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | | |
|----|--------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AS9041 |
| 3 | I don't know | GO TO R05_AS9041 |
| -8 | DON'T KNOW | GO TO R05_AS9041 |
| -7 | REFUSED | GO TO R05_AS9041 |

ASK: Adult respondents who are every day established smokeless tobacco users, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used.

ASK Specification: IF R05_CURRENT_SMKLS_USE = 1 OR ((R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0).

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were non-current 30-day smokeless tobacco users (R05_FORMER_THIRTYDAY_USER_SMKLS = 1) and recent former established smokeless tobacco users (R05_SMKLS_USER_STATUS = 4). This issue was fixed in a field update on 4/11/2019.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavors have you used in the past 30 days? Choose all that apply.

- | | | |
|---|----|--|
| R05_AS1131_01 | 1 | Menthol or mint |
| R05_AS1131_02 | 2 | Wintergreen, spearmint, or frost |
| R05_AS1131_03 | 3 | Clove or spice |
| R05_AS1131_04 | 4 | Fruit |
| R05_AS1131_05 | 5 | Chocolate |
| R05_AS1131_06 | 6 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AS1131_07 | 7 | Candy or other sweets |
| R05_AS1131_08;
R05_AS1131_OS | 8 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R05_CURRENT_SMKLS_USE = 1 AND R05_AS1130 = 1) OR ((R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0 AND R05_AS1130 = 1).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R05_ASR37

Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, go to R05_AS1133.

Else, go to R05_AS1147.

IF (R05_CURRENT_SMKLS_USE = 1 AND R05_AS1130 = 1 AND (R05_AS1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_AS1131_[01/.../08] = -8, -7)) OR ((R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0 AND R05_AS1130 = 1 AND (R05_AS1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_AS1131_[01/.../08] = -8, -7)), GO TO R05_AS1133.
ELSE, GO TO R05_AS1147.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1133; R05_AS1133_OS

In the past 30 days, which flavor of smokeless tobacco have you used most often?

- 1 Menthol or mint
- 2 Wintergreen, spearmint, or frost
- 3 Clove or spice
- 4 Fruit
- 5 Chocolate
- 6 An alcoholic drink (such as wine, cognac, margarita, or other cocktails)
- 7 Candy or other sweets
- 8 Some other flavor (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF (R05_CURRENT_SMKLS_USE = 1 AND R05_AS1130 = 1 AND (R05_AS1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_AS1131_[01/.../08] = -8, -7)) OR ((R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0 AND R05_AS1130 = 1 AND (R05_AS1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_AS1131_[01/.../08] = -8, -7)).

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AS1147****

On the days you used smokeless tobacco in the past 30 days, how often did you use flavored smokeless tobacco?

- 1 All of the time
- 2 Most of the time
- 3 Sometimes
- 4 Rarely
- 5 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are every day established smokeless tobacco users and used flavored smokeless tobacco in the past 30 days, or adult respondents who are some day established, current experimental, or non-current 30-day smokeless tobacco users and have used on at least 1 day in the past 30 days or did not know or refused to report on how many of the past 30 days they used, and used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF (R05_CURRENT_SMKLS_USE = 1 AND R05_AS1130 = 1) OR
((R05_CURRENT_SMKLS_USE = 2 OR R05_SMKLS_USER_STATUS = 2 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1022 != 0 AND R05_AS1130 = 1).

DISPLAY: UNDERLINE "flavored".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who did not know or refused to report on how many of the past 30 days they used smokeless tobacco (R05_AS1022 = -8, -7) and reported using flavored smokeless tobacco in the past 30 days (R05_AS1130 = 1). This issue was fixed in a field update on 4/11/2019.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS9041**

What type of smokeless tobacco [do you use/have you used]?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

- 1 Loose smokeless tobacco (such as dip, spit, or chewing tobacco) GO TO R05_AS1030
- 2 Smokeless tobacco pouches (not including snus) GO TO R05_AS1030
- 3 Both loose and pouched smokeless tobacco
- 8 DON'T KNOW GO TO R05_AS1030
- 7 REFUSED GO TO R05_AS1030

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "do you use". ELSE, DISPLAY "have you used".

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were non-current 30-day smokeless tobacco users (R05_FORMER_THIRTYDAY_USER_SMKLS = 1) and recent former established smokeless tobacco users (R05_SMKLS_USER_STATUS = 4). This issue was fixed in a field update on 4/11/2019.

Variable(s): R05_AS9042

You mentioned you have used both loose and pouched smokeless tobacco. Which type of smokeless tobacco [do/did] you use most often?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

- 1 Loose smokeless tobacco (such as dip, spit, or chewing tobacco)
- 2 Smokeless tobacco pouches (not including snus)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and have used both loose and pouched smokeless tobacco.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS9041 = 3.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "do". ELSE, DISPLAY "did".

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1030**

The next questions ask about your experience buying smokeless tobacco. [Please think of the type of smokeless tobacco you use most often when answering these questions.

]How [do/did] you usually buy smokeless tobacco for yourself?

- | | | |
|----|---------------------------------------|------------------|
| 1 | In person | |
| 2 | From the internet | GO TO R05_AS1042 |
| 3 | By telephone | GO TO R05_AS1042 |
| 4 | I do not buy my own smokeless tobacco | GO TO R05_AS1047 |
| -8 | DON'T KNOW | GO TO R05_AS1047 |
| -7 | REFUSED | GO TO R05_AS1047 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF R05_AS9041 = 3, DISPLAY "Please think of the type of smokeless tobacco you use most often when answering these questions."

ELSE, DO NOT DISPLAY THIS TEXT.

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were non-current 30-day smokeless tobacco users (R05_FORMER_THIRTYDAY_USER_SMKLS = 1) and recent former established smokeless tobacco users (R05_SMKLS_USER_STATUS = 4). This issue was fixed in a field update on 4/11/2019.

Variable(s): R05_AS1032

[Do/Did] you usually buy smokeless tobacco...?

- | | |
|----|-------------------|
| 1 | In your own state |
| 2 | In another state |
| 3 | Outside the US |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1030 = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "Do".

ELSE, DISPLAY "Did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1033; R05_AS1033_OS

Where [do/did] you buy your smokeless tobacco most of the time?

- 1 A convenience store or gas station
- 2 A supermarket, grocery store, or drug store
- 3 A warehouse club, such as Sam's or Costco
- 4 A smoke shop, tobacco specialty store, or tobacco outlet store
- 5 A duty free shop or military commissary
- 6 A bar, pub, restaurant, or casino
- 7 A friend or relative
- 8 A swap meet or flea market
- 9 A liquor store
- 10 Or from somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1030 = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "do".

ELSE, DISPLAY "did".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R05_AS1042_D; R05_AS1042_C

How much [do you usually/did you] pay for a container of smokeless tobacco?

\$ I ___ I ___ I ___ Dollars . I ___ I ___ Cents

-8 DON'T KNOW

GO TO BOX R05_ASR52

-7 REFUSED

GO TO BOX R05_ASR52

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1030 = 1, 2, 3.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "do you usually".

ELSE, DISPLAY "did you".

DISPLAY "\$" AS LEFT LABEL.

DISPLAY "Dollars" AND "Cents" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AS1042_LC1

The computer recorded that you paid \$[R05_AS1042_D].[R05_AS1042_C] for a container of smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1042

2 NEXT

GO TO BOX R05_ASR52

ASK: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1030 = 1, 2, 3 AND (R05_AS1042_D > 6 OR R05_AS1042_D < 1).

PROGRAM: TRIGGER CHECK IF R05_AS1042_D > 6 OR R05_AS1042_D < 1.

ELSE, GO TO BOX R05_ASR52 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ASR52

Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone, and most often use smokeless tobacco pouches, go to R05_AS9001.

Else, go to R05_AS1047.

IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1030 = 1, 2, 3 AND (R05_AS9041 = 2 OR R05_AS9042 = 2), GO TO R05_AS9001.

ELSE, GO TO R05_AS1047.

Variable(s): R05_AS9001

How many pouches [are/were] in the container of smokeless tobacco that you usually [buy/bought]?

|_|_|_|

-8 DON'T KNOW

GO TO R05_AS1047

-7 REFUSED

GO TO R05_AS1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone, and most often use smokeless tobacco pouches.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1030 = 1, 2, 3 AND (R05_AS9041 = 2 OR R05_AS9042 = 2).

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "are" AND "buy".

ELSE, DISPLAY "were" and "bought".

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AS9001_LC1

The computer recorded that there are [R05_AS9001] pouches in the container you bought.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS9001

2 NEXT

GO TO R05_AS9002

ASK: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1030 = 1, 2, 3 AND (R05_AS9041 = 2 OR R05_AS9042 = 2) AND (R05_AS9001 > 50 OR R05_AS9001 < 5).

PROGRAM: TRIGGER CHECK IF R05_AS9001 > 50 OR R05_AS9001 < 5.
ELSE, GO TO R05_AS9002 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AS9002

About how many days [does/did] it take you to use up a container this size?

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_AS1047

-7 REFUSED

GO TO R05_AS1047

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and usually buy their smokeless tobacco in person, from the internet, or by telephone, and most often use smokeless tobacco pouches and provided the number of smokeless tobacco pouches in the container they usually buy.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1030 = 1, 2, 3 AND (R05_AS9041 = 2 OR R05_AS9042 = 2) AND R05_AS9001 != -8, -7.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "does".
ELSE, DISPLAY "did".

PROGRAM: Allow 3 digits.

CHECK ID: R05_AS9002_LC1

The computer recorded that it took you [R05_AS9002] days to use up a container of smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS9002

2 NEXT

GO TO R05_AS1047

ASK: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1030 = 1, 2, 3 AND (R05_AS9041 = 2 OR R05_AS9042 = 2) AND R05_AS9001 != -8, -7 AND (R05_AS9002 > (R05_AS9001*7) OR R05_AS9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99).

PROGRAM: TRIGGER CHECK IF R05_AS9002 > (R05_AS9001*7) OR R05_AS9002 = 11, 22, 33, 44, 55, 66, 77, 88, 99.
ELSE, GO TO R05_AS1047 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1047

[Do/Did] you have a regular brand of smokeless tobacco that you usually [use/used]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "Do" AND "use".
ELSE, DISPLAY "Did" AND "used".

Variable(s): R05_AS1050

[Is/Was] [your regular brand/the last brand] you [use/used] flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

- | | |
|----------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AS1945 |
| 3 I don't know | GO TO R05_AS1945 |
| -8 DON'T KNOW | GO TO R05_AS1945 |
| -7 REFUSED | GO TO R05_AS1945 |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AS1047 = 1, DISPLAY "Is" AND "your regular brand" AND "use".

ELSE, IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AS1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".

ELSE, IF (R05_SMKLS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1047 = 1, DISPLAY "Was" AND "your regular brand" AND "used".

ELSE, IF (R05_SMKLS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1047 = 2, -8, -7, DISPLAY "Was" AND "the last brand" AND "used".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which flavor [is/was] it? Choose all that apply.

- | | | |
|---|----|--|
| R05_AS1012_01 | 1 | Menthol or mint |
| R05_AS1012_02 | 2 | Wintergreen, spearmint, or frost |
| R05_AS1012_03 | 3 | Clove or spice |
| R05_AS1012_04 | 4 | Fruit |
| R05_AS1012_05 | 5 | Chocolate |
| R05_AS1012_06 | 6 | An alcoholic drink (such as wine, cognac, margarita, or other cocktails) |
| R05_AS1012_07 | 7 | Candy or other sweets |
| R05_AS1012_08;
R05_AS1012_OS | 8 | Some other flavor (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users whose regular brand or last brand of smokeless tobacco used was flavored.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1050 = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AS1047 = 1, DISPLAY "is".
ELSE, DISPLAY "was".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply.

Variable(s): R05_AS1945

Do you know the name of the brand of smokeless tobacco you [usually use/usually used/last used]?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: UNDERLINE "name of the brand".

IF R05_AS1047 = 1 AND R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "usually use".

ELSE, IF R05_AS1047 = 1 AND R05_SMKLS_USER_STATUS != 1, 2, DISPLAY "usually used".

ELSE, IF R05_AS1047 = 2, -8, -7, DISPLAY "last used".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ASR27 Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of snus they usually use or last used, go to R05_AS1048_BRAND. Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco, go to R05_AS1051. Else, go to Box R05_ASD03. IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1945 = 1, GO TO R05_AS1048_BRAND. ELSE, IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1047 = 1, GO TO R05_AS1051. ELSE, GO TO BOX R05_ASD03.
Variable(s): R05_AS1048_BRAND What brand of smokeless tobacco [do/did] you [usually/last] use? Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."] 9995 Something else -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of snus they usually use or last used. ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1945 = 1. DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AS1047 = 1, DISPLAY "do" AND "usually". ELSE, IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AS1047 = 2, -8, -7, DISPLAY "did" AND "last". ELSE, IF (R05_SMKLS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1047 = 1, DISPLAY "did" AND "usually". ELSE, IF (R05_SMKLS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1047 = 2, -8, -7, DISPLAY "did" AND "last". IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT". ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else.". PROGRAM: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ASR16

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected "Something else" for their brand of smokeless tobacco, go to R05_AS1049.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco, go to R05_AS1070_PRODUCT.
Else, go to Box R05_ASR25.

IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1945 = 1 AND R05_AS1048_BRAND = 9995, GO TO R05_AS1049.

ELSE, IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1945 = 1 AND R05_AS1048_BRAND != 9995, -8, -7, GO TO R05_AS1070_PRODUCT.
ELSE, GO TO BOX R05_ASR25.

Variable(s): R05_AS1049

You said that your brand was not listed. What is it?

_____	GO TO BOX R05_ASR25
-8 DON'T KNOW	GO TO BOX R05_ASR25
-7 REFUSED	GO TO BOX R05_ASR25

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected "Something else" for their brand of smokeless tobacco.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1945 = 1 AND R05_AS1048_BRAND = 9995.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AS1070_PRODUCT**

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

99995 Something else

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1945 = 1 AND R05_AS1048_BRAND != 9995, -8, -7.

DISPLAY: FILL [BRANDFILL] WITH BRAND SELECTED IN R05_AS1048_BRAND.

IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AS1047 = 1, DISPLAY "do" AND "usually".

ELSE, IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

ELSE, IF (R05_SMKLS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1047 = 1, DISPLAY "did" AND "usually".

ELSE, IF (R05_SMKLS_USER_STATUS = 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1047 = 2, -8, -7, DISPLAY "did" AND "last".

IF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the button marked "NEXT".

ELSE, IF SINGLE SCREEN OR LAST SCREEN OF MULTIPLE SCREENS, DISPLAY "If you do not see it below, touch the box marked "Something else"."

PROGRAM: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.

BOX ID: **R05_ASR17**

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco and selected "Something else" of their subbrand of smokeless tobacco, go to R05_AS1071.
Else, go to Box R05_ASR25.

IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1945 = 1 AND R05_AS1048_BRAND != 9995, -8, -7 AND R05_AS1070_PRODUCT = 99995, GO TO R05_AS1071.

ELSE, GO TO BOX R05_ASR25.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1071

You said that the type of [BRANDFILL]s that you [use/used] is not listed. What type is it?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco and selected "Something else" for their subbrand of smokeless tobacco.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1945 = 1 AND R05_AS1048_BRAND != 9995, -8, -7 AND R05_AS1070_PRODUCT = 99995.

DISPLAY: FILL BRANDFILL WITH BRAND CHOSEN IN R05_AS1048_BRAND.

IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AS1047 = 1, DISPLAY "use".

ELSE, DISPLAY "used".

BOX ID: R05_ASR25

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco, go to R05_AS1051.

Else, go to Box R05_ASR18.

IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1047 = 1, GO TO R05_AS1051.

ELSE, GO TO BOX R05_ASR18.

Variable(s): R05_AS1051_NN; R05_AS1051_UN

About how long [did you use/have you been using] your regular brand of smokeless tobacco?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_ASR18

-7 REFUSED

GO TO BOX R05_ASR18

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and have a regular brand of smokeless tobacco.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1047 = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "have you been using".

ELSE, DISPLAY "did you use".

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers R05_AS1051_UN = Days; the value "2" refers to R05_AS1051_UN = Months; the value "3" refers to R05_AS1051_UN = Years.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AS1051_LC1

The computer recorded that you [have been using/used] your regular brand of smokeless tobacco for [R05_AS1051_NN] years. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1051

2 NEXT

GO TO R05_AS1051_LC2

ASK: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1047 = 1 AND (R05_AS1051_NN > R05R_A_AGE) AND R05_AS1051_UN = 3.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "have been using".
ELSE, DISPLAY "used".

PROGRAM: TRIGGER CHECK IF (R05_AS1051_NN > R05R_A_AGE) AND R05_AS1051_UN = 3.
ELSE, GO TO R05_AS1051_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AS1051_LC2

The computer recorded "0" for how long you [have been using/used] your regular brand of smokeless tobacco.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AS1051

2 NEXT

GO TO BOX R05_ASR18

ASK: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS1047 = 1 AND R05_AS1051_NN = 0.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "have been using".
ELSE, DISPLAY "used".

PROGRAM: TRIGGER CHECK IF R05_AS1051_NN = 0.
ELSE, GO TO BOX R05_ASR18 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ASR18

Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and subbrand of smokeless tobacco, go to R05_AS0104.
Else, go to Box R05_ASD03.

IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS0100 = 1, 2, 3, 4 AND R05_AS1945 = 1 AND R05_AS1048_BRAND != 9995, -8, -7 AND R05_AS1070_PRODUCT != 99990, 99995, -8, -7, GO TO R05_AS0104.
ELSE, GO TO BOX R05_ASD03.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS0104***

You said earlier that you used smokeless tobacco [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of smokeless tobacco they usually use or last used and selected a brand and subbrand of smokeless tobacco.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_AS0100 = 1, 2, 3, 4 AND R05_AS1945 = 1 AND R05_AS1048_BRAND != 9995, -8, -7 AND R05_AS1070_PRODUCT != 99990, 99995, -8, -7.

DISPLAY: IF R05_AS0100 = 1, FILL [TIME OF LAST USE] WITH "in the past hour".

ELSE, IF R05_AS0100 = 2, FILL [TIME OF LAST USE] WITH "sometime today".

ELSE, IF R05_AS0100 = 3, FILL [TIME OF LAST USE] WITH "yesterday".

ELSE, IF R05_AS0100 = 4, FILL [TIME OF LAST USE] WITH "the day before yesterday".

FILL [NEQBRAND] WITH RESPONSE TO R05_AS1070_PRODUCT.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_ASD03

Randomize order of R05_AS1060 through R05_AS1077.

Display question R05_AS1060, R05_AS1085, R05_AS1062, R05_AS1075, R05_AS1063, R05_AS1064, R05_AS1065, R05_AS1067 and R05_AS1077 on one screen. Show the intro/transition text from R05_AS1060 first, then show each item with a Y/N response. As each item is answered, show the next one.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1060

The next questions are about the reasons people use smokeless tobacco. Please select which reasons [apply to you/applied to you when you used to use smokeless tobacco].

I [use/used] smokeless tobacco because...

It [is/was] affordable.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "apply to you", "use" AND "is".
ELSE, DISPLAY "applied to you when you used to use smokeless tobacco", "used" AND "was".

Variable(s): R05_AS1085***

I [can/could] use smokeless tobacco at times when or in places where smoking cigarettes [isn't/wasn't] allowed.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "can" AND "isn't".
ELSE, DISPLAY "could" AND "wasn't".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1062***

It might [be/have been] less harmful to me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AS1075***

It might [be/have been] less harmful to people around me than smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "be".
ELSE, DISPLAY "have been".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AS1063*****

Smokeless tobacco [comes/came] in flavors I [like/liked].

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "comes" AND "like".
ELSE, DISPLAY "came" AND "liked".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: **R05_ASR19**

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established, current experimental, or recent former established cigarette smokers, go to R05_AS1064.
Else, go to R05_AS1065.

IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND
R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AS1064.
ELSE, GO TO R05_AS1065.

Variable(s): **R05_AS1064**

Using smokeless tobacco helps people quit smoking cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1065***

Smokeless tobacco doesn't smell.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AS1067***

Smokeless tobacco [is/was] more acceptable to non-tobacco users.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "is".
ELSE, DISPLAY "was".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_ASR53

Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established, current experimental, or recent former established cigarette smokers, go to R05_AS1077.
Else, go to Box R05_ASR20.

IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND
R05_CIG_USER_STATUS = 1, 2, 4, GO TO R05_AS1077.
ELSE, GO TO BOX R05_ASR20.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1077

Using smokeless tobacco [satisfies/satisfied] my cravings for cigarettes.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established, current experimental, or recent former established cigarette smokers.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_CIG_USER_STATUS = 1, 2, 4.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "satisfies".
ELSE, DISPLAY "satisfied".

BOX ID: R05_ASR20

Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and are current established or current experimental cigarette smokers, go to R05_AS1086.

Else, adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established or recent former established cigarette smokers, go to R05_AS1080.
Else, go to R05_AS1139.

IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_CIG_USER_STATUS = 1, 2, GO TO R05_AS1086.
ELSE, IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_CIG_USER_STATUS = 1, 4, GO TO R05_AS1080.
ELSE, GO TO R05_AS1139.

Variable(s): R05_AS1086

In the past 30 days have you used smokeless tobacco at times when or in places where you could not smoke cigarettes?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AS1080 |
| -8 DON'T KNOW | GO TO R05_AS1080 |
| -7 REFUSED | GO TO R05_AS1080 |

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users, and are current established or current experimental cigarette smokers.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_CIG_USER_STATUS = 1, 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1087

How often [do/did] you use smokeless tobacco at times when or in places where you could not smoke regular cigarettes?

- 1 Every day
- 2 Some days
- 3 Rarely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or non-current 30-day smokeless tobacco users and are current established or current experimental cigarette smokers and used smokeless tobacco at times when or in places where they could not smoke cigarettes in the past 30 days.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_CIG_USER_STATUS = 1, 2 AND R05_AS1086 = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "do".
ELSE, DISPLAY "did".

Variable(s): R05_AS1080

[Do/Did] you use smokeless tobacco as a way of cutting down on your cigarette smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "Do".
ELSE, DISPLAY "Did".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1082

[Are/Did] you [using/use] smokeless tobacco as a way to quit smoking cigarettes?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users and are current established or recent former established cigarette smokers.

ASK Specification: IF (R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1) AND R05_CIG_USER_STATUS = 1, 4.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "Are" and "using".
ELSE, DISPLAY "Did" and "use".

Variable(s): R05_AS1139

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It [is/was] easier to talk and get along with other people when using smokeless tobacco.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2 DISPLAY "is",
ELSE, DISPLAY "was".

DISPLAY SCALE FOR THE R05_AS1139-1141 SERIES.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1140

While using smokeless tobacco, I [feel/felt] more confident with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "feel".
ELSE, DISPLAY "felt".

DISPLAY SCALE FOR THE R05_AS1139-1141 SERIES.

Variable(s): R05_AS1141

I [use/used] smokeless tobacco much more when I [am/was] with other people.

- 1 Not true of me at all
- 2
- 3
- 4 Very true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, recent former established, or non-current 30-day smokeless tobacco users.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 4 OR
R05_FORMER_THIRTYDAY_USER_SMKLS = 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "use" AND "am".
ELSE, DISPLAY "used" AND "was".

DISPLAY SCALE FOR THE R05_AS1139-1141 SERIES.

POLYUSE

BOX ID: R05_ANV01

PROGRAM - DEFINE THE FOLLOWING USER GROUPS AND DERIVED VARIABLES (SEE APPENDIX):

R05_CURRENT_PRODUCT_COUNT = Number of tobacco products for which the respondent is an every day or some day user.

R05_SOME_DAY_PRODUCT_COUNT = Number of tobacco products the respondent currently uses some days.

R05_EVERY_DAY_PRODUCT_COUNT = Number of tobacco products the respondent currently uses every day.

R05_TOBACCO_PRODUCT_LIST = A list of all the tobacco products the respondent currently uses.

R05_EVER_NEVER_TOBACCO = 1 (Ever user) Adult respondents who have ever used any tobacco product (including ENPs).

R05_EVER_NEVER_TOBACCO = 2 (Never user) Adult respondents who have never used any tobacco product (including ENPs).

R05_ND_EPROD_USER_STATUS = 1 (Current established non-marijuana ENP user) Adult respondents who have ever used ENPs fairly regularly, and currently use every day or some days and are not marijuana-only ENP users.

R05_ND_EPROD_USER_STATUS = 2 (Current experimental non-marijuana ENP user) Adult respondents who have never used ENPs fairly regularly, and currently use every day or some days and are not marijuana-only ENP users.

R05_ND_EPROD_USER_STATUS = 3 (Former experimental non-marijuana ENP user) Adult respondents who have ever used ENPs and have never used electronic nicotine products fairly regularly, and did not use them in the past 12 months or currently use not at all and are not marijuana-only ENP users.

R05_ND_EPROD_USER_STATUS = 4 (Recent former established non-marijuana ENP user) Continuing adult respondents who were current established, current experimental, or former experimental ENP users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all and are not marijuana-only ENP users; and new baseline adult respondents who have ever used ENPs as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all and are not marijuana-only ENP users; and adult respondents who initiated ENP use since their last completed interview, have ever used ENPs fairly regularly, have used in the past 12 months and currently use not at all and are not marijuana-only ENP users.

R05_ND_EPROD_USER_STATUS = 5 (Long-term former established non-marijuana ENP user) Continuing adult respondents who were recent former established or long-term former established ENP users as of their last completed interview and did not use in the past 12 months or currently use not at all and are not marijuana-only ENP users.

R05_TOBACCO_USER_STATUS = 1 (Current established user) Adult respondents who are current established users of at least one tobacco product (including ENPs).

R05_TOBACCO_USER_STATUS = 4 (Recent former established user) Adult respondents who are recent former established users of any tobacco product (including ENPs), and are not current established users of any other tobacco product (including ENPs).

R05_TOBACCO_USER_STATUS = 2 (Current experimental user) Adult respondents who are current experimental users of at least one tobacco product (including ENPs), and are not current established or recent former established users of any other tobacco product (including ENPs).

R05_TOBACCO_USER_STATUS = 5 (Long-term former established user) Adult respondents who are long-term former established users of at least one tobacco product (including ENPs), and are not current established, current experimental, or recent former established users of any other tobacco product (including ENPs).

R05_TOBACCO_USER_STATUS = 3 (Former experimental user) Adult respondents who are former experimental users of at least one tobacco product (including ENPs), and are not current established, current experimental, recent former established, or long-term former established users of any other tobacco product (including ENPs).

R05_CURRENT_PRODUCT_COUNT:

R05_CURRENT_PRODUCT_COUNT = 0;
 IF R05_CURRENT_CIG_USE = 1, 2, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1;
 IF R05_CURRENT_EPROD_USE = 1, 2 AND R05_AV9106 != 1, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1;
 IF R05_CURRENT_GTRAD_USE = 1, 2 AND R05_12MBLUNT_ONLY_BTRAD != 1, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1;
 IF R05_CURRENT_GRILLO_USE = 1, 2 AND R05_12MBLUNT_ONLY_BRILLO != 1, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1;
 IF R05_CURRENT_GFILTR_USE = 1, 2 AND R05_12MBLUNT_ONLY_BFILTR != 1, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1;
 IF R05_CURRENT_PIPE_USE = 1, 2, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1;
 IF R05_CURRENT_HOOK_USE = 1, 2, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1;
 IF R05_CURRENT_SNUS_USE = 1, 2, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1;
 IF R05_CURRENT_SMKLS_USE = 1, 2, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1.
 Range 0 to 9.

R05_SOME_DAY_PRODUCT_COUNT:

R05_SOME_DAY_PRODUCT_COUNT = 0;
 IF R05_CURRENT_CIG_USE = 2, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1;
 IF R05_CURRENT_EPROD_USE = 2 AND R05_AV9106 != 1, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1;
 IF R05_CURRENT_GTRAD_USE = 2 AND R05_12MBLUNT_ONLY_BTRAD != 1, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1;
 IF R05_CURRENT_GRILLO_USE = 2 AND R05_12MBLUNT_ONLY_BRILLO != 1, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1;
 IF R05_CURRENT_GFILTR_USE = 2 AND R05_12MBLUNT_ONLY_BFILTR != 1, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1;
 IF R05_CURRENT_PIPE_USE = 2, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1;
 IF R05_CURRENT_HOOK_USE = 2, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1;
 IF R05_CURRENT_SNUS_USE = 2, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1;
 IF R05_CURRENT_SMKLS_USE = 2, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1.
 Range 0 to 9.

R05 EVERY DAY PRODUCT COUNT:

R05 EVERY DAY PRODUCT COUNT = 0;
 IF R05_CURRENT_CIG_USE = 1, SET R05 EVERY DAY PRODUCT COUNT = R05 EVERY DAY PRODUCT COUNT + 1;
 IF R05_CURRENT_EPROD_USE = 1 AND R05_AV9106 != 1, SET R05 EVERY DAY PRODUCT COUNT = R05 EVERY DAY PRODUCT COUNT + 1;
 IF R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, SET R05 EVERY DAY PRODUCT COUNT = R05 EVERY DAY PRODUCT COUNT + 1;

PATH Study Wave 5 Adult Public Use File Annotated Instrument

IF R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, SET
R05_EVERY_DAY_PRODUCT_COUNT = R05_EVERY_DAY_PRODUCT_COUNT + 1;
IF R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, SET
R05_EVERY_DAY_PRODUCT_COUNT = R05_EVERY_DAY_PRODUCT_COUNT + 1;
IF R05_CURRENT_PIPE_USE = 1, SET R05_EVERY_DAY_PRODUCT_COUNT =
R05_EVERY_DAY_PRODUCT_COUNT + 1;
IF R05_CURRENT_HOOK_USE = 1, SET R05_EVERY_DAY_PRODUCT_COUNT =
R05_EVERY_DAY_PRODUCT_COUNT + 1;
IF R05_CURRENT_SNUS_USE = 1, SET R05_EVERY_DAY_PRODUCT_COUNT =
R05_EVERY_DAY_PRODUCT_COUNT + 1;
IF R05_CURRENT_SMKLS_USE = 1, SET R05_EVERY_DAY_PRODUCT_COUNT =
R05_EVERY_DAY_PRODUCT_COUNT + 1.

Range 0 to 9.

R05_TOBACCO_PRODUCT_LIST:

IF R05_CIG_USER_STATUS = 1, INCLUDE "cigarettes" IN THE LIST.
IF R05_ND_EPROD_USER_STATUS = 1, INCLUDE "electronic nicotine products" IN THE LIST.
IF R05_GTRAD_USER_STATUS = 1, INCLUDE "traditional cigars" IN THE LIST.
IF R05_GRILLO_USER_STATUS = 1, INCLUDE "cigarillos" IN THE LIST.
IF R05_GFILTR_USER_STATUS = 1, INCLUDE "filtered cigars" IN THE LIST.
IF R05_PIPE_USER_STATUS = 1, INCLUDE "a pipe" IN THE LIST.
IF R05_HOOK_USER_STATUS = 1, INCLUDE "hookah" IN THE LIST.
IF R05_SNUS_USER_STATUS = 1, INCLUDE "snus" IN THE LIST.
IF R05_SMKLS_USER_STATUS = 1, INCLUDE "smokeless tobacco" IN THE LIST.

R05_EVER_NEVER_TOBACCO = 1:

IF R05_EVER_NEVER_CIGS = 1 OR R05_EVER_NEVER_EPRODS = 1 OR
R05_EVER_NEVER_GTRAD = 1 OR R05_EVER_NEVER_GRILLO = 1 OR
R05_EVER_NEVER_GFILTR = 1 OR R05_EVER_NEVER_PIPE = 1 OR R05_EVER_NEVER_HOOK =
1 OR R05_EVER_NEVER_SMKLS = 1 OR R05_EVER_NEVER_SNUS = 1 OR
R05_EVER_NEVER_DISSBL = 1, THEN R05_EVER_NEVER_TOBACCO = 1.

R05_EVER_NEVER_TOBACCO = 2:

ELSE, R05_EVER_NEVER_TOBACCO = 2.

R05_ND_EPROD_USER_STATUS = 1:

IF R05_EVER_NEVER_EPRODS = 1 AND (R04_REGUSE_EPROD = 1 OR R05_AV1100 = 1) AND
R05_AV1003 = 1, 2 AND R05_AV9106 != 1, THEN R05_ND_EPROD_USER_STATUS = 1.

R05_ND_EPROD_USER_STATUS = 2:

ELSE, IF R05_EVER_NEVER_EPRODS = 1 AND R04_REGUSE_EPROD != 1 AND R05_AV1100 != 1
AND R05_AV1003 = 1, 2 AND R05_AV9106 != 1, THEN R05_ND_EPROD_USER_STATUS = 2.

R05_ND_EPROD_USER_STATUS = 3:

ELSE, IF R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1002_12M = 2 OR R05_AV1003 = 3) AND
R04_REGUSE_EPROD != 1 AND R05_AV1100 != 1 AND R05_AV9106 != 1, THEN
R05_ND_EPROD_USER_STATUS = 3.

R05_ND_EPROD_USER_STATUS = 4:

ELSE, IF (R04_EPROD_USER_STATUS = 1, 2, 3 OR R05_INIT_EPRODS_ADULT = 1 OR
(R05_ADULTTYPE = 2 AND R04_EVER_NEVER_EPRODS = 1)) AND (R04_REGUSE_EPROD = 1
OR R05_AV1100 = 1) AND R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1002_12M = 2 OR
R05_AV1003 = 3) AND R05_AV9106 != 1, THEN R05_ND_EPROD_USER_STATUS = 4.

R05_ND_EPROD_USER_STATUS = 5:

ELSE, IF R04_EPROD_USER_STATUS = 4, 5 AND R05_EVER_NEVER_EPRODS = 1 AND
(R05_AV1002_12M = 2 OR R05_AV1003 = 3) AND R05_AV9106 != 1, THEN
R05_ND_EPROD_USER_STATUS = 5.

R05_TOBACCO_USER_STATUS = 1:

IF (R05_CIG_USER_STATUS = 1 OR R05_ND_EPROD_USER_STATUS = 1 OR
(R05_GTRAD_USER_STATUS = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR
(R05_GRILLO_USER_STATUS = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR
(R05_GFILTR_USER_STATUS = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR
R05_PIPE_USER_STATUS = 1 OR R05_HOOK_USER_STATUS = 1 OR R05_SNUS_USER_STATUS
= 1 OR R05_SMKLS_USER_STATUS = 1), THEN R05_TOBACCO_USER_STATUS = 1.

R05_TOBACCO_USER_STATUS = 4:

ELSE, IF (R05_CIG_USER_STATUS = 4 OR R05_ND_EPROD_USER_STATUS = 4 OR
(R05_GTRAD_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR
(R05_GRILLO_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR
(R05_GFILTR_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR
R05_PIPE_USER_STATUS = 4 OR R05_HOOK_USER_STATUS = 4 OR R05_SNUS_USER_STATUS
= 4 OR R05_SMKLS_USER_STATUS = 4), THEN R05_TOBACCO_USER_STATUS = 4.

R05_TOBACCO_USER_STATUS = 2:

ELSE, IF (R05_CIG_USER_STATUS = 2 OR R05_ND_EPROD_USER_STATUS = 2 OR
(R05_GTRAD_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR
(R05_GRILLO_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR
(R05_GFILTR_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR
R05_PIPE_USER_STATUS = 2 OR R05_HOOK_USER_STATUS = 2 OR R05_SNUS_USER_STATUS
= 2 OR R05_SMKLS_USER_STATUS = 2), THEN R05_TOBACCO_USER_STATUS = 2.

R05_TOBACCO_USER_STATUS = 5:

ELSE, IF (R05_CIG_USER_STATUS = 5 OR R05_ND_EPROD_USER_STATUS = 5 OR
(R05_GTRAD_USER_STATUS = 5 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR
(R05_GRILLO_USER_STATUS = 5 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR
(R05_GFILTR_USER_STATUS = 5 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR
R05_PIPE_USER_STATUS = 5 OR R05_HOOK_USER_STATUS = 5 OR R05_SNUS_USER_STATUS
= 5 OR R05_SMKLS_USER_STATUS = 5), THEN R05_TOBACCO_USER_STATUS = 5.

R05_TOBACCO_USER_STATUS = 3:

ELSE, IF (R05_CIG_USER_STATUS = 3 OR R05_ND_EPROD_USER_STATUS = 3 OR
(R05_GTRAD_USER_STATUS = 3 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR
(R05_GRILLO_USER_STATUS = 3 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR
(R05_GFILTR_USER_STATUS = 3 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR
R05_PIPE_USER_STATUS = 3 OR R05_HOOK_USER_STATUS = 3 OR R05_SNUS_USER_STATUS
= 3 OR R05_SMKLS_USER_STATUS = 3), THEN R05_TOBACCO_USER_STATUS = 3.

BOX ID: R05_ANR40

Adult respondents who have ever used any tobacco product, go to R05_AY0600.
Else, go to Box R05_ANR11.

IF R05_EVER_NEVER_TOBACCO = 1, GO TO R05_AY0600.
ELSE, GO TO BOX R05_ANR11.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AY0600

Some tobacco products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts, or other sweets.

In thinking of the first tobacco product you ever tried, was it flavored?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R05_EVER_NEVER_TOBACCO = 1.

BOX ID: R05_ANR11

Adult respondents who are some day established users of more than one tobacco product and are not every day established users of any tobacco products, go to R05_AY0005.

Else, adult respondents who are current established tobacco users, go to Box R05_ANV02.

Else, go to the next section.

IF R05_SOME_DAY_PRODUCT_COUNT > 1 AND R05_EVERY_DAY_PRODUCT_COUNT = 0, GO TO R05_AY0005.

ELSE, IF R05_TOBACCO_USER_STATUS = 1, GO TO BOX R05_ANV02.

ELSE, GO TO THE NEXT SECTION.

Variable(s): R05_AY0005

You mentioned that you use [TOBACCO PRODUCT LIST] on some days.

Which of the following best describes how often you use these?

- 1 I use at least one of these every day
- 2 There are some days I don't use [either/any] of these
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are some day established users of more than one tobacco product and are not every day established users of any tobacco products.

ASK Specification: IF R05_SOME_DAY_PRODUCT_COUNT > 1 AND R05_EVERY_DAY_PRODUCT_COUNT = 0.

DISPLAY: IF R05_SOME_DAY_PRODUCT_COUNT = 2, DISPLAY "either".

ELSE, DISPLAY "any".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANV02

PROGRAM - DEFINE THE FOLLOWING USER GROUPS (SEE APPENDIX):

R05_CURRENT_TOBACCO_USE = 1 (Every day established user) Adult respondents who are every day established users of at least one tobacco product, or who are some day established users of multiple tobacco products and use at least one each day.

R05_CURRENT_TOBACCO_USE = 2 (Some day established user) Adult respondents who are some day established users of at least one tobacco product and do not use tobacco every day.

R05_CURRENT_TOBACCO_USE = 1:

IF ((R05_CURRENT_CIG_USE = 1 OR R05_CURRENT_EPROD_USE = 1 OR
R05_CURRENT_GTRAD_USE = 1 OR R05_CURRENT_GRILLO_USE = 1 OR
R05_CURRENT_GFILTR_USE = 1 OR R05_CURRENT_PIPE_USE = 1 OR
R05_CURRENT_HOOK_USE = 1 OR R05_CURRENT_SMKLS_USE = 1 OR
R05_CURRENT_SNUS_USE = 1) OR R05_AY0005 = 1) AND R05_TOBACCO_USER_STATUS = 1,
THEN R05_CURRENT_TOBACCO_USE = 1.

R05_CURRENT_TOBACCO_USE = 2:

ELSE, IF (R05_CURRENT_CIG_USE = 2 OR R05_CURRENT_EPROD_USE = 2 OR
R05_CURRENT_GTRAD_USE = 2 OR R05_CURRENT_GRILLO_USE = 2 OR
R05_CURRENT_GFILTR_USE = 2 OR R05_CURRENT_PIPE_USE = 2 OR
R05_CURRENT_HOOK_USE = 2 OR R05_CURRENT_SMKLS_USE = 2 OR
R05_CURRENT_SNUS_USE = 2) AND R05_TOBACCO_USER_STATUS = 1, THEN
R05_CURRENT_TOBACCO_USE = 2.

BOX ID: R05_ANR12

Adult respondents who are every day established users of tobacco and use more than one tobacco product, go to R05_AY0010.

Else, go to R05_ANV03.

IF R05_CURRENT_TOBACCO_USE = 1 AND R05_CURRENT_PRODUCT_COUNT > 1, GO TO R05_AY0010.

ELSE, GO TO R05_ANV03.

Variable(s): R05_AY0010_NN; R05_AY0010_UN

You mentioned that you use [TOBACCO PRODUCT LIST]. How soon after waking do you usually first use any one of these products?

1 |__|__|__| Minutes

2 |__|__|__| Hours

-8 DON'T KNOW

GO TO R05_AY0015

-7 REFUSED

GO TO R05_AY0015

ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product.

ASK Specification: IF R05_CURRENT_TOBACCO_USE = 1 AND
R05_CURRENT_PRODUCT_COUNT > 1.

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers to R05_AY0010_UN = Minutes; the value "2" refers to R05_AY0010_UN = Hours.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AY0010_LC1

The computer recorded that you first use a tobacco product [R05_AY0010] [minutes/hours] after waking. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AY0010

2 NEXT

GO TO BOX R05_ANV03

ASK: IF R05_CURRENT_TOBACCO_USE = 1 AND R05_CURRENT_PRODUCT_COUNT > 1 AND ((R05_AY0010_NN > 60 AND R05_AY0010_UN = 1) OR (R05_AY0010_NN > 4 AND R05_AY0010_UN = 2)).

DISPLAY: IF R05_AY0010_UN = 1, DISPLAY "minutes".

ELSE, IF R05_AY0010_UN = 2, DISPLAY "hours".

PROGRAM: TRIGGER CHECK IF (R05_AY0010_NN > 60 AND R05_AY0010_UN = 1) OR (R05_AY0010_NN > 4 AND R05_AY0010_UN = 2).

ELSE, GO TO BOX R05_ANV03 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AY0015

Would you say you have your first tobacco product within the first 30 minutes after you wake up?

1 Yes

2 No

3 It varies

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are every day established users of tobacco and use more than one tobacco product and did not know or refused to report how soon after waking up they first use tobacco.

ASK Specification: IF R05_CURRENT_TOBACCO_USE = 1 AND R05_CURRENT_PRODUCT_COUNT > 1 AND R05_AY0010_NN = -8, -7.

BOX ID: R05_ANV03

CREATE AN ARRAY **USEPROD** WITH 9 ELEMENTS - ONE FOR EACH TOBACCO TYPE THAT IDENTIFIES WHETHER THE RESPONDENT IS A CURRENT ESTABLISHED USER OF THE SPECIFIC TOBACCO TYPE.

USEPROD(1-9): Current established users of: (1) cigarettes; (2) electronic nicotine products; (3) traditional cigars; (4) cigarillos; (5) filtered cigars; (6) pipes; (7) hookahs; (8) snus; (9) smokeless tobacco.

DISPLAY: Display all products bold with lowercase letters.

If [USEPROD(1-9)] is a list and R05_CURRENT_PRODUCT_COUNT = 2, separate with "and".

If [USEPROD(1-9)] is a list and R05_CURRENT_PRODUCT_COUNT > 2, separate with commas with ", and" preceding last product.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR38

Adult respondents who are current established users of every tobacco product, go to the next section. Else, go to R05_AX0306.

IF R05_CURRENT_PRODUCT_COUNT = 9, GO TO THE NEXT SECTION.
ELSE, GO TO R05_AX0306.

Variable(s): SEE BELOW:

Have you considered using any of the following products in addition to **[USEPROD(1-9)]**? Choose all that apply.

- | | | |
|----------------------|----|--|
| R05_AX0306_01 | 1 | I have not considered using additional products |
| R05_AX0306_02 | 2 | Cigarettes |
| R05_AX0306_03 | 3 | E-cigarettes or other electronic nicotine products |
| R05_AX0306_04 | 4 | Traditional cigars |
| R05_AX0306_05 | 5 | Cigarillos |
| R05_AX0306_06 | 6 | Filtered cigars |
| R05_AX0306_07 | 7 | Pipes |
| R05_AX0306_08 | 8 | Hookahs |
| R05_AX0306_09 | 9 | Snus |
| R05_AX0306_10 | 10 | [Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1 AND R05_CURRENT_PRODUCT_COUNT < 9.

DISPLAY: BOLD "[USEPROD(1-9)]".

IF R05_SNUS_USER_STATUS = 1 AND R05_SMKLS_USER_STATUS != 1, DISPLAY OPTION 10 AS "Other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

ELSE, IF R05_SMKLS_USER_STATUS != 1, DISPLAY OPTION 10 AS "Smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

PROGRAM: Ask the question one time and list all products the respondent currently uses in (USEPROD (1-9)). If the respondent is a current user of every tobacco product, thus no products would be applicable for options, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_CIG_USER_STATUS = 1. Suppress option 3 if

R05_EPROD_USER_STATUS = 1. Suppress option 4 if R05_GTRAD_USER_STATUS = 1. Suppress

option 5 if R05_GRILLO_USER_STATUS = 1. Suppress option 6 if R05_GFILTR_USER_STATUS = 1.

Suppress option 7 if R05_PIPE_USER_STATUS = 1. Suppress option 8 if R05_HOOK_USER_STATUS

= 1. Suppress option 9 if R05_SNUS_USER_STATUS = 1. Suppress option 10 if

R05_SMKLS_USER_STATUS = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0307#_01 through R05_AX0307#_10 || Where # = C (Cigarettes); E (Electronic nicotine products); T (Traditional cigars); G (Cigarillos); F (Filtered cigars); P (Pipes); H (Hookahs); U (Snus); S (Smokeless tobacco)

Have you considered switching from [USEPROD(1-9)] to any of the following products? Choose all that apply.

- 1 I have not considered switching to another product
- 2 Cigarettes
- 3 E-cigarettes or other electronic nicotine products
- 4 Traditional cigars
- 5 Cigarillos
- 6 Filtered cigars
- 7 Pipes
- 8 Hookahs
- 9 Snus
- 10 [Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established users of at least one tobacco product and are not current established users of every tobacco product.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1 AND R05_CURRENT_PRODUCT_COUNT < 9.

DISPLAY: BOLD "[USEPROD(1-9)]".

IF R05_SNUS_USER_STATUS = 1 AND R05_SMKLS_USER_STATUS != 1, DISPLAY OPTION 10 AS "Other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

ELSE, IF R05_SMKLS_USER_STATUS != 1, DISPLAY OPTION 10 AS "Smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco".

PROGRAM: Repeat the question for each product the respondent currently uses. If option 1 is selected, no other options may be selected. Suppress option 2 if R05_CIG_USER_STATUS = 1. Suppress option 3 if R05_EPROD_USER_STATUS = 1. Suppress option 4 if R05_GTRAD_USER_STATUS = 1. Suppress option 5 if R05_GRILLO_USER_STATUS = 1. Suppress option 6 if R05_GFILTR_USER_STATUS = 1. Suppress option 7 if R05_PIPE_USER_STATUS = 1. Suppress option 8 if R05_HOOK_USER_STATUS = 1. Suppress option 9 if R05_SNUS_USER_STATUS = 1. Suppress option 10 if R05_SMKLS_USER_STATUS = 1.

NOTES: The instrument did not ask if respondents considered switching between the same tobacco type. As such, for each set of variables in R05_AX0307#_01 through R05_AX0307#_10, one variable that corresponds to the category of the same tobacco type is omitted from the data file.

NICOTINE DEPENDENCE

BOX ID: R05_ANV04

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R05_EXPERIMENTAL_PRODUCT_COUNT = Number of tobacco products the respondent currently uses experimentally.

R05_RECENT_FORMER_PRODUCT_COUNT = Number of tobacco products the respondent is a recent former established user of.

R05_TOBXEPROD_USER_STATUS = 1 (Current established non-electronic tobacco user) Adult respondents who are current established users of at least one tobacco product other than ENPs. The respondent may have any ENP user status.

R05_TOBXEPROD_USER_STATUS = 4 (Recent former established non-electronic tobacco user) Adult respondents who are recent former established users of any tobacco product other than ENPs, and are not current established users of any tobacco products other than ENPs. The respondent may have any ENP user status.

R05_TOBXEPROD_USER_STATUS = 2 (Current experimental non-electronic tobacco user) Adult respondents who are current experimental users of any tobacco product other than ENPs, and are not current established or recent former established users of any tobacco products. The respondent may have any ENP user status.

R05_TOBXEPROD_USER_STATUS = 5 (Long-term former established non-electronic tobacco user) Adult respondents who are long-term former established users of any tobacco product other than ENPs, and are not current established, current experimental, or recent former established users of any tobacco products other than ENPs. The respondent may have any ENP user status.

R05_TOBXEPROD_USER_STATUS = 3 (Former experimental non-electronic tobacco user) Adult respondents who are former experimental users of any tobacco product other than ENPs, and are not current established, current experimental, recent former established, or long-term former established users of any tobacco products. The respondent may have any ENP user status.

R05_NDSKIP = Type of product use -- polyusers or multiple product users:

R05_NDSKIP = 0 (Respondents who are current established or recent former established users of only one product. Or respondents who are current experimental users of only one product and are not current established or recent former established users of any other products. If R05_NDSKIP = 0, only the ENP ND module or the tobacco ND module will be asked, not both, with fills tailored to their specific product.)

R05_NDSKIP = 1 (Respondents who are current established or recent former established users of two or more products, where none of those products is/was ENPs. Or respondents who are current experimental users of two or more products, where none of those products are ENPs, and are not current established or recent former established users of any other products. If R05_NDSKIP = 1, only the tobacco ND module will be asked, with fills tailored to their tobacco use overall.)

R05_NDSKIP = 2 (Respondents who are current established or recent former established users of three or more products, where one of those products is/was ENPs. Or respondents who are current experimental users of three or more products, where one of those products is ENPs, and are not current established or recent former established users of any other products. If R05_NDSKIP = 2, both ND modules will be asked, first the ENP ND module and second the tobacco ND module with fills tailored to their tobacco use overall.)

R05_NDSKIP = 3 (Respondents who are current established or recent former established users of two products, where one of those products is/was ENPs. Or respondents who are current experimental users of two products, where one of those products is ENPs, and are not current established or recent former established users of any other products. If R05_NDSKIP = 3, both ND modules will be asked, first the ENP ND module and second the tobacco ND module with fills tailored to their other specific product.)

R05_GROUP = IF R05_NDSKIP = 0, 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS:

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R05_GROUP = NC (Cigarettes)
 R05_GROUP = NG (Traditional cigars)
 R05_GROUP = NL (Cigarillos)
 R05_GROUP = NF (Filtered cigars)
 R05_GROUP = NP (Pipes)
 R05_GROUP = NH (Hookah)
 R05_GROUP = NU (Snus)
 R05_GROUP = NS (Smokeless tobacco)

R05_VALID_TIME_LASTUSED = 1 Respondent is a recent former established user of at least one product other than ENPs and answered R05_A*1009 with a valid response (excluding ENPs).

R05_VALID_TIME_LASTUSED = 2 Respondent did not answer R05_A*1009 with a valid response for any product which they are a recent former established user of (excluding ENPs).

R05_EXPERIMENTAL_PRODUCT_COUNT:

R05_EXPERIMENTAL_PRODUCT_COUNT = 0;
 IF R05_CIG_USER_STATUS = 2, SET R05_EXPERIMENTAL_PRODUCT_COUNT =
 R05_EXPERIMENTAL_PRODUCT_COUNT + 1;
 IF R05_EPROD_USER_STATUS = 2 AND R05_AV9106 != 1, SET
 R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1;
 IF R05_GTRAD_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BTRAD != 1, SET
 R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1;
 IF R05_GRILLO_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BRILLO != 1, SET
 R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1;
 IF R05_GFILTR_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BFILTR != 1, SET
 R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1;
 IF R05_PIPE_USER_STATUS = 2, SET R05_EXPERIMENTAL_PRODUCT_COUNT =
 R05_EXPERIMENTAL_PRODUCT_COUNT + 1;
 IF R05_HOOK_USER_STATUS = 2, SET R05_EXPERIMENTAL_PRODUCT_COUNT =
 R05_EXPERIMENTAL_PRODUCT_COUNT + 1;
 IF R05_SNUS_USER_STATUS = 2, SET R05_EXPERIMENTAL_PRODUCT_COUNT =
 R05_EXPERIMENTAL_PRODUCT_COUNT + 1;
 IF R05_SMKLS_USER_STATUS = 2, SET R05_EXPERIMENTAL_PRODUCT_COUNT =
 R05_EXPERIMENTAL_PRODUCT_COUNT + 1.

Range 0 to 9.

R05_RECENT_FORMER_PRODUCT_COUNT:

R05_RECENT_FORMER_PRODUCT_COUNT = 0;
 IF R05_CIG_USER_STATUS = 4, SET R05_RECENT_FORMER_PRODUCT_COUNT =
 R05_RECENT_FORMER_PRODUCT_COUNT + 1;
 IF R05_EPROD_USER_STATUS = 4 AND R05_AV9106 != 1, SET
 R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1;
 IF R05_GTRAD_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BTRAD != 1, SET
 R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1;
 IF R05_GRILLO_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BRILLO != 1, SET
 R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1;
 IF R05_GFILTR_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BFILTR != 1, SET
 R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1;
 IF R05_PIPE_USER_STATUS = 4, SET R05_RECENT_FORMER_PRODUCT_COUNT =
 R05_RECENT_FORMER_PRODUCT_COUNT + 1;
 IF R05_HOOK_USER_STATUS = 4, SET R05_RECENT_FORMER_PRODUCT_COUNT =
 R05_RECENT_FORMER_PRODUCT_COUNT + 1;
 IF R05_SNUS_USER_STATUS = 4, SET R05_RECENT_FORMER_PRODUCT_COUNT =
 R05_RECENT_FORMER_PRODUCT_COUNT + 1;
 IF R05_SMKLS_USER_STATUS = 4, SET R05_RECENT_FORMER_PRODUCT_COUNT =
 R05_RECENT_FORMER_PRODUCT_COUNT + 1.

Range 0 to 9.

R05_TOBXEPROD_USER_STATUS = 1:

IF (R05_CIG_USER_STATUS = 1 OR R05_GTRAD_USER_STATUS = 1 OR
R05_GRILLO_USER_STATUS = 1 OR R05_GFILTR_USER_STATUS = 1 OR
R05_PIPE_USER_STATUS = 1 OR R05_HOOK_USER_STATUS = 1 OR
R05_SMKLS_USER_STATUS = 1 OR R05_SNUS_USER_STATUS = 1), THEN
R05_TOBXEPROD_USER_STATUS = 1.

R05_TOBXEPROD_USER_STATUS = 4:

ELSE, IF (R05_CIG_USER_STATUS = 4 OR (R05_GTRAD_USER_STATUS = 4 AND
R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 4 AND
R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 4 AND
R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 4 OR
R05_HOOK_USER_STATUS = 4 OR R05_SMKLS_USER_STATUS = 4 OR
R05_SNUS_USER_STATUS = 4), THEN R05_TOBXEPROD_USER_STATUS = 4.

R05_TOBXEPROD_USER_STATUS = 2:

ELSE, IF (R05_CIG_USER_STATUS = 2 OR R05_GTRAD_USER_STATUS = 2 OR
R05_GRILLO_USER_STATUS = 2 OR R05_GFILTR_USER_STATUS = 2 OR
R05_PIPE_USER_STATUS = 2 OR R05_HOOK_USER_STATUS = 2 OR
R05_SMKLS_USER_STATUS = 2 OR R05_SNUS_USER_STATUS = 2), THEN
R05_TOBXEPROD_USER_STATUS = 2.

R05_TOBXEPROD_USER_STATUS = 5:

ELSE, IF (R05_CIG_USER_STATUS = 5 OR (R05_GTRAD_USER_STATUS = 5 AND
R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 5 AND
R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 5 AND
R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 5 OR
R05_HOOK_USER_STATUS = 5 OR R05_SMKLS_USER_STATUS = 5 OR
R05_SNUS_USER_STATUS = 5), THEN R05_TOBXEPROD_USER_STATUS = 5.

R05_TOBXEPROD_USER_STATUS = 3:

ELSE, IF (R05_CIG_USER_STATUS = 3 OR (R05_GTRAD_USER_STATUS = 3 AND
R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 3 AND
R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 3 AND
R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 3 OR
R05_HOOK_USER_STATUS = 3 OR R05_SMKLS_USER_STATUS = 3 OR
R05_SNUS_USER_STATUS = 3), THEN R05_TOBXEPROD_USER_STATUS = 3.

R05_NDSKIP:

IF (R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT >= 2) AND
R05_ND_EPROD_USER_STATUS != 1, 4, THEN R05_NDSKIP = 1.
ELSE, IF (R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT >= 3) AND R05_ND_EPROD_USER_STATUS = 1, 4, THEN R05_NDSKIP = 2.
ELSE, IF (R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT = 2) AND R05_ND_EPROD_USER_STATUS = 1, 4, THEN R05_NDSKIP = 3.
ELSE, IF R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT = 1, THEN R05_NDSKIP = 0.

ELSE, IF R05_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R05_TOBACCO_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 2, THEN R05_NDSKIP = 1.

ELSE, IF R05_EXPERIMENTAL_PRODUCT_COUNT >= 3 AND R05_TOBACCO_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2, THEN R05_NDSKIP = 2.

ELSE, IF R05_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R05_TOBACCO_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2, THEN R05_NDSKIP = 3.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

ELSE, IF R05_EXPERIMENTAL_PRODUCT_COUNT = 1 AND R05_TOBACCO_USER_STATUS = 2, THEN R05_NDSKIP = 0.

R05_GROUP:

R05_NDSKIP = 0:

IF R05_CIG_USER_STATUS = 1, 4 AND (R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NC.

ELSE, IF (R05_GTRAD_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BTRAD != 1) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NG.

ELSE, IF (R05_GRILLO_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BRILLO != 1) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NL.

ELSE, IF (R05_GFILTR_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BFILTR != 1) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NF.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

ELSE, IF R05_PIPE_USER_STATUS = 1, 4 AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NP.

ELSE, IF R05_HOOK_USER_STATUS = 1, 4 AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NH.

ELSE, IF R05_SNUS_USER_STATUS = 1, 4 AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NU.

ELSE, IF R05_SMKLS_USER_STATUS = 1, 4 AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1)), THEN R05_GROUP = NS.

ELSE, IF R05_CIG_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NC.

ELSE, IF R05_GTRAD_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NG.
 ELSE, IF R05_GRILLO_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND
 R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NL.
 ELSE, IF R05_GFILTR_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND
 R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NF.
 ELSE, IF R05_PIPE_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND
 R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NP.
 ELSE, IF R05_HOOK_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND
 R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NH.
 ELSE, IF R05_SNUS_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND
 R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NU.
 ELSE, IF R05_SMKLS_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND
 R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NS.

R05_NDSKIP = 3:

IF (R05_CIG_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS = 1, 4) AND
 (R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GRILLO_USER_STATUS != 1 AND
 (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND
 R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND
 R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND
 R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND
 R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND
 R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NC.

ELSE, IF ((R05_GTRAD_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BTRAD != 1) AND
 R05_ND_EPROD_USER_STATUS = 1, 4) AND (R05_CIG_USER_STATUS != 1 AND
 R05_CIG_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND
 (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND
 R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND
 R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND
 R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND
 R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND
 R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NG.

ELSE, IF ((R05_GRILLO_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BRILLO != 1) AND
 R05_ND_EPROD_USER_STATUS = 1, 4) AND (R05_CIG_USER_STATUS != 1 AND
 R05_CIG_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND
 (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND
 R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND
 R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND
 R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND
 R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND
 R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NL.

ELSE, IF ((R05_GFILTR_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BFILTR != 1) AND
 R05_ND_EPROD_USER_STATUS = 1, 4) AND (R05_CIG_USER_STATUS != 1 AND

R05_CIG_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND
 (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND
 R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_PIPE_USER_STATUS != 1 AND
 R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND
 R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND
 R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND
 R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NF.

ELSE, IF (R05_PIPE_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS = 1, 4) AND
 (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND
 R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND
 (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND
 R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_HOOK_USER_STATUS != 1 AND
 R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND
 R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND
 R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NP.

ELSE, IF (R05_HOOK_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS = 1, 4) AND
 (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND
 R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND
 (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND
 R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_PIPE_USER_STATUS != 1 AND
 R05_PIPE_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND
 R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND
 R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NH.

ELSE, IF (R05_SNUS_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS = 1, 4) AND
 (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND
 R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND
 (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND
 R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND
 R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND
 R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_SMKLS_USER_STATUS != 1 AND
 R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NU.

ELSE, IF (R05_SMKLS_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS = 1, 4) AND
 (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND
 R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR
 R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND
 (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND
 R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND
 R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND
 R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1)), THEN R05_GROUP = NS.

ELSE, IF R05_CIG_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NC.

ELSE, IF R05_GTRAD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NG.

ELSE, IF R05_GRILLO_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NL.

ELSE, IF R05_GFILTR_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NF.

ELSE, IF R05_PIPE_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NP.

ELSE, IF R05_HOOK_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NH.

ELSE, IF R05_SNUS_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NU.

ELSE, IF R05_SMKLS_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NS.

R05_VALID_TIME_LASTUSED = 1:

IF (R05_CIG_USER_STATUS = 4 AND R05_AC1009_NN > 0) OR (R05_AG1009TC_NN > 0 AND R05_GTRAD_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1009CG_NN > 0) OR (R05_GFILTR_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1009FC_NN > 0) OR (R05_HOOK_USER_STATUS = 4 AND R05_AH1009_NN > 0) OR (R05_PIPE_USER_STATUS = 4 AND R05_AP1009_NN > 0) OR (R05_SNUS_USER_STATUS = 4 AND R05_AU1009_NN > 0) OR (R05_SMKLS_USER_STATUS = 4 AND R05_AS1009_NN > 0), THEN R05_VALID_TIME_LASTUSED = 1.

R05_VALID_TIME_LASTUSED = 2:

ELSE, R05_VALID_TIME_LASTUSED = 2.

BOX ID: R05_ANR02

Adult respondents who are current established or recent former established users of tobacco go through the Nicotine Dependence ENP and tobacco modules according to the following conditions:

Condition a: Respondents who are current established and/or recent former established users of only one product. Condition a will be asked the questions in either the ENP module or the tobacco module (not both), with fills tailored to their specific product.

Condition b: Respondents who are current established and/or recent former established users of more than one product, where one of those products is/was an ENP. Condition b will respond to the questions in both modules; the ENP module will be tailored to their ENP and the tobacco module will be tailored to their other specific product.

Condition c: Respondents who are current established and/or recent former established users of two or more products, where none of those products is an ENP. Condition c will respond to the questions in the tobacco module only, with fills tailored to their tobacco use overall.

Condition d: Respondents who are current established and/or recent former established users of three or more products, where one of those products is/was an ENP. Condition d will respond to the questions in both modules; the ENP module will be tailored to their ENP and the tobacco module will be tailored to their tobacco use overall.

Else, if current experimental user of only ENPs and not a current established or recent former established user of any product, go to R05_AN0330_12ME and go through the ENP module once according to condition a.

Else, if current experimental user of only one product and not a current established or recent former established user of any product, go to R05_AN0330_12M and go through the tobacco module once according to condition a.

Else, if current experimental user of more than one product and not a current established or recent former established user of any product, go through the section according to conditions a, b, c, or d.

Else, if former experimental user of ENPs and not a current established, current experimental, or recent former established user of any product, go to R05_AX0006E.

Else, if former experimental user of any other tobacco product and not a current established, current experimental, or recent former established user of any product, go to R05_AX0006.

Else, go to Box R05_ART01.

IF R05_TOBACCO_USER_STATUS = 1, 4 ROUTE AS FOLLOWS:

IF [(R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT = 1)] GO TO R05_ANR17 and follow routing to complete ONE of the Nicotine Dependence modules using appropriate product specific fill as defined by the groups and fill specs below (condition a).

IF [(R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT = 2) AND R05_ND_EPROD_USER_STATUS = 1, 4] GO TO R05_ANR17 and follow routing to complete the ENDS module and then the tobacco module using appropriate product specific fills for each iteration (condition b).

IF [(R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT >= 2) AND R05_ND_EPROD_USER_STATUS != 1, 4] GO TO R05_ANR17 and follow routing to complete the tobacco module using the tobacco use fill (condition c).

IF [(R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT >= 3) AND R05_ND_EPROD_USER_STATUS = 1, 4] GO TO R05_ANR17 and follow routing to complete the ENDS module and then the tobacco module using appropriate fills as defined by the groups and fill specs below (condition d).

ELSE IF R05_TOBACCO_USER_STATUS = 2 ROUTE AS FOLLOWS:

IF R05_EXPERIMENTAL_PRODUCT_COUNT = 1 GO TO R05_ANR17 and follow routing to complete ONE of the Nicotine Dependence modules using appropriate product specific fills as defined by the groups and fill specs below (condition a).

IF R05_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R05_ND_EPROD_USER_STATUS = 2, GO TO R05_ANR17 and follow routing to complete the ENDS module and then the tobacco module using appropriate product-specific fills for each iteration (condition b).

IF R05_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R05_ND_EPROD_USER_STATUS != 2, GO TO R05_ANR17 and follow routing to complete the tobacco module using the tobacco use fill (condition c).

IF EXPERIMENTAL_PRODUCT_COUNT >= 3 AND R05_ND_EPROD_USER_STATUS = 2, GO TO R05_ANR17 and follow routing to complete the ENDS module and then the tobacco module using appropriate fills as defined by the groups and fill specs below (condition d).

ELSE, IF R05_ND_EPROD_USER_STATUS = 3, GO TO R05_AX0006E.

ELSE, IF R05_TOBXEPROD_USER_STATUS = 3, GO TO R05_AX0006.

ELSE, GO TO BOX R05_ART01.

BOX ID: R05_AND01

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL1:

IF R05_NDSKIP = 0, 3:

IF NC=YES, FILL WITH "smoke cigarettes"

IF NG=YES, FILL WITH "smoke traditional cigars"

IF NL=YES, FILL WITH "smoke cigarillos"

IF NF=YES, FILL WITH "smoke filtered cigars"

IF NP=YES, FILL WITH "smoke a pipe"

IF NH=YES, FILL WITH "smoke hookah"

IF NU=YES, FILL WITH "use snus"

IF NS=YES, FILL WITH "use smokeless tobacco"

IF R05_NDSKIP = 1, 2 FILL WITH "use tobacco"

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AND05

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL2:

IF R05_NDSKIP = 0, 3:

IF NC=YES FILL WITH "cigarettes"

IF NG=YES FILL WITH "traditional cigars"

IF NL=YES FILL WITH "cigarillos"

IF NF=YES FILL WITH "filtered cigars"

IF NP=YES FILL WITH "pipe tobacco"

IF NH=YES FILL WITH "hookah"

IF NU=YES FILL WITH "snus"

IF NS=YES FILL WITH "smokeless tobacco"

IF R05_NDSKIP = 1, 2 FILL WITH "tobacco"

BOX ID: R05_AND06

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL3:

IF R05_NDSKIP = 0, 3:

IF NC=YES FILL WITH "smoking cigarettes"

IF NG=YES FILL WITH "smoking traditional cigars"

IF NL=YES FILL WITH "smoking cigarillos"

IF NF=YES FILL WITH "smoking filtered cigars"

IF NP=YES FILL WITH "smoking a pipe"

IF NH=YES FILL WITH "smoking hookah"

IF NU=YES FILL WITH "using snus"

IF NS=YES FILL WITH "using smokeless tobacco"

IF R05_NDSKIP = 1, 2 FILL WITH "using tobacco"

BOX ID: R05_AND07

USE THE FOLLOWING FILLS WHEN CALLED:

ND FILL4:

IF R05_NDSKIP = 0, 3:

IF NC=YES FILL WITH "cigarette smoking"

IF NG=YES FILL WITH "traditional cigar smoking"

IF NL=YES FILL WITH "cigarillo smoking "

IF NF=YES FILL WITH "filtered cigar smoking"

IF NP=YES FILL WITH "pipe smoking"

IF NH=YES FILL WITH "hookah smoking"

IF NU=YES FILL WITH "snus use"

IF NS=YES FILL WITH "smokeless tobacco use"

IF R05_NDSKIP = 1, 2 FILL WITH "tobacco use"

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR17

Adult respondents who are current established or recent former established non-marijuana ENP users, go to Box R05_ANT01E.
 Else, adult respondents who are current established or recent former established non-electronic tobacco users, go to Box R05_ANR37.
 Else, adult respondents who are current experimental non-marijuana ENP users and use more than one type of ENP, go to Box R05_ANT01E.
 Else, adult respondents who are current experimental non-marijuana ENP users and use only one type of ENP, go to Box R05_ANR22.
 Else, adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products, go to Box R05_ANR37.
 Else, adult respondents who are current experimental non-electronic tobacco users, go to Box R05_ANR26.
 Else, adult respondents who are former experimental non-marijuana ENP users, go to R05_AX0006E.
 Else, adult respondents who are former experimental non-electronic tobacco users, go to R05_AX0006E.
 Else, go to Box R05_ART01.

IF R05_ND_EPROD_USER_STATUS = 1, 4, GO TO BOX R05_ANT01E.
 ELSE, IF R05_TOBXEPROD_USER_STATUS = 1, 4, GO TO BOX R05_ANR37.
 ELSE, IF R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1, GO TO BOX R05_ANT01E.
 ELSE, IF R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT = 1, GO TO BOX R05_ANR22.
 ELSE, IF R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2, GO TO BOX R05_ANR37.
 ELSE, IF R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 0, GO TO BOX R05_ANR26.
 ELSE, IF R05_ND_EPROD_USER_STATUS = 3, GO TO R05_AX0006E.
 ELSE, IF R05_TOBXEPROD_USER_STATUS = 3, GO TO R05_AX0006E.
 ELSE, GO TO BOX R05_ART01.

BOX ID: R05_ANT01E

IF R05_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with electronic nicotine products.

IF R05_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with electronic nicotine products. Please think only about electronic nicotine products as you answer these questions. We will ask you questions about [ND FILL2] later.

IF R05_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with electronic nicotine products.

BOX ID: R05_ANR22

Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP, go to R05_AN0010E.
 Else, go to R05_AN0330_12ME.

IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1), GO TO R05_AN0010E.
 ELSE, GO TO R05_AN0330_12ME.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0010E

Do you consider yourself addicted to electronic nicotine products?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

Variable(s): R05_AN0015E

Do you ever have strong cravings to use electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

Variable(s): R05_AN0020E

Have you ever felt like you really needed to use electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0055E

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for electronic nicotine products without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

BOX ID: R05_AND02E

Randomize order of items R05_AN0025E - R05_AN0100E.

Variable(s): R05_AN0025E

I frequently crave electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

NOTES: This item was always the first question asked in the randomized set.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0030E

[My urges keep getting stronger if I don't/I still have urges to] use electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1, 2, DISPLAY "My urges keep getting stronger if I don't".

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "I still have urges to".

Variable(s): R05_AN0035E

Electronic nicotine products control me.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0045E

[My electronic nicotine product use is out of control./My urge to use electronic nicotine products is out of control.]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1, 2, DISPLAY "My electronic nicotine product use is out of control."

IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "My urge to use electronic nicotine products is out of control."

Variable(s): R05_AN0060E

I usually want to use electronic nicotine products right after I wake up.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0065E

I can only go a couple of hours without [using/wanting to use] electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1, 2, DISPLAY "using".
ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "wanting to use".

Variable(s): R05_AN0050E

[I frequently use/I find myself almost using] electronic nicotine products without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1, 2, DISPLAY "I frequently use".
ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "I find myself almost using".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0070E

Using electronic nicotine products [really helps/would really help] me feel better if I've been feeling down.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1, 2, DISPLAY "really helps". ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "would really help".

Variable(s): R05_AN0075E

Using electronic nicotine products helps me think better.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR23

Adult respondents who are current established or recent former established non-marijuana ENP users and are only completing the e-product module in the Nicotine Dependence section, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP and are only completing the e-product module in the Nicotine Dependence section, go to R05_AN0255E. Else, go to R05_AN0080E.

IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_NDSKIP = 0) OR
(R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND
R05_EPRODCOUNT > 1 AND R05_NDSKIP = 0), GO TO R05_AN0255E.
ELSE, GO TO R05_AN0080E.

Variable(s): R05_AN0255E

Most of the people I spend time with use tobacco.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and are only completing the e-product module in the Nicotine Dependence section, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP and are only completing the e-product module in the Nicotine Dependence section.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_NDSKIP = 0) OR
(R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND
R05_EPRODCOUNT > 1 AND R05_NDSKIP = 0).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0080E

I [would] feel alone without my electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1, 2, DISPLAY "would".
ELSE, IF R05_ND_EPROD_USER_STATUS = 4, NO DISPLAY.

Variable(s): R05_AN0085E

[I would find it really hard to stop using/I find it really hard to not use] electronic nicotine products.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1, 2, DISPLAY "I would find it really hard to stop using".
ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "I find it really hard to not use".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0090E

[I would find it hard to stop using electronic nicotine products for a week./I would find it hard to not use electronic nicotine products for another week.]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND
R05_EPRODCOUNT > 1).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1, 2, DISPLAY "I would find it hard to stop using electronic nicotine products for a week."

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "I would find it hard to not use electronic nicotine products for another week."

Variable(s): R05_AN0095E

[After not using electronic nicotine products for a while, I need/I would like] to use electronic nicotine products in order to feel less restless and irritable.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND
R05_EPRODCOUNT > 1).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1, 2, DISPLAY "After not using electronic nicotine products for a while, I need".

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "I would like".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0100E

[After not using electronic nicotine products for a while, I need/I feel like I need] to use electronic nicotine products in order to keep myself from experiencing any discomfort.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1, 2, DISPLAY "After not using electronic nicotine products for a while, I need".
ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "I feel like I need".

Variable(s): R05_AN0110E

Do you believe that using electronic nicotine products [is causing/caused] a health problem or [making/made] it worse?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_EPRODCOUNT > 1).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1, 2, DISPLAY "is causing" AND "making".
ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "caused" AND "made".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0813E

In the past 12 months, did you find it difficult to keep from using electronic nicotine products in places where it was not permitted?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND
R05_EPRODCOUNT > 1).

Variable(s): R05_AN0812E

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because electronic nicotine product use was not permitted at the activity?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and use more than one type of ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND
R05_EPRODCOUNT > 1).

BOX ID: R05_ANR30

Adult respondents who are current established non-marijuana ENP users, go to R05_AN0105E.
Else, adult respondents who are recent former established non-marijuana ENP users, go to Box
R05_ANV06E.
Else, go to R05_AN0330_12ME.

IF R05_ND_EPROD_USER_STATUS = 1, GO TO R05_AN0105E.
ELSE, IF R05_ND_EPROD_USER_STATUS = 4, GO TO BOX R05_ANV06E.
ELSE, GO TO R05_AN0330_12ME.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0105E

In the past 12 months, have you tried to quit using electronic nicotine products completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established non-marijuana ENP users.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1.

Variable(s): R05_AN0334E

In the past 12 months, have you tried to quit by gradually cutting back on using electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established non-marijuana ENP users.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1.

BOX ID: R05_ANV06E

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 (Past 12 month quitter or quit attempter) Adult respondents who have quit or attempted to quit ENPs in the past 12 months and are not marijuana-only ENP users.

R05_TWELVEMONTHQUIT_STATUS_EPROD = 2 (Past 12 month reducers) Adult respondents who have cut down their ENP use in the past 12 months, but have not tried to quit and are not marijuana-only ENP users.

R05_TWELVEMONTHQUIT_STATUS_EPROD = 1:

IF R05_AN0105E = 1 OR R05_ND_EPROD_USER_STATUS = 4, THEN

R05_TWELVEMONTHQUIT_STATUS_EPROD = 1.

R05_TWELVEMONTHQUIT_STATUS_EPROD = 2:

ELSE, IF R05_AN0334E = 1, THEN R05_TWELVEMONTHQUIT_STATUS_EPROD = 2.

BOX ID: R05_ANR31

Adult respondents who are past 12 month ENP quitters or quit attempters, go to R05_AN0115E.
Else, go to Box R05_ANR25.

IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 GO TO R05_AN0115E.

ELSE, GO TO BOX R05_ANR25.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0115E

In total, how many times in the past 12 months have you tried to quit electronic nicotine products completely?

0 I did not try to quit in the past 12 months

|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_ANR24

-7 REFUSED

GO TO BOX R05_ANR24

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1.

PROGRAM: Allow 3 digits.

CHECK ID: R05_AN0115E_LC1

The computer recorded that you have tried to completely quit electronic nicotine products [R05_AN0115E] times in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0115E

2 NEXT

GO TO R05_AN0115E_LC2

ASK: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0115E > 50.

PROGRAM: TRIGGER CHECK IF R05_AN0115E > 50.

ELSE, GO TO R05_AN0115E_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AN0115E_LC2

The computer recorded that you have not tried to completely quit in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0115E

2 NEXT

GO TO BOX R05_ANR24

ASK: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0115E = 0.

PROGRAM: TRIGGER CHECK IF R05_AN0115E = 0.

ELSE, GO TO BOX R05_ANR24 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR24

Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R05_AN0120E.

Else, adult respondents who are recent former established non-marijuana ENP users and reported how long it has been since they last took a puff from an ENP and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R05_AN0257E.

Else, adult respondents who are past 12 month ENP quitters or quit attempters and are recent former established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an ENP, go to R05_AN0145E.

Else, go to R05_AN0330_12ME.

IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7), GO TO R05_AN0120E.

ELSE, IF R05_ND_EPROD_USER_STATUS = 4 AND R05_AV1009_NN > 0 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7), GO TO R05_AN0257E.

ELSE, IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 4 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND (R05_AV1009_NN < 1 OR R05_AN0257E = 2), GO TO R05_AN0145E.

ELSE, GO TO R05_AN0330_12ME.

Variable(s): R05_AN0120E

In the past 12 months, have you stopped using electronic nicotine products for one day or longer because you were trying to quit?

1 Yes

2 No

GO TO R05_AN0130E

-8 DON'T KNOW

GO TO R05_AN0130E

-7 REFUSED

GO TO R05_AN0130E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0125E

In the past 12 months, how many times have you stopped using electronic nicotine products for one day or longer because you were trying to quit?

- 1 1 time
- 2 2-3 times
- 3 4 or more times

-8 DON'T KNOW

GO TO R05_AN0256E

-7 REFUSED

GO TO R05_AN0256E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using ENPs for one day or longer.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0120E = 1.

CHECK ID: R05_AN0125E_LC1

The computer recorded that you have stopped using electronic nicotine products for one day or longer because you were trying to quit. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0125E

2 NEXT

GO TO R05_AN0130E

ASK: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0120E = 1 AND R05_AN0125E > R05_AN0115E.

PROGRAM: TRIGGER CHECK IF R05_AN0125E > R05_AN0115E.
ELSE, GO TO R05_AN0130E AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0256E

Would you say that in the past 12 months it was more than 3 times that you have stopped using electronic nicotine products for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using ENPs for one day or longer and did not know or refused to report how many times they stopped using ENPs for one day or longer.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0120E = 1 AND R05_AN0125E = -8, -7.

Variable(s): R05_AN0130E_NN; R05_AN0130E_UN

The last time you stopped using electronic nicotine products in the past 12 months because you were trying to quit, how long did you stop for?

- 1 |_|_|_| Minutes
- 2 |_|_|_| Hours
- 3 |_|_|_| Days
- 4 |_|_|_| Weeks
- 5 |_|_|_| Months
- 8 DON'T KNOW GO TO R05_AN0300E
- 7 REFUSED GO TO R05_AN0300E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7).

PROGRAM: Display as a Quantity/Units.
Allow 3 digits.

NOTES: The value "1" refers to R05_AN0130E_UN = Minutes; the value "2" refers to R05_AN0130E_UN = Hours; the value "3" refers to R05_AN0130E_UN = Days; the value "4" refers to R05_AN0130E_UN = Weeks; the value "5" refers to R05_AN0130E_UN = Months.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0130E_LC1

The computer recorded the last time you tried to quit electronic nicotine products in the past 12 months that you stopped for [R05_AN0130E_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|-------------------|
| 1 BACK | GO TO R05_AN0130E |
| 2 NEXT | GO TO R05_AN0135E |

ASK: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND ((R05_AN0130E_NN > 366 AND R05_AN0130E_UN = 3) OR (R05_AN0130E_NN > 52 AND R05_AN0130E_UN = 4) OR (R05_AN0130E_NN > 12 AND R05_AN0130E_UN = 5)).

DISPLAY: IF R05_AN0130E_UN = 3, DISPLAY "days".

ELSE, IF R05_AN0130E_UN = 4, DISPLAY "weeks".

ELSE, IF R05_AN0130E_UN = 5, DISPLAY "months".

PROGRAM: TRIGGER CHECK IF (R05_AN0130E_NN > 366 AND R05_AN0130E_UN = 3) OR (R05_AN0130E_NN > 52 AND R05_AN0130E_UN = 4) OR (R05_AN0130E_NN > 12 AND R05_AN0130E_UN = 5).

ELSE, GO TO R05_AN0135E AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AN0300E

Was it more than a week, a week, or less than a week?

- | | |
|----------------------|---------------------|
| 1 More than one week | GO TO BOX R05_ANR25 |
| 2 One week | GO TO BOX R05_ANR25 |
| 3 Less than one week | GO TO BOX R05_ANR25 |
| -8 DON'T KNOW | GO TO BOX R05_ANR25 |
| -7 REFUSED | GO TO BOX R05_ANR25 |

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0130E_NN = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0135E

When was the approximate end date of this last quit attempt that lasted [enter duration from R05_AN0130E]?

MONTH DAY
 YEAR

-8 DON'T KNOW

GO TO R05_AN0140E

-7 REFUSED

GO TO R05_AN0140E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0130E_NN != -8, -7.

PROGRAM: Allow 2 digits for month; allow 2 digits for day; allow 4 digits for year.

CHECK ID: R05_AN0135E_LC1

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R05_AN0135E]. That date is in the future. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0135E

2 NEXT

GO TO R05_AN0135E_LC2

ASK: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0130E_NN != -8, -7 AND R05_AN0135E > TODAY'S DATE.

PROGRAM: TRIGGER CHECK IF R05_AN0135E > TODAY'S DATE.
ELSE, GO TO R05_AN0135E_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0135E_LC2

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R05_AN0135E]. That was longer than 12 months ago. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|-----------------------|
| 1 BACK | GO TO R05_AN0135E |
| 2 NEXT | GO TO R05_AN0135E_LC3 |

ASK: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0130E_NN != -8, -7 AND R05_AN0135E < (TODAY'S DATE - 12 MONTHS).

PROGRAM: TRIGGER CHECK IF R05_AN0135E < (TODAY'S DATE - 12 MONTHS).
ELSE, GO TO R05_AN0135E_LC3 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AN0135E_LC3

Please enter four numbers for the year.

- | | |
|--------|-------------------|
| 1 BACK | GO TO R05_AN0135E |
|--------|-------------------|

ASK: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0130E_NN != -8, -7 AND R05_AN0135E (YEARS) IS < 4 DIGITS.

PROGRAM: TRIGGER CHECK IF R05_AN0135E (YEARS) IS < 4 DIGITS.
ELSE, GO TO R05_AN0140E AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AN0140E

In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without using electronic nicotine products because you were trying to quit?

- | | |
|---------------|---------------------|
| 1 Yes | GO TO BOX R05_ANR25 |
| 2 No | GO TO R05_AN0145E |
| -8 DON'T KNOW | GO TO BOX R05_ANR25 |
| -7 REFUSED | GO TO BOX R05_ANR25 |

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0130E_NN != -8, -7.

DISPLAY: FILL "DURATION OF LAST QUIT ATTEMPT" WITH THE DURATION FROM R05_AN0130E [NN/_UN] (ex. "45 days").

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0257E

You previously mentioned that you stopped using electronic nicotine products [ENTER LENGTH OF TIME SINCE LAST USE IN R05_AV1009] ago. Is this the longest you have gone without using electronic nicotine products in the past 12 months?

- | | |
|---------------|---------------------|
| 1 Yes | GO TO BOX R05_ANR25 |
| 2 No | GO TO R05_AN0145E |
| -8 DON'T KNOW | GO TO BOX R05_ANR25 |
| -7 REFUSED | GO TO BOX R05_ANR25 |

ASK: Adult respondents who are recent former established non-marijuana ENP users and reported how long it has been since they last took a puff from an ENP and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 4 AND R05_AV1009_NN > 0 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7).

DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R05_AV1009[_NN/_UN]] with time entered (ex. "45 days") in R05_AV1009[_NN/_UN].

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0145E_NN; R05_AN0145E_UN

In the past 12 months, what was the longest time you stopped using electronic nicotine products because you were trying to quit?

1 | | | | Minutes

2 | | | | Hours

3 | | | | Days

4 | | | | Weeks

5 | | | | Months

-8 DON'T KNOW

GO TO R05_AN0305E

-7 REFUSED

GO TO R05_AN0305E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using ENPs, or
Adult respondents who are past 12 month ENP quitters or quit attempters and are recent former established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an ENP or reported the time since they last took a puff from an ENP was not the longest they went without using ENPs.

ASK Specification: IF (R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0130E_NN != -8, -7 AND R05_AN0140E = 2) OR (R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 4 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND (R05_AV1009_NN < 1 OR R05_AN0257E = 2)).

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers to R05_AN0145E_UN = Minutes; the value "2" refers to R05_AN0145E_UN = Hours; the value "3" refers to R05_AN0145E_UN = Days; the value "4" refers to R05_AN0145E_UN = Weeks; the value "5" refers to R05_AN0145E_UN = Months.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0145E_LC1

The computer recorded that you stopped using electronic nicotine products for [R05_AN0145E] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0145E

2 NEXT

GO TO BOX R05_ANR25

ASK: IF ((R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0130E_NN != -8, -7 AND R05_AN0140E = 2) OR (R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 4 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND (R05_AV1009_NN < 1 OR R05_AN0257E = 2))) AND ((R05_AN0145E_NN > 366 AND R05_AN0145E_UN = 3) OR (R05_AN0145E_NN > 52 AND R05_AN0145E_UN = 4) OR (R05_AN0145E_NN > 12 AND R05_AN0145E_UN = 5)).

DISPLAY: IF R05_AN0145E_UN = 3, DISPLAY "days".

ELSE, IF R05_AN0145E_UN = 4, DISPLAY "weeks"

ELSE, IF R05_AN0145E_UN = 5, DISPLAY "months".

PROGRAM: TRIGGER CHECK IF (R05_AN0145E_NN > 366 AND R05_AN0145E_UN = 3) OR (R05_AN0145E_NN > 52 AND R05_AN0145E_UN = 4) OR (R05_AN0145E_NN > 12 AND R05_AN0145E_UN = 5).

ELSE, GO TO BOX R05_ANR25 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0305E

Was it more than a week, a week, or less than a week?

- 1 More than one week
- 2 One week
- 3 Less than one week
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and are current established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using ENPs and did not know or refused to report the longest time they stopped using ENPs, or

Adult respondents who are past 12 month ENP quitters or quit attempters and are recent former established non-marijuana ENP users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not report how long it has been since they last took a puff from an ENP or reported the time since they last took a puff from an ENP was not the longest they went without using ENPs and did not know or refused to report the longest time they stopped using ENPs.

ASK Specification: IF (R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND R05_AN0130E_NN != -8, -7 AND R05_AN0140E = 2 AND R05_AN0145E_NN = -8, -7) OR (R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_ND_EPROD_USER_STATUS = 4 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7) AND (R05_AV1009_NN < 1 OR R05_AN0257E = 2) AND R05_AN0145E_NN = -8, -7).

BOX ID: R05_ANR25

Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R05_AN0210E.

Else, adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users, go to R05_AN0330_12ME. Else, go to Box R05_ANR32.

IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7), GO TO R05_AN0210E.
ELSE, IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2), GO TO R05_AN0330_12ME.
ELSE, GO TO BOX R05_ANR32.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AN0210E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you rely on the support of friends and family to help you?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1 AND R05_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0125E > 1 OR R05_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): **R05_AN0215E**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1 AND R05_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0125E > 1 OR R05_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

- | | | |
|-----------------------|----|---|
| R05_AN0225E_01 | 1 | I did not use a different tobacco product to help me quit |
| R05_AN0225E_02 | 2 | Cigarettes |
| R05_AN0225E_04 | 4 | Traditional cigars |
| R05_AN0225E_05 | 5 | Cigarillos |
| R05_AN0225E_06 | 6 | Filtered cigars |
| R05_AN0225E_07 | 7 | Pipe tobacco |
| R05_AN0225E_08 | 8 | Hookah |
| R05_AN0225E_09 | 9 | Snus |
| R05_AN0225E_10 | 10 | Smokeless tobacco, like dip, chew, or snuff |
| R05_AN0225E_11 | 11 | Dissolvable tobacco |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND (R05_AN0115E >= 1 OR R05_AN0115E = -8, -7).

DISPLAY: IF R05_ND_EPROD_USER_STATUS = 1 AND R05_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_ND_EPROD_USER_STATUS = 1 AND (R05_AN0125E > 1 OR R05_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

PROGRAM: For respondents where R05_CURRENT_PRODUCT_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0330_12ME

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, or lozenge?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_ANR32 |
| -8 | DON'T KNOW | GO TO BOX R05_ANR32 |
| -7 | REFUSED | GO TO BOX R05_ANR32 |

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2).

Variable(s): SEE BELOW:

Which product did you use in the past 12 months? Choose all that apply.

- | | | |
|----------------|----|----------------------|
| R05_AN0161E_01 | 1 | Nicotine patch |
| R05_AN0161E_02 | 2 | Nicotine gum |
| R05_AN0161E_03 | 3 | Nicotine inhaler |
| R05_AN0161E_04 | 4 | Nicotine nasal spray |
| R05_AN0161E_05 | 5 | Nicotine lozenge |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR32

Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R05_AN0150E.
 Else, adult respondents who are past 12 month ENP reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, go to R05_AN0811E.
 Else, adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, go to Box R05_ANR50.
 Else, go to R05_AN0331_12ME.

IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1, GO TO R05_AN0150E.
 ELSE, IF (R05_TWELVEMONTHQUIT_STATUS_EPROD = 2 AND R05_AN0330_12ME = 1) OR R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1), GO TO R05_AN0811E.
 ELSE, IF R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1, GO TO BOX R05_ANR50.
 ELSE, GO TO R05_AN0331_12ME.

Variable(s): R05_AN0150E

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray or lozenge?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_ANR33 |
| -8 | DON'T KNOW | GO TO BOX R05_ANR33 |
| -7 | REFUSED | GO TO BOX R05_ANR33 |

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and have used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1.

DISPLAY: IF R05_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_AN0125E > 1 OR R05_AN0256E = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0155E

Did you use the nicotine patch, gum, inhaler, nasal spray, or lozenge to quit using electronic nicotine products completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1 AND R05_AN0150E = 1.

DISPLAY: UNDERLINE "completely".

Variable(s): R05_AN0811E

Did you use the nicotine patch, gum, inhaler, nasal spray, or lozenge to relieve or avoid any bad after-effects after you stopped or cut down on your electronic nicotine product use?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them, or adult respondents who are past 12 month ENP reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1 AND R05_AN0150E = 1) OR (R05_TWELVEMONTHQUIT_STATUS_EPROD = 2 AND R05_AN0330_12ME = 1) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1).

BOX ID: R05_ANR33

Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit, go to R05_AN0160E.

Else, adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R05_AN0170E.

Else, go to Box R05_ANR50.

IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1 AND R05_AN0150E = 1, GO TO R05_AN0160E.
ELSE, IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1, GO TO R05_AN0170E.
ELSE, GO TO BOX R05_ANR50.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which product did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

- | | | | |
|-----------------------|----|----------------------|-------------------|
| R05_AN0160E_01 | 1 | Nicotine patch | |
| R05_AN0160E_02 | 2 | Nicotine gum | |
| R05_AN0160E_03 | 3 | Nicotine inhaler | |
| R05_AN0160E_04 | 4 | Nicotine nasal spray | |
| R05_AN0160E_05 | 5 | Nicotine lozenge | |
| R05_AN0160E_06 | 6 | None of the above | GO TO R05_AN0170E |
| | -8 | DON'T KNOW | |
| | -7 | REFUSED | |

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1 AND R05_AN0150E = 1.

DISPLAY: IF R05_AN0125E = 1, DISPLAY "the time you tried to quit using electronic nicotine products". ELSE, IF R05_AN0125E > 1 OR R05_AN0256E = 1, DISPLAY "the last time you tried to quit using electronic nicotine products".

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "when you quit using electronic nicotine products".

ELSE, DISPLAY "the last time you tried to quit using electronic nicotine products".

PROGRAM: Option 6 cannot be selected if any options 1 through 5 are selected.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0165E_NN; R05_AN0165E_UN

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, or lozenge?

- 1 | | | DAYS
- 2 | | | WEEKS
- 3 | | | MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1 AND R05_AN0150E = 1 AND R05_AN0160E_06 != 1.

DISPLAY: IF R05_AN0125E = 1, DISPLAY "during the time you tried to quit".
ELSE, IF R05_AN0125E > 1 OR R05_AN0256E = 1, DISPLAY "during the last time you tried to quit".
ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND "completely".
ELSE, DISPLAY "during the last time you tried to quit".

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

NOTES: The value "1" refers to R05_AN0165E_UN = Days; the value "2" refers to R05_AN0165E_UN = Weeks; the value "3" refers to R05_AN0165E_UN = Months.

Variable(s): R05_AN0170E

Are you currently using a nicotine patch, gum, inhaler, nasal spray, or lozenge?

- 1 Yes
- 2 No GO TO BOX R05_ANR50
- 8 DON'T KNOW GO TO BOX R05_ANR50
- 7 REFUSED GO TO BOX R05_ANR50

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0251E_NN; R05_AN0251E_UN

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, or lozenge?

1 | | | DAYS

2 | | | MONTHS

3 | | | YEARS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1 AND R05_AN0170E = 1.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0251E_UN = Days; the value "2" refers to R05_AN0251E_UN = Weeks; the value "3" refers to R05_AN0251E_UN = Months.

CHECK ID: R05_AN0251E_LC1

The computer recorded that you have been using the nicotine patch, gum, inhaler, nasal spray, or lozenge to help you quit for [R05_AN0251E_NN] [days/months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0251E

2 NEXT

GO TO R05_AN0251E_LC2

ASK: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1 AND R05_AN0170E = 1 AND ((R05_AN0251E_NN > 99 AND R05_AN0251E_UN = 1) OR (R05_AN0251E_NN > 60 AND R05_AN0251E_UN = 2) OR (R05_AN0251E_NN > 5 AND R05_AN0251E_UN = 3)).

DISPLAY: IF R05_AN0251E_UN = 1, DISPLAY "days".

IF R05_AN0251E_UN = 2, DISPLAY "months".

IF R05_AN0251E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AN0251E_NN > 99 AND R05_AN0251E_UN = 1) OR (R05_AN0251E_NN > 60 AND R05_AN0251E_UN = 2) OR (R05_AN0251E_NN > 5 AND R05_AN0251E_UN = 3).

ELSE, GO TO R05_AN0251E_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0251E_LC2

The computer recorded "0" for how long you have been using a nicotine patch, gum, inhaler, nasal spray, or lozenge to help you quit.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0251E

2 NEXT

GO TO BOX R05_ANR50

ASK: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0330_12ME = 1 AND R05_AN0170E = 1 AND R05_AN0251E = 0.

PROGRAM: TRIGGER CHECK IF R05_AN0251E = 0.

ELSE, GO TO BOX R05_ANR50 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ANR50

Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months, go to R05_AN0347E.

Else, go to Box R05_ANR51.

IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1), GO TO R05_AN0347E.
ELSE, GO TO BOX R05_ANR51.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0347E

When you last used a nicotine patch, when did you remove it?

- | | | |
|----|---|---------------------|
| 1 | I am currently wearing a nicotine patch | GO TO R05_AN0349E |
| 2 | In the past hour | GO TO R05_AN0349E |
| 3 | Sometime today, but more than an hour ago | |
| 4 | Yesterday | |
| 5 | Day before yesterday | GO TO R05_AN0349E |
| 6 | Three or more days ago | GO TO R05_AN0375E |
| -8 | DON'T KNOW | GO TO BOX R05_ANR51 |
| -7 | REFUSED | GO TO BOX R05_ANR51 |

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1).

DISPLAY: BOLD AND UNDERLINE "nicotine patch".

Variable(s): R05_AN0348E

How many hours has it been since you removed a nicotine patch?

- | | |
|----|--------------------|
| 1 | 1 to 4 hours |
| 2 | 5 to 11 hours |
| 3 | More than 12 hours |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used sometime today or yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1 AND R05_AN0347E = 3, 4) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1 AND R05_AN0347E = 3, 4).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0349E; R05_AN0349E_OS

When you last used a nicotine patch [FILL BASED ON R05_AN0347E], what strength did you use? (If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

- | | |
|---------------------------------|---------------------|
| 1 21 mg (Step 1) | GO TO BOX R05_ANR51 |
| 2 14 mg (Step 2) | GO TO BOX R05_ANR51 |
| 3 7 mg (Step 3) | GO TO BOX R05_ANR51 |
| 4 Some other strength (SPECIFY) | GO TO BOX R05_ANR51 |
| 5 I don't know | GO TO BOX R05_ANR51 |
| -8 DON'T KNOW | GO TO BOX R05_ANR51 |
| -7 REFUSED | GO TO BOX R05_ANR51 |

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used currently, in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used currently, in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1 AND R05_AN0347E = 1, 2, 3, 4, 5) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1 AND R05_AN0347E = 1, 2, 3, 4, 5).

DISPLAY: [FILL BASED ON R05_AN0347E]:

IF R05_AN0347E = 1, 2, 3 DISPLAY "today".

ELSE, IF R05_AN0347E = 4, DISPLAY "yesterday".

ELSE, IF R05_AN0347E = 5, DISPLAY "the day before yesterday".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0375E_NN; R05_AN0375E_UN

How long ago did you stop using the nicotine patch?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_ANR51

-7 REFUSED

GO TO BOX R05_ANR51

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1 AND R05_AN0347E = 6) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1 AND R05_AN0347E = 6).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0375E_UN = Days; the value "2" refers to R05_AN0375E_UN = Weeks; the value "3" refers to R05_AN0375E_UN = Months.

CHECK ID: R05_AN0375E_LC1

The computer recorded that you stopped using the nicotine patch [R05_AN0375E_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0375E

2 NEXT

GO TO BOX R05_ANR51

ASK: IF ((R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1 AND R05_AN0347E = 6) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_01 = 1 AND R05_AN0347E = 6)) AND (((R05_AN0375E_NN > 31 OR R05_AN0375E_NN < 3) AND R05_AN0375E_UN = 1) OR (R05_AN0375E_NN > 12 AND R05_AN0375E_UN = 2) OR (R05_AN0375E_NN > 1 AND R05_AN0375E_UN = 3)).

DISPLAY: IF R05_AN0375E_UN = 1, DISPLAY "days".

ELSE, IF R05_AN0375E_UN = 2, DISPLAY "months".

ELSE, IF R05_AN0375E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF ((R05_AN0375E_NN > 31 OR R05_AN0375E_NN < 3) AND R05_AN0375E_UN = 1) OR (R05_AN0375E_NN > 12 AND R05_AN0375E_UN = 2) OR (R05_AN0375E_NN > 1 AND R05_AN0375E_UN = 3).
ELSE, GO TO BOX R05_ANR51 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR51

Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months, go to R05_AN0357E. Else, go to R05_AN0331_12ME.

IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_[02/03/04/05] = 1) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_[02/03/04/05] = 1), GO TO R05_AN0357E.
ELSE, GO TO R05_AN0331_12ME.

Variable(s): R05_AN0357E

When did you last use **nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?**

- | | |
|---|-----------------------|
| 1 In the past hour | GO TO R05_AN0359E |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_AN0385E |
| -8 DON'T KNOW | GO TO R05_AN0331_12ME |
| -7 REFUSED | GO TO R05_AN0331_12ME |

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_[02/03/04/05] = 1) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_[02/03/04/05] = 1).

DISPLAY: BOLD AND UNDERLINE "nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0358E

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_AN0357E], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_[02/03/04/05] = 1 AND R05_AN0357E = 2, 3, 4) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_[02/03/04/05] = 1 AND R05_AN0357E = 2, 3, 4).

DISPLAY: [FILL BASED ON R05_AN0357E]:

IF R05_AN0357E = 2, DISPLAY "sometime today".

ELSE, IF R05_AN0357E = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0357E = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0359E

When you used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_AN0357E], how many did you use?

I ___ I ___ I

-8 DON'T KNOW

GO TO R05_AN0331_12ME

-7 REFUSED

GO TO R05_AN0331_12ME

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_[02/03/04/05] = 1 AND R05_AN0357E = 1, 2, 3, 4) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_[02/03/04/05] = 1 AND R05_AN0357E = 1, 2, 3, 4).

DISPLAY: [FILL BASED ON R05_AN0357E]:

IF R05_AN0357E = 1, 2, DISPLAY "today".

ELSE, IF R05_AN0357E = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0357E = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

CHECK ID: R05_AN0359E_LC1

The computer recorded that [today/yesterday/the day before yesterday] you used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [R05_AN0359E] times. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0359E

2 NEXT

GO TO R05_AN0331_12ME

ASK: IF ((R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_[02/03/04/05] = 1 AND R05_AN0357E = 1, 2, 3, 4) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_[02/03/04/05] = 1 AND R05_AN0357E = 1, 2, 3, 4)) AND (R05_AN0359E = 0 OR R05_AN0359E > 5).

DISPLAY: IF R05_AN0357E = 1, 2, DISPLAY "today".

ELSE, IF R05_AN0357E = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0357E = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AN0359E = 0 OR R05_AN0359E > 5.

ELSE, GO TO R05_AN0331_12ME AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0385E_NN; R05_AN0385E_UN

How long ago did you stop using nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

1 | | | DAYS

2 | | | MONTHS

3 | | | YEARS

-8 DON'T KNOW

GO TO R05_AN0331_12ME

-7 REFUSED

GO TO R05_AN0331_12ME

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_ [02/03/04/05] = 1 AND R05_AN0357E = 5) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_ [02/03/04/05] = 1 AND R05_AN0357E = 5).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0385E_UN = Days; the value "2" refers to R05_AN0385E_UN = Weeks; the value "3" refers to R05_AN0385E_UN = Months.

CHECK ID: R05_AN0385E_LC1

The computer recorded that you stopped using nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [R05_AN0385E_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0385E

2 NEXT

GO TO R05_AN0331_12ME

ASK: IF ((R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0330_12ME = 1 AND R05_AN0161E_ [02/03/04/05] = 1 AND R05_AN0357E = 5) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0330_12ME = 1 AND R05_AN0161E_ [02/03/04/05] = 1 AND R05_AN0357E = 5)) AND (((R05_AN0385E_NN > 31 OR R05_AN0385E_NN < 3) AND R05_AN0385E_UN = 1) OR (R05_AN0385E_NN > 12 AND R05_AN0385E_UN = 2) OR (R05_AN0385E_NN > 1 AND R05_AN0385E_UN = 3)).

DISPLAY: IF R05_AN0385E_UN = 1, DISPLAY "days".

ELSE, IF R05_AN0385E_UN = 2, DISPLAY "months".

ELSE, IF R05_AN0385E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF ((R05_AN0385E_NN > 31 OR R05_AN0385E_NN < 3) AND R05_AN0385E_UN = 1) OR (R05_AN0385E_NN > 12 AND R05_AN0385E_UN = 2) OR (R05_AN0385E_NN > 1 AND R05_AN0385E_UN = 3).

ELSE, GO TO R05_AN0331_12ME AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0331_12ME

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental ENP.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR34

Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months, go to R05_AN0180E.
Else, adult respondents who are current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used a prescription drug in the past 12 months, go to R05_AN0327E.
Else, go to Box R05_ANR35.

IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0331_12ME = 1, GO TO R05_AN0180E.
ELSE, IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0331_12ME = 1) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0331_12ME = 1), GO TO R05_AN0327E.
ELSE, GO TO BOX R05_ANR35.

Variable(s): R05_AN0180E

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] using electronic nicotine products in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------|-------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AN0327E |
| -8 | DON'T KNOW | GO TO R05_AN0327E |
| -7 | REFUSED | GO TO R05_AN0327E |

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0331_12ME = 1.

DISPLAY: IF R05_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF (R05_AN0125E > 1 OR R05_AN0256E = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): R05_AN0185E

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit using electronic nicotine products completely?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0331_12ME = 1 AND R05_AN0180E = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which prescription drug did you use [the time you tried to quit using electronic nicotine products/the last time you tried to quit using electronic nicotine products/when you quit using electronic nicotine products]? Choose all that apply.

- | | | | |
|-----------------------|----|---------------------------------|-------------------|
| R05_AN0190E_01 | 1 | Chantix or varenicline | |
| R05_AN0190E_02 | 2 | Wellbutrin, Zyban, or bupropion | |
| R05_AN0190E_03 | 3 | None of the above | GO TO R05_AN0200E |
| | -8 | DON'T KNOW | |
| | -7 | REFUSED | |

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0331_12ME = 1 AND R05_AN0180E = 1.

DISPLAY: IF R05_AN0125E = 1, DISPLAY "the time you tried to quit using electronic nicotine products". ELSE, IF (R05_AN0125E > 1 OR R05_AN0256E = 1), DISPLAY "the last time you tried to quit using electronic nicotine products".

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "when you quit using electronic nicotine products".

ELSE, DISPLAY "the last time you tried to quit using electronic nicotine products".

PROGRAM: Option 3 cannot be selected if options 1 or 2 are selected.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0195E_NN; R05_AN0195E_UN

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] using electronic nicotine products[completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 | | | DAYS
- 2 | | | WEEKS
- 3 | | | MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0331_12ME = 1 AND R05_AN0180E = 1 AND R05_AN0190E_03 != 1.

DISPLAY: IF R05_AN0125E = 1, DISPLAY "during the time you tried to quit".

ELSE, IF (R05_AN0125E > 1 OR R05_AN0256E = 1), DISPLAY "during the last time you tried to quit".

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND " completely".

ELSE, DISPLAY "during the last time you tried to quit".

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0195E_UN = Days; the value "2" refers to R05_AN0195E_UN = Weeks; the value "3" refers to R05_AN0195E_UN = Months.

Variable(s): R05_AN0200E

Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 Yes
- 2 No GO TO R05_AN0327E
- 8 DON'T KNOW GO TO R05_AN0327E
- 7 REFUSED GO TO R05_AN0327E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0331_12ME = 1 AND R05_AN0180E = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0252E_NN; R05_AN0252E_UN

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

1 | | | DAYS

2 | | | MONTHS

3 | | | YEARS

-8 DON'T KNOW

GO TO R05_AN0327E

-7 REFUSED

GO TO R05_AN0327E

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0331_12ME = 1 AND R05_AN0180E = 1 AND R05_AN0200E = 1.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0252E_UN = Days; the value "2" refers to R05_AN0252E_UN = Weeks; the value "3" refers to R05_AN0252E_UN = Months.

CHECK ID: R05_AN0252E_LC1

The computer recorded that you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion for [R05_AN0252E_NN] [months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0252E

2 NEXT

GO TO R05_AN0252E_LC2

ASK: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0331_12ME = 1 AND R05_AN0180E = 1 AND R05_AN0200E = 1 AND ((R05_AN0252E_NN > 60 AND R05_AN0252E_UN = 2) OR (R05_AN0252E_NN > 5 AND R05_AN0252E_UN = 3)).

DISPLAY: IF R05_AN0252E_UN = 2, DISPLAY "months".

IF R05_AN0252E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AN0252E_NN > 60 AND R05_AN0252E_UN = 2) OR (R05_AN0252E_NN > 5 AND R05_AN0252E_UN = 3).

ELSE, GO TO R05_AN0252E_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0252E_LC2

The computer recorded "0" for how long you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|-------------------|
| 1 BACK | GO TO R05_AN0252E |
| 2 NEXT | GO TO R05_AN0327E |

ASK: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1 AND R05_AN0331_12ME = 1 AND R05_AN0180E = 1 AND R05_AN0200E = 1 AND R05_AN0252E = 0.

PROGRAM: TRIGGER CHECK IF R05_AN0252E = 0.
ELSE, GO TO R05_AN0327E AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AN0327E

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | |
|---|---------------------|
| 1 In the past hour | GO TO R05_AN0329E |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_AN0205E |
| -8 DON'T KNOW | GO TO BOX R05_ANR35 |
| -7 REFUSED | GO TO BOX R05_ANR35 |

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used a prescription drug in the past 12 months.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0331_12ME = 1) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0331_12ME = 1).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0328E

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05_AN0327E], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0331_12ME = 1 AND R05_AN0327E = 2, 3, 4) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0331_12ME = 1 AND R05_AN0327E = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R05_AN0327E]:

IF R05_AN0327E = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R05_AN0327E, MAKING FIRST LETTER LOWERCASE.

Variable(s): R05_AN0329E

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05_AN0327E], how many did you take?

|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_ANR35

-7 REFUSED

GO TO BOX R05_ANR35

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0331_12ME = 1 AND R05_AN0327E = 1, 2, 3, 4) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0331_12ME = 1 AND R05_AN0327E = 1, 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R05_AN0327E]:

IF R05_AN0327E = 1, 2, DISPLAY "today".

ELSE, IF R05_AN0327E = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0327E = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0329E_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R05_AN0329E] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0329E

2 NEXT

GO TO BOX R05_ANR35

ASK: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0331_12ME = 1 AND R05_AN0327E = 1, 2, 3, 4) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0331_12ME = 1 AND R05_AN0327E = 1, 2, 3, 4) AND (R05_AN0329E = 0 OR R05_AN0329E > 5).

DISPLAY: IF R05_AN0327E = 1, 2, DISPLAY "today".

ELSE, IF R05_AN0327E = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0327E = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AN0329E = 0 OR R05_AN0329E > 5.

ELSE, GO TO BOX R05_ANR35 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AN0205E_NN; R05_AN0205E_UN

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

1 | | | DAYS

2 | | | MONTHS

3 | | | YEARS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0331_12ME = 1 AND R05_AN0327E = 5) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0331_12ME = 1 AND R05_AN0327E = 5).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0205E_UN = Days; the value "2" refers to R05_AN0205E_UN = Weeks; the value "3" refers to R05_AN0205E_UN = Months.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0205E_LC1

The computer recorded that you stopped using Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R05_AN0205E_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0205E

2 NEXT

GO TO BOX R05_ANR35

ASK: IF ((R05_ND_EPROD_USER_STATUS = 1, 4 AND R05_AN0331_12ME = 1 AND R05_AN0327E = 5) OR (R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2 AND R05_AN0331_12ME = 1 AND R05_AN0327E = 5)) AND ((R05_AN0205E_NN > 31 AND R05_AN0205E_UN = 1) OR (R05_AN0205E_NN > 12 AND R05_AN0205E_UN = 2) OR (R05_AN0205E_NN > 1 AND R05_AN0250E_UN = 3)).

DISPLAY: IF R05_AN0205E_UN = 1, DISPLAY "days".

ELSE, IF R05_AN0205E_UN = 2, DISPLAY "months".

ELSE, IF R05_AN0205E_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AN0205E_NN > 31 AND R05_AN0205E_UN = 1) OR (R05_AN0205E_NN > 12 AND R05_AN0205E_UN = 2) OR (R05_AN0205E_NN > 1 AND R05_AN0250E_UN = 3).

ELSE, GO TO BOX R05_ANR35 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ANR35

Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers, go to Box R05_AND03E.

Else, adult respondents who are current established non-marijuana ENP users, go to R05_AN0230E.

Else, adult respondents who are not current established or recent former established non-electronic tobacco users and are current experimental non-marijuana ENP users, go to R05_AX0006E.

Else, go to Box R05_ANR37.

IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2, GO TO BOX R05_AND03E.

ELSE, IF R05_ND_EPROD_USER_STATUS = 1, GO TO R05_AN0230E.

ELSE, IF R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2, GO TO R05_AX0006E.

ELSE, GO TO BOX R05_ANR37.

BOX ID: R05_AND03E

Display question R05_AN0804E, R05_AN0805E, R05_AN0806E, R05_AN0807E, R05_AN0808E, R05_AN0809E, R05_AN0810E, on one screen. Show the transition text and question stem from R05_AN0804E first, then show each item with the yes/no responses. As each item is answered, show the next one.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0804E

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] using electronic nicotine products in the past 12 months.

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel depressed?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

DISPLAY: IF R05_AN0125E = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_ND_EPROD_USER_STATUS = 1 AND R05_TWELVEMONTHQUIT_STATUS_EPROD = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R05_ND_EPROD_USER_STATUS = 4, DISPLAY "you quit".

ELSE, IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 2, DISPLAY "cutting down on".

NOTES: This item was always the first question asked in the randomized set.

BOX ID: R05_AND04E

Randomize order of R05_AN0805E - R05_AN0809E.

Variable(s): R05_AN0805E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Have difficulty falling asleep or staying asleep?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0806E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Have difficulty concentrating?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

Variable(s): R05_AN0807E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Eat more than usual or gain weight?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

Variable(s): R05_AN0808E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Become easily irritated, angry, or frustrated?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0809E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel anxious or nervous?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

Variable(s): R05_AN0810E

Within days after stopping or cutting down on your electronic nicotine product use in the past 12 months, did you...

Feel more restless than usual?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month ENP quitters or quit attempters or past 12 month ENP reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS_EPROD = 1, 2.

BOX ID: R05_ANR36

Adult respondents who are current established non-marijuana ENP users, go to R05_AN0230E.
Else, go to R05_AX0006E.

IF R05_ND_EPROD_USER_STATUS = 1, GO TO R05_AN0230E.
ELSE, GO TO R05_AX0006E.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0230E

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting electronic nicotine product use? Please choose a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established non-marijuana ENP users.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1.

Variable(s): R05_AN0235E

Do you plan to ever quit using electronic nicotine products for good?

- 1 Yes
- 2 No GO TO R05_AX0006E
- 8 DON'T KNOW GO TO R05_AX0006E
- 7 REFUSED GO TO R05_AX0006E

ASK: Adult respondents who are current established non-marijuana ENP users.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0240E

When do you plan to quit electronic nicotine products for good?

- | | | |
|----|-----------------------------|-------------------|
| 1 | In the next 7 days | |
| 2 | In the next 30 days | |
| 3 | In the next 6 months | |
| 4 | In the next year | GO TO R05_AX0006E |
| 5 | More than one year from now | GO TO R05_AX0006E |
| -8 | DON'T KNOW | GO TO R05_AX0006E |
| -7 | REFUSED | GO TO R05_AX0006E |

ASK: Adult respondents who are current established non-marijuana ENP users and report planning to quit for good.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1 AND R05_AN0235E = 1.

Variable(s): R05_AN0245E

If you did try to quit using electronic nicotine products altogether in the next 6 months, how likely do you think you would be to succeed?

- | | |
|----|-------------------|
| 1 | Not at all likely |
| 2 | A little likely |
| 3 | Somewhat likely |
| 4 | Very likely |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established non-marijuana ENP users and report planning to quit for good and are planning to quit in the next 7 days, in the next 30 days, or in the next 6 months.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1 AND R05_AN0235E = 1 AND R05_AN0240E = 1, 2, 3.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0006E

If you had to do it over again, would you have ever started using electronic nicotine products?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-marijuana ENP users, or

Adult respondents who are not current experimental or recent former established users and are current experimental non-marijuana ENP users, or

Adult respondents who are not current established, current experimental, or recent former established non-electronic tobacco product users and are former experimental non-marijuana ENP users.

ASK Specification: IF R05_ND_EPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS != 1, 4 AND R05_ND_EPROD_USER_STATUS = 2) OR
(R05_TOBXEPROD_USER_STATUS != 1, 2, 4 AND R05_ND_EPROD_USER_STATUS = 3).

BOX ID: R05_ANR37

Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products, go to Box R05_ANT01.
Else, adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for ENPs and a single non-electronic tobacco product, go to Box R05_ANR26.
Else, adult respondents who are not current established, current experimental, or recent former established non-marijuana ENP users and are former experimental non-electronic tobacco users, go to R05_AX0006.

Else, go to Box R05_ART01.

IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2), GO TO BOX R05_ANT01.
ELSE, IF R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 3, GO TO BOX R04_ANR26.
ELSE, IF R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_TOBXEPROD_USER_STATUS = 3, GO TO R05_AX0006.
ELSE, GO TO BOX R05_ART01.

BOX ID: R05_ANT01

IF R05_NDSKIP = 0, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with [ND FILL2].

IF R05_NDSKIP = 3, DISPLAY THE FOLLOWING TEXT:

Now we would like to ask about your experience with [NDFILL2]. Please think only about [NDFILL2] as you answer these questions.

IF R05_NDSKIP = 1, DISPLAY THE FOLLOWING TEXT:

The next questions ask about your experience with tobacco products. You said that you have used the following tobacco products: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT. IF R05_TOBACCO_USER_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R05_[PRODUCT]_USER_STATUS = 1, 4. (TARGET PRODUCTS DO NOT INCLUDE CIGARS FOR WHICH R05_12MBLUNT_ONLY_[BLUNTTYPE] = 1.) IF R05_TOBACCO_USER_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R05_[PRODUCT]_USER_STATUS = 2. IF PRODUCT COUNT = 2, SEPARATE WITH 'and'. IF PRODUCT COUNT > 2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT]. Please think about [both/all] of these products together as you answer the next series of questions. [IF PRODUCT COUNT = 2, DISPLAY "both"; IF PRODUCT COUNT > 2, DISPLAY "all".]

IF R05_NDSKIP= 2, DISPLAY THE FOLLOWING TEXT:

Now we would like to ask about your experience with tobacco products. You said that you have used the following tobacco products, in addition to electronic nicotine products: [LIST ALL TARGET PRODUCTS, UP TO 8 TOTAL, USING NDFILL2 TEXT EXCLUDING ENPS. IF R05_TOBACCO_USER_STATUS = 1, 4, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R05_[PRODUCT]_USER_STATUS = 1, 4, EXCLUDING ENPS. (TARGET PRODUCTS DO NOT INCLUDE CIGARS FOR WHICH R05_12MBLUNT_ONLY_[BLUNTTYPE] = 1.) IF R05_TOBACCO_USER_STATUS = 2, THEN TARGET PRODUCTS INCLUDE ALL PRODUCTS FOR WHICH R05_[PRODUCT]_USER_STATUS = 2, EXCLUDING ENPS. IF PRODUCT COUNT EXCLUDING ENPS = 2, SEPARATE WITH 'and'. IF PRODUCT COUNT EXCLUDING ENPS > 2, SEPARATE WITH COMMAS WITH ", and" PRECEDING LAST PRODUCT]. Please think about [both I all] of these products together as you answer the next series of questions. [IF PRODUCT COUNT = 2, DISPLAY "both"; IF PRODUCT COUNT > 2, DISPLAY "all".]

BOX ID: R05_ANR26

Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products, go to R05_AN0010. Else, go to Box R05_ANR04.

IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR (R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2), GO TO R05_AN0010.
ELSE, GO TO BOX R05_ANR04.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0010

Do you consider yourself addicted to [ND FILL2]?

- 1 No, not at all
- 2 Yes, somewhat addicted
- 3 Yes, very addicted
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

Variable(s): R05_AN0015

Do you ever have strong cravings to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

Variable(s): R05_AN0020

Have you ever felt like you really needed to [ND FILL1]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0055

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 5 = extremely true of me.

I find myself reaching for [ND FILL2] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

BOX ID: R05_AND02

Randomize order of items R05_AN0025 - R05_AN0100.

Variable(s): R05_AN0025

I frequently crave [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0030

[My urges keep getting stronger if I don't/I still have urges to] [ND FILL1].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "My urges keep getting stronger if I don't".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "I still have urges to".

Variable(s): R05_AN0035

[FILL AS SHOWN BELOW] me.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_NDSKIP = 0, 3:

IF NC=YES FILL WITH "Cigarettes control"

IF NG=YES FILL WITH "Traditional cigars control"

IF NL=YES FILL WITH "Cigarillos control"

IF NF=YES FILL WITH "Filtered cigars control"

IF NP=YES FILL WITH "Pipe smoking controls"

IF NH=YES FILL WITH "Hookah smoking controls"

IF NU=YES FILL WITH "Snus controls"

IF NS=YES FILL WITH "Smokeless tobacco controls"

IF R05_NDSKIP = 1, 2 fill with "Tobacco controls"

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0045

[[My [ND FILL4] is out of control./My urge to [ND FILL1] is out of control.]]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "My [ND FILL4] is out of control."
IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "My urge to [ND FILL1] is out of control."

Variable(s): R05_AN0060

I usually want to [ND FILL1] right after I wake up.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0065

I can only go a couple of hours without [[ND FILL3]/wanting to [ND FILL1]].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "[ND FILL3]".
ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "wanting to [ND FILL1]".

Variable(s): R05_AN0050

[I frequently [ND FILL1]/I find myself almost [ND FILL3]] without thinking about it.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "I frequently [ND FILL1]".
ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "I find myself almost [ND FILL3]".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0070

[ND FILL3] [really helps/would really help] me feel better if I've been feeling down.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "really helps".
ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "would really help".

PROGRAM: Make ND FILL3 title case.

Variable(s): R05_AN0075

[ND FILL3] helps me think better.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0255

Most of the people I spend time with use tobacco.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

Variable(s): R05_AN0080

I [would]feel alone without my [ND FILL2].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "would".
ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, NO DISPLAY.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0085

[I would find it really hard to stop [ND FILL3]./I find it really hard to not [ND FILL 1].

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "I would find it really hard to stop [ND FILL3].".
ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "I find it really hard to not [ND FILL 1].".

Variable(s): R05_AN0090

[I would find it hard to stop [ND FILL3] for a week./I would find it hard to not [ND FILL1] for another week.]

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "I would find it hard to stop [ND FILL3] for a week."
ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "I would find it hard to not [ND FILL1] for another week."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AN0095**

[After not [ND FILL3] for a while, I need/I would like] to [ND FILL1] in order to feel less restless and irritable.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "After not [ND FILL3] for a while, I need".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "I would like".

Variable(s): **R05_AN0100**

[After not [ND FILL3] for a while, I need/I feel like I need] to [ND FILL1] in order to keep myself from experiencing any discomfort.

- 1 Not true of me at all
- 2
- 3
- 4
- 5 Extremely true of me
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "After not [ND FILL3] for a while, I need".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "I feel like I need".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0110

Do you believe that [ND FILL3] [is causing/caused] a health problem or [making/made] it worse?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1, 2, DISPLAY "is causing" AND "making".
ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "caused" AND "made".

Variable(s): R05_AN0813

In the past 12 months, did you find it difficult to keep from [ND FILL3] in places where it was not permitted?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

Variable(s): R05_AN0812

In the past 12 months, did you give up or cut down on activities that were enjoyable or important to you because [ND FILL4] was not permitted at the activity?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or adult respondents who are current experimental non-electronic tobacco users and are completing Nicotine Dependence for multiple non-electronic tobacco products.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR
(R05_TOBXEPROD_USER_STATUS = 2 AND R05_NDSKIP = 1, 2).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR19

Adult respondents who are current established non-electronic tobacco users, go to R05_AN0105.
Else, adult respondents who are recent former established non-electronic tobacco users, go to Box R05_ANV06.
Else, go to Box R05_ANR04.

IF R05_TOBXEPROD_USER_STATUS = 1, GO TO R05_AN0105.
ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, GO TO BOX R05_ANV06.
ELSE, GO TO BOX R05_ANR04.

Variable(s): R05_AN0105

In the past 12 months, have you tried to quit [ND FILL3] completely?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1.

Variable(s): R05_AN0334

In the past 12 months, have you tried to quit by gradually cutting back on [ND FILL3]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1.

BOX ID: R05_ANV06

PROGRAM - DEFINE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R05_TWELVEMONTHQUIT_STATUS = 1 (Past 12 month quitter or quit attempter) Adult respondents who have quit or attempted to quit non-electronic tobacco in the past 12 months.
R05_TWELVEMONTHQUIT_STATUS = 2 (Past 12 month reducer) Adult respondents who have cut down their non-electronic tobacco use in the past 12 months, but have not tried to quit.

R05_TWELVEMONTHQUIT_STATUS = 1:
IF R05_AN0105 = 1 OR R05_TOBXEPROD_USER_STATUS = 4, THEN
R05_TWELVEMONTHQUIT_STATUS = 1.
R05_TWELVEMONTHQUIT_STATUS = 2:
ELSE, IF R05_AN0334 = 1, THEN R05_TWELVEMONTHQUIT_STATUS = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR03

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters, go to R05_AN0115.
Else, go to Box R05_ANR04.

IF R05_TWELVEMONTHQUIT_STATUS = 1, GO TO R05_AN0115.
ELSE, GO TO BOX R05_ANR04.

Variable(s): R05_AN0115

In total, how many times in the past 12 months have you tried to quit [ND FILL2] completely?

0 I did not try to quit in the past 12 months

|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_ANR27

-7 REFUSED

GO TO BOX R05_ANR27

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1.

PROGRAM: Allow 3 digits.

CHECK ID: R05_AN0115_LC1

The computer recorded that you have tried to completely quit [ND FILL2] [R05_AN0115] times in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0115

2 NEXT

GO TO R05_AN0115_LC2

ASK: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0115 > 50.

PROGRAM: TRIGGER CHECK IF R05_AN0115 > 50.

ELSE, GO TO R05_AN0115_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AN0115_LC2

The computer recorded that you have not tried to completely quit in the past 12 months.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0115

2 NEXT

GO TO BOX R05_ANR27

ASK: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0115 = 0.

PROGRAM: TRIGGER CHECK IF R05_AN0115 = 0.

ELSE, GO TO BOX R05_ANR27 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR27

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R05_AN0120.

Else, adult respondents who are recent former established non-electronic tobacco users and there is at least one non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R05_AN0257.

Else, adult respondents who are recent former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R05_AN0145.

Else, go to Box R05_ANR04.

IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7), GO TO R05_AN0120.

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4 AND R05_VALID_TIME_LASTUSED = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7), GO TO R05_AN0257.

ELSE, IF (R05_TOBXEPROD_USER_STATUS = 4 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) , GO TO R05_AN0145.

ELSE, GO TO BOX R05_ANR04.

Variable(s): R05_AN0120

In the past 12 months, have you stopped [ND FILL3] for one day or longer because you were trying to quit?

1 Yes

2 No

GO TO R05_AN0130

-8 DON'T KNOW

GO TO R05_AN0130

-7 REFUSED

GO TO R05_AN0130

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0125

In the past 12 months, how many times have you stopped [ND FILL3] for one day or longer because you were trying to quit?

- 1 1 time
- 2 2-3 times
- 3 4 or more times

-8 DON'T KNOW

GO TO R05_AN0256

-7 REFUSED

GO TO R05_AN0256

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0120 = 1.

CHECK ID: R05_AN0125_LC1

The computer recorded that you have stopped [ND FILL3] for one day or longer because you were trying to quit. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0125

2 NEXT

GO TO R05_AN0130

ASK: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0120 = 1 AND R05_AN0125 > R05_AN0115.

PROGRAM: TRIGGER CHECK IF R05_AN0125 > R05_AN0115.
ELSE, GO TO R05_AN0130 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0256

Would you say that in the past 12 months it was more than 3 times that you have stopped [NDFILL3] for one day or longer because you were trying to quit?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and stopped using tobacco for one day or longer and did not know or refused to report how many times they stopped using tobacco for one day or longer.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0120 = 1 AND R05_AN0125 = -8, -7.

Variable(s): R05_AN0130_NN; R05_AN0130_UN

The last time you stopped [ND FILL3] in the past 12 months because you were trying to quit, how long did you stop for?

- 1 |_|_|_| Minutes
- 2 |_|_|_| Hours
- 3 |_|_|_| Days
- 4 |_|_|_| Weeks
- 5 |_|_|_| Months
- 8 DON'T KNOW GO TO R05_AN0300
- 7 REFUSED GO TO R05_AN0300

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7).

PROGRAM: Display as Quantity/Units.
Allow 3 digits.

NOTES: The value "1" refers to R05_AN0130_UN = Minutes; the value "2" refers to R05_AN0130_UN = Hours; the value "3" refers to R05_AN0130_UN = Days; the value "4" refers to R05_AN0130_UN = Weeks; the value "5" refers to R05_AN0130_UN = Months.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0130_LC1

The computer recorded the last time you tried to quit [ND FILL3] in the past 12 months that you stopped for [R05_AN0130_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_AN0130 |
| 2 NEXT | GO TO R05_AN0135 |

ASK: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND ((R05_AN0130_NN > 366 AND R05_AN0130_UN = 3) OR (R05_AN0130_NN > 52 AND R05_AN0130_UN = 4) OR (R05_AN0130_NN > 12 AND R05_AN0130_UN = 5)).

DISPLAY: IF R05_AN0130 REPORTED IN DAYS, DISPLAY "days".
ELSE, IF R05_AN0130 REPORTED IN MONTHS DISPLAY "weeks".
ELSE, IF R05_AN0130 REPORTED IN WEEKS, DISPLAY "months".

PROGRAM: TRIGGER CHECK IF (R05_AN0130_NN > 366 AND R05_AN0130_UN = 3) OR (R05_AN0130_NN > 52 AND R05_AN0130_UN = 4) OR (R05_AN0130_NN > 12 AND R05_AN0130_UN = 5).
ELSE, GO TO R05_AN0135 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AN0300

Was it more than a week, a week, or less than a week?

- | | |
|----------------------|------------------|
| 1 More than one week | GO TO R05_AN0210 |
| 2 One week | GO TO R05_AN0210 |
| 3 Less than one week | GO TO R05_AN0210 |
| -8 DON'T KNOW | GO TO R05_AN0210 |
| -7 REFUSED | GO TO R05_AN0210 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and did not know or refused to report how long they stopped the last time they tried to quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0130_NN = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0135

When was the approximate end date of this last quit attempt that lasted [enter duration from R05_AN0130]?

MONTH DAY
 YEAR

-8 DON'T KNOW

GO TO R05_AN0140

-7 REFUSED

GO TO R05_AN0140

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0130_NN != -8, -7.

PROGRAM: Allow 2 digits for month; allow 2 digits for day; allow 4 digits for year.

CHECK ID: R05_AN0135_LC1

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R05_AN0135]. That date is in the future. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0135

2 NEXT

GO TO R05_AN0135_LC2

ASK: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0130_NN != -8, -7 AND R05_AN0135 > TODAY'S DATE.

PROGRAM: TRIGGER CHECK IF R05_AN0135 > TODAY'S DATE.
ELSE, GO TO R05_AN0135_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0135_LC2

The computer recorded that the end date of your last quit attempt in the past 12 months was [DATE ENTERED IN R05_AN0135]. That was longer than 12 months ago. Is that end date still correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------|
| 1 BACK | GO TO R05_AN0135 |
| 2 NEXT | GO TO R05_AN0135_LC3 |

ASK: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0130_NN != -8, -7 AND R05_AN0135 < (TODAY'S DATE - 12 MONTHS).

PROGRAM: TRIGGER CHECK IF R05_AN0135 < (TODAY'S DATE - 12 MONTHS).
ELSE, GO TO R05_AN0135_LC3 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AN0135_LC3

Please enter four numbers for the year.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_AN0135 |
|--------|------------------|

ASK: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0130_NN != -8, -7 AND R05_AN0135 (YEARS) IS < 4 DIGITS.

PROGRAM: TRIGGER CHECK IF R05_AN0135 (YEARS) IS < 4 DIGITS.
ELSE, GO TO R05_AN0140 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AN0140

In the past 12 months, was [DURATION OF LAST QUIT ATTEMPT] the longest you went without [ND FILL3] because you were trying to quit?

- | | |
|---------------|---------------------|
| 1 Yes | GO TO BOX R05_ANR28 |
| 2 No | GO TO R05_AN0145 |
| -8 DON'T KNOW | GO TO BOX R05_ANR28 |
| -7 REFUSED | GO TO BOX R05_ANR28 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0130_NN != -8, -7.

DISPLAY: Fill "DURATION OF LAST QUIT ATTEMPT" with the duration from R05_AN0130[_NN/_UN] (ex. "45 days").

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0257

You previously mentioned that you stopped [ND FILL3] [ENTER LENGTH OF TIME SINCE LAST USE IN R05_A*1009] ago. Is this the longest you have gone without [ND FILL3] in the past 12 months?

- | | |
|---------------|---------------------|
| 1 Yes | GO TO BOX R05_ANR28 |
| 2 No | GO TO R05_AN0145 |
| -8 DON'T KNOW | GO TO BOX R05_ANR28 |
| -7 REFUSED | GO TO BOX R05_ANR28 |

ASK: Adult respondents who are recent former established non-electronic tobacco users and there is at least one non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 4 AND R05_VALID_TIME_LASTUSED = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7).

DISPLAY: Fill [ENTER LENGTH OF TIME SINCE R05_A*1009] with time entered (ex. "45 days") in corresponding R05_A*1009[_NN/_UN] item by product:

IF R05_NDSKIP=0, 3:

NC=R05_AC1009[_NN/_UN] NP=R05_AP1009[_NN/_UN]

NG=R05_AG1009[_NN/_UN] NH=R05_AH1009[_NN/_UN]

NL=R05_AG1009[_NN/_UN] NU=R05_AU1009[_NN/_UN]

NF=R05_AG1009[_NN/_UN] NS=R05_AS1009[_NN/_UN]

IF R05_NDSKIP = 1, 2:

Use longest time period among R05_AC1009[_NN/_UN], R05_AG1009[_NN/_UN], R05_AP1009[_NN/_UN], R05_AH1009[_NN/_UN], R05_AU1009[_NN/_UN], R05_AS1009[_NN/_UN].

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0145_NN***; R05_AN0145_UN

In the past 12 months, what was the longest time you stopped [ND FILL3] because you were trying to quit?

1 | | | | Minutes

2 | | | | Hours

3 | | | | Days

4 | | | | Weeks

5 | | | | Months

-8 DON'T KNOW

GO TO R05_AN0305

-7 REFUSED

GO TO R05_AN0305

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco, or

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are recent former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco.

ASK Specification: IF (R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0130_NN != -8, -7 AND R05_AN0140 = 2) OR (R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 4 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND (R05_VALID_TIME_LASTUSED = 2 OR R05_AN0257 = 2)).

PROGRAM: Display as Quantity/Units.

Allow 3 digits.

NOTES: The value "1" refers to R05_AN0145_UN = Minutes; the value "2" refers to R05_AN0145_UN = Hours; the value "3" refers to R05_AN0145_UN = Days; the value "4" refers to R05_AN0145_UN = Weeks; the value "5" refers to R05_AN0145_UN = Months.

***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0145_LC1

The computer recorded that you stopped [ND FILL3] for [R05_AN0145_NN] [days/weeks/months].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0145

2 NEXT

GO TO BOX R05_ANR28

ASK: IF ((R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0130_NN != -8, -7 AND R05_AN0140 = 2) OR (R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 4 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND (R05_VALID_TIME_LASTUSED = 2 OR R05_AN0257 = 2))) AND ((R05_AN0145_NN > 366 AND R05_AN0145_UN = 3) OR (R05_AN0145_NN > 52 AND R05_AN0145_UN = 4) OR (R05_AN0145_NN > 12 AND R05_AN0145_UN = 5)).

DISPLAY: IF R05_AN0145_UN = 3, DISPLAY "days".

ELSE, IF R05_AN0145_UN = 4, DISPLAY "weeks".

ELSE, IF R05_AN0145_UN = 5, DISPLAY "months".

PROGRAM: TRIGGER CHECK IF (R05_AN0145_NN > 366 AND R05_AN0145_UN = 3) OR (R05_AN0145_NN > 52 AND R05_AN0145_UN = 4) OR (R05_AN0145_NN > 12 AND R05_AN0145_UN = 5).

ELSE, GO TO BOX R05_ANR28 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0305

Was it more than a week, a week, or less than a week?

- 1 More than one week
- 2 One week
- 3 Less than one week
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are current established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and reported how long they stopped the last time they tried to quit and reported their last quit attempt was not the longest they went without using tobacco and did not know or refused to report the longest time they stopped using that product in the past 12 months, or

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and are recent former established non-electronic tobacco users and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months and there is no non-electronic tobacco product for which they are a recent former established user and reported how long it has been since they last used that product or reported the time since they last used that product was not the longest they went without using tobacco and did not know or refused to report the longest time they stopped using that product in the past 12 months.

ASK Specification: IF (R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND R05_AN0130_NN != -8, -7 AND R05_AN0140 = 2 AND R05_AN0145_NN = -8, -7) OR (R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_TOBXEPROD_USER_STATUS = 4 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7) AND (R05_VALID_TIME_LASTUSED = 2 OR R05_AN0257 = 2) AND R05_AN0145_NN = -8, -7).

BOX ID: R05_ANR28

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months, go to R05_AN0210.
Else, go to Box R05_ANR04.

IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7), GO TO R05_AN0210.
ELSE, GO TO BOX R05_ANR04.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0210

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you rely on the support of friends and family to help you?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1 AND R05_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0125 > 1 OR R05_AN0256 = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): R05_AN0215

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use any of the following to help you: counseling, a telephone help line or quit line, books, pamphlets, videos, a quit tobacco clinic, class, or support group, or an internet or web-based program?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1 AND R05_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0125 > 1 OR R05_AN0256 = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a different tobacco product to help you quit? Choose all that apply.

- | | | |
|----------------------|----|---|
| R05_AN0225_01 | 1 | I did not use a different tobacco product to help me quit |
| R05_AN0225_02 | 2 | Cigarettes |
| R05_AN0225_03 | 3 | E-cigarettes or other electronic nicotine products |
| R05_AN0225_04 | 4 | Traditional cigars |
| R05_AN0225_05 | 5 | Cigarillos |
| R05_AN0225_06 | 6 | Filtered cigars |
| R05_AN0225_07 | 7 | Pipe tobacco |
| R05_AN0225_08 | 8 | Hookah |
| R05_AN0225_09 | 9 | Snus |
| R05_AN0225_10 | 10 | Smokeless tobacco, like dip, chew, or snuff |
| R05_AN0225_11 | 11 | Dissolvable tobacco |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and tried to completely quit at least one time in the past 12 months or did not know or refused to report how many times they tried to completely quit in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0115 >= 1 OR R05_AN0115 = -8, -7).

DISPLAY: IF R05_TOBXEPROD_USER_STATUS = 1 AND R05_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 1 AND (R05_AN0125 > 1 OR R05_AN0256 = 1), DISPLAY "the last time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

PROGRAM: For respondents where R05_CURRENT_PRODUCT_COUNT = 1, omit the single product they currently use from the list of response options. Option 1 cannot be selected if any options 2 through 11 are selected.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR04

If R05_NDSKIP = 0, 1:

Go to R05_AN0330_12M.

If R05_NDSKIP = 2, 3:

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R05_AN0150.

Else, adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit, or adult respondents who are past 12 month non-electronic tobacco reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-marijuana ENP users and are current experimental non-electronic tobacco users and used nicotine replacement therapy in the past 12 months, go to R05_AN0811.

Else, adult respondents who have used nicotine replacement therapy in the past 12 months, go to R05_AN0336.

Else, go to Box R05_ANR29.

IF R05_NDSKIP = 0, 1 AND ((R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4) OR (R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4)), GO TO R05_AN0330_12M.

ELSE, IF R05_NDSKIP = 2, 3 AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0330_12ME = 1, GO TO R05_AN0150.

ELSE, IF (R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1) AND R05_AN0150 = 1) OR (R05_TWELVEMONTHQUIT_STATUS = 2 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1)) OR (R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_TOBXEPROD_USER_STATUS = 2 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1)), GO TO R05_AN0811.

ELSE, IF R05_NDSKIP = 2, 3 AND R05_AN0330_12ME = 1, GO TO R05_AN0336.

ELSE, GO TO BOX R05_ANR29.

Variable(s): R05_AN0330_12M

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, or lozenge?

1 Yes

2 No

GO TO BOX R05_ANR15

-8 DON'T KNOW

GO TO BOX R05_ANR15

-7 REFUSED

GO TO BOX R05_ANR15

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which product did you use in the past 12 months? Choose all that apply.

- | | | |
|----------------------|----|----------------------|
| R05_AN0161_01 | 1 | Nicotine patch |
| R05_AN0161_02 | 2 | Nicotine gum |
| R05_AN0161_03 | 3 | Nicotine inhaler |
| R05_AN0161_04 | 4 | Nicotine nasal spray |
| R05_AN0161_05 | 5 | Nicotine lozenge |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1).

BOX ID: R05_ANR15

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R05_AN0150.

Else, adult respondents who are past 12 month non-electronic tobacco reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-marijuana ENP users and are current experimental non-electronic tobacco users and used nicotine replacement therapy in the past 12 months, go to R05_AN0811.

Else, go to Box R05_ANR29.

IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0330_12M = 1, GO TO R05_AN0150.
 ELSE, IF (R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1) AND R05_AN0150 = 1) OR (R05_TWELVEMONTHQUIT_STATUS = 2 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1)) OR (R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_TOBXEPROD_USER_STATUS = 2 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1)), GO TO R05_AN0811.
 ELSE, IF R05_AN0330_12M = 1, GO TO R05_AN0336.
 ELSE, GO TO BOX R05_ANR29.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0150

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use a nicotine patch, gum, inhaler, nasal spray or lozenge?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AN0336 |
| -8 | DON'T KNOW | GO TO R05_AN0336 |
| -7 | REFUSED | GO TO R05_AN0336 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1).

DISPLAY: IF R05_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_AN0125 > 1 OR R05_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): R05_AN0155

Did you use the nicotine patch, gum, inhaler, nasal spray, or lozenge to quit [ND FILL3] completely?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1) AND R05_AN0150 = 1.

DISPLAY: UNDERLINE "completely".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AN0811**

Did you use the nicotine patch, gum, inhaler, nasal spray, or lozenge to relieve or avoid any bad after-effects after you stopped or cut down on your [ND FILL4]?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco reducers and used nicotine replacement therapy in the past 12 months, or adult respondents who are not current established or recent former established non-marijuana ENP users and are current experimental non-electronic tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1) AND R05_AN0150 = 1) OR (R05_TWELVEMONTHQUIT_STATUS = 2 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1)) OR (R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_TOBXEPROD_USER_STATUS = 2 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1)).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0336; R05_AN0336_OS

What was the main reason you used a nicotine patch, gum, inhaler, nasal spray, or lozenge?

- 1 To stop [smoking/using] completely
- 2 To reduce the amount you [smoke/use]
- 3 To cope with times when you could not or were not allowed to [smoke/use]
- 4 Some other reason (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established, current experimental, or recent former established non-electronic tobacco users or are current established, current experimental, or recent former established non-marijuana ENP users and have used nicotine replacement therapy in the past 12 months.

ASK Specification: IF (R05_TOBXEPROD_USER_STATUS = 1, 2, 4 OR R05_ND_EPROD_USER_STATUS = 1, 2, 4) AND ((R05_NDSKIP = 2, 3 AND R05_AN0330_12ME = 1) OR R05_AN0330_12M = 1).

DISPLAY: IF R05_CIG_USER_STATUS = 1, 4 OR (R05_GTRAD_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 1, 4 OR R05_HOOK_USER_STATUS = 1, 4, DISPLAY "smoking", "smoke" AND "smoke", IN RESPONSE OPTIONS.

ELSE, IF R05_SNUS_USER_STATUS = 1, 4 OR R05_SMKLS_USER_STATUS = 1, 4, DISPLAY "using", "use" AND "use" IN RESPONSE OPTIONS.

ELSE, IF R05_CIG_USER_STATUS = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_HOOK_USER_STATUS = 2, DISPLAY "smoking", "smoke" AND "smoke", IN RESPONSE OPTIONS.

ELSE, DISPLAY "using", "use" AND "use" IN RESPONSE OPTIONS.

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR05

Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit, go to R05_AN0160.

Else, adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and did not use nicotine replacement therapy to help them quit or did not know or refused to report whether they have used nicotine replacement therapy to help them quit, go to Box R05_ANR06.

Else, adult respondents who are current established or current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established ENDS users, go to Box R05_ANR52.

Else, go to Box R05_ANR29.

IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1) AND R05_AN0150 = 1, GO TO R05_AN0160.

IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1) AND R05_AN0150 = 2, -8, -7, GO TO BOX R05_ANR06.

ELSE, IF R05_TOBXEPROD_USER_STATUS = 1, 2 AND R05_AN0330_12M = 1, GO TO BOX R05_ANR52.

ELSE, GO TO BOX R05_ANR29.

Variable(s): SEE BELOW:

Which product did you use [the time you tried to quit [ND FILL3]/the last time you tried to quit [ND FILL3]/when you quit [ND FILL3]]? Choose all that apply.

- | | | | |
|----------------------|----|----------------------|---------------------|
| R05_AN0160_01 | 1 | Nicotine patch | |
| R05_AN0160_02 | 2 | Nicotine gum | |
| R05_AN0160_03 | 3 | Nicotine inhaler | |
| R05_AN0160_04 | 4 | Nicotine nasal spray | |
| R05_AN0160_05 | 5 | Nicotine lozenge | |
| R05_AN0160_06 | 6 | None of the above | GO TO BOX R05_ANR06 |
| | -8 | DON'T KNOW | |
| | -7 | REFUSED | |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitter or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1) AND R05_AN0150 = 1.

DISPLAY: IF R05_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_AN0125 > 1 OR R05_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

PROGRAM: Option 6 cannot be selected if any options 1 through 5 are selected.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0165_NN; R05_AN0165_UN

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][completely], how long did you use a nicotine patch, gum, inhaler, nasal spray, or lozenge?

- 1 |__|__| DAYS
- 2 |__|__| WEEKS
- 3 |__|__| MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and used nicotine replacement therapy to help them quit and selected the type of nicotine replacement therapy they used or did not know or refused to report the type of nicotine replacement therapy they used.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0330_12ME = 1 OR R05_AN0330_12M = 1) AND R05_AN0150 = 1 AND R05_AN0160_06 != 1.

DISPLAY: IF R05_AN0125 = 1, DISPLAY "during the time you tried to quit".
ELSE, IF R05_AN0125 > 1 OR R05_AN0256 = 1, DISPLAY "during the last time you tried to quit".
ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND " completely".
ELSE, DISPLAY "during the last time you tried to quit".

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

NOTES: The value "1" refers to R05_AN0165_UN = Days; the value "2" refers to R05_AN0165_UN = Weeks; the value "3" refers to R05_AN0165_UN = Months.

BOX ID: R05_ANR06

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months, go to R05_AN0170.
Else, if R05_NDSKIP = 2, 3, go to Box R05_ANR29.

IF R05_NDSKIP = 0, 1 AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0330_12M = 1, GO TO R05_AN0170.
ELSE, IF R05_NDSKIP = 2, 3, GO TO BOX R05_ANR29.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0170

Are you currently using a nicotine patch, gum, inhaler, nasal spray, or lozenge?

1 Yes

2 No

GO TO BOX R05_ANR52

-8 DON'T KNOW

GO TO BOX R05_ANR52

-7 REFUSED

GO TO BOX R05_ANR52

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_NDSKIP = 0, 1 AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0330_12M = 1.

Variable(s): R05_AN0251_NN; R05_AN0251_UN

About how long have you been using the nicotine patch, gum, inhaler, nasal spray, or lozenge?

1 |_|_| DAYS

2 |_|_| MONTHS

3 |_|_| YEARS

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used nicotine replacement therapy in the past 12 months and are currently using nicotine replacement therapy.

ASK Specification: IF R05_NDSKIP = 0, 1 AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0330_12M = 1 AND R05_AN0170 = 1.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0251_UN = Days; the value "2" refers to R05_AN0251_UN = Weeks; the value "3" refers to R05_AN0251_UN = Months.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0251_LC1

The computer recorded that you have been using the nicotine patch, gum, inhaler, nasal spray, or lozenge to help you quit for [R05_AN0251_NN] [days/months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0251

2 NEXT

GO TO R05_AN0251_LC2

ASK: IF R05_NDSKIP = 0, 1 AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0330_12M = 1 AND R05_AN0170 = 1 AND ((R05_AN0251_NN > 99 AND R05_AN0251_UN = 1) OR (R05_AN0251_NN > 60 AND R05_AN0251_UN = 2) AND (R05_AN0251_NN > 5 AND R05_AN0251_UN = 3)).

DISPLAY: IF R05_AN0251_UN = 1, DISPLAY "days".

ELSE, IF R05_AN0251_UN = 2, DISPLAY "months".

ELSE, IF R05_AN0251_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AN0251_NN > 99 AND R05_AN0251_UN = 1) OR (R05_AN0251_NN > 60 AND R05_AN0251_UN = 2) AND (R05_AN0251_NN > 5 AND R05_AN0251_UN = 3).

ELSE, GO TO R05_AN0251_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AN0251_LC2

The computer recorded "0" for how long you have been using a nicotine patch, gum, inhaler, nasal spray, or lozenge to help you quit.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0251

2 NEXT

GO TO BOX R05_ANR52

ASK: IF R05_NDSKIP = 0, 1 AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0330_12M = 1 AND R05_AN0170 = 1 AND R05_AN0251 = 0.

PROGRAM: TRIGGER CHECK IF R05_AN0251 = 0.

ELSE, GO TO BOX R05_ANR52 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR52

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months, go to R05_AN0347.
Else, go to Box R05_ANR53.

IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1), GO TO R05_AN0347.
ELSE, GO TO BOX R05_ANR53.

Variable(s): R05_AN0347**

When you last used a nicotine patch, when did you remove it?

- | | |
|---|---------------------|
| 1 I am currently wearing a nicotine patch | GO TO R05_AN0349 |
| 2 In the past hour | GO TO R05_AN0349 |
| 3 Sometime today, but more than an hour ago | |
| 4 Yesterday | |
| 5 Day before yesterday | GO TO R05_AN0349 |
| 6 Three or more days ago | GO TO R05_AN0375 |
| -8 DON'T KNOW | GO TO BOX R05_ANR53 |
| -7 REFUSED | GO TO BOX R05_ANR53 |

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1).

DISPLAY: BOLD AND UNDERLINE "nicotine patch".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were not past 12 month non-electronic tobacco reducers (R05_TWELVEMONTHQUIT_STATUS != 1) and used a nicotine patch in the past 12 months (R05_AN0160_01 = 1). This issue was fixed in a field update on 1/24/2019.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AN0348**

How many hours has it been since you removed a nicotine patch?

- 1 1 to 4 hours
- 2 5 to 11 hours
- 3 More than 12 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used sometime today or yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1 AND R05_AN0347 = 3, 4) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1 AND R05_AN0347 = 3, 4).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0349; R05_AN0349_OS

When you last used a nicotine patch [FILL BASED ON R05_AN0347], what strength did you use? (If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

- | | | |
|----|-------------------------------|---------------------|
| 1 | 21 mg (Step 1) | GO TO BOX R05_ANR53 |
| 2 | 14 mg (Step 2) | GO TO BOX R05_ANR53 |
| 3 | 7 mg (Step 3) | GO TO BOX R05_ANR53 |
| 4 | Some other strength (SPECIFY) | GO TO BOX R05_ANR53 |
| 5 | I don't know | GO TO BOX R05_ANR53 |
| -8 | DON'T KNOW | GO TO BOX R05_ANR53 |
| -7 | REFUSED | GO TO BOX R05_ANR53 |

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used currently, in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used currently, in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1 AND R05_AN0347 = 1, 2, 3, 4, 5) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1 AND R05_AN0347 = 1, 2, 3, 4, 5).

DISPLAY: FOR [FILL BASED ON R05_AN0347]:

IF R05_AN0347 = 1, 2, 3, DISPLAY "today".

ELSE, IF R05_AN0347 = 4, DISPLAY "yesterday".

ELSE, IF R05_AN0347 = 5, DISPLAY "the day before yesterday".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0375_NN; R05_AN0375_UN

How long ago did you stop using the nicotine patch?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO BOX R05_ANR53

-7 REFUSED

GO TO BOX R05_ANR53

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago, or

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1 AND R05_AN0347 = 6) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1 AND R05_AN0347 = 6).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0375_UN = Days; the value "2" refers to R05_AN0375_UN = Weeks; the value "3" refers to R05_AN0375_UN = Months.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0375_LC1

The computer recorded that you stopped using the nicotine patch [R05_AN0375_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0375

2 NEXT

GO TO BOX R05_ANR53

ASK: IF ((R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1 AND R05_AN0347 = 6) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_01 = 1 AND R05_AN0347 = 6)) AND (((R05_AN0375_NN > 31 OR R05_AN0375_NN < 3) AND R05_AN0375_UN = 1) OR (R05_AN0375_NN > 12 AND R05_AN0375_UN = 2) OR (R05_AN0375_NN > 1 AND R05_AN0375_UN = 3)).

DISPLAY: IF R05_AN0375_UN = 1, DISPLAY "days".

ELSE, IF R05_AN0375_UN = 2, DISPLAY "months".

ELSE, IF R05_AN0375_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF ((R05_AN0375_NN > 31 OR R05_AN0375_NN < 3) AND R05_AN0375_UN = 1) OR (R05_AN0375_NN > 12 AND R05_AN0375_UN = 2) OR (R05_AN0375_NN > 1 AND R05_AN0375_UN = 3).

ELSE, GO TO BOX R05_ANR53 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ANR53

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months, go to R05_AN0357. Else, go to Box R05_ANR29.

IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_02/03/04/05 = 1) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_02/03/04/05 = 1), GO TO R05_AN0357. ELSE, GO TO BOX R05_ANR29.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0357**

When did you last use nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

- | | |
|---|----------------------|
| 1 In the past hour | GO TO R05_AN0359 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_AN0385 |
| -8 DON'T KNOW | GO TO R05_AN0331_12M |
| -7 REFUSED | GO TO R05_AN0331_12M |

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1).

DISPLAY: BOLD AND UNDERLINE "nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge".

NOTES: **SKIP ERROR: This item was skipped incorrectly by some respondents who were not past 12 month non-electronic tobacco reducers (R05_TWELVEMONTHQUIT_STATUS != 1) and used nicotine gum, a nicotine inhaler, nicotine nasal spray, or lozenge in the past 12 months (R05_AN0161_02 = 1 OR R05_AN0161_03 = 1 OR R05_AN0161_04 = 1 OR R05_AN0161_05 = 1). This issue was fixed in a field update on 6/27/2019.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0358

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_AN0357], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1 AND R05_AN0357 = 2, 3, 4) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1 AND R05_AN0357 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R05_AN0357]:

IF R05_AN0357 = 2, DISPLAY "sometime today".

ELSE, IF R05_AN0357 = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0357 = 4, DISPLAY "the day before yesterday".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0359

When you used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_AN0357], how many did you use?

|__|__|

-8 DON'T KNOW

GO TO R05_AN0331_12M

-7 REFUSED

GO TO R05_AN0331_12M

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1 AND R05_AN0357 = 1, 2, 3, 4) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1 AND R05_AN0357 = 1, 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R05_AN0357]:

IF R05_AN0357 = 1, 2, DISPLAY "today".

ELSE, IF R05_AN0357 = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0357 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0359_LC1

The computer recorded that [today/yesterday/the day before yesterday] you used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [R05_AN0359] times. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0359

2 NEXT

GO TO R05_AN0331_12M

ASK: IF ((R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1 AND R05_AN0357 = 1, 2, 3, 4) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1 AND R05_AN0357 = 1, 2, 3, 4)) AND (R05_AN0359 = 0 OR R05_AN0359 > 5).

DISPLAY: IF R05_AN0357 = 1, 2, DISPLAY "today".

ELSE, IF R05_AN0357 = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0357 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AN0359 = 0 OR R05_AN0359 > 5.

ELSE, GO TO R05_AN0331_12M AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0385_NN; R05_AN0385_UN

How long ago did you stop using nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R05_AN0331_12M

-7 REFUSED

GO TO R05_AN0331_12M

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used three or more days ago, or

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1 AND R05_AN0357 = 5) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1 AND R05_AN0357 = 5).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0385_UN = Days; the value "2" refers to R05_AN0385_UN = Weeks; the value "3" refers to R05_AN0385_UN = Months.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0385_LC1

The computer recorded that you stopped using nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [R05_AN0385_NN] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0385

2 NEXT

GO TO R05_AN0331_12M

ASK: IF ((R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1 AND R05_AN0357 = 5) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0330_12M = 1 AND R05_AN0161_[02/03/04/05] = 1 AND R05_AN0357 = 5)) AND (((R05_AN0385_NN > 31 OR R05_AN0385_NN < 3) AND R05_AN0385_UN = 1) OR (R05_AN0385_NN > 12 AND R05_AN0385_UN = 2) OR (R05_AN0385_NN > 1 AND R05_AN0385_UN = 3)).

DISPLAY: IF R05_AN0385_UN = 1, DISPLAY "days".

ELSE, IF R05_AN0385_UN = 2, DISPLAY "months".

ELSE, IF R05_AN0385_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF ((R05_AN0385_NN > 31 OR R05_AN0385_NN < 3) AND R05_AN0385_UN = 1) OR (R05_AN0385_NN > 12 AND R05_AN0385_UN = 2) OR (R05_AN0385_NN > 1 AND R05_AN0385_UN = 3).

ELSE, GO TO R05_AN0331_12M AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_ANR29

If R05_NDSKIP = 0 or 1:

Go to R05_AN0331_12M.

If R05_NDSKIP = 2 or 3:

Adult respondents who are completing Nicotine Dependence for both non-marijuana ENPs and non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months, go to R05_AN0180.

Else, go to Box R05_ANR18.

IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4), GO TO R05_AN0331_12M.

ELSE, IF R05_NDSKIP = 2, 3 AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0331_12ME = 1, GO TO R05_AN0180.

ELSE, GO TO BOX R05_ANR18.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0331_12M

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4).

BOX ID: R05_ANR07

Adult respondents who are past 12 month non-electronic quitters or quit attempters and used a prescription drug in the past 12 months, go to R05_AN0180.

Else, adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months, go to R05_AN0327.

Else, go to Box R05_ANR18.

IF R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0331_12M = 1, GO TO R05_AN0180.
ELSE, IF (R05_NDSKIP = 0,1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0331_12M = 1) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0331_12M = 1), GO TO R05_AN0327.
ELSE, GO TO BOX R05_ANR18.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AN0180**

Thinking back to [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL3] in the past 12 months, did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_ANR08 |
| -8 | DON'T KNOW | GO TO BOX R05_ANR08 |
| -7 | REFUSED | GO TO BOX R05_ANR08 |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0331_12ME = 1 OR R05_AN0331_12M = 1).

DISPLAY: IF R05_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_AN0125 > 1 OR R05_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

UNDERLINE "past 12 months".

Variable(s): **R05_AN0185**

Did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion to quit [ND FILL3] completely?

- | | |
|----|------------|
| 1 | Yes |
| 2 | No |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0331_12ME = 1 OR R05_AN0331_12M = 1) AND R05_AN0180 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which prescription drug did you use [the time you tried to quit/the last time you tried to quit/when you quit] [ND FILL 3]? Choose all that apply.

- | | | | |
|----------------------|----|------------------------------------|---------------------|
| R05_AN0190_01 | 1 | Chantix or varenicline | |
| R05_AN0190_02 | 2 | Wellbutrin, Zyban, or
bupropion | |
| R05_AN0190_03 | 3 | None of the above | GO TO BOX R05_ANR08 |
| | -8 | DON'T KNOW | |
| | -7 | REFUSED | |

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0331_12ME = 1 OR R05_AN0331_12M = 1) AND R05_AN0180 = 1.

DISPLAY: IF R05_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_AN0125 > 1 OR R05_AN0256 = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "when you quit".

ELSE, DISPLAY "the last time you tried to quit".

PROGRAM: Option 3 cannot be selected if options 1 or 2 are selected.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AN0195_NN; R05_AN0195_UN**

In total, [during the time you tried to quit/during the last time you tried to quit/during your last quit attempt when you stopped] [ND FILL3][completely], how long did you use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 | | | DAYS
- 2 | | | WEEKS
- 3 | | | MONTHS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and selected the prescription drug they used or did not know or refused to report the prescription drug they used.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1 AND (R05_AN0331_12ME = 1 OR R05_AN0331_12M = 1) AND R05_AN0180 = 1 AND R05_AN0190_03 != 1.

DISPLAY: IF R05_AN0125 = 1, DISPLAY "during the time you tried to quit".

ELSE, IF R05_AN0125 > 1 OR R05_AN0256 = 1, DISPLAY "during the last time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "during your last quit attempt when you stopped" AND " completely".

ELSE, DISPLAY "during the last time you tried to quit".

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0195_UN = Days; the value "2" refers to R05_AN0195_UN = Weeks; the value "3" refers to R05_AN0195_UN = Months.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR08

If R05_NDSKIP = 0, 1:

Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit, go to R05_AN0200.

Else, adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months, go to R05_AN0327.

If R05_NDSKIP = 2, 3:

Go to Box R05_ANR18.

IF R05_NDSKIP = 0, 1 AND ((R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4) AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0331_12M = 1 AND R05_AN0180 = 1, GO TO R05_AN0200.

ELSE, IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0331_12M = 1) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0331_12M = 1), GO TO R05_AN0327.

ELSE, IF R05_NDSKIP = 2, 3, GO TO BOX R05_ANR18.

Variable(s): R05_AN0200

Are you currently using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

1 Yes

2 No

GO TO R05_AN0327

-8 DON'T KNOW

GO TO R05_AN0327

-7 REFUSED

GO TO R05_AN0327

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit.

ASK Specification: IF R05_NDSKIP = 0, 1 AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0331_12M = 1 AND R05_AN0180 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0252_NN; R05_AN0252_UN

About how long have you been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

1 |__|__| DAYS

2 |__|__| MONTHS

3 |__|__| YEARS

-8 DON'T KNOW

GO TO R05_AN0327

-7 REFUSED

GO TO R05_AN0327

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are past 12 month non-electronic tobacco quitters or quit attempters and used a prescription drug in the past 12 months and used a prescription drug to help them quit and are currently using a prescription drug.

ASK Specification: IF R05_NDSKIP = 0, 1 AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0331_12M = 1 AND R05_AN0180 = 1 AND R05_AN0200 = 1.

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0252_UN = Days; the value "2" refers to R05_AN0252_UN = Weeks; the value "3" refers to R05_AN0252_UN = Months.

CHECK ID: R05_AN0252_LC1

The computer recorded that you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion for [R05_AN0252_NN] [months/years].

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0252

2 NEXT

GO TO R05_AN0252_LC2

ASK: IF R05_NDSKIP = 0, 1 AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0331_12M = 1 AND R05_AN0180 = 1 AND R05_AN0200 = 1 AND ((R05_AN0252_NN > 60 AND R05_AN0252_UN = 2) OR (R05_AN0252_NN > 5 AND R05_AN0252_UN = 3)).

DISPLAY: IF R05_AN0252_UN = 2, DISPLAY "months".

ELSE, IF R05_AN0252_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AN0252_NN > 60 AND R05_AN0252_UN = 2) OR (R05_AN0252_NN > 5 AND R05_AN0252_UN = 3).

ELSE, GO TO R05_AN0252_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0252_LC2

The computer recorded "0" for how long you have been using Chantix, varenicline, Wellbutrin, Zyban, or bupropion.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_AN0252 |
| 2 NEXT | GO TO R05_AN0327 |

ASK: IF R05_NDSKIP = 0, 1 AND R05_TWELVEMONTHQUIT_STATUS = 1 AND R05_AN0331_12M = 1 AND R05_AN0180 = 1 AND R05_AN0200 = 1 AND R05_AN0252 = 0.

PROGRAM: TRIGGER CHECK IF R05_AN0252 = 0.
ELSE, GO TO R05_AN0327 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AN0327

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- | | |
|---|---------------------|
| 1 In the past hour | GO TO R05_AN0329 |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO R05_AN0205 |
| -8 DON'T KNOW | GO TO BOX R05_ANR18 |
| -7 REFUSED | GO TO BOX R05_ANR18 |

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0331_12M = 1) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0331_12M = 1).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0328

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05_AN0327], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0331_12M = 1 AND R05_AN0327 = 2, 3, 4) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0331_12M = 1 AND R05_AN0327 = 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R05_AN0327]:

IF R05_AN0327 = 4, DISPLAY "the day before yesterday".

ELSE, DISPLAY TEXT AS SHOWN IN OPTIONS SELECTED IN R05_AN0327, MAKING FIRST LETTER LOWERCASE.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0329

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05_AN0327], how many did you take?

|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_ANR18

-7 REFUSED

GO TO BOX R05_ANR18

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0331_12M = 1 AND R05_AN0327 = 1, 2, 3, 4) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0331_12M = 1 AND R05_AN0327 = 1, 2, 3, 4).

DISPLAY: FOR [FILL BASED ON R05_AN0327]:

IF R05_AN0327 = 1, 2, DISPLAY "today".

ELSE, IF R05_AN0327 = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0327 = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

CHECK ID: R05_AN0329_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R05_AN0329] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0329

2 NEXT

GO TO BOX R05_ANR18

ASK: IF ((R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0331_12M = 1 AND R05_AN0327 = 1, 2, 3, 4) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0331_12M = 1 AND R05_AN0327 = 1, 2, 3, 4)) AND (R05_AN0329 = 0 OR R05_AN0329 > 5).

DISPLAY: IF R05_AN0327 = 1, 2, DISPLAY "today".

ELSE, IF R05_AN0327 = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0327 = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AN0329 = 0 OR R05_AN0329 > 5.

ELSE, GO TO BOX R05_ANR18 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0205_NN; R05_AN0205_UN

How long ago did you stop using Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

- 1 | | | DAYS
- 2 | | | MONTHS
- 3 | | | YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current established or recent former established non-electronic tobacco users and are not current established or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago, or adult respondents who are completing Nicotine Dependence for only non-electronic tobacco products and are current experimental non-electronic tobacco users and are not current established, current experimental, or recent former established non-marijuana ENP users and used a prescription drug in the past 12 months and last used three or more days ago.

ASK Specification: IF (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0331_12M = 1 AND R05_AN0327 = 5) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0331_12M = 1 AND R05_AN0327 = 5).

PROGRAM: Display as Quantity/Units.

Allow 2 digits.

NOTES: The value "1" refers to R05_AN0205_UN = Days; the value "2" refers to R05_AN0205_UN = Weeks; the value "3" refers to R05_AN0205_UN = Months.

CHECK ID: R05_AN0205_LC1

The computer recorded that you stopped using Chantix, varenicline, Wellbutrin, Zyban, or bupropion [R05_AN0205] [days/months/years] ago. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- 1 BACK GO TO R05_AN0205
- 2 NEXT GO TO BOX R05_ANR18

ASK: IF ((R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_AN0331_12M = 1 AND R05_AN0327 = 5) OR (R05_NDSKIP = 0, 1 AND R05_TOBXEPROD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_AN0331_12M = 1 AND R05_AN0327 = 5)) AND ((R05_AN0205_NN > 31 AND R05_AN0205_UN = 1) OR (R05_AN0205_NN > 12 AND R05_AN0205_UN = 2) OR (R05_AN0205_NN > 1 AND R05_AN0205_UN = 3)).

DISPLAY: IF R05_AN0205_UN = 1, DISPLAY "days".
ELSE, IF R05_AN0205_UN = 2, DISPLAY "months".
ELSE, IF R05_AN0205_UN = 3, DISPLAY "years".

PROGRAM: TRIGGER CHECK IF (R05_AN0205_NN > 31 AND R05_AN0205_UN = 1) OR (R05_AN0205_NN > 12 AND R05_AN0205_UN = 2) OR (R05_AN0205_NN > 1 AND R05_AN0205_UN = 3).
ELSE, GO TO BOX R05_ANR18 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR18

Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers, go to Box R05_AND03.

Else, adult respondents who are current established non-electronic tobacco, go to R05_AN0230.

Else, adult respondents who are not current established or recent former established non-marijuana ENP users and are current experimental non-electronic tobacco users, go to R05_AX0006.

Else, go to Box R05_ART01.

IF R05_TWELVEMONTHQUIT_STATUS = 1, 2, GO TO BOX R05_AND03.

ELSE, IF R05_TOBXEPROD_USER_STATUS = 1, GO TO R05_AN0230.

ELSE, IF R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_TOBXEPROD_USER_STATUS = 2, GO TO R05_AX0006.

ELSE, GO TO BOX R05_ART01.

BOX ID: R05_AND03

Display question R05_AN0804, R05_AN0805, R05_AN0806, R05_AN0807, R05_AN0808, R05_AN0809, R05_AN0810, on one screen. Show the transition text and question stem from R05_AN0804 first, then show each item with the yes/no responses. As each item is answered, show the next one.

Variable(s): R05_AN0804

The next questions ask about how you felt within days after [the time you tried to quit/the last time you tried to quit/you quit/cutting down on] [ND FILL3] in the past 12 months.

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Feel depressed?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1, 2.

DISPLAY: IF R05_AN0125 = 1, DISPLAY "the time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 1 AND R05_TWELVEMONTHQUIT_STATUS = 1, DISPLAY "the last time you tried to quit".

ELSE, IF R05_TOBXEPROD_USER_STATUS = 4, DISPLAY "you quit".

ELSE, IF R05_TWELVEMONTHQUIT_STATUS = 2, DISPLAY "cutting down on".

BOX ID: R05_AND04

Randomize order of R05_AN0805 - R05_AN0809.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0805

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Have difficulty falling asleep or staying asleep?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1, 2.

Variable(s): R05_AN0806

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Have difficulty concentrating?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1, 2.

Variable(s): R05_AN0807

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Eat more than usual or gain weight?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1, 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0808

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Become easily irritated, angry, or frustrated?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1, 2.

Variable(s): R05_AN0809

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Feel anxious or nervous?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1, 2.

Variable(s): R05_AN0810

Within days after stopping or cutting down on your [ND FILL4] in the past 12 months, did you...
Feel more restless than usual?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are past 12 month non-electronic tobacco quitters or quit attempters or past 12 month non-electronic tobacco reducers.

ASK Specification: IF R05_TWELVEMONTHQUIT_STATUS = 1, 2.

BOX ID: R05_ANR21

Adult respondents who are current established non-electronic tobacco users, go to R05_AN0230.
Else, go to R05_AX0006.

IF R05_TOBXEPROD_USER_STATUS = 1, GO TO R05_AN0230.
ELSE, GO TO R05_AX0006.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0230

Overall, on a scale from 1 to 10 where 1 is not at all interested and 10 is extremely interested, how interested are you in quitting [ND FILL 4]? Please choose a number from 1 to 10.

- 1 Not at all interested
- 2 2
- 3 3
- 4 4
- 5 5
- 6 6
- 7 7
- 8 8
- 9 9
- 10 Extremely interested
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1.

Variable(s): R05_AN0235

Do you plan to ever quit [ND FILL3] for good?

- 1 Yes
- 2 No GO TO R05_AX0006
- 8 DON'T KNOW GO TO R05_AX0006
- 7 REFUSED GO TO R05_AX0006

ASK: Adult respondents who are current established non-electronic tobacco users.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0240

When do you plan to quit [ND FILL3] for good?

- | | | |
|----|-----------------------------|------------------|
| 1 | In the next 7 days | |
| 2 | In the next 30 days | |
| 3 | In the next 6 months | |
| 4 | In the next year | GO TO R05_AX0006 |
| 5 | More than one year from now | GO TO R05_AX0006 |
| -8 | DON'T KNOW | GO TO R05_AX0006 |
| -7 | REFUSED | GO TO R05_AX0006 |

ASK: Adult respondents who are current established non-electronic tobacco users and report planning to quit for good.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1 AND R05_AN0235 = 1.

Variable(s): R05_AN0245

If you did try to quit [ND FILL3] altogether in the next 6 months, how likely do you think you would be to succeed?

- | | |
|----|-------------------|
| 1 | Not at all likely |
| 2 | A little likely |
| 3 | Somewhat likely |
| 4 | Very likely |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who are current established non-electronic tobacco users and report planning to quit for good and are planning to quit in the next 7 days, in the next 30 days, or in the next 6 months.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1 AND R05_AN0235 = 1 AND R05_AN0240 = 1, 2, 3.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0006

If you had to do it over again, would you have ever started using tobacco[(not including e-cigarettes or electronic nicotine products)]?

- 1 Definitely would not
- 2 Probably would not
- 3 Probably would
- 4 Definitely would
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or recent former established non-electronic tobacco users, or

Adult respondents who are not current established or recent former established non-marijuana ENP users and are current experimental non-electronic tobacco users, or

Adult respondents who are not current established, current experimental, or recent former established non-marijuana ENP users and are former experimental non-electronic tobacco users.

ASK Specification: IF R05_TOBXEPROD_USER_STATUS = 1, 4 OR

(R05_ND_EPROD_USER_STATUS != 1, 4 AND R05_TOBXEPROD_USER_STATUS = 2) OR
(R05_ND_EPROD_USER_STATUS != 1, 2, 4 AND R05_TOBXEPROD_USER_STATUS = 3).

DISPLAY: IF R05_NDSKIP = 2, 3, DISPLAY " (not including e-cigarettes or electronic nicotine products)".

ELSE, DO NOT DISPLAY.

PACKAGING AND HEALTH WARNINGS

BOX ID: R05_ART01

The next questions ask about things you may have seen or read about tobacco products.

Variable(s): R05_AR0141

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AR0142

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_ARR01

Adult respondents who are current established cigarette smokers and smoke roll-your-own cigarettes, go to R05_AR0095.

Else, go to R05_AR0005.

IF R05_CIG_USER_STATUS = 1 AND R05_AC9048 = 2, 3, GO TO R05_AR0095.

ELSE, GO TO R05_AR0005.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0095

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of roll-your-own tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established cigarette smokers and smoke roll-your-own cigarettes.

ASK Specification: IF R05_CIG_USER_STATUS = 1 AND R05_AC9048 = 2, 3.

Variable(s): R05_AR0005

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AR0259

In the past 30 days, how often, if at all, have you talked to anyone about the warning labels on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ARR03

Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days, go to R05_AR0202.
 Else, adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days, go to R05_AR0040.
 Else, adult respondents who have never smoked a cigarette and have noticed the health warnings on cigarette packs in the past 30 days, go to R05_AR0055.
 Else, go to R05_AR0110.

IF R05_CIG_USER_STATUS = 1, 2 AND R05_AR0005 > 1, GO TO R05_AR0202.
 ELSE, IF R05_CIG_USER_STATUS = 3, 4, 5 AND R05_AR0005 > 1, GO TO R05_AR0040.
 ELSE, IF R05_EVER_NEVER_CIGS = 2 AND R05_AR0005 > 1, GO TO R05_AR0055.
 ELSE, GO TO R05_AR0110.

Variable(s): R05_AR0202

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2 AND R05_AR0005 > 1.

Variable(s): R05_AR0010

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2 AND R05_AR0005 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0015

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2 AND R05_AR0005 > 1.

Variable(s): R05_AR0025

How believable do you consider the health warnings on cigarette packs to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2 AND R05_AR0005 > 1.

Variable(s): R05_AR0035

To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2 AND R05_AR0005 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AR0040**

To what extent, if at all, do the health warnings on cigarette packs make you [more likely to quit smoking/
more likely to not start smoking again]?

- | | | |
|----|------------|------------------|
| 1 | Not at all | GO TO R05_AR0110 |
| 2 | A little | GO TO R05_AR0110 |
| 3 | Somewhat | GO TO R05_AR0110 |
| 4 | A lot | GO TO R05_AR0110 |
| -8 | DON'T KNOW | GO TO R05_AR0110 |
| -7 | REFUSED | GO TO R05_AR0110 |

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarette smokers and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2, 3, 4, 5 AND R05_AR0005 > 1.

DISPLAY: IF R05_CIG_USER_STATUS = 1, 2, DISPLAY "more likely to quit smoking".
ELSE, DISPLAY "more likely to not start smoking again".

Variable(s): **R05_AR0055**

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

- | | |
|----|------------|
| 1 | Not at all |
| 2 | A little |
| 3 | Somewhat |
| 4 | A lot |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have never smoked a cigarette and have noticed the health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS = 2 AND R05_AR0005 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0110

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

BOX ID: R05_ARR06

Adult respondents who are current established or current experimental ENP users and have noticed the health warnings on ENP packages in the past 30 days, go to R05_AR0222.

Else, adult respondents who are former experimental, recent former established, or long-term former established ENP users and have noticed the health warnings on ENP packages in the past 30 days, go to R05_AR0227.

Else, adult respondents who have never used ENPs and have noticed the health warnings on ENP packages in the past 30 days, go to R05_AR0228.

Else, go to R05_AR0115.

IF R05_EPROD_USER_STATUS = 1, 2 AND R05_AR0110 > 1, GO TO R05_AR0222.

ELSE, IF R05_EPROD_USER_STATUS = 3, 4, 5 AND R05_AR0110 > 1, GO TO R05_AR0227.

ELSE, IF R05_EVER_NEVER_EPRODS = 2 AND R05_AR0110 > 1, GO TO R05_AR0228.

ELSE, GO TO R05_AR0115.

Variable(s): R05_AR0222

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2 AND R05_AR0110 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0223

In the past 30 days, how often, if at all, have the health warnings stopped you from using an e-cigarette, e-liquid, or other electronic nicotine product when you were about to use it?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2 AND R05_AR0110 > 1.

Variable(s): R05_AR0224

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products - such as covering them up, keeping them out of sight, using a case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2 AND R05_AR0110 > 1.

Variable(s): R05_AR0263

How believable do you consider the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2 AND R05_AR0110 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0226

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you think about the health risks of using them?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2 AND R05_AR0110 > 1.

Variable(s): R05_AR0227

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you [more likely to quit using/more likely to not start using again]?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_AR0115 |
| 2 A little | GO TO R05_AR0115 |
| 3 Somewhat | GO TO R05_AR0115 |
| 4 A lot | GO TO R05_AR0115 |
| -8 DON'T KNOW | GO TO R05_AR0115 |
| -7 REFUSED | GO TO R05_AR0115 |

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established ENP users and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2, 3, 4, 5 AND R05_AR0110 > 1.

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY "more likely to quit using".
ELSE, DISPLAY "more likely to not start using again".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0228

To what extent, if at all, have the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products made you less likely to start using them?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never used ENPs and have noticed the health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS = 2 AND R05_AR0110 > 1.

Variable(s): R05_AR0115

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ARR07

Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days, go to R05_AR0229. Else, adult respondents who are former experimental, recent former established, or long-term former established traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days, go to R05_AR0234.

Else, adult respondents who have never smoked a traditional cigar and have noticed the health warnings on traditional cigar packages in the past 30 days, go to R05_AR0235.

Else, go to R05_AR0120.

IF R05_GTRAD_USER_STATUS = 1, 2 AND R05_AR0115 > 1, GO TO R05_AR0229.

ELSE, IF R05_GTRAD_USER_STATUS = 3, 4, 5 AND R05_AR0115 > 1, GO TO R05_AR0234.

ELSE, IF R05_EVER_NEVER_GTRAD = 2 AND R05_AR0115 > 1, GO TO R05_AR0235.

ELSE, GO TO R05_AR0120.

Variable(s): R05_AR0229

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of traditional cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_GTRAD_USER_STATUS = 1, 2 AND R05_AR0115 > 1.

Variable(s): R05_AR0264

In the past 30 days, how often, if at all, have the health warnings stopped you from having a traditional cigar when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_GTRAD_USER_STATUS = 1, 2 AND R05_AR0115 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0231

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of traditional cigars - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_GTRAD_USER_STATUS = 1, 2 AND R05_AR0115 > 1.

Variable(s): R05_AR0232

How believable do you consider the health warnings on packages of traditional cigars to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_GTRAD_USER_STATUS = 1, 2 AND R05_AR0115 > 1.

Variable(s): R05_AR0233

To what extent, if at all, do the health warnings on packages of traditional cigars make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_GTRAD_USER_STATUS = 1, 2 AND R05_AR0115 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0234

To what extent, if at all, do the health warnings on packages of traditional cigars make you [more likely to quit smoking/more likely to not start smoking again]?

- | | | |
|----|------------|------------------|
| 1 | Not at all | GO TO R05_AR0120 |
| 2 | A little | GO TO R05_AR0120 |
| 3 | Somewhat | GO TO R05_AR0120 |
| 4 | A lot | GO TO R05_AR0120 |
| -8 | DON'T KNOW | GO TO R05_AR0120 |
| -7 | REFUSED | GO TO R05_AR0120 |

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established traditional cigar smokers and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_GTRAD_USER_STATUS = 1, 2, 3, 4, 5 AND R05_AR0115 > 1.

DISPLAY: IF R05_GTRAD_USER_STATUS = 1, 2, DISPLAY "more likely to quit smoking".
ELSE, DISPLAY "more likely to not start smoking again".

Variable(s): R05_AR0235

To what extent, if at all, have the health warnings on packages of traditional cigars made you less likely to start smoking traditional cigars?

- | | |
|----|------------|
| 1 | Not at all |
| 2 | A little |
| 3 | Somewhat |
| 4 | A lot |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have never smoked a traditional cigar and have noticed the health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD = 2 AND R05_AR0115 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0120

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS WITH AND WITHOUT TIPS

BOX ID: R05_ARR08

Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days, go to R05_AR0236.
Else, adult respondents who are former experimental, recent former established, or long-term former established cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days, go to R05_AR0241.

Else, adult respondents who have never smoked a cigarillo and have noticed the health warnings on cigarillo packages in the past 30 days, go to R05_AR0242.
Else, go to R05_AR0125.

IF R05_GRILLO_USER_STATUS = 1, 2 AND R05_AR0120 > 1, GO TO R05_AR0236.
ELSE, IF R05_GRILLO_USER_STATUS = 3, 4, 5 AND R05_AR0120 > 1, GO TO R05_AR0241.
ELSE, IF R05_EVER_NEVER_GRILLO = 2 AND R05_AR0120 > 1, GO TO R05_AR0242.
ELSE, GO TO R05_AR0125.

Variable(s): R05_AR0236

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of cigarillos?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_GRILLO_USER_STATUS = 1, 2 AND R05_AR0120 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0237

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarillo when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_GRILLO_USER_STATUS = 1, 2 AND R05_AR0120 > 1.

Variable(s): R05_AR0238

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of cigarillos - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_GRILLO_USER_STATUS = 1, 2 AND R05_AR0120 > 1.

Variable(s): R05_AR0239

How believable do you consider the health warnings on packages of cigarillos to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_GRILLO_USER_STATUS = 1, 2 AND R05_AR0120 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AR0240**

To what extent, if at all, do the health warnings on packages of cigarillos make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_GRILLO_USER_STATUS = 1, 2 AND R05_AR0120 > 1.

Variable(s): **R05_AR0241**

To what extent, if at all, do the health warnings on packages of cigarillos make you [more likely to quit smoking/more likely to not start smoking again]?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_AR0125 |
| 2 A little | GO TO R05_AR0125 |
| 3 Somewhat | GO TO R05_AR0125 |
| 4 A lot | GO TO R05_AR0125 |
| -8 DON'T KNOW | GO TO R05_AR0125 |
| -7 REFUSED | GO TO R05_AR0125 |

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established cigarillo smokers and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_GRILLO_USER_STATUS = 1, 2, 3, 4, 5 AND R05_AR0120 > 1.

DISPLAY: IF R05_GRILLO_USER_STATUS = 1, 2, DISPLAY "more likely to quit smoking".
ELSE, DISPLAY "more likely to not start smoking again".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0242

To what extent, if at all, have the health warnings on packages of cigarillos made you less likely to start smoking cigarillos?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never smoked a cigarillo and have noticed the health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO = 2 AND R05_AR0120 > 1.

Variable(s): R05_AR0125

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ARR09

Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days, go to R05_AR0243.
 Else, adult respondents who are former experimental, recent former established, or long-term former established filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days, go to R05_AR0248.
 Else, adult respondents who have never smoked a filtered cigar and have noticed the health warnings on filtered cigar packages in the past 30 days, go to R05_AR0249.
 Else, go to R05_AR0130.

IF R05_GFILTR_USER_STATUS = 1, 2 AND R05_AR0125 > 1, GO TO R05_AR0243.
 ELSE, IF R05_GFILTR_USER_STATUS = 3, 4, 5 AND R05_AR0125 > 1, GO TO R05_AR0248.
 ELSE, IF R05_EVER_NEVER_GFILTR = 2 AND R05_AR0125 > 1, GO TO R05_AR0249.
 ELSE, GO TO R05_AR0130.

Variable(s): R05_AR0243

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of filtered cigars?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_GFILTR_USER_STATUS = 1, 2 AND R05_AR0125 > 1.

Variable(s): R05_AR0244

In the past 30 days, how often, if at all, have the health warnings stopped you from having a filtered cigar when you were about to smoke one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_GFILTR_USER_STATUS = 1, 2 AND R05_AR0125 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0245

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of filtered cigars - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_GFILTR_USER_STATUS = 1, 2 AND R05_AR0125 > 1.

Variable(s): R05_AR0246

How believable do you consider the health warnings on packages of filtered cigars to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_GFILTR_USER_STATUS = 1, 2 AND R05_AR0125 > 1.

Variable(s): R05_AR0247

To what extent, if at all, do the health warnings on packages of filtered cigars make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_GFILTR_USER_STATUS = 1, 2 AND R05_AR0125 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0248***

To what extent, if at all, do the health warnings on packages of filtered cigars make you [more likely to quit smoking/more likely to not start smoking again]?

- | | | |
|----|------------|------------------|
| 1 | Not at all | GO TO R05_AR0130 |
| 2 | A little | GO TO R05_AR0130 |
| 3 | Somewhat | GO TO R05_AR0130 |
| 4 | A lot | GO TO R05_AR0130 |
| -8 | DON'T KNOW | GO TO R05_AR0130 |
| -7 | REFUSED | GO TO R05_AR0130 |

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established filtered cigar smokers and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_GFILTR_USER_STATUS = 1, 2, 3, 4, 5 AND R05_AR0125 > 1.

DISPLAY: IF R05_GFILTR_USER_STATUS = 1, 2, DISPLAY "more likely to quit smoking".
ELSE, DISPLAY "more likely to not start smoking again".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AR0249

To what extent, if at all, have the health warnings on packages of filtered cigars made you less likely to start smoking filtered cigars?

- | | |
|----|------------|
| 1 | Not at all |
| 2 | A little |
| 3 | Somewhat |
| 4 | A lot |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have never smoked a filtered cigar and have noticed the health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR = 2 AND R05_AR0125 > 1

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0130

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO

Variable(s): R05_AR0135

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_APR35

Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days, go to R05_AR0250.

Else, adult respondents who are former experimental, recent former established, or long-term former established hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days, go to R05_AR0255.

Else, adult respondents who have never smoked hookah and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days, go to R05_AR0256.

Else, go to R05_AR0206.

IF R05_HOOK_USER_STATUS = 1, 2 AND R05_AR0135 > 1, GO TO R05_AR0250.

ELSE, IF R05_HOOK_USER_STATUS = 3, 4, 5 AND R05_AR0135 > 1, GO TO R05_AR0255.

ELSE, IF R05_EVER_NEVER_HOOK = 2 AND R05_AR0135 > 1, GO TO R05_AR0256.

ELSE, GO TO R05_AR0206.

Variable(s): R05_AR0250

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of shisha or hookah tobacco?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2 AND R05_AR0135 > 1.

Variable(s): R05_AR0251

In the past 30 days, how often, if at all, have the health warnings stopped you from smoking hookah when you were about to?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2 AND R05_AR0135 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0252

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of shisha or hookah tobacco - such as covering them up, keeping them out of sight, using a case, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2 AND R05_AR0135 > 1.

Variable(s): R05_AR0253

How believable do you consider the health warnings on packages of shisha or hookah tobacco to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2 AND R05_AR0135 > 1.

Variable(s): R05_AR0254

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2 AND R05_AR0135 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AR0255**

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you [more likely to quit smoking/more likely to not start smoking again]?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_AR0206 |
| 2 A little | GO TO R05_AR0206 |
| 3 Somewhat | GO TO R05_AR0206 |
| 4 A lot | GO TO R05_AR0206 |
| -8 DON'T KNOW | GO TO R05_AR0206 |
| -7 REFUSED | GO TO R05_AR0206 |

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established hookah smokers and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_HOOK_USER_STATUS = 1, 2, 3, 4, 5 AND R05_AR0135 > 1.

DISPLAY: IF R05_HOOK_USER_STATUS = 1, 2, DISPLAY "more likely to quit smoking".
ELSE, DISPLAY "more likely to not start smoking again".

Variable(s): **R05_AR0256**

To what extent, if at all, have the health warnings on packages of shisha or hookah tobacco made you less likely to start smoking hookah?

- | | |
|---------------|--|
| 1 Not at all | |
| 2 A little | |
| 3 Somewhat | |
| 4 A lot | |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: Adult respondents who have never smoked hookah and have noticed the health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK = 2 AND R05_AR0135 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0206

In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES

BOX ID: R05_ARR04

Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days, go to R05_AR0207.

Else, adult respondents who are former experimental, recent former established, or long-term former established snus users and have noticed the health warnings on snus containers in the past 30 days, go to R05_AR0212.

Else, adult respondents who have never used snus and have noticed the health warnings on snus containers in the past 30 days, go to R05_AR0257.

Else, go to R05_AR0060.

IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AR0206 > 1, GO TO R05_AR0207.

ELSE, IF R05_SNUS_USER_STATUS = 3, 4, 5 AND R05_AR0206 > 1, GO TO R05_AR0212.

ELSE, IF R05_EVER_NEVER_SNUS = 2 AND R05_AR0206 > 1, GO TO R05_AR0257.

ELSE, GO TO R05_AR0060.

Variable(s): R05_AR0207

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AR0206 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0208

In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AR0206 > 1.

Variable(s): R05_AR0209

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on containers of snus -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AR0206 > 1.

Variable(s): R05_AR0210

How believable do you consider the health warnings on snus containers to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AR0206 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AR0211**

To what extent, if at all, do the health warnings on snus containers make you think about the health risks of using snus?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2 AND R05_AR0206 > 1.

Variable(s): **R05_AR0212**

To what extent, if at all, do the health warnings on snus containers make you [more likely to quit using snus/ more likely to not start using snus again]?

- | | |
|---------------|------------------|
| 1 Not at all | GO TO R05_AR0060 |
| 2 A little | GO TO R05_AR0060 |
| 3 Somewhat | GO TO R05_AR0060 |
| 4 A lot | GO TO R05_AR0060 |
| -8 DON'T KNOW | GO TO R05_AR0060 |
| -7 REFUSED | GO TO R05_AR0060 |

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established snus users and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_SNUS_USER_STATUS = 1, 2, 3, 4, 5 AND R05_AR0206 > 1.

DISPLAY: IF R05_SNUS_USER_STATUS = 1, 2, DISPLAY "more likely to quit using snus".
ELSE, DISPLAY "more likely to not start using snus again".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0257

To what extent, if at all, have the health warnings on snus containers made you less likely to start using snus?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have never used snus and have noticed the health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS = 2 AND R05_AR0206 > 1.

Variable(s): R05_AR0060

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of other smokeless tobacco products like dip, spit, chew, and moist snuff?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ARR05

Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days, go to R05_AR0205.

Else, adult respondents who are former experimental, recent former established, or long-term former established smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days, go to R05_AR0090.

Else, adult respondents who have never used smokeless tobacco and have noticed the health warnings on smokeless tobacco packages in the past 30 days, go to R05_AR0258.

Else, go to Box R05_AXT03.

IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AR0060 > 1, GO TO R05_AR0205.

ELSE, IF R05_SMKLS_USER_STATUS = 3, 4, 5 AND R05_AR0060 > 1, GO TO R05_AR0090.

ELSE, IF R05_EVER_NEVER_SMKLS = 2 AND R05_AR0060 > 1, GO TO R05_AR0258.

ELSE, GO TO BOX R05_R05_AXT03.

Variable(s): R05_AR0205

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AR0060 > 1.

Variable(s): R05_AR0065

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AR0060 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0070

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AR0060 > 1.

Variable(s): R05_AR0075

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

- 1 Not at all believable
- 2 A little believable
- 3 Somewhat believable
- 4 Very believable
- 5 Extremely believable
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AR0060 > 1.

Variable(s): R05_AR0085

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2 AND R05_AR0060 > 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AR0090**

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you [more likely to quit using smokeless tobacco products/more likely to not start using smokeless tobacco products again]?

- | | | |
|----|------------|---------------------|
| 1 | Not at all | GO TO BOX R05_AXT03 |
| 2 | A little | GO TO BOX R05_AXT03 |
| 3 | Somewhat | GO TO BOX R05_AXT03 |
| 4 | A lot | GO TO BOX R05_AXT03 |
| -8 | DON'T KNOW | GO TO BOX R05_AXT03 |
| -7 | REFUSED | GO TO BOX R05_AXT03 |

ASK: Adult respondents who are current established, current experimental, former experimental, recent former established, or long-term former established smokeless tobacco users and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_SMKLS_USER_STATUS = 1, 2, 3, 4, 5 AND R05_AR0060 > 1.

DISPLAY: IF R05_SMKLS_USER_STATUS = 1, 2, DISPLAY "more likely to quit using smokeless tobacco products".

ELSE, DISPLAY "more likely to not start using smokeless tobacco products again".

Variable(s): **R05_AR0258**

To what extent, if at all, have the health warnings on smokeless tobacco packages made you less likely to start using smokeless tobacco?

- | | |
|----|------------|
| 1 | Not at all |
| 2 | A little |
| 3 | Somewhat |
| 4 | A lot |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have never used smokeless tobacco and have noticed the health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS = 2 AND R05_AR0060 > 1.

RISK PERCEPTIONS AND ATTITUDES

BOX ID: R05_AXT03

The next questions ask about your opinions on using tobacco, including e-cigarettes, and other electronic nicotine products.

Variable(s): R05_AX0722

How harmful do you think nicotine is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AN0250

Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AX0723

Do you think a tobacco product described as **additive-free** is less harmful, about the same, or more harmful than a regular tobacco product?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "additive-free".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0724

Do you think a tobacco product described as **organic** is less harmful, about the same, or more harmful than a regular tobacco product?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "organic".

BOX ID: R05_AXR10

Adult respondents who are current established or current experimental tobacco users, go to R05_AX0004.

Else, go to R05_AC9050.

IF R05_TOBACCO_USER_STATUS = 1, 2, GO TO R05_AX0004.

ELSE, GO TO R05_AC9050.

Variable(s): R05_AX0004

In the past 30 days, how often did you think about the harm your tobacco use might be doing to you?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9050

How harmful do you think cigarettes are to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AC1149

How harmful do you think the nicotine in cigarettes is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotine".

Variable(s): R05_AC9046

In your opinion, do you think that some types of cigarettes are less harmful to a person's health than other types?

- 1 Yes
- 2 No
- 3 I don't know
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_AXR78

New baseline adult respondents, go to R05_AC9040_NB.
Else, go to R05_AC9051.

IF R05_ADULTTYPE = 2, GO TO R05_AC9040_NB.
ELSE, GO TO R05_AC9051.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9040_NB

Do you think cigarettes flavored like menthol or mint are less harmful, no different, or more harmful than regular cigarettes?

- 1 Less harmful
- 2 No different
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AC9051

In your opinion, do you think that cigarettes with lower amounts of nicotine are less addictive, about the same, or more addictive than regular cigarettes?

- 1 Less addictive
- 2 About the same
- 3 More addictive
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AC9062

If someone switched completely to cigarettes with lower amounts of nicotine, but still smoked the same number of cigarettes as before, would it be less harmful, about the same, or more harmful to their health?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_AXR11

Adult respondents who are current established or current experimental cigarette smokers, go to R05_AC9055.
Else, go to R05_AC1170.

IF R05_CIG_USER_STATUS = 1, 2 GO TO R05_AC9055.
ELSE, GO TO R05_AC1170.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9055

In the past 30 days, have you stubbed out a cigarette before you finished it because you thought about the harm of smoking?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental cigarette smokers.

ASK Specification: IF R05_CIG_USER_STATUS = 1, 2.

Variable(s): R05_AC1170

How much do you think people harm themselves when they smoke cigarettes some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AC1110

How harmful do you think today's cigarettes are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9120

Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AE9050

How harmful do you think e-cigarettes or other electronic nicotine products are to health?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF E-PRODUCTS

Variable(s): R05_AV1149

How harmful do you think the nicotine in e-cigarettes or other electronic nicotine products is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotine".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1170

How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AV1669

In the past 12 months, have you seen any e-cigarettes or other electronic nicotine products that claim to be less harmful?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AE1099 |
| -8 DON'T KNOW | GO TO R05_AE1099 |
| -7 REFUSED | GO TO R05_AE1099 |

ASK: All adult respondents.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products".

Variable(s): R05_AV1670

How likely is it that you will use one of these e-cigarettes or other electronic nicotine products that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen e-cigarettes or other ENPs that claim to be less harmful in the past 12 months.

ASK Specification: IF R05_AV1669 = 1.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AE1099

Is using e-cigarettes or other electronic nicotine products less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "e-cigarettes or other electronic nicotine products" AND "cigarettes".

Variable(s): R05_AV1148

Some e-cigarettes and other electronic nicotine products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts, or other sweets. Other e-cigarettes or electronic nicotine products are tobacco-flavored or unflavored.

Do you think using menthol or mint flavored e-cigarettes is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "menthol", "mint", "tobacco-flavored" AND "unflavored".

Variable(s): R05_AV1152

Do you think using flavored e-cigarettes (other than menthol or mint) is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "flavored", "other than menthol or mint", "tobacco-flavored" AND "unflavored".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9050

How harmful do you think traditional cigars are to health?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF TRADITIONAL CIGARS

Variable(s): R05_AG9060

How much do you think people harm themselves when they smoke traditional cigars some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AG1099

Is smoking traditional cigars less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "traditional cigars" AND "cigarettes".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9058

Some traditional cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in traditional cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in traditional cigars?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

Variable(s): R05_AG9054

How harmful do you think cigarillos are to health?

[SHOW GENERIC IMAGE OF CIGARILLOS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF CIGARILLOS

Variable(s): R05_AG9061

How much do you think people harm themselves when they smoke cigarillos some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1106

Is smoking cigarillos less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "cigarillos" AND "cigarettes".

Variable(s): R05_AG9059

Some cigarillos come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in cigarillos is less harmful, about the same, or more harmful than smoking unflavored tobacco in cigarillos?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

Variable(s): R05_AG9055

How harmful do you think filtered cigars are to health?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF FILTERED CIGARS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG9062

How much do you think people harm themselves when they smoke filtered cigars some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AG1107

Is smoking filtered cigars less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "filtered cigars" AND "cigarettes".

Variable(s): R05_AG9960

Some filtered cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in filtered cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in filtered cigars?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "flavored" AND "unflavored".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AG1110

How harmful do you think today's traditional cigars, cigarillos, or filtered cigars are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AP1170

How much do you think people harm themselves when they smoke pipe tobacco some days but not every day?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO

Variable(s): R05_AP1099

Is smoking pipes filled with tobacco less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "pipes filled with tobacco" AND "cigarettes".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH9050

How harmful do you think shisha or hookah tobacco is to health?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF HOOKAH AND SHISHA.

Variable(s): R05_AH9044

How harmful is it to be around people who are smoking shisha or hookah tobacco?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AH1170

How much do you think people harm themselves when they smoke hookah on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1099

Is smoking tobacco in a hookah less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "tobacco in a hookah" AND "cigarettes".

Variable(s): R05_AU9050

How harmful do you think snus is to health?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES

Variable(s): R05_AU1105

Is using snus less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus" AND "cigarettes".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU1170

How much do you think people harm themselves when they use snus on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AU1669

In the past 12 months, have you seen any snus products that claim to be less harmful?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AU9040 |
| -8 DON'T KNOW | GO TO R05_AU9040 |
| -7 REFUSED | GO TO R05_AU9040 |

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus products".

Variable(s): R05_AU1670

How likely is it that you will use one of these snus products that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen snus products that claim to be less harmful in the past 12 months.

ASK Specification: IF R05_AU1669 = 1.

DISPLAY: UNDERLINE "snus products".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AU9040

Is using snus less harmful, about the same, or more harmful than other types of smokeless tobacco products (such as dip, spit, or chew)?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "snus" AND "other types of smokeless tobacco products".

Variable(s): R05_AU1110

How harmful do you think today's snus products are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AS9050

How harmful do you think other smokeless tobacco products (such as dip, spit, or chew) are to health?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

IMAGE: SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1170

How much do you think people harm themselves when they use other smokeless tobacco products (such as dip, spit, or chew) on some days but not every day?

- 1 No harm
- 2 A little harm
- 3 Some harm
- 4 A lot of harm
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AS1669

In the past 12 months, have you seen any smokeless tobacco products (such as dip, spit, or chew) that claim to be less harmful?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AS1105 |
| -8 DON'T KNOW | GO TO R05_AS1105 |
| -7 REFUSED | GO TO R05_AS1105 |

ASK: All adult respondents.

DISPLAY: UNDERLINE "smokeless tobacco products".

Variable(s): R05_AS1670

How likely is it that you will use one of these smokeless tobacco products (such as dip, spit, or chew) that claim to be less harmful in the next 30 days?

- 1 Very likely
- 2 Somewhat likely
- 3 Somewhat unlikely
- 4 Very unlikely
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen smokeless tobacco products that claim to be less harmful in the past 12 months.

ASK Specification: IF R05_AS1669 = 1.

DISPLAY: UNDERLINE "smokeless tobacco products".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AS1105

Is using smokeless tobacco (such as dip, spit, or chew) less harmful, about the same, or more harmful than smoking cigarettes?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "smokeless tobacco" AND "cigarettes".

Variable(s): R05_AS1110

How harmful do you think today's smokeless tobacco products (such as dip, spit, or chew) are compared to those of five years ago?

- 1 Much less harmful
- 2 Somewhat less harmful
- 3 About the same
- 4 Somewhat more harmful
- 5 Much more harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AX0759

Sometimes people who are trying to quit using tobacco use nicotine replacement products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge.

How harmful do you think the nicotine in these products is to health?

- 1 Not at all harmful
- 2 Slightly harmful
- 3 Somewhat harmful
- 4 Very harmful
- 5 Extremely harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "nicotine".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9055

Do you think using e-cigarettes and other electronic nicotine products is less harmful, about the same, or more harmful than using a nicotine patch, gum, or lozenge?

- 1 Less harmful
- 2 About the same
- 3 More harmful
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_ACD02

Display question R05_AC9060, R05_AC9065, R05_AC9070, R05_AC9075, R05_AC9043, R05_AC9080, R05_AC9085, R05_AC9090, R05_AC9044, R05_AC9100, R05_AC9105, R05_AC9110, R05_AC9115 on one screen (if size allows) using the expanded WVB stem-leaf screen. Show the intro/transition text from R05_AC9060 first, then show each item with responses. As each item is answered, show the next one.

PROGRAMMER: If all leaves will not fit on one screen, please split series into two screens.
First screen includes: R05_AC9060, R05_AC9065, R05_AC9070, R05_AC9075, R05_AC9043, R05_AC9080, R05_AC9085, R05_AC9090, R05_AC9044.
Second screen includes: R05_AC9100, R05_AC9105, R05_AC9110, R05_AC9115

Variable(s): R05_AC9060***

Based on what you believe, how much do you agree or disagree with the following statements?

Smoking can cause...

stroke in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents. (Note - The list of health effects should include the diseases that are featured on the new health warnings if/when they come on cigarette packs, thus these current questions are subject to change based on this future information.)

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9065***

lung cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AC9070***

heart disease in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AC9075***

blindness in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9043***

diabetes in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AC9080***

poor circulation - also called peripheral artery disease (PAD) or peripheral vascular disease (PVD) in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AC9085***

bladder cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9090***

mouth cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AC9044***

liver cancer in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AC9100***

lung disease (such as emphysema) in smokers.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AC9105***

lung disease in non-smokers from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AC9110***

heart attack in non-smokers from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AC9115***

harm to fetuses (or unborn children) during pregnancy from second-hand smoke.

- 1 Strongly agree
- 2 Agree
- 3 Neither agree nor disagree
- 4 Disagree
- 5 Strongly disagree
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

MEDIA USE

BOX ID: R05_AXT04

The next questions ask about your TV, radio, internet, and cell phone use.

Variable(s): R05_AX0494

On an average weekday, about how much time do you spend watching television and streaming videos that include commercials?

- 1 None
- 2 Half hour or less
- 3 About 1 hour
- 4 About 2 hours
- 5 About 3 hours
- 6 About 4 hours
- 7 About 5 hours
- 8 About 6 hours
- 9 7 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekday".

Variable(s): R05_AX0474

On an average weekend day, how much time do you spend watching television and streaming videos that include commercials?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 5 to 6 hours
- 6 7 to 8 hours
- 7 9 to 10 hours
- 8 11 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekend".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0060**

On an average weekday, how much time do you spend listening to the radio or online radio stations that include commercials?

- 1 None
- 2 Half hour or less
- 3 About 1 hour
- 4 About 2 hours
- 5 About 3 hours
- 6 About 4 hours
- 7 About 5 hours
- 8 About 6 hours
- 9 7 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekday".

Variable(s): **R05_AX0061**

On an average weekend day, how much time do you spend listening to the radio or online radio stations that include commercials?

- 1 None
- 2 Less than 1 hour
- 3 1 to 2 hours
- 4 3 to 4 hours
- 5 5 to 6 hours
- 6 7 to 8 hours
- 7 9 to 10 hours
- 8 11 hours or more
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "weekend".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0062

Sometimes people use the Internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called social media.

Do you have a social media account?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_AXR12 |
| -8 DON'T KNOW | GO TO BOX R05_AXR12 |
| -7 REFUSED | GO TO BOX R05_AXR12 |

ASK: All adult respondents.

Variable(s): R05_AX0317

About how often do you visit your social media accounts?

- | | |
|------------------------|---------------------|
| 1 More than once a day | |
| 2 About once a day | |
| 3 3-5 days a week | |
| 4 1-2 days a week | |
| 5 Every few weeks | |
| 6 Less often | |
| 7 Never | GO TO BOX R05_AXR12 |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: Adult respondents who have a social media account.

ASK Specification: IF R05_AX0062 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

- | | | |
|---|----|---|
| R05_AX0686_00 | 0 | I have not liked or followed any brands on social media sites |
| R05_AX0686_01 | 1 | Camel |
| R05_AX0686_02 | 2 | Marlboro |
| R05_AX0686_03 | 3 | Newport |
| R05_AX0686_04 | 4 | American Spirit |
| R05_AX0686_05 | 5 | Vuse |
| R05_AX0686_06 | 6 | Blu |
| R05_AX0686_07 | 7 | Logic |
| R05_AX0686_08 | 8 | MarkTen |
| R05_AX0686_09 | 9 | NJOY |
| R05_AX0686_10 | 10 | eGo |
| R05_AX0686_11 | 11 | iTaste |
| R05_AX0686_12 | 12 | Black & Mild |
| R05_AX0686_13 | 13 | Swisher Sweets |
| R05_AX0686_14 | 14 | Dutch Masters |
| R05_AX0686_15 | 15 | Phillies Blunts |
| R05_AX0686_16 | 16 | Zig Zag |
| R05_AX0686_17 | 17 | Skoal |
| R05_AX0686_18 | 18 | Redman |
| R05_AX0686_19 | 19 | Grizzly |
| R05_AX0686_20 | 20 | Copenhagen |
| R05_AX0686_21;
R05_AX0686_OS | 21 | Some other brand (SPECIFY) |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who have a social media account and visit their social media account or did not know or refused to report whether they visit their social media account.

ASK Specification: IF R05_AX0062 = 1 AND R05_AX0317 != 7.

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR12

Adult respondents who have ever used any tobacco products, go to R05_AX0505.
Else, go to Box R05_AXT05.

IF R05_EVER_NEVER_TOBACCO = 1, GO TO R05_AX0505.
ELSE, GO TO BOX R05_AXT05.

Variable(s): R05_AX0505

Have you ever used an app on a tablet computer or smartphone to help you quit using tobacco products, e-cigarettes, or other electronic nicotine products?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco products.

ASK Specification: IF R05_EVER_NEVER_TOBACCO = 1.

SECONDHAND SMOKE EXPOSURE

BOX ID: R05_AXT05

The next questions ask about tobacco use at your workplace and your home.

Variable(s): R05_AM0014

Which best describes your current job or paid employment status?

- | | | |
|----|--|----------------------|
| 1 | Work full-time at least 35 hours per week | |
| 2 | Work part-time 15 to 34 hours per week | |
| 3 | Work part-time less than 15 hours per week | |
| 4 | I don't currently work for pay | GO TO BOX R05_AXR117 |
| -8 | DON'T KNOW | GO TO BOX R05_AXR117 |
| -7 | REFUSED | GO TO BOX R05_AXR117 |

ASK: All adult respondents.

Variable(s): SEE BELOW:

Is your main work area indoors, outdoors, or in a vehicle? Choose all that apply.

- | | | |
|----------------------|----|--------------|
| R05_AX0064_01 | 1 | Indoors |
| R05_AX0064_02 | 2 | Outdoors |
| R05_AX0064_03 | 3 | In a vehicle |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R05_AM0014 = 1, 2, 3.

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0747

How recently did someone use e-cigarettes or other electronic nicotine products around you while you were at work?

- 1 Never
- 2 Today
- 3 In the past week
- 4 In the past two weeks
- 5 In the past month
- 6 Longer than a month ago but within the past year
- 7 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R05_AM0014 = 1, 2, 3.

Variable(s): R05_AX0065

How recently did someone smoke around you while you were at work?

- 1 Never
- 2 Today
- 3 In the past week
- 4 In the past two weeks
- 5 In the past month
- 6 Longer than a month ago but within the past year
- 7 More than a year ago
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who work full time or part time.

ASK Specification: IF R05_AM0014 = 1, 2, 3.

BOX ID: R05_AXR117

New baseline adult respondents, go to R05_AR0144_NB.
Else, go to R05_AX0690.

IF R05_ADULTTYPE = 2, GO TO R05_AR0144_NB.
ELSE, GO TO R05_AX0690.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR0144_NB

In your childhood, did you live with a regular smoker who smoked inside your home? Please think about anyone who smoked cigarettes, cigars, a pipe, or hookah.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

DISPLAY: UNDERLINE "anyone".

Variable(s): R05_AX0690

Do you currently live alone?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_AXR15

Adult respondents who are 25 years old or older and did not already complete a parent interview, go to R05_AX0691.

Else, go to Box R05_AXR16.

IF R05R_A_AGE >= 25 AND R05_PARENT_COMPLETE_LD != 1, GO TO R05_AX0691.

ELSE, GO TO BOX R05_AXR16.

Variable(s): R05_AX0691

In what type of living space do you currently live?

- 1 Single Family Home
- 2 Duplex
- 3 Double or Multi-Family Home
- 4 Condominium
- 5 Townhouse
- 6 Apartment Building
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 25 years old or older and did not already complete a parent interview.

ASK Specification: IF R05R_A_AGE >= 25 AND R05_PARENT_COMPLETE_LD != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR16
Adult respondents who do not live alone or did not know or refused to report whether they live alone, go to R05_AX0066. Else, go to Box R05_AXR105.
IF R05_AX0690 != 1, GO TO R05_AX0066. ELSE, GO TO BOX R05_AXR105.

Variable(s): SEE BELOW:																																	
Not including yourself, does anyone who lives with you <u>now</u> do any of the following? Choose all that apply.																																	
<table> <tr> <td>R05_AX0066_01</td> <td>1</td> <td>Smoke cigarettes</td> </tr> <tr> <td>R05_AX0066_02</td> <td>2</td> <td>Use e-cigarettes or other electronic nicotine products</td> </tr> <tr> <td>R05_AX0066_03</td> <td>3</td> <td>Use snus</td> </tr> <tr> <td>R05_AX0066_04</td> <td>4</td> <td>Use other types of smokeless tobacco such as dip, spit, or chew</td> </tr> <tr> <td>R05_AX0066_05</td> <td>5</td> <td>Smoke traditional cigars, cigarillos, or filtered cigars</td> </tr> <tr> <td>R05_AX0066_06</td> <td>6</td> <td>Smoke hookah</td> </tr> <tr> <td>R05_AX0066_07</td> <td>7</td> <td>Smoke pipe tobacco</td> </tr> <tr> <td>R05_AX0066_08</td> <td>8</td> <td>Use any other form of tobacco</td> </tr> <tr> <td>R05_AX0066_09</td> <td>9</td> <td>No one who lives with me now uses any form of tobacco</td> </tr> <tr> <td></td> <td>-8</td> <td>DON'T KNOW</td> </tr> <tr> <td></td> <td>-7</td> <td>REFUSED</td> </tr> </table>	R05_AX0066_01	1	Smoke cigarettes	R05_AX0066_02	2	Use e-cigarettes or other electronic nicotine products	R05_AX0066_03	3	Use snus	R05_AX0066_04	4	Use other types of smokeless tobacco such as dip, spit, or chew	R05_AX0066_05	5	Smoke traditional cigars, cigarillos, or filtered cigars	R05_AX0066_06	6	Smoke hookah	R05_AX0066_07	7	Smoke pipe tobacco	R05_AX0066_08	8	Use any other form of tobacco	R05_AX0066_09	9	No one who lives with me now uses any form of tobacco		-8	DON'T KNOW		-7	REFUSED
R05_AX0066_01	1	Smoke cigarettes																															
R05_AX0066_02	2	Use e-cigarettes or other electronic nicotine products																															
R05_AX0066_03	3	Use snus																															
R05_AX0066_04	4	Use other types of smokeless tobacco such as dip, spit, or chew																															
R05_AX0066_05	5	Smoke traditional cigars, cigarillos, or filtered cigars																															
R05_AX0066_06	6	Smoke hookah																															
R05_AX0066_07	7	Smoke pipe tobacco																															
R05_AX0066_08	8	Use any other form of tobacco																															
R05_AX0066_09	9	No one who lives with me now uses any form of tobacco																															
	-8	DON'T KNOW																															
	-7	REFUSED																															
ASK: Adult respondents who do not live alone or did not know or refused to report whether they live alone.																																	
ASK Specification: IF R05_AX0690 != 1.																																	
DISPLAY: UNDERLINE "now".																																	
PROGRAM: Allow respondent to choose all that apply. Option 9 cannot be selected if any option 1-8 is selected.																																	

BOX ID: R05_AXR105
Adult respondents who did not already complete a parent interview, go to R05_AR1045. Else, go to R05_AX0068.
IF R05_PARENT_COMPLETE_LD != 1, GO TO R05_AR1045. ELSE, GO TO R05_AX0068.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR1045***

These next few questions ask about rules of using tobacco inside your home. Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes, or hookah, which statement best describes the rules about smoking a tobacco product inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

DISPLAY: UNDERLINE "inside" IN BOTH PARAGRAPHS.
UNDERLINE "burned".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AR1051***

Now think about e-cigarettes and other electronic nicotine products.

Which statement best describes the rules about using these products inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

DISPLAY: UNDERLINE "inside".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AR1050***

Now think about other tobacco products that are not burned, like snus and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?

- 1 It is not allowed anywhere or at any time inside my home
- 2 It is allowed in some places or at some times inside my home
- 3 It is allowed anywhere and at any time inside my home
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

DISPLAY: UNDERLINE "not" AND "inside".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0068

During the past seven days, about how many hours were you around others who were smoking[, whether or not you were smoking yourself]? Include time in your home, in a car, at work, or outdoors.

|_|_|_|_| Number of hours

-8 DON'T KNOW

GO TO R05_AV9066

-7 REFUSED

GO TO R05_AV9066

ASK: All adult respondents.

DISPLAY: UNDERLINE "others".

IF R05_CIG_USER_STATUS = 1, 2, 3 OR (R05_GTRAD_USER_STATUS = 1, 2, 3 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 1, 2, 3 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 1, 2, 3 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 1, 2, 3 OR R05_HOOK_USER_STATUS = 1, 2, 3, DISPLAY ", whether or not you were smoking yourself". ELSE, DO NOT DISPLAY THIS TEXT.

DISPLAY "Number of hours" AS A TITLE.

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0068_LC1

[There are 168 hours in a week.]You said that, during the last seven days, you were in close contact with others while they were smoking for [R05_AX0068_NN] hours.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|------------------|
| 1 BACK | GO TO R05_AX0068 |
| 2 NEXT | GO TO R05_AV9066 |

ASK: IF R05_AX0068 > 120 OR R05_AX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999.

DISPLAY: IF R05_AX0068 > 168, DISPLAY "There are 168 hours in a week."
ELSE, DO NOT DISPLAY THIS TEXT.

PROGRAM: TRIGGER CHECK IF R05_AX0068 > 120 OR R05_AX0068 = 11, 22, 33, 44, 55, 66, 77, 88, 99, 111, 222, 333, 444, 555, 666, 777, 888, 999.
ELSE, GO TO R05_AV9066 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AV9066

In the past 12 months, did you swallow e-liquid, or get it in your mouth, on your skin, or in your eyes?

(E-liquid is the nicotine fluid in e-cigarettes or other electronic nicotine products.)

- | | |
|---------------|----------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_AXR108 |
| -8 DON'T KNOW | GO TO BOX R05_AXR108 |
| -7 REFUSED | GO TO BOX R05_AXR108 |

ASK: All adult respondents.

Variable(s): R05_AV9063

In the past 12 months, after you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you become sick?

- | |
|---------------|
| 1 Yes |
| 2 No |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_AV9066 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AV9064**

In the past 12 months, after you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you or someone else contact a poison control center or health professional?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_AV9066 = 1.

Variable(s): **R05_AV9065**

In the past 12 months, after you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you go to a hospital?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_AV9066 = 1.

BOX ID: **R05_AXR108**

Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, go to R05_AX0224.

Else, adult respondents who are current established or current experimental ENP users, or adult respondents who report now living with anyone who uses e-cigarettes or other ENPs, go to R05_AV0217.

Else, go to R05_AX0008.

IF R05_AX0690 != 1, GO TO R05_AX0224.

ELSE, IF R05_EPROD_USER_STATUS = 1, 2 OR R05_AX0066_02 = 1, GO TO R05_AV0217.

ELSE, GO TO R05_AX0008.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0224

Are there any children under the age of 5 living in your household?

- 1 Yes
- 2 No GO TO R05_AX0226
- 8 DON'T KNOW GO TO R05_AX0226
- 7 REFUSED GO TO R05_AX0226

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone.

ASK Specification: IF R05_AX0690 != 1.

Variable(s): R05_AV9067

In the past 12 months, have any children under the age of 5 living in your household swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes?

(E-liquid is the nicotine fluid in e-cigarettes or other electronic nicotine products.)

- 1 Yes
- 2 No GO TO R05_AX0226
- 8 DON'T KNOW GO TO R05_AX0226
- 7 REFUSED GO TO R05_AX0226

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household.

ASK Specification: IF R05_AX0690 != 1 AND R05_AX0224 = 1.

Variable(s): R05_AV9059

In the past 12 months, after swallowing e-liquid, or getting it in their mouth, on their skin, or in their eyes, did any children under the age of 5 become sick?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_AX0690 != 1 AND R05_AX0224 = 1 AND R05_AV9067 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9061

In the past 12 months, after any child under the age of 5 swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes, did you or someone else contact a poison control center or health professional?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_AX0690 != 1 AND R05_AX0224 = 1 AND R05_AV9067 = 1.

Variable(s): R05_AV9062

In the past 12 months, after any child under the age of 5 swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes, were they taken to a hospital?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children under the age of 5 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_AX0690 != 1 AND R05_AX0224 = 1 AND R05_AV9067 = 1.

Variable(s): R05_AX0226

Are there any children ages 5 to 17 living in your household?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO BOX R05_AXR111
GO TO BOX R05_AXR111
GO TO BOX R05_AXR111

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone.

ASK Specification: IF R05_AX0690 != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9077

In the past 12 months, have any children ages 5 to 17 living in your household swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes?

(E-liquid is the nicotine fluid in e-cigarettes or other electronic nicotine products.)

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO BOX R05_AXR111
GO TO BOX R05_AXR111
GO TO BOX R05_AXR111

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 17 living in their household.

ASK Specification: IF R05_AX0690 != 1 AND R05_AX0226 = 1.

Variable(s): R05_AV9079

In the past 12 months, after swallowing e-liquid, or getting it in their mouth, on their skin, or in their eyes, did any children ages 5 to 17 become sick?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 17 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_AX0690 != 1 AND R05_AX0226 = 1 AND R05_AV9077 = 1.

Variable(s): R05_AV9071

In the past 12 months, after any child aged 5 to 17 swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes, did you or someone else contact a poison control center or health professional?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 17 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_AX0690 != 1 AND R05_AX0226 = 1 AND R05_AV9077 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV9072

In the past 12 months, after any child aged 5 to 17 swallowed e-liquid, or got it in their mouth, on their skin, or in their eyes, were they taken to a hospital?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently live alone or did not know or refused to report whether they currently live alone, and report children ages 5 to 17 living in their household and have children who have swallowed e-liquid, gotten it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_AX0690 != 1 AND R05_AX0226 = 1 AND R05_AV9077 = 1.

BOX ID: R05_AXR111

Adult respondents who are current established or current experimental ENP users, or adult respondents who report now living with anyone who uses e-cigarettes or other ENPs, go to R05_AV0217. Else, go to R05_AX0008.

IF R05_EPROD_USER_STATUS = 1, 2 OR R05_AX0066_02 = 1, GO TO R05_AV0217.
ELSE, GO TO R05_AX0008.

Variable(s): R05_AV0217

In the past 30 days, how often have the e-liquid bottles purchased by you or others in your household had child-resistant lids or caps?

Child-resistant lids or caps usually have special instructions for opening such as "push down & turn," "squeeze sides while turning," "PUSH," or "line up arrows."

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Usually
- 5 Always
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental ENP users, or adult respondents who report living with anyone who now uses e-cigarettes or other ENPs.

ASK Specification: IF R05_EPROD_USER_STATUS = 1, 2 OR R05_AX0066_02 = 1.

DISPLAY: UNDERLINE "e-liquid bottles".

SOCIAL NORMS, PEER AND FAMILY INFLUENCES

Variable(s): R05_AX0008

In general, do you think most people disapprove of smoking **cigarettes**?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "cigarettes".

Variable(s): R05_AX0012

In general, do you think most people disapprove of using **e-cigarettes or other electronic nicotine products**?

- 1 Definitely yes
- 2 Probably yes
- 3 Probably not
- 4 Definitely not
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "e-cigarettes or other electronic nicotine products".

BOX ID: R05_AXR80

Young adult respondents, or adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users, go to R05_AX0071.
Else, go to R05_AX0741.

IF 18 <= R05R_A_AGE < 25 OR R05_TOBACCO_USER_STATUS = 1, 2, 3, 4, GO TO R05_AX0071.
ELSE, GO TO R05_AX0741.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0071

Thinking about the people who are important to you, how would you describe their views on using **tobacco in general**?

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents, or adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users.

ASK Specification: IF 18 <= R05R_A_AGE < 25 OR R05_TOBACCO_USER_STATUS = 1, 2, 3, 4.

DISPLAY: UNDERLINE "people who are important to you"; BOLD "tobacco in general".

BOX ID: R05_AXR05

Young adult respondents, go to Box R05_AXD89.
Else, go to R05_AX0741.

IF 18 <= R05R_A_AGE < 25, GO TO BOX R05_AXD89.
ELSE, GO TO R05_AX0741.

BOX ID: R05_AXD89

Display questions R05_AC1143 through R05_AS1143 using the expanded WVB stem-leaf screen. The introduction text from R05_AC1143 is the stem. Show all leaves on the screen at once.

Variable(s): R05_AC1143

Thinking about the people who are important to you, how would you describe **their** views on....

Smoking cigarettes

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R_A_AGE < 25.

DISPLAY: UNDERLINE "people who are important to you"; BOLD "their".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AV1143

Using e-cigarettes or other electronic nicotine products

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R_A_AGE < 25.

Variable(s): R05_AG1143

Smoking traditional cigars, cigarillos, or filtered cigars

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R_A_AGE < 25.

Variable(s): R05_AP1143

Smoking pipe tobacco

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R_A_AGE < 25.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AH1143

Smoking shisha or hookah tobacco

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R_A_AGE < 25.

Variable(s): R05_AU1143

Using snus

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R_A_AGE < 25.

Variable(s): R05_AS1143

Using other types of smokeless tobacco (such as dip, spit, or chew)

- 1 Very positive
- 2 Positive
- 3 Neither positive nor negative
- 4 Negative
- 5 Very negative
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R_A_AGE < 25.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

- | | | |
|----------------------|----|---|
| R05_AX0741_01 | 1 | Cigarettes |
| R05_AX0741_02 | 2 | E-cigarettes or other electronic nicotine products |
| R05_AX0741_03 | 3 | Traditional cigars |
| R05_AX0741_04 | 4 | Cigarillos |
| R05_AX0741_05 | 5 | Filtered cigars |
| R05_AX0741_06 | 6 | Pipe tobacco |
| R05_AX0741_07 | 7 | Shisha or hookah tobacco |
| R05_AX0741_08 | 8 | Snus |
| R05_AX0741_09 | 9 | Other types of smokeless tobacco (such as dip, spit, or chew) |
| R05_AX0741_10 | 10 | None of the above |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: All adult respondents.

DISPLAY: UNDERLINE "people who are important to you"

PROGRAM: Option 10 cannot be selected if any option 1-9 is selected.

BOX ID: R05_AXR02

Adult respondents who are current established or recent former established tobacco users, go to R05_AX0742.

Else, adult respondents who are current experimental or former experimental tobacco users, go to R05_AX0743.

Else, go to Box R05_AXT01.

IF R05_TOBACCO_USER_STATUS = 1, 4, GO TO R05_AX0742.

ELSE, IF R05_TOBACCO_USER_STATUS = 2, 3, GO TO R05_AX0743.

ELSE, GO TO BOX R05_AXT01.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0742

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about quitting?

- | | |
|---------------|---------------------|
| 1 Not at all | GO TO BOX R05_AXT01 |
| 2 Somewhat | GO TO BOX R05_AXT01 |
| 3 Very much | GO TO BOX R05_AXT01 |
| -8 DON'T KNOW | GO TO BOX R05_AXT01 |
| -7 REFUSED | GO TO BOX R05_AXT01 |

ASK: Adult respondents who are current established or recent former established tobacco users.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 4.

DISPLAY: IF R05_TOBACCO_USER_STATUS = 1, DISPLAY "has" AND "led".

ELSE, IF R05_TOBACCO_USER_STATUS = 4, DISPLAY "did" AND "lead".

UNDERLINE "close friends and family".

Variable(s): R05_AX0743

In the past 12 months, to what extent, if at all, [has/did] the disapproval of close friends and family [led/lead] you to think about not using?

- | |
|---------------|
| 1 Not at all |
| 2 Somewhat |
| 3 Very much |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Adult respondents who are current experimental or former experimental tobacco users.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 2, 3.

DISPLAY: IF R05_TOBACCO_USER_STATUS = 2, DISPLAY "has" AND "led".

ELSE, DISPLAY "did" AND "lead".

UNDERLINE "close friends and family".

HEALTH

BOX ID: R05_AXT01

The next questions ask about some basic medical information that is important for the study.

BOX ID: R05_AMD05

Display questions R05_AX0090 through R05_AX0088 using the expanded WVB stem-leaf screen. The introduction text from R05_AX0090 is the stem. Show all leaves on the screen at once.

Variable(s): R05_AX0090

In general, how would you rate your...

physical health?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AX0091

mental health, which includes stress, depression, and problems with emotions?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0088

overall health?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_AMD06

Display questions R05_AX0090_12M through R05_AX0088_12M using the expanded WVB stem-leaf screen. The introduction text from R05_AX0090_12M is the stem. Show all leaves on the screen at once.

Variable(s): R05_AX0090_12M***

Compared with 12 months ago, would you say...

your physical health is now...

- 1 Better
- 2 Worse
- 3 About the same
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0091_12M***

your mental health is now...

- 1 Better
- 2 Worse
- 3 About the same
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0088_12M***

your overall health is now...

- 1 Better
- 2 Worse
- 3 About the same
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0185

In general, would you say your quality of life is...

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AX0185_12M

Compared with 12 months ago, would you say your quality of life is now...

- 1 Better,
- 2 Worse, or
- 3 About the same?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0092

In general, how satisfied are you with your social activities and relationships?

- 1 Extremely satisfied
- 2 Very satisfied
- 3 Moderately satisfied
- 4 A little satisfied
- 5 Not at all satisfied
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AX0092_12M

Compared with 12 months ago, would you say your social activities and relationships are now...

- 1 Better,
- 2 Worse, or
- 3 About the same?
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AX0313

The next questions ask about your height and weight. Do you want to answer these questions in...

- 1 Feet and pounds, or
 - 2 Meters and kilograms
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO R05_AX0316

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0679_FT; R05_AX0679_IN

About how tall are you without shoes?

I ___ I ___ Feet

I ___ I ___ Inches

-8 DON'T KNOW

GO TO R05_AX0109

-7 REFUSED

GO TO R05_AX0109

ASK: Adult respondents who prefer to report their height in feet or did not know or refused to report how they they prefer to report their height.

ASK Specification: IF R05_AX0313 = 1, -8, -7.

DISPLAY: DISPLAY "Feet" AND "Inches" AS TITLES.

PROGRAM: Display as Quantity/Quantity.

Allow 2 digits for feet. Range check: Inches (0-11).

CHECK ID: R05_AX0679_LC1

The computer recorded that you are [R05_AX0679_FT] feet [and R05_AX0679_IN inches] tall.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0679

2 NEXT

GO TO R05_AX0109

ASK: IF R05_AX0313 = 1, -8, -7 AND (R05_AX0679_FT < 5 OR (R05_AX0679_FT = 6 AND R05_AX0679_IN > 0) OR R05_AX0679_FT > 6).

DISPLAY: IF R05_AX0679_FT > 0 AND R05_AX0679_IN = 0, DISPLAY "[R05_AX0679_FT] feet". ELSE, IF R05_AX0679_FT > 0 AND R05_AX0679_IN > 0, DISPLAY "[R05_AX0679_FT] feet and [R05_AX0679_IN] inches".

PROGRAM: TRIGGER CHECK IF R05_AX0679_FT < 5 OR (R05_AX0679_FT = 6 AND R05_AX0679_IN > 0) OR R05_AX0679_FT > 6.

ELSE, GO TO R05_AX0109 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0316

About how tall are you without shoes?

I ___ I ___ I ___ Meters

-8 DON'T KNOW

GO TO R05_AX0312

-7 REFUSED

GO TO R05_AX0312

ASK: Adult respondents who prefer to report their height in meters.

ASK Specification: IF R05_AX0313 = 2.

DISPLAY: DISPLAY "Meters" AS A TITLE.

PROGRAM: Allow 1 digit before the decimal; allow 2 digits after the decimal.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0316_LC1

The computer recorded that you are [R05_AX0316] meters tall.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R05_AX0316 |
| 2 | NEXT | GO TO R05_AX0312 |

ASK: IF R05_AX0313 = 2 AND (R05_AX0316 < 1.5 OR R05_AX0316 > 1.8).

PROGRAM: TRIGGER CHECK IF R05_AX0316 < 1.5 OR R05_AX0316 > 1.8.

ELSE, GO TO R05_AX0312 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0109

About how much do you weigh without clothes or shoes?

|_|_|_| Pounds

- | | | |
|----|------------|------------------|
| -8 | DON'T KNOW | GO TO R05_AX0241 |
| -7 | REFUSED | GO TO R05_AX0241 |

ASK: Adult respondents who prefer to report their weight in pounds or did not know or refused to report how they prefer to report their weight.

ASK Specification: IF R05_AX0313 = 1, -8, -7.

DISPLAY: DISPLAY "Pounds" AS A TITLE.

PROGRAM: Allow 3 digits.

CHECK ID: R05_AX0109_LC1

The computer recorded that you weigh [R05_AX0109] pounds.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R05_AX0109 |
| 2 | NEXT | GO TO R05_AX0241 |

ASK: IF R05_AX0313 = 1, -8, -7 AND (R05_AX0109 < 125 OR R05_AX0109 > 240).

PROGRAM: TRIGGER CHECK IF R05_AX0109 < 125 OR R05_AX0109 > 240.

ELSE, GO TO R05_AX0241 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0312

About how much do you weigh without clothes or shoes?

I__I__I__I__I__I Kilograms

-8 DON'T KNOW

GO TO R05_AX0241

-7 REFUSED

GO TO R05_AX0241

ASK: Adult respondents who prefer to report their weight in kilograms.

ASK Specification: IF R05_AX0313 = 2.

DISPLAY: DISPLAY "Kilograms" AS A TITLE.

PROGRAM: Allow 3 digits before the decimal; allow 2 digits after the decimal.

CHECK ID: R05_AX0312_LC1

The computer recorded that you weigh [R05_AX0312] kilograms.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0312

2 NEXT

GO TO R05_AX0241

ASK: IF R05_AX0313 = 2 AND (R05_AX0312 < 56.7 OR R05_AX0312 > 108.9).

PROGRAM: TRIGGER CHECK IF R05_AX0312 < 56.7 OR R05_AX0312 > 108.9.

ELSE, GO TO R05_AX0241 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0241

In a typical week, how many days do you do any physical activity or exercise of at least moderate intensity, such as brisk walking, bicycling, or swimming at a regular pace?

0 None

GO TO R05_AX0243

1 1 day per week

2 2 days per week

3 3 days per week

4 4 days per week

5 5 days per week

6 6 days per week

7 7 days per week

-8 DON'T KNOW

GO TO R05_AX0243

-7 REFUSED

GO TO R05_AX0243

ASK: All adult respondents.

DISPLAY: UNDERLINE "In a typical week".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0242_NN; R05_AX0242_UN

On the days that you do any physical activity or exercise of at least moderate intensity, how long do you typically do these activities?

1 |__|__| Hours

2 |__|__| Minutes

-8 DON'T KNOW

GO TO R05_AX0243

-7 REFUSED

GO TO R05_AX0243

ASK: Adult respondents who do any physical activity of moderate intensity at least 1 day per week.

ASK Specification: IF R05_AX0241 > 0.

PROGRAM: Display as Quantity/Units.

Range check: <= 24 hours.

NOTES: The value "1" refers R05_AX0242_UN = Hours; the value "2" refers to R05_AX0242_UN = Minutes.

CHECK ID: R05_AX0242_LC1

The computer recorded [R05_AX0242_NN] [hours/minutes] for how long you typically do any physical activity or exercise of at least moderate intensity on the days you do these activities. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0242

2 NEXT

GO TO R05_AX0243

ASK: IF R05_AX0241 > 0 AND ((R05_AX0242_NN > 8 AND R05_AX0242_UN = 1) OR (R05_AX0242_NN > 200 AND R05_AX0242_UN = 2)).

DISPLAY: IF R05_AX0242_UN = 1, DISPLAY "hours".

ELSE, IF R05_AX0242_UN = 2, DISPLAY "minutes".

PROGRAM: TRIGGER CHECK IF (R05_AX0242_NN > 8 AND R05_AX0242_UN = 1) OR (R05_AX0242_NN > 200 AND R05_AX0242_UN = 2).

ELSE, GO TO R05_AX0243 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0243

In a typical week, outside of your job or work around the house, how many days do you do physical activities specifically designed to strengthen your muscles such as lifting weights or circuit training? Do not include cardio exercise such as walking, biking, or swimming.

- 0 None
- 1 1 day per week
- 2 2 days per week
- 3 3 days per week
- 4 4 days per week
- 5 5 days per week
- 6 6 days per week
- 7 7 days per week
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In a typical week".

Variable(s): R05_AX0100

In the past 7 days, how would you rate your pain on average on a scale from 0 to 10 where 0 is no pain and 10 is the worst pain imaginable?

- 0 No pain
- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10 Worst pain imaginable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0101

In the past 7 days, how would you rate your fatigue on average? By fatigue, we mean feeling unrested or overly tired during the day, no matter how many hours of sleep you've had.

- 1 None
- 2 Mild
- 3 Moderate
- 4 Severe
- 5 Very severe
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

Variable(s): R05_AX0103

In the past 7 days, how often have you been bothered by emotional problems such as feeling anxious, depressed, or irritable?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "In the past 7 days".

Variable(s): R05_AX0102

In general, please rate how well you carry out your usual social activities and roles. This includes activities at home, at work and in your community, and responsibilities as a parent, child, spouse, employee, friend, etc.

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0001

Please think about any health care you may have received in the past 12 months.

In the past 12 months, have you seen a medical doctor, nurse, or other health professional?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "past 12 months".

Variable(s): R05_AX0002

In the past 12 months, have you seen a dentist?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AX0302

In the past 12 months, have you visited an emergency room or urgent care center for a health problem of your own?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR18

Adult respondents who visited an emergency room or urgent health center for their own health problem in the past 12 months, go to R05_AX0155.

Else, adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users and have seen a medical doctor, nurse, other health professional or dentist in the past 12 months, go to R05_AX0003.

Else, adult respondents who have ever used any tobacco product, go to R05_AX0104.

Else, new baseline adult respondents, go to R05_AX0186_NB.

Else, go to R05_AX0093.

IF R05_AX0302 = 1, GO TO R05_AX0155.

ELSE, IF R05_TOBACCO_USER_STATUS = 1, 2, 3, 4 AND (R05_AX0001 != 2 OR R05_AX0002 != 2), GO TO R05_AX0003.

ELSE, IF R05_EVER_NEVER_TOBACCO = 1, GO TO R05_AX0104.

ELSE, IF R05_ADULTTYPE = 2, GO TO R05_AX0186_NB.

ELSE, GO TO R05_AX0093.

Variable(s): R05_AX0155

In the past 12 months, how many times have you visited an emergency room or urgent care center for a health problem of your own?

|_|_|_|_|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_AXR19

-7 REFUSED

GO TO BOX R05_AXR19

ASK: Adult respondents who visited an emergency room or urgent care center for their own health problem in the past 12 months.

ASK Specification: IF R05_AX0302 = 1.

PROGRAM: Allow 4 digits.

CHECK ID: R05_AX0155_LC1

The computer recorded that you have visited an emergency room or urgent care center [R05_AX0155] times in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0155

2 NEXT

GO TO R05_AX0155_LC2

ASK: IF R05_AX0302 = 1 AND R05_AX0155 > 15.

PROGRAM: TRIGGER CHECK IF R05_AX0155 > 15.

ELSE, GO TO R05_AX0155_LC2 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0155_LC2

The computer recorded "0" for the number of times you have visited an emergency room or urgent care center in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0155

2 NEXT

GO TO BOX R05_AXR19

ASK: IF R05_AX0302 = 1 AND R05_AX0155 = 0.

PROGRAM: TRIGGER CHECK IF R05_AX0155 = 0.

ELSE, GO TO BOX R05_AXR19 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR19

Adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users and have seen a medical doctor, nurse, other health professional or dentist in the past 12 months, go to R05_AX0003.

Else, adult respondents who have ever used any tobacco product, go to R05_AX0104.

Else, new baseline adult respondents, go to R05_AX0186_NB.

Else, go to R05_AX0093.

IF R05_TOBACCO_USER_STATUS = 1, 2, 3, 4 AND (R05_AX0001 != 2 OR R05_AX0002 != 2), GO TO R05_AX0003.

ELSE, IF R05_EVER_NEVER_TOBACCO = 1, GO TO R05_AX0104.

ELSE, IF R05_ADULTTYPE = 2, GO TO R05_AX0186_NB.

ELSE, GO TO R05_AX0093.

Variable(s): R05_AX0003

In the past 12 months, did any medical doctor, dentist, or other health professional advise you to stop using tobacco[, including e-cigarettes or other electronic nicotine products]?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established, current experimental, former experimental, or recent former established tobacco users and have seen a medical doctor, nurse, other health professional or dentist in the past 12 months.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2, 3, 4 AND (R05_AX0001 != 2 OR R05_AX0002 != 2).

DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, 3, 4, DISPLAY ", including e-cigarettes or other electronic nicotine products ".

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0104

To what extent, if at all, has [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] damaged your health?

- 1 Not at all
- 2 A little
- 3 Somewhat
- 4 A lot
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R05_EVER_NEVER_TOBACCO = 1.

DISPLAY: IF R05_TOBACCO_USER_STATUS = 1, 2, DISPLAY "using".

ELSE, DISPLAY "your past use of".

IF R05_EVER_NEVER_EPRODS = 1, DISPLAY ", including e-cigarettes or other electronic nicotine products".

ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R05_AX0105

To what extent, if at all, are you worried that [using/your past use of] tobacco[, including e-cigarettes or other electronic nicotine products] will damage your health in the future?

- 1 Not at all worried
- 2 A little worried
- 3 Moderately worried
- 4 Very worried
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever used any tobacco product.

ASK Specification: IF R05_EVER_NEVER_TOBACCO = 1.

DISPLAY: IF R05_TOBACCO_USER_STATUS = 1, 2, DISPLAY "using".

ELSE, DISPLAY "your past use of".

IF R05_EVER_NEVER_EPRODS = 1, DISPLAY ", including e-cigarettes or other electronic nicotine products".

ELSE, DO NOT DISPLAY THIS TEXT.

BOX ID: R05_AXR20

New baseline adult respondents, go to R05_AX0186_NB.

Else, go to R05_AX0093.

IF R05_ADULTTYPE = 2, GO TO R05_AX0186_NB.

ELSE, GO TO R05_AX0093.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0186_NB**

The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy].

Do you have serious difficulty walking or climbing stairs?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AX0094 |
| -8 | DON'T KNOW | GO TO R05_AX0094 |
| -7 | REFUSED | GO TO R05_AX0094 |

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

DISPLAY: IF R05R_A_SEX != 1, DISPLAY ", or pregnancy".

ELSE, IF R05R_A_SEX = 1, DISPLAY "or " AND DO NOT DISPLAY ", or pregnancy".

Variable(s): **R05_AX0093**

[The next set of questions ask about limitations caused by any long-term physical, mental or emotional problem, or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy].

]To what extent are you able to carry out your everyday physical activities such as walking, climbing stairs, carrying groceries, or moving a chair?

- | | |
|----|------------|
| 1 | Completely |
| 2 | Mostly |
| 3 | Moderately |
| 4 | A little |
| 5 | Not at all |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Continuing adult respondents, or new baseline adult respondents who have serious difficulty walking or climbing stairs.

ASK Specification: IF R05_ADULTTYPE = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0186_NB = 1).

DISPLAY: IF R05_ADULTTYPE = 1, DISPLAY INTRODUCTORY TEXT "The next set of questions asks about limitations caused by any long-term physical, mental or emotional problem or illness. Please do not include temporary conditions, such as a cold, [or]broken limbs[, or pregnancy]."

IF R05R_A_SEX != 1, DISPLAY ", or pregnancy".

ELSE, IF R05R_A_SEX = 1, DISPLAY "or " (AND DO NOT DISPLAY ", or pregnancy").

ELSE, IF R05_ADULTTYPE = 2, DO NOT DISPLAY ANY INTRODUCTORY TEXT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0094

To what extent are you able to carry out your everyday activities such as using a telephone, paying bills, taking medications, preparing light meals, doing laundry, or going shopping?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_AXR21

New baseline adult respondents, go to R05_AX0188_NB.
Else, go to R05_AX0095.

IF R05_ADULTTYPE = 2, GO TO R05_AX0188_NB.
ELSE, GO TO R05_AX0095.

Variable(s): R05_AX0188_NB

Do you have difficulty dressing or bathing?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AX0097 |
| -8 DON'T KNOW | GO TO R05_AX0097 |
| -7 REFUSED | GO TO R05_AX0097 |

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0095

To what extent are you able to carry out your everyday activities such as bathing, dressing, or getting around the house?

- 1 Completely
- 2 Mostly
- 3 Moderately
- 4 A little
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents, or new baseline adult respondents who have difficulty dressing or bathing.

ASK Specification: IF R05_ADULTTYPE = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0188_NB = 1).

Variable(s): SEE BELOW:

Does your health limit you in any of the following activities? Choose all that apply.

- R05_AX0097_01 1 Lifting 10 pounds
- R05_AX0097_02 2 Walking up 10 steps
- R05_AX0097_03 3 Walking 3 blocks
- R05_AX0097_04 4 Walking 1 mile
- R05_AX0097_05 5 Standing 20 minutes
- R05_AX0097_06 6 Bending or stooping
- R05_AX0097_07 7 Reaching overhead
- R05_AX0097_08 8 Using fingers to grasp
- R05_AX0097_09 9 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PROGRAM: Option 9 cannot be selected if any options 1 through 8 are selected.

BOX ID: R05_AXR22

New baseline adult respondents, go to R05_AX0187_NB.

Else, adult respondents who are 40 years old or older, go to R05_AX0275.

Else, go to Box R05_AXR103.

IF R05_ADULTTYPE = 2, GO TO R05_AX0187_NB.

ELSE, IF R05R_A_AGE >= 40, GO TO R05_AX0275.

ELSE, GO TO BOX R05_AXR103.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0187_NB

Because of a physical, mental, or emotional condition, do you have difficulty doing errands alone such as visiting a doctor's office or shopping?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0189_NB

Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering, or making decisions?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0190_NB

Are you deaf or do you have serious difficulty hearing?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0191_NB

Are you blind or do you have serious difficulty seeing, even when wearing glasses?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR58
Adult respondents who are 40 years old or older, go to R05_AX0275. Else, go to Box R05_AXR103.
IF R05R_A_AGE >= 40, GO TO R05_AX0275. ELSE, GO TO BOX R05_AXR103.

Variable(s): R05_AX0275								
Have you ever had any chest pain, chest tightness, or angina?								
<table border="0"> <tr> <td>1 Yes</td> <td></td> </tr> <tr> <td>2 No</td> <td>GO TO BOX R05_AXR103</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td>GO TO BOX R05_AXR103</td> </tr> <tr> <td>-7 REFUSED</td> <td>GO TO BOX R05_AXR103</td> </tr> </table>	1 Yes		2 No	GO TO BOX R05_AXR103	-8 DON'T KNOW	GO TO BOX R05_AXR103	-7 REFUSED	GO TO BOX R05_AXR103
1 Yes								
2 No	GO TO BOX R05_AXR103							
-8 DON'T KNOW	GO TO BOX R05_AXR103							
-7 REFUSED	GO TO BOX R05_AXR103							
ASK: Adult respondents who are 40 years old or older.								
ASK Specification: IF R05R_A_AGE >= 40.								

Variable(s): R05_AX0276																
In the <u>past 30 days</u> , on average, how many times have you had chest pain, chest tightness, or angina?																
<table border="0"> <tr> <td>1 4 or more times per day</td> <td></td> </tr> <tr> <td>2 1 to 3 times per day</td> <td></td> </tr> <tr> <td>3 3 or more times per week but not every day</td> <td></td> </tr> <tr> <td>4 1 to 2 times per week</td> <td></td> </tr> <tr> <td>5 Less than once a week</td> <td></td> </tr> <tr> <td>6 None over the past 30 days</td> <td>GO TO BOX R05_AXR103</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td>GO TO BOX R05_AXR103</td> </tr> <tr> <td>-7 REFUSED</td> <td>GO TO BOX R05_AXR103</td> </tr> </table>	1 4 or more times per day		2 1 to 3 times per day		3 3 or more times per week but not every day		4 1 to 2 times per week		5 Less than once a week		6 None over the past 30 days	GO TO BOX R05_AXR103	-8 DON'T KNOW	GO TO BOX R05_AXR103	-7 REFUSED	GO TO BOX R05_AXR103
1 4 or more times per day																
2 1 to 3 times per day																
3 3 or more times per week but not every day																
4 1 to 2 times per week																
5 Less than once a week																
6 None over the past 30 days	GO TO BOX R05_AXR103															
-8 DON'T KNOW	GO TO BOX R05_AXR103															
-7 REFUSED	GO TO BOX R05_AXR103															
ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina.																
ASK Specification: IF R05R_A_AGE >= 40 AND R05_AX0275 = 1.																
DISPLAY: UNDERLINE "past 30 days".																

BOX ID: R05_AXD08
Display questions R05_AX0284 through R05_AX0286 using the expanded WVB stem-leaf screen. The introduction text from R05_AX0284 is the stem. Show all leaves on the screen at once.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0284

In the past 30 days, how much limitation have you had **due to chest pain, chest tightness, or angina** while doing any of the following activities...

Walking indoors on level ground.

- 1 Extremely limited
- 2 Quite a bit limited
- 3 Moderately limited
- 4 Slightly limited
- 5 Not at all limited
- 6 Limited for other reasons
- 7 Did not do the activity
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R_A_AGE >= 40 AND R05_AX0275 = 1 AND R05_AX0276 = 1, 2, 3, 4, 5.

DISPLAY: UNDERLINE "past 30 days".

BOLD "due to chest pain, chest tightness, or angina".

Variable(s): R05_AX0285

Gardening, vacuuming, or carrying groceries.

- 1 Extremely limited
- 2 Quite a bit limited
- 3 Moderately limited
- 4 Slightly limited
- 5 Not at all limited
- 6 Limited for other reasons
- 7 Did not do the activity
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R_A_AGE >= 40 AND R05_AX0275 = 1 AND R05_AX0276 = 1, 2, 3, 4, 5.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0286

Lifting or moving heavy objects.

- 1 Extremely limited
- 2 Quite a bit limited
- 3 Moderately limited
- 4 Slightly limited
- 5 Not at all limited
- 6 Limited for other reasons
- 7 Did not do the activity
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R_A_AGE >= 40 AND R05_AX0275 = 1 AND R05_AX0276 = 1, 2, 3, 4, 5.

Variable(s): R05_AX0277

In the past 30 days, on average, how many times have you taken nitroglycerin for your chest pain, chest tightness, or angina?

- 1 4 or more times per day
- 2 1 to 3 times per day
- 3 3 or more times per week but not every day
- 4 1 to 2 times per week
- 5 Less than once a week
- 6 None over the past 30 days
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R_A_AGE >= 40 AND R05_AX0275 = 1 AND R05_AX0276 = 1, 2, 3, 4, 5.

DISPLAY: UNDERLINE "past 30 days".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0278

In the past 30 days, how much has your chest pain, chest tightness, or angina limited your enjoyment of life?

- 1 It has extremely limited my enjoyment of life
- 2 It has limited my enjoyment of life quite a bit
- 3 It has moderately limited my enjoyment of life
- 4 It has slightly limited my enjoyment of life
- 5 It has not limited my enjoyment of life at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R_A_AGE >= 40 AND R05_AX0275 = 1 AND R05_AX0276 = 1, 2, 3, 4, 5.

DISPLAY: UNDERLINE "past 30 days".

Variable(s): R05_AX0279

If you had to spend the rest of your life with your chest pain, chest tightness, or angina the way it is right now, how would you feel about this?

- 1 Not satisfied at all
- 2 Mostly dissatisfied
- 3 Somewhat dissatisfied
- 4 Mostly satisfied
- 5 Completely satisfied
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older and have ever had any chest pain, chest tightness, or angina and have had any chest pain, chest tightness, or angina in the past 30 days.

ASK Specification: IF R05R_A_AGE >= 40 AND R05_AX0275 = 1 AND R05_AX0276 = 1, 2, 3, 4, 5.

BOX ID: R05_AXR103

New baseline adult respondents, go to R05_AX0111_NB.

Else, continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months, go to R05_AX0111_12M.
Else, go to Box R05_AXR82.

IF R05_ADULTTYPE = 2, GO TO R05_AX0111_NB.

ELSE, IF R05_ADULTTYPE = 1 AND R05_AX0001 != 2, GO TO R05_AX0111_12M.

ELSE, GO TO BOX R05_AXR82.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Has a doctor, nurse or other health professional ever told you that you had any of the following heart conditions? Choose all that apply.

- | | | |
|-------------------------|----|---|
| R05_AX0111_NB_01 | 1 | High blood pressure |
| R05_AX0111_NB_02 | 2 | High cholesterol |
| R05_AX0111_NB_03 | 3 | Congestive heart failure |
| R05_AX0111_NB_04 | 4 | A stroke |
| R05_AX0111_NB_05 | 5 | A heart attack (also called myocardial infarction) or needed bypass surgery |
| R05_AX0111_NB_06 | 6 | Some other heart condition |
| R05_AX0111_NB_07 | 7 | None of the above |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

PROGRAM: Option 7 cannot be selected if any option 1 through 6 is selected.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR23 New baseline adult respondents who have ever been told they had high blood pressure, go to R05_AX0114_NB. Else, adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or continuing adult respondents who have been told they had high blood pressure in the past 12 months, go to R05_AX0744. Else, new baseline adult respondents who have ever been told they had high cholesterol, go to R05_AX0115_NB. Else, adult respondents who reported being diagnosed with high cholesterol as of their last completed interview and did not report never having high cholesterol, or continuing adult respondents who have been told they had high cholesterol in the past 12 months, go to R05_AX0746. Else, new baseline adult respondents who have ever been told they had congestive heart failure, go to R05_AX0116_NB. Else, new baseline adult respondents who have ever been told they had a stroke, go to R05_AX0117_NB. Else, new baseline adult respondents who have ever been told they had a heart attack, go to R05_AX0112_NB. Else, new baseline adult respondents who have ever been told they had some other heart condition, go to R05_AX0219. Else, new baseline adult respondents, go to Box R05_AXR59.
IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_01 = 1, GO TO R05_AX0114_NB. ELSE, IF R04_HIGH_BLOOD_PRESSURE = 1 OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M_01 = 1), GO TO R05_AX0744. ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_02 = 1, GO TO R05_AX0115_NB. ELSE, IF R04_HIGH_CHOLESTEROL = 1 OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M_02 = 1), GO TO R05_AX0746. ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_03 = 1, GO TO R05_AX0116_NB. ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_04 = 1, GO TO R05_AX0117_NB. ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_05 = 1, GO TO R05_AX0112_NB. ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_06 = 1, GO TO R05_AX0219. ELSE, IF R05_ADULTTYPE = 2, GO TO BOX R05_AXR59.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 12 months, has a doctor, nurse, or other health professional told you that you had any of the following heart conditions? Choose all that apply.

- | | | |
|--------------------------|----|---|
| R05_AX0111_12M_01 | 1 | High blood pressure |
| R05_AX0111_12M_02 | 2 | High cholesterol |
| R05_AX0111_12M_03 | 3 | Congestive heart failure |
| R05_AX0111_12M_04 | 4 | A stroke |
| R05_AX0111_12M_05 | 5 | A heart attack (also called myocardial infarction) or needed bypass surgery |
| R05_AX0111_12M_06 | 6 | Some other heart condition |
| R05_AX0111_12M_07 | 7 | None of the above |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0001 != 2.

PROGRAM: Option 7 cannot be selected if any option 1 through 6 is selected.

Suppress options 3, 4, and 5 if $18 \leq R05R_A_AGE < 40$.

BOX ID: R05_AXR82

Adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or continuing adult respondents who have been told they had high blood pressure in the past 12 months, go to R05_AX0744.

Else, continuing adult respondents who have been told they had high cholesterol in the past 12 months or reported being diagnosed with high cholesterol as of their last completed interview, go to R05_AX0160_12M.

Else, continuing adult respondents who have been told they had a stroke in the past 12 months or reported having had a stroke as of their last completed interview, go to R05_AX0745.

Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R05_AX0219.

Else, go to Box R05_AXR59.

IF R04_HIGH_BLOOD_PRESSURE = 1 OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M_01 = 1), GO TO R05_AX0744.

ELSE, IF R05_ADULTTYPE = 1 AND (R05_AX0111_12M_02 = 1 OR R04_HIGH_CHOLESTEROL = 1), GO TO R05_AX0160_12M.

ELSE, IF R05_ADULTTYPE = 1 AND (R05_AX0111_12M_04 = 1 OR R04_STROKE = 1), GO TO R05_AX0745.

ELSE, IF R04_ANY_HEART_CONDITION = 1 OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M[_03/_05/_06] = 1), GO TO R05_AX0219.

ELSE, GO TO BOX R05_AXR59.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0114_NB

How old were you when you were first told you had high blood pressure?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AX0253_NB

-7 REFUSED

GO TO R05_AX0253_NB

ASK: New baseline adult respondents who have ever been told they had high blood pressure.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_01 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AX0114_NB_LC1

The computer recorded that you were [R05_AX0114_NB] years old when you were first told that you had high blood pressure. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0114_NB

2 NEXT

GO TO R05_AX0744

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_01 = 1 AND (R05_AX0114_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0114_NB > R05R_A_AGE.
ELSE, GO TO R05_AX0744 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0253_NB

When you were first told you had high blood pressure, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had high blood pressure and did not know or refused to report the age they were first told they had high blood pressure.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_01 = 1 AND R05_AX0114_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0744**

[In the past, you told us you had high blood pressure.

]In the past 12 months, has your high blood pressure been under control?

- 1 Yes
- 2 No
- 3 I have never had high blood pressure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with high blood pressure as of their last completed interview, or new baseline adult respondents who have ever been told they had high blood pressure, or continuing adult respondents who have been told they had high blood pressure in the past 12 months.

ASK Specification: IF R04_HIGH_BLOOD_PRESSURE = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0111_NB_01 = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M_01 = 1).

DISPLAY: IF R04_HIGH_BLOOD_PRESSURE = 1 AND R05_AX0111_NB_01 != 1 AND R05_AX0111_12M_01 != 1, DISPLAY "In the past, you told us you had high blood pressure." AND DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR24

New baseline adult respondents who have ever been told they had high cholesterol, go to R05_AX0115_NB.
 Else, continuing adult respondents who have been told they had high cholesterol in the past 12 months or reported being diagnosed with high cholesterol as of their last completed interview, go to R05_AX0160_12M.
 Else, new baseline adult respondents who reported being diagnosed with high cholesterol as of their last completed interview, go to R05_AX0746.
 Else, new baseline adult respondents who have ever been told they had congestive heart failure, go to R05_AX0116_NB.
 Else, new baseline adult respondents who have ever been told they had a stroke, go to R05_AX0117_NB.
 Else, adult respondents who reported having had a stroke as of their last completed interview, or continuing adult respondents who have been told they had a stroke in the past 12 months, go to R05_AX0745.
 Else, new baseline adult respondents who have ever been told they had a heart attack, go to R05_AX0112_NB.
 Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R05_AX0219.

IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_02 = 1, GO TO R05_AX0115_NB.
 ELSE, IF R05_ADULTTYPE = 1 AND (R05_AX0111_12M_02 = 1 OR R04_HIGH_CHOLESTEROL = 1), GO TO R05_AX0160_12M.
 ELSE, IF R05_ADULTTYPE = 2 AND R04_HIGH_CHOLESTEROL = 1, GO TO R05_AX0746.
 ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_03 = 1, GO TO R05_AX0116_NB.
 ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_04 = 1, GO TO R05_AX0117_NB.
 ELSE, IF R04_STROKE = 1 OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M_04 = 1), GO TO R05_AX0745.
 ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_05 = 1, GO TO R05_AX0112_NB.
 ELSE, IF R04_ANY_HEART_CONDITION = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0111_NB_01/_06] = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M_01/_03/_05/_06] = 1), GO TO R05_AX0219.

Variable(s): R05_AX0115_NB

How old were you when you were first told you had high cholesterol?

I ___ I ___ I Years old

-8 DON'T KNOW

GO TO R05_AX0254_NB

-7 REFUSED

GO TO R05_AX0254_NB

ASK: New baseline adult respondents who have ever been told they had high cholesterol.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_02 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0115_NB_LC1

The computer recorded that you were [R05_AX0115_NB] years old when you were first told that you had high cholesterol. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------|
| 1 BACK | GO TO R05_AX0115_NB |
| 2 NEXT | GO TO R05_AX0160_NB |

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_02 = 1 AND (R05_AX0115_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0115_NB > R05R_A_AGE.
ELSE, GO TO R05_AX0160_NB AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0254_NB

When you were first told you had high cholesterol, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had high cholesterol and did not know or refused to report the age they were first told they had high cholesterol.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_02 = 1 AND R05_AX0115_NB = -8, -7.

Variable(s): R05_AX0160_NB

Have you ever taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?

- | | |
|---------------|------------------|
| 1 Yes | GO TO R05_AX0746 |
| 2 No | GO TO R05_AX0746 |
| -8 DON'T KNOW | GO TO R05_AX0746 |
| -7 REFUSED | GO TO R05_AX0746 |

ASK: New baseline adult respondents who have ever been told they had high cholesterol.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_02 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0160_12M

[In the past, you told us you had high cholesterol.

]In the past 12 months, have you taken any medications to reduce cholesterol, for example: pravastatin (Pravachol), atorvastatin (Lipitor), simvastatin (Zocor)?

1 Yes

2 No

3 I have never had high cholesterol GO TO BOX R05_AXR26

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing adult respondents who have been told they had high cholesterol in the past 12 months or reported being diagnosed with high cholesterol as of their last completed interview.

ASK Specification: IF R05_ADULTTYPE = 1 AND (R05_AX0111_12M_02 = 1 OR R04_HIGH_CHOLESTEROL = 1).

DISPLAY: IF R05_ADULTTYPE = 1 AND R04_HIGH_CHOLESTEROL = 1 AND R05_AX0111_12M_02 != 1, DISPLAY "In the past, you told us you had high cholesterol." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

Variable(s): R05_AX0746

[In the past, you told us you had high cholesterol.

]In the past 12 months, has your high cholesterol been under control?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who have ever been told they have high cholesterol.

ASK Specification: IF (R04_HIGH_CHOLESTEROL = 1 OR R05_AX0111_NB_02 = 1 OR R05_AX0111_12M_02 = 1) AND R05_AX0160_12M != 3.

DISPLAY: IF R05_ADULTTYPE = 2 AND R04_HIGH_CHOLESTEROL = 1 AND R05_AX0111_NB_02 != 1, DISPLAY "In the past, you told us you had high cholesterol."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR26

New baseline adult respondents who have ever been told they had congestive heart failure, go to R05_AX0116_NB.
 Else, new baseline adult respondents who have ever been they they had a stroke, go to R05_AX0117_NB.
 Else, adult respondents who reported having had a stroke as of their last completed interview, or continuing adult respondents who have been told they had a stroke in the past 12 months, go to R05_AX0745.
 Else, new baseline adult respondents who have ever been told they had a heart attack, go to R05_AX0112_NB.
 Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R05_AX0219.

IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_03 = 1, GO TO R05_AX0116_NB.
 ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_04 = 1, GO TO R05_AX0117_NB.
 ELSE, IF R04_STROKE = 1 OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M_04 = 1), GO TO R05_AX0745.
 ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_05 = 1, GO TO R05_AX0112_NB.
 ELSE, IF R04_ANY_HEART_CONDITION = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0111_NB[01/_02/_06] = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M[01/_02/_03/_05/_06] = 1), GO TO R05_AX0219.

Variable(s): R05_AX0116_NB

How old were you when you were first told you had congestive heart failure?

I ___ I ___ I Years old

-8 DON'T KNOW

GO TO R05_AX0255_NB

-7 REFUSED

GO TO R05_AX0255_NB

ASK: New baseline adult respondents who have ever been told they had congestive heart failure.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_03 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AX0116_NB_LC1

The computer recorded that you were [R05_AX0116_NB] years old when you were first told that you had congestive heart failure. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0116_NB

2 NEXT

GO TO BOX R05_AXR28

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_03 = 1 AND (R05_AX0116_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0116_NB > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR28 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0255_NB**

When you were first told you had congestive heart failure, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had congestive heart failure and did not know or refused to report the age they were first told they had congestive heart failure.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_03 = 1 AND R05_AX0116_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR28

New baseline adult respondents who have ever been told they had a stroke, go to R05_AX0117_NB.
Else, adult respondents who reported having had a stroke as of their last completed interview, or continuing adult respondents who have been told they had a stroke in the past 12 months, go to R05_AX0745.

Else, new baseline adult respondents who have ever been told they had a heart attack, go to R05_AX0112_NB.

Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R05_AX0219.

IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_04 = 1, GO TO R05_AX0117_NB.

ELSE, IF R04_STROKE = 1 OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M_04 = 1), GO TO R05_AX0745.

ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_05 = 1, GO TO R05_AX0112_NB.

ELSE, IF R04_ANY_HEART_CONDITION = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0111_NB[01/_02/_03/_06] = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M[01/_02/_03/_05/_06] = 1), GO TO R05_AX0219.

Variable(s): R05_AX0117_NB

How old were you when you were first told you had a stroke?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R05_AX0256_NB

-7 REFUSED

GO TO R05_AX0256_NB

ASK: New baseline adult respondents who have ever been told they had a stroke.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_04 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AX0117_NB_LC1

The computer recorded that you were [R05_AX0117_NB] years old when you were first told that you had a stroke. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0117_NB

2 NEXT

GO TO R05_AX0745

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_04 = 1 AND (R05_AX0117_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0117_NB > R05R_A_AGE.

ELSE, GO TO R05_AX0745 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0256_NB

When you were first told you had a stroke, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a stroke and did not know or refused to report the age they were first told they had a stroke.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_04 = 1 AND R05_AX0117_NB = -8, -7.

Variable(s): R05_AX0745

[In the past, you told us you had a stroke.

]Do you have any permanent disability as a result of the stroke?

- 1 Yes
- 2 No
- 3 I have never had a stroke
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported having had a stroke as of their last completed interview, or new baseline adult respondents who have ever been told they had a stroke, or continuing adult respondents who have been told they had a stroke in the past 12 months.

ASK Specification: IF R04_STROKE = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0111_NB_04 = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M_04 = 1).

DISPLAY: IF R04_STROKE = 1 AND R05_AX0111_NB_04 != 1 AND R05_AX0111_12M_04 != 1, DISPLAY "In the past, you told us you had a stroke." AND DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR30

New baseline adult respondents who have ever been told they had a heart attack, go to R05_AX0112_NB.

Else, adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months, go to R05_AX0219.

IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_05 = 1, GO TO R05_AX0112_NB.

ELSE, IF R04_ANY_HEART_CONDITION = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0111_NB[_01/_02/_03/_04/_06] = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M[_01/_02/_03/_04/_05/_06] = 1), GO TO R05_AX0219.

Variable(s): R05_AX0112_NB

How old were you when you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AX0252_NB

-7 REFUSED

GO TO R05_AX0252_NB

ASK: New baseline adult respondents who have ever been told they had a heart attack.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_05 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AX0112_NB_LC1

The computer recorded that you were [R05_AX0112_NB] years old when you were first told that you had a heart attack. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0112_NB

2 NEXT

GO TO R05_AX0219

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_05 = 1 AND (R05_AX0112_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0112_NB > R05R_A_AGE.

ELSE, GO TO R05_AX0219 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0252_NB**

When you were first told you had a heart attack (also called myocardial infarction) or needed bypass surgery, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a heart attack and did not know or refused to report the age they were first told they had a heart attack.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0111_NB_05 = 1 AND R05_AX0112_NB = -8, -7.

Variable(s): **R05_AX0219**

In the past 12 months, did you take any [other] heart or blood pressure medications regularly? (Taken regularly means according to a health care provider's instructions.)

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_AXR59 |
| -8 DON'T KNOW | GO TO BOX R05_AXR59 |
| -7 REFUSED | GO TO BOX R05_AXR59 |

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview, or new baseline adult respondents who have ever been told they had any heart condition, or continuing adult respondents who have been told they had any heart condition in the past 12 months.

ASK Specification: IF R04_ANY_HEART_CONDITION = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0111_NB[_01/_02/_03/_04/_05/_06] = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M[_01/_02/_03/_04/_05/_06] = 1).

DISPLAY: IF R05_AX0160_NB = 1 OR R05_AX0160_12M = 1, DISPLAY "other".
ELSE, DO NOT DISPLAY.

BOX ID: **R05_AXD04**

DISPLAY INSTRUCTION:

For R05_AX0159, display a column on the right with a "Yes" and "No" option for each response category.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

What type of heart or blood pressure medications do you regularly take?

- | | |
|-------------------------|---|
| R05_AX0159_01 | 1 Calcium Channel Blocker - for example: nifedipine (Procardia, Adalat), diltiazem (Cardizem), amlodipine (Norvasc), verapamil (Calan), nisoldipine (Sular) |
| R05_AX0159_02 | 2 Beta Blocker - for example: metoprolol (Lopressor), atenolol (Tenormin), propranolol (Inderal) |
| R05_AX0159_03 | 3 Angiotensin Receptor Blocker - for example: losartan (Cozaar), irbesartan (Avapro), valsartan (Diovan), candesartan (Atacand), telmisartan (Micardis), olmesartan (Benicar) |
| R05_AX0159_04 | 4 Ace Inhibitor - for example: enalapril (Vasotec), lisinopril (Zestril, Prinivil), captopril (Capoten), benazepril (Lotensin), quinapril (Accupril), fosinopril (Monopril) |
| R05_AX0159_05*** | 5 Diuretic - for example: furosemide (Lasix), indapamide (Lozol), triamterene (Dyrenium), thiazides (HCTZ), triamterene/HCTZ (Dyazide) |
| R05_AX0159_06*** | 6 Digoxin (Lanoxin) |
| R05_AX0159_07*** | 7 Methyldopa (Aldomet) or Hydralazine (Apresoline) |
| R05_AX0159_08*** | 8 Other antiarrhythmics |
| R05_AX0159_09*** | 9 Some other heart or blood pressure medication |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who reported being diagnosed with any heart condition as of their last completed interview and have taken heart or blood pressure medications regularly in the past 12 months, or new baseline adult respondents who have ever been told they had any heart condition and have taken heart or blood pressure medications regularly in the past 12 months, or continuing adult respondents who had been told they had any heart condition in the past 12 months and have taken heart or blood pressure medications regularly in the past 12 months.

ASK Specification: IF (R04_ANY_HEART_CONDITION = 1 AND R05_AX0219 = 1) OR (R05_ADULTTYPE = 2 AND R05_AX0111_NB[01/02/03/04/05/06] = 1 AND R05_AX0219 = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0111_12M[01/02/03/04/05/06] = 1 AND R05_AX0219 = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AXR59

Adult respondents who are 40 years old or older, go to R05_AX0413.
Else, go to Box R05_AXR115.

IF R05R_A_AGE >= 40, GO TO R05_AX0413.
ELSE, GO TO BOX R05_AXR115.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0413

Do you have pain or heaviness in your lower legs, thighs, buttocks or feet that gets worse with walking or other exercise, and gets better with rest?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R05R_A_AGE >= 40.

Variable(s): R05_AX0410

Has a doctor, nurse, or other health professional ever told you that you had poor circulation or blood flow in your legs, sometimes called peripheral artery disease (PAD) or peripheral vascular disease (PVD)?

- 1 Yes
- 2 No GO TO BOX R05_AXR115
- 8 DON'T KNOW GO TO BOX R05_AXR115
- 7 REFUSED GO TO BOX R05_AXR115

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R05R_A_AGE >= 40.

Variable(s): R05_AX0411

How old were you when you were first told you had PAD or PVD?

- I__I__I Years old
- 8 DON'T KNOW GO TO R05_AX0412
- 7 REFUSED GO TO R05_AX0412

ASK: Adult respondents who are 40 years old or older and have ever been told they had PAD or PVD.

ASK Specification: IF R05R_A_AGE >= 40 AND R05_AX0410 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0411_LC1

The computer recorded that you were [R05_AX0411] years old when you were first told that you had PAD or PVD. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0411

2 NEXT

GO TO BOX R05_AXR115

ASK: IF R05R_A_AGE >= 40 AND R05_AX0410 = 1 AND (R05_AX0411 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0411 > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR115 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0412

When you were first told you had PAD or PVD, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are 40 years old or older and have ever been told they had PAD or PVD and did not know or refused to report the age they were first told they had PAD or PVD.

ASK Specification: IF R05R_A_AGE >= 40 AND R05_AX0410 = 1 AND R05_AX0411 = -8, -7.

BOX ID: R05_AXR115

New baseline adult respondents, go to R05_AX0046_NB.

Else, continuing adult respondents, go to R05_AX0047_12M.

IF R05_ADULTTYPE = 2, GO TO R05_AX0046_NB.

ELSE, IF R05_ADULTTYPE = 1, GO TO R05_AX0047_12M.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0046_NB

Have you ever had wheezing or whistling in the chest at any time in the past?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AX0052 |
| -8 | DON'T KNOW | GO TO R05_AX0052 |
| -7 | REFUSED | GO TO R05_AX0052 |

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

DISPLAY: UNDERLINE "ever".

Variable(s): R05_AX0047_12M

Have you had wheezing or whistling in the chest in the past 12 months?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AX0052 |
| -8 | DON'T KNOW | GO TO R05_AX0052 |
| -7 | REFUSED | GO TO R05_AX0052 |

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past, or continuing adult respondents.

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_AX0046_NB = 1) OR R05_ADULTTYPE = 1.

DISPLAY: UNDERLINE "past 12 months".

Variable(s): R05_AX0048

How many attacks of wheezing have you had in the past 12 months?

- | | |
|----|--------------|
| 1 | None |
| 2 | 1 to 3 |
| 3 | 4 to 12 |
| 4 | More than 12 |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_AX0046_NB = 1 AND R05_AX0047_12M = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0047_12M = 1).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0049

In the past 12 months, how often, on average has your sleep been disturbed due to wheezing?

- 1 Never woken with wheezing
- 2 Less than one night per week
- 3 One or more nights per week
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_AX0046_NB = 1 AND R05_AX0047_12M = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0047_12M = 1).

Variable(s): R05_AX0050

In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing adult respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_AX0046_NB = 1 AND R05_AX0047_12M = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0047_12M = 1).

Variable(s): R05_AX0052

In the past 12 months, has your chest sounded wheezy during or after exercise?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0053

A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_AXR31

New baseline adult respondents, go to R05_AX0119_NB.

Else, continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months, go to R05_AX0119_12M.
Else, go to Box R05_AXR63.

IF R05_ADULTTYPE = 2, GO TO R05_AX0119_NB.

ELSE, IF R05_ADULTTYPE = 1 AND R05_AX0001 != 2, GO TO R05_AX0119_12M.

ELSE, GO TO BOX R05_AXR63.

Variable(s): SEE BELOW:

Has a doctor, nurse or other health professional ever told you that you had any of the following lung or respiratory conditions? Choose all that apply.

- R05_AX0119_NB_01 1 COPD
- R05_AX0119_NB_02 2 Chronic bronchitis
- R05_AX0119_NB_03 3 Emphysema
- R05_AX0119_NB_04 4 Asthma
- R05_AX0119_NB_05 5 Some other lung or respiratory condition
- R05_AX0119_NB_06 6 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

PROGRAM: Option 6 cannot be selected if any option 1 through 5 is selected.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR32

New baseline adult respondents who have ever been told they had COPD, go to R05_AX0120_NB.
Else, new baseline adult respondents who have ever been told they had chronic bronchitis or emphysema, go to Box R05_AXR33.
Else, go to Box R05_AXV09.

IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_01 = 1, GO TO R05_AX0120_NB.
ELSE, IF R05_ADULTTYPE = 2 AND (R05_AX0119_NB_02 = 1 OR R05_AX0119_NB_03 = 1), GO TO BOX R05_AXR33.
ELSE, GO TO BOX R05_AXV09.

Variable(s): SEE BELOW:

In the past 12 months, has a doctor, nurse or other health professional told you that you had any of the following lung or respiratory conditions? Choose all that apply.

- R05_AX0119_12M_01 1 COPD
- R05_AX0119_12M_02 2 Chronic bronchitis
- R05_AX0119_12M_03 3 Emphysema
- R05_AX0119_12M_04 4 Asthma
- R05_AX0119_12M_05 5 Some other lung or respiratory condition
- R05_AX0119_12M_06 6 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse or other health professional in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0001 != 2.

PROGRAM: Option 6 cannot be selected if any option 1 through 5 is selected.

BOX ID: R05_AXR63

Adult respondents who reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview, or continuing adult respondents who have been told they had COPD, chronic bronchitis, or emphysema in the past 12 months, go to Box R05_AXR33.
Else, go to Box R05_AXV09.

IF R04_LUNGCOND = 1 OR (R05_ADULTTYPE = 1 AND (R05_AX0119_12M_01 = 1 OR R05_AX0119_12M_02 = 1 OR R05_AX0119_12M_03 = 1)), GO TO BOX R05_AXR33.
ELSE, GO TO BOX R05_AXV09.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0120_NB

How old were you when you were first told you had COPD?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AX0257_NB

-7 REFUSED

GO TO R05_AX0257_NB

ASK: New baseline adult respondents who have ever been told they had COPD.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_01 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AX0120_NB_LC1

The computer recorded that you were [R05_AX0120_NB] years old when you were first told that you had COPD. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0120_NB

2 NEXT

GO TO BOX R05_AXR33

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_01 = 1 AND (R05_AX0120_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0120_NB > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR33 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0257_NB

When you were first told you had COPD, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had COPD and did not know or refused to report the age they were first told they had COPD.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_01 = 1 AND R05_AX0120_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR33

New baseline adult respondents who have ever been told they had chronic bronchitis, go to R05_AX0121_NB.
Else, go to Box R05_AXR35.

IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_02 = 1, GO TO R05_AX0121_NB.
ELSE, GO TO BOX R05_AXR35.

Variable(s): R05_AX0121_NB

How old were you when you were first told you had chronic bronchitis?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AX0258_NB

-7 REFUSED

GO TO R05_AX0258_NB

ASK: New baseline adult respondents who have ever been told they had chronic bronchitis.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_02 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AX0121_NB_LC1

The computer recorded that you were [R05_AX0121_NB] years old when you were first told that you had chronic bronchitis. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0121_NB

2 NEXT

GO TO BOX R05_AXR35

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_02 = 1 AND (R05_AX0121_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0121_NB > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR35 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0258_NB

When you were first told you had chronic bronchitis, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had chronic bronchitis and did not know or refused to report the age they were first told they had chronic bronchitis.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_02 = 1 AND R05_AX0121_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR35

New baseline adult respondents who have ever been told they had emphysema, go to R05_AX0123_NB.

Else, adult respondents who reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview, or new baseline adult respondents who have ever been told they had COPD, chronic bronchitis, or emphysema, or continuing adult respondents who have been told they had COPD, chronic bronchitis, or emphysema in the past 12 months, go to R05_AX0733.
Else, go to Box R05_AXV09.

IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_03 = 1, GO TO R05_AX0123_NB.
ELSE, IF R04_LUNGCOND = 1 OR (R05_ADULTTYPE = 2 AND (R05_AX0119_NB_01 = 1 OR R05_AX0119_NB_02 = 1 OR R05_AX0119_NB_03 = 1)) OR (R05_ADULTTYPE = 1 AND (R05_AX0119_12M_01 = 1 OR R05_AX0119_12M_02 = 1 OR R05_AX0119_12M_03 = 1)), GO TO R05_AX0733.
ELSE, GO TO BOX R05_AXV09.

Variable(s): R05_AX0123_NB

How old were you when you were first told you had emphysema?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AX0259_NB

-7 REFUSED

GO TO R05_AX0259_NB

ASK: New baseline adult respondents who have ever been told they had emphysema.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_03 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AX0123_NB_LC1

The computer recorded that you were [R05_AX0123_NB] years old when you were first told that you had emphysema. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0123_NB

2 NEXT

GO TO R05_AX0733

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_03 = 1 AND (R05_AX0123_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0123_NB > R05R_A_AGE.

ELSE, GO TO R05_AX0733 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0259_NB

When you were first told you had emphysema, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had emphysema and did not know or refused to report the age they were first told they had emphysema.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_03 = 1 AND R05_AX0123_NB = -8, -7.

Variable(s): R05_AX0733

[In the past, you told us you had COPD, chronic bronchitis, or emphysema.

]Are you troubled by shortness of breath when hurrying on level ground or walking up a slight hill?

- 1 Yes
- 2 No GO TO BOX R05_AXV09
- 3 I have never had COPD, chronic bronchitis, GO TO BOX R05_AXV09
or emphysema
- 8 DON'T KNOW GO TO BOX R05_AXV09
- 7 REFUSED GO TO BOX R05_AXV09

ASK: Adult respondents who reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview, or new baseline adult respondents who have ever been told they had COPD, chronic bronchitis, or emphysema, or continuing adult respondents who have been told they had COPD, chronic bronchitis, or emphysema in the past 12 months.

ASK Specification: IF R04_LUNGCOND = 1 OR (R05_ADULTTYPE = 2 AND (R05_AX0119_NB_01 = 1 OR R05_AX0119_NB_02 = 1 OR R05_AX0119_NB_03 = 1)) OR (R05_ADULTTYPE = 1 AND (R05_AX0119_12M_01 = 1 OR R05_AX0119_12M_02 = 1 OR R05_AX0119_12M_03 = 1)).

DISPLAY: IF R04_LUNGCOND = 1 AND R05_AX0119_NB_01 != 1 AND R05_AX0119_NB_02 != 1 AND R05_AX0119_NB_03 != 1 AND R05_AX0119_12M_01 != 1 AND R05_AX0119_12M_02 != 1 AND R05_AX0119_12M_03 != 1, DISPLAY "In the past, you told us you had COPD, chronic bronchitis, or emphysema." AND DISPLAY OPTION 3.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

BOX ID: R05_AXD15

BOX – DISPLAY INSTRUCTIONS

For R05_AX0734, display a "Yes" and "No" column with options for each response category.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Do you ever...

- | | |
|----------------------|---|
| R05_AX0734_01 | 1 have to walk slower than people your age on level ground because of breathlessness? |
| R05_AX0734_02 | 2 have to stop for breath when walking at your own pace on level ground? |
| R05_AX0734_03 | 3 have to stop for breath after walking about 100 yards (or after a few minutes) on level ground? |
| R05_AX0734_04 | 4 get too breathless to leave the house or breathless on dressing or undressing? |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who reported being diagnosed with COPD, chronic bronchitis, or emphysema as of their last completed interview and have shortness of breath, or new baseline adult respondents who have ever been told they had COPD, chronic bronchitis, or emphysema and have shortness of breath, or continuing adult respondents who have been told they have COPD, chronic bronchitis, or emphysema in the past 12 months and have shortness of breath.

ASK Specification: IF (R04_LUNGCOND = 1 AND R05_AX0733 = 1) OR (R05_ADULTTYPE = 2 AND (R05_AX0119_NB_01 = 1 OR R05_AX0119_NB_02 = 1 OR R05_AX0119_NB_03 = 1) AND R05_AX0733 = 1) OR (R05_ADULTTYPE = 1 AND (R05_AX0119_12M_01 = 1 OR R05_AX0119_12M_02 = 1 OR R05_AX0119_12M_03 = 1) AND R05_AX0733 = 1).

BOX ID: R05_AXV09

PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLE (SEE APPENDIX):

R05_ADULT_LUNGCOND = Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

R05_ADULT_LUNGCOND:

IF (R05_AX0119_NB_01 = 1 OR R05_AX0119_NB_02 = 1 OR R05_AX0119_NB_03 = 1 OR R05_AX0119_12M_01 = 1 OR R05_AX0119_12M_02 = 1 OR R05_AX0119_12M_03 = 1 OR R04_LUNGCOND = 1) AND R05_AX0733 != 3, THEN R05_ADULT_LUNGCOND = 1. ELSE, R05_ADULT_LUNGCOND = 2.

BOX ID: R05_AXR09

Adult respondents who have ever had COPD, chronic bronchitis, or emphysema, go to R05_AX0735. Else, go to Box R05_AXR37.

IF R05_ADULT_LUNGCOND = 1, GO TO R05_AX0735. ELSE, GO TO BOX R05_AXR37.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0735

In the past 2 weeks, on how many days or nights have you been troubled by shortness of breath?

- 1 None
- 2 1 to 2 days or nights
- 3 3 to 6 days or nights
- 4 7 to 13 days or nights
- 5 Every day or night
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05_ADULT_LUNGCOND = 1.

DISPLAY: UNDERLINE "past 2 weeks".

Variable(s): R05_AX0736

In the past 5 years, have you been admitted to a hospital, emergency room, or urgent care center due to COPD, chronic bronchitis, or emphysema?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05_ADULT_LUNGCOND = 1.

DISPLAY: UNDERLINE "past 5 years".

Variable(s): R05_AX0737

In the past 5 years, have you been intubated (had a tube inserted to assist with breathing) because of your COPD, chronic bronchitis, or emphysema?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05_ADULT_LUNGCOND = 1.

DISPLAY: UNDERLINE "past 5 years".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR37

New baseline adult respondents who have ever been told they had asthma, go to R05_AX0124_NB.
Else, adult respondents who reported being diagnosed with asthma as of their last completed interview, or continuing adult respondents who have been told they have asthma in the past 12 months, go to R05_AX0227.
Else, go to Box R05_AXV03.

IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_04 = 1, GO TO R05_AX0124_NB.
ELSE, IF R04_ASTHMA = 1 OR (R05_ADULTTYPE = 1 AND R05_AX0119_12M_04 = 1), GO TO R05_AX0227.
ELSE, GO TO BOX R05_AXV03.

Variable(s): R05_AX0124_NB

How old were you when you were first told you had asthma?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R05_AX0260_NB

-7 REFUSED

GO TO R05_AX0260_NB

ASK: New baseline adult respondents who have ever been told they had asthma.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_04 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AX0124_NB_LC1

The computer recorded that you were [R05_AX0124_NB] years old when you were first told that you had asthma. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0124_NB

2 NEXT

GO TO R05_AX0227

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_04 = 1 AND (R05_AX0124 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0124 > R05R_A_AGE.

ELSE, GO TO R05_AX0227 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0260_NB

When you were first told you had asthma, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had asthma and did not know or refused to report the age they were first told they had asthma.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0119_NB_04 = 1 AND R05_AX0124_NB = -8, -7.

Variable(s): R05_AX0227

[In the past, you told us you had asthma.

]In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school, or at home?

- 1 All of the time
- 2 Most of the time
- 3 Some of the time
- 4 A little of the time
- 5 None of the time
- 6 I have never had asthma
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who reported being diagnosed with asthma as of their last completed interview, or new baseline adult respondents who have ever been told they had asthma, or continuing adult respondents who have been told they have asthma in the past 12 months.

ASK Specification: IF R04_ASTHMA = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0119_NB_04 = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0119_12M_04 = 1).

DISPLAY: IF R04_ASTHMA = 1 AND R05_AX0119_NB_04 != 1 AND R05_AX0119_12M_04 != 1, DISPLAY "In the past, you told us you had asthma." AND DISPLAY OPTION 6.
ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 6.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXV03
PROGRAM - CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):
R05_ADULT_ASTHMA = Adult respondents who have ever had asthma.
R05_ADULT_ASTHMA: IF (R04_ASTHMA = 1 OR R05_AX0119_NB_04 = 1 OR R05_AX0119_12M_04 = 1) AND R05_AX0227 != 6, THEN R05_ADULT_ASTHMA = 1. ELSE, R05_ADULT_ASTHMA = 2.

BOX ID: R05_AXR08
Adult respondents who have ever had asthma, go to R05_AX0228. Else, adult respondents who have ever had COPD, chronic bronchitis, or emphysema, go to R05_AX0283. Else, go to Box R05_AXR116.
IF R05_ADULT_ASTHMA = 1, GO TO R05_AX0228. ELSE, IF R05_ADULT_LUNGCOND = 1, GO TO R05_AX0283. ELSE, GO TO BOX R05_AXR116.

Variable(s): R05_AX0228
In the <u>past 30 days</u> , how often have you had shortness of breath? 1 More than once a day 2 Once a day 3 3-6 times a week 4 Once or twice a week 5 None at all -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have ever had asthma. ASK Specification: IF R05_ADULT_ASTHMA = 1. DISPLAY: UNDERLINE "past 30 days".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0229

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness, or pain) wake you up at night or earlier than usual in the morning?

- 1 4 or more nights a week
- 2 2 or 3 nights
- 3 Once a week
- 4 Once or twice
- 5 None at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R05_ADULT_ASTHMA = 1.

Variable(s): R05_AX0283

In the past 12 months, did you take any medications regularly for COPD, chronic bronchitis, emphysema, or asthma? (Taken regularly means according to a health care provider's instructions.)

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma or have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05_ADULT_ASTHMA = 1 OR R05_ADULT_LUNGCOND = 1.

DISPLAY: UNDERLINE "past 12 months".

BOX ID: R05_AXR97

Adult respondents who have ever had asthma and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months, go to Box R05_AXD05.
Else, adult respondents who have ever had asthma, go to R05_AX0125.
Else, go to Box R05_AXR07.

IF R05_ADULT_ASTHMA = 1 AND R05_AX0283 = 1, GO TO BOX R05_AXD05.
ELSE, IF R05_ADULT_ASTHMA = 1, GO TO R05_AX0125.
ELSE, GO TO BOX R05_AXR07.

BOX ID: R05_AXD05

DISPLAY INSTRUCTION: For R05_AX0128, display as a stem and leaf question. For each leaf, display a yes/no response.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 12 months, which of the following medications did you regularly take for asthma?

- | | |
|----------------------|---|
| R05_AX0128_01 | 1 Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent) |
| R05_AX0128_02 | 2 Controller or long-acting inhaler including steroid inhaler – for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair) |
| R05_AX0128_03 | 3 Other controlling medication – for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp) |
| R05_AX0128_05 | 5 Oxygen therapy |
| R05_AX0128_06 | 6 Some other asthma medication |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who have ever had asthma and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R05_ADULT_ASTHMA = 1 AND R05_AX0283 = 1.

DISPLAY: UNDERLINE "for asthma".

Variable(s): R05_AX0125

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?

Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AX0127 |
| -8 DON'T KNOW | GO TO R05_AX0127 |
| -7 REFUSED | GO TO R05_AX0127 |

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R05_ADULT_ASTHMA = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0126

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

|_|_|_|_|

-8 DON'T KNOW

GO TO R05_AX0127

-7 REFUSED

GO TO R05_AX0127

ASK: Adult respondents who have ever had asthma and had an asthma attack in the past 12 months that required use of an oral or injected steroid medication.

ASK Specification: IF R05_ADULT_ASTHMA = 1 AND R05_AX0125 = 1.

PROGRAM: Allow 3 digits.

CHECK ID: R05_AX0126_LC1

The computer recorded that you had [R05_AX0126] asthma attacks in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0126

2 NEXT

GO TO R05_AX0126_LC2

ASK: IF R05_ADULT_ASTHMA = 1 AND R05_AX0125 = 1 AND R05_AX0126 > 100.

PROGRAM: TRIGGER CHECK IF R05_AX0126 > 100.

ELSE, GO TO R05_AX0126_LC2 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0126_LC2

The computer recorded "0" for the number of asthma attacks you had in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0126

2 NEXT

GO TO R05_AX0127

ASK: IF R05_ADULT_ASTHMA = 1 AND R05_AX0125 = 1 AND R05_AX0126 = 0.

PROGRAM: TRIGGER CHECK IF R05_AX0126 = 0.

ELSE, GO TO R05_AX0127 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0127

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AX0230 |
| -8 | DON'T KNOW | GO TO R05_AX0230 |
| -7 | REFUSED | GO TO R05_AX0230 |

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R05_ADULT_ASTHMA = 1.

Variable(s): R05_AX0282

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

- | | | |
|----|------------|------------------|
| | _ _ _ _ | |
| -8 | DON'T KNOW | GO TO R05_AX0230 |
| -7 | REFUSED | GO TO R05_AX0230 |

ASK: Adult respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R05_ADULT_ASTHMA = 1 AND R05_AX0127 = 1.

PROGRAM: Allow 3 digits.

CHECK ID: R05_AX0282_LC1

The computer recorded that you have visited an emergency room or urgent care center [R05_AX0282] times in the past 12 months because of asthma. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|------------------|
| 1 | BACK | GO TO R05_AX0282 |
| 2 | NEXT | GO TO R05_AX0230 |

ASK: IF R05_ADULT_ASTHMA = 1 AND R05_AX0127 = 1 AND R05_AX0282 > 20.

PROGRAM: TRIGGER CHECK IF R05_AX0282 > 20.

ELSE, GO TO R05_AX0230 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0230

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

- 1 3 or more times per day
- 2 1 or 2 times per day
- 3 2 or 3 times per week
- 4 Once a week or less
- 5 Not at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R05_ADULT_ASTHMA = 1.

DISPLAY: UNDERLINE "In the past 30 days".

Variable(s): R05_AX0231

How would you rate your asthma control during the past 30 days?

- 1 Not controlled at all
- 2 Poorly controlled
- 3 Somewhat controlled
- 4 Well controlled
- 5 Completely controlled
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had asthma.

ASK Specification: IF R05_ADULT_ASTHMA = 1.

BOX ID: R05_AXR07

Adult respondents who have ever had COPD, chronic bronchitis, or emphysema and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months, go to R05_AX0749.

Else, adult respondents who have ever had COPD, chronic bronchitis, or emphysema, go to R05_AX0751.

Else, go to Box R05_AXR116.

IF R05_ADULT_LUNGCOND = 1 AND R05_AX0283 = 1, GO TO R05_AX0749.

ELSE, IF R05_ADULT_LUNGCOND = 1, GO TO R05_AX0751.

ELSE, GO TO BOX R05_AXR116.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 2 weeks, which of the following medications did you regularly take for COPD, chronic bronchitis, or emphysema? Choose all that apply.

- | | |
|----------------------|---|
| R05_AX0749_01 | 1 Quick relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent) |
| R05_AX0749_02 | 2 Long-acting inhaler – for example: salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair) |
| R05_AX0749_03 | 3 Inhaled corticosteroid – for example: beclomethasone (Qvar), fluticasone (Flovent), budesonide (Pulmicort), or mometasone (Asmanex) |
| R05_AX0749_04 | 4 Some other COPD, chronic bronchitis, or emphysema medication |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema and have taken any medications regularly for COPD, chronic bronchitis, emphysema, or asthma in the past 12 months.

ASK Specification: IF R05_ADULT_LUNGCOND = 1 AND R05_AX0283 = 1.

DISPLAY: UNDERLINE "past 2 weeks" AND "for COPD, chronic bronchitis, or emphysema".

PROGRAM: Allow respondents to choose all that apply.

Variable(s): R05_AX0751

Are you currently using home oxygen therapy (day or night) for your COPD, chronic bronchitis, or emphysema?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05_ADULT_LUNGCOND = 1.

Variable(s): R05_AX0750

In the past 12 months, how many times have you been on antibiotics for a lung-related infection such as bronchitis or pneumonia?

|_|_|_|

-8 DON'T KNOW

GO TO BOX R05_AXR116

-7 REFUSED

GO TO BOX R05_AXR116

ASK: Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.

ASK Specification: IF R05_ADULT_LUNGCOND = 1.

DISPLAY: UNDERLINE "past 12 months".

PROGRAM: Allow 3 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0750_LC1

The computer recorded that you have been on antibiotics for a lung-related infection [R05_AX0750] times in the past 12 months. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0750

2 NEXT

GO TO BOX R05_AXR116

ASK: IF R05_ADULT_LUNGCOND = 1 AND R05_AX0750 > 50.

PROGRAM: TRIGGER CHECK IF R05_AX0750 > 50.

ELSE, GO TO BOX R05_AXR116 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_AXR116

Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths, go to R05_AX0414. Else, go to R05_AX0726.

IF R05_ADULT_ASTHMA = 2 AND R05_ADULT_LUNGCOND = 2 AND (R05_AX0049 = 3 OR R05_AX0050 = 1), GO TO R05_AX0414.
ELSE, GO TO R05_AX0726.

Variable(s): R05_AX0414

In the past 12 months, did you take any medications regularly for wheezing? (Taken regularly means according to a health care provider's instructions.)

1 Yes

2 No

GO TO R05_AX0726

-8 DON'T KNOW

GO TO R05_AX0726

-7 REFUSED

GO TO R05_AX0726

ASK: Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths.

ASK Specification: IF R05_ADULT_ASTHMA = 2 AND R05_ADULT_LUNGCOND = 2 AND (R05_AX0049 = 3 OR R05_AX0050 = 1).

BOX ID: R05_AXD09

DISPLAY INSTRUCTION: For R05_AX0415, display as a stem and leaf question. For each leaf, display a yes/no response.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 12 months, which of the following medications did you regularly take for wheezing?

- | | |
|----------------------|---|
| R05_AX0415_01 | 1 Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent) |
| R05_AX0415_02 | 2 Controller or long-acting inhaler including steroid inhaler – for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair) |
| R05_AX0415_03 | 3 Other controlling medication – for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp) |
| R05_AX0415_04 | 4 Oxygen therapy |
| R05_AX0415_05 | 5 Some other wheezing medication |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who have never had asthma and have never had COPD, chronic bronchitis, or emphysema and whose sleep has been disturbed due to wheezing one or more nights per week or whose speech has been limited to only one or two words between breaths and have take any medications regularly for wheezing.

ASK Specification: IF R05_ADULT_ASTHMA = 2 AND R05_ADULT_LUNGCOND = 2 AND (R05_AX0049 = 3 OR R05_AX0050 = 1) AND R05_AX0414 = 1.

Variable(s): R05_AX0726

Overall, how would you rate the health of your teeth and gums?

- 1 Excellent
- 2 Very good
- 3 Good
- 4 Fair
- 5 Poor
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR99

New baseline adult respondents, go to R05_AX0760_NB.
 Else, continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months, go to R05_AX0760_12M.
 Else, go to Box R05_AXR98.

IF R05_ADULTTYPE = 2, GO TO R05_AX0760_NB.
 ELSE, IF R05_ADULTTYPE = 1 AND R05_AX0002 != 2, GO TO R05_AX0760_12M.
 ELSE, GO TO BOX R05_AXR98.

Variable(s): R05_AX0760_NB

Have you ever had your teeth cleaned by a dentist, hygienist, or other health professional?

- | | |
|---------------|---------------------|
| 1 Yes | GO TO R05_AX0729 |
| 2 No | GO TO BOX R05_AXR98 |
| -8 DON'T KNOW | GO TO BOX R05_AXR98 |
| -7 REFUSED | GO TO BOX R05_AXR98 |

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0760_12M

In the past 12 months, have you had your teeth cleaned by a dentist, hygienist, or other health professional?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_AXR98 |
| -8 DON'T KNOW | GO TO BOX R05_AXR98 |
| -7 REFUSED | GO TO BOX R05_AXR98 |

ASK: Continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0002 != 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0729_NN; R05_AX0729_UN

How long has it been since you had your teeth cleaned by a dentist, hygienist, or other health professional? (If it was earlier today, enter 1 day)

- 1 |__|__| DAYS
- 2 |__|__| MONTHS
- 3 |__|__| YEARS
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever had their teeth cleaned, or continuing adult respondents who have had their teeth cleaned in the past 12 months.

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_AX0760_NB = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0760_12M = 1).

PROGRAM: Display as Quantity/Units.
Allow 2 digits.

NOTES: The value "1" refers R05_AX0729_UN = Days; the value "2" refers to R05_AX0729_UN = Months; the value "3" refers to R05_AX0729_UN = Years.

BOX ID: R05_AXR98

New baseline adult respondents, go to R05_AX0693_NB.
Else, continuing adult respondents, go to R05_AX0693_12M.

IF R05_ADULTTYPE = 2, GO TO R05_AX0693_NB.
ELSE, IF R05_ADULTTYPE = 1, GO TO R05_AX0693_12M.

Variable(s): R05_AX0693_NB

Have you ever observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

- | | |
|---------------|---------------------|
| 1 Yes | GO TO R05_AX0695_NB |
| 2 No | GO TO R05_AX0695_NB |
| -8 DON'T KNOW | GO TO R05_AX0695_NB |
| -7 REFUSED | GO TO R05_AX0695_NB |

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0693_12M

In the past 12 months, have you observed any bleeding after brushing or flossing, or due to other conditions in your mouth?

- | | |
|---------------|----------------------|
| 1 Yes | GO TO R05_AX0695_12M |
| 2 No | GO TO R05_AX0695_12M |
| -8 DON'T KNOW | GO TO R05_AX0695_12M |
| -7 REFUSED | GO TO R05_AX0695_12M |

ASK: Continuing adult respondents.

ASK Specification: IF R05_ADULTTYPE = 1.

Variable(s): R05_AX0695_NB

How many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics.

- | | |
|--------------------------|---------------------|
| 1 None | GO TO R05_AX0694_NB |
| 2 1 to 5 | GO TO R05_AX0694_NB |
| 3 6 or more, but not all | GO TO R05_AX0694_NB |
| 4 All | GO TO R05_AX0694_NB |
| -8 DON'T KNOW | GO TO R05_AX0694_NB |
| -7 REFUSED | GO TO R05_AX0694_NB |

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0695_12M

In the past 12 months, how many of your permanent teeth have been removed because of tooth decay or gum disease? Include teeth lost to infection, but do not include teeth lost for other reasons, such as injury or orthodontics.

- | | |
|--------------------------|----------------------|
| 1 None | GO TO R05_AX0694_12M |
| 2 1 to 5 | GO TO R05_AX0694_12M |
| 3 6 or more, but not all | GO TO R05_AX0694_12M |
| 4 All | GO TO R05_AX0752 |
| -8 DON'T KNOW | GO TO R05_AX0694_12M |
| -7 REFUSED | GO TO R05_AX0694_12M |

ASK: Continuing adult respondents.

ASK Specification: IF R05_ADULTTYPE = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0694_NB

Have you ever had any teeth become loose on their own, without an injury?

- | | |
|---------------|------------------|
| 1 Yes | GO TO R05_AX0752 |
| 2 No | GO TO R05_AX0752 |
| -8 DON'T KNOW | GO TO R05_AX0752 |
| -7 REFUSED | GO TO R05_AX0752 |

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0694_12M

In the past 12 months, have you had any teeth become loose on their own, without an injury?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0695_12M = 1, 2, 3, -8, -7.

Variable(s): R05_AX0752

In the past 12 months, how often have you had pain anywhere in your mouth?

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AX0754

In the past 12 months, have you noticed sores inside your mouth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR62

Adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease, go to R05_AX0753.
Else, go to Box R05_AXR100.

IF R05_AX0695_NB = 1, 2, 3, -8, -7 OR R05_AX0695_12M = 1, 2, 3, -8, -7, GO TO R05_AX0753.
ELSE, GO TO BOX R05_AXR100.

Variable(s): R05_AX0753

In the past 12 months, have you noticed dark spots on your teeth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease.

ASK Specification: IF R05_AX0695_NB = 1, 2, 3, -8, -7 OR R05_AX0695_12M = 1, 2, 3, -8, -7.

BOX ID: R05_AXR65

Adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months and whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease, go to R05_AX0755.
Else, go to R05_AX0725.

IF R05_AX0002 != 2 AND (R05_AX0695_NB = 1, 2, 3, -8, -7 OR R05_AX0695_12M = 1, 2, 3, -8, -7),
GO TO R05_AX0755.
ELSE, GO TO R05_AX0725.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0755

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you have a cavity?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months and whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease.

ASK Specification: IF R05_AX0002 != 2 AND (R05_AX0695_NB = 1, 2, 3, -8, -7 OR R05_AX0695_12M = 1, 2, 3, -8, -7).

Variable(s): R05_AX0725

How many times do you brush your teeth in one day?

- 2 I do not brush my teeth every day
I ___ I ___ Times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease.

ASK Specification: IF R05_AX0695_NB = 1, 2, 3, -8, -7 OR R05_AX0695_12M = 1, 2, 3, -8, -7.

DISPLAY: DISPLAY "Times" AS A TITLE.

PROGRAM: Allow 2 digits.

Variable(s): R05_AX0696

Aside from brushing your teeth with a toothbrush, in the last seven days, how many times did you use dental floss or any other device to clean between your teeth?

- I ___ I ___ Times
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents whose permanent teeth have not all been removed because of tooth decay or gum disease or did not know or refused to report how many of their permanent teeth have been removed because of tooth decay or gum disease.

ASK Specification: IF R05_AX0695_NB = 1, 2, 3, -8, -7 OR R05_AX0695_12M = 1, 2, 3, -8, -7.

DISPLAY: DISPLAY "Times" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR100

New baseline adult respondents, go to R05_AX0727_NB.
 Else, continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months, go to R05_AX0727_12M.
 Else, go to Box R05_AXR25.

IF R05_ADULTTYPE = 2, GO TO R05_AX0727_NB.
 ELSE, IF R05_ADULTTYPE = 1 AND R05_AX0002 != 2, GO TO R05_AX0727_12M.
 ELSE, GO TO BOX R05_AXR25.

Variable(s): R05_AX0727_NB

Have you ever been told by a dentist, hygienist, or other health professional that you lost bone around your teeth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0129_NB

Have you ever been told by a dentist, hygienist, or other health professional that you have gum disease?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO R05_AX0130_NB |
| -8 DON'T KNOW | GO TO R05_AX0130_NB |
| -7 REFUSED | GO TO R05_AX0130_NB |

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0131_NB

How old were you when you were first told you had gum disease?

- | | |
|-----------------------|---------------------|
| I ___ I ___ Years old | |
| -8 DON'T KNOW | GO TO R05_AX0261_NB |
| -7 REFUSED | GO TO R05_AX0261_NB |

ASK: New baseline adult respondents who have ever been told they had gum disease.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0129_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0131_NB_LC1

The computer recorded that you were [R05_AX0131_NB] years old when you were first told that you had gum disease. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0131_NB

2 NEXT

GO TO R05_AX0130_NB

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0129_NB = 1 AND (R05_AX0131_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0131_NB > R05R_A_AGE.

ELSE, GO TO R05_AX0130_NB AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0261_NB

When you were first told you had gum disease, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had gum disease and did not know or refused to report the age they were first told they had gum disease.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0129_NB = 1 AND R05_AX0131_NB = -8, -7.

Variable(s): R05_AX0130_NB

Have you ever had treatment for [gum disease/your gums] such as scaling and root planing, sometimes called deep cleaning?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

DISPLAY: IF R05_AX0129_NB = 1, DISPLAY "gum disease".

ELSE, DISPLAY "your gums".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0132_NB

Have you ever been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_AXR25 |
| -8 | DON'T KNOW | GO TO BOX R05_AXR25 |
| -7 | REFUSED | GO TO BOX R05_AXR25 |

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0133_NB

How old were you when you were first told you had pre-cancerous oral lesions?

- | | | |
|----|-------------------|---------------------|
| | I__ __ Years old | |
| -8 | DON'T KNOW | GO TO R05_AX0262_NB |
| -7 | REFUSED | GO TO R05_AX0262_NB |

ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0132_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AX0133_NB_LC1

The computer recorded that you were [R05_AX0133_NB] years old when you were first told that you had pre-cancerous oral lesions. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | | |
|---|------|---------------------|
| 1 | BACK | GO TO R05_AX0133_NB |
| 2 | NEXT | GO TO R05_AX0719 |

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0132_NB = 1 AND (R05_AX0133_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0133_NB > R05R_A_AGE.

ELSE, GO TO R05_AX0719 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0262_NB

When you were first told you had pre-cancerous oral lesions, were you...

- | | | |
|----|-------------------------|------------------|
| 1 | Less than 18 years old, | GO TO R05_AX0719 |
| 2 | 18 to 24 years old, | GO TO R05_AX0719 |
| 3 | 25 to 34 years old, | GO TO R05_AX0719 |
| 4 | 35 to 44 years old, | GO TO R05_AX0719 |
| 5 | 45 to 54 years old, or | GO TO R05_AX0719 |
| 6 | 55 years old or older? | GO TO R05_AX0719 |
| -8 | DON'T KNOW | GO TO R05_AX0719 |
| -7 | REFUSED | GO TO R05_AX0719 |

ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions and did not know or refused to report the age they were first told they had pre-cancerous oral lesions.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0132_NB = 1 AND R05_AX0133_NB = -8, -7.

Variable(s): R05_AX0727_12M

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you lost bone around your teeth?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0002 != 2.

Variable(s): R05_AX0129_12M

In the past 12 months, have you been told by a dentist, hygienist, or other health professional that you have gum disease?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0002 != 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0130_12M

In the past 12 months, have you had treatment for [gum disease/your gums] such as scaling and root planing, sometimes called deep cleaning?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0002 != 2.

DISPLAY: IF R05_AX0129_12M = 1, DISPLAY "gum disease".
ELSE, DISPLAY "your gums".

Variable(s): R05_AX0132_12M

In the past 12 months, have you been told by a doctor, dentist, or other health professional that you have pre-cancerous oral lesions?

- 1 Yes
 - 2 No
 - 8 DON'T KNOW
 - 7 REFUSED
- GO TO BOX R05_AXR25
GO TO BOX R05_AXR25
GO TO BOX R05_AXR25

ASK: Continuing adult respondents who have seen a dentist in the past 12 months or did not know or refused to report whether they have seen a dentist in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0002 != 2.

Variable(s): R05_AX0719

Does your oral lesion require treatment?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had pre-cancerous oral lesions, or continuing adult respondents who have been told they had pre-cancerous oral lesions in the past 12 months.

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_AX0132_NB = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0132_12M = 1).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR25

New baseline adult respondents go to R05_AX0281_NB.
Else, continuing adult respondents go to R05_AX0281_12M.

IF R05_ADULTTYPE = 2, GO TO R05_AX0281_NB.
ELSE, IF R05_ADULTTYPE = 1, GO TO R05_AX0281_12M.

Variable(s): R05_AX0281_NB

Have you ever been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?
[Do not include gestational diabetes or diabetes that was only present during pregnancy.]

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

GO TO BOX R05_AXR83

GO TO BOX R05_AXR83

GO TO BOX R05_AXR83

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

DISPLAY: IF R05R_A_SEX = 2, DISPLAY "Do not include gestational diabetes or diabetes that was only present during pregnancy."

ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R05_AX0280_NB

How old were you when you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

I ___ I ___ Years old

-8 DON'T KNOW

-7 REFUSED

GO TO R05_AX0263_NB

GO TO R05_AX0263_NB

ASK: New baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0281_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0280_NB_LC1

The computer recorded that you were [R05_AX0280_NB] years old when you were first told that you had diabetes. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|---------------------|
| 1 BACK | GO TO R05_AX0280_NB |
| 2 NEXT | GO TO BOX R05_AXR83 |

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0281_NB = 1 AND (R05_AX0280_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0280_NB > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR83 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0263_NB

When you were first told you had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, were you...

- | | |
|---------------------------|---------------------|
| 1 Less than 18 years old, | GO TO BOX R05_AXR83 |
| 2 18 to 24 years old, | GO TO BOX R05_AXR83 |
| 3 25 to 34 years old, | GO TO BOX R05_AXR83 |
| 4 35 to 44 years old, | GO TO BOX R05_AXR83 |
| 5 45 to 54 years old, or | GO TO BOX R05_AXR83 |
| 6 55 years old or older? | GO TO BOX R05_AXR83 |
| -8 DON'T KNOW | GO TO BOX R05_AXR83 |
| -7 REFUSED | GO TO BOX R05_AXR83 |

ASK: New baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes and did not know or refused to report the age they were first told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0281_NB = 1 AND R05_AX0280_NB = -8, -7.

Variable(s): R05_AX0281_12M

In the past 12 months, have you been told by a doctor, nurse or other health professional that you have diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[Do not include gestational diabetes or diabetes that was only present during pregnancy.]

- | |
|---------------|
| 1 Yes |
| 2 No |
| -8 DON'T KNOW |
| -7 REFUSED |

ASK: Continuing adult respondents.

ASK Specification: IF R05_ADULTTYPE = 1.

DISPLAY: IF R05R_A_SEX = 2, DISPLAY "Do not include gestational diabetes or diabetes that was only present during pregnancy."

ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR83

Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months, go to R05_AX0721.

Else, go to Box R05_AXR27.

IF R04_DIABETES = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0281_NB = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0281_12M = 1), GO TO R05_AX0721.

ELSE, GO TO BOX R05_AXR27.

Variable(s): R05_AX0721

[In the past, you told us you had diabetes.

]What type of diabetes do you have?

1 Type 1

2 Type 2

3 I don't know

4 I have never had diabetes

GO TO BOX R05_AXR27

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF R04_DIABETES = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0281_NB = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0281_12M = 1).

DISPLAY: IF R04_DIABETES = 1 AND R05_AX0281_NB != 1 AND R05_AX0281_12M != 1, DISPLAY "In the past, you told us you had diabetes." AND DISPLAY OPTION 4.

ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 4.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Are you currently taking any of the following medications to lower your blood sugar? Choose all that apply.

- | | | |
|----------------------|----|-------------------|
| R05_AX0697_01 | 1 | Insulin |
| R05_AX0697_02 | 2 | Diabetic pills |
| R05_AX0697_03 | 3 | None of the above |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who reported being diagnosed with diabetes, sugar diabetes, high blood sugar, or borderline diabetes as of their last completed interview and did not report never having diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or new baseline adult respondents who have ever been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes, or continuing adult respondents who have been told they had diabetes, sugar diabetes, high blood sugar, or borderline diabetes in the past 12 months.

ASK Specification: IF (R04_DIABETES = 1 AND R05_AX0721 != 4) OR (R05_ADULTTYPE = 2 AND R05_AX0281_NB = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0281_12M = 1).

PROGRAM: Allow respondent to choose all that apply. If option 3 is selected, options 1 and 2 may not be selected.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR27
New baseline adult respondents, go to Box R05_AXD19. Else, continuing adult respondents who have seen a medical doctor, nurse or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months, go to Box R05_AXD20. Else, go to Box R05_AXR42.
IF R05_ADULTTYPE = 2, GO TO BOX R05_AXD19. ELSE, IF R05_ADULTTYPE = 1 AND R05_AX0001 != 2, GO TO BOX R05_AXD20. ELSE, GO TO BOX R05_AXR42.

BOX ID: R05_AXD19
Display questions R05_AX0141_NB, R05_AX0147_NB, R05_AX0151_NB, and R05_AX0144_NB on one screen. Show the transition text and question stem from R05_AX0141_NB first, then show each item with the yes/no responses. As each item is answered, show the next one.

Variable(s): R05_AX0141_NB
Have you ever been told by a doctor, nurse, or other health professional that you had... An ulcer? Include stomach, duodenal, or peptic ulcers. 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0147_NB
Stomach or other gastro-intestinal bleeding? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: New baseline adult respondents. ASK Specification: IF R05_ADULTTYPE = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0151_NB

A cataract or glaucoma?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0144_NB

Cancer?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

BOX ID: R05_AXR29

New baseline adult respondents who have ever been told they had an ulcer, go to R05_AX0143_NB.
 Else, new baseline adult respondents who have ever been told they had stomach or gastrointestinal bleeding, go to R05_AX0148_NB.
 Else, new baseline adult respondents who have ever been told they had a cataract or glaucoma, go to R05_AX0152_NB.
 Else, new baseline adult respondents who have ever been told they had cancer, go to R05_AX0145.
 Else, new baseline adult respondents, go to Box R05_AXR40.

IF R05_ADULTTYPE = 2 AND R05_AX0141_NB = 1, GO TO R05_AX0143_NB.
 ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0147_NB = 1, GO TO R05_AX0148_NB.
 ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0151_NB = 1, GO TO R05_AX0152_NB.
 ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1, GO TO R05_AX0145.
 ELSE, IF R05_ADULTTYPE = 2, GO TO BOX R05_AXR40.

BOX ID: R05_AXD20

Display questions R05_AX0141_12M, R05_AX0147_12M, R05_AX0151_12M, and R05_AX0144_12M on one screen. Show the transition text and question stem from R05_AX0141_12M first, then show each item with the yes/no responses. As each item is answered, show the next one.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0141_12M

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you had...

An ulcer? Include stomach, duodenal, or peptic ulcers.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0001 != 2.

Variable(s): R05_AX0147_12M

Stomach or other gastro-intestinal bleeding?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0001 != 2.

Variable(s): R05_AX0151_12M

A cataract or glaucoma?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0001 != 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0144_12M

Cancer?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0001 != 2.

BOX ID: R05_AXR42

Adult respondents who reported being diagnosed with an ulcer as of their last completed interview, or continuing adult respondents who have been told they had an ulcer in the past 12 months, go to R05_AX0698.

Else, continuing adult respondents who have been told they had cancer in the past 12 months, go to R05_AX0145.

Else, continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months, go to R05_AX0705.

Else, continuing adult respondents, go to Box R05_AXR40.

IF R04_ULCER = 1 OR (R05_ADULTTYPE = 1 AND R05_AX0141_12M = 1), GO TO R05_AX0698.

ELSE, IF R05_ADULTTYPE = 1 AND R05_AX0144_12M = 1, GO TO R05_AX0145.

ELSE, IF R05_ADULTTYPE = 1 AND R05_AX0144_12M != 1 AND R04_CANCER = 1, GO TO R05_AX0705.

ELSE, IF R05_ADULTTYPE = 1, GO TO BOX R05_AXR40.

Variable(s): R05_AX0143_NB

How old were you when you were first told you had an ulcer?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R05_AX0264_NB

-7 REFUSED

GO TO R05_AX0264_NB

ASK: New baseline adult respondents who have ever been told they had an ulcer.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0141_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0143_NB_LC1

The computer recorded that you were [R05_AX0143_NB] years old when you were first told that you had an ulcer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0143_NB

2 NEXT

GO TO R05_AX0698

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0141_NB = 1 AND (R05_AX0143_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0143_NB > R05R_A_AGE.

ELSE, GO TO R05_AX0698 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0264_NB

When you were first told you had an ulcer, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had an ulcer and did not know or refused to report the age they were first told they had an ulcer.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0141_NB = 1 AND R05_AX0143_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0698***

[In the past, you told us you had an ulcer.

]Have you taken any medication for an ulcer in the past 30 days?

- | | | |
|----|---------------------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AX0699 |
| 3 | I have never had an ulcer | GO TO BOX R05_AXR34 |
| -8 | DON'T KNOW | GO TO R05_AX0699 |
| -7 | REFUSED | GO TO R05_AX0699 |

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview, or new baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who have been told they have an ulcer in the past 12 months.

ASK Specification: IF R04_ULCER = 1 OR (R05_ADULTTYPE = 2 AND R05_AX0141_NB = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0141_12M = 1).

DISPLAY: IF R04_ULCER = 1 AND R05_AX0141_NB != 1 AND R05_AX0141_12M != 1, DISPLAY "In the past, you told us you had an ulcer." AND DISPLAY OPTION 3.
ELSE, DO NOT DISPLAY THIS TEXT AND SUPPRESS OPTION 3.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): SEE BELOW:

What types of medications have you taken for an ulcer in the past 30 days? Choose all that apply.

- | | | |
|---------------|----|---------------------------|
| R05_AX0738_01 | 1 | Over the counter antacids |
| R05_AX0738_02 | 2 | Prescription medications |
| R05_AX0738_03 | 3 | Something else |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and have taken medications for ulcers in the past 30 days, or new baseline adult respondents who have ever been told they had an ulcer and have taken medications for ulcers in the past 30 days, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have taken medications for ulcers in the past 30 days.

ASK Specification: IF (R04_ULCER = 1 AND R05_AX0698 = 1) OR (R05_ADULTTYPE = 2 AND R05_AX0141_NB = 1 AND R05_AX0698 = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0141_12M = 1 AND R05_AX0698 = 1).

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0699***

Have you been tested for a bacterial infection, called H. Pylori, in your stomach?

- | | | |
|----|--------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_AXR34 |
| 3 | I don't know | GO TO BOX R05_AXR34 |
| -8 | DON'T KNOW | GO TO BOX R05_AXR34 |
| -7 | REFUSED | GO TO BOX R05_AXR34 |

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and did not report never having an ulcer, or new baseline adult respondents who have ever been told they had an ulcer, or continuing adult respondents who have been told they had an ulcer in the past 12 months.

ASK Specification: IF (R04_ULCER = 1 AND R05_AX0698 != 3) OR (R05_ADULTTYPE = 2 AND R05_AX0141_NB = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0141_12M = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0739

Did you test positive for H. Pylori?

- | | |
|----|--------------|
| 1 | Yes |
| 2 | No |
| 3 | I don't know |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who reported being diagnosed with an ulcer as of their last completed interview and did not report never having an ulcer and have been tested for H. Pylori, or new baseline adult respondents who have ever been told they had an ulcer and have been tested for H. Pylori, or continuing adult respondents who have been told they had an ulcer in the past 12 months and have been tested for H. Pylori.

ASK Specification: IF (R04_ULCER = 1 AND R05_AX0698 != 3 AND R05_AX0699 = 1) OR (R05_ADULTTYPE = 2 AND R05_AX0141_NB = 1 AND R05_AX0699 = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0141_12M = 1 AND R05_AX0699 = 1).

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR34

New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding, go to R05_AX0148_NB.
 Else, new baseline adult respondents who have ever been told they had a cataract or glaucoma, go to R05_AX0152_NB.
 Else, new baseline adult respondents who have ever been told they had cancer, go to R05_AX0145.
 Else, new baseline adult respondents go to Box R05_AXR40.
 Else, continuing adult respondents who have been told they had cancer in the past 12 months, go to R05_AX0145.
 Else, continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months, go to R05_AX0705.
 Else, continuing adult respondents, go to Box R05_AXR40.

IF R05_ADULTTYPE = 2 AND R05_AX0147_NB = 1, GO TO R05_AX0148_NB.
 ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0151_NB = 1, GO TO R05_AX0152_NB.
 ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1, GO TO R05_AX0145.
 ELSE, IF R05_ADULTTYPE = 2, GO TO BOX R05_AXR40.
 ELSE, IF R05_ADULTTYPE = 1 AND R05_AX0144_12M = 1, GO TO R05_AX0145.
 ELSE, IF R05_ADULTTYPE = 1 AND R04_CANCER = 1 AND R05_AX0144_12M != 1, GO TO R05_AX0705.
 ELSE, IF R05_ADULTTYPE = 1, GO TO BOX R05_AXR40.

Variable(s): R05_AX0148_NB

How old were you when you were first told you had stomach or other gastro-intestinal bleeding?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AX0266_NB

-7 REFUSED

GO TO R05_AX0266_NB

ASK: New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0147_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AX0148_NB_LC1

The computer recorded that you were [R05_AX0148_NB] years old when you were first told that you had stomach or other gastro-intestinal bleeding. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0148_NB

2 NEXT

GO TO BOX R05_AXR36

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0147_NB = 1 AND (R05_AX0148_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0148_NB > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR36 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0266_NB

When you were first told you had stomach or other gastro-intestinal bleeding, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had stomach or other gastro-intestinal bleeding and did not know or refused to report the age they were first told they had stomach or other gastro-intestinal bleeding.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0147_NB = 1 AND R05_AX0148_NB = -8, -7.

BOX ID: R05_AXR36

New baseline adult respondents who have ever been told they had a cataract or glaucoma, go to R05_AX0152_NB.

Else, new baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months, go to R05_AX0145.

Else, continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months, go to R05_AX0705.

Else, go to Box R05_AXR40.

IF R05_ADULTTYPE = 2 AND R05_AX0151_NB = 1, GO TO R05_AX0152_NB.

ELSE, IF (R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0144_12M = 1), GO TO R05_AX0145.

ELSE, IF R05_ADULTTYPE = 1 AND R04_CANCER = 1 AND R05_AX0144_12M != 1, GO TO R05_AX0705.

ELSE, GO TO BOX R05_AXR40.

Variable(s): R05_AX0152_NB

How old were you when you were first told you had a cataract or glaucoma?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AX0269_NB

-7 REFUSED

GO TO R05_AX0269_NB

ASK: New baseline adult respondents who have ever been told they had a cataract or glaucoma.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0151_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0152_NB_LC1

The computer recorded that you were [R05_AX0152_NB] years old when you were first told that you had a cataract or glaucoma. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0152_NB

2 NEXT

GO TO BOX R05_AXR39

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0151_NB = 1 AND (R05_AX0152_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0152_NB > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR39 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0269_NB

When you were first told you had a cataract or glaucoma, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a cataract or glaucoma and did not know or refused to report the age they were first told they had a cataract or glaucoma.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0151_NB = 1 AND R05_AX0152_NB = -8, -7.

BOX ID: R05_AXR39

New baseline adult respondents who have ever been told they had cancer, go to R05_AX0145.
Else, go to Box R05_AXR40.

IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1, GO TO R05_AX0145.

ELSE, GO TO BOX R05_AXR40.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

What kind of cancer were you told that you had? Choose all that apply.

[If you do not see the kind below, touch the button marked "NEXT"./If you do not see the kind below, touch the box marked "OTHER".]

- | | | |
|----------------------|----|-----------------------------|
| R05_AX0145_01 | 1 | BLADDER |
| R05_AX0145_02 | 2 | BLOOD |
| R05_AX0145_03 | 3 | BONE |
| R05_AX0145_04 | 4 | BRAIN |
| R05_AX0145_05 | 5 | BREAST |
| R05_AX0145_06 | 6 | CERVIX (CERVICAL) |
| R05_AX0145_07 | 7 | COLON |
| R05_AX0145_08 | 8 | ESOPHAGUS (ESOPHAGEAL) |
| R05_AX0145_09 | 9 | GALLBLADDER |
| R05_AX0145_10 | 10 | KIDNEY |
| R05_AX0145_11 | 11 | LARYNX/WINDPIPE |
| R05_AX0145_12 | 12 | LEUKEMIA |
| R05_AX0145_13 | 13 | LIVER |
| R05_AX0145_14 | 14 | LUNG |
| R05_AX0145_15 | 15 | LYMPHOMA/HODGKIN'S DISEASE |
| R05_AX0145_17 | 17 | MOUTH/TONGUE/LIP |
| R05_AX0145_18 | 18 | NERVOUS SYSTEM |
| R05_AX0145_19 | 19 | OVARY (OVARIAN) |
| R05_AX0145_20 | 20 | PANCREAS (PANCREATIC) |
| R05_AX0145_21 | 21 | PROSTATE |
| R05_AX0145_22 | 22 | RECTUM (RECTAL) |
| R05_AX0145_16 | 16 | SKIN (MELANOMA) |
| R05_AX0145_23 | 23 | SKIN (NON-MELANOMA) |
| R05_AX0145_24 | 24 | SKIN (DON'T KNOW WHAT KIND) |
| R05_AX0145_25 | 25 | SOFT TISSUE (MUSCLE OR FAT) |
| R05_AX0145_26 | 26 | STOMACH |
| R05_AX0145_27 | 27 | TESTIS (TESTICULAR) |
| R05_AX0145_28 | 28 | THROAT |
| R05_AX0145_29 | 29 | THYROID |
| R05_AX0145_30 | 30 | UTERUS (UTERINE) |
| R05_AX0145_31 | 31 | OTHER |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: New baseline adult respondents who have ever been told they had cancer, or continuing adult respondents who have been told they had cancer in the past 12 months.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0144_12M = 1).

DISPLAY: IF SCREENS 1-3 DISPLAY: "If you do not see the kind below, touch the button marked "NEXT"."

IF LAST SCREEN DISPLAY: "If you do not see the kind below, touch the box marked "OTHER"."

PROGRAM: Allow respondent to choose all that apply.

BOX ID: R05_AXR41

New baseline adult respondents, go to Box R05_AXR46.

Else, continuing adult respondents, go to Box R05_AXR40.

IF R05_ADULTTYPE = 2, GO TO BOX R05_AXR46.

ELSE, IF R05_ADULTTYPE = 1, GO TO BOX R05_AXR40.

BOX ID: R05_AXR46

PROGRAM: CREATE LOOP:

Repeat R05_AX0146_NB[01/.../31] through R05_AX0265_NB[01/.../31] for each type of cancer the respondent reports they had in R05_AX0145. (This loop is only asked of new baseline adults who reported ever having cancer.)

IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1, THEN REPEAT R05_AX0146_NB[01/.../31] THROUGH R05_AX0265_NB[01/.../31] FOR EACH TYPE OF CANCER SELECTED IN R05_AX0145.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0146_NB_01 through R05_AX0146_NB_31

At what age were you first diagnosed with [TYPE OF CANCER/cancer]?

I ___ I ___ Years old

-8 DON'T KNOW

GO TO R05_AX0265_NB[_01/.../_31]

-7 REFUSED

GO TO R05_AX0265_NB[_01/.../_31]

ASK: New baseline adult respondents who have ever been told they had cancer and reported the kind of cancer they were told they had.

ASK Specification: FOR R05_AX0146_NB_01: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_01 = 1.

FOR R05_AX0146_NB_02: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_02 = 1.

FOR R05_AX0146_NB_03: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_03 = 1.

FOR R05_AX0146_NB_04: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_04 = 1.

FOR R05_AX0146_NB_05: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_05 = 1.

FOR R05_AX0146_NB_06: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_06 = 1.

FOR R05_AX0146_NB_07: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_07 = 1.

FOR R05_AX0146_NB_08: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_08 = 1.

FOR R05_AX0146_NB_09: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_09 = 1.

FOR R05_AX0146_NB_10: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_10 = 1.

FOR R05_AX0146_NB_11: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_11 = 1.

FOR R05_AX0146_NB_12: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_12 = 1.

FOR R05_AX0146_NB_13: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_13 = 1.

FOR R05_AX0146_NB_14: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_14 = 1.

FOR R05_AX0146_NB_15: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_15 = 1.

FOR R05_AX0146_NB_16: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_16 = 1.

FOR R05_AX0146_NB_17: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_17 = 1.

FOR R05_AX0146_NB_18: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_18 = 1.

FOR R05_AX0146_NB_19: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_19 = 1.

FOR R05_AX0146_NB_20: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_20 = 1.

FOR R05_AX0146_NB_21: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_21 = 1.

FOR R05_AX0146_NB_22: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_22 = 1.

FOR R05_AX0146_NB_23: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R05_AX0145_23 = 1.
 FOR R05_AX0146_NB_24: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_24 = 1.
 FOR R05_AX0146_NB_25: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_25 = 1.
 FOR R05_AX0146_NB_26: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_26 = 1.
 FOR R05_AX0146_NB_27: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_27 = 1.
 FOR R05_AX0146_NB_28: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_28 = 1.
 FOR R05_AX0146_NB_29: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_29 = 1.
 FOR R05_AX0146_NB_30: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_30 = 1.
 FOR R05_AX0146_NB_31: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_31 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.
 FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R05_AX0145[01/.../31] AS FOLLOWS:
 IF R05_AX0145_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cancer".
 ELSE, IF R05_AX0145[12/15] = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cancer".
 ELSE, IF R05_AX0145[16/23] = 1, DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES BEFORE "skin" AND DISPLAY "cancer" (EX. "melanoma skin cancer").
 ELSE, IF R05_AX0145_24 = 1, DISPLAY AS "skin cancer (don't know what kind)".
 ELSE, IF R05_AX0145[06/08/19/20/22/27/30] = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cancer" (EX. "cervical cancer" INSTEAD OF "cervix (cervical) cancer").
 ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cancer".

PROGRAM: IF MORE THAN ONE CANCER SELECTED, REPEAT THIS ITEM FOR EACH TYPE OF CANCER SELECTED.
 Allow 2 digits.

CHECK ID: R05_AX0146_NB_01_LC1

The computer recorded that you were [R05_AX0146_NB_01] years old when you were first diagnosed with bladder cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_01

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_01 = 1 AND (R05_AX0146_NB_01 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_01 > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0146_NB_02_LC1

The computer recorded that you were [R05_AX0146_NB_02] years old when you were first diagnosed with blood cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_02

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_02 = 1 AND (R05_AX0146_NB_02 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_02 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_03_LC1

The computer recorded that you were [R05_AX0146_NB_03] years old when you were first diagnosed with bone cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_03

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_03 = 1 AND (R05_AX0146_NB_03 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_03 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_04_LC1

The computer recorded that you were [R05_AX0146_NB_04] years old when you were first diagnosed with brain cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_04

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_04 = 1 AND (R05_AX0146_NB_04 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_04 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0146_NB_05_LC1

The computer recorded that you were [R05_AX0146_NB_05] years old when you were first diagnosed with breast cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_05

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_05 = 1 AND (R05_AX0146_NB_05 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_05 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_06_LC1

The computer recorded that you were [R05_AX0146_NB_06] years old when you were first diagnosed with cervical cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_06

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_06 = 1 AND (R05_AX0146_NB_06 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_06 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_07_LC1

The computer recorded that you were [R05_AX0146_NB_07] years old when you were first diagnosed with colon cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_07

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_07 = 1 AND (R05_AX0146_NB_07 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_07 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0146_NB_08_LC1

The computer recorded that you were [R05_AX0146_NB_08] years old when you were first diagnosed with esophageal cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_08

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_08 = 1 AND (R05_AX0146_NB_08 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_08 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_09_LC1

The computer recorded that you were [R05_AX0146_NB_09] years old when you were first diagnosed with gallbladder cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_09

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_09 = 1 AND (R05_AX0146_NB_09 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_09 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_10_LC

The computer recorded that you were [R05_AX0146_NB_10] years old when you were first diagnosed with kidney cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_10

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_10 = 1 AND (R05_AX0146_NB_10 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_10 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0146_NB_11_LC

The computer recorded that you were [R05_AX0146_NB_11] years old when you were first diagnosed with larynx or windpipe cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_11

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_11 = 1 AND (R05_AX0146_NB_11 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_11 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_12_LC

The computer recorded that you were [R05_AX0146_NB_12] years old when you were first diagnosed with leukemia. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_12

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_12 = 1 AND (R05_AX0146_NB_12 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_12 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_13_LC

The computer recorded that you were [R05_AX0146_NB_13] years old when you were first diagnosed with liver cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_13

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_13 = 1 AND (R05_AX0146_NB_13 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_13 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0146_NB_14_LC

The computer recorded that you were [R05_AX0146_NB_14] years old when you were first diagnosed with lung cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_14

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_14 = 1 AND (R05_AX0146_NB_14 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_14 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_15_LC

The computer recorded that you were [R05_AX0146_NB_15] years old when you were first diagnosed with lymphoma or Hodgkin's disease. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_15

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_15 = 1 AND (R05_AX0146_NB_15 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_15 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_16_LC

The computer recorded that you were [R05_AX0146_NB_16] years old when you were first diagnosed with melanoma skin cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_16

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_16 = 1 AND (R05_AX0146_NB_16 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_16 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0146_NB_17_LC

The computer recorded that you were [R05_AX0146_NB_17] years old when you were first diagnosed with mouth, tongue or lip cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_17

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_17 = 1 AND (R05_AX0146_NB_17 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_17 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_18_LC

The computer recorded that you were [R05_AX0146_NB_18] years old when you were first diagnosed with nervous system cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_18

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_18 = 1 AND (R05_AX0146_NB_18 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_18 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_19_LC

The computer recorded that you were [R05_AX0146_NB_19] years old when you were first diagnosed with ovarian cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_19

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_19 = 1 AND (R05_AX0146_NB_19 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_19 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0146_NB_20_LC

The computer recorded that you were [R05_AX0146_NB_20] years old when you were first diagnosed with pancreatic cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_20

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_20 = 1 AND (R05_AX0146_NB_20 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_20 > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_21_LC

The computer recorded that you were [R05_AX0146_NB_21] years old when you were first diagnosed with prostate cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_21

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_21 = 1 AND (R05_AX0146_NB_21 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_21 > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_22_LC

The computer recorded that you were [R05_AX0146_NB_22] years old when you were first diagnosed with rectal cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_22

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_22 = 1 AND (R05_AX0146_NB_22 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_22 > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0146_NB_23_LC

The computer recorded that you were [R05_AX0146_NB_23] years old when you were first diagnosed with non-melanoma skin cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_23

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_23 = 1 AND (R05_AX0146_NB_23 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_23 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_24_LC

The computer recorded that you were [R05_AX0146_NB_24] years old when you were first diagnosed with skin cancer (don't know what kind). That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_24

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_24 = 1 AND (R05_AX0146_NB_24 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_24 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_25_LC

The computer recorded that you were [R05_AX0146_NB_25] years old when you were first diagnosed with soft tissue (muscle or fat) cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_25

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_25 = 1 AND (R05_AX0146_NB_25 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_25 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0146_NB_26_LC

The computer recorded that you were [R05_AX0146_NB_26] years old when you were first diagnosed with stomach cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_26

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_26 = 1 AND (R05_AX0146_NB_26 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_26 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_27_LC

The computer recorded that you were [R05_AX0146_NB_27] years old when you were first diagnosed with testicular cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_27

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_27 = 1 AND (R05_AX0146_NB_27 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_27 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_28_LC

The computer recorded that you were [R05_AX0146_NB_28] years old when you were first diagnosed with throat cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_28

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_28 = 1 AND (R05_AX0146_NB_28 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_28 > R05R_A_AGE.
ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0146_NB_29_LC

The computer recorded that you were [R05_AX0146_NB_29] years old when you were first diagnosed with thyroid cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_29

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_29 = 1 AND (R05_AX0146_NB_29 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_29 > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_30_LC

The computer recorded that you were [R05_AX0146_NB_30] years old when you were first diagnosed with uterine cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_30

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_30 = 1 AND (R05_AX0146_NB_30 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_30 > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

CHECK ID: R05_AX0146_NB_31_LC

The computer recorded that you were [R05_AX0146_NB_31] years old when you were first diagnosed with cancer. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0146_NB_31

2 NEXT

GO TO BOX R05_AXR47

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_31 = 1 AND (R05_AX0146_NB_31 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0146_NB_31 > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR47 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0265_NB_01 through R05_AX0265_NB_31

When you were first diagnosed with [TYPE OF CANCER/cancer], were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had cancer and reported the kind of cancer they were told they had and did not know or refused to report the age they were first told they had that type of cancer.

ASK Specification: FOR R05_AX0265_NB_01: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_01 = 1 AND R05_AX0146_NB_01 = -8, -7.

FOR R05_AX0265_NB_02: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_02 = 1 AND R05_AX0146_NB_02 = -8, -7.

FOR R05_AX0265_NB_03: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_03 = 1 AND R05_AX0146_NB_03 = -8, -7.

FOR R05_AX0265_NB_04: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_04 = 1 AND R05_AX0146_NB_04 = -8, -7.

FOR R05_AX0265_NB_05: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_05 = 1 AND R05_AX0146_NB_05 = -8, -7.

FOR R05_AX0265_NB_06: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_06 = 1 AND R05_AX0146_NB_06 = -8, -7.

FOR R05_AX0265_NB_07: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_07 = 1 AND R05_AX0146_NB_07 = -8, -7.

FOR R05_AX0265_NB_08: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_08 = 1 AND R05_AX0146_NB_08 = -8, -7.

FOR R05_AX0265_NB_09: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_09 = 1 AND R05_AX0146_NB_09 = -8, -7.

FOR R05_AX0265_NB_10: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_10 = 1 AND R05_AX0146_NB_10 = -8, -7.

FOR R05_AX0265_NB_11: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_11 = 1 AND R05_AX0146_NB_11 = -8, -7.

FOR R05_AX0265_NB_12: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_12 = 1 AND R05_AX0146_NB_12 = -8, -7.

FOR R05_AX0265_NB_13: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_13 = 1 AND R05_AX0146_NB_13 = -8, -7.

FOR R05_AX0265_NB_14: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_14 = 1 AND R05_AX0146_NB_14 = -8, -7.

FOR R05_AX0265_NB_15: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_15 = 1 AND R05_AX0146_NB_15 = -8, -7.

FOR R05_AX0265_NB_16: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_16 = 1 AND R05_AX0146_NB_16 = -8, -7.

FOR R05_AX0265_NB_17: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_17 = 1 AND R05_AX0146_NB_17 = -8, -7.

FOR R05_AX0265_NB_18: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_18 = 1 AND R05_AX0146_NB_18 = -8, -7.

FOR R05_AX0265_NB_19: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R05_AX0145_19 = 1 AND R05_AX0146_NB_19 = -8, -7.
 FOR R05_AX0265_NB_20: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_20 = 1 AND R05_AX0146_NB_20 = -8, -7.
 FOR R05_AX0265_NB_21: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_21 = 1 AND R05_AX0146_NB_21 = -8, -7.
 FOR R05_AX0265_NB_22: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_22 = 1 AND R05_AX0146_NB_22 = -8, -7.
 FOR R05_AX0265_NB_23: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_23 = 1 AND R05_AX0146_NB_23 = -8, -7.
 FOR R05_AX0265_NB_24: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_24 = 1 AND R05_AX0146_NB_24 = -8, -7.
 FOR R05_AX0265_NB_25: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_25 = 1 AND R05_AX0146_NB_25 = -8, -7.
 FOR R05_AX0265_NB_26: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_26 = 1 AND R05_AX0146_NB_26 = -8, -7.
 FOR R05_AX0265_NB_27: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_27 = 1 AND R05_AX0146_NB_27 = -8, -7.
 FOR R05_AX0265_NB_28: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_28 = 1 AND R05_AX0146_NB_28 = -8, -7.
 FOR R05_AX0265_NB_29: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_29 = 1 AND R05_AX0146_NB_29 = -8, -7.
 FOR R05_AX0265_NB_30: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_30 = 1 AND R05_AX0146_NB_30 = -8, -7.
 FOR R05_AX0265_NB_31: IF R05_ADULTTYPE = 2 AND R05_AX0144_NB = 1 AND R05_AX0145_31 = 1 AND R05_AX0146_NB_31 = -8, -7.
 DISPLAY: FILL TYPE OF CANCER FROM RESPONSE OPTION(S) SELECTED IN R05_AX0145 [_01/.../_31] AS FOLLOWS:
 IF R05_AX0145_31 = 1, -8, -7, ONLY DISPLAY THE WORD "cancer".
 ELSE, IF R05_AX0145[_12/_15] = 1, ONLY DISPLAY TEXT IN RESPONSE OPTION AND DO NOT DISPLAY "cancer".
 ELSE, IF R05_AX0145[_16/_23] = 1, DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES BEFORE "skin" AND DISPLAY "cancer" (EX. "melanoma skin cancer").
 ELSE, IF R05_AX0145_24 = 1, DISPLAY AS "skin cancer (don't know what kind)".
 ELSE, IF R05_AX0145[_06/_08/_19/_20/_22/_27/_30] = 1, ONLY DISPLAY THE TEXT THAT IS SHOWN IN PARENTHESES IN THE RESPONSE OPTION AND "cancer" (EX. "cervical cancer" INSTEAD OF "cervix (cervical) cancer").
 ELSE, DISPLAY TEXT AS SHOWN IN OPTION AND "cancer".
 PROGRAM: IF MORE THAN ONE CANCER SELECTED, REPEAT THIS ITEM FOR EACH TYPE OF CANCER SELECTED.

BOX ID: R05_AXR47

END NEW BASELINE CANCER LOOP:

If the respondent has loops to complete for other types of cancer, return to Box R05_AXR46 and loop through the subsection for any other types of cancer the respondent has had.
 Else, if the respondent has no more remaining loops to complete, go to Box R05_AXR40.

IF THERE ARE REMAINING LOOPS TO BE COMPLETED, GO BACK TO BOX R05_AXR46 AND LOOP THROUGH THE SUBSECTION FOR ANY OTHER TYPES OF CANCER THE RESPONDENT HAS HAD.
 ELSE, IF THERE ARE NO REMAINING LOOPS TO BE COMPLETED, GO TO BOX R05_AXR40.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0705

In the past, you told us you had cancer.

Are you in remission for cancer?

- 1 Yes
- 2 No
- 3 I have never had cancer GO TO BOX R05_AXR40
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R04_CANCER = 1 AND R05_AX0144_12M != 1.

Variable(s): R05_AX0748

In the past, you told us you had cancer.

Have you had a recurrence of cancer?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who reported being diagnosed with cancer as of their last completed interview and were not told they had cancer in the past 12 months and did not report never having cancer.

ASK Specification: IF R05_ADULTTYPE = 1 AND R04_CANCER = 1 AND R05_AX0144_12M != 1 AND R05_AX0705 != 3.

BOX ID: R05_AXR40

New baseline adult respondents, go to Box R05_AXD25.

Else, continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months, go to Box R05_AXD21.

Else, go to Box R05_AXR88.

IF R05_ADULTTYPE = 2, GO TO BOX R05_AXD25.

ELSE, IF R05_ADULTTYPE = 1 AND R05R_A_AGE >= 40 AND R05_AX0001 != 2, GO TO BOX R05_AXD21.

ELSE, GO TO BOX R05_AXR88.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXD25

Display questions R05_AX0149_NB, R05_AX0196_NB, and R05_AX0400_NB on one screen. Show the transition text and question stem from R05_AX0149_NB first, then show each item with the yes/no responses. As each item is answered, show the next one.

Variable(s): R05_AX0149_NB

Have you ever been told by a doctor, nurse, or other health professional that you have...

Osteoporosis, sometimes called thin or brittle bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0196_NB

Had a bone fracture because you have fragile bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0400_NB

Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR86

New baseline adult respondents who have ever been told they had osteoporosis, go to R05_AX0150_NB.

Else, new baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, go to R05_AX0198_NB.
Else, go to Box R05_AXR88.

IF R05_ADULTTYPE = 2 AND R05_AX0149_NB = 1, GO TO R05_AX0150_NB.
ELSE, IF R05_ADULTTYPE = 2 AND R05_AX0196_NB = 1, GO TO R05_AX0198_NB.
ELSE, GO TO BOX R05_AXR88.

BOX ID: R05_AXD21

Display questions R05_AX0149_12M, R05_AX0196_12M, and R05_AX0400_12M on one screen. Show the transition text and question stem from R05_AX0149_12M first, then show each item with the yes/no responses. As each item is answered, show the next one.

Variable(s): R05_AX0149_12M***

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you have...

Osteoporosis, sometimes called thin or brittle bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05R_A_AGE >= 40 AND R05_AX0001 != 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0196_12M***

Had a bone fracture because you have fragile bones?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05R_A_AGE >= 40 AND R05_AX0001 != 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0400_12M***

Rapid vision loss? Do not include any vision loss that is due to aging, such as being nearsighted or farsighted.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05R_A_AGE >= 40 AND R05_AX0001 != 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AXR17

Continuing adult respondents who are 40 years old or older and seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had a bone fracture because they had fragile bones in the past 12 months, go to R05_AX0701.
Else, adult respondents who are 40 years old or older and have ever been told they had osteoporosis, go to R05_AX0700.
Else, go to Box R05_AXR88.

IF R05_ADULTTYPE = 1 AND R05R_A_AGE >= 40 AND R05_AX0001 != 2 AND R05_AX0196_12M = 1, GO TO R05_AX0701.
ELSE, IF R05_ADULTTYPE = 1 AND R05R_A_AGE >= 40 AND R05_AX0001 != 2 AND R05_AX0149_12M = 1, GO TO R05_AX0700.
ELSE, GO TO BOX R05_AXR88.

Variable(s): R05_AX0150_NB

How old were you when you were first told you had osteoporosis, sometimes called thin or brittle bones?

- | | |
|-------------------|---------------------|
| I__ __ Years old | |
| -8 DON'T KNOW | GO TO R05_AX0267_NB |
| -7 REFUSED | GO TO R05_AX0267_NB |

ASK: New baseline adult respondents who have ever been told they had osteoporosis.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0149_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AX0150_NB_LC1

The computer recorded that you were [R05_AX0150_NB] years old when you were first told that you had osteoporosis. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0150_NB

2 NEXT

GO TO BOX R05_AXR87

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0149_NB = 1 AND (R05_AX0150_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0150_NB > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR87 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0267_NB

When you were first told you had osteoporosis, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had osteoporosis and did not know or refused to report the age they were first told they had osteoporosis.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0149_NB = 1 AND R05_AX0150_NB = -8, -7.

BOX ID: R05_AXR87

New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, go to R05_AX0198_NB.

Else, go to R05_AX0700.

IF R05_ADULTTYPE = 2 AND R05_AX0196_NB = 1, GO TO R05_AX0198_NB.

ELSE, GO TO R05_AX0700.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0198_NB

How old were you when you were first told you had a bone fracture because you have fragile bones?

I ___ | ___ | Years old

-8 DON'T KNOW

GO TO R05_AX0268_NB

-7 REFUSED

GO TO R05_AX0268_NB

ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0196_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: R05_AX0198_NB_LC1

The computer recorded that you were [R05_AX0198_NB] years old when you were first told that you had a bone fracture because of fragile bones. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AX0198_NB

2 NEXT

GO TO R05_AX0701

ASK: IF R05_ADULTTYPE = 2 AND R05_AX0196_NB = 1 AND (R05_AX0198_NB > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0198_NB > R05R_A_AGE.

ELSE, GO TO R05_AX0701 AND DO NOT DISPLAY THIS SCREEN.

Variable(s): R05_AX0268_NB

When you were first told you had a bone fracture because of fragile bones, were you...

1 Less than 18 years old,

2 18 to 24 years old,

3 25 to 34 years old,

4 35 to 44 years old,

5 45 to 54 years old, or

6 55 years old or older?

-8 DON'T KNOW

-7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones and did not know or refused to report the age they were first told they had a bone fracture because they had fragile bones.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0196_NB = 1 AND R05_AX0198_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0701

In the past 12 months, have you been told by a doctor, nurse, or other health professional that the healing time for a fracture was longer than expected?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had a bone fracture because they had fragile bones in the past 12 months.

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_AX0196_NB = 1) OR (R05_ADULTTYPE = 1 AND R05R_A_AGE >= 40 AND R05_AX0001 != 2 AND R05_AX0196_12M = 1).

Variable(s): R05_AX0700

Have you ever taken any prednisone or cortisone pills nearly every day for a month or longer?
Prednisone and cortisone are types of steroids.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have ever been told they had osteoporosis or had a bone fracture because they had fragile bones, or continuing adult respondents who are 40 years old or older and have seen a medical doctor, nurse, or other health professional in the past 12 months or did not know or refused to report whether they have seen a medical doctor, nurse, or other health professional in the past 12 months and have been told they had osteoporosis or had a bone fracture because they had fragile bones in the past 12 months.

ASK Specification: IF (R05_ADULTTYPE = 2 AND (R05_AX0149_NB = 1 OR R05_AX0196_NB = 1)) OR (R05_ADULTTYPE = 1 AND R05R_A_AGE >= 40 AND R05_AX0001 != 2 AND (R05_AX0149_12M = 1 OR R05_AX0196_12M = 1)).

BOX ID: R05_AXR88

Adult respondents who are 40 years old or older, go to R05_AX0702.
Else, go to Box R05_AXR109.

IF R05R_A_AGE >= 40, GO TO R05_AX0702.
ELSE, GO TO BOX R05_AXR109.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0702**

Have you ever been told by a doctor, nurse, or other health professional that you have macular degeneration?

- | | |
|---------------|----------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_AXR109 |
| -8 DON'T KNOW | GO TO BOX R05_AXR109 |
| -7 REFUSED | GO TO BOX R05_AXR109 |

ASK: Adult respondents who are 40 years old or older.

ASK Specification: IF R05R_A_AGE >= 40.

Variable(s): **R05_AX0703**

How old were you when you were first told you had macular degeneration?

- | | |
|----------------------|------------------|
| I ___ ___ Years old | |
| -8 DON'T KNOW | GO TO R05_AX0704 |
| -7 REFUSED | GO TO R05_AX0704 |

ASK: Adult respondents who are 40 years old or older and have ever been told they had macular degeneration.

ASK Specification: IF R05R_A_AGE >= 40 AND R05_AX0702 = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

CHECK ID: **R05_AX0703_LC1**

The computer recorded that you were [R05_AX0703] years old when you were first told that you had macular degeneration. That is older than you are now.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

- | | |
|--------|----------------------|
| 1 BACK | GO TO R05_AX0703 |
| 2 NEXT | GO TO BOX R05_AXR109 |

ASK: IF R05R_A_AGE >= 40 AND R05_AX0702 = 1 AND (R05_AX0703 > R05R_A_AGE).

PROGRAM: TRIGGER CHECK IF R05_AX0703 > R05R_A_AGE.

ELSE, GO TO BOX R05_AXR109 AND DO NOT DISPLAY THIS SCREEN.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0704

When you were first told you had macular degeneration, were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are 40 years old or older and have ever been told they had macular degeneration and did not know or refused to report the age they were first told they had macular degeneration.

ASK Specification: IF R05R_A_AGE >= 40 AND R05_AX0702 = 1 AND R05_AX0703 = -8, -7.

BOX ID: R05_AXR109

Continuing adult respondents, go to R05_AX0756_12M.
Else, new baseline adult respondents, go to R05_AX0756_NB.

IF R05_ADULTTYPE = 1, GO TO R05_AX0756_12M.
ELSE, IF R05_ADULTTYPE = 2, GO TO R05_AX0756_NB.

Variable(s): R05_AX0756_12M

In the past 12 months, have you been told by a doctor, therapist, or other mental health professional that you have schizophrenia, schizoaffective disorder, or psychosis?

- | | |
|---------------|----------------------|
| 1 Yes | GO TO BOX R05_AXR14 |
| 2 No | GO TO R05_AX0761_12M |
| -8 DON'T KNOW | GO TO R05_AX0761_12M |
| -7 REFUSED | GO TO R05_AX0761_12M |

ASK: Continuing adult respondents.

ASK Specification: IF R05_ADULTTYPE = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0756_NB

Has a doctor, therapist, or other mental health professional ever told you that you have schizophrenia, schizoaffective disorder, or psychosis?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO R05_AX0761_NB |
| -8 DON'T KNOW | GO TO R05_AX0761_NB |
| -7 REFUSED | GO TO R05_AX0761_NB |

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

Variable(s): R05_AX0757_NB

How old were you when you were first told that you had schizophrenia, schizoaffective disorder, or psychosis?

- | | |
|-------------------------|---------------------|
| I ___ ___ Years old | GO TO BOX R05_AXR14 |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: New baseline adult respondents who have ever been told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0756_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

Variable(s): R05_AX0758_NB

When you were first told you had schizophrenia, schizoaffective disorder, or psychosis, were you...

- | | |
|---------------------------|---------------------|
| 1 Less than 18 years old, | GO TO BOX R05_AXR14 |
| 2 18 to 24 years old, | GO TO BOX R05_AXR14 |
| 3 25 to 34 years old, | GO TO BOX R05_AXR14 |
| 4 35 to 44 years old, | GO TO BOX R05_AXR14 |
| 5 45 to 54 years old, or | GO TO BOX R05_AXR14 |
| 6 55 years old or older? | GO TO BOX R05_AXR14 |
| -8 DON'T KNOW | GO TO BOX R05_AXR14 |
| -7 REFUSED | GO TO BOX R05_AXR14 |

ASK: New baseline adult respondents who have ever been told they had schizophrenia, schizoaffective disorder, or psychosis and did not know or refused to report the age they were first told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0756_NB = 1 AND R05_AX0757_NB = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0761_12M

In the past 12 months, have you been told by a doctor, therapist, or other mental health professional that you had a psychotic illness or episode?

- | | |
|---------------|---------------------|
| 1 Yes | GO TO BOX R05_AXR14 |
| 2 No | GO TO BOX R05_AXR14 |
| -8 DON'T KNOW | GO TO BOX R05_AXR14 |
| -7 REFUSED | GO TO BOX R05_AXR14 |

ASK: Continuing adult respondents who have not been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months or did not know or refused to report whether they have been told they had schizophrenia, schizoaffective disorder, or psychosis in the past 12 months.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AX0756_12M = 2, -8, -7.

Variable(s): R05_AX0761_NB

Has a doctor, therapist, or other mental health professional ever told you that you had a psychotic illness or episode?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_AXR14 |
| -8 DON'T KNOW | GO TO BOX R05_AXR14 |
| -7 REFUSED | GO TO BOX R05_AXR14 |

ASK: New baseline adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder, or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0756_NB = 2, -8, -7.

Variable(s): R05_AX0762_NB

How old were you when you were first told you that you had a psychotic illness or episode?

- | | |
|-----------------------|---------------------|
| I ___ I ___ Years old | GO TO BOX R05_AXR14 |
| -8 DON'T KNOW | |
| -7 REFUSED | |

ASK: New baseline adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder, or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder, or psychosis and have ever been told they had a psychotic illness or episode.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0756_NB = 2, -8, -7 AND R05_AX0761_NB = 1.

DISPLAY: DISPLAY "Years old" AS A TITLE.

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0772_NB

When you were first told you had a psychotic illness or episode were you...

- 1 Less than 18 years old,
- 2 18 to 24 years old,
- 3 25 to 34 years old,
- 4 35 to 44 years old,
- 5 45 to 54 years old, or
- 6 55 years old or older?
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents who have not ever been told they had schizophrenia, schizoaffective disorder, or psychosis or did not know or refused to report whether they have ever been told they had schizophrenia, schizoaffective disorder, or psychosis and have ever been told they had a psychotic illness or episode and did not know or refused to report the age they were first told they had a psychotic illness or episode.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AX0756_NB = 2, -8, -7 AND R05_AX0761_NB = 1 AND R05_AX0762_NB = -8, -7.

BOX ID: R05_AXR14

Adult male respondents who are 20 years old or older, go to R05_AX0730.
Else, go to Box R05_AXD06.

IF R05R_A_SEX = 1 AND R05R_A_AGE >= 20, GO TO R05_AX0730.
ELSE, GO TO BOX R05_AXD06.

Variable(s): R05_AX0730***

Many men experience problems with sexual intercourse. How would you describe your ability to get and keep an erection adequate for satisfactory intercourse? Would you say that you are...

- 1 Always able or almost always able to get and keep an erection
- 2 Usually able to get and keep an erection
- 3 Sometimes able to get and keep an erection
- 4 Never able to get and keep an erection
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult male respondents who are 20 years old or older.

ASK Specification: IF R05R_A_SEX = 1 AND R05R_A_AGE >= 20.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AXD06

DISPLAY INSTRUCTION:

For R05_AX0158, display a 'Yes' and 'No' column with options for each response category.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 12 months, did you take any of the following medications, even once?

- | | |
|----------------------|--|
| R05_AX0158_01 | 1 Aspirin |
| R05_AX0158_02 | 2 Tylenol (acetaminophen) |
| R05_AX0158_03 | 3 Cox-2 inhibitors, for example: Celebrex |
| R05_AX0158_04 | 4 Other anti-inflammatory medications, for example: ibuprofen, Motrin, Advil, Naprosyn, or Aleve |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: All adult respondents.

BOX ID: R05_AXR43

Adult respondents who have taken aspirin in the past 12 months, go to R05_AX0156.
Else, adult respondents who are former experimental or long-term former established tobacco users, go to R05_AN0330_12MH.
Else, go to Box R05_AXR102.

IF R05_AX0158_01 = 1, GO TO R05_AX0156.
ELSE, IF R05_TOBACCO_USER_STATUS = 3, 5, GO TO R05_AN0330_12MH.
ELSE, GO TO BOX R05_AXR102.

Variable(s): R05_AX0156***

On average, in the past 12 months, how frequently did you take aspirin? Please do not count other pain relievers such as ibuprofen and Tylenol.

- | | |
|----|------------------------|
| 1 | Never |
| 2 | Less than once a month |
| 3 | 1-3 days per month |
| 4 | Weekly |
| 5 | Daily |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have taken aspirin in the past 12 months.

ASK Specification: IF R05_AX0158_01 = 1.

DISPLAY: UNDERLINE "aspirin" AND "do not".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR44

Adult respondents who have taken aspirin in the past 12 months and have taken aspirin less than once a month, 1-3 days per month, weekly, or daily, go to R05_AX0157.
 Else, adult respondents who are former experimental or long-term former established tobacco users, go to R05_AN0330_12MH.
 Else, go to Box R05_AXR102.

IF R05_AX0158_01 = 1 AND R05_AX0156 > 1, GO TO R05_AX0157.
 ELSE, IF R05_TOBACCO_USER_STATUS = 3, 5, GO TO R05_AN0330_12M.
 ELSE, GO TO BOX R05_AXR102.

Variable(s): R05_AX0157

What type of aspirin do you usually take?

- 1 Baby aspirin (162 mg or less)
- 2 Regular or extra strength aspirin
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have taken aspirin in the past 12 months and have taken aspirin less than once a month, 1-3 days per month, weekly, or daily.

ASK Specification: IF R05_AX0158_01 = 1 AND R05_AX0156 > 1.

BOX ID: R05_AXR45

Adult respondents who are former experimental or long-term former established tobacco users, go to R05_AN0330_12MH.
 Else, go to Box R05_AXR102.

IF R05_TOBACCO_USER_STATUS = 3, 5, GO TO R05_AN0330_12MH.
 ELSE, GO TO BOX R05_AXR102.

Variable(s): R05_AN0330_12MH

In the past 12 months, have you used a nicotine patch, gum, inhaler, nasal spray, or lozenge?

- | | |
|---------------|----------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_AXR102 |
| -8 DON'T KNOW | GO TO BOX R05_AXR102 |
| -7 REFUSED | GO TO BOX R05_AXR102 |

ASK: Adult respondents who are former experimental or long-term former established tobacco users.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 3, 5.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Which product did you use in the past 12 months? Choose all that apply.

- | | | |
|-----------------------|----|----------------------|
| R05_AN0161H_01 | 1 | Nicotine patch |
| R05_AN0161H_02 | 2 | Nicotine gum |
| R05_AN0161H_03 | 3 | Nicotine inhaler |
| R05_AN0161H_04 | 4 | Nicotine nasal spray |
| R05_AN0161H_05 | 5 | Nicotine lozenge |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 3, 5 AND R05_AN0330_12MH = 1.

BOX ID: R05_ANR55

Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months, go to R05_AN0347H.

Else, go to Box R05_ANR54.

IF R05_TOBACCO_USER_STATUS = 3, 5 AND R05_AN0330_12MH = 1 AND R05_AN0161H_01 = 1, GO TO R05_AN0347H.

ELSE, GO TO BOX R05_ANR54.

Variable(s): R05_AN0347H

When you last used a **nicotine patch**, when did you remove it?

- | | | |
|----|---|---------------------|
| 1 | I am currently wearing a nicotine patch | GO TO R05_AN0349H |
| 2 | In the past hour | GO TO R05_AN0349H |
| 3 | Sometime today, but more than an hour ago | |
| 4 | Yesterday | |
| 5 | Day before yesterday | GO TO R05_AN0349H |
| 6 | Three or more days ago | GO TO BOX R05_ANR54 |
| -8 | DON'T KNOW | GO TO BOX R05_ANR54 |
| -7 | REFUSED | GO TO BOX R05_ANR54 |

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 3, 5 AND R05_AN0330_12MH = 1 AND R05_AN0161H_01 = 1.

DISPLAY: BOLD AND UNDERLINE "nicotine patch".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0348H

How many hours has it been since you removed a nicotine patch?

- 1 1 to 4 hours
- 2 5 to 11 hours
- 3 More than 12 hours
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 3, 5 AND R05_AN0330_12MH = 1 AND R05_AN0161H_01 = 1 AND R05_AN0347H = 3, 4.

Variable(s): R05_AN0349H; R05_AN0349H_OS

When you last used a nicotine patch [FILL BASED ON R05_AN0347H], what strength did you use? (If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

- 1 21 mg (Step 1)
- 2 14 mg (Step 2)
- 3 7 mg (Step 3)
- 4 Some other strength (SPECIFY)
- 5 I don't know
- 8 DON'T KNOW GO TO BOX R05_ANR54
- 7 REFUSED GO TO BOX R05_ANR54

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used a nicotine patch in the past 12 months and are currently using a nicotine patch or last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 3, 5 AND R05_AN0330_12MH = 1 AND R05_AN0161H_01 = 1 AND R05_AN0347H = 1, 2, 3, 4, 5.

DISPLAY: FOR [FILL BASED ON R05_AN0347H]:

IF R05_AN0347H = 1, 2, 3 DISPLAY "today".

ELSE, IF R05_AN0347H = 4, DISPLAY "yesterday".

ELSE, IF R05_AN0347H = 5, DISPLAY "the day before yesterday".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ANR54

Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months, go to R05_AN0357H.
Else, go to Box R05_AXR102.

IF R05_TOBACCO_USER_STATUS = 3, 5 AND R05_AN0330_12MH = 1 AND R05_AN0161H_[02/03/04/05] = 1, GO TO R05_AN0357H.
ELSE, GO TO BOX R05_AXR102.

Variable(s): R05_AN0357H

When did you last use **nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?**

- | | |
|---|----------------------|
| 1 In the past hour | GO TO R05_AN0359H |
| 2 Sometime today, but more than an hour ago | |
| 3 Yesterday | |
| 4 Day before yesterday | |
| 5 Three or more days ago | GO TO BOX R05_AXR102 |
| -8 DON'T KNOW | GO TO BOX R05_AXR102 |
| -7 REFUSED | GO TO BOX R05_AXR102 |

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 3, 5 AND R05_AN0330_12MH = 1 AND R05_AN0161H_[02/03/04/05] = 1.

DISPLAY: BOLD AND UNDERLINE "nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AN0358H

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_AN0357H], was it...

- 1 Between midnight and 6AM
- 2 After 6AM but before noon
- 3 Between noon and 6PM
- 4 After 6PM but before midnight
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 3, 5 AND R05_AN0330_12MH = 1 AND R05_AN0161H_[02/03/04/05] = 1 AND R05_AN0357H = 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_AN0357H]:

IF R05_AN0357H = 2, DISPLAY "sometime today".

ELSE, IF R05_AN0357H = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0357H = 4, DISPLAY "the day before yesterday".

Variable(s): R05_AN0359H

When you used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_AN0357H], how many did you use?

|_|_|_|

- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are former experimental or long-term former established tobacco users and used nicotine replacement therapy in the past 12 months and used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 3, 5 AND R05_AN0330_12MH = 1 AND R05_AN0161H_[02/03/04/05] = 1 AND R05_AN0357H = 1, 2, 3, 4.

DISPLAY: FOR [FILL BASED ON R05_AN0357H]:

IF R05_AN0357H = 1, 2, DISPLAY "today".

ELSE, IF R05_AN0357H = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0357H = 4, DISPLAY "the day before yesterday".

PROGRAM: Allow 2 digits.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

CHECK ID: R05_AN0359H_LC1

The computer recorded that [today/yesterday/the day before yesterday], you used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [R05_AN0359H] times.

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK

GO TO R05_AN0359H

2 NEXT

GO TO BOX R05_AXR102

ASK: IF R05_TOBACCO_USER_STATUS = 3, 5 AND R05_AN0330_12MH = 1 AND R05_AN0161H_ [02/03/04/05] = 1 AND R05_AN0357H = 1, 2, 3, 4 AND (R05_AN0359H = 0 OR R05_AN0359H > 5).

DISPLAY: IF R05_AN0357H = 1, 2, DISPLAY "today".

ELSE, IF R05_AN0357H = 3, DISPLAY "yesterday".

ELSE, IF R05_AN0357H = 4, DISPLAY "the day before yesterday".

PROGRAM: TRIGGER CHECK IF R05_AN0359H = 0 OR R05_AN0359H > 5.

ELSE, GO TO BOX R05_AXR102 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_AXR102

Adult female respondents who are less than 50 years old, go to R05_AX0134_12M.

Else, go to R05_AX0488.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50, GO TO R05_AX0134_12M.

ELSE, GO TO R05_AX0488.

Variable(s): R05_AX0134_12M***

The next questions are about your pregnancy history.

In the past 12 months, have you been pregnant? Please include a current pregnancy, live births, miscarriages, abortions, ectopic or tubal pregnancies, and stillbirths.

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult female respondents who are less than 50 years old.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR53

Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months, go to R05_AX0136.

Else, adult female respondents who are less than 50 years old and have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview, go to R05_AX0135_12M.

Else, go to R05_AX0488.

IF R05_ADULTTYPE = 1, 2 AND R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND R05_AX0134_12M = 1, GO TO R05_AX0136.

ELSE, IF R05_ADULTTYPE = 1, 2 AND R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND R05_AX0134_12M != 1 AND R04_PREGNANT = 1, GO TO R05_AX0135_12M.

ELSE, GO TO R05_AX0488.

Variable(s): R05_AX0136

Are you pregnant now?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND R05_AX0134_12M = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR54 Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are currently pregnant, go to R05_AX0137. Else, adult female respondents who have been pregnant in the past 12 months and are not currently pregnant, go to R05_AX0135_12M. Else, go to R05_AX0488. IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND R05_AX0134_12M = 1 AND R05_AX0136 = 1, GO TO R05_AX0137. ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND R05_AX0134_12M = 1 AND R05_AX0136 = 2, GO TO R05_AX0135_12M. ELSE, GO TO R05_AX0488.
--

Variable(s): R05_AX0137_NN; R05_AX0137_UN How many months or weeks pregnant are you? Please enter the number of months or weeks. 1 __ __ Months 2 __ __ Weeks -8 DON'T KNOW GO TO BOX R05_AXR119 -7 REFUSED GO TO BOX R05_AXR119 ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are currently pregnant. ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND R05_AX0134_12M = 1 AND R05_AX0136 = 1. PROGRAM: Display as Quantity/Units. Allow 2 digits. NOTES: The value "1" refers R05_AX0137_UN = Months; the value "2" refers to R05_AX0137_UN = Weeks.

CHECK ID: R05_AX0137_LC1 The computer recorded that you have been pregnant for [R05_AX0137] [months/weeks]. Is that correct? If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter. 1 BACK GO TO R05_AX0137 2 NEXT GO TO BOX R05_AXR119 ASK: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND R05_AX0134_12M = 1 AND R05_AX0136 = 1 AND ((R05_AX0137_NN > 10 AND R05_AX0137_UN = 1) OR (R05_AX0137_NN > 42 AND R05_AX0137_UN = 2)). DISPLAY: IF R05_AX0137_UN = 1, DISPLAY "months". ELSE, IF R05_AX0137_UN = 2, DISPLAY "weeks". PROGRAM: TRIGGER CHECK IF (R05_AX0137_NN > 10 AND R05_AX0137_UN = 1) OR (R05_AX0137_NN > 42 AND R05_AX0137_UN = 2). ELSE, GO TO BOX R05_AXR119 AND DO NOT DISPLAY THIS SCREEN.
--

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0135_12M

What was the outcome of your last pregnancy?

- 1 Live birth
- 2 Miscarriage
- 3 Abortion
- 4 Ectopic or tubal pregnancy
- 5 Stillbirth
- 6 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND ((R05_AX0134_12M = 1 AND R05_AX0136 = 2) OR (R05_AX0134_12M != 1 AND R04_PREGNANT = 1)).

BOX ID: R05_AXR55

Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview and whose pregnancy resulted in live birth, go to R05_AX0300_12M. Else, go to R05_AX0340.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND ((R05_AX0134_12M = 1 AND R05_AX0136 = 2) OR (R05_AX0134_12M != 1 AND R04_PREGNANT = 1)) AND R05_AX0135_12M = 1, GO TO R05_AX0300_12M. ELSE, GO TO R05_AX0340.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

For your last pregnancy, did any of the following occur? Choose all that apply.

- R05_AX0300_12M_01** 1 Preterm birth (birth of baby less than 37 weeks gestational age)
- R05_AX0300_12M_02** 2 Baby with low birth weight (less than 5 pounds 8 ounces)
- R05_AX0300_12M_03** 3 Baby with birth defects
- R05_AX0300_12M_04** 4 Placenta previa
- R05_AX0300_12M_05** 5 Placenta abruption
- R05_AX0300_12M_06** 6 Pre-eclampsia
- R05_AX0300_12M_07** 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND ((R05_AX0134_12M = 1 AND R05_AX0136 = 2) OR (R05_AX0134_12M != 1 AND R04_PREGNANT = 1)) AND R05_AX0135_12M = 1.

PROGRAM: If Option 7 is selected, options 1-6 may not be selected.

BOX ID: R05_AXR56

Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects, go to R05_AX0299. Else, go to R05_AX0340.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND ((R05_AX0134_12M = 1 AND R05_AX0136 = 2) OR (R05_AX0134_12M != 1 AND R04_PREGNANT = 1)) AND R05_AX0135_12M = 1 AND AND (R05_AX0300_12M_01 = 1 OR R05_AX0300_12M_02 = 1 OR R05_AX0300_12M_03 = 1), GO TO R05_AX0299.
ELSE, GO TO R05_AX0340.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0299

Does your child have any developmental delays?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a preterm birth, having a baby with low birth weight, or having a baby with birth defects.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND ((R05_AX0134_12M = 1 AND R05_AX0136 = 2) OR (R05_AX0134_12M != 1 AND R04_PREGNANT = 1)) AND R05_AX0135_12M = 1 AND (R05_AX0300_12M_01 = 1 OR R05_AX0300_12M_02 = 1 OR R05_AX0300_12M_03 = 1).

BOX ID: R05_AXR57

Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a baby with birth defects, go to R05_AX0706.
Else, go to R05_AX0340.

IF (R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND ((R05_AX0134_12M = 1 AND R05_AX0136 = 2) OR (R05_AX0134_12M != 1 AND R04_PREGNANT = 1)) AND R05_AX0135_12M = 1 AND R05_AX0300_12M_03 = 1), GO TO R05_AX0706.
ELSE, GO TO R05_AX0340.

Variable(s): R05_AX0706

Was your child born with a cleft lip or a cleft palate?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and have been pregnant in the past 12 months and are not currently pregnant, or have not been pregnant in the past 12 months or did not know or refused to report whether they have been pregnant in the past 12 months and were pregnant as of their last completed interview and whose last pregnancy resulted in a live birth and reported having a baby with birth defects.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND ((R05_AX0134_12M = 1 AND R05_AX0136 = 2) OR (R05_AX0134_12M != 1 AND R04_PREGNANT = 1)) AND R05_AX0135_12M = 1 AND R05_AX0300_12M_03 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR119

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview, go to R05_AX0340.

Else, go to R05_AX0488.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1), GO TO R05_AX0340.
ELSE, GO TO R05_AX0488.

Variable(s): R05_AX0340

During the 3 months before your [most recent / current] pregnancy, how many alcoholic drinks did you have in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor, or a mixed drink or cocktail.

- 1 14 drinks or more a week
- 2 7 to 13 drinks a week
- 3 4 to 6 drinks a week
- 4 1 to 3 drinks a week
- 5 Less than 1 drink a week
- 6 I didn't drink then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1).

DISPLAY: UNDERLINE "before".

IF R05_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0341**

During the last 3 months of your [most recent / current] pregnancy, how many alcoholic drinks [did you have/have you had] in an average week?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor, or a mixed drink or cocktail.

- 1 14 drinks or more a week
- 2 7 to 13 drinks a week
- 3 4 to 6 drinks a week
- 4 1 to 3 drinks a week
- 5 Less than 1 drink a week
- 6 I didn't drink then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1).

DISPLAY: UNDERLINE "last".

IF R05_AX0136 = 1, DISPLAY "current" AND "did you have".

ELSE, DISPLAY "most recent" AND "have you had".

PROGRAM: Suppress option 7 if R05_AX0136 != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXV05

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R05_PASTUSE_CIGS - Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established cigarette smokers in Wave 4, or new baseline adult respondents who have ever smoked cigarettes.

R05_PASTUSE_EPRODS - Continuing adult respondents who used ENPs in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established ENP users in Wave 4, or new baseline adult respondents who have ever used ENPs.

R05_PASTUSE_GTRAD - Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established traditional cigar smokers in Wave 4, or new baseline adult respondents who have ever smoked traditional cigars.

R05_PASTUSE_GRILLO - Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established cigarillo smokers in Wave 4, or new baseline adult respondents who have ever smoked cigarillos.

R05_PASTUSE_GFILTR - Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established filtered cigar smokers in Wave 4, or new baseline adult respondents who have ever smoked filtered cigars.

R05_PASTUSE_PIPE - Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established pipe smokers in Wave 4, or new baseline adult respondents who have ever smoked pipe tobacco.

R05_PASTUSE_HOOK - Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established hookah smokers in Wave 4, or new baseline adult respondents who have ever smoked hookah.

R05_PASTUSE_SNUS - Continuing adult respondents who used snus in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established snus users in Wave 4, or new baseline adult respondents who have ever used snus.

R05_PASTUSE_SMKLS - Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established smokeless tobacco users in Wave 4, or new baseline adult respondents who have ever used smokeless tobacco.

R05_PASTUSE_CIGS:

IF (R05_AC1004 = 1 OR R05_AC1002_12M = 1 OR R05_AC1002 = 1 OR R04_CIG_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_CIGS = 1)) AND R05_AC1010 != 3, THEN R05_PASTUSE_CIGS = 1.

ELSE, R05_PASTUSE_CIGS = 2.

R05_PASTUSE_EPRODS:

IF ((R05_AV1004 = 1 OR R05_AV1002_12M = 1 OR R05_AV1002 = 1 OR R04_EPROD_USER_STATUS = 1, 2, 3, 4) OR (R05_EVER_NEVER_EPRODS = 1 AND R05_ADULTTYPE = 2)) AND R05_AV1010 != 3, THEN R05_PASTUSE_EPRODS = 1.

ELSE, R05_PASTUSE_EPRODS = 2.

R05_PASTUSE_GTRAD:

IF (R05_AG9030 = 1 OR R05_AG9003_12M = 1 OR R05_AG9003 = 1 OR R04_GTRAD_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GTRAD = 1)) AND R05_AG1010TC != 3, THEN R05_PASTUSE_GTRAD = 1.

ELSE, R05_PASTUSE_GTRAD = 2.

R05_PASTUSE_GRILLO:

IF (R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR R05_AG9053 = 1 OR

PATH Study Wave 5 Adult Public Use File Annotated Instrument

R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1 OR R05_AG9009_01 = 1 OR
R05_AG9009_03 = 1 OR R04_GRILLO_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND
R05_EVER_NEVER_GRILLO = 1)) AND R05_AG1010CG != 3, THEN R05_PASTUSE_GRILLO = 1.
ELSE, R05_PASTUSE_GRILLO = 2.

R05_PASTUSE_GFILTR:

IF (R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1 OR R05_AG9009_02 = 1
OR R04_GFILTR_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND
R05_EVER_NEVER_GFILTR = 1)) AND R05_AG1010FC != 3, THEN R05_PASTUSE_GFILTR = 1.
ELSE, R05_PASTUSE_GFILTR = 2.

R05_PASTUSE_PIPE:

IF (R05_AP1004 = 1 OR R05_AP1002_12M = 1 OR R05_AP1002 = 1 OR R04_PIPE_USER_STATUS
= 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_PIPE = 1)) AND R05_AP1010 != 3,
THEN R05_PASTUSE_PIPE = 1.
ELSE, R05_PASTUSE_PIPE = 2.

R05_PASTUSE_HOOK:

IF (R05_AH1004 = 1 OR R05_AH1002_12M = 1 OR R05_AH1002 = 1 OR
R04_HOOK_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_HOOK
= 1)) AND R05_AH1010 != 3, THEN R05_PASTUSE_HOOK = 1.
ELSE, R05_PASTUSE_HOOK = 2.

R05_PASTUSE_SNUS:

IF (R05_AU1004 = 1 OR R05_AU1002_12M = 1 OR R05_AU1002 = 1 OR R04_SNUS_USER_STATUS
= 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SNUS = 1)) AND R05_AU1010 != 3,
THEN R05_PASTUSE_SNUS = 1.
ELSE, R05_PASTUSE_SNUS = 2.

R05_PASTUSE_SMKLS:

IF (R05_AS1004 = 1 OR R05_AS1002_12M = 1 OR R05_AS1002 = 1 OR
R04_SMKLS_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND
R05_EVER_NEVER_SMKLS = 1)) AND R05_AS1010 != 3, THEN R05_PASTUSE_SMKLS = 1.
ELSE, R05_PASTUSE_SMKLS = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR60

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarettes, excluding continuing adult respondents who have not smoked cigarettes in the past 30 days or in the past 12 months and were long-term former cigarette smokers as of their last completed interview, go to R05_AX0342.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used ENPs, excluding continuing adult respondents who have not used ENPs in the past 30 days or in the past 12 months and were long-term former ENP users as of their last completed interview, go to R05_AX0344.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked traditional cigars, excluding continuing adult respondents who have not smoked traditional cigars in the past 30 days or in the past 12 months and were long-term former traditional cigar smokers as of their last completed interview, go to R05_AX0346.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarillos, excluding continuing adult respondents who have not smoked cigarillos in the past 30 days or in the past 12 months and were long-term former cigarillo smokers as of their last completed interview, go to R05_AX0348.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview, go to R05_AX0350.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview, go to R05_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview, go to R05_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview, go to R05_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, go to R05_AX0358.

Else, go to R05_AX0488.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_CIGS = 1, GO TO R05_AX0342.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_EPRODS = 1, GO TO R05_AX0344.

ELSE, R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GTRAD = 1, GO TO R05_AX0346.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

```

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR
R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GRILLO = 1, GO TO
R05_AX0348.
ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR
R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GFILTR = 1, GO TO
R05_AX0350.
ELSE, IF (R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR
R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_PIPE = 1, GO TO
R05_AX0352.
ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR
R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_HOOK = 1, GO TO
R05_AX0354.
ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR
R05_AX0134_12M = 1 OR (R04_PREGNANT = 1 AND R05_PASTUSE_SNUS = 1, GO TO
R05_AX0356.
ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR
R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SMKLS = 1, GO TO
R05_AX0358.
ELSE, GO TO R05_AX0488.

```

Variable(s): **R05_AX0342**

During the 3 months before your [most recent /current] pregnancy, how many cigarettes did you smoke on an average day? A pack usually has 20 cigarettes in it.

- 1 Less than 1 cigarette
- 2 1 to 5 cigarettes
- 3 6 to 10 cigarettes
- 4 11 to 20 cigarettes
- 5 21 to 40 cigarettes
- 6 41 cigarettes or more
- 7 None (0 cigarettes)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarettes, excluding continuing adult respondents who have not smoked cigarettes in the past 30 days or in the past 12 months and were long-term former cigarette smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_CIGS = 1.

DISPLAY: UNDERLINE "before".

IF R05_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0343**

During the last 3 months of your [most recent / current] pregnancy, how many cigarettes [did you smoke/ have you smoked] on an average day?

- 1 Less than 1 cigarette
- 2 1 to 5 cigarettes
- 3 6 to 10 cigarettes
- 4 11 to 20 cigarettes
- 5 21 to 40 cigarettes
- 6 41 cigarettes or more
- 7 None (0 cigarettes)
- 8 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarettes, excluding continuing adult respondents who have not smoked cigarettes in the past 30 days or in the past 12 months and were long-term former cigarette smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_CIGS = 1.

DISPLAY: UNDERLINE "last".

IF R05_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 8 if R05_AX0136 != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR89

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used ENPs, excluding continuing adult respondents who have not used ENPs in the past 30 days or in the past 12 months and were long-term former ENP users as of their last completed interview, go to R05_AX0344.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked traditional cigars, excluding continuing adult respondents who have not smoked traditional cigars in the past 30 days or in the past 12 months and were long-term former traditional cigar smokers as of their last completed interview, go to R05_AX0346.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarillos, excluding continuing adult respondents who have not smoked cigarillos in the past 30 days or in the past 12 months and were long-term former cigarillo smokers as of their last completed interview, go to R05_AX0348.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview, go to R05_AX0350.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview, go to R05_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview, go to R05_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview, go to R05_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, go to R05_AX0358.

Else, go to R05_AX0488.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_EPRODS = 1, GO TO R05_AX0344.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GTRAD = 1, GO TO R05_AX0346.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GRILLO = 1, GO TO R05_AX0348.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GFILTR = 1, GO TO R05_AX0350.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_PIPE = 1, GO TO R05_AX0352.
 ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_HOOK = 1, GO TO R05_AX0354.
 ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SNUS = 1, GO TO R05_AX0356.
 ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SMKLS = 1, GO TO R05_AX0358.
 ELSE, GO TO R05_AX0488.

Variable(s): **R05_AX0344**

During the 3 months before your [most recent / current] pregnancy, how often did you use e-cigarettes or other electronic nicotine products?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use electronic nicotine products then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used ENPs, excluding continuing adult respondents who have not used ENPs in the past 30 days or in the past 12 months and were long-term former ENP users as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_EPRODS = 1.

DISPLAY: UNDERLINE "before".

IF R05_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0345**

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] e-cigarettes or other electronic nicotine products?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use electronic nicotine products then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used ENPs, excluding continuing adult respondents who have not used ENPs in the past 30 days or in the past 12 months and were long-term former ENP users as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_EPRODS = 1.

DISPLAY: UNDERLINE "last".

IF R05_AX0136 = 1, DISPLAY "current" AND "have you used".

ELSE, DISPLAY "most recent" AND "did you use".

PROGRAM: Suppress option 7 if R05_AX0136 != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR90

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked traditional cigars, excluding continuing adult respondents who have not smoked traditional cigars in the past 30 days or in the past 12 months and were long-term former traditional cigar smokers as of their last completed interview, go to R05_AX0346.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarillos, excluding continuing adult respondents who have not smoked cigarillos in the past 30 days or in the past 12 months and were long-term former cigarillo smokers as of their last completed interview, go to R05_AX0348.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview, go to R05_AX0350.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview, go to R05_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview, go to R05_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview, go to R05_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, go to R05_AX0358.

Else, go to R05_AX0488.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GTRAD = 1, GO TO R05_AX0346.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GRILLO = 1, GO TO R05_AX0348.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GFILTR = 1, GO TO R05_AX0350.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_PIPE = 1, GO TO R05_AX0352.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_HOOK = 1, GO TO R05_AX0354.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SNUS = 1, GO TO R05_AX0356.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SMKLS = 1, GO TO R05_AX0358.
ELSE, GO TO BOX R05_AX0488.

Variable(s): **R05_AX0346**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke traditional cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke traditional cigars then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked traditional cigars, excluding continuing adult respondents who have not smoked traditional cigars in the past 30 days or in the past 12 months and were long-term former traditional cigar smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GTRAD = 1.

DISPLAY: UNDERLINE "before".

IF R05_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0347**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] traditional cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke traditional cigars then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked traditional cigars, excluding continuing adult respondents who have not smoked traditional cigars in the past 30 days or in the past 12 months and were long-term former traditional cigar smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GTRAD = 1.

DISPLAY: UNDERLINE "last".

IF R05_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 7 if R05_AX0136 != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR91

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarillos, excluding continuing adult respondents who have not smoked cigarillos in the past 30 days or in the past 12 months and were long-term former cigarillo smokers as of their last completed interview, go to R05_AX0348.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview, go to R05_AX0350.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview, go to R05_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview, go to R05_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview, go to R05_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, go to R05_AX0358.

Else, go to R05_AX0488.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GRILLO = 1, GO TO R05_AX0348.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GFILTR = 1, GO TO R05_AX0350.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_PIPE = 1, GO TO R05_AX0352.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_HOOK = 1, GO TO R05_AX0354.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SNUS = 1, GO TO R05_AX0356.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SMKLS = 1, GO TO R05_AX0358.

ELSE, GO TO R05_AX0488.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0348*****

During the 3 months before your [most recent / current] pregnancy, how often did you smoke cigarillos?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke cigarillos then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarillos, excluding continuing adult respondents who have not smoked cigarillos in the past 30 days or in the past 12 months and were long-term former cigarillo smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GRILLO = 1.

DISPLAY: UNDERLINE "before".

IF R05_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0349***

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] cigarillos?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke cigarillos then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked cigarillos, excluding continuing adult respondents who have not smoked cigarillos in the past 30 days or in the past 12 months and were long-term former cigarillo smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GRILLO = 1.

DISPLAY: UNDERLINE "last".

IF R05_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 7 if R05_AX0136 != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR92

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview, go to R05_AX0350.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview, go to R05_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview, go to R05_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview, go to R05_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, go to R05_AX0358.

Else, go to R05_AX0488.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GFILTR = 1, GO TO R05_AX0350.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_PIPE = 1, GO TO R05_AX0352.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_HOOK = 1, GO TO R05_AX0354.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SNUS = 1, GO TO R05_AX0356.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SMKLS = 1, GO TO R05_AX0358.

ELSE, GO TO R05_AX0488.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0350**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke filtered cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke filtered cigars then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND $18 \leq R05R_A_AGE < 50$ AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GFILTR = 1.

DISPLAY: UNDERLINE "before".

IF R05_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0351**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] filtered cigars?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke filtered cigars then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked filtered cigars, excluding continuing adult respondents who have not smoked filtered cigars in the past 30 days or in the past 12 months and were long-term former filtered cigar smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_GFILTR = 1.

DISPLAY: UNDERLINE "last".

IF R05_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 7 if R05_AX0136 != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR93

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview, go to R05_AX0352.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview, go to R05_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview, go to R05_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, go to R05_AX0358.

Else, go to R05_AX0488.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_PIPE = 1, GO TO R05_AX0352.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_HOOK = 1, GO TO R05_AX0354.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SNUS = 1, GO TO R05_AX0356.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SMKLS = 1, GO TO R05_AX0358.

ELSE, GO TO R05_AX0488.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0352**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke a pipe filled with tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke a pipe then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_PIPE = 1.

DISPLAY: UNDERLINE "before".

IF R05_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0353**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] a pipe filled with tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke a pipe then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked a pipe, excluding continuing adult respondents who have not smoked a pipe in the past 30 days or in the past 12 months and were long-term former pipe smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_PIPE = 1.

DISPLAY: UNDERLINE "last".

IF R05_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 7 if R05_AX0136 != 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR94

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview, go to R05_AX0354.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview, go to R05_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, go to R05_AX0358.

Else, go to R05_AX0488.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_HOOK = 1, GO TO R05_AX0354.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SNUS = 1, GO TO R05_AX0356.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SMKLS = 1, GO TO R05_AX0358.

ELSE, GO TO R05_AX0488.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0354**

During the 3 months before your [most recent / current] pregnancy, how often did you smoke hookah?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke hookah then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_HOOK = 1.

DISPLAY: UNDERLINE "before".

IF R05_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0355**

During the last 3 months of your [most recent/current] pregnancy, how often [did you smoke/have you smoked] hookah?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not smoke hookah then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever smoked hookah, excluding continuing adult respondents who have not smoked hookah in the past 30 days or in the past 12 months and were long-term former hookah smokers as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_HOOK = 1.

DISPLAY: UNDERLINE "last".

IF R05_AX0136 = 1, DISPLAY "current" AND "have you smoked".

ELSE, DISPLAY "most recent" AND "did you smoke".

PROGRAM: Suppress option 7 if R05_AX0136 != 1.

BOX ID: **R05_AXR95**

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview, go to R05_AX0356.

Else, adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, go to R05_AX0358.

Else, go to R05_AX0488.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SNUS = 1, GO TO R05_AX0356.

ELSE, IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SMKLS = 1, GO TO R05_AX0358.

ELSE, GO TO R05_AX0488.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0356

During the 3 months before your [most recent / current] pregnancy, how often did you use snus?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use snus then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SNUS = 1.

DISPLAY: UNDERLINE "before".

IF R05_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0357

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] snus?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use snus then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used snus, excluding continuing adult respondents who have not used snus in the past 30 days or in the past 12 months and were long-term former snus users as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SNUS = 1.

DISPLAY: UNDERLINE "last".

IF R05_AX0136 = 1, DISPLAY "current" AND "have you used".

ELSE, DISPLAY "most recent" AND "did you use".

PROGRAM: Suppress option 7 if R05_AX0136 != 1.

BOX ID: R05_AXR96

Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview, go to R05_AX0358.
Else, go to R05_AX0488.

IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SMKLS = 1, GO TO R05_AX0358.
ELSE, GO TO R05_AX0488.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0358**

During the 3 months before your [most recent / current] pregnancy, how often did you use [other types of]smokeless tobacco (such as dip, spit, or chew)?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use smokeless tobacco then
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND $18 \leq R05R_A_AGE < 50$ AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SMKLS = 1.

DISPLAY: UNDERLINE "before".

IF R05_AX0136 = 1, DISPLAY "current".

ELSE, DISPLAY "most recent".

IF R05_PASTUSE_SNUS = 1, DISPLAY "other types of ".

ELSE, DO NOT DISPLAY.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0359

During the last 3 months of your [most recent/current] pregnancy, how often [did you use/have you used] smokeless tobacco?

- 1 Every day
- 2 A few days a week
- 3 Once a week
- 4 Two or three days a month
- 5 Once a month or less
- 6 I did not use smokeless tobacco then
- 7 I have not yet reached the last 3 months of my pregnancy
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult female respondents who are less than 50 years old and are currently pregnant or have been pregnant in the past 12 months or were pregnant as of their last completed interview and have ever used smokeless tobacco, excluding continuing adult respondents who have not used smokeless tobacco in the past 30 days or in the past 12 months and were long-term former smokeless tobacco users as of their last completed interview.

ASK Specification: IF R05R_A_SEX = 2 AND 18 <= R05R_A_AGE < 50 AND (R05_AX0136 = 1 OR R05_AX0134_12M = 1 OR R04_PREGNANT = 1) AND R05_PASTUSE_SMKLS = 1.

DISPLAY: UNDERLINE "last".

IF R05_AX0136 = 1, DISPLAY "current" AND "have you used".

ELSE, DISPLAY "most recent" AND "did you use".

PROGRAM: Suppress option 7 if R05_AX0136 != 1.

Variable(s): R05_AX0488

The next questions are about common psychological, behavioral, and personal problems. These problems are considered significant when you have them for two or more weeks, when they keep coming back, when they keep you from meeting your responsibilities, or when they make you feel like you can't go on.

After each of the following questions, please tell us the last time, if ever, you had the problem, by answering whether it was in the past month, 2-12 months ago, over a year ago, or never.

- 1 NEXT

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant".

PROGRAM: Respondent should hit NEXT to continue. There is no actual question on this screen.

BOX ID: R05_AXD91

Display questions R05_AX0161 through R05_AX0164 using the expanded WVB stem-leaf screen. The introduction text from R05_AX0161 is the stem. As each question is answered, show the next one.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0161***

When was the last time that you had significant problems with...

feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "significant problems".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0162***

sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0163***

feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0164***

becoming very distressed and upset when something reminded you of the past?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_AXD92

Display questions R05_AX0165 through R05_AX0251 using the expanded WVB stem-leaf screen. The introduction text from R05_AX0165 is the stem. As each question is answered, show the next one.

Variable(s): R05_AX0165***

When was the last time that you did any of the following things two or more times...

lied or conned to get things you wanted or to avoid having to do something?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "two or more times".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0166***

had a hard time paying attention at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0167***

had a hard time listening to instructions at school, work, or home?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0168***

were a bully or threatened other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0169***

started physical fights with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0250***

felt restless or the need to run around or climb on things?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0251***

gave answers before the other person finished asking the question?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0084_12M

The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.

In the past 12 months, have you used any alcohol, including small tastes or sips?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_AXR49 |
| -8 DON'T KNOW | GO TO BOX R05_AXR49 |
| -7 REFUSED | GO TO BOX R05_AXR49 |

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0673

Have you used alcohol within the past 30 days?

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_AXR49 |
| -8 | DON'T KNOW | GO TO BOX R05_AXR49 |
| -7 | REFUSED | GO TO BOX R05_AXR49 |

ASK: Adult respondents who have used alcohol in the past 12 months.

ASK Specification: IF R05_AX0084_12M = 1.

DISPLAY: UNDERLINE "past 30 days".

Variable(s): R05_AX0075

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor, or a mixed drink or cocktail.

- I ___ | ___ | DAYS
- | | |
|----|------------|
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days.

ASK Specification: IF R05_AX0084_12M = 1 AND R05_AX0673 = 1.

PROGRAM: Range check: 0-30.

BOX ID: R05_AXR48

Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks, go to R05_AX0076. Else, go to Box R05_AXR49.

IF R05_AX0084_12M = 1 AND R05_AX0673 = 1 AND (R05_AX0075 > 0 OR R05_AX0075 = -8, -7), GO TO R05_AX0076.
ELSE, GO TO BOX R05_AXR49.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0076

On average, on those [days that you drank in the past 30 days / NUMBER OF DAYS FROM R05_AX0075 days], how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor, or a mixed drink or cocktail.

|__|__|
 -8 DON'T KNOW
 -7 REFUSED

GO TO BOX R05_AXR49
 GO TO BOX R05_AXR49

ASK: Adult respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and had an alcoholic drink on one or more of the past 30 days or did not know or refused to report on how many of the last 30 days they had one or more alcoholic drinks.

ASK Specification: IF R05_AX0084_12M = 1 AND R05_AX0673 = 1 AND (R05_AX0075 > 0 OR R05_AX0075 = -8, -7).

DISPLAY: IF R05_AX0075 = 1, -8, -7, DISPLAY "days that you drank in the past 30 days". ELSE, IF R05_AX0075 > 1, FILL NUMBER OF DAYS WITH NUMBER REPORTED IN R05_AX0075 AND "days".

PROGRAM: Range check: 1-90.

CHECK ID: R05_AX0076_LC1

The computer recorded that you usually drank [R05_AX0076] alcoholic beverages on the days that you drank during the last 30 days. Is that correct?

If this is correct, please press the NEXT button to continue. If this is NOT correct, please press the BACK button and re-enter.

1 BACK
 2 NEXT

GO TO R05_AX0076
 GO TO BOX R05_AXR49

ASK: IF R05_AX0084_12M = 1 AND R05_AX0673 = 1 AND (R05_AX0075 > 0 OR R05_AX0075 = -8, -7) AND R05_AX0076 > 30.

PROGRAM: TRIGGER CHECK IF R05_AX0076 > 30. ELSE, GO TO BOX R05_AXR49 AND DO NOT DISPLAY THIS SCREEN.

BOX ID: R05_AXR49

Adult respondents who have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, go to R05_AX0085_12M. Else, go to R05_AX0675.

IF R05_AG9107 = 2, -8, -7, GO TO R05_AX0085_12M. ELSE, GO TO R05_AX0675.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0085_12M

In the past 12 months, have you used marijuana, hash, THC, grass, pot, or weed?

- 1 Yes
- 2 No GO TO BOX R05_AXD07
- 8 DON'T KNOW GO TO BOX R05_AXD07
- 7 REFUSED GO TO BOX R05_AXD07

ASK: Adult respondents who have not smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report whether they have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF R05_AG9107 = 2, -8, -7.

Variable(s): R05_AX0675

Have you used marijuana, hash, THC, grass, pot, or weed within the past 30 days?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or or have used marijuana, hash, THC, grass, pot, or weed in the past 12 months.

ASK Specification: IF R05_AG9107 = 1 OR R05_AX0085_12M = 1.

DISPLAY: UNDERLINE "past 30 days".

BOX ID: R05_AXD07

DISPLAY INSTRUCTION:

For R05_AX0089_12M and R05_AX0220_12M, display a "Yes" and "No" column with options for each response category.

Variable(s): SEE BELOW:

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

- R05_AX0089_12M_01 1 Ritalin® or Adderall®
- R05_AX0089_12M_02 2 Painkillers, sedatives, or tranquilizers
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: UNDERLINE "not" AND "only".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

In the past 12 months, have you used any of the following substances?

- R05_AX0220_12M_01** 1 Cocaine or crack
- R05_AX0220_12M_02** 2 Stimulants like methamphetamine or speed
- R05_AX0220_12M_03** 3 Any other drugs like heroin, inhalants, solvents, or hallucinogens
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_AXR06

Repeat R05_AX0676[_01/_05] up to five times for each substance reported in R05_AX0089_12M [_01/_02] and R05_AX0220_12M[_01/_02/_03].

Else, if no substances reported, go to Box R05_AXV04.

REPEAT R05_AX0676[_01/_05] UP TO 5 TIMES FOR EACH SUBSTANCE REPORTED IN RS, R05_AX0089_12M AND R05_AX0220_12M:

IF R05_AX0089_12M_01 = 1, ASK R05_AX0676_01 ABOUT "Ritalin® or Adderall®".

IF R05_AX0089_12M_02 = 1, ASK R05_AX0676_02 ABOUT "painkillers, sedatives, or tranquilizers".

IF R05_AX0220_12M_01 = 1, ASK R05_AX0676_03 ABOUT "cocaine or crack".

IF R05_AX0220_12M_02 = 1, ASK R05_AX0676_04 ABOUT "stimulants like methamphetamine or speed".

IF R05_AX0220_12M_03 = 1, ASK R05_AX0676_05 ABOUT "other drugs like heroin, inhalants, solvents, or hallucinogens".

WHEN ALL R05_AX0676[_01/_05] HAS BEEN ASKED ABOUT ALL SELECTED SUBSTANCES, GO TO BOX R05_AXV04.

ELSE, IF R05_AX0089_12M_01 != 1 AND R05_AX0089_12M_02 != 1 AND R05_AX0220_12M_01 != 1 AND R05_AX0220_12M_02 != 1 AND R05_AX0220_12M_03 != 1, GO TO BOX R05_AXV04.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0676_01; R05_AX0676_02; R05_AX0676_03; R05_AX0676_04; R05_AX0676_05
Have you used [SUBSTANCEFILL] within the <u>past 30 days</u>? 1 Yes 2 No -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs in the past 12 months. ASK Specification: FOR R05_AX0676_01: IF R05_AX0089_12M_01 = 1. FOR R05_AX0676_02: IF R05_AX0089_12M_02 = 1. FOR R05_AX0676_03: IF R05_AX0220_12M_01 = 1. FOR R05_AX0676_04: IF R05_AX0220_12M_02 = 1. FOR R05_AX0676_05: IF R05_AX0220_12M_03 = 1. DISPLAY: UNDERLINE "past 30 days". FOR [SUBSTANCEFILL]: FOR R05_AX0676_01: IF R05_AX0089_12M_01 = 1, DISPLAY "Ritalin® or Adderall®". FOR R05_AX0676_02: IF R05_AX0089_12M_02 = 1, DISPLAY "painkillers, sedatives, or tranquilizers". FOR R05_AX0676_03: IF R05_AX0220_12M_01 = 1, DISPLAY "cocaine or crack". FOR R05_AX0676_04: IF R05_AX0220_12M_02 = 1, DISPLAY "stimulants like methamphetamine or speed". FOR R05_AX0676_05: IF R05_AX0220_12M_03 = 1, DISPLAY "other drugs like heroin, inhalants, solvents, or hallucinogens".
BOX ID: R05_AXR50 If more than one substance is selected in R05_AX0089_12M[_01/_02] or R05_AX0220_12M[_01/_02/_03], go back to box R05_AXR06, until R05_AX0676 has been asked about all selected substances. Else, if R05_AX0676[_01/_02/_03/_04/_05] has been asked about all selected substances, go to Box R05_AXV04. IF R05_AX0089_12M[_01/_02] = 1 OR R05_AX0220_12M[_01/_02/_03] = 1, GO BACK TO BOX R05_AXR06 UNTIL R05_AX0676 HAS BEEN ASKED ABOUT FOR ALL SELECTED SUBSTANCES. WHEN THERE ARE NO REMAINING SUBSTANCES, GO TO BOX R05_AXV04.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXV04

PROGRAM: CREATE THE FOLLOWING DERIVED VARIABLES (SEE APPENDIX):

R05_EVER_USER_ALC = Adult respondents who have ever used alcohol.

R05_EVER_USER_MJ = Adult respondents who have ever used marijuana.

R05_EVER_USER_RIT = Adult respondents who have ever used Ritalin® or Adderall®.

R05_EVER_USER_PK = Adult respondents who have ever used painkillers, sedatives, or tranquilizers.

R05_EVER_USER_COC = Adult respondents who have ever used cocaine or crack.

R05_EVER_USER_STIM = Adult respondents who have ever used stimulants like methamphetamine or speed.

R05_EVER_USER_OTH = Adult respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens.

R05_SUBSTANCE_COUNT = Number of substances the respondent has ever used.

R05_EVER_USER_ALC:

IF R05_AX0084_12M = 1 OR R04_EVER_USER_ALCOHOL = 1, THEN R05_EVER_USER_ALC = 1.
ELSE, R05_EVER_USER_ALC = 2.

R05_EVER_USER_MJ:

IF R05_AG9107 = 1 OR R05_AX0085_12M = 1 OR R05_AH9031 = 1 OR R05_AV9042 = 1 OR
R04_EVER_USER_MARIJUANA = 1, THEN R05_EVER_USER_MJ = 1.
ELSE, R05_EVER_USER_MJ = 2.

R05_EVER_USER_RIT:

IF R05_AX0089_12M_01 = 1 OR R04_EVER_USER_RITALIN = 1, THEN R05_EVER_USER_RIT = 1.
ELSE, R05_EVER_USER_RIT = 2.

R05_EVER_USER_PK:

IF R05_AX0089_12M_02 = 1 OR R04_EVER_USER_PAINKILLERS = 1, THEN R05_EVER_USER_PK
= 1.
ELSE, R05_EVER_USER_PK = 2.

R05_EVER_USER_COC:

IF R05_AX0220_12M_01 = 1 OR R04_EVER_USER_COCAINE = 1, THEN R05_EVER_USER_COC =
1.
ELSE, R05_EVER_USER_COC = 2.

R05_EVER_USER_STIM:

IF R05_AX0220_12M_02 = 1 OR R04_EVER_USER_STIMULANTS = 1, THEN
R05_EVER_USER_STIM = 1.
ELSE, R05_EVER_USER_STIM = 2.

R05_EVER_USER_OTH:

IF R05_AX0220_12M_03 = 1 OR R04_EVER_USER_OTHERDRUG = 1, THEN
R05_EVER_USER_OTH = 1.
ELSE, R05_EVER_USER_OTH = 2.

R05_SUBSTANCE_COUNT:

R05_SUBSTANCE_COUNT = 0;
IF R05_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;
IF R05_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;
IF R05_EVER_USER_RIT = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;
IF R05_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;
IF R05_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;
IF R05_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1;
IF R05_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR03
Adult respondents who report ever using alcohol or ever using drugs, go to R05_AX0170. Else, go to Box R05_AXT06.
IF R05_SUBSTANCE_COUNT >= 1, GO TO R05_AX0170. ELSE, GO TO BOX R05_AXT06.

Variable(s): R05_AX0170
When was the last time that...
You used alcohol or other drugs weekly or more often?
1 Past month 2 2 to 12 months ago 3 Over a year ago 4 Never -8 DON'T KNOW -7 REFUSED
ASK: Adult respondents who report ever using alcohol or ever using drugs.
ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

BOX ID: R05_AXR04
Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances, go to R05_AX0175. Else, go to R05_AX0171.
IF R05_AX0170 = 1, 2, 3 AND R05_SUBSTANCE_COUNT >= 2, GO TO R05_AX0175. ELSE, GO TO R05_AX0171.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

- | | |
|----------------------|--|
| R05_AX0175_01 | 1 Alcohol |
| R05_AX0175_02 | 2 Marijuana, hash, THC, or grass, pot, or weed |
| R05_AX0175_03 | 3 Ritalin® or Adderall® |
| R05_AX0175_04 | 4 Painkillers, sedatives, or tranquilizers |
| R05_AX0175_05 | 5 Cocaine or crack |
| R05_AX0175_06 | 6 Stimulants like methamphetamine or speed |
| R05_AX0175_07 | 7 Any other drugs like heroin, inhalants, solvents, or hallucinogens |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago and report ever using two or more substances.

ASK Specification: IF R05_AX0170 = 1, 2, 3 AND R05_SUBSTANCE_COUNT >= 2.

PROGRAM: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.

IF R05_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.

IF R05_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.

IF R05_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.

IF R05_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.

IF R05_EVER_USER_COC = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.

IF R05_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.

IF R05_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.

Variable(s): R05_AX0171

When was the last time that...

You spent a lot of time getting alcohol or other drugs?

- | | |
|----|--------------------|
| 1 | Past month |
| 2 | 2 to 12 months ago |
| 3 | Over a year ago |
| 4 | Never |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0172

When was the last time that...

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Variable(s): R05_AX0173

When was the last time that...

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Variable(s): R05_AX0193

When was the last time that...

You spent a lot of time using or recovering from alcohol or other drugs?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0174

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Variable(s): R05_AX0194

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

- 1 Past month
- 2 2 to 12 months ago
- 3 Over a year ago
- 4 Never
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

BOX ID: R05_AXR51

Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago, go to R05_AX0176.
Else, go to Box R05_AXT06.

IF R05_SUBSTANCE_COUNT >= 2 AND (R05_AX0193 = 1, 2, 3 OR R05_AX0172 = 1, 2, 3 OR R05_AX0173 = 1, 2, 3 OR R05_AX0174 = 1, 2, 3 OR R05_AX0194 = 1, 2, 3), GO TO R05_AX0176.
ELSE, GO TO BOX R05_AXT06.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems? Please do not include drugs that were prescribed for you. Choose all that apply.

- | | |
|----------------------|--|
| R05_AX0176_01 | 1 Alcohol |
| R05_AX0176_02 | 2 Marijuana, hash, THC, grass, pot, or weed |
| R05_AX0176_03 | 3 Ritalin® or Adderall® |
| R05_AX0176_04 | 4 Painkillers, sedatives, or tranquilizers |
| R05_AX0176_05 | 5 Cocaine or crack |
| R05_AX0176_06 | 6 Stimulants like methamphetamine or speed |
| R05_AX0176_07 | 7 Any other drugs like heroin, inhalants, solvents, or hallucinogens |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: Adult respondents who have used two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND (R05_AX0193 = 1, 2, 3 OR R05_AX0172 = 1, 2, 3 OR R05_AX0173 = 1, 2, 3 OR R05_AX0174 = 1, 2, 3 OR R05_AX0194 = 1, 2, 3).

PROGRAM: List only those substances a respondent previously indicated he/she has ever used. Allow respondent to choose all that apply.

IF R05_EVER_USER_ALC = 1, DISPLAY OPTION 1; ELSE, DO NOT DISPLAY OPTION 1.
 IF R05_EVER_USER_MJ = 1, DISPLAY OPTION 2; ELSE DO NOT DISPLAY OPTION 2.
 IF R05_EVER_USER_RIT = 1, DISPLAY OPTION 3; ELSE, DO NOT DISPLAY OPTION 3.
 IF R05_EVER_USER_PK = 1, DISPLAY OPTION 4; ELSE, DO NOT DISPLAY OPTION 4.
 IF R05_EVER_USER_COC = 1, DISPLAY OPTION 5; ELSE, DO NOT DISPLAY OPTION 5.
 IF R05_EVER_USER_STIM = 1, DISPLAY OPTION 6; ELSE, DO NOT DISPLAY OPTION 6.
 IF R05_EVER_USER_OTH = 1, DISPLAY OPTION 7; ELSE, DO NOT DISPLAY OPTION 7.

BOX ID: R05_AXT06

The next questions ask about your relatives, including your father, mother, brothers or sisters, sons or daughters, both living and deceased.

BOX ID: R05_AXR79

New baseline adult respondents, go to Box R05_AXD13.
 Else, continuing adult respondents, go to Box R05_AXD14.

IF R05_ADULTTYPE = 2, GO TO BOX R05_AXD13.
 ELSE, IF R05_ADULTTYPE = 1, GO TO BOX R05_AXD14.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXD13

DISPLAY INSTRUCTION:

For R05_AX0689_NB, display a 'Yes' and 'No' column with options for each response category.

Variable(s): SEE BELOW:

Were any of your close biological or blood relatives ever told by a health professional that they had any of the following conditions?

- R05_AX0689_NB_01** 1 Asthma
- R05_AX0689_NB_02** 2 High blood pressure
- R05_AX0689_NB_03** 3 High cholesterol
- R05_AX0689_NB_04** 4 A heart attack or needed bypass surgery
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

BOX ID: R05_AXR84

New baseline adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, go to R05_AX0195.

Else, go to R05_AX0707.

IF R05_ADULTTYPE = 2 AND R05_AX0689_NB_04 = 1, GO TO R05_AX0195.
ELSE, GO TO R05_AX0707.

BOX ID: R05_AXD14

DISPLAY INSTRUCTION:

For R05_AX0689_12M, display a 'Yes' and 'No' column with options for each response category.

Variable(s): SEE BELOW:

In the past 12 months, were any of your close biological or blood relatives told by a health professional that they had any of the following conditions?

- R05_AX0689_12M_01***** 1 Asthma
- R05_AX0689_12M_02***** 2 High blood pressure
- R05_AX0689_12M_03***** 3 High cholesterol
- R05_AX0689_12M_04***** 4 A heart attack or needed bypass surgery
- 8 DON'T KNOW
- 7 REFUSED

ASK: Continuing adult respondents.

ASK Specification: IF R05_ADULTTYPE = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR85

Continuing adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, go to R05_AX0195.
Else, go to R05_AX0707.

IF R05_ADULTTYPE = 1 AND R05_AX0689_12M_04 = 1, GO TO R05_AX0195.
ELSE, GO TO R05_AX0707.

Variable(s): R05_AX0195

Were they told they had a heart attack or needed bypass surgery before the age of 50?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents whose close biological or blood relatives were ever told they had a heart attack or needed bypass surgery, or continuing adult respondents whose close biological or blood relatives were told they had a heart attack or needed bypass surgery in the past 12 months.

ASK Specification: IF (R05_ADULTTYPE = 2 AND R05_AX0689_NB_04 = 1) OR (R05_ADULTTYPE = 1 AND R05_AX0689_12M_04 = 1).

DISPLAY: UNDERLINE "before the age of 50".

Variable(s): R05_AX0707

Have any of your close biological or blood relatives used any tobacco products? By this we mean cigarettes, e-cigarettes or other electronic nicotine products, cigars, pipe, hookah, snus or other types of smokeless tobacco (such as dip, spit, or chew), and dissolvable tobacco.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AX0731

Have any of your close biological or blood relatives ever been an alcoholic or problem drinker? By this we mean a person whose drinking causes problems with their physical or emotional health, family or friends, work or school, or the police.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0732

Have any of your close biological or blood relatives ever had problems with drugs? By this we mean a person whose drug use causes problems with their physical or emotional health, family or friends, work or school, or the police.

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_AXR101

New baseline adult respondents, go to R05_AX0401_NB.
Else, go to Box R05_AXT02.

IF R05_ADULTTYPE = 2, GO TO R05_AX0401_NB.
ELSE, GO TO BOX R05_AXT02.

Variable(s): R05_AX0401_NB

Did your mother use tobacco while she was pregnant with you?

- 1 I don't know
- 2 Yes
- 3 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: New baseline adult respondents.

ASK Specification: IF R05_ADULTTYPE = 2.

MARKETING, ADVERTISING, AND PROMOTION

BOX ID: R05_AXT02

The next questions ask about tobacco advertising that you may have seen or received.

Variable(s): SEE BELOW:

In the past 12 months, have you received discounts or coupons for any of the following products?
Choose all that apply.

- | | |
|----------------------|---|
| R05_AX0708_01 | 1 Cigarettes |
| R05_AX0708_02 | 2 E-cigarettes or other electronic nicotine products (including e-liquid) |
| R05_AX0708_03 | 3 Cigars |
| R05_AX0708_04 | 4 Shisha or hookah tobacco |
| R05_AX0708_05 | 5 Snus |
| R05_AX0708_06 | 6 Other types of smokeless tobacco (such as dip, spit, or chew) |
| R05_AX0708_07 | 7 Some other type of tobacco product |
| R05_AX0708_08 | 8 None of the above |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: All adult respondents.

PROGRAM: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.

Variable(s): R05_AX0178

In the past 30 days, have you noticed tobacco ads or promotions on store windows or inside stores where tobacco is sold?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXV10
CREATE DERIVED VARIABLE: R05_REGULAR_BRAND = Adult respondents who have a regular brand of any tobacco product. R05_NO_REGULAR_BRAND = Adult respondents who use a tobacco product and do not have a regular brand of that tobacco product.
R05_REGULAR_BRAND: IF R05_AC1047MC = 1 OR R05_AC1047RY = 1 OR R05_AV1047 = 1 OR R05_AG1047TC = 1 OR R05_AG1047CG = 1 OR R05_AG1047FC = 1 OR R05_AP1047 = 1 OR R05_AH1047 = 1 OR R05_AU1047 = 1 OR R05_AS1047 = 1, THEN R05_REGULAR_BRAND = 1. ELSE, R05_REGULAR_BRAND = 2. R05_NO_REGULAR_BRAND: IF (R05_AC1047MC = 2, -8, -7 OR R05_AC1047RY = 2, -8, -7 OR R05_AV1047 = 2, -8, -7 OR R05_AG1047TC = 2, -8, -7 OR R05_AG1047CG = 2, -8, -7 OR R05_AG1047FC = 2, -8, -7 OR R05_AP1047 = 2, -8, -7 OR R05_AH1047 = 2, -8, -7 OR R05_AS1047 = 2, -8, -7 OR R05_AU1047 = 2, -8, -7), THEN R05_NO_REGULAR_BRAND = 1. ELSE, R05_NO_REGULAR_BRAND = 2.

BOX ID: R05_AXR64
Adult respondents who are current established tobacco users and have a regular brand of any product, go to R05_AX0715. Else, go to Box R05_AXR67.
IF R05_TOBACCO_USER_STATUS = 1 AND R05_REGULAR_BRAND = 1, GO TO R05_AX0715. ELSE, GO TO BOX R05_AXR67.

Variable(s): R05_AX0715								
In the past 30 days, have you bought a brand of tobacco product other than your usual brand? <table border="0"> <tr> <td>1 Yes</td> <td></td> </tr> <tr> <td>2 No</td> <td>GO TO BOX R05_AXR67</td> </tr> <tr> <td>-8 DON'T KNOW</td> <td>GO TO BOX R05_AXR67</td> </tr> <tr> <td>-7 REFUSED</td> <td>GO TO BOX R05_AXR67</td> </tr> </table> ASK: Adult respondents who are current established tobacco users and have a regular brand of any product. ASK Specification: IF R05_TOBACCO_USER_STATUS = 1 AND R05_REGULAR_BRAND = 1.	1 Yes		2 No	GO TO BOX R05_AXR67	-8 DON'T KNOW	GO TO BOX R05_AXR67	-7 REFUSED	GO TO BOX R05_AXR67
1 Yes								
2 No	GO TO BOX R05_AXR67							
-8 DON'T KNOW	GO TO BOX R05_AXR67							
-7 REFUSED	GO TO BOX R05_AXR67							

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0716

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1 AND R05_REGULAR_BRAND = 1 AND R05_AX0715 = 1.

Variable(s): R05_AX0210

In the past 30 days, have you bought a brand of tobacco product other than your usual brand because you noticed it displayed in the store or on signs?

- 1 Yes
- 2 No GO TO R05_AX0717
- 8 DON'T KNOW GO TO R05_AX0717
- 7 REFUSED GO TO R05_AX0717

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1 AND R05_REGULAR_BRAND = 1 AND R05_AX0715 = 1.

Variable(s): R05_AX0211

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days because they noticed it displayed in the store or on signs.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1 AND R05_REGULAR_BRAND = 1 AND R05_AX0715 = 1 AND R05_AX0210 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0717**

In the past 30 days, when you were in a store that sells tobacco, did you buy a brand of tobacco product other than your usual brand because you noticed it was on sale or there was a deal like 2-for-1?

- | | |
|---------------|---------------------|
| 1 Yes | |
| 2 No | GO TO BOX R05_AXR67 |
| -8 DON'T KNOW | GO TO BOX R05_AXR67 |
| -7 REFUSED | GO TO BOX R05_AXR67 |

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1 AND R05_REGULAR_BRAND = 1 AND R05_AX0715 = 1.

Variable(s): **R05_AX0718**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established tobacco users and have a regular brand of any product and bought a different brand in the past 30 days because it was on sale or there was a deal.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1 AND R05_REGULAR_BRAND = 1 AND R05_AX0715 = 1 AND R05_AX0717 = 1.

BOX ID: **R05_AXR67**

Young adult respondents who are current established or current experimental tobacco users and use a product for which they do not have a regular brand, go to R05_AX0209.

Else, adult respondents who are former experimental, recent former established, or long-term former established tobacco users, go to R05_AX0212.

Else, go to R05_AX0678.

IF 18 <= R05R_A_AGE < 25 AND R05_TOBACCO_USER_STATUS = 1, 2 AND R05_NO_REGULAR_BRAND = 1, GO TO R05_AX0209.

ELSE, IF R05_TOBACCO_USER_STATUS = 3, 4, 5, GO TO R05_AX0212.

ELSE, GO TO R05_AX0678.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0209**

In the past 30 days, have you bought a brand of tobacco product because you noticed a promotion for it?

- | | |
|---------------|------------------|
| 1 Yes | GO TO R05_AX0678 |
| 2 No | GO TO R05_AX0678 |
| -8 DON'T KNOW | GO TO R05_AX0678 |
| -7 REFUSED | GO TO R05_AX0678 |

ASK: Young adult respondents who are current established or current experimental tobacco users and use a product for which they do not have a regular brand.

ASK Specification: IF $18 \leq R05R_A_AGE < 25$ AND $R05_TOBACCO_USER_STATUS = 1, 2$ AND $R05_NO_REGULAR_BRAND = 1$.

Variable(s): **R05_AX0212**

Since you quit using tobacco, has there been a time when seeing a tobacco product display or other signs that tobacco is sold there, has given you an urge to buy tobacco?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AX0678 |
| -8 DON'T KNOW | GO TO R05_AX0678 |
| -7 REFUSED | GO TO R05_AX0678 |

ASK: Adult respondents who are former experimental, recent former established, or long-term former established tobacco users.

ASK Specification: IF $R05_TOBACCO_USER_STATUS = 3, 4, 5$.

Variable(s): **R05_AX0213**

In the past 30 days, has this happened just once or twice, a few times, or quite regularly?

- 1 Once or twice
- 2 A few times
- 3 Quite regularly
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are former experimental, recent former established, or long-term former established tobacco users and had the urge to buy tobacco when seeing a tobacco product display since quitting using tobacco.

ASK Specification: IF $R05_TOBACCO_USER_STATUS = 3, 4, 5$ AND $R05_AX0212 = 1$.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0678

In the past 30 days, have you gotten a free sample of an **e-cigarette or other electronic nicotine product** (including e-liquid)?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarette or other electronic nicotine product".

Variable(s): SEE BELOW:

In the past 30 days, have you noticed **e-cigarettes or other electronic nicotine products** being advertised in any of the following places? Choose all that apply.

- R05_AX0203_01** 1 I have not seen any advertisements in the past 30 days
- R05_AX0203_02** 2 At gas stations, convenience stores, or other retail stores
- R05_AX0203_03** 3 On billboards
- R05_AX0203_04** 4 In newspapers or magazines
- R05_AX0203_05** 5 On radio
- R05_AX0203_06** 6 On television
- R05_AX0203_07** 7 At events like fairs, festivals, or sporting events
- R05_AX0203_08** 8 At nightclubs, bars, or music concerts
- R05_AX0203_09** 9 On websites or social media sites
- R05_AX0203_10;** 10 Somewhere else (SPECIFY)
- R05_AX0203_OS**
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "e-cigarettes or other electronic nicotine products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0709

Do you have a favorite e-cigarette or electronic nicotine product advertisement?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): SEE BELOW:

In the past 30 days, have you noticed **cigarettes or other tobacco products** (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

- R05_AX0677_01 1 I haven't seen any advertisements in the past 30 days
- R05_AX0677_02 2 At gas stations, convenience stores, or other retail stores
- R05_AX0677_03 3 On billboards
- R05_AX0677_04 4 In newspapers or magazines
- R05_AX0677_05 5 On radio
- R05_AX0677_06 6 On television
- R05_AX0677_07 7 At events like fairs, festivals, or sporting events
- R05_AX0677_08 8 At nightclubs, bars, or music concerts
- R05_AX0677_09 9 On websites or social media sites
- R05_AX0677_10; R05_AX0677_OS 10 Somewhere else (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD AND UNDERLINE "cigarettes or other tobacco products".

IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

PROGRAM: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.

BOX ID: R05_AXR66

Young adult respondents, go to R05_AX0710.
Else, go to R05_AX0234.

IF 18 <= R05R_A_AGE < 25, GO TO R05_AX0710.
ELSE, GO TO R05_AX0234.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0710

Do you have a favorite tobacco advertisement?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R_A_AGE < 25.

Variable(s): R05_AX0234

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"A Tip From a Former Smoker"

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "A Tip From a Former Smoker".

IMAGE: DISPLAY IMAGE OF TIPS CAMPAIGN LOGO

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0235**

In the past 12 months, how often have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Truth"

[DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "Truth".

IMAGE: DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO

Variable(s): **R05_AX0728**

In the past 12 months, how often have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Know the real cost."

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "Know the real cost.".

IMAGE: DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0713**

In the past 12 months, how often have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Keep it Fresh. Live Tobacco-Free."

[DISPLAY IMAGE OF FRESH EMPIRE LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "Keep it Fresh. Live Tobacco-Free."

IMAGE: DISPLAY IMAGE OF FRESH EMPIRE LOGO

Variable(s): **R05_AX0764**

In the past 12 months, how often have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"This Free Life. Freedom To Be. Tobacco-Free."

[DISPLAY IMAGE OF THIS FREE LIFE/LGBT CAMPAIGN LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "This Free Life. Freedom To Be. Tobacco-Free."

IMAGE: DISPLAY IMAGE OF THIS FREE LIFE/LGBT CAMPAIGN LOGO.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AX0765**

In the past 12 months, how often have you seen or heard of any ads on television, the internet or radio with the following slogan or theme?

"Smokeless doesn't mean harmless."

[DISPLAY IMAGE OF REAL COST SMOKELESS TOBACCO LOGO]

- 1 Never
- 2 Rarely
- 3 Sometimes
- 4 Often
- 5 Very often
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: BOLD "Smokeless doesn't mean harmless."

IMAGE: DISPLAY IMAGE OF REAL COST SMOKELESS TOBACCO LOGO

Variable(s): **R05_AX0766**

In the past 12 months, how often have you seen or heard of any ads in a store, on the internet or radio with the following slogan or theme?

"Every Try Counts"

[DISPLAY IMAGE OF EVERY TRY COUNTS LOGO]

- | | |
|---------------|---------------------|
| 1 Never | GO TO BOX R05_AMT01 |
| 2 Rarely | |
| 3 Sometimes | |
| 4 Often | |
| 5 Very often | |
| -8 DON'T KNOW | GO TO BOX R05_AMT01 |
| -7 REFUSED | GO TO BOX R05_AMT01 |

ASK: All adult respondents.

DISPLAY: BOLD "Every Try Counts".

IMAGE: DISPLAY IMAGE OF EVERY TRY COUNTS LOGO

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0767

Have you seen this slogan or theme at a store where you planned to purchase a tobacco product?

"Every Try Counts"

[DISPLAY IMAGE OF EVERY TRY COUNTS LOGO]

- | | | |
|----|------------|---------------------|
| 1 | Yes | |
| 2 | No | GO TO BOX R05_AMT01 |
| -8 | DON'T KNOW | GO TO BOX R05_AMT01 |
| -7 | REFUSED | GO TO BOX R05_AMT01 |

ASK: Adult respondents who have seen or heard of "Every Try Counts" campaign rarely, sometimes, often, or very often.

ASK Specification: IF R05_AX0766 = 2, 3, 4, 5.

DISPLAY: BOLD "Every Try Counts".

IMAGE: DISPLAY IMAGE OF EVERY TRY COUNTS LOGO

Variable(s): R05_AX0768

Did you change your mind about purchasing a tobacco product after seeing this slogan or theme?

"Every Try Counts"

[DISPLAY IMAGE OF EVERY TRY COUNTS LOGO]

- | | |
|----|-----------------------------------|
| 1 | Yes, I decided not to purchase it |
| 2 | No, I still purchased it |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who have seen or heard of "Every Try Counts" campaign rarely, sometimes, often, or very often and have seen this slogan or theme at a store where they planned to purchase a tobacco product.

ASK Specification: IF R05_AX0766 = 2, 3, 4, 5 AND R05_AX0767 = 1.

DISPLAY: BOLD "Every Try Counts".

IMAGE: DISPLAY IMAGE OF EVERY TRY COUNTS LOGO

ADDITIONAL DEMOGRAPHICS

BOX ID: R05_AMT01

Finally, we have a few additional questions about you, your work, education, and health insurance.

BOX ID: R05_AMR01

Adult respondents who do not currently work for pay, go to R05_AM0017.

Else, go to Box R05_AMR17.

IF R05_AM0014 = 4, GO TO R05_AM0017.

ELSE, GO TO BOX R05_AMR17.

Variable(s): R05_AM0017

Are you currently...

- 1 Looking for paid work
- 2 A student not looking for paid work
- 3 A homemaker or caregiver not looking for paid work
- 4 Retired
- 5 Unable to work for physical or mental health reasons
- 6 Unable to work due to other reasons
- 7 None of the above
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who do not currently work for pay.

ASK Specification: IF R05_AM0014 = 4.

BOX ID: R05_AMR17

Adult respondents who did not already complete a parent interview, go to R05_AM0018.

Else, go to R05_AM0019.

IF R05_PARENT_COMPLETE_LD != 1, GO TO R05_AM0018.

ELSE, GO TO R05_AM0019.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AM0018***

What is the highest grade or level of school you have completed?

- | | | |
|----|---|------------------|
| 1 | Less than high school | |
| 2 | Some high school, no diploma | |
| 3 | GED | GO TO R05_AM0019 |
| 4 | High school graduate-diploma | GO TO R05_AM0019 |
| 5 | Some college but no degree | GO TO R05_AM0019 |
| 6 | Associate degree-occupational/vocational | GO TO R05_AM0019 |
| 7 | Associate degree-academic program | GO TO R05_AM0019 |
| 8 | Bachelor's degree (ex: BA, AB, BS) | GO TO R05_AM0019 |
| 9 | Master's degree (ex: MA, MS, MEng, MEd, MSW) | GO TO R05_AM0019 |
| 10 | Professional school degree (ex: MD, DDS, DVM, JD) | GO TO R05_AM0019 |
| 11 | Doctorate degree (ex: PhD, EdD) | GO TO R05_AM0019 |
| -8 | DON'T KNOW | GO TO R05_AM0019 |
| -7 | REFUSED | GO TO R05_AM0019 |

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AM0067

Are you currently enrolled in high school?

- | | | |
|----|------------|------------------|
| 1 | Yes | |
| 2 | No | GO TO R05_AM0019 |
| -8 | DON'T KNOW | GO TO R05_AM0019 |
| -7 | REFUSED | GO TO R05_AM0019 |

ASK: Adult respondents who did not already complete a parent interview whose highest level of education is less than high school or some high school, no diploma.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1 AND R05_AM0018 = 1, 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AM0068

What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.

- 6 9th
- 7 10th
- 8 11th
- 9 12th
- 12 I am home-schooled
- 13 My school does not separate students into grades
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview whose highest level of education is less than high school or some high school, no diploma and are currently enrolled in high school.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1 AND R05_AM0018 = 1, 2 AND R05_AM0067 = 1.

Variable(s): R05_AM0019

Are you [also] currently enrolled in a degree program?

- | | |
|---------------|------------------|
| 1 Yes | |
| 2 No | GO TO R05_AM0015 |
| -8 DON'T KNOW | GO TO R05_AM0015 |
| -7 REFUSED | GO TO R05_AM0015 |

ASK: All adult respondents.

DISPLAY: IF R05_AM0067 = 1, DISPLAY "also".
ELSE, DO NOT DISPLAY THIS FILL.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AM0020; R05_AM0020_OS

Which type of degree program are you currently enrolled in?

- 1 Technical/vocational program
- 2 2-year degree program
- 3 4-year degree program
- 4 Graduate/professional program
- 5 Other type of degree program (SPECIFY)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are currently enrolled in a degree program.

ASK Specification: IF R05_AM0019 = 1

DISPLAY: IF OS FIELD SELECTED AND ADDITIONAL OS SCREEN IS SHOWN, DISPLAY QUESTION TEXT AND ADD THE FOLLOWING TEXT: "Please type your answer using the computer keyboard."

Variable(s): R05_AM0015

In the past 30 days, because of a shortage of money, were you unable to pay any important bills on time, such as rent, electricity, or telephone bills?

- 1 Yes
- 2 No
- 7 Not applicable
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AM0039

In the past 12 months, have you received assistance or income from any federal, state, or local programs, such as food stamps, welfare, cash aid, unemployment benefits, housing assistance, child care, or Medicaid?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AMR16

Adult respondents who did not already complete a parent interview, go to R05_AM0030.
Else, go to Box R05_ALR05.

IF R05_PARENT_COMPLETE_LD != 1, GO TO BOX R05_AM0030.
ELSE, GO TO BOX R05_ALR05.

Variable(s): R05_AM0030***

Which of the following categories best describes your total **household** income in the past 12 months?

This is the total income before taxes of all persons in your household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- | | | |
|----|------------------------|------------------|
| 1 | Less than \$10,000 | GO TO R05_AL0040 |
| 2 | \$10,000 to \$14,999 | GO TO R05_AL0040 |
| 3 | \$15,000 to \$24,999 | GO TO R05_AL0040 |
| 4 | \$25,000 to \$34,999 | GO TO R05_AL0040 |
| 5 | \$35,000 to \$49,999 | GO TO R05_AL0040 |
| 6 | \$50,000 to \$74,999 | GO TO R05_AL0040 |
| 7 | \$75,000 to \$99,999 | GO TO R05_AL0040 |
| 8 | \$100,000 to \$149,999 | GO TO R05_AL0040 |
| 9 | \$150,000 to \$199,999 | GO TO R05_AL0040 |
| 10 | \$200,000 or more | GO TO R05_AL0040 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

DISPLAY: BOLD AND UNDERLINE "household".

UNDERLINE "all persons in your household combined".

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AM0031

Is your total household income during the past 12 months above or below \$50,000?

- | | |
|----|----------------|
| 1 | Above \$50,000 |
| 2 | Below \$50,000 |
| -8 | DON'T KNOW |
| -7 | REFUSED |

ASK: Adult respondents who did not already complete a parent interview and did not know or refused to report their household income.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1 AND R05_AM0030 = -8, -7.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AL0040***

Do you own or rent your home?

(Ownership includes having a mortgage or loan.)

- 1 Own
- 2 Rent
- 3 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who did not already complete a parent interview.

ASK Specification: IF R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

BOX ID: R05_ALR05

Young adult respondents, go to R05_AM0042.
Else, go to Box R05_AMR02.

IF 18 <= R05R_A_AGE < 25, GO TO R05_AM0042.
ELSE, GO TO BOX R05_AMR02.

Variable(s): R05_AM0042

Where do you currently live? If you live in more than one place throughout the year, please answer for where you are currently staying.

- 1 Apartment, condo, or house
- 2 In a dorm or other campus housing GO TO R05_AM0040
- 3 In a fraternity or sorority house GO TO R05_AM0040
- 4 Someplace else GO TO R05_AM0040
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R_A_AGE < 25.

DISPLAY: UNDERLINE SECOND INSTANCE OF "currently".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Who do you currently live with? If you live in more than one place throughout the year, please answer for where you are currently staying. Choose all that apply.

- | | | |
|----------------------|----|-----------------------------------|
| R05_AM0041_01 | 1 | Parents or guardians |
| R05_AM0041_02 | 2 | Friends or other roommates |
| R05_AM0041_03 | 3 | A spouse or romantic partner |
| R05_AM0041_04 | 4 | My children |
| R05_AM0041_05 | 5 | Another relative or family friend |
| R05_AM0041_06 | 6 | On my own |
| | -8 | DON'T KNOW |
| | -7 | REFUSED |

ASK: Young adult respondents who currently live in an apartment, condo, or house or did not know or refused to report where they currently live.

ASK Specification: IF $18 \leq R05R_A_AGE < 25$ AND $R05_AM0042 = 1, -8, -7$.

DISPLAY: UNDERLINE SECOND INSTANCE OF "currently".

PROGRAM: Allow respondent to choose all that apply.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AM0040**

Think of this ladder as representing where people stand in the United States.

At the top of the ladder (step 10) are the people who have the most money and education, and the most respected jobs.

At the bottom of the ladder (step 1) are the people who have the least money and education, and the least respected jobs or no job.

Where would you place yourself on this ladder? Pick the number for the step that shows where you think you stand at this time in your life, relative to other people in the United States.

[SHOW IMAGE OF LADDER]

1	10
2	9
3	8
4	7
5	6
6	5
7	4
8	3
9	2
10	1
-8	DON'T KNOW
-7	REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R_A_AGE < 25.

IMAGE: SHOW IMAGE OF LADDER

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): **R05_AM0033**

The next questions ask about your parents. Please think about your parents or parental figures (step-parents, foster parents, guardians, etc.) who you lived with most of the time when you were 17 years old and younger.

What is the highest grade or level of school that your **mother**, **step-mother**, or **mother-figure** completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate-diploma
- 5 Some college but no degree
- 6 Associate degree-occupational/vocational
- 7 Associate degree-academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, MEd, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF $18 \leq R05R_A_AGE < 25$.

DISPLAY: UNDERLINE THE FIRST OCCURRENCE OF "parents".

BOLD "mother", "step-mother", AND "mother-figure".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AM0034

What is the highest grade or level of school that your **father**, **step-father**, or **father-figure** completed?

- 1 Less than high school
- 2 Some high school, no diploma
- 3 GED
- 4 High school graduate-diploma
- 5 Some college but no degree
- 6 Associate degree-occupational/vocational
- 7 Associate degree-academic program
- 8 Bachelor's degree (ex: BA, AB, BS)
- 9 Master's degree (ex: MA, MS, MEng, MEd, MSW)
- 10 Professional school degree (ex: MD, DDS, DVM, JD)
- 11 Doctorate degree (ex: PhD, EdD)
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents.

ASK Specification: IF 18 <= R05R_A_AGE < 25.

DISPLAY: BOLD "father", "step-father", AND "father-figure".

BOX ID: R05_AMR04

Young adult respondents who do not live with their parents, go to R05_AM0036.

Else, go to Box R05_AMR02.

IF 18 <= R05R_A_AGE < 25 AND R05_AM0041_01 != 1, GO TO R05_AM0036.

ELSE, GO TO BOX R05_AMR02.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AM0036

Which of the following categories best describes your parents' total household income in the past 12 months?

This is the total income before taxes of all persons in your parents' household combined. Please include money from jobs, relatives, pensions, dividends, interest, social security payments or retirement benefits, net income from business, farm or rent, and any other money received by household members.

- | | | |
|----|------------------------|---------------------|
| 1 | Less than \$10,000 | GO TO BOX R05_AMR02 |
| 2 | \$10,000 to \$14,999 | GO TO BOX R05_AMR02 |
| 3 | \$15,000 to \$24,999 | GO TO BOX R05_AMR02 |
| 4 | \$25,000 to \$34,999 | GO TO BOX R05_AMR02 |
| 5 | \$35,000 to \$49,999 | GO TO BOX R05_AMR02 |
| 6 | \$50,000 to \$74,999 | GO TO BOX R05_AMR02 |
| 7 | \$75,000 to \$99,999 | GO TO BOX R05_AMR02 |
| 8 | \$100,000 to \$149,999 | GO TO BOX R05_AMR02 |
| 9 | \$150,000 to \$199,999 | GO TO BOX R05_AMR02 |
| 10 | \$200,000 or more | GO TO BOX R05_AMR02 |
| -8 | DON'T KNOW | |
| -7 | REFUSED | |

ASK: Young adult respondents who do not live with their parents.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_AM0041_01 != 1.

DISPLAY: UNDERLINE "parents' total household income" AND "all persons in your parents' household combined".

Variable(s): R05_AM0037

Is your parents' total household income during the past 12 months above or below \$50,000?

- 1 Above \$50,000
- 2 Below \$50,000
- 8 DON'T KNOW
- 7 REFUSED

ASK: Young adult respondents who do not live with their parents and did not know or refused to report their parents' total household income.

ASK Specification: IF 18 <= R05R_A_AGE < 25 AND R05_AM0041_01 != 1 AND R05_AM0036 = -8, -7.

DISPLAY: UNDERLINE "parents".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AMR02

New baseline adult respondents who are on active duty or have been on active duty in the past, go to R05_AM0012_NB.

Else, continuing adult respondents who are on active duty or have been on active duty in the past and have not reported being enrolled in VA health care as of their last completed interview, go to

R05_AM00012_12M.

Else, go to Box R05_AMD02.

IF R05_ADULTTYPE = 2 AND R05_AM0007 = 1, 2, GO TO R05_AM0012_NB.

ELSE, IF R05_ADULTTYPE = 1 AND R05_AM0007 = 1, 2 AND R04_VA_HEALTHCARE != 1, GO TO R05_AM0012_12M.

ELSE, GO TO BOX R05_AMD02.

Variable(s): R05_AM0012_NB

Have you ever been enrolled in VA health care?

1 Yes GO TO BOX R05_AMD02

2 No GO TO BOX R05_AMD02

-8 DON'T KNOW GO TO BOX R05_AMD02

-7 REFUSED GO TO BOX R05_AMD02

ASK: New baseline adult respondents who are on active duty or have been on active duty in the past.

ASK Specification: IF R05_ADULTTYPE = 2 AND R05_AM0007 = 1, 2.

Variable(s): R05_AM0012_12M

In the past 12 months, have you been enrolled in VA health care?

1 Yes

2 No

-8 DON'T KNOW

-7 REFUSED

ASK: Continuing adult respondents who are on active duty or have been on active duty in the past and have not reported being enrolled in VA health care as of their last completed interview.

ASK Specification: IF R05_ADULTTYPE = 1 AND R05_AM0007 = 1, 2 AND R04_VA_HEALTHCARE != 1.

BOX ID: R05_AMD02

BOX – DISPLAY INSTRUCTIONS

For R05_AM0026, DISPLAY A "Yes" AND "No" COLUMN WITH OPTION FOR EACH RESPONSE CATEGORY.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): SEE BELOW:

Are you currently covered by any of the following types of health insurance or health coverage plans?

- | | |
|-------------------------|--|
| R05_AM0026_01 | 1 Insurance through a current or former employer or union (of yourself, a spouse, or other family member) |
| R05_AM0026_02 | 2 Insurance purchased directly from an insurance company (by yourself, a spouse, or other family member) |
| R05_AM0026_03 | 3 Medicare, for people 65 and older, or people with certain disabilities |
| R05_AM0026_04*** | 4 Medicaid, Medical Assistance, or any kind of government-assistance plan for those with low incomes or a disability |
| R05_AM0026_05*** | 5 VA Health Care |
| R05_AM0026_06*** | 6 TRICARE or other military health care |
| R05_AM0026_07*** | 7 Indian Health Service |
| R05_AM0026_08*** | 8 Any other type of health insurance or health coverage plan |
| | -8 DON'T KNOW |
| | -7 REFUSED |

ASK: All adult respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AM0021

The next question asks about your level of sexual attraction to BOTH males and females.

Please consider the response choices carefully, as it is important that you understand them and are as honest as you can be in your answer.

To whom have you felt sexually attracted, even if you did not take any action based on feeling attracted?

- 1 Only to females, never to males
- 2 Mostly to females, and at least once to a male
- 3 About equally often to females and to males
- 4 Mostly to males, and at least once to a female
- 5 Only to males, never to females
- 6 I have never felt sexually attracted to anyone at all
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

DISPLAY: FOR MALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN THE SPECIFIED ORDER.

FOR FEMALE RESPONDENTS, DISPLAY RESPONSE OPTIONS 1-5 IN REVERSE ORDER, WHERE RESPONSE OPTION 5 IS PRESENTED FIRST, OPTION 4 SECOND, ETC.

IF SEX IS UNKNOWN, DEFAULT TO ORDER SHOWN FOR MALE RESPONDENTS.

PROGRAM: Store value according to listed categories specified above; do not store value according to the display order.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AM0063

Do you consider yourself to be...

- 1 Straight
- 2 Lesbian or gay
- 3 Bisexual
- 4 Something else
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

Variable(s): R05_AM0061

Some people describe themselves as transgender when they experience a different gender identity from their sex at birth. For example, a person born into a male body, but who feels female or lives as a woman would be transgender.

Do you consider yourself to be transgender?

- 1 Yes
- 2 No
- 8 DON'T KNOW
- 7 REFUSED

ASK: All adult respondents.

BOX ID: R05_AMR06

Adult respondents who are transgender, go to R05_AM0062.
Else, go to Box R05_AMR07.

IF R05_AM0061 = 1, GO TO R05_AM0062.
ELSE, GO TO BOX R05_AMR07.

Variable(s): R05_AM0062

Do you consider yourself to be male-to-female, female-to-male, or non-conforming?

- 1 Yes, Transgender, male to female
- 2 Yes, Transgender, female to male
- 3 Yes, Transgender, gender nonconforming
- 4 No
- 5 Not sure
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are transgender.

ASK Specification: IF R05_AM0061 = 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AMR07
Adult respondents who are current established or current experimental tobacco users, go to R05_AX0214. Else, go to R05_AL3000.
IF R05_TOBACCO_USER_STATUS = 1, 2, GO TO R05_AX0214. ELSE, GO TO R05_AL3000.

Variable(s): R05_AX0214
Finally, we would like to scan the barcode on any tobacco products that you have right now for your own use[, including your [EPRODFILL2]]. Researchers will use this information to learn about the different types of products that people are using.
We are only interested in the products that you have used or intend to use soon.
Our interviewer will do the scanning for you. The interviewer will also ask you a couple of questions about the products we are scanning. Other people in your home might see the products as you hand them to the interviewer or hear the questions we ask you about the products.
Is it OK to scan your tobacco products now?
1 Yes
2 No
-7 REFUSED
GO TO R05_AL3000
GO TO R05_AL3000
ASK: Adult respondents who are current established or current experimental tobacco users.
ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2.
DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY ", including your [EPRODFILL2]".
ELSE, DO NOT DISPLAY THIS TEXT.

Variable(s): R05_AX0215
Thank you. Please hand the computer to the interviewer. Then get any tobacco products you have right now for your own use[, including your [EPRODFILL2],] and give them to the interviewer. The interviewer will give them right back to you. ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning. ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1. DISPLAY: IF R05_EPROD_USER_STATUS = 1, 2, DISPLAY ", including your [EPRODFILL2]". ELSE, DO NOT DISPLAY THIS TEXT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AL3004

The interviewer must now enter the Monitor Password into the computer.

Monitor Password: _____

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1.

PROGRAM: THE MONITOR PASSWORD IS 8954. AFTER THE INTERVIEWER ENTERS THE PASSWORD, SWITCH TO CAPI MODE.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ALR13

Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and the interviewer entered the monitor password correctly, go to R05_AX0218. Else, adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and the interviewer entered the monitor password incorrectly, go to R05_ERR_AL3004.

IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AL3003 = 8954, GO TO R05_AX0218.
ELSE, IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AL3003 != 8954, GO TO R05_ERR_AL3004.

CHECK ID: R05_ERR_AL3004

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R05_AL3004

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and the interviewer entered the monitor password incorrectly.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AL3004 != 8954.

PROGRAM: Message should appear in English for all field interviewers.

PRODUCT BARCODE SCANNING MODULE

Variable(s): R05_AX0218

HOW MANY PRODUCTS DID THE RESPONDENT GIVE YOU TO SCAN?

ENTER A NUMBER BETWEEN 0 AND 10.

|_|_|_|

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PROGRAM: Allow 2 digits.

BOX ID: R05_AXR81

Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer zero products to scan, go to R05_AL3009.
Else, go to R05_AX0217_1.

IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 = 0, GO TO R05_AL3009.

ELSE, GO TO R05_AX0217_1.

Variable(s): R05_AL3009

THE RESPONDENT GAVE YOU ZERO PRODUCTS TO SCAN.

IF THIS IS CORRECT, PRESS THE NEXT BUTTON TO CONTINUE. IF THIS IS INCORRECT, GO BACK AND MAKE A CORRECTION.

1 BACK

GO TO R05_AX0218

2 NEXT

GO TO R05_AL3006

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer zero products to scan.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 = 0.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0217_1A; R05_AX0217_1B

THIS IS PRODUCT BARCODE SCAN #1. YOU CAN SCAN UP TO 10 PRODUCTS TOTAL.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

BOX ID: R05_AXR68

Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R05_AX0232.
Else, go to R05_AX0233_01.

IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_1A = -1 AND R05_AX0217_1B = -1), GO TO R05_AX0232.
ELSE, GO TO R05_AX0233_01.

Variable(s): R05_AX0233_01***

Think about the very last time you used this type of product. Was it from this specific package or container?

1 YES

2 NO

-8 DON'T KNOW

-7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose first product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_1A != -1 OR R05_AX0217_1B != -1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0217_2A; R05_AX0217_2B

THIS IS PRODUCT BARCODE SCAN #2.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

1 [FIRST SCAN]

2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose first product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_1A != -1 OR R05_AX0217_1B != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

BOX ID: R05_AXR69

Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R05_AX0232.
Else, go to R05_AX0233_02.

IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_2A = -1 AND R05_AX0217_2B = -1), GO TO R05_AX0232.
ELSE, GO TO R05_AX0233_02.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0233_02***

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose second product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_2A != -1 OR R05_AX0217_2B != -1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0217_3A; R05_AX0217_3B

THIS IS PRODUCT BARCODE SCAN #3.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose second product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_2A != -1 OR R05_AX0217_2B != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR70

Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R05_AX0232.
Else, go to R05_AX0233_03.

IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_3A = -1 AND R05_AX0217_3B = -1), GO TO R05_AX0232.
ELSE, GO TO R05_AX0233_03.

Variable(s): R05_AX0233_03***

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental current tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose third product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_3A != -1 OR R05_AX0217_3B != -1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0217_4A; R05_AX0217_4B

THIS IS PRODUCT BARCODE SCAN #4.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose third product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_3A != -1 OR R05_AX0217_3B != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR71

Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R05_AX0232.
Else, go to R05_AX0233_04.

IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_4A = -1 AND R05_AX0217_4B = -1), GO TO R05_AX0232.
ELSE, GO TO R05_AX0233_04.

Variable(s): R05_AX0233_04***

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose fourth product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_4A != -1 OR R05_AX0217_4B != -1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0217_5A; R05_AX0217_5B

THIS IS PRODUCT BARCODE SCAN #5.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose fourth product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_4A != -1 OR R05_AX0217_4B != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR72

Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R05_AX0232.
Else, go to R05_AX0233_05.

IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_5A = -1 AND R05_AX0217_5B = -1), GO TO R05_AX0232.
ELSE, GO TO R05_AX0233_05.

Variable(s): R05_AX0233_05***

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose fifth product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_5A != -1 OR R05_AX0217_5B != -1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0217_6A; R05_AX0217_6B

THIS IS PRODUCT BARCODE SCAN #6.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose fifth product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_5A != -1 OR R05_AX0217_5B != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR73

Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R05_AX0232.
Else, go to R05_AX0233_06.

IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_6A = -1 AND R05_AX0217_6B = -1), GO TO R05_AX0232.
ELSE, GO TO R05_AX0233_06.

Variable(s): R05_AX0233_06***

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose sixth product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_6A != -1 OR R05_AX0217_6B != -1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0217_7A; R05_AX0217_7B

THIS IS PRODUCT BARCODE SCAN #7.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose sixth product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_6A != -1 OR R05_AX0217_6B != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR74

Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R05_AX0232.
Else, go to R05_AX0233_07.

IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_7A = -1 AND R05_AX0217_7B = -1), GO TO R05_AX0232.
ELSE, GO TO R05_AX0233_07.

Variable(s): R05_AX0233_07***

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose seventh product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_7A != -1 OR R05_AX0217_7B != -1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0217_8A; R05_AX0217_8B

THIS IS PRODUCT BARCODE SCAN #8.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose seventh product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_7A != -1 OR R05_AX0217_7B != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR75

Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R05_AX0232.
Else, go to R05_AX0233_08.

IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_8A = -1 AND R05_AX0217_8B = -1), GO TO R05_AX0232.
ELSE, GO TO R05_AX0233_08.

Variable(s): R05_AX0233_08***

The last time you used this type of product, was it from this specific package or container?

- 1 YES
- 2 NO
- 8 DON'T KNOW
- 7 REFUSED

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose eighth product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_8A != -1 OR R05_AX0217_8B != -1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Variable(s): R05_AX0217_9A; R05_AX0217_9B

THIS IS PRODUCT BARCODE SCAN #9.

SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED.

SCAN EACH BARCODE TWICE.

IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS.

IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS.

WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT.

- 1 [FIRST SCAN]
- 2 [SECOND SCAN]

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose eighth product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_8A != -1 OR R05_AX0217_8B != -1).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR76
Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R05_AX0232. Else, go to R05_AX0233_09.
IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_9A = -1 AND R05_AX0217_9B = -1), GO TO R05_AX0232. ELSE, GO TO R05_AX0233_09.

Variable(s): R05_AX0233_09
The last time you used this type of product, was it from this specific package or container? 1 YES 2 NO -8 DON'T KNOW -7 REFUSED ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose ninth product was scanned or noted. ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_9A != -1 OR R05_AX0217_9B != -1).

Variable(s): R05_AX0217_10A; R05_AX0217_10B
THIS IS PRODUCT BARCODE SCAN #10. SCAN THE BARCODE FOR ALL PRODUCTS PROVIDED BY THE RESPONDENT. IF THE RESPONDENT GIVES YOU MORE THAN ONE OF THE EXACT SAME ITEM, SCAN THE ONE THE RESPONDENT LAST USED. SCAN EACH BARCODE TWICE. IF YOU CANNOT FIND A BARCODE ON THE PRODUCT, ENTER "X" IN BOTH FIELDS. IF YOU CANNOT GET A SUCCESSFUL SCAN AFTER MAKING THREE ATTEMPTS, ENTER "Y" IN BOTH FIELDS. WHEN YOU ARE FINISHED WITH SCANNING ALL PRODUCTS, LEAVE THE FIELDS BLANK AND PRESS ENTER TO CONTINUE. RETURN ALL PRODUCTS TO THE RESPONDENT. 1 [FIRST SCAN] 2 [SECOND SCAN] ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose ninth product was scanned or noted. ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_9A != -1 OR R05_AX0217_9B != -1). DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_AXR77

Adult respondents who are current established or current experimental tobacco users who agreed to scanning and have no more products left to scan, go to R05_AX0232.
Else, go to R05_AX0233_10.

IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_10A = -1 AND R05_AX0217_10B = -1), GO TO R05_AX0232.
ELSE, GO TO R05_AX0233_10.

Variable(s): R05_AX0233_10

The last time you used this type of product, was it from this specific package or container?

- | | |
|---------------|------------------|
| 1 YES | GO TO R05_AX0232 |
| 2 NO | GO TO R05_AX0232 |
| -8 DON'T KNOW | GO TO R05_AX0232 |
| -7 REFUSED | GO TO R05_AX0232 |

ASK: Adult respondents who are current established or current experimental tobacco users and agreed to barcode scanning and gave the field interviewer 1 or more products to scan whose tenth product was scanned or noted.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1 AND R05_AX0218 >= 1 AND (R05_AX0217_10A != -1 OR R05_AX0217_10B != -1).

Variable(s): R05_AL3000

You have finished this part of the questionnaire. Please hand the computer to the interviewer.

ASK: Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning.

ASK Specification: IF R05_TOBACCO_USER_STATUS != 1, 2 OR (R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 2, -7).

Variable(s): R05_AL3003

Monitor Password: _____

The interviewer must now enter the Monitor Password into the computer.

ASK: Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning.

ASK Specification: IF R05_TOBACCO_USER_STATUS != 1, 2 OR (R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 2, -7).

PROGRAM: THE MONITOR PASSWORD IS 8954. AFTER THE INTERVIEWER ENTERS THE PASSWORD, SWITCH TO CAPI MODE.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

BOX ID: R05_ALR12

Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning and the interviewer entered the monitor password correctly, go to R05_AL3007. Else, adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning and the interviewer entered the monitor password incorrectly, go to R05_ERR_AL3003.

IF (R05_TOBACCO_USER_STATUS != 1, 2 OR (R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 2, -7)) AND R05_AL3003 = 8954, GO TO R05_AL3007.
ELSE, IF (R05_TOBACCO_USER_STATUS != 1, 2 OR (R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 2, -7)) AND R05_AL3003 != 8954, GO TO R05_ERR_AL3003.

CHECK ID: R05_ERR_AL3003

The password you entered was incorrect.

Please press the BACK button and re-enter. Don't forget to press the ERASE button before you re-enter your answer.

1 BACK

GO TO R05_AL3003

ASK: Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning and the interviewer entered the monitor password incorrectly.

ASK Specification: IF (R05_TOBACCO_USER_STATUS != 1, 2 OR (R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 2, -7)) AND R05_AL3003 != 8954.

PROGRAM: Message should appear in English for all respondents.

Variable(s): R05_AL3007

[DO NOT SCAN BARCODES FOR THIS RESPONDENT.]

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

1 PRESS 1 TO CONTINUE

GO TO BOX R05_ALV03

ASK: Adult respondents who are not current established or current experimental tobacco users, or adult respondents who are current established or current experimental tobacco users and did not consent to barcode scanning.

ASK Specification: IF R05_TOBACCO_USER_STATUS != 1, 2 OR (R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 2, -7).

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

IF R05_AX0214 = 2, -7, DISPLAY "DO NOT SCAN BARCODES FOR THIS RESPONDENT."

ELSE, DO NOT DISPLAY THIS TEXT.

IF CONTACTFLAG_LD != 1, DISPLAY "COLLECT CONTACT INFORMATION FOR THIS RESPONDENT".

ELSE, IF CONTACTFLAG_LD = 1, DISPLAY "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Variable(s): R05_AX0232

DID YOU MANUALLY ENTER ANY BARCODES?

1 YES

2 NO

ASK: Adult respondents who are current established or current experimental tobacco users and for whom scanning is complete.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

Variable(s): R05_AL3006

[COLLECT CONTACT INFORMATION FOR THIS RESPONDENT | THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION]

PRESS 1 TO CONTINUE

ASK: Adult respondents who are current established or current experimental tobacco users and for whom scanning is complete.

ASK Specification: IF R05_TOBACCO_USER_STATUS = 1, 2 AND R05_AX0214 = 1.

DISPLAY: DISPLAY INTERVIEWER INSTRUCTION IN BLUE FONT.

IF CONTACTFLAG_LD != 1, DISPLAY "COLLECT CONTACT INFORMATION FOR THIS RESPONDENT".

ELSE, IF CONTACTFLAG_LD = 1, DISPLAY "THIS RESPONDENT HAS ALREADY PROVIDED CONTACT INFORMATION".

CLOSING ADMINISTRATIVE DATA

Variable(s): R05_LCAD01	
INTERVIEWER: IN WHAT LANGUAGE DID YOU MOSTLY CONDUCT THE CAPI PORTIONS OF THIS INTERVIEW?	
1 ENGLISH	END INTERVIEW AND RETURN TO IMS
2 SPANISH	END INTERVIEW AND RETURN TO IMS
ASK: All adult respondents (asked of Interviewer).	
DISPLAY: DISPLAY INSTRUCTIONAL TEXT IN BLUE.	
PROGRAM: Blaise sets Adult Survey status to CPE (Completed Adult Interview).	

****** = Denotes a skip error. For additional information, see Appendix - Adult Instrument Skip Error Summary. This appendix summarizes skip errors in the data collection instrument that resulted in missing data on these items for some respondents.

******* = Denotes a data error. For additional information, see Appendix – Adult Instrument Data Error Summary. This appendix summarizes the items with missing data for some respondents.

APPENDIX – ADULT GENERIC IMAGES

Section	PATH ID	Generic Image
Tobacco Use	R05_AVT01	 E-cigarettes and other Electronic Nicotine Products
Tobacco Use	R05_AV1002	
Tobacco Use	R05_AV1004	
Tobacco Use	R05_AV1002_12M	
ENDS	R05_AVT02	
Packaging and Health Warnings	R05_AR0110	
Risk Perceptions and Attitudes	R05_AE9050	
Tobacco Use	R05_AGT06	 Traditional Cigars
Tobacco Use	R05_AG9003	
Tobacco Use	R05_AGT01	
Tobacco Use	R05_AG9030	
Tobacco Use	R05_AG9003_12M	
Tobacco Use	R05_AGT04	
Tobacco Use	R05_AG9010	
Tobacco Use	R05_AG9020	
Tobacco Use	R05_AG9013	
Tobacco Use	R05_AG9016	
Cigar	R05_AJT03	
Cigar	R05_AGT03	
Packaging and Health Warnings	R05_AR0115	
Risk Perceptions and Attitudes	R05_AG9050	

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R05_AGT05	 Cigarillos Filtered Cigars
Tobacco Use	R05_AG9004	
Tobacco Use	R05_AGT02	
Tobacco Use	R05_AG9031	
Tobacco Use	R05_AG9004_12M	
Tobacco Use	R05_AG9009	 With a tip With a filter Without a tip or filter
Tobacco Use	R05_AG9049	
Tobacco Use	R05_AG9009_12M	
Tobacco Use	R05_AG9051	 With a tip

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R05_AG9052	 With a filter
Tobacco Use	R05_AG9053	 Without a tip or filter
Tobacco Use	R05_AG1095	 Group 1 Group 2 Group 3

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R05_AG9106 (BTRAD) If R05_AG1095 = 1, show traditional cigars	
Tobacco Use	R05_AG9106 (BRILLO) If R05_AG1095 = 2, show cigarillos	
Tobacco Use	R05_AG9106 (BFILTR) If R05_AG1095 = 3, show filtered cigars	

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R05_AGT04	 Cigarillos
Tobacco Use	R05_AG9011	
Tobacco Use	R05_AG9021	
Tobacco Use	R05_AG9014	
Tobacco Use	R05_AG9017	
Cigar	R05_AJT03	
Cigar	R05_AGT03	
Packaging and Health Warnings	R05_AR0120	
Risk Perceptions and Attitudes	R05_AG9054	
Tobacco Use	R05_AGT04	 Filtered Cigars
Tobacco Use	R05_AG9012	
Tobacco Use	R05_AG9022	
Tobacco Use	R05_AG9015	
Tobacco Use	R05_AG9018	
Cigar	R05_AJT03	
Cigar	R05_AGT03	
Packaging and Health Warnings	R05_AR0125	
Risk Perceptions and Attitudes	R05_AG9055	
Tobacco Use	R05_APT01	 Pipe
Tobacco Use	R05_AP1002	
Tobacco Use	R05_AP1004	
Tobacco Use	R05_AP1002_12M	

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R05_AHT01	 Hookah
Tobacco Use	R05_AH1002	
Tobacco Use	R05_AH1004	
Tobacco Use	R05_AH1002_12M	
Tobacco Use	R05_AST01	 Smokeless Tobacco
Tobacco Use	R05_AUT03	 Snus
Tobacco Use	R05_AU1002	
Tobacco Use	R05_AU1004	
Tobacco Use	R05_AU1002_12M	
Snus	R05_AUT02	
Packaging and Health Warnings	R05_AR0206	
Risk Perceptions and Attitudes	R05_AU9050	

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Tobacco Use	R05_AST03	 Smokeless Tobacco
Tobacco Use	R05_AS1002	
Tobacco Use	R05_AS1004	
Tobacco Use	R05_AS1002_12M	
Smokeless Tobacco	R05_AST02	
Packaging and Health Warnings	R05_AR0060	
Risk Perceptions and Attitudes	R05_AS9050	
Tobacco Use	R05_ADT01	 Dissolvable Tobacco
Tobacco Use	R05_AD1002	
Tobacco Use	R05_AD1002_12M	
ENDS	R05_AV9035	 E-cigarettes E-cigars E-pipes E-hookahs
ENDS	R05_AV9044	

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
ENDS	R05_AV9040	 Group 1 Group 2 Group 3 Group 4 Group 5 Group 6
Cigar	R05_AG9040	 Group 1 Group 2 Group 3 Group 4
Pipe	R05_APT02	
Packaging and Health Warnings	R05_AR0130	
Risk Perceptions and Attitudes	R05_AP1170	
		Pipe and Pipe Tobacco

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Hookah	R05_AHT02	  Hookah Shisha Tobacco
Packaging and Health Warnings	R05_AR0135	
Risk Perceptions and Attitudes	R05_AH9050	
Snus	R05_AU9041	  Snus pouches Loose snus
Snus	R05_AU9042	
Smokeless Tobacco	R05_AS9041	   Loose smokeless tobacco (such as dip, spit, or chewing tobacco) Smokeless tobacco pouches (not including snus)
Smokeless Tobacco	R05_AS9042	


PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Marketing, Advertising and Promotion	R05_AX0234	 A black rectangular box with white text. The text reads "A TIP FROM A" in a smaller font, followed by a horizontal line, then "FORMER SMOKER®" in a larger, bold font.
Marketing, Advertising and Promotion	R05_AX0235	 The PATH logo, consisting of the word "PATH" in a stylized, orange, dot-matrix font.
Marketing, Advertising and Promotion	R05_AX0728	 The text "THE REAL COST" in a bold, black, distressed font, with a large exclamation mark inside a triangle to the right of the word "THE". A trademark symbol (TM) is at the end of "COST".

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Marketing, Advertising and Promotion	R05_AX0713	
Marketing, Advertising and Promotion	R05_AX0764	
Marketing, Advertising and Promotion	R05_AX0765	

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	PATH ID	Generic Image
Marketing, Advertising and Promotion	R05_AX0766	
Marketing, Advertising and Promotion	R05_AX0767	
Marketing, Advertising and Promotion	R05_AX0768	
Additional Demographics	R05_AM0040	

APPENDIX – ADULT USER GROUP DEFINITIONS

NOTE: The User Group Variable specifications defined in this appendix are for questionnaire routing purposes only and are included in this document for reference. These variables are excluded from the data file. It is not recommended to use these definitions for analytical purposes.

User Group Name	User Group Description	User Group Definition
CIGARETTES		
Ever or Never users - Cigarettes R05_EVER_NEVER_CIGS	(1) Ever user = Adult respondents who have ever smoked a cigarette and did not recant prior use. (2) Never user = Adult respondents who have never smoked a cigarette.	IF ((R04_EVER_NEVER_CIGS = 1 AND R05_AC1002 != 2) OR R05_AC1002 = 1 OR R05_AC1004 = 1 OR R05_AC1002_12M = 1 OR R05_AC1003 = 1, 2) AND R05_AC1010 != 3, THEN R05_EVER_NEVER_CIGS = 1. ELSE, R05_EVER_NEVER_CIGS = 2.
Initiators - Cigarettes R05_INIT_CIGS_ADULT	(1) Initiator = Adult respondents who initiated cigarette smoking since their last completed interview. (2) Non-initiator = Adult respondents who did not initiate cigarette smoking since their last completed interview.	IF R04_EVER_NEVER_CIGS != 1 AND R05_EVER_NEVER_CIGS = 1, THEN R05_INIT_CIGS_ADULT = 1. ELSE, R05_INIT_CIGS_ADULT = 2.
Cigarette user status R05_CIG_USER_STATUS	(1) Current established user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have not smoked at least 100 cigarettes in their entire life, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a cigarette and have not smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental cigarette smokers as of their last completed interview, have smoked	IF R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 = 6) AND R05_AC1003 = 1, 2, THEN R05_CIG_USER_STATUS = 1. ELSE, IF R05_EVER_NEVER_CIGS = 1 AND R04_NUMLIFE_CIGS != 1 AND R05_AC1005 != 6 AND R05_AC1003 = 1, 2, THEN R05_CIG_USER_STATUS = 2. ELSE, IF R05_EVER_NEVER_CIGS = 1 AND (R05_AC1002_12M = 2 OR R05_AC1003 = 3) AND R04_NUMLIFE_CIGS != 1 AND R05_AC1005 != 6, THEN R05_CIG_USER_STATUS = 3. ELSE, IF (R04_CIG_USER_STATUS = 1, 2, 3 OR R05_INIT_CIGS_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_CIGS = 1)) AND R05_EVER_NEVER_CIGS = 1 AND (R04_NUMLIFE_CIGS = 1 OR R05_AC1005 =

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked cigarettes as of their last completed interview, have smoked at least 100 cigarettes in their entire life, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated cigarette smoking since their last completed interview, have smoked at least 100 cigarettes in their entire life, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing adult respondents who were recent former established or long-term former established cigarette smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all. (8) Unknown / missing = Unknown or missing	6) AND (R05_AC1002_12M = 2 OR R05_AC1003 = 3), THEN R05_CIG_USER_STATUS = 4. ELSE, IF R04_CIG_USER_STATUS = 4, 5 AND R05_EVER_NEVER_CIGS = 1 AND (R05_AC1002_12M = 2 OR R05_AC1003 = 3), THEN R05_CIG_USER_STATUS = 5. ELSE, R05_CIG_USER_STATUS = 8.
Every day or Some day use - Cigarettes R05_CURRENT_CIG_USE	(1) Every day established user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke every day. (2) Some day established user = Adult respondents who have smoked at least 100 cigarettes in their entire life, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R05_CIG_USER_STATUS = 1 AND R05_AC1003 = 1, THEN R05_CURRENT_CIG_USE = 1. ELSE, IF R05_CIG_USER_STATUS = 1 AND R05_AC1003 = 2, THEN R05_CURRENT_CIG_USE = 2. ELSE, R05_CURRENT_CIG_USE = 8.
Non-current 30-day users - Cigarettes R05_FORMER_THIRTYDAY_USER_CIGS	(1) Non-current 30-day user = Adult respondents who are former experimental, recent former established, or long-term former established cigarette smokers who have smoked any cigarettes in the past 30 days. (2) Not a non-current 30-day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established cigarette smokers or have NOT smoked any cigarettes in the past 30 days.	IF R05_CIG_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AC1009_NN <= 30 AND R05_AC1009_UN = 1) OR (R05_AC1009_NN = 1 AND R05_AC1009_UN = 2) OR R05_AC1004 = 1), THEN R05_FORMER_THIRTYDAY_USER_CIGS = 1. ELSE, R05_FORMER_THIRTYDAY_USER_CIGS = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
ELECTRONIC NICOTINE PRODUCTS		
Ever or Never users - Electronic nicotine products R05_EVER_NEVER_EPRODS	(1) Ever user = Adult respondents who have ever used any ENPs and did not recant prior use. (2) Never user = Adult respondents who have never used any ENPs.	IF ((R04_EVER_NEVER_EPRODS = 1 AND R05_AV1002 != 2) OR R05_AV1002 = 1 OR R05_AV1004 = 1 OR R05_AV1002_12M = 1 OR R05_AV1003 = 1, 2) AND R05_AV1010 != 3, THEN R05_EVER_NEVER_EPRODS = 1. ELSE, R05_EVER_NEVER_EPRODS = 2.
Initiator - Electronic nicotine products R05_INIT_EPRODS_ADULT	(1) Initiator = Adult respondents who initiated ENP use since their last completed interview. (2) Non-initiator = Adult respondents who did not initiate ENP use since their last completed interview.	IF R04_EVER_NEVER_EPRODS != 1 AND R05_EVER_NEVER_EPRODS = 1, THEN R05_INIT_EPRODS_ADULT = 1. ELSE, R05_INIT_EPRODS_ADULT = 2.
Electronic nicotine product user status R05_EPROD_USER_STATUS	(1) Current established user = Adult respondents who have ever used ENPs fairly regularly, and currently use every day or some days. (2) Current experimental user = Adult respondents who have never used ENPs fairly regularly, and currently use every day or some days. (3) Former experimental user = Adult respondents who have ever used ENPs and have never used ENPs fairly regularly, and did not use them in the past 12 months or currently use not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former ENP product users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and new baseline adult respondents who have ever used ENPs as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and adult respondents who initiated ENP use since their last completed interview, have ever used ENPs fairly regularly, have used in the past 12 months and currently use not at all.	IF R05_EVER_NEVER_EPRODS = 1 AND (R04_REGUSE_EPROD = 1 OR R05_AV1100 = 1) AND R05_AV1003 = 1, 2, THEN R05_EPROD_USER_STATUS = 1. ELSE, IF R05_EVER_NEVER_EPRODS = 1 AND R04_REGUSE_EPROD != 1 AND R05_AV1100 != 1 AND R05_AV1003 = 1, 2, THEN R05_EPROD_USER_STATUS = 2. ELSE, IF R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1002_12M = 2 OR R05_AV1003 = 3) AND R04_REGUSE_EPROD != 1 AND R05_AV1100 != 1, THEN R05_EPROD_USER_STATUS = 3. ELSE, IF (R04_EPROD_USER_STATUS = 1, 2, 3 OR R05_INIT_EPRODS_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_EPRODS = 1)) AND (R04_REGUSE_EPROD = 1 OR R05_AV1100 = 1) AND R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1002_12M = 2 OR R05_AV1003 = 3), THEN R05_EPROD_USER_STATUS = 4. ELSE, IF R04_EPROD_USER_STATUS = 4, 5 AND R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1002_12M = 2 OR R05_AV1003 = 3), THEN R05_EPROD_USER_STATUS = 5. ELSE, R05_EPROD_USER_STATUS = 8.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	(5) Long-term former established user = Continuing adult respondents who were recent former established or long-term former established ENP users as of their last completed interview and did not use in the past 12 months or currently use not at all. (8) Unknown / missing = Unknown or missing	
Every day or Some day use - Electronic nicotine products R05_CURRENT_EPROD_USE	(1) Every day established user = Adult respondents who have ever used ENPs fairly regularly, and currently use every day. (2) Some day established user = Adult respondents who have ever used ENPs fairly regularly, and currently use some days. (8) Unknown / missing = Unknown or missing	IF R05_EPROD_USER_STATUS = 1 AND R05_AV1003 = 1, THEN R05_CURRENT_EPROD_USE = 1. ELSE, IF R05_EPROD_USER_STATUS = 1 AND R05_AV1003 = 2, THEN R05_CURRENT_EPROD_USE = 2. ELSE, R05_CURRENT_EPROD_USE = 8.
Non-current 30-day users – Electronic nicotine products R05_FORMER_THIRTYDAY_USER_EPROD	(1) Non-current 30-day user = Adult respondents who are former experimental, recent former established, or long-term former established users who have used any ENPs in the past 30 days. (2) Not a non-current 30-day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established users or have not used any ENPs in the past 30 days.	IF R05_EPROD_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AV1009_NN <= 30 AND R05_AV1009_UN = 1) OR (R05_AV1009_NN = 1 AND R05_AV1009_UN = 2) OR R05_AV1004 = 1), THEN R05_FORMER_THIRTYDAY_USER_EPROD = 1. ELSE, R05_FORMER_THIRTYDAY_USER_EPROD = 2.
Non-marijuana electronic nicotine product user status R05_ND_EPROD_USER_STATUS	(1) Current established user = Adult respondents who have ever used ENPs fairly regularly, and currently use every day or some days and are not marijuana-only ENP users. (2) Current experimental user = Adult respondents who have never used ENPs fairly regularly, and currently use every day or some days and are not marijuana-only ENP users. (3) Former experimental user = Adult respondents who have ever used ENPs and	IF R05_EVER_NEVER_EPRODS = 1 AND (R04_REGUSE_EPROD = 1 OR R05_AV1100 = 1) AND R05_AV1003 = 1, 2 AND R05_AV9106 != 1, THEN R05_ND_EPROD_USER_STATUS = 1. ELSE, IF R05_EVER_NEVER_EPRODS = 1 AND R04_REGUSE_EPROD != 1 AND R05_AV1100 != 1 AND R05_AV1003 = 1, 2 AND R05_AV9106 != 1, THEN R05_ND_EPROD_USER_STATUS = 2. ELSE, IF R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1002_12M = 2 OR R05_AV1003

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	have never used ENPs fairly regularly, and did not use them in the past 12 months or currently use not at all and are not marijuana-only ENP users. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental ENP users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all and are not marijuana-only ENP users; and new baseline adult respondents who have ever used ENPs as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all and are not marijuana-only ENP users; and adult respondents who initiated ENP use since their last completed interview, have ever used ENP fairly regularly, have used in the past 12 months and currently use not at all and are not marijuana-only ENP users. (5) Long-term former established user = Continuing adult respondents who were recent former established or long-term former established ENP users as of their last completed interview and did not use in the past 12 months or currently use not at all and are not marijuana-only ENP users. (8) Unknown / missing = Unknown or missing	= 3) AND R04_REGUSE_EPROD != 1 AND R05_AV1100 != 1 AND R05_AV9106 != 1, THEN R05_ND_EPROD_USER_STATUS = 3. ELSE, IF (R04_EPROD_USER_STATUS = 1, 2, 3 OR R05_INIT_EPRODS_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_EPRODS = 1)) AND (R04_REGUSE_EPROD = 1 OR R05_AV1100 = 1) AND R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1002_12M = 2 OR R05_AV1003 = 3) AND R05_AV9106 != 1, THEN R05_ND_EPROD_USER_STATUS = 4. ELSE, IF R04_EPROD_USER_STATUS = 4, 5 AND R05_EVER_NEVER_EPRODS = 1 AND (R05_AV1002_12M = 2 OR R05_AV1003 = 3) AND R05_AV9106 != 1, THEN R05_ND_EPROD_USER_STATUS = 5. ELSE, R05_ND_EPROD_USER_STATUS = 8.18:18
CIGARS		
Ever or Never users - Traditional cigars R05_EVER_NEVER_GTRAD	(1) Ever user = Adult respondents who have ever smoked a traditional cigar and did not recant prior use. (2) Never user = Adult respondents who have never smoked a traditional cigar.	IF ((R04_EVER_NEVER_GTRAD = 1 AND R05_AG9003 != 2) OR R05_AG9003 = 1 OR R05_AG9030 = 1 OR R05_AG9003_12M = 1 OR R05_AG1003TC = 1, 2) AND R05_AG1010TC != 3, THEN R05_EVER_NEVER_GTRAD = 1. ELSE, R05_EVER_NEVER_GTRAD = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Ever or Never users - Cigarillos R05_EVER_NEVER_GRILLO	(1) Ever user = Adult respondents who have ever smoked a cigarillo and did not recant prior use. (2) Never user = Adult respondents who have never smoked a cigarillo.	IF ((R04_EVER_NEVER_GRILLO = 1 AND R05_AG9004 != 2 AND R05_AG9009_01 != 2 AND R05_AG9009_03 != 2) OR R05_AG9009_01 = 1 OR R05_AG9009_03 = 1 OR R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR R05_AG9053 = 1 OR R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1 OR R05_AG1003CG = 1, 2) AND R05_AG1010CG != 3, THEN R05_EVER_NEVER_GRILLO = 1. ELSE, R05_EVER_NEVER_GRILLO = 2.
Ever or Never users - Filtered cigars R05_EVER_NEVER_GFILTR	(1) Ever user = Adult respondents who have ever smoked a filtered cigar and did not recant prior use. (2) Never user = Adult respondents who have never smoked a filtered cigar.	IF ((R04_EVER_NEVER_GFILTR = 1 AND R05_AG9004 != 2 AND R05_AG9009_02 != 2) OR R05_AG9009_02 = 1 OR R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1 OR R05_AG1003FC = 1, 2) AND R05_AG1010FC != 3, THEN R05_EVER_NEVER_GFILTR = 1. ELSE, R05_EVER_NEVER_GFILTR = 2.
Initiators – Traditional Cigars R05_INIT_GTRAD_ADULT	(1) Initiator = Adult respondents who initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers. (2) Non-initiator = Adult respondents who did not initiate traditional cigar smoking since their last completed interview or are not past 12 month blunt-only traditional cigar smokers.	IF R04_EVER_NEVER_GTRAD != 1 AND R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, THEN R05_INIT_GTRAD_ADULT = 1. ELSE, R05_INIT_GTRAD_ADULT = 2.
Initiators – Cigarillos R05_INIT_GRILLO_ADULT	(1) Initiator = Adult respondents who initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers. (2) Non-initiator = Adult respondents who did not initiate cigarillo smoking since their last completed interview or are not past 12 month blunt-only cigarillo smokers.	IF R04_EVER_NEVER_GRILLO != 1 AND R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, THEN R05_INIT_GRILLO_ADULT = 1. ELSE, R05_INIT_GRILLO_ADULT = 2.
Initiators – Filtered Cigars R05_INIT_GFILTR_ADULT	(1) Initiator = Adult respondents who initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers. (2) Non-initiator = Adult respondents who did not initiate filtered cigar smoking since their last completed interview or are not past 12 month blunt-only filtered cigar smokers.	IF R04_EVER_NEVER_GFILTR != 1 AND R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, THEN R05_INIT_GFILTR_ADULT = 1. ELSE, R05_INIT_GFILTR_ADULT = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Past 12 Month Blunt-Only Users – Traditional Cigars R05_12MBLUNT_ONLY_BTRAD	(1) Past 12 month blunt-only smoker = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke traditional cigars as blunts every time when smoked in the past 12 months.	IF R05_AG1095_01 = 1 AND R05_AG9106_01 = 1, THEN R05_12MBLUNT_ONLY_BTRAD = 1. ELSE, R05_12MBLUNT_ONLY_BTRAD = 2.
Past 12 Month Blunt-Only Users – Cigarillos R05_12MBLUNT_ONLY_BRILLO	(1) Past 12 month blunt-only smoker = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke cigarillos as blunts every time when smoked in the past 12 months.	IF R05_AG1095_02 = 1 AND R05_AG9106_02 = 1, THEN R05_12MBLUNT_ONLY_BRILLO = 1. ELSE, R05_12MBLUNT_ONLY_BRILLO = 2.
Past 12 Month Blunt-Only Users – Filtered Cigars R05_12MBLUNT_ONLY_BFILTR	(1) Past 12 month blunt-only smoker = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months. (2) Not a blunt-only smoker = Adult respondents who did not smoke filtered cigars as blunts every time when smoked in the past 12 months.	IF R05_AG1095_03 = 1 AND R05_AG9106_03 = 1, THEN R05_12MBLUNT_ONLY_BFILTR = 1. ELSE, R05_12MBLUNT_ONLY_BFILTR = 2.
Initiators – Blunt-only Traditional Cigars R05_INIT_BLUNT_BTRAD_ADULT	(1) Initiator = Adult respondents who initiated smoking traditional cigars as blunts since their last completed interview and smoked traditional cigars as blunts every time they smoked traditional cigars in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking traditional cigars as blunts since their last completed interview or did not smoke traditional cigars as blunts every time they smoked traditional cigars in the past 12 months.	IF R04_EVER_NEVER_BTRAD != 1 AND (R05_AG1095_01 = 1 AND R05_AG9106_01 = 1), THEN R05_INIT_BLUNT_BTRAD_ADULT = 1. ELSE, R05_INIT_BLUNT_BTRAD_ADULT = 2.
Initiators – Blunt-only Cigarillos R05_INIT_BLUNT_BRILLO_ADULT	(1) Initiator = Adult respondents who initiated smoking cigarillos as blunts since their last completed interview and smoked cigarillos as blunts every time they smoked cigarillos in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking cigarillos as blunts since their last completed interview or did not smoke cigarillos as blunts every time they smoked cigarillos in the past 12 months.	IF R04_EVER_NEVER_BRILLO != 1 AND R05_AG1095_02 = 1 AND R05_AG9106_02 = 1, THEN R05_INIT_BLUNT_BRILLO_ADULT = 1. ELSE, R05_INIT_BLUNT_BRILLO_ADULT = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Initiators – Blunt-only Filtered Cigars R05_INIT_BLUNT_BFILTR_ADULT	(1) Initiator = Adult respondents who initiated smoking filtered cigars as blunts since their last completed interview and smoked filtered cigars as blunts every time they smoked filtered cigars in the past 12 months. (2) Non-initiator = Adult respondents who did not initiate smoking filtered cigars as blunts since their last completed interview or did not smoke filtered cigars as blunts every time they smoked filtered cigars in the past 12 months.	IF R04_EVER_NEVER_BFILTR != 1 AND R05_AG1095_03 = 1 AND R05_AG9106_03 = 1, THEN R05_INIT_BLUNT_BFILTR_ADULT = 1. ELSE, R05_INIT_BLUNT_BFILTR_ADULT = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Traditional cigar user status R05_GTRAD_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked traditional cigars fairly regularly, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a traditional cigar and have never smoked traditional cigars fairly regularly and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental traditional cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked traditional cigars as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated traditional cigar smoking since their last completed interview, have ever smoked traditional cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing adult respondents who were recent former established or long-term former established traditional cigar smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all. (8) Unknown / missing = Unknown or missing	IF R05_EVER_NEVER_GTRAD = 1 AND (R04_REGUSE_GTRAD = 1 OR R05_AG1100TC = 1) AND R05_AG1003TC = 1, 2, THEN R05_GTRAD_USER_STATUS = 1. ELSE, IF R05_EVER_NEVER_GTRAD = 1 AND R04_REGUSE_GTRAD != 1 AND R05_AG1100TC != 1 AND R05_AG1003TC = 1, 2, THEN R05_GTRAD_USER_STATUS = 2. ELSE, IF R05_EVER_NEVER_GTRAD = 1 AND R04_REGUSE_GTRAD != 1 AND R05_AG1100TC != 1 AND (R05_AG9003_12M = 2 OR R05_AG1003TC = 3), THEN R05_GTRAD_USER_STATUS = 3. ELSE, IF (R04_GTRAD_USER_STATUS = 1, 2, 3 OR R05_INIT_GTRAD_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_GTRAD = 1)) AND (R04_REGUSE_GTRAD = 1 OR R05_AG1100TC = 1) AND (R05_AG9003_12M = 2 OR R05_AG1003TC = 3) AND R05_EVER_NEVER_GTRAD = 1, THEN R05_GTRAD_USER_STATUS = 4. ELSE, IF R04_GTRAD_USER_STATUS = 4, 5 AND (R05_AG9003_12M = 2 OR R05_AG1003TC = 3) AND R05_EVER_NEVER_GTRAD = 1, THEN R05_GTRAD_USER_STATUS = 5. ELSE, R05_GTRAD_USER_STATUS = 8.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Cigarillo user status R05_GRILLO_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked cigarillos fairly regularly, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a cigarillo and have never smoked cigarillos fairly regularly and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental cigarillo smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked cigarillos as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated cigarillo smoking since their last completed interview, have ever smoked cigarillos fairly regularly, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing adult respondents who were recent former established or long-term former established cigarillo smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all. (8) Unknown / missing = Unknown or missing	IF R05_EVER_NEVER_GRILLO = 1 AND (R04_REGUSE_GRILLO = 1 OR R05_AG1100CG = 1) AND R05_AG1003CG = 1, 2, THEN R05_GRILLO_USER_STATUS = 1. ELSE, IF R05_EVER_NEVER_GRILLO = 1 AND R05_AG1100CG != 1 AND R04_REGUSE_GRILLO != 1 AND R05_AG1003CG = 1, 2, THEN R05_GRILLO_USER_STATUS = 2. ELSE, IF R05_EVER_NEVER_GRILLO = 1 AND R05_AG1100CG != 1 AND R04_REGUSE_GRILLO != 1 AND ((R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1) OR R05_AG1003CG = 3), THEN R05_GRILLO_USER_STATUS = 3. ELSE, IF (R04_GRILLO_USER_STATUS = 1, 2, 3 OR R05_INIT_GRILLO_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_GRILLO = 1)) AND (R04_REGUSE_GRILLO = 1 OR R05_AG1100CG = 1) AND ((R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1) OR R05_AG1003CG = 3) AND R05_EVER_NEVER_GRILLO = 1, THEN R05_GRILLO_USER_STATUS = 4. ELSE, IF R04_GRILLO_USER_STATUS = 4, 5 AND ((R05_AG9009_12M_01 != 1 AND R05_AG9009_12M_03 != 1 AND R05_AG9051 != 1 AND R05_AG9053 != 1 AND R05_AG9049_01 != 1 AND R05_AG9049_03 != 1) OR R05_AG1003CG = 3) AND R05_EVER_NEVER_GRILLO = 1, THEN R05_GRILLO_USER_STATUS = 5. ELSE, R05_GRILLO_USER_STATUS = 8.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Filtered cigar user status R05_GFILTR_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked filtered cigars fairly regularly, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a filtered cigar and have never smoked filtered cigars fairly regularly and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental filtered cigar smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked filtered cigars as of their last completed interview, who have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated filtered cigar smoking since their last completed interview, have ever smoked filtered cigars fairly regularly, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing adult respondents who were recent former established or long-term former established filtered cigar smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all. (8) Unknown / missing = Unknown or missing	IF R05_EVER_NEVER_GFILTR = 1 AND (R04_REGUSE_GFILTR = 1 OR R05_AG1100FC = 1) AND R05_AG1003FC = 1, 2, THEN R05_GFILTR_USER_STATUS = 1. ELSE, IF R05_EVER_NEVER_GFILTR = 1 AND R05_AG1100FC != 1 AND R04_REGUSE_GFILTR != 1 AND R05_AG1003FC = 1, 2, THEN R05_GFILTR_USER_STATUS = 2. ELSE, IF R05_EVER_NEVER_GFILTR = 1 AND R05_AG1100FC != 1 AND R04_REGUSE_GFILTR != 1 AND ((R05_AG9009_12M_02 != 1 AND R05_AG9052 != 1 AND R05_AG9049_02 != 1) OR R05_AG1003FC = 3), THEN R05_GFILTR_USER_STATUS = 3. ELSE, IF (R04_GFILTR_USER_STATUS = 1, 2, 3 OR R05_INIT_GFILTR_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_GFILTR = 1)) AND (R04_REGUSE_GFILTR = 1 OR R05_AG1100FC = 1) AND ((R05_AG9009_12M_02 != 1 AND R05_AG9052 != 1 AND R05_AG9049_02 != 1) OR R05_AG1003FC = 3) AND R05_EVER_NEVER_GFILTR = 1, THEN R05_GFILTR_USER_STATUS = 4. ELSE, IF R04_GFILTR_USER_STATUS = 4, 5 AND ((R05_AG9009_12M_02 != 1 AND R05_AG9052 != 1 AND R05_AG9049_02 != 1) OR R05_AG1003FC = 3) AND R05_EVER_NEVER_GFILTR = 1, THEN R05_GFILTR_USER_STATUS = 5. ELSE, R05_GFILTR_USER_STATUS = 8.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Every day or Some day use - Traditional cigars R05_CURRENT_GTRAD_USE	(1) Every day established user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked traditional cigars fairly regularly, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R05_GTRAD_USER_STATUS = 1 AND R05_AG1003TC = 1, THEN R05_CURRENT_GTRAD_USE = 1. ELSE, IF R05_GTRAD_USER_STATUS = 1 AND R05_AG1003TC = 2, THEN R05_CURRENT_GTRAD_USE = 2. ELSE, R05_CURRENT_GTRAD_USE = 8.
Every day or Some day use - Cigarillos R05_CURRENT_GRILLO_USE	(1) Every day established user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked cigarillos fairly regularly, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R05_GRILLO_USER_STATUS = 1 AND R05_AG1003CG = 1, THEN R05_CURRENT_GRILLO_USE = 1. ELSE, IF R05_GRILLO_USER_STATUS = 1 AND R05_AG1003CG = 2, THEN R05_CURRENT_GRILLO_USE = 2. ELSE, R05_CURRENT_GRILLO_USE = 8.
Every day or Some day use - Filtered cigars R05_CURRENT_GFILTR_USE	(1) Every day established user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked filtered cigars fairly regularly, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R05_GFILTR_USER_STATUS = 1 AND R05_AG1003FC = 1, THEN R05_CURRENT_GFILTR_USE = 1. ELSE, IF R05_GFILTR_USER_STATUS = 1 AND R05_AG1003FC = 2, THEN R05_CURRENT_GFILTR_USE = 2. ELSE, R05_CURRENT_GFILTR_USE = 8.
Non-current 30-day users – Traditional Cigars R05_FORMER_THIRTYDAY_U- SER_GTRAD	(1) Non-current 30-day user = Adult respondents who are former experimental, recent former established, or long-term former established traditional cigar smokers who have smoked any traditional cigars in the past 30 days. (2) Not a non-current 30-day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established traditional cigar smokers or have NOT smoked any traditional cigars in the past 30 days.	IF R05_GTRAD_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AG1009TC_NN <= 30 AND R05_AG1009TC_UN = 1) OR (R05_AG1009TC_NN = 1 AND R05_AG1009TC_UN = 2) OR R05_AG9030 = 1) AND R05_12MBLUNT_ONLY_BTRAD = 2, THEN R05_FORMER_THIRTYDAY_USER_GTRAD = 1. ELSE, R05_FORMER_THIRTYDAY_USER_GTRAD = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Non-current 30-day users – Cigarillos R05_FORMER_THIRTYDAY_USER_GRILLO	(1) Non-current 30-day user = Adult respondents who are former experimental, recent former established, or long-term former established cigarillo smokers who have smoked any cigarillos in the past 30 days. (2) Not a non-current 30-day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established cigarillo smokers or have NOT smoked any cigarillos in the past 30 days.	IF R05_GRILLO_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AG1009CG_NN <= 30 AND R05_AG1009CG_UN = 1) OR (R05_AG1009CG_NN = 1 AND R05_AG1009CG_UN = 2) OR R05_AG9049_01 = 1 OR R05_AG9049_03 = 1) AND R05_12MBLUNT_ONLY_BRILLO = 2, THEN R05_FORMER_THIRTYDAY_USER_GRILLO = 1. ELSE, R05_FORMER_THIRTYDAY_USER_GRILLO = 2.
Non-current 30-day users – Filtered Cigars R05_FORMER_THIRTYDAY_USER_GFILTR	(1) Non-current 30-day user = Adult respondents who are former experimental, recent former established, or long-term former established filtered cigar smokers who have smoked any filtered cigars in the past 30 days. (2) Not a non-current 30-day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established filtered cigar smokers or have NOT smoked any filtered cigars in the past 30 days.	IF R05_GFILTR_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AG1009FC_NN <= 30 AND R05_AG1009FC_UN = 1) OR (R05_AG1009FC_NN = 1 AND R05_AG1009FC_UN = 2) OR R05_AG9049_02 = 1) AND R05_12MBLUNT_ONLY_BFILTR = 2, THEN R05_FORMER_THIRTYDAY_USER_GFILTR = 1. ELSE, R05_FORMER_THIRTYDAY_USER_GFILTR = 2.
PIPES		
Ever or Never users - Pipes R05_EVER_NEVER_PIPE	(1) Ever user = Adult respondents who have ever smoked a pipe and did not recant prior use. (2) Never user = Adult respondents who have never smoked a pipe.	IF ((R04_EVER_NEVER_PIPE = 1 AND R05_AP1002 != 2) OR R05_AP1002 = 1 OR R05_AP1004 = 1 OR R05_AP1002_12M = 1 OR R05_AP1003 = 1, 2) AND R05_AP1010 != 3, THEN R05_EVER_NEVER_PIPE = 1. ELSE, R05_EVER_NEVER_PIPE = 2.
Initiators - Pipes R05_INIT_PIPE_ADULT	(1) Initiator = Adult respondents who initiated pipe smoking since their last completed interview. (2) Non-initiator = Adult respondents who did not initiate pipe smoking since their last completed interview.	IF R04_EVER_NEVER_PIPE != 1 AND R05_EVER_NEVER_PIPE = 1, THEN R05_INIT_PIPE_ADULT = 1. ELSE, R05_INIT_PIPE_ADULT = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Pipe user status R05_PIPE_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke every day or some days. (2) Current experimental user = Adult respondents who have never smoked a pipe fairly regularly, and currently smoke every day or some days. (3) Former experimental user = Adult respondents who have ever smoked a pipe and have never smoked a pipe fairly regularly and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental pipe smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked a pipe as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated pipe smoking since their last completed interview, have ever smoked a pipe fairly regularly, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing adult respondents who were recent former established or long-term former established pipe smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all. (8) Unknown / missing = Unknown or missing	IF R05_EVER_NEVER_PIPE = 1 AND (R04_REGUSE_PIPE = 1 OR R05_AP1100 = 1) AND R05_AP1003 = 1, 2, THEN R05_PIPE_USER_STATUS = 1. ELSE, IF R05_EVER_NEVER_PIPE = 1 AND R04_REGUSE_PIPE != 1 AND R05_AP1100 != 1 AND R05_AP1003 = 1, 2, THEN R05_PIPE_USER_STATUS = 2. ELSE, IF R05_EVER_NEVER_PIPE = 1 AND (R05_AP1002_12M = 2 OR R05_AP1003 = 3) AND R04_REGUSE_PIPE != 1 AND R05_AP1100 != 1, THEN R05_PIPE_USER_STATUS = 3. ELSE, IF (R04_PIPE_USER_STATUS = 1, 2, 3 OR R05_INIT_PIPE_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_PIPE = 1)) AND (R04_REGUSE_PIPE = 1 OR R05_AP1100 = 1) AND R05_EVER_NEVER_PIPE = 1 AND (R05_AP1002_12M = 2 OR R05_AP1003 = 3), THEN R05_PIPE_USER_STATUS = 4. ELSE, IF R04_PIPE_USER_STATUS = 4, 5 AND R05_EVER_NEVER_PIPE = 1 AND (R05_AP1002_12M = 2 OR R05_AP1003 = 3), THEN R05_PIPE_USER_STATUS = 5. ELSE, R05_PIPE_USER_STATUS = 8.
Every day or Some day use - Pipes R05_CURRENT_PIPE_USE	(1) Every day established user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked a pipe fairly regularly, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R05_PIPE_USER_STATUS = 1 AND R05_AP1003 = 1, THEN R05_CURRENT_PIPE_USE = 1. ELSE, IF R05_PIPE_USER_STATUS = 1 AND R05_AP1003 = 2, THEN R05_CURRENT_PIPE_USE = 2. ELSE, R05_CURRENT_PIPE_USE = 8.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Non-current 30-day users – Pipes R05_FORMER_THIRTYDAY_U- SER_PIPE	(1) Non-current 30-day user = Adult respondents who are former experimental, recent former established, or long-term former established pipe smokers who have smoked any pipe tobacco in the past 30 days. (2) Not a non-current 30-day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established pipe smokers or have NOT smoked any pipe tobacco in the past 30 days.	IF R05_PIPE_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AP1009_NN <= 30 AND R05_AP1009_UN = 1) OR (R05_AP1009_NN = 1 AND R05_AP1009_UN = 2) OR R05_AP1004 = 1), THEN R05_FORMER_THIRTYDAY_USER_PIPE = 1. ELSE, R05_FORMER_THIRTYDAY_USER_PIPE = 2.
HOOKAH		
Ever or Never users - Hookah R05_EVER_NEVER_HOOK	(1) Ever user = Adult respondents who have ever smoked hookah and did not recant prior use. (2) Never user = Adult respondents who have never smoked hookah.	IF ((R04_EVER_NEVER_HOOK = 1 AND R05_AH1002 != 2) OR R05_AH1002 = 1 OR R05_AH1004 = 1 OR R05_AH1002_12M = 1 OR R05_AH1003 = 1, 2) AND R05_AH1010 != 3, THEN R05_EVER_NEVER_HOOK = 1. ELSE, R05_EVER_NEVER_HOOK = 2.
Initiators - Hookah R05_INIT_HOOK_ADULT	(1) Initiator = Adult respondents who initiated hookah smoking since their last completed interview. (2) Non-initiator = Adult respondents who did not initiate hookah smoking since their last completed interview.	IF R04_EVER_NEVER_HOOK != 1 AND R05_EVER_NEVER_HOOK = 1, THEN R05_INIT_HOOK_ADULT = 1. ELSE, R05_INIT_HOOK_ADULT = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Hookah user status R05_HOOK_USER_STATUS	(1) Current established user = Adult respondents who have ever smoked hookah fairly regularly, and currently smoke monthly or more frequently. (2) Current experimental user = Adult respondents who have never smoked hookah fairly regularly, and currently smoke every day, some days, weekly, monthly, or in the past 30 days. (3) Former experimental user = Adult respondents who have ever smoked a hookah and have never smoked fairly regularly and did not smoke in the past 12 months or currently smoke not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental hookah smokers as of their last completed interview, have ever smoked fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and new baseline adult respondents who have ever smoked hookah as of their last completed interview, have ever smoked hookah fairly regularly, and did not smoke in the past 12 months or currently smoke not at all; and adult respondents who initiated hookah smoking since their last completed interview, have ever smoked fairly regularly, have smoked in the past 12 months and currently smoke not at all. (5) Long-term former established user = Continuing adult respondents who were recent former established or long-term former established hookah smokers as of their last completed interview and did not smoke in the past 12 months or currently smoke not at all. (8) Unknown / missing = Unknown or missing	IF R05_EVER_NEVER_HOOK = 1 AND (R04_REGUSE_HOOK = 1 OR R05_AH1100 = 1) AND (R05_AH1003 = 1, 2 OR R05_AH9003 = 1, 2, 3), THEN R05_HOOK_USER_STATUS = 1. ELSE, IF R05_EVER_NEVER_HOOK = 1 AND R04_REGUSE_HOOK != 1 AND R05_AH1100 != 1 AND (R05_AH1003 = 1, 2 OR R05_AH9003 = 1, 2, 3 OR (1 <= R05_AH1009_NN <= 30 AND R05_AH1009_UN = 1) OR (R05_AH1009_NN = 1 AND R05_AH1009_UN = 2) OR R05_AH1004 = 1), THEN R05_HOOK_USER_STATUS = 2. ELSE, IF R05_EVER_NEVER_HOOK = 1 AND (R05_AH1002_12M = 2 OR R05_AH1003 = 3) AND R05_AH1100 != 1 AND R04_REGUSE_HOOK != 1, THEN R05_HOOK_USER_STATUS = 3. ELSE, IF (R04_HOOK_USER_STATUS = 1, 2, 3 OR R05_INIT_HOOK_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_HOOK = 1)) AND (R04_REGUSE_HOOK = 1 OR R05_AH1100 = 1) AND R05_EVER_NEVER_HOOK = 1 AND (R05_AH1002_12M = 2 OR R05_AH1003 = 3), THEN R05_HOOK_USER_STATUS = 4. ELSE, IF R04_HOOK_USER_STATUS = 4, 5 AND R05_EVER_NEVER_HOOK = 1 AND (R05_AH1002_12M = 2 OR R05_AH1003 = 3), THEN R05_HOOK_USER_STATUS = 5. ELSE, R05_HOOK_USER_STATUS = 8.
Every day or Some day use - Hookah R05_CURRENT_HOOK_USE	(1) Every day established user = Adult respondents who have ever smoked hookah fairly regularly, and currently smoke every day. (2) Some day established user = Adult respondents who have ever smoked hookah fairly regularly, and currently smoke some days. (8) Unknown / missing = Unknown or missing	IF R05_HOOK_USER_STATUS = 1 AND (R05_AH1003 = 1 OR R05_AH9003 = 1), THEN R05_CURRENT_HOOK_USE = 1. ELSE, IF R05_HOOK_USER_STATUS = 1 AND (R05_AH1003 = 2 OR R05_AH9003 = 2, 3), THEN R05_CURRENT_HOOK_USE = 2. ELSE, R05_CURRENT_HOOK_USE = 8.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Past 30 Day Users - Hookah R05_THIRTY_DAY_USER_HOOK	(1) Past 30 day user = Adult respondents who have smoked hookah in the past 30 days. (2) Not a past 30 day user = Adult respondents who have not smoked hookah in the past 30 days.	IF R05_EVER_NEVER_HOOK = 1 AND (((1 <= R05_AH1009_NN <= 30 AND R05_AH1009_UN = 1) OR (R05_AH1009_NN = 1 AND R05_AH1009_UN = 2)) OR R05_AH1004 = 1), THEN R05_THIRTY_DAY_USER_HOOK = 1. ELSE, R05_THIRTY_DAY_USER_HOOK = 2.
SNUS		
Ever or Never users - Snus R05_EVER_NEVER_SNUS	(1) Ever user = Adult respondents who have ever used snus and did not recant prior use. (2) Never user = Adult respondents who have never used snus.	IF ((R04_EVER_NEVER_SNUS = 1 AND R05_AU1002 != 2) OR R05_AU1002 = 1 OR R05_AU1004 = 1 OR R05_AU1002_12M = 1 OR R05_AU1003 = 1, 2) AND R05_AU1010 != 3, THEN R05_EVER_NEVER_SNUS = 1. ELSE, R05_EVER_NEVER_SNUS = 2.
Initiators – Snus R05_INIT_SNUS_ADULT	(1) Initiator = Adult respondents who initiated snus use since their last completed interview. (2) Non-initiator = Adult respondents who did not initiate snus use since their last completed interview.	IF R04_EVER_NEVER_SNUS != 1 AND R05_EVER_NEVER_SNUS = 1, THEN R05_INIT_SNUS_ADULT = 1. ELSE, R05_INIT_SNUS_ADULT = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Snus user status R05_SNUS_USER_STATUS	(1) Current established user = Adult respondents who have ever used snus fairly regularly, and currently use every day or some days. (2) Current experimental user = Adult respondents who have never used snus fairly regularly, and currently use every day or some days. (3) Former experimental user = Adult respondents who have ever used snus and have never used snus fairly regularly and did not use in the past 12 months or currently use not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental snus users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and new baseline adult respondents who have ever used snus as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and adult respondents who initiated snus use since their last completed interview, have ever used snus fairly regularly, have used in the past 12 months and currently use not at all. (5) Long-term former established user = Adult respondents who were recent former established or long-term former established snus users as of their last completed interview and did not use in the past 12 months or currently use not at all. (8) Unknown / missing = Unknown or missing	IF R05_EVER_NEVER_SNUS = 1 AND (R04_REGUSE_SNUS = 1 OR R05_AU1100 = 1) AND R05_AU1003 = 1, 2, THEN R05_SNUS_USER_STATUS = 1. ELSE, IF R05_EVER_NEVER_SNUS = 1 AND R04_REGUSE_SNUS != 1 AND R05_AU1100 != 1 AND R05_AU1003 = 1, 2, THEN R05_SNUS_USER_STATUS = 2. ELSE, IF R05_EVER_NEVER_SNUS = 1 AND (R05_AU1002_12M = 2 OR R05_AU1003 = 3) AND R04_REGUSE_SNUS != 1 AND R05_AU1100 != 1, THEN R05_SNUS_USER_STATUS = 3. ELSE, IF (R04_SNUS_USER_STATUS = 1, 2, 3 OR R05_INIT_SNUS_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_SNUS = 1)) AND (R04_REGUSE_SNUS = 1 OR R05_AU1100 = 1) AND R05_EVER_NEVER_SNUS = 1 AND (R05_AU1002_12M = 2 OR R05_AU1003 = 3), THEN R05_SNUS_USER_STATUS = 4. ELSE, IF R04_SNUS_USER_STATUS = 4, 5 AND R05_EVER_NEVER_SNUS = 1 AND (R05_AU1002_12M = 2 OR R05_AU1003 = 3), THEN R05_SNUS_USER_STATUS = 5. ELSE, R05_SNUS_USER_STATUS = 8.
Every day or Some day use - Snus R05_CURRENT_SNUS_USE	(1) Every day established user = Adult respondents who have ever used snus fairly regularly, and currently use every day. (2) Some day established user = Adult respondents who have ever used snus fairly regularly, and currently use some days. (8) Unknown / missing = Unknown or missing	IF R05_SNUS_USER_STATUS = 1 AND R05_AU1003 = 1, THEN R05_CURRENT_SNUS_USE = 1. ELSE, IF R05_SNUS_USER_STATUS = 1 AND R05_AU1003 = 2, THEN R05_CURRENT_SNUS_USE = 2. ELSE, R05_CURRENT_SNUS_USE = 8.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Non-current 30-day users – Snus R05_FORMER_THIRTYDAY_USER_SNUS	(1) Non-current 30-day user = Adult respondents who are former experimental, recent former established, or long-term former established snus users who have used any snus in the past 30 days. (2) Not a non-current 30-day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established snus users or have NOT used any snus in the past 30 days.	IF R05_SNUS_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AU1009_NN <= 30 AND R05_AU1009_UN = 1) OR (R05_AU1009_NN = 1 AND R05_AU1009_UN = 2) OR R05_AU1004 = 1), THEN R05_FORMER_THIRTYDAY_USER_SNUS = 1. ELSE, R05_FORMER_THIRTYDAY_USER_SNUS = 2.
SMOKELESS TOBACCO		
Ever or Never users - Smokeless tobacco R05_EVER_NEVER_SMKLS	(1) Ever user = Adult respondents who have ever used smokeless tobacco and did not recant prior use. (2) Never user = Adult respondents who have never used smokeless tobacco.	IF ((R04_EVER_NEVER_SMKLS = 1 AND R05_AS1002 != 2) OR R05_AS1002 = 1 OR R05_AS1004 = 1 OR R05_AS1002_12M = 1 OR R05_AS1003 = 1, 2) AND R05_AS1010 != 3, THEN R05_EVER_NEVER_SMKLS = 1. ELSE, R05_EVER_NEVER_SMKLS = 2.
Initiators – Smokeless Tobacco R05_INIT_SMKLS_ADULT	(1) Initiator = Adult respondents who initiated smokeless tobacco use since their last completed interview. (2) Non-initiator = Adult respondents who did not initiate smokeless tobacco use since their last completed interview.	IF R04_EVER_NEVER_SMKLS != 1 AND R05_EVER_NEVER_SMKLS = 1, THEN R05_INIT_SMKLS_ADULT = 1. ELSE, R05_INIT_SMKLS_ADULT = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Smokeless tobacco user status R05_SMKLS_USER_STATUS	(1) Current established user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use every day or some days. (2) Current experimental user = Adult respondents who have never used smokeless tobacco fairly regularly, and currently use every day or some days. (3) Former experimental user = Adult respondents who have ever used smokeless tobacco and have never used smokeless tobacco fairly regularly and did not use in the past 12 months or currently use not at all. (4) Recent former established user = Continuing adult respondents who were current established, current experimental, or former experimental smokeless tobacco users as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and new baseline adult respondents who have ever used smokeless tobacco as of their last completed interview, have ever used fairly regularly, and did not use in the past 12 months or currently use not at all; and adult respondents who initiated smokeless tobacco use since their last completed interview, have ever used smokeless tobacco fairly regularly, have used in the past 12 months and currently use not at all. (5) Long-term former established user = Continuing adult respondents who were recent former established or long-term former established smokeless tobacco users as of their last completed interview and did not use in the past 12 months or currently use not at all. (8) Unknown / missing = Unknown or missing	IF R05_EVER_NEVER_SMKLS = 1 AND (R04_REGUSE_SMKLS = 1 OR R05_AS1100 = 1) AND R05_AS1003 = 1, 2, THEN R05_SMKLS_USER_STATUS = 1. ELSE, IF R05_EVER_NEVER_SMKLS = 1 AND R04_REGUSE_SMKLS != 1 AND R05_AS1100 != 1 AND R05_AS1003 = 1, 2, THEN R05_SMKLS_USER_STATUS = 2. ELSE, IF R05_EVER_NEVER_SMKLS = 1 AND (R05_AS1002_12M = 2 OR R05_AS1003 = 3) AND R04_REGUSE_SMKLS != 1 AND R05_AS1100 != 1, THEN R05_SMKLS_USER_STATUS = 3. ELSE, IF (R04_SMKLS_USER_STATUS = 1, 2, 3 OR R05_INIT_SMKLS_ADULT = 1 OR (R05_ADULTTYPE = 2 AND R04_EVER_NEVER_SMKLS = 1)) AND (R04_REGUSE_SMKLS = 1 OR R05_AS1100 = 1) AND R05_EVER_NEVER_SMKLS = 1 AND (R05_AS1002_12M = 2 OR R05_AS1003 = 3), THEN R05_SMKLS_USER_STATUS = 4. ELSE, IF R04_SMKLS_USER_STATUS = 4, 5 AND R05_EVER_NEVER_SMKLS = 1 AND (R05_AS1002_12M = 2 OR R05_AS1003 = 3), THEN R05_SMKLS_USER_STATUS = 5. ELSE, R05_SMKLS_USER_STATUS = 8.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Every day or Some day use - Smokeless tobacco R05_CURRENT_SMKLS_USE	(1) Every day established user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use every day. (2) Some day established user = Adult respondents who have ever used smokeless tobacco fairly regularly, and currently use some days. (8) Unknown / missing = Unknown or missing	IF R05_SMKLS_USER_STATUS = 1 AND R05_AS1003 = 1, THEN R05_CURRENT_SMKLS_USE = 1. ELSE, IF R05_SMKLS_USER_STATUS = 1 AND R05_AS1003 = 2, THEN R05_CURRENT_SMKLS_USE = 2. ELSE, R05_CURRENT_SMKLS_USE = 8.
Non-current 30-day users – Smokeless Tobacco R05_FORMER_THIRTYDAY_USER_SMKLS	(1) Non-current 30-day user = Adult respondents who are former experimental, recent former established, or long-term former established smokeless tobacco users who have used any smokeless tobacco in the past 30 days. (2) Not a non-current 30-day user = Adult respondents who are NOT former experimental, recent former established, or long-term former established smokeless tobacco users or have NOT used any smokeless tobacco in the past 30 days.	IF R05_SMKLS_USER_STATUS = 3, 4, 5 AND ((1 <= R05_AS1009_NN <= 30 AND R05_AS1009_UN = 1) OR (R05_AS1009_NN = 1 AND R05_AS1009_UN = 2) OR R05_AS1004 = 1), THEN R05_FORMER_THIRTYDAY_USER_SMKLS = 1. ELSE, R05_FORMER_THIRTYDAY_USER_SMKLS = 2.
DISSOLVABLE TOBACCO		
Ever or Never users - Dissolvable tobacco R05_EVER_NEVER_DISSBL	(1) Ever user = Adult respondents who have ever used dissolvable tobacco. (2) Never user = Adult respondents who have never used dissolvable tobacco.	IF (R04_EVER_NEVER_DISSBL = 1 AND R05_AD1002 != 2) OR R05_AD1002 = 1 OR R05_AD1002_12M = 1, THEN R05_EVER_NEVER_DISSBL = 1. ELSE, R05_EVER_NEVER_DISSBL = 2.
TOBACCO (GENERAL)		
Ever Users - Tobacco R05_EVER_NEVER_TOBACCO	(1) Ever user = Adult respondents who have ever used any tobacco product (including ENPs). (2) Never user = Adult respondents who have never used any tobacco product (including ENPs).	IF R05_EVER_NEVER_CIGS = 1 OR R05_EVER_NEVER_EPRODS = 1 OR R05_EVER_NEVER_GTRAD = 1 OR R05_EVER_NEVER_GRILLO = 1 OR R05_EVER_NEVER_GFILTER = 1 OR R05_EVER_NEVER_PIPE = 1 OR R05_EVER_NEVER_HOOK = 1 OR R05_EVER_NEVER_SMKLS = 1 OR R05_EVER_NEVER_SNUS = 1 OR R05_EVER_NEVER_DISSBL = 1, THEN R05_EVER_NEVER_TOBACCO = 1. ELSE, R05_EVER_NEVER_TOBACCO = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Tobacco user status R05_TOBACCO_USER_STATUS	(1) Current established user = Adult respondents who are current established users of at least one tobacco product (including ENPs). (VALUE 1 IS ASSESSED FIRST) (2) Current experimental user = Adult respondents who are current experimental users of at least one tobacco product (including ENPs), and are not current established or recent former established users of any other tobacco product (including ENPs). (VALUE 2 IS ASSESSED THIRD) (3) Former experimental user = Adult respondents who are former experimental users of at least one tobacco product (including ENPs), and are not current established, current experimental, recent former established, or long-term former established users of any other tobacco product (including ENPs). (VALUE 3 IS ASSESSED FIFTH) (4) Recent former established user = Adult respondents who are recent former established users of any tobacco product (including ENPs), and are not current established users of any other tobacco product (including ENPs). (VALUE 4 IS ASSESSED SECOND) (5) Long-term former established user = Adult respondents who are long-term former established users of at least one tobacco product (including ENPs), and are not current established, current experimental, or recent former established users of any other tobacco product (including ENPs). (VALUE 5 IS ASSESSED FOURTH) (8) Unknown / missing = Unknown or missing. (VALUE 8 IS ASSESSED LAST)	IF (R05_CIG_USER_STATUS = 1 OR R05_ND_EPROD_USER_STATUS = 1 OR (R05_GTRAD_USER_STATUS = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 1 OR R05_HOOK_USER_STATUS = 1 OR R05_SNUS_USER_STATUS = 1 OR R05_SMKLS_USER_STATUS = 1), THEN R05_TOBACCO_USER_STATUS = 1. ELSE, IF (R05_CIG_USER_STATUS = 4 OR R05_ND_EPROD_USER_STATUS = 4 OR (R05_GTRAD_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 4 OR R05_HOOK_USER_STATUS = 4 OR R05_SNUS_USER_STATUS = 4 OR R05_SMKLS_USER_STATUS = 4), THEN R05_TOBACCO_USER_STATUS = 4. ELSE, IF (R05_CIG_USER_STATUS = 2 OR R05_ND_EPROD_USER_STATUS = 2 OR (R05_GTRAD_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 2 OR R05_HOOK_USER_STATUS = 2 OR R05_SNUS_USER_STATUS = 2 OR R05_SMKLS_USER_STATUS = 2), THEN R05_TOBACCO_USER_STATUS = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, IF (R05_CIG_USER_STATUS = 5 OR R05_ND_EPR0D_USER_STATUS = 5 OR (R05_GTRAD_USER_STATUS = 5 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 5 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 5 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 5 OR R05_HOOK_USER_STATUS = 5 OR R05_SNUS_USER_STATUS = 5 OR R05_SMKLS_USER_STATUS = 5), THEN R05_TOBACCO_USER_STATUS = 5. ELSE, IF (R05_CIG_USER_STATUS = 3 OR R05_ND_EPR0D_USER_STATUS = 3 OR (R05_GTRAD_USER_STATUS = 3 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 3 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 3 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 3 OR R05_HOOK_USER_STATUS = 3 OR R05_SNUS_USER_STATUS = 3 OR R05_SMKLS_USER_STATUS = 3), THEN R05_TOBACCO_USER_STATUS = 3. ELSE, R05_TOBACCO_USER_STATUS = 8.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Non-electronic tobacco user status R05_TOBXEPROD_USER_STATUS	(1) Current established user = Adult respondents who are current established users of at least one tobacco product other than ENPs. The respondent may have any ENP user status. (VALUE 1 IS ASSESSED FIRST) (2) Current experimental user = Adult respondents who are current experimental users of any tobacco product other than ENPs, and are not current established or recent former established users of any tobacco products. The respondent may have any ENP user status. (VALUE 2 IS ASSESSED THIRD) (3) Former experimental user = Adult respondents who are former experimental users of any tobacco product other than ENPs, and are not current established, current experimental, recent former established, or long-term former established users of any tobacco products. The respondent may have any ENP user status. (VALUE 3 IS ASSESSED FIFTH) (4) Recent former established user = Adult respondents who are recent former established users of any tobacco product other than ENPs, and are not current established users of any tobacco products other than ENPs. The respondent may have any ENP user status. (VALUE 4 IS ASSESSED SECOND) (5) Long-term former established user = Adult respondents who are long-term former established users of any tobacco product other than ENPs, and are not current established, current experimental, or recent former established users of any tobacco products other than ENPs. The respondent may have any ENP user status. (VALUE 5 IS ASSESSED FOURTH) (8) Unknown / missing = Unknown or missing. (VALUE 8 IS ASSESSED LAST)	IF (R05_CIG_USER_STATUS = 1 OR R05_GTRAD_USER_STATUS = 1 OR R05_GRILLO_USER_STATUS = 1 OR R05_GFILTR_USER_STATUS = 1 OR R05_PIPE_USER_STATUS = 1 OR R05_HOOK_USER_STATUS = 1 OR R05_SMKLS_USER_STATUS = 1 OR R05_SNUS_USER_STATUS = 1), THEN R05_TOBXEPROD_USER_STATUS = 1. ELSE, IF (R05_CIG_USER_STATUS = 4 OR (R05_GTRAD_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 4 OR R05_HOOK_USER_STATUS = 4 OR R05_SMKLS_USER_STATUS = 4 OR R05_SNUS_USER_STATUS = 4), THEN R05_TOBXEPROD_USER_STATUS = 4. ELSE, IF (R05_CIG_USER_STATUS = 2 OR R05_GTRAD_USER_STATUS = 2 OR R05_GRILLO_USER_STATUS = 2 OR R05_GFILTR_USER_STATUS = 2 OR R05_PIPE_USER_STATUS = 2 OR R05_HOOK_USER_STATUS = 2 OR R05_SMKLS_USER_STATUS = 2 OR R05_SNUS_USER_STATUS = 2), THEN R05_TOBXEPROD_USER_STATUS = 2. ELSE, IF (R05_CIG_USER_STATUS = 5 OR (R05_GTRAD_USER_STATUS = 5 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 5 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 5 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 5 OR R05_HOOK_USER_STATUS = 5 OR R05_SMKLS_USER_STATUS = 5 OR

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R05_SNUS_USER_STATUS = 5), THEN R05_TOBXEPROD_USER_STATUS = 5. ELSE, IF (R05_CIG_USER_STATUS = 3 OR (R05_GTRAD_USER_STATUS = 3 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 3 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_GFILTR_USER_STATUS = 3 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR R05_PIPE_USER_STATUS = 3 OR R05_HOOK_USER_STATUS = 3 OR R05_SMKLS_USER_STATUS = 3 OR R05_SNUS_USER_STATUS = 3), THEN R05_TOBXEPROD_USER_STATUS = 3. ELSE, R05_TOBXEPROD_USER_STATUS = 8.
Every day or Some day use - tobacco R05_CURRENT_TOBACCO_USE	(1) Every day established user = Adult respondents who are every day established users of at least one tobacco product, or who are some day established users of multiple tobacco products and use at least one each day. (2) Some day established user = Adult respondents who are some day established users of at least one tobacco product and do not use tobacco every day. (8) Unknown / missing = Unknown or missing	IF ((R05_CURRENT_CIG_USE = 1 OR R05_CURRENT_EPROD_USE = 1 OR R05_CURRENT_GTRAD_USE = 1 OR R05_CURRENT_GRILLO_USE = 1 OR R05_CURRENT_GFILTR_USE = 1 OR R05_CURRENT_PIPE_USE = 1 OR R05_CURRENT_HOOK_USE = 1 OR R05_CURRENT_SMKLS_USE = 1 OR R05_CURRENT_SNUS_USE = 1) OR R05_AY0005 = 1) AND R05_TOBACCO_USER_STATUS = 1, THEN R05_CURRENT_TOBACCO_USE = 1. ELSE, IF (R05_CURRENT_CIG_USE = 2 OR R05_CURRENT_EPROD_USE = 2 OR R05_CURRENT_GTRAD_USE = 2 OR R05_CURRENT_GRILLO_USE = 2 OR R05_CURRENT_GFILTR_USE = 2 OR R05_CURRENT_PIPE_USE = 2 OR R05_CURRENT_HOOK_USE = 2 OR R05_CURRENT_SMKLS_USE = 2 OR R05_CURRENT_SNUS_USE = 2) AND R05_TOBACCO_USER_STATUS = 1, THEN R05_CURRENT_TOBACCO_USE = 2. ELSE, R05_CURRENT_TOBACCO_USE = 8.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
DERIVED QUESTIONNAIRE VARIABLES		
R05_CIGSPERDAY	Number of cigarettes smoked per day for current established, current experimental, and recent former established cigarette smokers.	IF R05_CURRENT_CIG_USE = 1 AND R05_AC1021_NN != -7, -8 AND R05_AC1021_UN = 1, THEN R05_CIGSPERDAY = R05_AC1021_NN. IF R05_CURRENT_CIG_USE = 2 AND R05_AC1023_NN != -8, -7 AND R05_AC1023_UN = 1, THEN R05_CIGSPERDAY = R05_AC1023_NN. IF R05_CIG_USER_STATUS = 4 AND R05_AC9003_NN != -8, -7 AND R05_AC9003_UN = 1, THEN R05_CIGSPERDAY = R05_AC9003_NN.
R05_CIGSPERDAY2	Estimate of cigarettes smoked per day for current established, current experimental, and recent former established cigarette smokers when actual number is DK/RF.	IF R05_AC1090 = 1, THEN R05_CIGSPERDAY2 = "more than 20 cigarettes each day". IF R05_AC1090 = 2, THEN R05_CIGSPERDAY2 = "about 20 cigarettes each day". IF R05_AC1090 = 3, THEN R05_CIGSPERDAY2 = "less than 20 cigarettes each day".
R05_PCKSPERDAY	Number of packs smoked per day for current established, current experimental, and recent former established cigarette smokers.	IF R05_CURRENT_CIG_USE = 1 AND R05_AC1021_NN != -7, -8 AND R05_AC1021_UN = 2, THEN R05_PCKSPERDAY = R05_AC1021_NN. IF R05_CURRENT_CIG_USE = 2 AND R05_AC1023_NN != -8, -7 AND R05_AC1023_UN = 2, THEN R05_PCKSPERDAY = R05_AC1023_NN. IF R05_CIG_USER_STATUS = 4 AND R05_AC9003_NN != -8, -7 AND R05_AC9003_UN = 2, THEN R05_PCKSPERDAY = R05_AC9003_NN.
R05_EPRODCOUNT	Number of ENPs used.	R05_EPRODCOUNT = 0; IF R05_AV9035_01 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_AV9035_02 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_AV9035_03 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_AV9035_04 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1; IF R05_AV9035_05 = 1, SET R05_EPRODCOUNT = R05_EPRODCOUNT + 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_EDEVICETYPE	ENP device type.	IF R05_AV9001 = 1, THEN R05_EDEVICETYPE = 1 (Disposable device type). ELSE, IF R05_AV9001 = 2, THEN R05_EDEVICETYPE = 2 (Prefilled Cartridge device type). ELSE, IF R05_AV9001 = 3, THEN R05_EDEVICETYPE = 3 (Refillable Tank device type). ELSE, IF R05_AV9001 = 4, THEN R05_EDEVICETYPE = 4 (Mod System device type). ELSE, R05_EDEVICETYPE = 5 (Unknown).
CIGARLOOP1	Cigars as Non-Blunts: CIGARLOOP1 = BOX R05_AGR05 THROUGH BOX_R05_AGR06. GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts everytime when smoked in the past 12 months. GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts everytime when smoked in the past 12 months. GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months. Cigars as Blunts-Only: CIGARLOOP1 = BOX R05_AGR05 THROUGH BOX_R05_AGR06. DO NOT ASK ITEM R05_AG1010. BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	Cigars as Non-Blunts: CIGARLOOP1 = BOX R05_AGR05 THROUGH BOX_R05_AGR06. GTRAD: IF R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. GRILLO: IF R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. GFILTR: IF R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR. Cigars as Blunts-Only: CIGARLOOP1 = BOX R05_AGR05 THROUGH BOX_R05_AGR06. DO NOT ASK ITEM R05_AG1010. BTRAD: IF R05_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD. BRILLO: IF R05_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO. BFILTR: IF R05_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
CIGARLOOP2	Cigars as Non-Blunts: CIGARLOOP2 = BOX R05_AGT03 THROUGH R05_AG1080. GTRAD = Adult respondents who have ever smoked traditional cigars and have not smoked traditional cigars as blunts every time when smoked in the past 12 months. GRILLO = Adult respondents who have ever smoked cigarillos and have not smoked cigarillos as blunts every time when smoked in the past 12 months. GFILTR = Adult respondents who have ever smoked filtered cigars and have not smoked filtered cigars as blunts every time when smoked in the past 12 months. Cigars as Blunts-Only: CIGARLOOP2 = R05_AJT03, R05_AJR01, R05_AJ1008, R05_AJ1011, R05_AJ1030, R05_AJ1032, R05_AJ1033, R05_AJ1039, R05_AJ1040, R05_AJ1042, R05_AJ1043, R05_AJ1047, R05_AJ1048, R05_AJ1070, R05_AJ1049, R05_AJ1071, R05_AJ1050, R05_AJ1012, and R05_AJR04. BTRAD = Adult respondents who smoke traditional cigars as blunts every time when smoked in the past 12 months. BRILLO = Adult respondents who smoke cigarillos as blunts every time when smoked in the past 12 months. BFILTR = Adult respondents who smoke filtered cigars as blunts every time when smoked in the past 12 months.	Cigars as Non-Blunts: CIGARLOOP2 = BOX R05_AGT03 THROUGH R05_AG1080. GTRAD: IF R05_EVER_NEVER_GTRAD = 1 AND R05_12MBLUNT_ONLY_BTRAD = 2, THEN LOOP = GTRAD. GRILLO: IF R05_EVER_NEVER_GRILLO = 1 AND R05_12MBLUNT_ONLY_BRILLO = 2, THEN LOOP = GRILLO. GFILTR: IF R05_EVER_NEVER_GFILTR = 1 AND R05_12MBLUNT_ONLY_BFILTR = 2, THEN LOOP = GFILTR. Cigars as Blunts-Only: CIGARLOOP2 = R05_AJT03, R05_AJR01, R05_AJ1008, R05_AJ1011, R05_AJ1030, R05_AJ1032, R05_AJ1033, R05_AJ1039, R05_AJ1040, R05_AJ1042, R05_AJ1043, R05_AJ1047, R05_AJ1048, R05_AJ1070, R05_AJ1049, R05_AJ1071, R05_AJ1050, R05_AJ1012, and R05_AJR04. BTRAD: IF R05_12MBLUNT_ONLY_BTRAD = 1, THEN LOOP = BTRAD. BRILLO: IF R05_12MBLUNT_ONLY_BRILLO = 1, THEN LOOP = BRILLO. BFILTR: IF R05_12MBLUNT_ONLY_BFILTR = 1, THEN LOOP = BFILTR.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_TOBACCO_PRODUCT_LIST	A list of all the tobacco products the respondent currently uses. DISPLAY: For [TOBACCO PRODUCT LIST] embedded in the question text, display the product names in lowercase letters. If [TOBACCO PRODUCT LIST] has two products, connect the products with "and". If [TOBACCO PRODUCT LIST] has three or more products, connect the products with commas and include "and" before the final product in the list.	IF R05_CIG_USER_STATUS = 1, INCLUDE "cigarettes" IN THE LIST. IF R05_ND_EPROD_USER_STATUS = 1, INCLUDE "electronic nicotine products" IN THE LIST. IF R05_GTRAD_USER_STATUS = 1, INCLUDE "traditional cigars" IN THE LIST. IF R05_GRILLO_USER_STATUS = 1, INCLUDE "cigarillos" IN THE LIST. IF R05_GFILTR_USER_STATUS = 1, INCLUDE "filtered cigars" IN THE LIST. IF R05_PIPE_USER_STATUS = 1, INCLUDE "a pipe" IN THE LIST. IF R05_HOOK_USER_STATUS = 1, INCLUDE "hookah" IN THE LIST. IF R05_SNUS_USER_STATUS = 1, INCLUDE "snus" IN THE LIST. IF R05_SMKLS_USER_STATUS = 1, INCLUDE "smokeless tobacco" IN THE LIST.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_CURRENT_PRODUCT_COUNT	Number of tobacco products for which the respondent is an every day or some day user.	R05_CURRENT_PRODUCT_COUNT = 0; IF R05_CURRENT_CIG_USE = 1, 2, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1; IF R05_CURRENT_EPROD_USE = 1, 2 AND R05_AV9106 != 1, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1; IF R05_CURRENT_GTRAD_USE = 1, 2 AND R05_12MBLUNT_ONLY_BTRAD != 1, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1; IF R05_CURRENT_GRILLO_USE = 1, 2 AND R05_12MBLUNT_ONLY_BRILLO != 1, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1; IF R05_CURRENT_GFILTR_USE = 1, 2 AND R05_12MBLUNT_ONLY_BFILTR != 1, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1; IF R05_CURRENT_PIPE_USE = 1, 2, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1; IF R05_CURRENT_HOOK_USE = 1, 2, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1; IF R05_CURRENT_SNUS_USE = 1, 2, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1; IF R05_CURRENT_SMKLS_USE = 1, 2, SET R05_CURRENT_PRODUCT_COUNT = R05_CURRENT_PRODUCT_COUNT + 1. Range 0 to 9.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_EVERY_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses every day.	R05_EVERY_DAY_PRODUCT_COUNT = 0; IF R05_CURRENT_CIG_USE = 1, SET R05_EVERY_DAY_PRODUCT_COUNT = R05_EVERY_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_EPROD_USE = 1 AND R05_AV9106 != 1, SET R05_EVERY_DAY_PRODUCT_COUNT = R05_EVERY_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_GTRAD_USE = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1, SET R05_EVERY_DAY_PRODUCT_COUNT = R05_EVERY_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_GRILLO_USE = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1, SET R05_EVERY_DAY_PRODUCT_COUNT = R05_EVERY_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_GFILTR_USE = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1, SET R05_EVERY_DAY_PRODUCT_COUNT = R05_EVERY_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_PIPE_USE = 1, SET R05_EVERY_DAY_PRODUCT_COUNT = R05_EVERY_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_HOOK_USE = 1, SET R05_EVERY_DAY_PRODUCT_COUNT = R05_EVERY_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_SNUS_USE = 1, SET R05_EVERY_DAY_PRODUCT_COUNT = R05_EVERY_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_SMKLS_USE = 1, SET R05_EVERY_DAY_PRODUCT_COUNT = R05_EVERY_DAY_PRODUCT_COUNT + 1. Range 0 to 9.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_SOME_DAY_PRODUCT_COUNT	Number of tobacco products the respondent currently uses some days.	R05_SOME_DAY_PRODUCT_COUNT = 0; IF R05_CURRENT_CIG_USE = 2, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_EPROD_USE = 2 AND R05_AV9106 != 1, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_GTRAD_USE = 2 AND R05_12MBLUNT_ONLY_BTRAD != 1, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_GRILLO_USE = 2 AND R05_12MBLUNT_ONLY_BRILLO != 1, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_GFILTR_USE = 2 AND R05_12MBLUNT_ONLY_BFILTR != 1, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_PIPE_USE = 2, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_HOOK_USE = 2, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_SNUS_USE = 2, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1; IF R05_CURRENT_SMKLS_USE = 2, SET R05_SOME_DAY_PRODUCT_COUNT = R05_SOME_DAY_PRODUCT_COUNT + 1. Range 0 to 9.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_EXPERIMENTAL_PRODUCT_COUNT	Number of tobacco products the respondent currently uses experimentally.	R05_EXPERIMENTAL_PRODUCT_COUNT = 0; IF R05_CIG_USER_STATUS = 2, SET R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1; IF R05_EPROD_USER_STATUS = 2 AND R05_AV9106 != 1, SET R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1; IF R05_GTRAD_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BTRAD != 1, SET R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1; IF R05_GRILLO_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BRILLO != 1, SET R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1; IF R05_GFILTR_USER_STATUS = 2 AND R05_12MBLUNT_ONLY_BFILTR != 1, SET R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1; IF R05_PIPE_USER_STATUS = 2, SET R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1; IF R05_HOOK_USER_STATUS = 2, SET R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1; IF R05_SNUS_USER_STATUS = 2, SET R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1; IF R05_SMKLS_USER_STATUS = 2, SET R05_EXPERIMENTAL_PRODUCT_COUNT = R05_EXPERIMENTAL_PRODUCT_COUNT + 1. Range 0 to 9.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_RECENT_FORMER_PRODUCT_COUNT	Number of tobacco products the respondent is a recent former established user of.	R05_RECENT_FORMER_PRODUCT_COUNT = 0; IF R05_CIG_USER_STATUS = 4, SET R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1; IF R05_EPROD_USER_STATUS = 4 AND R05_AV9106 != 1, SET R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1; IF R05_GTRAD_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BTRAD != 1, SET R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1; IF R05_GRILLO_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BRILLO != 1, SET R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1; IF R05_GFILTR_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BFILTR != 1, SET R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1; IF R05_PIPE_USER_STATUS = 4, SET R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1; IF R05_HOOK_USER_STATUS = 4, SET R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1; IF R05_SNUS_USER_STATUS = 4, SET R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1; IF R05_SMKLS_USER_STATUS = 4, SET R05_RECENT_FORMER_PRODUCT_COUNT = R05_RECENT_FORMER_PRODUCT_COUNT + 1. Range 0 to 9.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_NDSKIP	Type of product use -- polyusers or multiple product users R05_NDSKIP = 0 (Respondents who are current established or recent former established users of only one product. Or respondents who are current experimental users of only one product and are not current established or recent former established users of any other products. If R05_NDSKIP = 0, only the ENP ND module or the tobacco ND module will be asked, not both, with fills tailored to their specific product.) R05_NDSKIP = 1 (Respondents who are current established or recent former established users of two or more products, where none of those products is/was ENPs. Or respondents who are current experimental users of two or more products, where none of those products are ENPs, and are not current established or recent former established users of any other products. If R05_NDSKIP = 1, only the tobacco ND module will be asked, with fills tailored to their tobacco use overall.)	R05_NDSKIP: IF (R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT >= 2) AND R05_ND_EPROD_USER_STATUS != 1, 4, THEN R05_NDSKIP = 1. ELSE, IF (R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT >= 3) AND R05_ND_EPROD_USER_STATUS = 1, 4, THEN R05_NDSKIP = 2. ELSE, IF (R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT = 2) AND R05_ND_EPROD_USER_STATUS = 1, 4, THEN R05_NDSKIP = 3. ELSE, IF R05_CURRENT_PRODUCT_COUNT + R05_RECENT_FORMER_PRODUCT_COUNT = 1, THEN R05_NDSKIP = 0.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
	R05_NDSKIP = 2 (Respondents who are current established or recent former established users of three or more products, where one of those products is/was ENPs. Or respondents who are current experimental users of three or more products, where one of those products is ENPs, and are not current established or recent former established users of any other products. If R05_NDSKIP = 2, both ND modules will be asked, first the ENP ND module and second the tobacco ND module with fills tailored to their tobacco use overall. R05_NDSKIP = 3 (Respondents who are current established or recent former established users of two products, where one of those products is/was ENPs. Or respondents who are current experimental users of two products, where one of those products is ENPs, and are not current established or recent former established users of any other products. If R05_NDSKIP = 3, both ND modules will be asked, first the ENP ND module and second the tobacco ND module with fills tailored to their other specific product.)	ELSE, IF R05_EXPERIMENTAL_PRODUCT_COUNT >= 2 AND R05_TOBACCO_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS != 2, THEN R05_NDSKIP = 1. ELSE, IF R05_EXPERIMENTAL_PRODUCT_COUNT >= 3 AND R05_TOBACCO_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2, THEN R05_NDSKIP = 2. ELSE, IF R05_EXPERIMENTAL_PRODUCT_COUNT = 2 AND R05_TOBACCO_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2, THEN R05_NDSKIP = 3. ELSE, IF R05_EXPERIMENTAL_PRODUCT_COUNT = 1 AND R05_TOBACCO_USER_STATUS = 2, THEN R05_NDSKIP = 0.
R05_GROUP	Type of product use -- single product users IF R05_NDSKIP = 0, 3 THESE RESPONSE GROUPS ARE USED TO DEFINE THE FILLS IN THE NICOTINE DEPENDENCE SEQUENCE OF QUESTIONS: R05_GROUP = NC (Cigarettes) R05_GROUP = NG (Traditional cigars) R05_GROUP = NL (Cigarillos) R05_GROUP = NF (Filtered cigars) R05_GROUP = NP (Pipes) R05_GROUP = NH (Hookah) R05_GROUP = NU (Snus) R05_GROUP = NS (Smokeless Tobacco)	IF R05_NDSKIP = 0: IF R05_CIG_USER_STATUS = 1, 4 AND (R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NC. ELSE, IF (R05_GTRAD_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BTRAD != 1) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NG. ELSE, IF (R05_GRILLO_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BRILLO != 1) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NL. ELSE, IF (R05_GFILTR_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BFILTR != 1) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_GTRAD_USER_STATUS != 1 AND R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NF. ELSE, IF R05_PIPE_USER_STATUS = 1, 4 AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NP. ELSE, IF R05_HOOK_USER_STATUS = 1, 4 AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NH.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, IF R05_SNUS_USER_STATUS = 1, 4 AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NU. ELSE, IF R05_SMKLS_USER_STATUS = 1, 4 AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_ND_EPROD_USER_STATUS != 1 AND R05_ND_EPROD_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		(R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1)), THEN R05_GROUP = NS. ELSE, IF R05_CIG_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NC. ELSE, IF R05_GTRAD_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NG. ELSE, IF R05_GRILLO_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NL. ELSE, IF R05_GFILTR_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NF. ELSE, IF R05_PIPE_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NP. ELSE, IF R05_HOOK_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NH. ELSE, IF R05_SNUS_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NU.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, IF R05_SMKLS_USER_STATUS = 2 AND R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4, THEN R05_GROUP = NS. IF R05_NDSKIP = 3: IF (R05_CIG_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS = 1, 4) AND (R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NC. ELSE, IF ((R05_GTRAD_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BTRAD != 1) AND R05_ND_EPROD_USER_STATUS = 1, 4) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NG. ELSE, IF ((R05_GRILLO_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BRILLO != 1) AND R05_ND_EPROD_USER_STATUS = 1, 4) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NL. ELSE, IF ((R05_GFILTR_USER_STATUS = 1, 4 AND R05_12MBLUNT_ONLY_BFILTR != 1) AND R05_ND_EPROD_USER_STATUS = 1, 4) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_GTRAD_USER_STATUS != 1 AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		(R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NF. ELSE, IF (R05_PIPE_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS = 1, 4) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NP. ELSE, IF (R05_HOOK_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS = 1, 4) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NH. ELSE, IF (R05_SNUS_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS = 1, 4) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND (R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1) AND R05_SMKLS_USER_STATUS != 1 AND R05_SMKLS_USER_STATUS != 4), THEN R05_GROUP = NU. ELSE, IF (R05_SMKLS_USER_STATUS = 1, 4 AND R05_ND_EPROD_USER_STATUS = 1, 4) AND (R05_CIG_USER_STATUS != 1 AND R05_CIG_USER_STATUS != 4 AND R05_GTRAD_USER_STATUS != 1 AND

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		(R05_GTRAD_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BTRAD = 1) AND R05_GFILTR_USER_STATUS != 1 AND (R05_GFILTR_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BFILTR = 1) AND R05_PIPE_USER_STATUS != 1 AND R05_PIPE_USER_STATUS != 4 AND R05_HOOK_USER_STATUS != 1 AND R05_HOOK_USER_STATUS != 4 AND R05_SNUS_USER_STATUS != 1 AND R05_SNUS_USER_STATUS != 4 AND R05_GRILLO_USER_STATUS != 1 AND (R05_GRILLO_USER_STATUS != 4 OR R05_12MBLUNT_ONLY_BRILLO = 1)), THEN R05_GROUP = NS. ELSE, IF R05_CIG_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NC. ELSE, IF R05_GTRAD_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NG. ELSE, IF R05_GRILLO_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NL. ELSE, IF R05_GFILTR_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NF.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
		ELSE, IF R05_PIPE_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NP. ELSE, IF R05_HOOK_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NH. ELSE, IF R05_SNUS_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NU. ELSE, IF R05_SMKLS_USER_STATUS = 2 AND R05_ND_EPROD_USER_STATUS = 2 AND (R05_TOBACCO_USER_STATUS != 1 AND R05_TOBACCO_USER_STATUS != 4), THEN R05_GROUP = NS.
R05_VALID_TIME_LASTUSED	Respondent is a recent former established user of at least one product other than ENPs and answered R05_A*1009 with a valid response (excluding ENPs).	IF (R05_CIG_USER_STATUS = 4 AND R05_AC1009_NN > 0) OR (R05_AG1009TC_NN > 0 AND R05_GTRAD_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_GRILLO_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_AG1009CG_NN > 0) OR (R05_GFILTR_USER_STATUS = 4 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_AG1009FC_NN > 0) OR (R05_HOOK_USER_STATUS = 4 AND R05_AH1009_NN > 0) OR (R05_PIPE_USER_STATUS = 4 AND R05_AP1009_NN > 0) OR (R05_SNUS_USER_STATUS = 4 AND R05_AU1009_NN > 0) OR (R05_SMKLS_USER_STATUS = 4 AND R05_AS1009_NN > 0), THEN R05_VALID_TIME_LASTUSED = 1. ELSE, R05_VALID_TIME_LASTUSED = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
Twelve month quit status (electronic nicotine products) R05_TWELVEMONTHQUIT_STATUS_EPROD	(1) Past 12 month quitter or quit attempter = Adult respondents who have quit or attempted to quit ENPs in the past 12 months and are not marijuana-only ENP users. (2) Past 12 month reducer = Adult respondents who have cut down their ENP use in the past 12 months, but have not tried to quit and are not marijuana-only ENP users. (8) Unknown / missing = Unknown or missing	IF R05_AN0105E = 1 OR R05_ND_EPROD_USER_STATUS = 4, THEN R05_TWELVEMONTHQUIT_STATUS_EPROD = 1. ELSE, IF R05_AN0334E = 1, THEN R05_TWELVEMONTHQUIT_STATUS_EPROD = 2. ELSE, R05_TWELVEMONTHQUIT_STATUS_EPROD = 8.
Twelve month quit status (non-electronic tobacco) R05_TWELVEMONTHQUIT_STATUS	(1) Past 12 month quitter or quit attempter = Adult respondents who have quit or attempted to quit non-electronic tobacco in the past 12 months. (2) Past 12 month reducer = Adult respondents who have cut down their non-electronic tobacco use in the past 12 months, but have not tried to quit. (8) Unknown / missing = Unknown or missing	IF R05_AN0105 = 1 OR R05_TOBXEPROD_USER_STATUS = 4, THEN R05_TWELVEMONTHQUIT_STATUS = 1. ELSE, IF R05_AN0334 = 1, THEN R05_TWELVEMONTHQUIT_STATUS = 2. ELSE, R05_TWELVEMONTHQUIT_STATUS = 8.
R05_ADULT_LUNGCOND	Adult respondents who have ever had COPD, chronic bronchitis, or emphysema.	IF (R05_AX0119_NB_01 = 1 OR R05_AX0119_NB_02 = 1 OR R05_AX0119_NB_03 = 1 OR R05_AX0119_12M_01 = 1 OR R05_AX0119_12M_02 = 1 OR R05_AX0119_12M_03 = 1 OR R04_LUNGCOND = 1) AND R05_AX0733 != 3, THEN R05_ADULT_LUNGCOND = 1. ELSE, R05_ADULT_LUNGCOND = 2.
Adults with asthma R05_ADULT_ASTHMA	(1) Asthma = Adult respondents who have ever had asthma. (2) No asthma = Adult respondents who have never had asthma.	IF (R04_ASTHMA = 1 OR R05_AX0119_NB_04 = 1 OR R05_AX0119_12M_04 = 1) AND R05_AX0227 != 6, THEN R05_ADULT_ASTHMA = 1. ELSE, R05_ADULT_ASTHMA = 2.
R05_EVER_USER_ALC	Adult respondents who have ever used alcohol.	IF R05_AX0084_12M = 1 OR R04_EVER_USER_ALCOHOL = 1, THEN R05_EVER_USER_ALC = 1. ELSE, R05_EVER_USER_ALC = 2.
R05_EVER_USER_MJ	Adult respondents who have ever used marijuana.	IF R05_AG9107 = 1 OR R05_AX0085_12M = 1 OR R05_AH9031 = 1 OR R05_AV9042 = 1 OR R04_EVER_USER_MARIJUANA = 1, THEN R05_EVER_USER_MJ = 1. ELSE, R05_EVER_USER_MJ = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_EVER_USER_RIT	Adult respondents who have ever used Ritalin® or Adderall®.	IF R05_AX0089_12M_01 = 1 OR R04_EVER_USER_RITALIN = 1, THEN R05_EVER_USER_RIT = 1. ELSE, R05_EVER_USER_RIT = 2.
R05_EVER_USER_PK	Adult respondents who have ever used painkillers, sedatives, or tranquilizers.	IF R05_AX0089_12M_02 = 1 OR R04_EVER_USER_PAINKILLERS = 1, THEN R05_EVER_USER_PK = 1. ELSE, R05_EVER_USER_PK = 2.
R05_EVER_USER_COC	Adult respondents who have ever used cocaine or crack.	IF R05_AX0220_12M_01 = 1 OR R04_EVER_USER_COCAINE = 1, THEN R05_EVER_USER_COC = 1. ELSE, R05_EVER_USER_COC = 2.
R05_EVER_USER_STIM	Adult respondents who have ever used stimulants like methamphetamine or speed.	IF R05_AX0220_12M_02 = 1 OR R04_EVER_USER_STIMULANTS = 1, THEN R05_EVER_USER_STIM = 1. ELSE, R05_EVER_USER_STIM = 2.
R05_EVER_USER_OTH	Adult respondents who have ever used other drugs like heroin, inhalants, solvents, or hallucinogens.	IF R05_AX0220_12M_03 = 1 OR R04_EVER_USER_OTHERDRUG = 1, THEN R05_EVER_USER_OTH = 1. ELSE, R05_EVER_USER_OTH = 2.
R05_SUBSTANCE_COUNT	Number of substances the respondent has ever used.	R05_SUBSTANCE_COUNT = 0; IF R05_EVER_USER_ALC = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_MJ = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_RIT = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_PK = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_COC = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_STIM = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1; IF R05_EVER_USER_OTH = 1, SET SUBSTANCE_COUNT = R05_SUBSTANCE_COUNT + 1.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_PASTUSE_CIGS	Continuing adult respondents who smoked a cigarette in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established cigarette smokers in Wave 4, or new baseline adult respondents who have ever smoked cigarettes.	IF (R05_AC1004 = 1 OR R05_AC1002_12M = 1 OR R05_AC1002 = 1 OR R04_CIG_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_CIGS = 1)) AND R05_AC1010 != 3, THEN R05_PASTUSE_CIGS = 1. ELSE, R05_PASTUSE_CIGS = 2.
R05_PASTUSE_EPRODS	Continuing adult respondents who used ENPs in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established ENP users in Wave 4, or new baseline adult respondents who have ever used ENPs.	IF ((R05_AV1004 = 1 OR R05_AV1002_12M = 1 OR R05_AV1002 = 1 OR R04_EPROD_USER_STATUS = 1, 2, 3, 4) OR (R05_EVER_NEVER_EPRODS = 1 AND R05_ADULTTYPE = 2)) AND R05_AV1010 != 3, THEN R05_PASTUSE_EPRODS = 1. ELSE, R05_PASTUSE_EPRODS = 2.
R05_PASTUSE_GTRAD	Continuing adult respondents who smoked a traditional cigar in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established traditional cigar smokers in Wave 4, or new baseline adult respondents who have ever smoked traditional cigars.	IF (R05_AG9030 = 1 OR R05_AG9003_12M = 1 OR R05_AG9003 = 1 OR R04_GTRAD_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GTRAD = 1)) AND R05_AG1010TC != 3, THEN R05_PASTUSE_GTRAD = 1. ELSE, R05_PASTUSE_GTRAD = 2.
R05_PASTUSE_GRILLO	Continuing adult respondents who smoked a cigarillo in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established cigarillo smokers in Wave 4, or new baseline adult respondents who have ever smoked cigarillos.	IF (R05_AG9049_01 = 1 OR R05_AG9049_03 = 1 OR R05_AG9051 = 1 OR R05_AG9053 = 1 OR R05_AG9009_12M_01 = 1 OR R05_AG9009_12M_03 = 1 OR R05_AG9009_01 = 1 OR R05_AG9009_03 = 1 OR R04_GRILLO_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GRILLO = 1)) AND R05_AG1010CG != 3, THEN R05_PASTUSE_GRILLO = 1. ELSE, R05_PASTUSE_GRILLO = 2.
R05_PASTUSE_GFILTR	Continuing adult respondents who smoked a filtered cigar in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established filtered cigar smokers in Wave 4, or new baseline adult respondents who have ever smoked filtered cigars.	IF (R05_AG9049_02 = 1 OR R05_AG9052 = 1 OR R05_AG9009_12M_02 = 1 OR R05_AG9009_02 = 1 OR R04_GFILTR_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_GFILTR = 1)) AND R05_AG1010FC != 3, THEN R05_PASTUSE_GFILTR = 1. ELSE, R05_PASTUSE_GFILTR = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_PASTUSE_PIPE	Continuing adult respondents who smoked pipe tobacco in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established pipe smokers in Wave 4, or new baseline adult respondents who have ever smoked pipe tobacco.	IF (R05_AP1004 = 1 OR R05_AP1002_12M = 1 OR R05_AP1002 = 1 OR R04_PIPE_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_PIPE = 1)) AND R05_AP1010 != 3, THEN R05_PASTUSE_PIPE = 1. ELSE, R05_PASTUSE_PIPE = 2.
R05_PASTUSE_HOOK	Continuing adult respondents who smoked hookah in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established hookah smokers in Wave 4, or new baseline adult respondents who have ever smoked hookah.	IF (R05_AH1004 = 1 OR R05_AH1002_12M = 1 OR R05_AH1002 = 1 OR R04_HOOK_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_HOOK = 1)) AND R05_AH1010 != 3, THEN R05_PASTUSE_HOOK = 1. ELSE, R05_PASTUSE_HOOK = 2.
R05_PASTUSE_SNUS	Continuing adult respondents who used snus in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established snus users in Wave 4, or new baseline adult respondents who have ever used snus.	IF (R05_AU1004 = 1 OR R05_AU1002_12M = 1 OR R05_AU1002 = 1 OR R04_SNUS_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SNUS = 1)) AND R05_AU1010 != 3, THEN R05_PASTUSE_SNUS = 1. ELSE, R05_PASTUSE_SNUS = 2.
R05_PASTUSE_SMKLS	Continuing adult respondents who used smokeless tobacco in the past 30 days or past 12 months or were current established, current experimental, former experimental, or recent former established smokeless tobacco users in Wave 4, or new baseline adult respondents who have ever used smokeless tobacco.	IF (R05_AS1004 = 1 OR R05_AS1002_12M = 1 OR R05_AS1002 = 1 OR R04_SMKLS_USER_STATUS = 1, 2, 3, 4 OR (R05_ADULTTYPE = 2 AND R05_EVER_NEVER_SMKLS = 1)) AND R05_AS1010 != 3, THEN R05_PASTUSE_SMKLS = 1. ELSE, R05_PASTUSE_SMKLS = 2.
R05_REGULAR_BRAND	Adult respondents who have a regular brand of any tobacco product.	IF R05_AC1047MC = 1 OR R05_AC1047RY = 1 OR R05_AV1047 = 1 OR R05_AG1047TC = 1 OR R05_AG1047CG = 1 OR R05_AG1047FC = 1 OR R05_AP1047 = 1 OR R05_AH1047 = 1 OR R05_AU1047 = 1 OR R05_AS1047 = 1, THEN R05_REGULAR_BRAND = 1. ELSE, R05_REGULAR_BRAND = 2.

PATH Study Wave 5 Adult Public Use File Annotated Instrument

User Group Name	User Group Description	User Group Definition
R05_NO_REGULAR_BRAND	Adult respondents who use a tobacco product and do not have a regular brand of that tobacco product.	IF (R05_AC1047MC = 2, -8, -7 OR R05_AC1047RY = 2, -8, -7 OR R05_AV1047 = 2, -8, -7 OR R05_AG1047TC = 2, -8, -7 OR R05_AG1047CG = 2, -8, -7 OR R05_AG1047FC = 2, -8, -7 OR R05_AP1047 = 2, -8, -7 OR R05_AH1047 = 2, -8, -7 OR R05_AS1047 = 2, -8, -7 OR R05_AU1047 = 2, -8, -7), THEN R05_NO_REGULAR_BRAND = 1. ELSE, R05_NO_REGULAR_BRAND = 2.

APPENDIX – ADULT INSTRUMENT SKIP ERROR SUMMARY

This table summarizes skip errors in the data collection instruments that resulted in missing data on these items for some respondents. Items that were fixed during data collection will have some missing data and some non - missing data.

Items**	Description of Issue	Issue Fixed during Wave 5 Data Collection?	Date Issue was Fixed
R05_AG1009FC_NN, R05_AG1010FC	These items were skipped incorrectly by some adult respondents who were previous wave non-responders (R05_WNR = 1) who had ever smoked a cigarillo and filtered cigar as of their last completed interview (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) and had not smoked a filtered cigar in the past 12 months (R05_AG9052 = 2).	Yes	3/26/2019
R05_AG1010CG	This item was skipped incorrectly by some respondents who had ever smoked a cigarillo as of their last completed interview (R04_EVER_NEVER_GRILLO = 1) and were not former experimental cigarillo smokers as of their last completed interview (R04_GRILLO_USER_STATUS != 3) and did not know or refused to report which type of cigarillo or filtered cigar they had smoked in the past 30 days (R05_AG9049_01 = -8, -7 AND R05_AG9049_03 = -8, -7).	Yes	3/26/2019
R05_EVER_NEVER_GRILLO	This data collection derived user group was set incorrectly for some respondents who were previous wave non-responders (R05_WNR = 1) and ever users of both cigarillos and filtered cigars as of their last completed interview (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) and smoked a cigarillo or filtered cigar in the past 30 days (R05_AG9031 = 1). The incorrect setting of this user group also caused some respondents to incorrectly skip R05_AG1005CG and R05_AG1100CG.	Yes	3/07/2019
R05_EVER_NEVER_GFILTR	This data collection derived user group was set incorrectly for some respondents who were previous wave non-responders (R05_WNR = 1) and ever users of both cigarillos and filtered cigars in as of their last completed interview (R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) and smoked a cigarillo or filtered cigar in the past 30 days (R05_AG9031 = 1). The incorrect setting of this user group also caused some respondents to incorrectly skip R05_AG1005FC and R05_AG1100CG.	Yes	3/07/2019
R05_AG9021	This item was skipped incorrectly by some young adult respondents (between ages 18 and 24) who had ever smoked a cigarillo (R05_EVER_NEVER_GRILLO = 1) and smoked a cigarillo or filtered cigar in the past 30 days (R05_AG9031 = 1) and did not smoke a cigarillo in the 12 months (R05_AG9051 = 2 AND R05_AG9053 = 2).	Yes	1/24/2019

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Items**	Description of Issue	Issue Fixed during Wave 5 Data Collection?	Date Issue was Fixed
R05_AG9022	This item was skipped incorrectly by some young adult respondents (between ages 18 and 24) who had ever smoked a filtered cigar (R05_EVER_NEVER_GFILTR = 1) and smoked a cigarillo or filtered cigar in the past 30 days (R05_AG9031 = 1) and did not smoke a filtered cigar in the past 30 days (R05_AG9049_02 = 2) and did not smoke a filtered cigar in the past 12 months (R05_AG9052 = 2).	Yes	1/24/2019
R05_AJ0104TC, R05_AJ0104CG	These items were skipped incorrectly by some respondents who did not know or refused to report how many traditional cigars or cigarillos they smoked as a blunt in the past 30 days (R05_AJ1022TC = -8, -7 OR R05_AJ1022CG = -8, -7).	Yes	1/24/2019
R05_AG1066TC, R05_AG1066CG, R05_AG1066FC	These items were skipped incorrectly by some respondents who were ever users of cigarettes (R05_EVER_NEVER_CIGS = 1) and were current established, current experimental, recent former established, or non-current 30-day traditional cigar/cigarillo/filtered cigar smokers (R05_GTRAD_USER_STATUS = 1, 2, 4 OR R05_GRILLO_USER_STATUS = 1, 2, 4 OR R05_GFILTR_USER_STATUS = 1, 2, 4) and were not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers (R05_12MBLUNT_ONLY_BTRAD != 1 OR R05_12MBLUNT_ONLY_BRILLO != 1 OR R05_12MBLUNT_ONLY_BFILTR != 1).	Yes	1/24/2019
R05_AS1024_30D_NN, R05_AS0100, R05_AS1130, R05_AS9041, R05_AS1030	These items were skipped incorrectly by some respondents who were non-current 30-day smokeless tobacco users (R05_FORMER_THIRTYDAY_USER_SMKLS = 1) and recent former established smokeless tobacco users (R05_SMKLS_USER_STATUS = 4).	Yes	4/11/2019
R05_AS1147	This item was skipped incorrectly by some respondents who did not know or refused to report on how many of the past 30 days they used smokeless tobacco (R05_AS1022 = -8, -7) and reported using flavored smokeless tobacco in the past 30 days (R05_AS1130 = 1).	Yes	4/11/2019
R05_AN0347	This item was skipped incorrectly by some respondents who were not past 12 month non-electronic tobacco reducers (R05_TWELVEMONTHQUIT_STATUS != 1) and used a nicotine patch in the past 12 months (R05_AN0160_01 = 1).	Yes	1/24/2019
R05_AN0357	This item was skipped incorrectly by some respondents who were not past 12 month non-electronic tobacco reducers (R05_TWELVEMONTHQUIT_STATUS != 1) and used nicotine gum, a nicotine inhaler, nicotine nasal spray, or lozenge in the past 12 months (R05_AN0161_02 = 1 OR R05_AN0161_03 = 1 OR R05_AN0161_04 = 1 OR R05_AN0161_05 = 1).	Yes	6/27/2019

APPENDIX – ADULT INSTRUMENT DATA ERROR SUMMARY

This table summarizes variables with data errors that are not attributed to any skip errors in the data collection instruments. For some respondents, these variables have missing data. Data errors are not systematic and occur for a variety of reasons at the individual respondent level (other - specify text response coding, interview breakoffs, respondents moving back and forth in the questionnaire creating discrepant data, laptop failures, transmission errors, etc.).

Section	Items***
Introductory Demographics	R05_AM0066, R05_AM0070, R05_AM0073, R05_AM0071
Tobacco Use	R05_AG1003CG, R05_AG1003FC, R05_AG9021, R05_AG9022, R05_AU1009_NN
Cigarettes	R05_AC0104
Electronic Nicotine Products	R05_AV9060_01, R05_AV9044, R05_AV9046, R05_AV9036, R05_AV9045, R05_AV1133, R05_AV1147, R05_AV1157, R05_AV1041_D, R05_AV1041_C, R05_AV1039, R05_AV0104
Cigars	R05_AJ1133TC, R05_AJ1133CG, R05_AJ0104TC, R05_AJ0104CG, R05_AG1005CG, R05_AG1005FC, R05_AG1100CG, R05_AG1100FC, R05_AG1133CG, R05_AG9040FC, R05_AG1047FC, R05_AG1050FC, R05_AG1945FC, R05_AG0104TC, R05_AG0104CG, R05_AG0104FC, R05_AG1060FC, R05_AG1085FC, R05_AG1062FC, R05_AG1075FC, R05_AG1063FC, R05_AG1064FC, R05_AG1077FC, R05_AG1080FC, R05_AG1082FC, R05_AG1139FC, R05_AG1140FC, R05_AG1141FC
Snus	R05_AU0104
Smokeless	R05_AS0104, R05_AS1085, R05_AS1062, R05_AS1075, R05_AS1063, R05_AS1065, R05_AS1067
Nicotine Dependence	R05_AN0145_NN
Packaging	R05_AR0248
Risk Perceptions and Attitudes	R05_AC9060, R05_AC9065, R05_AC9070, R05_AC9075, R05_AC9043, R05_AC9080, R05_AC9085, R05_AC9090, R05_AC9044, R05_AC9100, R05_AC9105, R05_AC9110, R05_AC9115
Secondhand Smoke Exposure	R05_AR1045, R05_AR1051, R05_AR1050

PATH Study Wave 5 Adult Public Use File Annotated Instrument

Section	Items***
Health	R05_AX0090_12M, R05_AX0091_12M, R05_AX0088_12M, R05_AX0159_05, R05_AX0159_06, R05_AX0159_07, R05_AX0159_08, R05_AX0159_09, R05_AX0698, R05_AX0699, R05_AX0149_12M, R05_AX0196_12M, R05_AX0400_12M, R05_AX0730, R05_AX0156, R05_AX0134_12M, R05_AX0348, R05_AX0349, R05_AX0161, R05_AX0162, R05_AX0163, R05_AX0164, R05_AX0165, R05_AX0166, R05_AX0167, R05_AX0168, R05_AX0169, R05_AX0250, R05_AX0251, R05_AX0689_12M_01, R05_AX0689_12M_02, R05_AX0689_12M_03, R05_AX0689_12M_04
Additional Demographics	R05_AM0018, R05_AM0030, R05_AL0040, R05_AM0026_04, R05_AM0026_05, R05_AM0026_06, R05_AM0026_07, R05_AM0026_08
Barcode Scanning Module	R05_AX0233_01, R05_AX0233_02, R05_AX0233_03, R05_AX0233_04, R05_AX0233_05, R05_AX0233_06, R05_AX0233_07, R05_AX0233_08