

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

United States Department of Health and Human Services. Food and Drug Administration. Center for Tobacco Products

ICPSR Codebook for Wave 5: Youth / Parent Questionnaire Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/36498/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

NOTE

This document does not currently comply with 508 standards. If you need an alternative means of access to any information, please contact NAHDAP at nahdap@icpsr.umich.edu. Let us know the nature of your accessibility problem, the Web address of the required information, and your contact information.

CODEBOOK DISPLAY NOTES

PATH STUDY

YOUTH / PARENT QUESTIONNAIRE DATA

ICPSR #36498-5002

1. ICPSR customized the display of the variables in this codebook. Most variables contain a frequency table displaying value labels and unweighted counts. Some numeric variables show summary statistics (arithmetic mean, mode, median, minimum, maximum, and standard deviation) instead of a frequency table. The median and mode may not display in the summary statistics if a variable has a very large number of distinct categories or values. These numeric variables do not have value labels for valid data. The third type of variable display does not show either a frequency table or summary statistics. These variables usually fall into one of three categories:

- A. Character (String) variables: Free text responses have been omitted when there are more than 10 to 15 unique responses.
- B. Lengthy Categorical variables: Variables with more than 25 valid value labels such as variables that end in “_BRAND” and “_PRODUCT”.
- C. Identification variables: Variables for which univariate statistics are not meaningful, such as CASEID and PERSONID.

Unless a variable falls into the above categories of A or C, a missing values table will be present if the valid cases have been presented in a frequency table, display summary statistics, or have been suppressed.

2. A variable with the same PATH ID (see description in the Public-Use Files User Guide) can display differently over time as a frequency table, summary statistics, or neither of these in the codebook depending on the range of valid values or the number of valid values or the number of valid cases present for that variable for that wave.
3. Frequencies or summary statistics are not displayed for the valid cases for variables ending in “_C” that ask about “cents” for the cost of a product, or “_IN” that ask about “inches” for a person’s height. These variables are paired with a preceding variable ending in “_D” (dollars) and “_FT” (feet), respectively. Summary statistics or a frequency table may be displayed for that preceding “_D” or “_FT” variable. Both variables in the

pair should be used together to accurately estimate the cost of a product or a person's height.

4. Some variables contain lengthy universal lists of values for a particular type of question or section. Examples of this are the “_BRAND” and “_PRODUCT” variables that are in each tobacco type section. Not all of the values listed in the data file apply to that type of tobacco. Frequency tables for these variables have been suppressed in the codebooks.
5. As noted above, the frequency tables of the “_BRAND” and “_PRODUCT” variables have been suppressed in the main section of the codebook. However, the top 20 most frequent responses are provided for each variable, with all other coded responses grouped into a separate category. These condensed frequency tables appear in the appendix of this codebook.
6. Variables ending in “_NN” do not have frequencies or summary statistics displayed for valid cases because the valid values correspond to different units. The “_NN” variables are paired with variables ending in “_UN” that specify the units used in the “_NN” responses. For example, see variables R05_YC1051_NN and R05_YC1051_UN.
7. The questionnaire contains numerous boxes of information that precede certain sections or individual variables. When utilizing this codebook, users should refer to the questionnaire and pay special attention to the content of these boxes. Using the questionnaire side by side with the codebook when reviewing the content will help in understanding the information in the data file. The question text of the first variable directly after one of these “boxes” contains the text from the box or a reference to that box. Boxes containing descriptive text are repeated. Boxes containing programming information for system routing variables are referenced. The text or reference following that information for the first variable also applies to the remaining variables in that questionnaire section.
8. In multiple sections of the interview, the order of a series of questions is automatically randomized for the respondent. Information about the order of randomization is included in the variables containing “_RANDOM_” in the variable name. Cases coded as “-1” indicate that the question was not applicable to the respondent and was skipped during the interview.

9. Users should consult Table 1 and Table 2 in the front of the questionnaire for specific variables that have been removed entirely from or revised in this public-use version of the data.

10. The codebook provides frequency tables for valid and missing values. The displayed percentages are rounded to one decimal place. Due to rounding, not all individual percentages in the sub-tables sum exactly to the total. Likewise, the total percentages when combined may not sum to 100%.

11. Each variable contains the following statement:

“This variable has XXXXX valid cases out of XXXXX total cases.”

This statement describes how many valid cases for a variable were used for the calculation of percents for the frequency tables and in the calculations of summary statistics for continuous variables. Users can also quickly understand the amount of missing data for a particular variable. All percents and summary statistics are unweighted.

12. Data may be missing for a multitude of reasons. The codebook contains a statement as the last piece of information in the display of a variable that lists all user-defined missing values assigned to that variable. Most variables will contain four user-defined missing values. For these variables, the codebook will display, “(Range of) Missing Values: -9, -8, -7, -1”. Some variables may contain additional negative numbers assigned as missing values. The (Range of . . .) statement will not display for any variable where missing values are not assigned, such as CASEID and PERSONID.

13. Users should consult Section 6.7 of the Public-Use Files User Guide for further information about Missing Values. As with numeric variables, character (string) variables contain numerical values to signify why a case is missing but these values are not labeled. All missing values still correspond to the descriptions listed in the following table.

PATH Study Missing Value Codes and Their Descriptions

Value	Definition	Applicable data types	Applicable variable types	Description
-1	Inapplicable	Numeric, Character	Interview	This value is coded to identify items that were validly skipped on a route specific to a respondent.
-5	Improbable response removed	Numeric	Interview	This value is coded to represent improbable numeric answers provided by respondents.
-6	Unassigned PERSONID	Character	Interview	This value is coded when a new person is added as a spouse or other guardian in parent interviews for Wave 2 and beyond.
-7	Refused	Numeric, Character	Interview	This value is coded when respondents answered a question as "Refused."
-8	Don't know	Numeric, Character	Interview	This value is coded when respondents answered a question as "Don't know."
-9	Missing – Not ascertained	Numeric, Character	Interview	This value is coded when data were supposed to be collected on a route specific to a respondent but the collection did not occur due to a skip error in the instrument.
-99933	Missing due to respondent not being in previous wave	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because a respondent did not participate in an interview in the previous wave.
-99999	Missing due to data not ascertained on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because data were "Not ascertained" (as described above) in one or more component variables.
-99988	Missing due to a don't know response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Don't know" response in one or more component variables and none of those variables were "Not ascertained" (as described above).
-99977	Missing due to a refused response on one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to a "Refused" response in one or more component variables and none of those variables were missing due to a "Don't know" response or because they were "Not ascertained" (as described above).
-99955	Missing due to an improbable response on one or more component variables	Numeric	Derived	This value is coded when a value in a derived variable is missing due to an improbable response in one or more component variables and none of those variables were missing due to "Don't know" or "Refused" responses or because they were "Not ascertained" (as described above).

Value	Definition	Applicable		Description
		Applicable data types	variable types	
-99966	Missing due to missing data on a prior wave for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing because of missing data in one or more component variables from any previous wave and none of those variables were missing due to “Don’t know” or “Refused” responses, because they were “Not ascertained,” or because of an improbable response (as described above).
-99911	Missing due to an instrument skip pattern for one or more component variables	Numeric, Character	Derived	This value is coded when a value in a derived variable is missing due to items that are not applicable/validly skipped for a respondent in one or more component variables and none of those variables were missing due to the other reasons listed above.
-97777	Missing due to data removed per respondent request	Numeric, Character	Interview, Derived	This value is coded when respondents request data removal.

ICPSR 36498

Population Assessment of Tobacco and Health (PATH) Study [United States] Public-Use Files

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Wave 5: Youth / Parent Questionnaire Data

CASEID: Case Identification Number

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 12751-12755 (width: 5; decimal: 0)

Variable Type: numeric

PERSONID: Participant ID

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 1-20 (width: 20; decimal: 0)

Variable Type: character

R05R_Y_PT0001_V2: DERIVED - Recoded parent or guardian relationship to youth (3 levels)

Long Description: What is your relationship to [Child's first name]?

Algorithm: IF R05_PT0001 = 1 THEN R05R_Y_PT0001_V2 = 1; ELSE IF R05_PT0001 = 2 THEN R05R_Y_PT0001_V2 = 2; ELSE IF R05_PT0001 IN (3,4,5,6,7,8,9,10,11,12,13,14,91,92) THEN R05R_Y_PT0001_V2 = 3; ELSE IF R05_PT0001 = -9 THEN R05R_Y_PT0001_V2 = -99999; ELSE IF R05_PT0001 = -8 THEN R05R_Y_PT0001_V2 = -99988; ELSE IF R05_PT0001 = -7 THEN R05R_Y_PT0001_V2 = -99977; ELSE IF R05_PT0001 = -1 THEN R05R_Y_PT0001_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	2116	17.5 %
2	2 = Biological father	874	7.2 %
3	3 = Other	1067	8.8 %
	Total	4,057	33.5%

This variable has 4,057 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	8041	66.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	8,041	66.5%

Percentages for both tables are based on 12,098 total cases.

Location: 21-28 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_Y_PT0047: DERIVED - Recoded parent or guardian marital status (3 levels)

Long Description: What is your marital status? Are you now married, widowed, divorced, separated or never married?

Algorithm: IF R05_PT0047 = 1 THEN R05R_Y_PT0047 = 1 ; ELSE IF R05_PT0047 IN (2,3,4) THEN R05R_Y_PT0047 = 2 ; ELSE IF R05_PT0047 = 5 THEN R05R_Y_PT0047 = 3 ; ELSE IF R05_PT0047 = -9 THEN R05R_Y_PT0047 = -99999 ; ELSE IF R05_PT0047 = -8 THEN R05R_Y_PT0047 = -99988 ; ELSE IF R05_PT0047 = -7 THEN R05R_Y_PT0047 = -99977 ; ELSE IF R05_PT0047 = -1 THEN R05R_Y_PT0047 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Married	7603	62.8 %
2	2 = Widowed, divorced or separated	2469	20.4 %
3	3 = Never married	1953	16.1 %
	Total	12,025	99.4%

This variable has 12,025 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	71	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	73	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 29-36 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_P_OTHPAR_INHH: DERIVED - Wave 5 Recoded youth has any parental figures/guardians other than the parent/guardian in the house (2 levels)

Long Description: Youth has any parental figures/ guardians other than the parent/ guardian in the house

Algorithm: IF R05_PT0045 = 1 OR R05_PM0057 = 1 OR R05_PM0060 = 1 THEN R05R_P_OTHPAR_INHH = 1; ELSE IF R05_PT0045 IN (-1, 2) AND (R05_PM0057 = 2 OR R05_PM0060 = 2) THEN R05R_P_OTHPAR_INHH = 2; ELSE

IF R05_PT0045 = -9 OR R05_PM0057 = -9 THEN R05R_P_OTHPAR_INHH = -99999;
 ELSE IF R05_PT0045 = -8 OR R05_PM0057 = -8 THEN
 R05R_P_OTHPAR_INHH = -99988; ELSE IF R05_PT0045 = -7 OR R05_PM0057 = -7
 THEN R05R_P_OTHPAR_INHH = -99977; ELSE IF R05_PT0045 = -1 OR
 R05_PM0057 = -1 THEN R05R_P_OTHPAR_INHH = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	9187	75.9 %
2	2 = No	2838	23.5 %
	Total	12,025	99.4%

This variable has 12,025 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	71	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	73	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 725-732 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_Y_PT0002_V2: DERIVED - Recoded parent's spouse or partner relationship to youth (3 levels)

Long Description: What is [Spouse's first name]'s relationship to [Child's first name]?

Algorithm: IF R05_PT0002 = 1 THEN R05R_Y_PT0002_V2 = 1; ELSE IF
 R05_PT0002 = 2 THEN R05R_Y_PT0002_V2 = 2; ELSE IF R05_PT0002 IN
 (3,4,5,6,7,8,9,10,11,12,91,92) THEN R05R_Y_PT0002_V2 = 3; ELSE IF
 R05_PT0002 = -9 THEN R05R_Y_PT0002_V2 = -99999; ELSE IF
 R05_PT0002 = -8 THEN R05R_Y_PT0002_V2 = -99988; ELSE IF
 R05_PT0002 = -7 THEN R05R_Y_PT0002_V2 = -99977; ELSE IF
 R05_PT0002 = -1 THEN R05R_Y_PT0002_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	1640	13.6 %
2	2 = Biological father	4339	35.9 %
3	3 = Other	1445	11.9 %

Value	Label	Unweighted Frequency	%
	Total	7,424	61.4%

This variable has 7,424 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	4674	38.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	4,674	38.6%

Percentages for both tables are based on 12,098 total cases.

Location: 37-44 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_Y_PM0059_V2: DERIVED - Recoded other parental figure/guardian's relationship to youth (3 levels)

Long Description: What is [Parental figure/guardian's first name]'s relationship to [Child's first name]?

Algorithm: IF R05_PM0059 = 1 THEN R05R_Y_PM0059_V2 = 1; ELSE IF R05_PM0059 = 2 THEN R05R_Y_PM0059_V2 = 2; ELSE IF R05_PM0059 IN (3,4,5,6,7,8,9,10,11,12,13,14,91,92) THEN R05R_Y_PM0059_V2 = 3; ELSE IF R05_PM0059 = -9 THEN R05R_Y_PM0059_V2 = -99999; ELSE IF R05_PM0059 = -8 THEN R05R_Y_PM0059_V2 = -99988; ELSE IF R05_PM0059 = -7 THEN R05R_Y_PM0059_V2 = -99977; ELSE IF R05_PM0059 = -1 THEN R05R_Y_PM0059_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	545	4.5 %
2	2 = Biological father	449	3.7 %
3	3 = Other	1095	9.1 %
	Total	2,089	17.3%

This variable has 2,089 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	10008	82.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	10,009	82.7%

Percentages for both tables are based on 12,098 total cases.

Location: 45-52 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_Y_PM0062_V2: DERIVED - Recoded second other parental figure/guardian's relationship to youth (3 levels)

Long Description: What is [Parental figure/guardian's first name/AGE]'s relationship to [Child's first name]? In other words, [Parental figure/guardian's first name/ AGE] is [Child's first name]'s.

Algorithm: IF R05_PM0062 = 1 THEN R05R_Y_PM0062_V2 = 1; ELSE IF R05_PM0062 = 2 THEN R05R_Y_PM0062_V2 = 2; ELSE IF R05_PM0062 IN (3,4,5,6,7,8,9,10,11,12,13,14,91,92) THEN R05R_Y_PM0062_V2 = 3; ELSE IF R05_PM0062 = -9 THEN R05R_Y_PM0062_V2 = -99999; ELSE IF R05_PM0062 = -8 THEN R05R_Y_PM0062_V2 = -99988; ELSE IF R05_PM0062 = -7 THEN R05R_Y_PM0062_V2 = -99977; ELSE IF R05_PM0062 = -1 THEN R05R_Y_PM0062_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Biological mother	99	0.8 %
2	2 = Biological father	176	1.5 %
3	3 = Other	305	2.5 %
	Total	580	4.8%

This variable has 580 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11518	95.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,518	95.2%

Percentages for both tables are based on 12,098 total cases.

Location: 53-60 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05_PT0003: Youth has another parent who lives somewhere else

Does {Child's first name} have another parent who lives somewhere else?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_PXR01]

ASK: Parent/guardian respondents of all youth respondents who are not a biological parent or are a biological parent and no spouse or other parental figures or guardians who live in the household are the other biological parent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (((R04_PT0001 != 1, 2 OR (R04_PT0001 = 1, 2 AND R05_PM0053 = 2, -8, -7)) AND R05_PT0001 != 1, 2) OR (((R04_PT0001 = 1, 2 AND R05_PM0053 = 1) OR R05_PT0001 = 1, 2) AND (R05_PT0002 != 1, 2 AND R05_PM0059 != 1, 2 AND R05_PM0062 != 1, 2))).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4599	38.0 %
2	2 = No	1387	11.5 %
	Total	5,986	49.5%

This variable has 5,986 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	6102	50.4 %
	Total	6,112	50.5%

Percentages for both tables are based on 12,098 total cases.

Location: 61-68 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0006: How often youth stays with other parent who lives somewhere else

How often does {Child's first name} stay there? Would you say never, less than half the time, about half the time, or more than half the time?

ASK: Parent/guardian respondents of all youth respondents who are not a biological parent or are a biological parent and no spouse or other parental figures or guardians who live in the household are the other biological parent and report another parent/guardian who lives somewhere else.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (((R04_PT0001 != 1, 2 OR (R04_PT0001 = 1, 2 AND R05_PM0053 = 2, -8, -7)) AND R05_PT0001 != 1, 2) OR (((R04_PT0001 = 1, 2 AND R05_PM0053 = 1) OR R05_PT0001 = 1, 2) AND (R05_PT0002 != 1, 2 AND R05_PM0059 != 1, 2 AND R05_PM0062 != 1, 2))) AND R05_PT0003 = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Never	2296	19.0 %
2	2 = Less than half the time	1453	12.0 %
3	3 = About half the time	568	4.7 %
4	4 = More than half the time	270	2.2 %
	Total	4,587	37.9%

This variable has 4,587 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	12	0.1 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	7499	62.0 %
	Total	7,511	62.1%

Percentages for both tables are based on 12,098 total cases.

Location: 69-76 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0009: Youth has a curfew or set time to be home on school nights

The next series of questions ask about {Child's first name}'s life at home and in school.

In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on school nights?

IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10028	82.9 %
2	2 = No	1998	16.5 %
	Total	12,026	99.4%

This variable has 12,026 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	72	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 77-84 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0011: Youth has a curfew or set time to be home on weekend nights

In general, does {Child's first name} have a curfew or set time that {he/she} needs to be home on weekend nights?

IF THE RESPONDENT IS UNSURE HOW TO ANSWER BECAUSE THE CURFEW VARIES BASED ON THE SITUATION, CODE YES AS LONG AS THE PARENT IS THE ONE WHO SETS THE CURFEW TIME.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9700	80.2 %
2	2 = No	2326	19.2 %
	Total	12,026	99.4%

This variable has 12,026 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	72	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 85-92 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0019: In past 12 months, youth's grade performance in school

Please look at this list. How would you describe how {Child's first name} has performed at school in the past 12 months?
Would you say {Child's first name}'s grades are...

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Mostly A's	3360	27.8 %
2	2 = A's and B's	4023	33.3 %
3	3 = Mostly B's	1065	8.8 %
4	4 = B's and C's	2007	16.6 %
5	5 = Mostly C's	541	4.5 %
6	6 = C's and D's	607	5.0 %
7	7 = Mostly D's	114	0.9 %
8	8 = D's and F's	157	1.3 %
9	9 = Mostly F's	46	0.4 %
10	10 = Your child's school is ungraded	98	0.8 %
	Total	12,018	99.3%

This variable has 12,018 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	80	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 93-100 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0021: Youth has ever used a tobacco product (parent or guardian report)

As far as you know, has {Child's first name} ever smoked a cigarette, used e-cigarettes or other electronic nicotine products, smoked cigars, a pipe, a hookah, or used snus or other smokeless tobacco?

Please look at this list. Would you say...

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = You know that she / he / he or she has	1111	9.2 %
2	2 = You strongly suspect she / he / he or she has	351	2.9 %
3	3 = You don't think she / he / he or she has	2081	17.2 %
4	4 = You are confident she / he / he or she has not	8482	70.1 %
	Total	12,025	99.4%

This variable has 12,025 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	73	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 101-108 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PR1045: Rules about using tobacco products that are burned inside home

These next few questions ask about the rules of using tobacco inside your home.

Please think about everyone who might be in your home including children, adults, visitors, guests, or workers.

For tobacco products that are burned, such as cigarettes, cigars, pipes, or hookah, which statement best describes the rules about smoking these products inside your home?

Please look at this list. Would you say...

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	10496	86.8 %

Value	Label	Unweighted Frequency	%
2	2 = It is allowed in some places or at some times inside my home	1037	8.6 %
3	3 = It is allowed anywhere and at any time inside my home	485	4.0 %
	Total	12,018	99.3%

This variable has 12,018 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	80	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 109-116 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PR1051: Rules about using e-cigarettes or other electronic nicotine products inside home

Now think about e-cigarettes and other electronic nicotine products.

Which statement best describes the rules about using these products inside your home?

Please look at this list. Would you say...

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	10212	84.4 %
2	2 = It is allowed in some places or at some times inside my home	1133	9.4 %
3	3 = It is allowed anywhere and at any time inside my home	667	5.5 %
	Total	12,012	99.3%

This variable has 12,012 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	86	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 117-124 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PR1050: Rules about using other not burned tobacco products inside home

Now think about other tobacco products that are not burned, like snus and other types of smokeless tobacco.

Which statement best describes the rules about using these products inside your home?

Please look at this list. Would you say...

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = It is not allowed anywhere or at any time inside my home	9937	82.1 %
2	2 = It is allowed in some places or at some times inside my home	1098	9.1 %
3	3 = It is allowed anywhere and at any time inside my home	973	8.0 %
	Total	12,008	99.3%

This variable has 12,008 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	90	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 125-132 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0029: Tobacco products or electronic nicotine products might be available to youth at parent or guardian's home

Do you think any tobacco products or electronic nicotine products (such as e-cigarettes) might be available to {Child's first name} at your home?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1506	12.4 %
2	2 = No	10519	86.9 %
	Total	12,025	99.4%

This variable has 12,025 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	73	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 133-140 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0005: Parent thinks youth might have access to tobacco products or electronic nicotine products when he/she is at other parent's home

Do you think any tobacco products or electronic nicotine products (such as e-cigarettes) might be available to {Child's first name} when {he/she} is at the other parent's home?

ASK: Parent/guardian respondents of youth respondents who have another parent/guardian who lives somewhere else and spend time living with another parent/guardian in another household.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PT0003 = 1 AND R05_PT0006 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	581	4.8 %

Value	Label	Unweighted Frequency	%
2	2 = No	1651	13.6 %
	Total	2,232	18.4%

This variable has 2,232 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	58	0.5 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9807	81.1 %
	Total	9,866	81.6%

Percentages for both tables are based on 12,098 total cases.

Location: 141-148 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0035: Youth's overall health status

The next series of questions ask about {Child's first name}'s health.

In general, would you say {Child's first name}'s overall health is excellent, very good, good, fair, or poor?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	6897	57.0 %
2	2 = Very good	3304	27.3 %
3	3 = Good	1531	12.7 %
4	4 = Fair	273	2.3 %
5	5 = Poor	21	0.2 %
	Total	12,026	99.4%

This variable has 12,026 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	71	0.6 %

	Missing Data		
	Total	72	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 149-156 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_BMI: DERIVED - Wave 5 Youth Body mass index

Long Description: Body mass index.

Algorithm: [STEP 1: Create intermediate variable R05R_P_HTINCH:]IF (R05_PT0007_FT<= 0 AND R05_PT0007_IN<= 0 AND R05_PT0007_MT>=0) THEN R05R_P_HTINCH=R05_PT0007_MT x 39.3701; ELSE IF (R05_PT0007_FT>= 0 AND R05_PT0007_IN>=0) THEN R05R_P_HTINCH=R05_PT0007_FT*12 + R05_PT0007_IN; ELSE IF (R05_PT0007_FT>=0 AND R05_PT0007_IN<0 AND R05_PT0007_MT<=0) THEN R05R_P_HTINCH=R05_PT0007_FT*12; ELSE IF (R05_PT0007_FT= 0 AND R05_PT0007_MT<=0) THEN R05R_P_HTINCH=R05_PT0007_IN; [STEP 2: Create intermediate variable R05R_P_WTPNDS:]IF R05_PT0008_LB>= 0 THEN R05R_P_WTPNDS=R05_PT0008_LB; ELSE IF R05_PT0008_KG>= 0 THEN R05R_P_WTPNDS=R05_PT0008_KG x 2.20462; [STEP 3: Create intermediate variable R05R_Y_HTINCH:]IF (R05_YX0310 IN (1, -7, -8) AND (R05_YT0007_FT >= 0 AND R05_YT0007_IN >= 0)) THEN R05R_Y_HTINCH = R05_YT0007_FT x 12 + R05_YT0007_IN; ELSE IF (R05_YX0310 IN (1,-7,-8) AND R05_YT0007_FT >= 0 AND R05_YT0007_IN < 0) THEN R05R_Y_HTINCH = R05_YT0007_FT x 12; ELSE IF (R05_YX0310 IN (1,-7,-8) AND R05_YT0007_FT < 0 AND R05_YT0007_IN >= 0) THEN R05R_Y_HTINCH = R05_YT0007_IN; ELSE IF (R05_YX0310 = 2 AND R05_YX0311 >= 0) THEN R05R_Y_HTINCH = R05_YX0311 x 39.3701; [STEP 4: Create intermediate variable R05R_Y_WTPNDS:]IF (R05_YX0310=1 OR R05_YX0310=0) THEN R05R_Y_WTPNDS=R05_YT0008; ELSE IF R05_YX0310=2 AND R05_YX0312>=0 THEN R05R_Y_WTPNDS=R05_YX0312 x 2.20462; [STEP 5: Create R05R_Y_BMI:]IF R05R_P_HTINCH>= 0 and R05R_P_WTPNDS>= 0 THEN R05R_Y_BMI = 703 x (R05R_P_WTPNDS / (R05R_P_HTINCH x R05R_P_HTINCH)); ELSE IF R05R_P_HTINCH>= 0 and R05R_Y_WTPNDS>= 0 THEN R05R_Y_BMI = 703 x (R05R_Y_WTPNDS / (R05R_P_HTINCH x R05R_P_HTINCH)); ELSE IF R05R_Y_HTINCH>= 0 and R05R_P_WTPNDS>= 0 THEN R05R_Y_BMI = 703 x (R05R_P_WTPNDS / (R05R_Y_HTINCH x R05R_Y_HTINCH)); ELSE IF R05R_Y_HTINCH>= 0 and R05R_Y_WTPNDS>= 0 THEN R05R_Y_BMI = 703 x (R05R_Y_WTPNDS / (R05R_Y_HTINCH x R05R_Y_HTINCH)); ELSE IF (R05_PT0007_FT = -9 OR R05_PT0007_IN = -9 OR R05_PT0007_MT = -9 OR R05_PT0008_LB = -9 OR R05_PT0008_KG = -9 OR R05_YT0007_FT = -9 OR R05_YT0007_IN = -9 OR R05_YT0008 = -9 OR R05_YX0311 = -9 OR R05_YX0312 = -9) THEN R05R_Y_BMI = -99999; ELSE IF (R05_PT0007_FT = -8 OR R05_PT0007_IN = -8 OR R05_PT0007_MT = -8 OR R05_PT0008_LB = -8 OR R05_PT0008_KG = -8 OR R05_YT0007_FT = -8 OR R05_YT0007_IN = -8 OR R05_YT0008 = -8 OR R05_YX0311 = -8 OR R05_YX0312 = -8) THEN R05R_Y_BMI = -99988; ELSE IF (R05_PT0007_FT = -7 OR R05_PT0007_IN = -7 OR R05_PT0007_MT = -7 OR R05_PT0008_LB = -7 OR R05_PT0008_KG = -7 OR R05_YT0007_FT = -7 OR R05_YT0007_IN = -7 OR R05_YT0008 = -7 OR R05_YX0311 = -7 OR R05_YX0312 = -7) THEN R05R_Y_BMI = -99977; ELSE IF (R05_PT0007_FT = -5 OR R05_PT0007_IN = -5 OR R05_PT0007_MT = -5 OR R05_PT0008_LB = -5 OR R05_PT0008_KG = -5 OR R05_YT0007_FT = -5 OR R05_YT0007_IN = -5 OR R05_YT0008 = -5 OR R05_YX0311 = -5 OR

R05_YX0312 = -5) THEN R05R_Y_BMI = -99955; ELSE IF
 (R05_PT0007_FT = -1 OR R05_PT0007_IN = -1 OR R05_PT0007_MT = -1 OR
 R05_PT0008_LB = -1 OR R05_PT0008_KG = -1 OR R05_YT0007_FT = -1 OR
 R05_YT0007_IN = -1 OR R05_YT0008 = -1 OR R05_YX0311 = -1 OR
 R05_YX0312 = -1) THEN R05R_Y_BMI = -99911; IF R05R_Y_BMI > 60 THEN
 R05R_Y_BMI = 60;

This variable has 12,043 valid cases out of 12,098 total cases.

- Mean: 23.06
- Minimum: 9.98
- Maximum: 60.00
- Standard Deviation: 5.52

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	52	0.4 %
-99977	-99977 = Missing due to a refused response on one or more component variables	2	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	55	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 12149-12157 (width: 9; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_PX0188_NB: Youth has difficulty dressing or bathing

Does {Child's first name} have difficulty dressing or bathing?

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	1635	13.5 %
	Total	1,647	13.6%

This variable has 1,647 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10451	86.4 %
	Total	10,451	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 157-164 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PX0189_NB: Youth has serious difficulty concentrating, remembering or making decisions because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, does {Child's first name} have serious difficulty concentrating, remembering, or making decisions?

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	177	1.5 %
2	2 = No	1470	12.2 %
	Total	1,647	13.6%

This variable has 1,647 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10451	86.4 %
	Total	10,451	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 165-172 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PX0187_NB: Youth has difficulty doing errands alone because of a physical, mental or emotional condition

Because of a physical, mental, or emotional condition, does {Child's first name} have difficulty doing errands alone such as visiting a doctor's office or shopping?

[IF ANY ANSWER IS PROVIDED; GO TO R05_PT0050_NB]

ASK: Parent/guardian respondents of new baseline youth respondents who are 15 years old or older.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05R_Y_AGE >= 15.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 173-180 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0050_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has high blood pressure

In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has high blood pressure?

[IF ANY ANSWER IS PROVIDED; GO TO R05_PT0051_12M]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	109	0.9 %
2	2 = No	10270	84.9 %
	Total	10,379	85.8%

This variable has 10,379 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	1718	14.2 %
	Total	1,719	14.2%

Percentages for both tables are based on 12,098 total cases.

Location: 181-188 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0050_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has high blood pressure

Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has high blood pressure?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_PT0051_NB].

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	1633	13.5 %
	Total	1,646	13.6%

This variable has 1,646 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10451	86.4 %
	Total	10,452	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 189-196 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_PT0041_NB: DERIVED - Age range youth was first told he/she had high blood pressure (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had high blood pressure?

Algorithm: IF R05_PT0253_NB = 1 OR (0 <= R05_PT0041_NB <= 11) THEN
 R05R_Y_PT0041_NB = 1; ELSE IF R05_PT0253_NB = 2 OR
 (12 <= R05_PT0041_NB <= 14) THEN R05R_Y_PT0041_NB = 2; ELSE IF
 R05_PT0253_NB = 3 OR (15 <= R05_PT0041_NB <= 17) THEN
 R05R_Y_PT0041_NB = 3; ELSE IF R05_PT0041_NB = -9 OR
 R05_PT0253_NB = -9 THEN R05R_Y_PT0041_NB = -99999; ELSE IF
 R05_PT0041_NB = -8 OR R05_PT0253_NB = -8 THEN
 R05R_Y_PT0041_NB = -99988; ELSE IF R05_PT0041_NB = -7 OR
 R05_PT0253_NB = -7 THEN R05R_Y_PT0041_NB = -99977; ELSE IF
 R05_PT0041_NB = -5 THEN R05R_Y_PT0041_NB = -99955; ELSE IF
 R05_PT0041_NB = -1 OR R05_PT0253_NB = -1 THEN
 R05R_Y_PT0041_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	11	0.1 %
2	2 = 12 to 14 years old	2	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	13	0.1%

This variable has 13 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12085	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,085	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 197-204 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_PT0051_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has high cholesterol

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has...]

...high cholesterol?

[IF ANY ANSWER IS PROVIDED; GO TO R05_PT0031_12M]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	149	1.2 %
2	2 = No	10231	84.6 %
	Total	10,380	85.8%

This variable has 10,380 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	1718	14.2 %
	Total	1,718	14.2%

Percentages for both tables are based on 12,098 total cases.

Location: 205-212 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0051_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has high cholesterol

IF NEEDED: [Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has...]

...high cholesterol?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_PT0031_NB]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.3 %

Value	Label	Unweighted Frequency	%
2	2 = No	1615	13.3 %
	Total	1,647	13.6%

This variable has 1,647 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10451	86.4 %
	Total	10,451	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 213-220 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_PT0043_NB: DERIVED - Age range youth was first told he/she has high cholesterol (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had high cholesterol?

Algorithm: IF R05_PT0254_NB = 1 OR (0 <= R05_PT0043_NB <= 11) THEN
R05R_Y_PT0043_NB = 1; ELSE IF R05_PT0254_NB = 2 OR
(12 <= R05_PT0043_NB <= 14) THEN R05R_Y_PT0043_NB = 2; ELSE IF
R05_PT0254_NB = 3 OR (15 <= R05_PT0043_NB <= 17) THEN
R05R_Y_PT0043_NB = 3; ELSE IF R05_PT0043_NB = -9 OR
R05_PT0254_NB = -9 THEN R05R_Y_PT0043_NB = -99999; ELSE IF
R05_PT0043_NB = -8 OR R05_PT0254_NB = -8 THEN R05R_Y_PT0043_NB =
-99988; ELSE IF R05_PT0043_NB = -7 OR R05_PT0254_NB = -7 THEN
R05R_Y_PT0043_NB = -99977; ELSE IF R05_PT0043_NB = -5 THEN
R05R_Y_PT0043_NB = -99955; ELSE IF R05_PT0043_NB = -1 OR
R05_PT0254_NB = -1 THEN R05R_Y_PT0043_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	25	0.2 %
2	2 = 12 to 14 years old	7	0.1 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12066	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 221-228 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_PT0031_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has asthma

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has...]

...asthma?

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	913	7.5 %
2	2 = No	9466	78.2 %
	Total	10,379	85.8%

This variable has 10,379 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	1718	14.2 %
	Total	1,719	14.2%

Percentages for both tables are based on 12,098 total cases.

Location: 229-236 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0031_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has asthma

IF NEEDED: [Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has...]

...asthma?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_PT0033]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	256	2.1 %
2	2 = No	1391	11.5 %
	Total	1,647	13.6%

This variable has 1,647 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10451	86.4 %
	Total	10,451	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 237-244 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_PT0038_NB: DERIVED - Age range youth was first told he/she has asthma (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told [he/she] had asthma?

Algorithm: IF R05_PT0260_NB = 1 OR (0 <= R05_PT0038_NB <= 11) THEN
R05R_Y_PT0038_NB = 1; ELSE IF R05_PT0260_NB = 2 OR
(12 <= R05_PT0038_NB <= 14) THEN R05R_Y_PT0038_NB = 2; ELSE IF
R05_PT0260_NB = 3 OR (15 <= R05_PT0038_NB <= 17) THEN
R05R_Y_PT0038_NB = 3; ELSE IF R05_PT0038_NB = -9 OR R05_PT0260_NB = -9
THEN R05R_Y_PT0038_NB = -99999; ELSE IF R05_PT0038_NB = -8 OR
R05_PT0260_NB = -8 THEN R05R_Y_PT0038_NB = -99988; ELSE IF
R05_PT0038_NB = -7 OR R05_PT0260_NB = -7 THEN R05R_Y_PT0038_NB = -99977;
ELSE IF R05_PT0038_NB = -5 THEN R05R_Y_PT0038_NB = -99955; ELSE IF

R05_PT0038_NB = -1 OR R05_PT0260_NB = -1 THEN R05R_Y_PT0038_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	249	2.1 %
2	2 = 12 to 14 years old	7	0.1 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	256	2.1%

This variable has 256 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11842	97.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,842	97.9%

Percentages for both tables are based on 12,098 total cases.

Location: 245-252 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_PT0022: In past 12 months, youth has taken medications regularly for asthma

[In a previous interview, it was reported that {Child's first name} had asthma.]

In the past 12 months, has {Child's first name} taken medications regularly for asthma?

[Taken regularly means according to a health care provider's instructions.]

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_PT0125. If Youth SP has never had asthma, GO TO R05_PT0033.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	648	5.4 %
2	2 = No	1714	14.2 %
3	3 = Youth has never had asthma	30	0.2 %

Value	Label	Unweighted Frequency	%
	Total	2,392	19.8%

This variable has 2,392 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9706	80.2 %
	Total	9,706	80.2%

Percentages for both tables are based on 12,098 total cases.

Location: 253-260 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0036_01: In past 12 months, medications youth has taken for asthma: Quick-relief inhaler

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

IF NEEDED, READ TEXT BEFORE THE HYPHEN ALOUD.

QUICK-RELIEF INHALER - FOR EXAMPLE: ALBUTEROL (PROAIR, VENTOLIN, XOPENEX), IPRATROPIUM (ATROVENT), OR A COMBINATION INHALER (COMBIVENT)

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	554	4.6 %
2	2 = Not Marked	94	0.8 %
	Total	648	5.4%

This variable has 648 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11450	94.6 %
	Total	11,450	94.6%

Percentages for both tables are based on 12,098 total cases.

Location: 261-268 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0036_02: In past 12 months, medications youth has taken for asthma: Controller/long-acting inhaler

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

IF NEEDED, READ TEXT BEFORE THE HYPHEN ALOUD.

CONTROLLER OR LONG-ACTING INHALER INCLUDING STEROID INHALER – FOR EXAMPLE: BECLOMETHASONE (QVAR), FLUTICASONE (FLOVENT), SALMETEROL (SEREVENT), TIOTROPIUM (SPIRIVA), OR A COMBINATION INHALER (ADVAIR)

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	245	2.0 %
2	2 = Not Marked	403	3.3 %
	Total	648	5.4%

This variable has 648 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11450	94.6 %
	Total	11,450	94.6%

Percentages for both tables are based on 12,098 total cases.

Location: 269-276 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0036_03: In past 12 months, medications youth has taken for asthma: Other controlling medication

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

IF NEEDED, READ TEXT BEFORE THE HYPHEN ALOUD.

OTHER CONTROLLING MEDICATION – FOR EXAMPLE: MONTELUKAST (SINGULAIR), ZAFIRLUKAST (ACCOLATE), THEOPHYLLINE, ROFLUMILAST (DALIRESP)

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	173	1.4 %
2	2 = Not Marked	475	3.9 %
	Total	648	5.4%

This variable has 648 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11450	94.6 %
	Total	11,450	94.6%

Percentages for both tables are based on 12,098 total cases.

Location: 277-284 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0036_04: In past 12 months, medications youth has taken for asthma: Other asthma medication

Please look at this list. In the past 12 months, which of the following medications did {Child's first name} regularly take for asthma? Choose all that apply.

IF NEEDED, READ TEXT BEFORE THE HYPHEN ALOUD.

OTHER ASTHMA MEDICATION

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	57	0.5 %
2	2 = Not Marked	591	4.9 %
	Total	648	5.4%

This variable has 648 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11450	94.6 %
	Total	11,450	94.6%

Percentages for both tables are based on 12,098 total cases.

Location: 285-292 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0125: In past 12 months, youth had an asthma attack that required use of an oral or injected steroid medication

In the past 12 months, has {Child's first name} had an asthma attack that required use of an oral or injected steroid medication at the time of the attack?

[Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).]

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_PT0127.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	250	2.1 %
2	2 = No	2112	17.5 %
	Total	2,362	19.5%

This variable has 2,362 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9736	80.5 %
	Total	9,736	80.5%

Percentages for both tables are based on 12,098 total cases.

Location: 293-300 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0039: In past 12 months, number of asthma attacks youth has had that required use of an oral or injected steroid medication

In the past 12 months, how many asthma attacks has {Child's first name} had that required use of an oral or injected steroid medication at the time of the attack?

___ Asthma Attacks

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and have had an asthma attack in the past 12 months that required use of an oral or injected steroid medication at the time of the attack.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0125 = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 250 valid cases out of 12,098 total cases.

- Mean: 2.88
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 40.00
- Standard Deviation: 3.98

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11848	97.9 %
	Total	11,848	97.9%

Percentages for both tables are based on 12,098 total cases.

Location: 301-308 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_PT0127: In past 12 months, youth has visited an emergency room or urgent care center because of asthma

In the past 12 months, has {Child's first name} had to visit an emergency room or urgent care center because of asthma?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_PT0033.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	96	0.8 %
2	2 = No	2266	18.7 %
	Total	2,362	19.5%

This variable has 2,362 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	9736	80.5 %
	Total	9,736	80.5%

Percentages for both tables are based on 12,098 total cases.

Location: 309-316 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0282: In past 12 months, number of times youth has visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times has {Child's first name} had to visit an emergency room or urgent care center because of asthma?

___ Times due to asthma

[If Don't know (-8), or Refused (-7), GO TO BOX R05_PXR07.]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0127 = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 96 valid cases out of 12,098 total cases.

- Mean: 1.90
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.75

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12002	99.2 %
	Total	12,002	99.2%

Percentages for both tables are based on 12,098 total cases.

Location: 317-324 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_PX0692: In past 12 months, single visit to emergency room or urgent care center was due to an asthma attack (reported by parent respondent)

Was that visit due to an asthma attack?

[IF ANY ANSWER IS PROVIDED; GO TO R05_PT0033]

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0127 = 1 AND R05_PT0282 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.3 %
2	2 = No	11	0.1 %
	Total	53	0.4%

This variable has 53 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12045	99.6 %
	Total	12,045	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 325-332 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PX0720: Number of visits to emergency room due to asthma attack (reported by parent respondent)

How many of those visits were due to an asthma attack?

___ Visits due to asthma attack

ASK: Parent/guardian respondents of youth respondents who have ever been told they had asthma and have taken medications regularly for asthma in the past 12 months or have not taken medications regularly for asthma in the past 12 months, or did not know or refused to report if they have taken medications regularly for asthma in the past 12 months and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ASTHMA = 1 OR R05_PT0031_12M = 1 OR R05_PT0031_NB = 1) AND R05_PT0022 = 1, 2, -8, -7 AND R05_PT0127 = 1 AND R05_PT0282 > 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 42 valid cases out of 12,098 total cases.

- Mean: 2.45
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.63

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12056	99.7 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 333-340 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_PT0033: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has bronchitis, pneumonia or chronic cough

In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has bronchitis, pneumonia, or chronic cough?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	300	2.5 %
2	2 = No	11726	96.9 %
	Total	12,026	99.4%

This variable has 12,026 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	72	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 341-348 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0040_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has bronchitis, pneumonia or chronic cough

Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} had bronchitis, pneumonia, or chronic cough?

ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had bronchitis in past 12 months or did not know if they have been told they had bronchitis in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0033 = 2, -8.

Value	Label	Unweighted Frequency	%
1	1 = Yes	179	1.5 %
2	2 = No	1414	11.7 %
	Total	1,593	13.2%

This variable has 1,593 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10503	86.8 %
	Total	10,505	86.8%

Percentages for both tables are based on 12,098 total cases.

Location: 349-356 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0052_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has ADHD or ADD

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has...]

...ADHD or ADD?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1306	10.8 %
2	2 = No	10714	88.6 %
	Total	12,020	99.4%

This variable has 12,020 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	78	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 357-364 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0052_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has ADHD or ADD

Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has ADHD or ADD?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_PTR12.]

ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had ADD/ADHD in the past 12 months or did not know if they have been told they had ADD/ADHD in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0052_12M = 2, -8.

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	1394	11.5 %
	Total	1,432	11.8%

This variable has 1,432 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	10666	88.2 %
	Total	10,666	88.2%

Percentages for both tables are based on 12,098 total cases.

Location: 365-372 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0048: In past 12 months, youth has taken medications regularly for ADHD or ADD

[In a previous interview, it was reported that {Child's first name} had ADHD or ADD.]

In the past 12 months, has {Child's first name} taken medications regularly for ADHD or ADD?

[Taken regularly means according to a health care provider's instructions.]

ASK: Parent/guardian respondents of youth respondents who have ever had ADD/ADHD.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_ADHD = 1 OR R05_PT0052_12M = 1 OR R05_PT0052_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	942	7.8 %
2	2 = No	1057	8.7 %
3	3 = Youth has never had ADHD or ADD	30	0.2 %
	Total	2,029	16.8%

This variable has 2,029 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10068	83.2 %
	Total	10,069	83.2%

Percentages for both tables are based on 12,098 total cases.

Location: 373-380 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0281_12M: In past 12 months, youth has been told by a doctor, nurse or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, nurse, or other health professional that {he/she} has...]

...diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05_PTR10]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	151	1.2 %
2	2 = No	10229	84.6 %
	Total	10,380	85.8%

This variable has 10,380 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	1718	14.2 %
	Total	1,718	14.2%

Percentages for both tables are based on 12,098 total cases.

Location: 381-388 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0281_NB: Youth has ever been told by a doctor, nurse or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes

Has {Child's first name} ever been told by a doctor, nurse, or other health professional that {he/she} has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_PTR10.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2 %
2	2 = No	1626	13.4 %
	Total	1,647	13.6%

This variable has 1,647 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10451	86.4 %
	Total	10,451	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 389-396 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_PT0042_NB: DERIVED - Age range youth was first told by a doctor or other health professional that he/she has diabetes, sugar diabetes, high blood sugar or borderline diabetes (3 levels)

Long Description: Has [Child's first name] ever been told by a doctor, nurse or other health professional that [he/she] has diabetes, sugar diabetes, high blood sugar, or borderline diabetes?

Algorithm: IF R05_PT0263_NB = 1 OR (0 <= R05_PT0042_NB <= 11) THEN
R05R_Y_PT0042_NB = 1; ELSE IF R05_PT0263_NB = 2 OR
(12 <= R05_PT0042_NB <= 14) THEN R05R_Y_PT0042_NB = 2; ELSE IF
R05_PT0263_NB = 3 OR (15 <= R05_PT0042_NB <= 17) THEN
R05R_Y_PT0042_NB = 3; ELSE IF R05_PT0042_NB = -9 OR
R05_PT0263_NB = -9 THEN R05R_Y_PT0042_NB = -99999; ELSE IF
R05_PT0042_NB = -8 OR R05_PT0263_NB = -8 THEN R05R_Y_PT0042_NB = -99988;
ELSE IF R05_PT0042_NB = -7 OR R05_PT0263_NB = -7 THEN
R05R_Y_PT0042_NB = -99977; ELSE IF R05_PT0042_NB = -5 THEN
R05R_Y_PT0042_NB = -99955; ELSE IF R05_PT0042_NB = -1 OR
R05_PT0263_NB = -1 THEN R05R_Y_PT0042_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	18	0.1 %
2	2 = 12 to 14 years old	3	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %

	Missing Data		
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12077	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 397-404 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_PX0721: Youth has Type 1 or Type 2 diabetes

[In a previous interview, it was reported that {Child's first name} had diabetes.]

Does [Child's first name] have Type 1 or Type 2 diabetes?

ASK: Parent/guardian respondents of youth respondents who have ever been told they had diabetes.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND (R04_PARREPT_DIABETES = 1 OR R05_PT0281_12M = 1 OR R05_PT0281_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Type 1	68	0.6 %
2	2 = Type 2	41	0.3 %
3	3 = Youth has never had diabetes	209	1.7 %
	Total	318	2.6%

This variable has 318 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.2 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11757	97.2 %
	Total	11,780	97.4%

Percentages for both tables are based on 12,098 total cases.

Location: 405-412 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0049: In past 12 months, youth has been told by a doctor, dentist or other health professional that he/she has dental health issues

In the past 12 months, has {Child's first name} been told by a doctor, dentist, or other health professional that {he/she} has dental health issues, such as cavities, gum disease, or dental stains?

[Dental health issues do NOT include orthodontia or braces.]

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2265	18.7 %
2	2 = No	9755	80.6 %
	Total	12,020	99.4%

This variable has 12,020 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	78	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 413-420 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0044_NB: Youth has ever been told by a doctor, dentist or other health professional that he/she has dental health issues

Has {Child's first name} ever been told by a doctor, dentist, or other health professional that {he/she} has dental health issues, such as cavities, gum disease, or dental stains?

[Dental health issues do NOT include orthodontia or braces.]

ASK: Parent/guardian respondents of new baseline youth respondents who have not been told they had dental issues in the past 12 months or did not know or refused to report whether they had dental issues in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PT0049 = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	346	2.9 %
2	2 = No	955	7.9 %

Value	Label	Unweighted Frequency	%
	Total	1,301	10.8%

This variable has 1,301 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10797	89.2 %
	Total	10,797	89.2%

Percentages for both tables are based on 12,098 total cases.

Location: 421-428 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PX0756_12M: In past 12 months, youth has been told by a doctor, therapist, or other mental health professional that he/she has schizophrenia, schizoaffective disorder, or psychosis

In the past 12 months, has {Child's first name} been told by a doctor, therapist, or other mental health professional that {he/she} had schizophrenia, schizoaffective disorder, or psychosis?

[If Yes (1), GO TO R05_PX0221. If No (2), Don't know (-8), or Refused (-7), GO TO R05_PX0761_12M.]

ASK: Parent/guardian respondents of continuing youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	41	0.3 %
2	2 = No	10335	85.4 %
	Total	10,376	85.8%

This variable has 10,376 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	1718	14.2 %
	Total	1,722	14.2%

Percentages for both tables are based on 12,098 total cases.

Location: 429-436 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PX0756_NB: Youth has ever been told by a doctor, therapist, or other mental health professional that he/she has schizophrenia, schizoaffective disorder, or psychosis

Has {Child's first name} ever been told by a doctor, therapist, or other mental health professional that {he/she} had schizophrenia, schizoaffective disorder, or psychosis?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_PX0761_NB.]

ASK: Parent/guardian respondents of new baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	1641	13.6 %
	Total	1,647	13.6%

This variable has 1,647 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10451	86.4 %
	Total	10,451	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 437-444 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_PX0757_NB: DERIVED - Age range when youth was first told that he/she had schizophrenia, schizoaffective disorder or psychosis (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told that [he/she] had schizophrenia, schizoaffective disorder or psychosis?

Algorithm: IF R05_PX0758_NB = 1 OR (0<=R05_PX0757_NB<=11) THEN
R05R_Y_PX0757_NB = 1; ELSE IF R05_PX0758_NB = 2 OR
(12<=R05_PX0757_NB<=14) THEN R05R_Y_PX0757_NB = 2; ELSE IF
R05_PX0758_NB = 3 OR (15<=R05_PX0757_NB<=17) THEN R05R_Y_PX0757_NB = 3;
ELSE IF R05_PX0757_NB = -9 OR R05_PX0758_NB = -9 THEN
R05R_Y_PX0757_NB = -99999; ELSE IF R05_PX0757_NB = -8 OR

R05_PX0758_NB = -8 THEN R05R_Y_PX0757_NB = -99988; ELSE IF
R05_PX0757_NB = -7 OR R05_PX0758_NB = -7 THEN R05R_Y_PX0757_NB = -99977;
ELSE IF R05_PX0757_NB = -5 THEN R05R_Y_PX0757_NB = -99955; ELSE IF
R05_PX0757_NB = -1 OR R05_PX0758_NB = -1 THEN R05R_Y_PX0757_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	6	0.0 %
2	2 = 12 to 14 years old	0	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12092	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 445-452 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_PX0761_12M: In past 12 months, youth has been told by a doctor, therapist, or other mental health professional that he/she had a psychotic illness or episode

IF NEEDED: [In the past 12 months, has {Child's first name} been told by a doctor, therapist, or other mental health professional that {he/she} had...]

...a psychotic illness or episode?

[IF ANY ANSWER IS PROVIDED; GO TO R05_PX0221]

ASK: Parent/guardian respondents of continuing youth respondents who have not been told they have schizophrenia, schizoaffective disorder, or psychosis in the past 12 months or did not know or refused to report if they have been told they have schizophrenia, schizoaffective disorder, or psychosis in the past 12 months.

ASK Specification: IF R05_YOUTHTYPE = 1 AND R05_PX0756_12M = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	70	0.6 %
2	2 = No	10260	84.8 %
	Total	10,330	85.4%

This variable has 10,330 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	1759	14.5 %
	Total	1,768	14.6%

Percentages for both tables are based on 12,098 total cases.

Location: 453-460 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PX0761_NB: Youth has ever been told by a doctor, therapist, or other mental health professional that he/she had a psychotic illness or episode

Has {Child's first name} ever been told by a doctor, therapist, or other mental health professional that {he/she} had a psychotic illness or episode?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_PX0221.]

ASK: Parent/guardian respondents of new baseline youth respondents who have never been told they had schizophrenia, schizoaffective disorder, or psychosis.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_PX0756_NB = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	1636	13.5 %
	Total	1,640	13.6%

This variable has 1,640 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10457	86.4 %

	Missing Data		
	Total	10,458	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 461-468 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_PX0762_NB: DERIVED - Age range when youth was first told that he/she had a psychotic illness or episode (3 levels)

Long Description: How old was [Child's first name] when [he/she] was first told that [he/she] had a psychotic illness or episode?

Algorithm: IF R05_PX0772_NB = 1 OR (0<=R05_PX0762_NB<=11) THEN
R05R_Y_PX0762_NB = 1; ELSE IF R05_PX0772_NB = 2 OR
(12<=R05_PX0762_NB<=14) THEN R05R_Y_PX0762_NB = 2; ELSE IF
R05_PX0772_NB = 3 OR (15<=R05_PX0762_NB<=17) THEN R05R_Y_PX0762_NB = 3;
ELSE IF R05_PX0762_NB = -9 OR R05_PX0772_NB = -9 THEN
R05R_Y_PX0762_NB = -99999; ELSE IF R05_PX0762_NB = -8 OR
R05_PX0772_NB = -8 THEN R05R_Y_PX0762_NB = -99988; ELSE IF
R05_PX0762_NB = -7 OR R05_PX0772_NB = -7 THEN R05R_Y_PX0762_NB = -99977;
ELSE IF R05_PX0762_NB = -5 THEN R05R_Y_PX0762_NB = -99955; ELSE IF
R05_PX0762_NB = -1 OR R05_PX0772_NB = -1 THEN R05R_Y_PX0762_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	4	0.0 %
2	2 = 12 to 14 years old	0	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12094	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 469-476 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_PX0221: Youth's close biological relatives have ever been told by a health professional that they had high blood pressure

The next questions ask about {Child's first name}'s close biological or blood relatives, including {his/her} father, mother, or brothers or sisters, both living and deceased.

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high blood pressure?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5526	45.7 %
2	2 = No	6330	52.3 %
	Total	11,856	98.0%

This variable has 11,856 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	162	1.3 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	71	0.6 %
	Total	242	2.0%

Percentages for both tables are based on 12,098 total cases.

Location: 477-484 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PX0222: Youth's close biological relatives have ever been told by a health professional that they had high cholesterol

Were any of {Child's first name}'s close biological or blood relatives ever told by a health professional that they had high cholesterol?

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4839	40.0 %
2	2 = No	6969	57.6 %
	Total	11,808	97.6%

This variable has 11,808 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	207	1.7 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	71	0.6 %
	Total	290	2.4%

Percentages for both tables are based on 12,098 total cases.

Location: 485-492 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PX0225_01: Youth's close biological relatives ever used any tobacco products

Please look at this list and tell me which ones apply.

Have any of {Child's first name}'s close biological or blood relatives ever...

USED ANY TOBACCO PRODUCTS? (BY THIS WE MEAN CIGARETTES, E-CIGARETTES OR OTHER ELECTRONIC NICOTINE PRODUCTS, CIGARS, PIPE, HOOKAH, SNUS OR OTHER TYPES OF SMOKELESS TOBACCO (SUCH AS DIP, SPIT OR CHEW), AND DISSOLVABLE TOBACCO.)

IF NEEDED: [You can answer by pointing to the list or by telling me which apply.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Marked	7768	64.2 %
2	2 = Not Marked	4159	34.4 %
	Total	11,927	98.6%

This variable has 11,927 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	90	0.7 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	71	0.6 %
	Total	171	1.4%

Percentages for both tables are based on 12,098 total cases.

Location: 493-500 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PX0225_02: Youth's close biological relatives ever been an alcoholic or problem drinker

Please look at this list and tell me which ones apply.

Have any of {Child's first name}'s close biological or blood relatives ever...

BEEN AN ALCOHOLIC OR PROBLEM DRINKER? (BY THIS WE MEAN A PERSON WHOSE DRINKING CAUSES PROBLEMS WITH THEIR PHYSICAL OR EMOTIONAL HEALTH, FAMILY OR FRIENDS, WORK OR SCHOOL, OR THE POLICE.)

IF NEEDED: [You can answer by pointing to the list or by telling me which apply.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3414	28.2 %
2	2 = Not Marked	8515	70.4 %
	Total	11,929	98.6%

This variable has 11,929 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	89	0.7 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	71	0.6 %
	Total	169	1.4%

Percentages for both tables are based on 12,098 total cases.

Location: 501-508 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PX0225_03: Youth's close biological relatives ever had problems with drugs

Please look at this list and tell me which ones apply.

Have any of {Child's first name}'s close biological or blood relatives ever...

HAD PROBLEMS WITH DRUGS? (BY THIS WE MEAN A PERSON WHOSE DRUG USE CAUSES PROBLEMS WITH THEIR PHYSICAL OR EMOTIONAL HEALTH, FAMILY OR FRIENDS, WORK OR SCHOOL, OR THE POLICE.)

IF NEEDED: [You can answer by pointing to the list or by telling me which apply.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: All parent/guardian respondents of all youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2400	19.8 %
2	2 = Not Marked	9535	78.8 %
	Total	11,935	98.7%

This variable has 11,935 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	84	0.7 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	71	0.6 %
	Total	163	1.3%

Percentages for both tables are based on 12,098 total cases.

Location: 509-516 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_PM0069: DERIVED - Recoded parent respondent is a citizen of the United States (2 levels)

Long Description: Are you a citizen of the United States?

Algorithm: Algorithm: IF 1<= R05_PM0069 <= 4 THEN R05R_Y_PM0069=1;
ELSE IF R05_PM0069 = 5 THEN R05R_Y_PM0069=2; ELSE IF R05_PM0069 = -9
THEN R05R_Y_PM0069 = -99999 ; ELSE IF R05_PM0069 = -8 THEN
R05R_Y_PM0069 = -99988 ; ELSE IF R05_PM0069 = -7 THEN
R05R_Y_PM0069 = -99977 ; ELSE IF R05_PM0069 = -1 THEN

R05R_Y_PM0069 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Yes, a U.S. citizen	10593	87.6 %
2	2 = No, not a U.S. citizen	1407	11.6 %
	Total	12,000	99.2%

This variable has 12,000 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	71	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	98	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 517-524 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_Y_PM0065_V2: DERIVED - Recoded number of years parents lived in the United States (2 levels)

Long Description: About how many years have you lived in the United States?

Algorithm: IF R05_PM0065 = 1 THEN R05R_Y_PM0065_V2 = 1; ELSE IF R05_PM0065_NN >= 1 THEN R05R_Y_PM0065_V2 = 2; ELSE IF R05_PM0065 = -9 OR R05_PM0065_NN = -9 THEN R05R_Y_PM0065_V2 = -99999 ; ELSE IF R05_PM0065 = -8 OR R05_PM0065_NN = -8 THEN R05R_Y_PM0065_V2 = -99988 ; ELSE IF R05_PM0065 = -7 OR R05_PM0065_NN = -7 THEN R05R_Y_PM0065_V2 = -99977 ; ELSE IF R05_PM0065_NN = -5 THEN R05R_Y_PM0065_V2 = -99955; ELSE IF R05_PM0065 = -1 OR R05_PM0065_NN = -1 THEN R05R_Y_PM0065_V2 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Lived in the U.S. entire life	8440	69.8 %
2	2 = Not lived in the U.S. entire life	3579	29.6 %
	Total	12,019	99.3%

This variable has 12,019 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	71	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	79	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 525-532 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_PM0066: How well you speak English (parent respondent)

How well do you speak English? Would you say very well, well, not well, or not at all?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Very well	9780	80.8 %
2	2 = Well	1036	8.6 %
3	3 = Not well	842	7.0 %
4	4 = Not at all	363	3.0 %
	Total	12,021	99.4%

This variable has 12,021 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	77	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 533-540 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PM0070: How well you read English (parent respondent)

How well do you read English? IF NEEDED: [Would you say very well, well, not well, or not at all?]

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Very well	9741	80.5 %
2	2 = Well	1088	9.0 %
3	3 = Not well	752	6.2 %
4	4 = Not at all	436	3.6 %
	Total	12,017	99.3%

This variable has 12,017 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	81	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 541-548 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PM0073: How well you write in English (parent respondent)

How well do you write in English? IF NEEDED: [Would you say very well, well, not well, or not at all?]

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Very well	9498	78.5 %
2	2 = Well	1159	9.6 %
3	3 = Not well	798	6.6 %
4	4 = Not at all	560	4.6 %
	Total	12,015	99.3%

This variable has 12,015 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	83	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 549-556 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PM0071: Speak a language other than English at home (parent respondent)

Do you speak a language other than English at home?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_PM0001.]

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3565	29.5 %
2	2 = No	8456	69.9 %
	Total	12,021	99.4%

This variable has 12,021 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	77	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 557-564 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PM0072_01: Other language spoken at home: Spanish (parent respondent)

What other languages do you speak at home?

SPANISH

CODE ALL THAT APPLY.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and speak a language other than English at home.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PM0071 = 1.

[PROGRAM NOTE: Allow interviewer to code all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2820	23.3 %
2	2 = Not Marked	716	5.9 %
	Total	3,536	29.2%

This variable has 3,536 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	8533	70.5 %
	Total	8,562	70.8%

Percentages for both tables are based on 12,098 total cases.

Location: 565-572 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_PM0072_02: DERIVED - Recoded other language(s) spoken at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language (parent respondent)

Long Description: What other languages do you speak at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language?

Algorithm: IF R05_PM0072_02 = 1 OR R05_PM0072_03 = 1 OR R05_PM0072_04 = 1 OR R05_PM0072_05 = 1 OR R05_PM0072_06 = 1 OR R05_PM0072_07 = 1 OR R05_PM0072_08 = 1 OR R05_PM0072_09 = 1 OR R05_PM0072_10 = 1 THEN R05R_Y_PM0072_02 = 1; ELSE IF R05_PM0072_02 = 2 AND R05_PM0072_03 = 2 AND R05_PM0072_04 = 2 AND R05_PM0072_05 = 2 AND R05_PM0072_06 = 2 AND R05_PM0072_07 = 2 AND R05_PM0072_08 = 2 AND R05_PM0072_09 = 2 AND R05_PM0072_10 = 2 THEN R05R_Y_PM0072_02 = 2; ELSE IF R05_PM0072_02 = -9 THEN R05R_Y_PM0072_02 = -99999; ELSE IF R05_PM0072_02 = -8 THEN R05R_Y_PM0072_02 = -99988; ELSE IF R05_PM0072_02 = -7 THEN R05R_Y_PM0072_02 = -99977; ELSE IF R05_PM0072_02 = -1 THEN R05R_Y_PM0072_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Marked	788	6.5 %
2	2 = Not Marked	2748	22.7 %
	Total	3,536	29.2%

This variable has 3,536 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	8533	70.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	8,562	70.8%

Percentages for both tables are based on 12,098 total cases.

Location: 573-580 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999, -99988, -99977, -99911, -97777

R05R_P_PARSP_EDUC: DERIVED - Recoded highest grade or year of school completed by parent/spouse/guardian (6 levels)

Long Description: What is the highest grade or year of school that you or your spouse/ guardian have completed?

Algorithm: IF R05_PM0001 >=9 OR R05_PM0118 >=9 THEN R05R_P_PARSP_EDUC = 6;
 ELSE IF R05_PM0001 = 8 OR R05_PM0118 = 8 THEN R05R_P_PARSP_EDUC = 5;
 ELSE IF R05_PM0001 IN (5,6,7) OR R05_PM0118 IN (5,6,7) THEN
 R05R_P_PARSP_EDUC = 4; ELSE IF R05_PM0001 = 4 OR R05_PM0118 = 4 THEN
 R05R_P_PARSP_EDUC = 3; ELSE IF R05_PM0001 = 3 OR R05_PM0118 = 3 THEN
 R05R_P_PARSP_EDUC = 2; ELSE IF R05_PM0001 IN (1,2) OR R05_PM0118 IN (1,2)
 THEN R05R_P_PARSP_EDUC = 1; ELSE IF R05_PM0001 = -9 OR R05_PM0118 = -9
 THEN R05R_P_PARSP_EDUC = -99999; ELSE IF R05_PM0001 = -8 OR
 R05_PM0118 = -8 THEN R05R_P_PARSP_EDUC = -99988; ELSE IF
 R05_PM0001 = -7 OR R05_PM0118 = -7 THEN R05R_P_PARSP_EDUC = -99977;
 ELSE IF R05_PM0001 = -1 OR R05_PM0118 = -1 THEN
 R05R_P_PARSP_EDUC = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than High School	1287	10.6 %
2	2 = GED	399	3.3 %
3	3 = High school graduate	1926	15.9 %
4	4 = Some college (no degree) or associates degree	3589	29.7 %
5	5 = Bachelor's degree	2442	20.2 %
6	6 = Advanced degree	2379	19.7 %
	Total	12,022	99.4%

This variable has 12,022 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	71	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	76	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 717-724 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_Y_PM0130: DERIVED - Recoded total household income in past 12 months (5 levels)

Long Description: Which of the following categories best describes your total household income in the past 12 months? This is the total income before taxes of all persons in your household combined.

Algorithm: IF R05_PM0130 = 1 THEN R05R_Y_PM0130 = 1; ELSE IF R05_PM0130
 IN (2,3) THEN R05R_Y_PM0130 = 2; ELSE IF R05_PM0130 IN (4,5) THEN
 R05R_Y_PM0130 = 3; ELSE IF R05_PM0130 IN (6,7) THEN R05R_Y_PM0130 = 4;

```

ELSE IF R05_PM0130 >= 8 THEN R05R_Y_PM0130 = 5; ELSE IF
R05_PM0130 = -9 THEN R05R_Y_PM0130 = -99999; ELSE IF R05_PM0130 = -8
THEN R05R_Y_PM0130 = -99988; ELSE IF R05_PM0130 = -7 THEN
R05R_Y_PM0130 = -99977; ELSE IF R05_PM0130 = -1 THEN
R05R_Y_PM0130 = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than \$10,000	873	7.2 %
2	2 = \$10,000 to \$24,999	1674	13.8 %
3	3 = \$25,000 to \$49,999	2597	21.5 %
4	4 = \$50,000 to \$99,999	2946	24.4 %
5	5 = \$100,000 or more	3529	29.2 %
	Total	11,619	96.0%

This variable has 11,619 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	189	1.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	216	1.8 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	71	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	479	4.0%

Percentages for both tables are based on 12,098 total cases.

Location: 581-588 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05_PM0031: In past 12 months, total household income is above or below \$50,000

Is your total household income during the past 12 months above or below \$50,000?

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent and did not know or refused to report their total household income.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1 AND R05_PM0130 = -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Above \$50,000	126	1.0 %
2	2 = Below \$50,000	128	1.1 %

Value	Label	Unweighted Frequency	%
	Total	254	2.1%

This variable has 254 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	62	0.5 %
-7	-7 = Refused	89	0.7 %
-1	-1 = Inapplicable	11693	96.7 %
	Total	11,844	97.9%

Percentages for both tables are based on 12,098 total cases.

Location: 589-596 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_PL0040: DERIVED - Recoded home is owned or rented (2 levels)

Long Description: Do you own or rent your home?

Algorithm: IF R05_PL0040 = 1 THEN R05R_Y_PL0040 = 1; ELSE IF R05_PL0040 IN (2,3) THEN R05R_Y_PL0040 = 2; ELSE IF R05_PL0040 = -9 THEN R05R_Y_PL0040 = -99999 ; ELSE IF R05_PL0040 = -8 THEN R05R_Y_PL0040 = -99988 ; ELSE IF R05_PL0040 = -7 THEN R05R_Y_PL0040 = -99977 ; ELSE IF R05_PL0040 = -1 THEN R05R_Y_PL0040 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Owned	7335	60.6 %
2	2 = Not Owned	4677	38.7 %
	Total	12,012	99.3%

This variable has 12,012 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	3	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	71	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	86	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 597-604 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05_PX0691: Type of living space where you currently live

Please look at this list. In what type of living space do you currently live?

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent, or parent/guardian respondents of all youth respondents who have already completed an adult interview and were not asked what type of living space they currently live in and have not already completed a parent interview for another youth respondent.

ASK Specification: IF (R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1) OR (R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD = 1 AND R05_AX0691_LD = -1 AND R05_PARENT_COMPLETE_LD != 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Single Family Home	9450	78.1 %
2	2 = Duplex	390	3.2 %
3	3 = Double or Multi-Family Home	373	3.1 %
4	4 = Condominium	138	1.1 %
5	5 = Townhouse	380	3.1 %
6	6 = Apartment Building	1145	9.5 %
7	7 = None of the above	142	1.2 %
	Total	12,018	99.3%

This variable has 12,018 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	80	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 605-612 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PN0335_01: In past 30 days, parent respondent used even one or two times: Cigarettes

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

CIGARETTES

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1922	15.9 %
2	2 = No	10101	83.5 %
	Total	12,023	99.4%

This variable has 12,023 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	75	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 613-620 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PN0335_02: In past 30 days, parent respondent used even one or two times: Traditional cigars

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

TRADITIONAL CIGARS

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	164	1.4 %
2	2 = No	11860	98.0 %
	Total	12,024	99.4%

This variable has 12,024 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	74	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 621-628 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PN0335_03: In past 30 days, parent respondent used even one or two times: Cigarillos

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

CIGARILLOS

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	239	2.0 %
2	2 = No	11782	97.4 %
	Total	12,021	99.4%

This variable has 12,021 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	77	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 629-636 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PN0335_04: In past 30 days, parent respondent used even one or two times: Filtered cigars

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

FILTERED CIGARS

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	85	0.7 %
2	2 = No	11936	98.7 %
	Total	12,021	99.4%

This variable has 12,021 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	77	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 637-644 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PN0335_05: In past 30 days, parent respondent used even one or two times: Pipe

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

PIPE

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	49	0.4 %
2	2 = No	11975	99.0 %
	Total	12,024	99.4%

This variable has 12,024 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	74	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 645-652 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PN0335_06: In past 30 days, parent respondent used even one or two times: Hookah

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

HOOKAH

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	95	0.8 %
2	2 = No	11929	98.6 %
	Total	12,024	99.4%

This variable has 12,024 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	74	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 653-660 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PN0336_01: In past 30 days, parent respondent used even one or two times: Snus

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

SNUS

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	59	0.5 %
2	2 = No	11965	98.9 %
	Total	12,024	99.4%

This variable has 12,024 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	74	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 661-668 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PN0336_02: In past 30 days, parent respondent used even one or two times: Other types of smokeless tobacco

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

OTHER TYPES OF SMOKELESS TOBACCO (SUCH AS MOIST SNUFF, DIP, SPIT, CHEWING TOBACCO, OR SMOKELESS TOBACCO POUCHES)

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	171	1.4 %
2	2 = No	11850	98.0 %
	Total	12,021	99.4%

This variable has 12,021 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	77	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 669-676 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PN0337_01: In past 30 days, parent respondent used even one or two times: E-cigarettes or other electronic nicotine products

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

E-CIGARETTES OR OTHER ELECTRONIC NICOTINE PRODUCTS (IF NEEDED: [ELECTRONIC NICOTINE PRODUCTS INCLUDE E-CIGARETTES, VAPE PENS, PERSONAL VAPORIZERS AND MODS, E-CIGARS, E-PIPES, E-HOOKAHS AND HOOKAH PENS.]

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	623	5.1 %
2	2 = No	11395	94.2 %
	Total	12,018	99.3%

This variable has 12,018 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	80	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 677-684 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PN0337_02: In past 30 days, parent respondent used even one or two times: Dissolvable tobacco

Please look at this picture. In the past 30 days, have you used any of the following products, even one or two times?

DISSOLVABLE TOBACCO

IF NEEDED: [You can answer by pointing to the picture or by saying the name of the product.]

IF NEEDED, READ RESPONSE OPTIONS ALOUD.

ASK: Parent/guardian respondents of all youth respondents who have not already completed an adult interview and have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_ADULT_COMPLETE_LD != 1 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	11995	99.1 %
	Total	12,020	99.4%

This variable has 12,020 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	6	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	78	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 685-692 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0060: Parent respondent's general perception: How much people harm themselves when they smoke tobacco products that are burned

How much do you think people harm themselves when they smoke tobacco products that are burned (such as cigarettes, cigars, pipes, or hookah)?

Would you say no harm, a little harm, some harm, or a lot of harm?

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = No harm	63	0.5 %
2	2 = Little harm	187	1.5 %
3	3 = Some harm	1414	11.7 %
4	4 = A lot of harm	10346	85.5 %
	Total	12,010	99.3%

This variable has 12,010 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	88	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 693-700 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0061: Parent respondent's general perception: How much people harm themselves when they use e-cigarettes or other electronic nicotine products

Now think about e-cigarettes and other electronic nicotine products. How much do you think people harm themselves when they use these products?

IF NEEDED: [Would you say no harm, a little harm, some harm, or a lot of harm?]

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = No harm	87	0.7 %
2	2 = Little harm	543	4.5 %

Value	Label	Unweighted Frequency	%
3	3 = Some harm	2810	23.2 %
4	4 = A lot of harm	8503	70.3 %
	Total	11,943	98.7%

This variable has 11,943 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	72	0.6 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	71	0.6 %
	Total	155	1.3%

Percentages for both tables are based on 12,098 total cases.

Location: 701-708 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_PT0062: Parent respondent's general perception: How much people harm themselves when they use smokeless tobacco products

And finally, how much do you think people harm themselves when they use smokeless tobacco products (products in which you chew, suck, or spit such as snus pouches, loose snus, moist snuff, dip, spit, and chewing tobacco)?

IF NEEDED: [Would you say no harm, a little harm, some harm, or a lot of harm?]

ASK: Parent/guardian respondents of all youth respondents who have not already completed a parent interview for another youth respondent.

ASK Specification: IF R05_YOUTHTYPE = 1, 2 AND R05_PARENT_COMPLETE_LD != 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = No harm	51	0.4 %
2	2 = Little harm	281	2.3 %
3	3 = Some harm	2062	17.0 %
4	4 = A lot of harm	9586	79.2 %
	Total	11,980	99.0%

This variable has 11,980 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	43	0.4 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	71	0.6 %
	Total	118	1.0%

Percentages for both tables are based on 12,098 total cases.

Location: 709-716 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YOUTHTYPE: Wave 5 youth type classification

Long Description: Flag to indicate whether respondent is a: continuing youth or new baseline (aged-up) youth

Value	Label	Unweighted Frequency	%
1	1 = Continuing youth	10446	86.3 %
2	2 = Aged-up youth	1652	13.7 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 12,098 total cases.

Location: 733-740 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R05R_Y_HISP: DERIVED - Wave 5 Youth Hispanic Origin (2 levels)

Long Description: Wave 5 youth Hispanic origin from the interview (2 levels).

Algorithm: IF WAVE4P5_INTERVIEW = 2 THEN R05R_Y_HISP = X04R_Y_HISP;
ELSE IF R05_YM0005_NB_01 = 1 THEN R05R_Y_HISP = 2; ELSE
IF R05_YM0005_NB_01 = 2 THEN R05R_Y_HISP = 1; ELSE IF WAVE4P5_INTERVIEW = 9
AND WAVE4_INTERVIEW = 2 THEN R05R_Y_HISP
= R04R_Y_HISP; ELSE IF WAVE4P5_INTERVIEW = 9 AND WAVE4_INTERVIEW = 9
AND WAVE3_INTERVIEW = 2 THEN R05R_Y_HISP =
R03R_Y_HISP; ELSE IF WAVE4P5_INTERVIEW = 9 AND WAVE4_INTERVIEW = 9
AND WAVE3_INTERVIEW = 9 AND WAVE2_INTERVIEW
= 2 THEN R05R_Y_HISP = R02R_Y_HISP; ELSE IF WAVE4P5_INTERVIEW = 9
AND WAVE4_INTERVIEW = 9 AND WAVE3_INTERVIEW =
9 AND WAVE2_INTERVIEW = 9 AND WAVE1_INTERVIEW = 2 THEN
R05R_Y_HISP = R01R_Y_HISP; ELSE IF R05_YM0005_NB_01 = -9
THEN R05R_Y_HISP = -99999; ELSE IF R05_YM0005_NB_01 = -8
THEN R05R_Y_HISP = -99988; ELSE IF R05_YM0005_NB_01 = -7 THEN

R05R_Y_HISP = -99977;

Value	Label	Unweighted Frequency	%
1	1 = Hispanic	3522	29.1 %
2	2 = Not Hispanic	8043	66.5 %
	Total	11,565	95.6 %

This variable has 11,565 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	460	3.8 %
-99977	-99977 = Missing due to a refused response on one or more component variables	71	0.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	533	4.4 %

Percentages for both tables are based on 12,098 total cases.

Location: 12133-12140 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -97777

R05R_Y_RACECAT3: DERIVED - Recoded race from the interview (3 levels)

Long Description: Race (3 levels).

Algorithm: IF WAVE1_INTERVIEW = 2 THEN R05R_Y_RACECAT3 = R01R_Y_RACECAT3; ELSE IF WAVE2_INTERVIEW = 2 THEN R05R_Y_RACECAT3 = R02R_Y_RACECAT3; ELSE IF WAVE3_INTERVIEW = 2 THEN R05R_Y_RACECAT3 = R03R_Y_RACECAT3; ELSE IF WAVE4_INTERVIEW = 2 THEN R05R_Y_RACECAT3 = R04R_Y_RACECAT3; ELSE IF WAVE4P5_INTERVIEW = 2 THEN R05R_Y_RACECAT3 = X04R_Y_RACECAT3; ELSE IF WAVE4P5_INTERVIEW != 2 THEN DO; IF ALL R05_YM0006_NB_xx variables (Youth Race Categories) have values (1,2) THEN do the following:[STEP 1: Create intermediate variable R05R_RACE_COUNT:]IF R05_YM0006_NB_01 IN (1,2) THEN DO; R05R_RACE_COUNT = 0; IF (R05_YM0006_NB_04 = 1 OR R05_YM0006_NB_05 = 1 OR R05_YM0006_NB_06 = 1 OR R05_YM0006_NB_07 = 1 OR R05_YM0006_NB_08 = 1 OR R05_YM0006_NB_09 = 1 OR R05_YM0006_NB_10 = 1) THEN R05R_RACE_COUNT = R05R_RACE_COUNT+1; IF R05_YM0006_NB_01 = 1 THEN R05R_RACE_COUNT = R05R_RACE_COUNT+1; IF R05_YM0006_NB_02 = 1 THEN R05R_RACE_COUNT = R05R_RACE_COUNT+1; IF R05_YM0006_NB_03 = 1 THEN R05R_RACE_COUNT = R05R_RACE_COUNT+1; IF R05_YM0006_NB_11 = 1 THEN R05R_RACE_COUNT = R05R_RACE_COUNT+1; IF R05_YM0006_NB_12 = 1 THEN R05R_RACE_COUNT = R05R_RACE_COUNT+1; IF R05_YM0006_NB_13 = 1 THEN R05R_RACE_COUNT = R05R_RACE_COUNT+1; IF R05_YM0006_NB_14 = 1 THEN R05R_RACE_COUNT = R05R_RACE_COUNT+1; END; [STEP 2: Assign R05R_Y_RACECAT3:]IF R05_YM0006_NB_01 = 1 (Youth Race is White) AND R05R_RACE_COUNT = 1 THEN R05R_Y_RACECAT3 = 1; ELSE IF R05_YM0006_NB_02 = 1 (Youth Race is African American) AND R05R_RACE_COUNT = 1 THEN R05R_Y_RACECAT3 = 2; ELSE IF ((R05_YM0006_NB_04 = 1 OR R05_YM0006_NB_05 = 1 OR R05_YM0006_NB_06 = 1 OR

R05_YM0006_NB_07 = 1 OR R05_YM0006_NB_08 = 1 OR R05_YM0006_NB_09 = 1 OR R05_YM0006_NB_10 = 1) AND R05R_RACE_COUNT = 1) OR R05_YM0006_NB_03 = 1 OR R05_YM0006_NB_11 = 1 OR R05_YM0006_NB_12 = 1 OR R05_YM0006_NB_13 = 1 OR R05_YM0006_NB_14 = 1 OR R05R_RACE_COUNT > 1 THEN R05R_Y_RACECAT3 = 3;
[STEP 3: Handle missing values:]IF ALL R05_YM0006_NB_xx variables (Youth Race Categories) have values = -9 THEN R05R_Y_RACECAT3 = -99999; ELSE IF ALL R05_YM0006_NB_xx variables (Youth Race Categories) have values = -8 THEN R05R_Y_RACECAT3 = -99988; ELSE IF ALL R05_YM0006_NB_xx variables (Youth Race Categories) have values = -7 THEN R05R_Y_RACECAT3 = -99977;

Value	Label	Unweighted Frequency	%
1	1 = White alone	7666	63.4 %
2	2 = Black alone	1797	14.9 %
3	3 = Other	1911	15.8 %
	Total	11,374	94.0%

This variable has 11,374 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	581	4.8 %
-99977	-99977 = Missing due to a refused response on one or more component variables	141	1.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	724	6.0%

Percentages for both tables are based on 12,098 total cases.

Location: 12141-12148 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_Y_YM0065_V2: DERIVED - Recoded number of years youth lived in the United States (2 levels)

Long Description: About how many years have you lived in the United States?

Algorithm: If R05_YM0065 = -2 Then R05R_Y_YM0065_V2 = 1; Else if R05_YM0065 => 1 Then R05R_Y_YM0065_V2 = 2; ELSE IF R05_YM0065 = -9 THEN R05R_Y_YM0065_V2 = -99999 ; ELSE IF R05_YM0065 = -8 THEN R05R_Y_YM0065_V2 = -99988 ; ELSE IF R05_YM0065 = -7 THEN R05R_Y_YM0065_V2 = -99977; ELSE IF R05_YM0065 = -5 THEN R05R_Y_YM0065_V2 = -99955; ELSE IF R05_YM0065 = -1 THEN R05R_Y_YM0065_V2 = -99911 ;

Value	Label	Unweighted Frequency	%
1	1 = Lived in the U.S. entire life	9640	79.7 %
2	2 = Not lived in the U.S. entire life	2407	19.9 %
	Total	12,047	99.6%

This variable has 12,047 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	15	0.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	51	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 741-748 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YM0071: Speak a language other than English at home (youth)

Do you speak a language other than English at home?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YCT01.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3569	29.5 %
2	2 = No	8507	70.3 %
	Total	12,076	99.8%

This variable has 12,076 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	10	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	22	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 749-756 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YM0072_01: Other language spoken at home: Spanish (youth)

What other languages do you speak at home? Choose all that apply.

Spanish

ASK: Youth respondents who speak a language other than English at home.

ASK Specification: IF R05_YM0071 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2780	23.0 %
2	2 = Not Marked	658	5.4 %
	Total	3,438	28.4%

This variable has 3,438 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	92	0.8 %
-7	-7 = Refused	39	0.3 %
-1	-1 = Inapplicable	8529	70.5 %
	Total	8,660	71.6%

Percentages for both tables are based on 12,098 total cases.

Location: 757-764 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YM0072_02: DERIVED - Recoded other language(s) spoken at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language (youth)

Long Description: What other languages do you speak at home: Chinese, Tagalog, Vietnamese, French, Korean, German, Arabic, Russian or some other language?

Algorithm: Algorithm: IF R05_YM0072_02 = 1 OR R05_YM0072_03 = 1 OR
R05_YM0072_04 = 1 OR R05_YM0072_05 = 1 OR R05_YM0072_06 = 1 OR
R05_YM0072_07 = 1 OR R05_YM0072_08 = 1 OR R05_YM0072_09 = 1 OR
R05_YM0072_10 = 1 THEN R05R_Y_YM0072_02 = 1; ELSE if R05_YM0072_02 = 2
AND R05_YM0072_03 = 2 AND R05_YM0072_04 = 2 AND R05_YM0072_05 = 2 AND
R05_YM0072_06 = 2 AND R05_YM0072_07 = 2 AND R05_YM0072_08 = 2 AND
R05_YM0072_09 = 2 AND R05_YM0072_10 = 2 THEN R05R_Y_YM0072_02 = 2; ELSE IF
R05_YM0072_02 = -9 THEN R05R_Y_YM0072_02 = -99999; ELSE IF
R05_YM0072_02 = -8 THEN R05R_Y_YM0072_02 = -99988; ELSE IF
R05_YM0072_02 = -7 THEN R05R_Y_YM0072_02 = -99977; ELSE IF
R05_YM0072_02 = -1 THEN R05R_Y_YM0072_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Marked	802	6.6 %
2	2 = Not Marked	2636	21.8 %
	Total	3,438	28.4%

This variable has 3,438 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	92	0.8 %
-99977	-99977 = Missing due to a refused response on one or more component variables	39	0.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	8529	70.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	8,660	71.6%

Percentages for both tables are based on 12,098 total cases.

Location: 765-772 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05_YC1002_NB: Ever tried cigarette smoking, even one or two puffs

Have you ever tried cigarette smoking, even one or two puffs?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YCV02.]

ASK: New baseline youth respondents, or continuing youth respondents who are previous wave non-responders and have never smoked a cigarette as of their last completed interview.

ASK Specification: IF R05_YOUTHTYPE = 2 OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_CIGS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	88	0.7 %
2	2 = No	2112	17.5 %
	Total	2,200	18.2%

This variable has 2,200 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9897	81.8 %
	Total	9,898	81.8%

Percentages for both tables are based on 12,098 total cases.

Location: 773-780 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1002_12M: In past 12 months, tried cigarette smoking, even one or two puffs

In the past 12 months, have you smoked a cigarette, even one or two puffs?

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked a cigarette as of their last completed interview, or have never smoked a cigarette as of their last completed interview and have ever smoked a cigarette.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_CIGS = 1 OR (R04_EVER_NEVER_CIGS = 2 AND R05_YC1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	591	4.9 %
2	2 = No	9350	77.3 %
	Total	9,941	82.2%

This variable has 9,941 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2148	17.8 %
	Total	2,157	17.8%

Percentages for both tables are based on 12,098 total cases.

Location: 781-788 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1103: Ever been curious about smoking a cigarette

Have you ever been curious about smoking a cigarette?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very curious	105	0.9 %
2	2 = Somewhat curious	441	3.6 %
3	3 = A little curious	1691	14.0 %
4	4 = Not at all curious	8770	72.5 %
	Total	11,007	91.0%

This variable has 11,007 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	1078	8.9 %
	Total	1,091	9.0%

Percentages for both tables are based on 12,098 total cases.

Location: 789-796 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1206: Think you will smoke a cigarette in the next year

Do you think you will smoke a cigarette in the next year?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	10	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = Probably yes	76	0.6 %
3	3 = Probably not	1162	9.6 %
4	4 = Definitely not	9769	80.7 %
	Total	11,017	91.1%

This variable has 11,017 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	1078	8.9 %
	Total	1,081	8.9%

Percentages for both tables are based on 12,098 total cases.

Location: 797-804 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1104: Think you will try a cigarette soon

Do you think that you will try a cigarette soon?

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	9	0.1 %
2	2 = Probably yes	75	0.6 %
3	3 = Probably not	950	7.9 %
4	4 = Definitely not	9982	82.5 %
	Total	11,016	91.1%

This variable has 11,016 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	1078	8.9 %

	Missing Data		
	Total	1,082	8.9%

Percentages for both tables are based on 12,098 total cases.

Location: 805-812 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1105: Would smoke a cigarette if one of your best friends offered you one

If one of your best friends were to offer you a cigarette, would you smoke it?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YVT01]

ASK: Youth respondents who have never smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 2.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	18	0.1 %
2	2 = Probably yes	206	1.7 %
3	3 = Probably not	1304	10.8 %
4	4 = Definitely not	9487	78.4 %
	Total	11,015	91.0%

This variable has 11,015 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	1078	8.9 %
	Total	1,083	9.0%

Percentages for both tables are based on 12,098 total cases.

Location: 813-820 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YC1006_NB: DERIVED - Age range when first tried cigarette smoking, even one or two puffs (3 levels)

Long Description: How old were you when you first tried cigarette smoking, even one or two puffs?

Algorithm: IF R05_YC1120_NB = 1 OR (0 <= R05_YC1006_NB <= 11) THEN

R05R_Y_YC1006_NB = 1; ELSE IF R05_YC1120_NB = 2 OR

(12 <= R05_YC1006_NB <= 14) THEN R05R_Y_YC1006_NB = 2; ELSE IF

```

R05_YC1120_NB = 3 OR (15 <= R05_YC1006_NB <= 17) THEN
R05R_Y_YC1006_NB = 3; ELSE IF R05_YC1006_NB = -9 OR
R05_YC1120_NB = -9 THEN R05R_Y_YC1006_NB = -99999; ELSE IF
R05_YC1006_NB = -8 OR R05_YC1120_NB = -8 THEN
R05R_Y_YC1006_NB = -99988; ELSE IF R05_YC1006_NB = -7 OR
R05_YC1120_NB = -7 THEN R05R_Y_YC1006_NB = -99977; ELSE IF
R05_YC1006_NB = -5 THEN R05R_Y_YC1006_NB = -99955; ELSE IF
R05_YC1006_NB = -1 OR R05_YC1120_NB = -1 THEN
R05R_Y_YC1006_NB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	29	0.2 %
2	2 = 12 to 14 years old	6	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	35	0.3%

This variable has 35 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12063	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,063	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 821-828 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YC1108: First cigarette smoked flavored to taste like menthol or mint

Was the first cigarette you smoked flavored to taste like menthol or mint?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR R05_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	105	0.9 %
2	2 = No	123	1.0 %
3	3 = I don't know	112	0.9 %
	Total	340	2.8%

This variable has 340 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11758	97.2 %
	Total	11,758	97.2%

Percentages for both tables are based on 12,098 total cases.

Location: 829-836 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9104: Pleasant sensations experienced first time you smoked a cigarette

How much did you experience pleasant sensations the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR R05_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	154	1.3 %
2	2 = A little	90	0.7 %
3	3 = Somewhat	62	0.5 %
4	4 = A lot	31	0.3 %
	Total	337	2.8%

This variable has 337 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11758	97.2 %

	Missing Data		
	Total	11,761	97.2%

Percentages for both tables are based on 12,098 total cases.

Location: 837-844 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9105: Unpleasant sensations experienced first time you smoked a cigarette

How much did you experience unpleasant sensations the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR R05_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	107	0.9 %
2	2 = A little	79	0.7 %
3	3 = Somewhat	85	0.7 %
4	4 = A lot	65	0.5 %
	Total	336	2.8%

This variable has 336 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11758	97.2 %
	Total	11,762	97.2%

Percentages for both tables are based on 12,098 total cases.

Location: 845-852 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9106: Felt sick to stomach after smoking cigarette for the first time

How much did you feel sick to your stomach the first time you smoked a cigarette?

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have initiated cigarette smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR R05_INIT_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	187	1.5 %
2	2 = A little	75	0.6 %
3	3 = Somewhat	39	0.3 %
4	4 = A lot	36	0.3 %
	Total	337	2.8%

This variable has 337 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11758	97.2 %
	Total	11,761	97.2%

Percentages for both tables are based on 12,098 total cases.

Location: 853-860 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1005: Number of cigarettes smoked in entire life

How many cigarettes have you smoked in your entire life? A pack usually has 20 cigarettes in it.

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and have initiated cigarette smoking since their last completed interview or had not smoked 100 or more cigarettes as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND (R05_INIT_CIGS_YOUTH = 1 OR R04_NUMLIFE_CIGS != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole cigarette	368	3.0 %
2	2 = 1 cigarette	136	1.1 %
3	3 = 2 to 10 cigarettes (about 1/2 pack total)	182	1.5 %
4	4 = 11 to 20 cigarettes (about 1/2 pack to 1 pack)	77	0.6 %
5	5 = 21 to 50 cigarettes (more than 1 pack but less than 3 packs)	60	0.5 %
6	6 = 51 to 99 cigarettes (more than 2 1/2 packs but less than 5 packs)	22	0.2 %
7	7 = 100 or more cigarettes (5 packs or more)	71	0.6 %
	Total	916	7.6%

This variable has 916 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	56	0.5 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11102	91.8 %
	Total	11,182	92.4%

Percentages for both tables are based on 12,098 total cases.

Location: 861-868 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1100: Ever smoked cigarettes fairly regularly

Have you ever smoked cigarettes fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YC9022.]

ASK: New baseline youth respondents who have ever smoked a cigarette, or continuing youth respondents who have ever smoked a cigarette and had not reported ever smoking cigarettes fairly regularly as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_CIGS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_CIGS_YOUTH = 1 AND R04_REGUSE_CIGS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	105	0.9 %
2	2 = No	788	6.5 %
	Total	893	7.4%

This variable has 893 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11201	92.6 %
	Total	11,205	92.6%

Percentages for both tables are based on 12,098 total cases.

Location: 869-876 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YC1007: DERIVED - Age range when first started smoking cigarettes fairly regularly (3 levels)

Long Description: How old were you when you first started smoking cigarettes fairly regularly?

Algorithm: IF R05_YC1121 = 1 OR (0<=R05_YC1007<=11) THEN
 R05R_Y_YC1007 = 1; ELSE IF R05_YC1121 = 2 OR (12<=R05_YC1007<=14) THEN
 R05R_Y_YC1007 = 2; ELSE IF R05_YC1121 = 3 OR (15<=R05_YC1007<=17) THEN
 R05R_Y_YC1007 = 3; ELSE IF R05_YC1007 = -9 OR R05_YC1121 = -9 THEN
 R05R_Y_YC1007 = -99999; ELSE IF R05_YC1007 = -8 OR R05_YC1121 = -8 THEN
 R05R_Y_YC1007 = -99988; ELSE IF R05_YC1007 = -7 OR R05_YC1121 = -7 THEN
 R05R_Y_YC1007 = -99977; ELSE IF R05_YC1007 = -5 THEN
 R05R_Y_YC1007 = -99955; ELSE IF R05_YC1007 = -1 OR R05_YC1121 = -1 THEN
 R05R_Y_YC1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	12	0.1 %
2	2 = 12 to 14 years old	45	0.4 %
3	3 = 15 to 17 years old	44	0.4 %
	Total	101	0.8%

This variable has 101 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	4	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11993	99.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,997	99.2%

Percentages for both tables are based on 12,098 total cases.

Location: 877-884 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YC9022: Consider yourself a smoker

Do you consider yourself a smoker?

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	155	1.3 %
2	2 = No	920	7.6 %
	Total	1,075	8.9%

This variable has 1,075 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11020	91.1 %
	Total	11,023	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 885-892 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1112: Last time smoked a cigarette, even one or two puffs

When was the last time you smoked a cigarette, even one or two puffs?

[If 3-7, Don't know (-8), or Refused (-7), GO TO BOX R05_YCV01.]

ASK: Youth respondents who have ever smoked a cigarette.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R05_YC1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	83	0.7 %
2	2 = Not today but sometime in the past 7 days	111	0.9 %
3	3 = Not in the past 7 days but sometime in the past 30 days	113	0.9 %
4	4 = Not in the past 30 days but sometime in the past 6 months	178	1.5 %
5	5 = Not in the past 6 months but sometime in the past year	182	1.5 %
6	6 = 1 to 4 years ago	203	1.7 %
7	7 = 5 or more years ago	130	1.1 %
	Total	1,000	8.3%

This variable has 1,000 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	60	0.5 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	11020	91.1 %
	Total	11,098	91.7%

Percentages for both tables are based on 12,098 total cases.

Location: 893-900 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC0100: When last smoked a cigarette

When did you last smoke a cigarette?

[If In the past hour (1), GO TO R05_YC0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YCV01.]

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	53	0.4 %
2	2 = Sometime today, but more than an hour ago	27	0.2 %
3	3 = Yesterday	45	0.4 %
4	4 = Day before yesterday	17	0.1 %
5	5 = Three or more days ago	51	0.4 %
	Total	193	1.6%

This variable has 193 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11904	98.4 %
	Total	11,905	98.4%

Percentages for both tables are based on 12,098 total cases.

Location: 901-908 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC0102: Time period of day when you last smoked a cigarette

When you last smoked a cigarette [FILL BASED ON R05_YC0100], was it...

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or sometime in the past 7 days and last smoked a cigarette sometime today, yesterday or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1112 = 1, 2 AND R05_YC0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	17	0.1 %
2	2 = After 6AM but before noon	15	0.1 %
3	3 = Between noon and 6PM	41	0.3 %
4	4 = After 6PM but before midnight	16	0.1 %
	Total	89	0.7%

This variable has 89 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12009	99.3 %
	Total	12,009	99.3%

Percentages for both tables are based on 12,098 total cases.

Location: 909-916 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC0103: Number of cigarettes smoked today/yesterday/day before yesterday

How many cigarettes [have/did] you [smoked/smoke] [FILL BASED ON R05_YC0100]? A pack usually has 20 cigarettes in it.

___ Cigarettes

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YCV01.]

ASK: Youth respondents who have ever smoked a cigarette and last smoked a cigarette earlier today or sometime in the past 7 days and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YC1112 = 1, 2 AND R05_YC0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 141 valid cases out of 12,098 total cases.

- Mean: 5.49
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 124.00
- Standard Deviation: 16.16

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11956	98.8 %
	Total	11,957	98.8 %

Percentages for both tables are based on 12,098 total cases.

Location: 917-924 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YC1022: In past 30 days, number of days smoked cigarettes

In the past 30 days, on how many days did you smoke cigarettes?

___ Days

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 304 valid cases out of 12,098 total cases.

- Mean: 9.75
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.82

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,794	97.5%

Percentages for both tables are based on 12,098 total cases.

Location: 925-932 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YC1023: In past 30 days, number of cigarettes smoked per day on the days that you smoked

In the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?
A pack usually has 20 cigarettes in it.

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarette per day	122	1.0 %
2	2 = 1 cigarette per day	58	0.5 %
3	3 = 2 to 5 cigarettes per day	78	0.6 %
4	4 = 6 to 10 cigarettes per day	26	0.2 %
5	5 = 11 to 20 cigarettes per day	13	0.1 %
6	6 = More than 20 cigarettes per day	7	0.1 %
	Total	304	2.5%

This variable has 304 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,794	97.5%

Percentages for both tables are based on 12,098 total cases.

Location: 933-940 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9048: In past 30 days, smoked manufactured cigarettes or roll-your-own cigarettes

In the past 30 days, did you smoke manufactured cigarettes or did you smoke roll-your-own cigarettes?

[If Roll-your-own cigarettes (2), GO TO BOX R05_YCR20.]

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Manufactured cigarettes	198	1.6 %
2	2 = Roll-your-own cigarettes	13	0.1 %
3	3 = Both manufactured and roll-your-own cigarettes	44	0.4 %
4	4 = I don't know	49	0.4 %
	Total	304	2.5%

This variable has 304 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,794	97.5%

Percentages for both tables are based on 12,098 total cases.

Location: 941-948 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1130: In past 30 days, smoked cigarettes flavored to taste like menthol or mint

In the past 30 days, were any of the cigarettes you smoked flavored to taste like menthol or mint?

ASK: Youth respondents who are past 30 day cigarette smokers and smoked manufactured cigarettes in the past 30 days or did not know or refused to report the type of cigarettes they smoked in the past 30 days.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC9048 = 1, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	141	1.2 %
2	2 = No	108	0.9 %

Value	Label	Unweighted Frequency	%
3	3 = I don't know	43	0.4 %
	Total	292	2.4%

This variable has 292 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11804	97.6 %
	Total	11,806	97.6%

Percentages for both tables are based on 12,098 total cases.

Location: 949-956 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9045: In past 30 days, smoked roll-your-own tobacco flavored like menthol or mint

In the past 30 days, was any of the roll-your-own tobacco you smoked flavored to taste like menthol or mint?

ASK: Youth respondents who are past 30 day cigarette smokers and smoked roll-your-own cigarettes in the past 30 days.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC9048 = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	35	0.3 %
3	3 = I don't know	9	0.1 %
	Total	57	0.5%

This variable has 57 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12041	99.5 %
	Total	12,041	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 957-964 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1142: In past 30 days, did anyone sell you cigarettes

In the past 30 days, did anyone sell you cigarettes?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	55	0.5 %
2	2 = No	252	2.1 %
	Total	307	2.5%

This variable has 307 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,791	97.5%

Percentages for both tables are based on 12,098 total cases.

Location: 965-972 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1123: In the past 30 days, someone refused to sell you cigarettes because of your age

In the past 30 days, did anyone refuse to sell you cigarettes because of your age?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	266	2.2 %
	Total	304	2.5%

This variable has 304 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,794	97.5%

Percentages for both tables are based on 12,098 total cases.

Location: 973-980 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC118: In past 30 days, how you usually got your own cigarettes

In the past 30 days, how did you usually get your own cigarettes?

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy cigarettes for me	59	0.5 %
2	2 = I bought cigarettes myself from a store	34	0.3 %
3	3 = I asked someone to give me a cigarette	64	0.5 %
4	4 = Someone offered me a cigarette	82	0.7 %
5	5 = I bought cigarettes from another person	12	0.1 %
6	6 = I took cigarettes from a store or another person	25	0.2 %
7	7 = I got cigarettes some other way	20	0.2 %
	Total	296	2.4%

This variable has 296 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,802	97.6%

Percentages for both tables are based on 12,098 total cases.

Location: 981-988 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1030: How you usually buy your cigarettes

[When you give money to someone else, how do they/How do you] usually buy your cigarettes?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YCR24.]

ASK: Youth respondents who are past 30 day cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1118 = 1, 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = In person	87	0.7 %
2	2 = From the internet	3	0.0 %
3	3 = By telephone	2	0.0 %
	Total	92	0.8%

This variable has 92 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12005	99.2 %
	Total	12,006	99.2%

Percentages for both tables are based on 12,098 total cases.

Location: 989-996 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1032: Geographic area where you usually buy cigarettes

Do [you/they] usually buy cigarettes...

ASK: Youth respondents who are past 30 day cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1118 = 1, 2 AND R05_YC1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your own state	84	0.7 %
2	2 = In another state	1	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = Outside the US	2	0.0 %
	Total	87	0.7%

This variable has 87 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12011	99.3 %
	Total	12,011	99.3%

Percentages for both tables are based on 12,098 total cases.

Location: 997-1004 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1033: Retail location where your cigarettes are purchased most of the time

Where do [you/they] buy your cigarettes most of the time?

ASK: Youth respondents who are past 30 day cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1118 = 1, 2 AND R05_YC1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	77	0.6 %
2	2 = A supermarket, grocery store, or drug store	2	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	1	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	5	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	1	0.0 %
7	7 = A friend or relative	1	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = A store on an Indian reservation	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	87	0.7%

This variable has 87 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12011	99.3 %
	Total	12,011	99.3%

Percentages for both tables are based on 12,098 total cases.

Location: 1005-1012 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1039: Usually buy cigarettes by carton, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] cigarettes. Did you buy them by the carton, pack, or as a single cigarette?

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YCR23.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Carton	3	0.0 %
2	2 = Pack	58	0.5 %
3	3 = Single cigarettes	6	0.0 %
	Total	67	0.6%

This variable has 67 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12031	99.4 %
	Total	12,031	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1013-1020 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1034_D: Amount paid when last time bought a carton of cigarettes/pack of cigarettes/single cigarette - Dollars

How much did you pay for a [carton of cigarettes/pack of cigarettes/single cigarette]?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YCR23.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving someone else money to buy for them or buying themselves from a store and usually buy cigarettes by the carton, pack, or as single cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1118 = 1, 2 AND R05_YC1039 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 64 valid cases out of 12,098 total cases.

- Mean: 7.91
- Median: 6.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 85.00
- Standard Deviation: 12.37

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12031	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 1021-1028 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YC1034_C: Amount paid when last time bought a carton of cigarettes/pack of cigarettes/single cigarette - Cents

How much did you pay for a [carton of cigarettes/pack of cigarettes/single cigarette]?

___ Cents

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YCR23.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and usually get cigarettes by giving

someone else money to buy for them or buying themselves from a store and usually buy cigarettes by the carton, pack, or as single cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1118 = 1, 2 AND R05_YC1039 = 1, 2, 3.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12034	99.5 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 1029-1036 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YC1047: Have a regular brand of cigarettes you usually smoke

Do you have a regular brand of cigarettes that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	122	1.0 %
2	2 = No	64	0.5 %
	Total	186	1.5%

This variable has 186 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11911	98.5 %
	Total	11,912	98.5%

Percentages for both tables are based on 12,098 total cases.

Location: 1037-1044 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1945: Know the name of brand of cigarettes last smoked

Do you know the name of the brand of cigarettes you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YCR07.]

ASK: Youth respondents who are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	195	1.6 %
2	2 = No	112	0.9 %
	Total	307	2.5%

This variable has 307 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,791	97.5%

Percentages for both tables are based on 12,098 total cases.

Location: 1045-1052 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1048_BRAND: Brand of cigarettes usually/last smoked

What brand of cigarette [do/did] you [usually/last] smoke?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 193 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11903	98.4 %
	Total	11,905	98.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1053-1060 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1070_PRODUCT: Sub-brand of cigarette product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day cigarette smokers who know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC1945 = 1 AND R05_YC1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.]

This variable has 190 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11907	98.4 %
	Total	11,908	98.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1061-1068 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1051_NN: How long smoked regular brand of cigarettes - Number

About how long have you been smoking your regular brand of cigarettes?

__ Days/Months/Years

[If Don't know (-8), or Refused (-7), GO TO R05_YC9019.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units.
Allow 2 digits.]

This variable has 114 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11976	99.0 %
	Total	11,984	99.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1069-1076 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YC1051_UN: How long smoked regular brand of cigarettes - Unit

About how long have you been smoking your regular brand of cigarettes?

__ Days/Months/Years

[If Don't know (-8), or Refused (-7), GO TO R05_YC9019.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1.

[PROGRAM NOTE: Display as Quantity/Units.
Allow 2 digits.]

Value	Label	Unweighted Frequency	%
1	1 = Days	12	0.1 %
2	2 = Months	31	0.3 %

Value	Label	Unweighted Frequency	%
3	3 = Years	71	0.6 %
	Total	114	0.9%

This variable has 114 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11984	99.1 %
	Total	11,984	99.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1077-1084 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9019: Harmfulness of brand of cigarettes usually smoked compared to other cigarette brands

Do you think the brand of cigarettes you usually smoke might be less harmful, no different, or more harmful, compared to other cigarette brands?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	11	0.1 %
2	2 = No different	93	0.8 %
3	3 = More harmful	18	0.1 %
	Total	122	1.0%

This variable has 122 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11976	99.0 %
	Total	11,976	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 1085-1092 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9010: In choosing regular brand of cigarettes, part of your decision was based on the following: It is affordable

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

It is affordable.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	53	0.4 %
2	2 = No	67	0.6 %
	Total	120	1.0%

This variable has 120 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11976	99.0 %
	Total	11,978	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 1093-1100 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9014: In choosing regular brand of cigarettes, part of your decision was based on the following: The taste

In choosing your regular brand of cigarettes, was part of your decision based on any of the following?

The taste.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have a regular brand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YC1047 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	94	0.8 %
2	2 = No	26	0.2 %
	Total	120	1.0%

This variable has 120 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11976	99.0 %
	Total	11,978	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 1101-1108 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC0104: Brand of very last cigarette smoked is same as brand regularly/last smoked

We just have one more question about [your regular brand / the last brand] of cigarettes[you smoked].

You said earlier that you smoked a cigarette [TIME OF LAST USE].

Think about the very last cigarette you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day cigarette smokers and last smoked a cigarette in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of cigarettes they usually smoke or last smoked and selected a brand and subbrand of cigarettes.

ASK Specification: IF R05_PAST30DAY_CIGS = 1 AND R05_YC0100 = 1, 2, 3, 4 AND R05_YC1945 = 1 AND R05_YC1048_BRAND != 9995, -8, -7 AND R05_YC1070_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	67	0.6 %
2	2 = No	29	0.2 %
	Total	96	0.8%

This variable has 96 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12002	99.2 %
	Total	12,002	99.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1109-1116 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1001_NB: Ever seen or heard of electronic nicotine products before this study

Have you ever seen or heard of electronic nicotine products before this study? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YV02.]

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1402	11.6 %
2	2 = No	247	2.0 %
	Total	1,649	13.6%

This variable has 1,649 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,449	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1117-1124 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1002_NB: Ever used an electronic nicotine product, even one or two times

Have you ever used an electronic nicotine product, even one or two times? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YVV02.]

ASK: New baseline youth respondents who have seen or heard of ENPs, or continuing youth respondents who are previous wave non-responders and have never used ENPs as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_EPRODS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	162	1.3 %
2	2 = No	1756	14.5 %
	Total	1,918	15.9%

This variable has 1,918 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10173	84.1 %
	Total	10,180	84.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1125-1132 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1002_12M: In the past 12 months, used an electronic nicotine product, even one or two times

In the past 12 months, have you used an electronic nicotine product, even one or two times?

(Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

[SHOW GENERIC IMAGE OF E-PRODUCTS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YVV02.]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever used an ENP as of their last completed interview, or have never used ENPs as of their last completed interview and have ever used ENPs.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_EPRODS = 1 OR (R04_EVER_NEVER_EPRODS = 2 AND R05_YV1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1834	15.2 %
2	2 = No	8164	67.5 %
	Total	9,998	82.6%

This variable has 9,998 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	2078	17.2 %
	Total	2,100	17.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1133-1140 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1103: Ever been curious about using an electronic nicotine product

Have you ever been curious about using an electronic nicotine product? (Electronic nicotine products include e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, e-pipes, e-hookahs, and hookah pens.)

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB != 2, -8, -7 AND R05_EVER_NEVER_EPRODS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	140	1.2 %
2	2 = Somewhat curious	463	3.8 %
3	3 = A little curious	1604	13.3 %
4	4 = Not at all curious	7146	59.1 %
	Total	9,353	77.3%

This variable has 9,353 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	8	0.1 %

	Missing Data		
-1	-1 = Inapplicable	2731	22.6 %
	Total	2,745	22.7%

Percentages for both tables are based on 12,098 total cases.

Location: 1141-1148 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1206: Think you will use electronic nicotine products in the next year

Do you think you will try an electronic nicotine product in the next year?

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB != 2, -8, -7 AND R05_EVER_NEVER_EPRODS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	13	0.1 %
2	2 = Probably yes	145	1.2 %
3	3 = Probably not	1329	11.0 %
4	4 = Definitely not	7869	65.0 %
	Total	9,356	77.3%

This variable has 9,356 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2731	22.6 %
	Total	2,742	22.7%

Percentages for both tables are based on 12,098 total cases.

Location: 1149-1156 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1104: Think you will try an electronic nicotine product soon

Do you think that you will try an electronic nicotine product soon?

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB != 2, -8, -7 AND R05_EVER_NEVER_EPRODS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	6	0.0 %
2	2 = Probably yes	79	0.7 %
3	3 = Probably not	1140	9.4 %
4	4 = Definitely not	8134	67.2 %
	Total	9,359	77.4%

This variable has 9,359 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2731	22.6 %
	Total	2,739	22.6%

Percentages for both tables are based on 12,098 total cases.

Location: 1157-1164 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1105: Would use an electronic nicotine product if one of your best friends offered you one

If one of your best friends were to offer you an electronic nicotine product, would you try it?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YV9041]

ASK: New baseline youth respondents who have ever seen or heard of ENPs and have never used ENPs, or continuing youth respondents who have never used ENPs.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB != 2, -8, -7 AND R05_EVER_NEVER_EPRODS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	25	0.2 %
2	2 = Probably yes	320	2.6 %
3	3 = Probably not	1372	11.3 %
4	4 = Definitely not	7639	63.1 %
	Total	9,356	77.3%

This variable has 9,356 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	2731	22.6 %
	Total	2,742	22.7%

Percentages for both tables are based on 12,098 total cases.

Location: 1165-1172 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YV1006_NB: DERIVED - Age range when first tried an electronic nicotine product, even one or two times (3 levels)

Long Description: How old were you when you first tried an electronic nicotine product, even one or two times?

Algorithm: IF R05_YV1120_NB = 1 OR (0<=R05_YV1006_NB<=11) THEN
R05R_Y_YV1006_NB = 1; ELSE IF R05_YV1120_NB = 2 OR
(12<=R05_YV1006_NB<=14) THEN R05R_Y_YV1006_NB = 2; ELSE IF
R05_YV1120_NB = 3 OR (15<=R05_YV1006_NB<=17) THEN R05R_Y_YV1006_NB = 3;
ELSE IF R05_YV1006_NB = -9 OR R05_YV1120_NB = -9 THEN
R05R_Y_YV1006_NB = -99999; ELSE IF R05_YV1006_NB = -8 OR
R05_YV1120_NB = -8 THEN R05R_Y_YV1006_NB = -99988; ELSE IF
R05_YV1006_NB = -7 OR R05_YV1120_NB = -7 THEN R05R_Y_YV1006_NB = -99977;
ELSE IF R05_YV1006_NB = -5 THEN R05R_Y_YV1006_NB = -99955; ELSE IF
R05_YV1006_NB = -1 OR R05_YV1120_NB = -1 THEN R05R_Y_YV1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	25	0.2 %
2	2 = 12 to 14 years old	39	0.3 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %

	Missing Data		
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12033	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 1173-1180 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YV1011_01: Flavor of first electronic nicotine product used: Tobacco-flavored

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Tobacco-flavored

ASK: New baseline youth respondents who have ever used an ENP or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR R05_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	84	0.7 %
2	2 = Not Marked	961	7.9 %
	Total	1,045	8.6%

This variable has 1,045 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11027	91.1 %
	Total	11,053	91.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1181-1188 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1011_02: Flavor of first electronic nicotine product used: Menthol or mint

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used an ENP or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR R05_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	420	3.5 %
2	2 = Not Marked	625	5.2 %
	Total	1,045	8.6%

This variable has 1,045 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11027	91.1 %
	Total	11,053	91.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1189-1196 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1011_03: Flavor of first electronic nicotine product used: Clove or spice

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used an ENP or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR R05_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	1033	8.5 %

Value	Label	Unweighted Frequency	%
	Total	1,045	8.6%

This variable has 1,045 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11027	91.1 %
	Total	11,053	91.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1197-1204 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1011_04: Flavor of first electronic nicotine product used: Fruit

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used an ENP or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR R05_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	636	5.3 %
2	2 = Not Marked	409	3.4 %
	Total	1,045	8.6%

This variable has 1,045 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11027	91.1 %
	Total	11,053	91.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1205-1212 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1011_05: Flavor of first electronic nicotine product used: Chocolate

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used an ENP or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR R05_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.2 %
2	2 = Not Marked	1017	8.4 %
	Total	1,045	8.6%

This variable has 1,045 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11027	91.1 %
	Total	11,053	91.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1213-1220 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1011_06: Flavor of first electronic nicotine product used: Alcoholic drink

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever used an ENP or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR R05_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	20	0.2 %
2	2 = Not Marked	1025	8.5 %
	Total	1,045	8.6%

This variable has 1,045 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11027	91.1 %
	Total	11,053	91.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1221-1228 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1011_07: Flavor of first electronic nicotine product used: Non-alcoholic drink

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: New baseline youth respondents who have ever used an ENP or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR R05_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	46	0.4 %
2	2 = Not Marked	999	8.3 %
	Total	1,045	8.6%

This variable has 1,045 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %

	Missing Data		
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11027	91.1 %
	Total	11,053	91.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1229-1236 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1011_08: Flavor of first electronic nicotine product used: Candy, desserts or other sweets

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Candy, desserts, or other sweets

ASK: New baseline youth respondents who have ever used an ENP or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR R05_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	321	2.7 %
2	2 = Not Marked	724	6.0 %
	Total	1,045	8.6%

This variable has 1,045 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11027	91.1 %
	Total	11,053	91.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1237-1244 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1011_09: Flavor of first electronic nicotine product used: Some other flavor

When you first used an electronic nicotine product, which flavor did you use? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever used an ENP or continuing youth respondents who have initiated ENP use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR R05_INIT_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.2 %
2	2 = Not Marked	1018	8.4 %
	Total	1,045	8.6%

This variable has 1,045 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11027	91.1 %
	Total	11,053	91.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1245-1252 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1005: Number of times used an electronic nicotine product in entire life

How many times have you used an electronic nicotine product in your entire life?

ASK: New baseline youth respondents who have ever used ENPs, or continuing youth respondents who have ever used an ENP and initiated ENP use since their last completed interview or had not used ENPs 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND (R05_INIT_EPRODS_YOUTH = 1 OR R04_NUMLIFE_EPROD != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1 time, even just a few puffs	687	5.7 %
2	2 = 2 to 10 times	584	4.8 %
3	3 = 11 to 20 times	226	1.9 %
4	4 = 21 to 50 times	233	1.9 %
5	5 = 51 to 99 times	113	0.9 %

Value	Label	Unweighted Frequency	%
6	6 = 100 or more times	277	2.3 %
	Total	2,120	17.5%

This variable has 2,120 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	104	0.9 %
-7	-7 = Refused	55	0.5 %
-1	-1 = Inapplicable	9819	81.2 %
	Total	9,978	82.5%

Percentages for both tables are based on 12,098 total cases.

Location: 1253-1260 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1100: Ever used electronic nicotine products fairly regularly

Have you ever used electronic nicotine products fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YV1112.]

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have ever used an ENP and had not reported ever using ENPs fairly regularly as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_EPRODS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R04_REGUSE_EPROD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	442	3.7 %
2	2 = No	1686	13.9 %
	Total	2,128	17.6%

This variable has 2,128 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	9963	82.4 %
	Total	9,970	82.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1261-1268 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YV1007: DERIVED - Age range when first started using an electronic nicotine product fairly regularly (3 levels)

Long Description: How old were you when you first started using electronic nicotine products fairly regularly?

Algorithm: IF R05_YV1121 = 1 OR (0<=R05_YV1007<=11) THEN
R05R_Y_YV1007 = 1; ELSE IF R05_YV1121 = 2 OR (12<=R05_YV1007<=14) THEN
R05R_Y_YV1007 = 2; ELSE IF R05_YV1121 = 3 OR (15<=R05_YV1007<=17) THEN
R05R_Y_YV1007 = 3; ELSE IF R05_YV1007 = -9 OR R05_YV1121 = -9 THEN
R05R_Y_YV1007 = -99999; ELSE IF R05_YV1007 = -8 OR R05_YV1121 = -8 THEN
R05R_Y_YV1007 = -99988; ELSE IF R05_YV1007 = -7 OR R05_YV1121 = -7 THEN
R05R_Y_YV1007 = -99977; ELSE IF R05_YV1007 = -5 THEN R05R_Y_YV1007 =
-99955; ELSE IF R05_YV1007 = -1 OR R05_YV1121 = -1 THEN
R05R_Y_YV1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	14	0.1 %
2	2 = 12 to 14 years old	120	1.0 %
3	3 = 15 to 17 years old	306	2.5 %
	Total	440	3.6%

This variable has 440 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	2	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11656	96.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,658	96.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1269-1276 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YV1112: Last time you used an electronic nicotine product, even one or two times

When was the last time you used an electronic nicotine product, even one or two times?

[If 3-7, Don't know (-8), or Refused (-7), GO TO BOX R05_YVV01.]

ASK: Youth respondents who have ever used an ENP.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have used in the past year (R05_YV1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	326	2.7 %
2	2 = Not today but sometime in the past 7 days	380	3.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	382	3.2 %
4	4 = Not in the past 30 days but sometime in the past 6 months	566	4.7 %
5	5 = Not in the past 6 months but sometime in the past year	392	3.2 %
6	6 = 1 to 4 years ago	171	1.4 %
7	7 = 5 or more years ago	105	0.9 %
	Total	2,322	19.2%

This variable has 2,322 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	110	0.9 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	9617	79.5 %
	Total	9,776	80.8%

Percentages for both tables are based on 12,098 total cases.

Location: 1277-1284 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV0100: When last used an electronic nicotine product

When did you last use an electronic nicotine product?

[If In the past hour (1), GO TO R05_YV0103. If Three or more days ago, Don't know (-8), or Refused (-7), GO TO BOX R05_YVV01.]

ASK: Youth respondents who have ever used an ENP and last used an ENP earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	165	1.4 %
2	2 = Sometime today, but more than an hour ago	138	1.1 %
3	3 = Yesterday	142	1.2 %
4	4 = Day before yesterday	66	0.5 %
5	5 = Three or more days ago	189	1.6 %
	Total	700	5.8%

This variable has 700 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11392	94.2 %
	Total	11,398	94.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1285-1292 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV0102: Time period of day when you last used an electronic nicotine product

When you last used an electronic nicotine product [FILL BASED ON R05_YV0100], was it...

ASK: Youth respondents who have ever used an ENP and last used an ENP earlier today or sometime in the past 7 days and last used an ENP sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1112 = 1, 2 AND R05_YV0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	40	0.3 %
2	2 = After 6AM but before noon	99	0.8 %
3	3 = Between noon and 6PM	127	1.0 %
4	4 = After 6PM but before midnight	75	0.6 %
	Total	341	2.8%

This variable has 341 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11752	97.1 %
	Total	11,757	97.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1293-1300 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV0103: Number of puffs taken from an electronic nicotine product today/yesterday/day before yesterday

How many puffs from an electronic nicotine product [have/did] you [taken/take] [FILL BASED ON R05_YV0100]?

___ Puffs

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YVV01.]

ASK: Youth respondents who have ever used an ENP and last used an ENP earlier today or sometime in the past 7 days and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YV1112 = 1, 2 AND R05_YV0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 490 valid cases out of 12,098 total cases.

- Mean: 19.84
- Median: 7.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 999.00
- Standard Deviation: 65.14

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11587	95.8 %
	Total	11,608	95.9%

Percentages for both tables are based on 12,098 total cases.

Location: 1301-1308 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV9041: Someone else in home owns an e-cigarette or other electronic nicotine product

Not including yourself, does anyone living in your home own an e-cigarette or other electronic nicotine product?

ASK: New baseline youth respondents who have seen or heard of ENPs, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1503	12.4 %
2	2 = No	10287	85.0 %
	Total	11,790	97.5%

This variable has 11,790 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	45	0.4 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	250	2.1 %
	Total	308	2.5%

Percentages for both tables are based on 12,098 total cases.

Location: 1309-1316 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9035_01: Ever used an e-cigarette including a vape pen, personal vaporizer, or mod

Which of the following electronic nicotine products have you used? Choose all that apply.

E-cigarette including a vape pen, personal vaporizer, or mod

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R05_YV1002_NB = 1 OR R05_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1812	15.0 %
2	2 = Not Marked	75	0.6 %

Value	Label	Unweighted Frequency	%
	Total	1,887	15.6%

This variable has 1,887 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	10179	84.1 %
	Total	10,211	84.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1317-1324 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9035_02: Ever used an e-cigar

Which of the following electronic nicotine products have you used? Choose all that apply.

E-cigar

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R05_YV1002_NB = 1 OR R05_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	45	0.4 %
2	2 = Not Marked	1842	15.2 %
	Total	1,887	15.6%

This variable has 1,887 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	10179	84.1 %
	Total	10,211	84.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1325-1332 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9035_03: Ever used an e-pipe

Which of the following electronic nicotine products have you used? Choose all that apply.

E-pipe

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R05_YV1002_NB = 1 OR R05_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.2 %
2	2 = Not Marked	1865	15.4 %
	Total	1,887	15.6%

This variable has 1,887 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	10179	84.1 %
	Total	10,211	84.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1333-1340 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9035_04: Ever used an e-hookah including a hookah pen

Which of the following electronic nicotine products have you used? Choose all that apply.

E-hookah including a hookah pen

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used

an ENP in the past 12 months.

ASK Specification: IF R05_YV1002_NB = 1 OR R05_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	98	0.8 %
2	2 = Not Marked	1789	14.8 %
	Total	1,887	15.6%

This variable has 1,887 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	10179	84.1 %
	Total	10,211	84.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1341-1348 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9035_05: Ever used some other electronic nicotine product

Which of the following electronic nicotine products have you used? Choose all that apply.

Something else

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

ASK: New baseline youth respondents who have ever used an ENP, or continuing youth respondents who have used an ENP in the past 12 months.

ASK Specification: IF R05_YV1002_NB = 1 OR R05_YV1002_12M = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	39	0.3 %
2	2 = Not Marked	1848	15.3 %
	Total	1,887	15.6%

This variable has 1,887 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	10179	84.1 %
	Total	10,211	84.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1349-1356 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9060_01: Use more than one kind of e-cigarette including a vape pen, personal vaporizer, or mod

Do you use more than one kind of E-cigarette including a vape pen, personal vaporizer, or mod?

ASK: New baseline youth respondents who have ever used an ENP and selected the types of ENPs they have used, or continuing youth respondents who have used an ENP in the past 12 months and selected the types of ENPs they have used.

ASK Specification: IF (R05_YV1002_NB = 1 AND R05_YV9035_01 = 1) OR
(R05_YV1002_12M = 1 AND R05_YV9035_01 = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	352	2.9 %
2	2 = No	1411	11.7 %
	Total	1,763	14.6%

This variable has 1,763 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	46	0.4 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10286	85.0 %
	Total	10,335	85.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1357-1364 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9060_02: Use more than one kind of e-cigar

Do you use more than one kind of E-cigar?

ASK: New baseline youth respondents who have ever used an ENP and selected the types of ENPs they have used, or continuing youth respondents who have used an ENP in the past 12 months and selected the types of ENPs they have used.

ASK Specification: IF (R05_YV1002_NB = 1 AND R05_YV9035_02 = 1) OR (R05_YV1002_12M = 1 AND R05_YV9035_02 = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	32	0.3 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 1365-1372 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9060_03: Use more than one kind of e-pipe

Do you use more than one kind of E-Pipe?

ASK: New baseline youth respondents who have ever used an ENP and selected the types of ENPs they have used, or continuing youth respondents who have used an ENP in the past 12 months and selected the types of ENPs they have used.

ASK Specification: IF (R05_YV1002_NB = 1 AND R05_YV9035_03 = 1) OR (R05_YV1002_12M = 1 AND R05_YV9035_03 = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	15	0.1 %

Value	Label	Unweighted Frequency	%
	Total	22	0.2%

This variable has 22 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 1373-1380 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9060_04: Use more than one kind of e-hookah

Do you use more than one kind of E-hookah including a hookah pen?

ASK: New baseline youth respondents who have ever used an ENP and selected the types of ENPs they have used, or continuing youth respondents who have used an ENP in the past 12 months and selected the types of ENPs they have used.

ASK Specification: IF (R05_YV1002_NB = 1 AND R05_YV9035_04 = 1) OR (R05_YV1002_12M = 1 AND R05_YV9035_04 = 1).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	84	0.7 %
	Total	97	0.8%

This variable has 97 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12000	99.2 %
	Total	12,001	99.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1381-1388 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9044: Type of electronic nicotine product used most often

You mentioned that you have used more than one type of electronic nicotine product.

Which type of electronic nicotine product do you use most often?

[SHOW GENERIC IMAGE OF E-PRODUCTS BY SUBTYPE]

ASK: Youth respondents who have used more than one type of ENP.

ASK Specification: IF R05_EPRODCOUNT > 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = E-cigarette including a vape pen, personal vaporizer, or mod	94	0.8 %
2	2 = E-cigar	2	0.0 %
3	3 = E-pipe	2	0.0 %
4	4 = E-hookah including a hookah pen	6	0.0 %
	Total	104	0.9%

This variable has 104 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11988	99.1 %
	Total	11,994	99.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1389-1396 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9140: Group most like [primary electronic nicotine product] you usually use most often

Please look at this picture. Which group is most like the electronic nicotine product you use most often?

[SHOW GENERIC IMAGE OF 6 E-PRODUCT GROUPS]

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	193	1.6 %
2	2 = Group 2	114	0.9 %
3	3 = Group 3	690	5.7 %
4	4 = Group 4	2	0.0 %
5	5 = Group 5	2	0.0 %
6	6 = Group 6	9	0.1 %
7	7 = None of the above	76	0.6 %
	Total	1,086	9.0%

This variable has 1,086 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,012	91.0%

Percentages for both tables are based on 12,098 total cases.

Location: 1397-1404 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9001: Type of electronic nicotine product used most often

For the following questions, please think about the electronic nicotine product you use most often.

What kind of electronic nicotine product is it?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = A disposable device	53	0.4 %
2	2 = A device that uses replaceable prefilled cartridges	561	4.6 %
3	3 = A device with a tank that you refill with liquids	362	3.0 %
4	4 = A mod system	70	0.6 %
5	5 = Something else	20	0.2 %
	Total	1,066	8.8%

This variable has 1,066 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,032	91.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1405-1412 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9046: How often electronic nicotine product is refilled with e-liquid

How often do you refill your electronic nicotine product with e-liquid?

[If Never (8), GO TO BOX R05_YVT04.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and use a refillable tank device type or a mod system device type.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_EDEVICETYPE = 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = At least once a day	55	0.5 %
2	2 = Once every couple of days	80	0.7 %
3	3 = Once a week	51	0.4 %
4	4 = A few times a month	47	0.4 %
5	5 = Once a month	32	0.3 %
6	6 = A few times a year	22	0.2 %
7	7 = Once a year	4	0.0 %
8	8 = Never	96	0.8 %
	Total	387	3.2%

This variable has 387 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11705	96.8 %
	Total	11,711	96.8%

Percentages for both tables are based on 12,098 total cases.

Location: 1413-1420 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9036: Method through which electronic nicotine product is refilled with e-liquid

Who refills it with e-liquid?

ASK: Youth respondents who are past 30 day "not-light" ENP users and use a refillable tank device type or a mod system device type and have refilled their ENP or did not know or refused to report how often they refill their ENP.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_EDEVICETYPE = 3, 4 AND R05_YV9046 != 8.

Value	Label	Unweighted Frequency	%
1	1 = I refill it myself	211	1.7 %
2	2 = I get it refilled at a vape shop or vapor lounge	6	0.0 %
3	3 = I buy it already filled	19	0.2 %
4	4 = I get it refilled some other way	54	0.4 %
	Total	290	2.4%

This variable has 290 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11801	97.5 %
	Total	11,808	97.6%

Percentages for both tables are based on 12,098 total cases.

Location: 1421-1428 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9010: Electronic nicotine product used most often contains nicotine

Please think about the [EPRODFILL3] you use most often.

Does it contain nicotine?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	751	6.2 %
2	2 = No	192	1.6 %
3	3 = I don't know	145	1.2 %
	Total	1,088	9.0%

This variable has 1,088 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,010	91.0%

Percentages for both tables are based on 12,098 total cases.

Location: 1429-1436 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1022: In past 30 days, number of days used an electronic nicotine product

In the past 30 days, on how many days did you use an electronic nicotine product?

__ Days

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 1,051 valid cases out of 12,098 total cases.

- Mean: 10.51
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.72

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	13	0.1 %
-5	-5 = Improbable response removed	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,047	91.3%

Percentages for both tables are based on 12,098 total cases.

Location: 1437-1444 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV9040: In past 30 days, number of [electronic nicotine products/nicotine cartridges/milliliters of e-liquid] used per day on days used an electronic nicotine product

In the past 30 days, on the days you used an electronic nicotine product, how many [EPRODFILL1] did you use per day?

—

[If Less than 1 per day (-2), Don't know (-8), or Refused (-7), GO TO R05_YV1026.]

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 1,041 valid cases out of 12,098 total cases.

- Mean: 0.08
- Median: -2.00
- Mode: -2.00
- Minimum: -2.00
- Maximum: 69.00
- Standard Deviation: 6.61

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.3 %
-7	-7 = Refused	8	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,057	91.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1445-1452 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1026: Average number of times you pick up your electronic nicotine product to use it for one or more puffs on days that you use

On average, on the days that you use, how many times each day do you pick up your electronic nicotine product to use it, whether you take one puff or several?

___ Times per day

[If Don't know (-8), or Refused (-7), GO TO R05_YV1027.]

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 1,034 valid cases out of 12,098 total cases.

- Mean: 10.18
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 700.00
- Standard Deviation: 34.54

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.3 %
-7	-7 = Refused	14	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,064	91.5%

Percentages for both tables are based on 12,098 total cases.

Location: 1453-1460 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1027: Number of puffs you take each time you pick up your electronic nicotine product to use it

Each time you pick up your electronic nicotine product to use it, about how many puffs do you take?

___ Puffs

[If Don't know (-8), or Refused (-7), GO TO R05_YV1131.]

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 1,054 valid cases out of 12,098 total cases.

- Mean: 6.04
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 338.00
- Standard Deviation: 18.35

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.2 %
-7	-7 = Refused	12	0.1 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,044	91.3%

Percentages for both tables are based on 12,098 total cases.

Location: 1461-1468 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1131_01: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Tobacco-flavor

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Tobacco-flavored

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	103	0.9 %
2	2 = Not Marked	964	8.0 %
	Total	1,067	8.8%

This variable has 1,067 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	12	0.1 %

	Missing Data		
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,031	91.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1469-1476 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1131_02: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Menthol or mint

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	572	4.7 %
2	2 = Not Marked	495	4.1 %
	Total	1,067	8.8%

This variable has 1,067 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,031	91.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1477-1484 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1131_03: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Clove or spice

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	1051	8.7 %
	Total	1,067	8.8%

This variable has 1,067 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,031	91.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1485-1492 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1131_04: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Fruit

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	723	6.0 %
2	2 = Not Marked	344	2.8 %
	Total	1,067	8.8%

This variable has 1,067 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,031	91.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1493-1500 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1131_05: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Chocolate

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	35	0.3 %
2	2 = Not Marked	1032	8.5 %
	Total	1,067	8.8%

This variable has 1,067 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,031	91.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1501-1508 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1131_06: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: An alcoholic drink

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.2 %
2	2 = Not Marked	1045	8.6 %
	Total	1,067	8.8%

This variable has 1,067 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,031	91.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1509-1516 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1131_07: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: A non-alcoholic drink

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	67	0.6 %
2	2 = Not Marked	1000	8.3 %
	Total	1,067	8.8%

This variable has 1,067 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,031	91.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1517-1524 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1131_08: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Candy, desserts or other sweets

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Candy, desserts, or other sweets

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	345	2.9 %
2	2 = Not Marked	722	6.0 %
	Total	1,067	8.8%

This variable has 1,067 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11010	91.0 %

	Missing Data		
	Total	11,031	91.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1525-1532 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1131_09: In past 30 days, used [electronic nicotine products/electronic nicotine cartridges/e-liquid] flavored to taste like: Some other flavor

Which flavors of [EPRODFILL2] have you used in the past 30 days? Choose all that apply.

Some other flavor (SPECIFIED)

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.2 %
2	2 = Not Marked	1045	8.6 %
	Total	1,067	8.8%

This variable has 1,067 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,031	91.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1533-1540 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1133: In past 30 days, flavor of electronic nicotine product / cartridges / e-liquid used most often

In the past 30 days, which flavor of [EPRODFILL2] have you used most often?

ASK: Youth respondents who are past 30 day ENP users and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND (R05_YV1131_[01/.../09] = 1 FOR 2 OR MORE FLAVORS OR R05_YV1131_[01/.../09] = -8, -7).

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Tobacco-flavored	11	0.1 %
2	2 = Menthol or mint	161	1.3 %
3	3 = Clove or spice	0	0.0 %
4	4 = Fruit	253	2.1 %
5	5 = Chocolate	4	0.0 %
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	2	0.0 %
7	7 = A non-alcoholic drink (such as coffee, soda, energy drinks, or other beverages)	10	0.1 %
8	8 = Candy, desserts, or other sweets	73	0.6 %
9	9 = Some other flavor	5	0.0 %
	Total	519	4.3%

This variable has 519 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11566	95.6 %
	Total	11,579	95.7%

Percentages for both tables are based on 12,098 total cases.

Location: 1541-1548 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1147: In past 30 days, on days used, how often electronic nicotine product used was flavored to taste like menthol or mint

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like menthol or mint?

ASK: Youth respondents who are past 30 day ENP users and used menthol or mint flavored ENPs in the past 30 days.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1131_02 = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	133	1.1 %
2	2 = Most of the time	151	1.2 %
3	3 = Sometimes	171	1.4 %
4	4 = Rarely	87	0.7 %
5	5 = Never	26	0.2 %
	Total	568	4.7%

This variable has 568 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11526	95.3 %
	Total	11,530	95.3%

Percentages for both tables are based on 12,098 total cases.

Location: 1549-1556 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1157: In the past 30 days, on days used, how often electronic nicotine product used was flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts or other sweets

In the past 30 days, on the days you used an electronic nicotine product, how often was it flavored to taste like clove, spice, fruit, chocolate, alcoholic or non-alcoholic drinks, candy, desserts, or other sweets?

ASK: Youth respondents who are past 30 day ENP users and used flavored ENPs in the past 30 days other than tobacco-flavored, menthol or mint, or "Some other flavor".

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1131[_03/_04/_05/_06/_07/_08] = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	274	2.3 %
2	2 = Most of the time	188	1.6 %
3	3 = Sometimes	166	1.4 %
4	4 = Rarely	104	0.9 %
5	5 = Never	99	0.8 %
	Total	831	6.9%

This variable has 831 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	4	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11256	93.0 %
	Total	11,267	93.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1557-1564 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1142: In past 30 days, did anyone sell you [electronic nicotine products/electronic nicotine cartridges/e-liquid]

In the past 30 days, did anyone sell you [EPRODFILL2]?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	188	1.6 %
2	2 = No	898	7.4 %
	Total	1,086	9.0%

This variable has 1,086 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,012	91.0%

Percentages for both tables are based on 12,098 total cases.

Location: 1565-1572 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1123: In the past 30 days, someone refused to sell you [electronic nicotine products/electronic nicotine cartridges/e-liquid] because of your age

In the past 30 days, did anyone refuse to sell you [EPRODFILL2] because of your age?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	98	0.8 %
2	2 = No	975	8.1 %
	Total	1,073	8.9%

This variable has 1,073 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,025	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1573-1580 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1118: In past 30 days, how you usually got your own [electronic nicotine products/electronic nicotine cartridges/e-liquid]

In the past 30 days, how did you usually get your own [EPRODFILL2]?

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	256	2.1 %
2	2 = I bought them myself from a store (including a vape shop or vapor lounge)	103	0.9 %
3	3 = I asked someone to give me one	149	1.2 %
4	4 = Someone offered it to me	326	2.7 %
5	5 = I bought them from another person	98	0.8 %
6	6 = I took them from a store or another person	15	0.1 %
7	7 = I got them some other way	80	0.7 %
	Total	1,027	8.5%

This variable has 1,027 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	36	0.3 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,071	91.5%

Percentages for both tables are based on 12,098 total cases.

Location: 1581-1588 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1098: In past 30 days, used a coupon when buying [electronic nicotine products/cartridges/e-liquid]

In the past 30 days, how often have you used a coupon when buying [EPRODFILL2]?

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Always	3	0.0 %
2	2 = Sometimes	4	0.0 %
3	3 = Rarely	9	0.1 %
4	4 = Never	82	0.7 %
	Total	98	0.8%

This variable has 98 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11999	99.2 %
	Total	12,000	99.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1589-1596 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1030: How you usually buy your [electronic nicotine products/electronic nicotine cartridges/e-liquid]

[When you give money to someone else, how do they/How do you] usually buy your [EPRODFILL2]?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YVR06].

ASK: Youth respondents who are past 30 day ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1118 = 1, 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = In person	328	2.7 %
2	2 = From the internet	26	0.2 %
3	3 = By telephone	4	0.0 %
	Total	358	3.0%

This variable has 358 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11739	97.0 %
	Total	11,740	97.0%

Percentages for both tables are based on 12,098 total cases.

Location: 1597-1604 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1033: Retail location where your [electronic nicotine products/electronic nicotine cartridges/e-liquid] are purchased most of the time

Where do [you/they] buy your [EPRODFILL2] most of the time?

Somewhere else (SPECIFIED)

ASK: Youth respondents who are past 30 day ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1118 = 1, 2 AND R05_YV1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A mall kiosk	1	0.0 %
2	2 = A convenience store or gas station	126	1.0 %
3	3 = A supermarket, grocery store, or drug store	12	0.1 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	15	0.1 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	2	0.0 %
8	8 = A friend or relative	14	0.1 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	3	0.0 %
11	11 = A vape shop or vapor lounge	150	1.2 %
	Total	323	2.7%

This variable has 323 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11770	97.3 %
	Total	11,775	97.3%

Percentages for both tables are based on 12,098 total cases.

Location: 1605-1612 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1136: Usually buy electronic nicotine products cartridges by box, pack or as single electronic nicotine products

Think about the last time you [bought/gave money to someone else to buy you] electronic nicotine products. Did you buy them by the box or pack, or as single electronic nicotine products?

[If Single electronic nicotine products (2), Don't know (-8), or Refused (-7), GO TO R05_YV1034.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a disposable device type or an unknown device type.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	13	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = Single (e-cigarette/e-cigar/e-pipe/e-hookah/electronic nicotine product)	7	0.1 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,078	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 1613-1620 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1137: Number of electronic nicotine products in box or pack you last bought

How many electronic nicotine products came in the box or pack that you last bought?

__Products

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5 AND R05_YV1136 = 1.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 13 valid cases out of 12,098 total cases.

- Mean: 8.54
- Median: 3.00
- Minimum: 1.00
- Maximum: 50.00
- Standard Deviation: 13.62

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12085	99.9 %
	Total	12,085	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 1621-1628 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1138_D: Amount paid last time bought a box of electronic nicotine products - Dollars

How much did you pay for a box or pack of electronic nicotine products?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5 AND R05_YV1136 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 12 valid cases out of 12,098 total cases.

- Mean: 16.08
- Median: 14.00
- Mode: 11.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 11.92

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12085	99.9 %
	Total	12,086	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 1629-1636 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1138_C: Amount paid last time bought a box of electronic nicotine products -Cents

How much did you pay for a box or pack of electronic nicotine products?

__ Cents

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a disposable device type or an unknown device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5 AND R05_YV1136 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 12 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12086	99.9 %
	Total	12,086	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 1637-1644 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1034_D: Amount paid when last time bought a single electronic nicotine product - Dollars

How much did you pay for a single electronic nicotine product?

__ Dollars

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a disposable device type or an unknown device type and usually buy single ENPs or did not know or refused to report whether they usually buy them in a box or pack or as single ENPs.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5 AND R05_YV1136 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 6 valid cases out of 12,098 total cases.

- Mean: 10.83
- Median: 10.00
- Mode: 10.00
- Minimum: 7.00
- Maximum: 20.00
- Standard Deviation: 4.67

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,092	100.0 %

Percentages for both tables are based on 12,098 total cases.

Location: 1645-1652 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1034_C: Amount paid when last time bought a single electronic nicotine product - Cents

How much did you pay for a single electronic nicotine product?

__ Cents

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a disposable device type or an unknown device type and usually buy single ENPs or did not know or refused to report whether they usually buy them in a box or pack or as single ENPs.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 1, 5 AND R05_YV1136 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 1653-1660 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1041_D: Amount paid when last time bought e-liquid - Dollars

Think about the last time you [bought/gave money to someone else to buy you] e-liquid.

How much did you pay for a bottle or container of e-liquid?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a refillable tank device type or a mod system device type.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 3, 4.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

This variable has 129 valid cases out of 12,098 total cases.

- Mean: 18.84
- Median: 15.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 100.00
- Standard Deviation: 15.03

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11967	98.9 %
	Total	11,969	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 1661-1668 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1041_C: Amount paid when last time bought e-liquid - Cents

Think about the last time you [bought/gave money to someone else to buy you] e-liquid.

How much did you pay for a bottle or container of e-liquid?

__ Cents

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a refillable tank device type or a mod system device type.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 3, 4.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

This variable has 129 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11968	98.9 %
	Total	11,969	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 1669-1676 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1039: Usually buy electronic nicotine product cartridges by box, pack or as single cartridges

Think about the last time you [bought/gave money to someone else to buy you] electronic nicotine product cartridges.

Did you buy them by the box or pack, or as single cartridges?

[If Single cartridges (2), Don't know (-8), or Refused (-7), GO TO R05_YV1043.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a prefilled cartridge device type.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	153	1.3 %
2	2 = Single cartridges	39	0.3 %
	Total	192	1.6%

This variable has 192 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11906	98.4 %
	Total	11,906	98.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1677-1684 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1040: Number of electronic nicotine product cartridges in box or pack you last bought

How many electronic nicotine product cartridges came in the box or pack that you last bought?

__ Cartridges

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a prefilled cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2 AND R05_YV1039 = 1.

[PROGRAM NOTE: Allow 2 digits.]

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	1	0.0 %
2	-	21	0.2 %
3	-	7	0.1 %
4	-	116	1.0 %

Value	Label	Unweighted Frequency	%
5	-	5	0.0 %
6	-	1	0.0 %
44	-	1	0.0 %
	Total	153	1.3%

This variable has 153 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11945	98.7 %
	Total	11,945	98.7%

Percentages for both tables are based on 12,098 total cases.

Location: 1685-1692 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1042_D: Amount paid for a box or pack of electronic nicotine product cartridges - Dollars

How much did you pay for a box or pack of electronic nicotine product cartridges?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a prefilled cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2 AND R05_YV1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 150 valid cases out of 12,098 total cases.

- Mean: 16.87
- Median: 16.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 65.00
- Standard Deviation: 7.19

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11945	98.7 %
	Total	11,948	98.8 %

Percentages for both tables are based on 12,098 total cases.

Location: 1693-1700 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1042_C: Amount paid for a box or pack of electronic nicotine product cartridges - Cents

How much did you pay for a box or pack of electronic nicotine product cartridges?

__ Cents

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a prefilled cartridge device type and usually buy their ENPs in a box or pack.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2 AND R05_YV1039 = 1.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 150 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11948	98.8 %
	Total	11,948	98.8 %

Percentages for both tables are based on 12,098 total cases.

Location: 1701-1708 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1043_D: Amount paid for a single electronic nicotine product cartridge - Dollars

How much did you pay for a single electronic nicotine product cartridge?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a prefilled cartridge device type and usually buy single ENPs or did not know or refused to report whether they usually buy them in a box or pack or as single ENPs.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2 AND R05_YV1039 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Label	Unweighted Frequency	%
4	-	1	0.0 %
5	-	15	0.1 %
6	-	1	0.0 %
7	-	2	0.0 %
10	-	5	0.0 %
15	-	4	0.0 %
17	-	1	0.0 %
19	-	1	0.0 %
20	-	3	0.0 %
25	-	3	0.0 %
30	-	1	0.0 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12059	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 1709-1716 (width: 8; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1043_C: Amount paid for a single electronic nicotine product cartridge - Cents

How much did you pay for a single electronic nicotine product cartridge?

___ Cents

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YVR57.]

ASK: Youth respondents who are past 30 day "not-light" ENP users and usually get ENPs by giving someone else money to buy for them or buying themselves from a store and use a prefilled cartridge device type and usually buy single ENPs or did not know or refused to report whether they usually buy them in a box or pack or as single ENPs.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YV1118 = 1, 2 AND R05_EDEVICETYPE = 2 AND R05_YV1039 = 2, -8, -7.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 1717-1724 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV1047: Have a regular brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] you usually use

Do you have a regular brand of [EPRODFILL2] that you usually use?

ASK: Youth respondents who are past 30 day "not-light" ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	299	2.5 %

Value	Label	Unweighted Frequency	%
2	2 = No	503	4.2 %
3	3 = I don't know	164	1.4 %
	Total	966	8.0%

This variable has 966 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11129	92.0 %
	Total	11,132	92.0%

Percentages for both tables are based on 12,098 total cases.

Location: 1725-1732 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1945: Know the name of brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] you usually use

Do you know the name of the brand of [EPRODFILL2] you [usually use/last used]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YVD02.]

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	400	3.3 %
2	2 = No	683	5.6 %
	Total	1,083	9.0%

This variable has 1,083 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,015	91.0%

Percentages for both tables are based on 12,098 total cases.

Location: 1733-1740 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1048_BRAND: Brand of [electronic nicotine products/electronic nicotine cartridges/e-liquid] usually/last used

What brand of [EPRODFILL2] [do/did] you [usually/last] use?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else."]

ASK: Youth respondents who are past 30 day ENP users who know the name of the brand of ENPs they usually use or last used.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 392 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11698	96.7 %
	Total	11,706	96.8%

Percentages for both tables are based on 12,098 total cases.

Location: 1741-1748 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV0104: Brand of very last electronic nicotine product puff is same as brand regularly/last used

You said earlier that you last used an electronic nicotine product [TIME OF LAST USE].

Think about the very last puff you took. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day ENP users and last used an ENP in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of ENPs they usually use or last used and selected a brand of ENPs.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YV0100 = 1, 2, 3, 4 AND R05_YV1945 = 1 AND R05_YV1048_BRAND != 9995, -8, -7.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	168	1.4 %
2	2 = No	52	0.4 %
	Total	220	1.8%

This variable has 220 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11875	98.2 %
	Total	11,878	98.2%

Percentages for both tables are based on 12,098 total cases.

Location: 1749-1756 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1060_RANDOM_01: YV1060 series random question 1

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YV1060 through R05_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11010	91.0 %
R05_YV1060	-	133	1.1 %
R05_YV1062	-	123	1.0 %
R05_YV1063	-	121	1.0 %
R05_YV1064	-	39	0.3 %
R05_YV1065	-	138	1.1 %
R05_YV1066	-	134	1.1 %
R05_YV1067	-	109	0.9 %
R05_YV1075	-	133	1.1 %
R05_YV1077	-	37	0.3 %
R05_YV1085	-	121	1.0 %

Value	Label	Unweighted Frequency	%
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 1757-1771 (width: 15; decimal: 0)

Variable Type: character

R05_YV1060_RANDOM_02: YV1060 series random question 2

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YV1060 through R05_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11010	91.0 %
R05_YV1060	-	136	1.1 %
R05_YV1062	-	115	1.0 %
R05_YV1063	-	124	1.0 %
R05_YV1064	-	34	0.3 %
R05_YV1065	-	133	1.1 %
R05_YV1066	-	112	0.9 %
R05_YV1067	-	151	1.2 %
R05_YV1075	-	121	1.0 %
R05_YV1077	-	50	0.4 %
R05_YV1085	-	112	0.9 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 1772-1786 (width: 15; decimal: 0)

Variable Type: character

R05_YV1060_RANDOM_03: YV1060 series random question 3

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YV1060 through R05_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11010	91.0 %
R05_YV1060	-	134	1.1 %
R05_YV1062	-	121	1.0 %
R05_YV1063	-	140	1.2 %
R05_YV1064	-	37	0.3 %
R05_YV1065	-	119	1.0 %
R05_YV1066	-	123	1.0 %
R05_YV1067	-	139	1.1 %
R05_YV1075	-	131	1.1 %
R05_YV1077	-	36	0.3 %
R05_YV1085	-	108	0.9 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 1787-1801 (width: 15; decimal: 0)

Variable Type: character

R05_YV1060_RANDOM_04: YV1060 series random question 4

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YV1060 through R05_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11010	91.0 %
R05_YV1060	-	138	1.1 %
R05_YV1062	-	117	1.0 %
R05_YV1063	-	129	1.1 %
R05_YV1064	-	42	0.3 %
R05_YV1065	-	137	1.1 %
R05_YV1066	-	109	0.9 %
R05_YV1067	-	121	1.0 %
R05_YV1075	-	113	0.9 %
R05_YV1077	-	33	0.3 %
R05_YV1085	-	149	1.2 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 1802-1816 (width: 15; decimal: 0)

Variable Type: character

R05_YV1060_RANDOM_05: YV1060 series random question 5

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YV1060 through R05_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11010	91.0 %
R05_YV1060	-	106	0.9 %
R05_YV1062	-	127	1.0 %
R05_YV1063	-	143	1.2 %
R05_YV1064	-	28	0.2 %
R05_YV1065	-	116	1.0 %
R05_YV1066	-	163	1.3 %
R05_YV1067	-	125	1.0 %
R05_YV1075	-	122	1.0 %
R05_YV1077	-	39	0.3 %
R05_YV1085	-	119	1.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 1817-1831 (width: 15; decimal: 0)

Variable Type: character

R05_YV1060_RANDOM_06: YV1060 series random question 6

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YV1060 through R05_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11010	91.0 %
R05_YV1060	-	140	1.2 %

Value	Label	Unweighted Frequency	%
R05_YV1062	-	128	1.1 %
R05_YV1063	-	124	1.0 %
R05_YV1064	-	41	0.3 %
R05_YV1065	-	129	1.1 %
R05_YV1066	-	108	0.9 %
R05_YV1067	-	124	1.0 %
R05_YV1075	-	134	1.1 %
R05_YV1077	-	32	0.3 %
R05_YV1085	-	128	1.1 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 1832-1846 (width: 15; decimal: 0)

Variable Type: character

R05_YV1060_RANDOM_07: YV1060 series random question 7

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YV1060 through R05_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11010	91.0 %
R05_YV1060	-	105	0.9 %
R05_YV1062	-	125	1.0 %
R05_YV1063	-	125	1.0 %
R05_YV1064	-	36	0.3 %
R05_YV1065	-	112	0.9 %
R05_YV1066	-	141	1.2 %
R05_YV1067	-	114	0.9 %
R05_YV1075	-	149	1.2 %
R05_YV1077	-	43	0.4 %
R05_YV1085	-	138	1.1 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 1847-1861 (width: 15; decimal: 0)

Variable Type: character

R05_YV1060_RANDOM_08: YV1060 series random question 8

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YV1060 through R05_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11010	91.0 %
R05_YV1060	-	122	1.0 %
R05_YV1062	-	153	1.3 %
R05_YV1063	-	125	1.0 %
R05_YV1064	-	37	0.3 %
R05_YV1065	-	127	1.0 %
R05_YV1066	-	117	1.0 %
R05_YV1067	-	132	1.1 %
R05_YV1075	-	105	0.9 %
R05_YV1077	-	35	0.3 %
R05_YV1085	-	135	1.1 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 1862-1876 (width: 15; decimal: 0)

Variable Type: character

R05_YV1060_RANDOM_09: YV1060 series random question 9

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YV1060 through R05_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11728	96.9 %
R05_YV1060	-	29	0.2 %
R05_YV1062	-	46	0.4 %
R05_YV1063	-	30	0.2 %
R05_YV1064	-	42	0.3 %

Value	Label	Unweighted Frequency	%
R05_YV1065	-	39	0.3 %
R05_YV1066	-	37	0.3 %
R05_YV1067	-	35	0.3 %
R05_YV1075	-	47	0.4 %
R05_YV1077	-	27	0.2 %
R05_YV1085	-	38	0.3 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 1877-1891 (width: 15; decimal: 0)

Variable Type: character

R05_YV1060_RANDOM_10: YV1060 series random question 10

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YV1060 through R05_YV1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YVD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11728	96.9 %
R05_YV1060	-	45	0.4 %
R05_YV1062	-	33	0.3 %
R05_YV1063	-	27	0.2 %
R05_YV1064	-	34	0.3 %
R05_YV1065	-	38	0.3 %
R05_YV1066	-	44	0.4 %
R05_YV1067	-	38	0.3 %
R05_YV1075	-	33	0.3 %
R05_YV1077	-	38	0.3 %
R05_YV1085	-	40	0.3 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 1892-1906 (width: 15; decimal: 0)

Variable Type: character

R05_YV1060: Use electronic nicotine products because: They are affordable

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons apply to you.

I use electronic nicotine products because...

They are affordable.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	431	3.6 %
2	2 = No	642	5.3 %
	Total	1,073	8.9%

This variable has 1,073 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,025	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1907-1914 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1085: Use electronic nicotine products because: Electronic nicotine products can be used in places where smoking cigarettes is not allowed

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons apply to you.

I use electronic nicotine products because...

I can use electronic nicotine products at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	442	3.7 %
2	2 = No	633	5.2 %

Value	Label	Unweighted Frequency	%
	Total	1,075	8.9%

This variable has 1,075 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,023	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1915-1922 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1062: Use electronic nicotine products because: They might be less harmful to me than cigarettes

The next questions are about the reasons people use electronic nicotine products.
Please select which reasons apply to you.

I use electronic nicotine products because...

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	621	5.1 %
2	2 = No	461	3.8 %
	Total	1,082	8.9%

This variable has 1,082 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,016	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1923-1930 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1075: Use electronic nicotine products because: They might be less harmful to people around me than cigarettes

The next questions are about the reasons people use electronic nicotine products.
Please select which reasons apply to you.

I use electronic nicotine products because...

They might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	638	5.3 %
2	2 = No	442	3.7 %
	Total	1,080	8.9%

This variable has 1,080 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,018	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1931-1938 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1063: Use electronic nicotine products because: E-liquid comes in flavors I like

The next questions are about the reasons people use electronic nicotine products.
Please select which reasons apply to you.

I use electronic nicotine products because...

E-liquid comes in flavors I like.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	710	5.9 %
2	2 = No	367	3.0 %
	Total	1,077	8.9%

This variable has 1,077 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,021	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1939-1946 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1064: Use electronic nicotine products because: Using electronic nicotine products helps people quit smoking cigarettes

The next questions are about the reasons people use electronic nicotine products.
Please select which reasons apply to you.

I use electronic nicotine products because...

Using electronic nicotine products helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day ENP users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	191	1.6 %
2	2 = No	179	1.5 %
	Total	370	3.1%

This variable has 370 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11728	96.9 %
	Total	11,728	96.9%

Percentages for both tables are based on 12,098 total cases.

Location: 1947-1954 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1065: Use electronic nicotine products because: Electronic nicotine products don't smell

The next questions are about the reasons people use electronic nicotine products.
Please select which reasons apply to you.

I use electronic nicotine products because...

Electronic nicotine products don't smell.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	460	3.8 %
2	2 = No	621	5.1 %
	Total	1,081	8.9%

This variable has 1,081 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,017	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1955-1962 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1066: Use electronic nicotine products because: Using an electronic nicotine product feels like smoking a regular cigarette

The next questions are about the reasons people use electronic nicotine products.
Please select which reasons apply to you.

I use electronic nicotine products because...

Using an electronic nicotine product feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	164	1.4 %
2	2 = No	914	7.6 %
	Total	1,078	8.9%

This variable has 1,078 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,020	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1963-1970 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1067: Use electronic nicotine products because: Electronic nicotine products don't bother non-tobacco users

The next questions are about the reasons people use electronic nicotine products.
Please select which reasons apply to you.

I use electronic nicotine products because...

Electronic nicotine products don't bother non-tobacco users.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	385	3.2 %
2	2 = No	688	5.7 %
	Total	1,073	8.9%

This variable has 1,073 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,025	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1971-1978 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1077: Use electronic nicotine products because: Using electronic nicotine products satisfies my cravings for cigarettes

The next questions are about the reasons people use electronic nicotine products.

Please select which reasons apply to you.

I use electronic nicotine products because...

Using electronic nicotine products satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day ENP users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	164	1.4 %
2	2 = No	201	1.7 %
	Total	365	3.0%

This variable has 365 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11728	96.9 %
	Total	11,733	97.0%

Percentages for both tables are based on 12,098 total cases.

Location: 1979-1986 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1086: In past 30 days, used electronic nicotine product at times when or in places you could not smoke cigarettes

In the past 30 days, have you used an electronic nicotine product at times when or in places where you could not smoke regular cigarettes?

ASK: Youth respondents who are past 30 day ENP users and are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1 AND R05_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	118	1.0 %
2	2 = No	71	0.6 %
	Total	189	1.6%

This variable has 189 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11908	98.4 %
	Total	11,909	98.4%

Percentages for both tables are based on 12,098 total cases.

Location: 1987-1994 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1139: Level of agreement: It is easier to talk and get along with people when using an electronic nicotine product

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when using an electronic nicotine product.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	608	5.0 %
2	2 = 2 on a scale of 1 to 4	209	1.7 %
3	3 = 3 on a scale of 1 to 4	139	1.1 %
4	4 = Very true of me	117	1.0 %
	Total	1,073	8.9%

This variable has 1,073 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,025	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 1995-2002 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1140: Level of agreement: Feel more confident with other people when using an electronic nicotine product

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

While using an electronic nicotine product, I feel more confident with other people.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	643	5.3 %
2	2 = 2 on a scale of 1 to 4	220	1.8 %
3	3 = 3 on a scale of 1 to 4	132	1.1 %
4	4 = Very true of me	84	0.7 %
	Total	1,079	8.9%

This variable has 1,079 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,019	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 2003-2010 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1141: Level of agreement: Use electronic nicotine products more when with other people

Please rate your level of agreement for each statement using the following scale: 1 = not true of me at all to 4 = very true of me.

I use electronic nicotine products much more when I am with other people.

ASK: Youth respondents who are past 30 day ENP users.

ASK Specification: IF R05_PAST30DAY_EPRODS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	361	3.0 %
2	2 = 2 on a scale of 1 to 4	198	1.6 %
3	3 = 3 on a scale of 1 to 4	211	1.7 %
4	4 = Very true of me	309	2.6 %
	Total	1,079	8.9%

This variable has 1,079 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,019	91.1%

Percentages for both tables are based on 12,098 total cases.

Location: 2011-2018 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9042: Used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product

Have you ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

(Remember all information you give to the PATH Study will be kept private.)

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YGT01.]

ASK: New baseline youth respondents who have seen or heard of ENPs, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1530	12.6 %
2	2 = No	10288	85.0 %
	Total	11,818	97.7%

This variable has 11,818 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	250	2.1 %
	Total	280	2.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2019-2026 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9106: When used an electronic nicotine product, how often use it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils

When you have used an electronic product, how often were you using it to smoke marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils?

ASK: New baseline youth respondents who have seen or heard of ENPs and have ever used marijuana in an ENP, or continuing youth respondents who have ever used marijuana in an ENP.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1 AND R05_YV9042 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YV9042 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Every time	200	1.7 %
2	2 = Most of the time	173	1.4 %
3	3 = Sometimes	290	2.4 %
4	4 = Rarely	550	4.5 %
5	5 = Never	314	2.6 %
	Total	1,527	12.6%

This variable has 1,527 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10568	87.4 %
	Total	10,571	87.4%

Percentages for both tables are based on 12,098 total cases.

Location: 2027-2034 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YM0100: When last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic nicotine product

When did you last use marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product such as an e-cigarette, vape, mod, personal vaporizer, e-hookah, or hookah pen?

[If In the past hour (1), GO TO R05_YM0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YGT01.]

ASK: New baseline youth respondents who have seen or heard of ENPs and have ever used marijuana in an ENP, or continuing youth respondents who have ever used marijuana in an ENP.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1 AND R05_YV9042 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YV9042 = 1).

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	53	0.4 %
2	2 = Sometime today, but more than an hour ago	71	0.6 %
3	3 = Yesterday	139	1.1 %
4	4 = Day before yesterday	67	0.6 %
5	5 = Three or more days ago	1085	9.0 %
	Total	1,415	11.7%

This variable has 1,415 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	72	0.6 %
-7	-7 = Refused	43	0.4 %
-1	-1 = Inapplicable	10568	87.4 %
	Total	10,683	88.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2035-2042 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YM0102: Time period of day when you last used marijuana in an electronic nicotine product

When you last used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an electronic product [FILL BASED ON R05_YM0100], was it...

ASK: New baseline youth respondents who have seen or heard of ENPs and have ever used marijuana in an ENP and have used marijuana in an ENP sometime today, yesterday, or the day before yesterday, or continuing youth respondents who have ever used marijuana in an ENP and have used marijuana in an ENP sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1 AND R05_YV9042 = 1 AND R05_YM0100 = 2, 3, 4) OR (R05_YOUTHTYPE = 1 AND R05_YV9042 = 1 AND R05_YM0100 = 2, 3, 4).

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	38	0.3 %
2	2 = After 6AM but before noon	41	0.3 %
3	3 = Between noon and 6PM	96	0.8 %
4	4 = After 6PM but before midnight	94	0.8 %
	Total	269	2.2%

This variable has 269 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11821	97.7 %
	Total	11,829	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2043-2050 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YM0103: Number of puffs of marijuana taken from an electronic nicotine product today/yesterday/day before yesterday

How many puffs of marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils from an electronic product [have/did] you [taken/take] [FILL BASED ON R05_YM0100]?

___ Puffs

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YGT01.]

ASK: New baseline youth respondents who have seen or heard of ENPs and have ever used marijuana in an ENP and have used marijuana in an ENP in the past hour, sometime today, yesterday, or the day before yesterday, or continuing youth respondents who have ever used marijuana in an ENP and last used marijuana in an ENP in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YV1001_NB = 1 AND R05_YV9042 = 1 AND R05_YM0100 = 1, 2, 3, 4) OR (R05_YOUTHTYPE = 1 AND R05_YV9042 = 1 AND R05_YM0100 = 1, 2, 3, 4).

[PROGRAM NOTE: Allow 3 digits.]

This variable has 314 valid cases out of 12,098 total cases.

- Mean: 22.64
- Median: 5.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 999.00
- Standard Deviation: 111.18

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	4	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11768	97.3 %
	Total	11,784	97.4 %

Percentages for both tables are based on 12,098 total cases.

Location: 2051-2058 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG9101_NB: Ever seen or heard of a traditional cigar, cigarillo or filtered cigar before this study

Have you ever seen or heard of a traditional cigar, cigarillo, or filtered cigar before this study?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YGV04.]

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1119	9.2 %
2	2 = No	530	4.4 %
	Total	1,649	13.6%

This variable has 1,649 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,449	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 2059-2066 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1002_NB: Ever smoked a traditional cigar, cigarillo or filtered cigar, even one or two puffs

Have you ever smoked a traditional cigar, cigarillo, or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YGV04.]

ASK: New baseline youth respondents who have seen or heard of traditional cigars, cigarillos, or filtered cigars, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	56	0.5 %
2	2 = No	1656	13.7 %

Value	Label	Unweighted Frequency	%
	Total	1,712	14.2%

This variable has 1,712 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10381	85.8 %
	Total	10,386	85.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2067-2074 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9104_NB_01: Type of cigar ever smoked: Traditional cigars

Which type of cigar have you ever smoked?

Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others

ASK: New baseline youth respondents who have seen or heard of traditional cigars and have ever smoked a traditional cigar or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG1002_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	39	0.3 %
	Total	53	0.4%

This variable has 53 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12042	99.5 %
	Total	12,045	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 2075-2082 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9104_NB_02: Type of cigar ever smoked: Cigarillos or filtered cigars

Which type of cigar have you ever smoked?

Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne, or others

ASK: New baseline youth respondents who have seen or heard of cigarillos or filtered cigars and have ever smoked a cigarillo or filtered cigar, or continuing youth respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG1002_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.3 %
2	2 = No	12	0.1 %
	Total	54	0.4%

This variable has 54 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12042	99.5 %
	Total	12,044	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 2083-2090 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9009_NB_01: Type of cigarillos or filtered cigars ever smoked: With a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

With a plastic or wooden tip

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YGV04.]

ASK: New baseline youth respondents who have seen or heard of cigarillos or filtered cigars and have ever smoked a cigarillo or filtered cigar or continuing youth respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	35	0.3 %
2	2 = Not Marked	7	0.1 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12056	99.7 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2091-2098 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9009_NB_02: Type of cigarillos or filtered cigars ever smoked: With a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

With a filter (like a cigarette filter)

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YGV04.]

ASK: New baseline youth respondents who have seen or heard of cigarillos or filtered cigars and have ever smoked a cigarillo or filtered cigar or continuing youth respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	34	0.3 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12056	99.7 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2099-2106 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9009_NB_03: Type of cigarillos or filtered cigars ever smoked: Without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you ever smoked? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

Without a tip or filter

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YGV04.]

ASK: New baseline youth respondents who have seen or heard of cigarillos or filtered cigars and have ever smoked a cigarillo or filtered cigar or continuing youth respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have ever smoked a cigarillo or filtered cigar.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG1002_NB = 1 AND

R05_YG9104_NB_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG9104_NB_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %
2	2 = Not Marked	25	0.2 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12056	99.7 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2107-2114 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1002_12M: In past 12 months, smoked a traditional cigar, cigarillo or filtered cigar, even one or two puffs

In the past 12 months, have you smoked a traditional cigar, cigarillo, or filtered cigar, even one or two puffs?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS, CIGARILLOS, AND FILTERED CIGARS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YGV04.]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar and have ever smoked a cigarillo and have ever smoked a filtered cigar as of their last completed interview, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar, cigarillo, or filtered cigar as of their last completed interview and have ever smoked a traditional cigar, cigarillo, or filtered cigar.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	314	2.6 %
2	2 = No	9555	79.0 %
	Total	9,869	81.6%

This variable has 9,869 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	2205	18.2 %
	Total	2,229	18.4%

Percentages for both tables are based on 12,098 total cases.

Location: 2115-2122 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9104_12M_01: In past 12 months, type of cigar smoked: Traditional cigars

Which type of cigar have you smoked in the past 12 months?

Traditional cigars like Macanudo, Romeo y Julieta, Arturo Fuente, Cohiba, or others

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a traditional cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a traditional cigar as of their last completed interview and have smoked a traditional cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a traditional cigar as of their last completed interview and have ever smoked a traditional cigar and have smoked a traditional cigar, in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YG1002_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1 AND R05_YG1002_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	81	0.7 %
2	2 = No	227	1.9 %
	Total	308	2.5%

This variable has 308 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11784	97.4 %
	Total	11,790	97.5%

Percentages for both tables are based on 12,098 total cases.

Location: 2123-2130 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9104_12M_02: In past 12 months, type of cigar smoked: Cigarillos or filtered cigars

Which type of cigar have you smoked in the past 12 months?

Cigarillos or filtered cigars like Black & Mild, Swisher Sweets, Dutch Masters, Phillies Blunts, Zig Zag, Cheyenne, or others

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a cigarillo or filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YG1002_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1 AND R05_YG1002_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	219	1.8 %
2	2 = No	87	0.7 %
	Total	306	2.5%

This variable has 306 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11784	97.4 %

	Missing Data		
	Total	11,792	97.5%

Percentages for both tables are based on 12,098 total cases.

Location: 2131-2138 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9009_12M_01: In past 12 months, type of cigarillos or filtered cigars smoked: With a plastic or wooden tip

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months?

Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

With a plastic or wooden tip

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a cigarillo or filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	144	1.2 %
2	2 = Not Marked	74	0.6 %
	Total	218	1.8%

This variable has 218 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11879	98.2 %
	Total	11,880	98.2%

Percentages for both tables are based on 12,098 total cases.

Location: 2139-2146 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9009_12M_02: In past 12 months, type of cigarillos or filtered cigars smoked: With a filter (like a cigarette filter)

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months?

Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

With a filter (like a cigarette filter)

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a cigarillo or filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	49	0.4 %
2	2 = Not Marked	169	1.4 %
	Total	218	1.8%

This variable has 218 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11879	98.2 %
	Total	11,880	98.2%

Percentages for both tables are based on 12,098 total cases.

Location: 2147-2154 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9009_12M_03: In past 12 months, type of cigarillos or filtered cigars smoked: Without a tip or filter

Which of the following kinds of cigarillos or filtered cigars have you smoked in the past 12 months? Choose all that apply.

The kind...

[SHOW GENERIC IMAGE OF CIGARILLOS WITH TIPS, FILTERED CIGARS, AND CIGARILLOS WITHOUT TIPS]

Without a tip or filter

ASK: Continuing youth respondents who are not previous wave non-responders and have smoked a cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have ever smoked a cigarillo or filtered cigar as of their last completed interview and have smoked a cigarillo or filtered cigar in the past 12 months and have smoked a cigarillo or filtered cigar in the past 12 months, or continuing youth respondents who are previous wave non-responders and have never smoked a cigarillo or filtered cigar as of their last completed interview and have ever smoked a cigarillo or filtered cigar and have smoked a cigarillo or filtered cigar in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_GTRAD = 1 AND R04_EVER_NEVER_GRILLO = 1 AND R04_EVER_NEVER_GFILTR = 1 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_GTRAD = 2 OR R04_EVER_NEVER_GRILLO = 2 OR R04_EVER_NEVER_GFILTR = 2) AND R05_YG1002_NB = 1 AND R05_YG1002_12M = 1 AND R05_YG9104_12M_02 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	89	0.7 %
2	2 = Not Marked	129	1.1 %
	Total	218	1.8%

This variable has 218 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11879	98.2 %
	Total	11,880	98.2%

Percentages for both tables are based on 12,098 total cases.

Location: 2155-2162 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9010: Ever been curious about smoking a traditional cigar

Have you ever been curious about smoking a traditional cigar?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars and have never smoked traditional cigars or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	104	0.9 %
2	2 = Somewhat curious	226	1.9 %
3	3 = A little curious	818	6.8 %
4	4 = Not at all curious	10224	84.5 %
	Total	11,372	94.0%

This variable has 11,372 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	707	5.8 %
	Total	726	6.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2163-2170 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9020: Think you will smoke a traditional cigar in the next year

Do you think you will smoke a traditional cigar in the next year?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	22	0.2 %
2	2 = Probably yes	77	0.6 %
3	3 = Probably not	765	6.3 %
4	4 = Definitely not	10522	87.0 %
	Total	11,386	94.1%

This variable has 11,386 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	707	5.8 %
	Total	712	5.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2171-2178 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9013: Think you will try a traditional cigar soon

Do you think that you will try a traditional cigar soon?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	16	0.1 %
2	2 = Probably yes	49	0.4 %
3	3 = Probably not	725	6.0 %
4	4 = Definitely not	10591	87.5 %
	Total	11,381	94.1%

This variable has 11,381 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	707	5.8 %
	Total	717	5.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2179-2186 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9016: Would smoke a traditional cigar if one of your friends offered you one

If one of your best friends were to offer you a traditional cigar, would you smoke it?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked traditional cigars, or continuing youth respondents who have never smoked traditional cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	57	0.5 %
2	2 = Probably yes	293	2.4 %
3	3 = Probably not	870	7.2 %
4	4 = Definitely not	10160	84.0 %
	Total	11,380	94.1%

This variable has 11,380 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	707	5.8 %
	Total	718	5.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2187-2194 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9011: Ever been curious about smoking a cigarillo

Have you ever been curious about smoking a cigarillo?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	49	0.4 %
2	2 = Somewhat curious	94	0.8 %
3	3 = A little curious	464	3.8 %
4	4 = Not at all curious	10556	87.3 %
	Total	11,163	92.3%

This variable has 11,163 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	921	7.6 %
	Total	935	7.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2195-2202 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9021: Think you will smoke a cigarillo in the next year

Do you think you will smoke a cigarillo in the next year?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	17	0.1 %
2	2 = Probably yes	51	0.4 %
3	3 = Probably not	602	5.0 %
4	4 = Definitely not	10495	86.7 %
	Total	11,165	92.3%

This variable has 11,165 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	921	7.6 %
	Total	933	7.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2203-2210 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9014: Think you will try a cigarillo soon

Do you think that you will try a cigarillo soon?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	16	0.1 %
2	2 = Probably yes	40	0.3 %
3	3 = Probably not	606	5.0 %
4	4 = Definitely not	10508	86.9 %
	Total	11,170	92.3%

This variable has 11,170 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	921	7.6 %
	Total	928	7.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2211-2218 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9017: Would smoke a cigarillo if one of your friends offered you one

If one of your best friends were to offer you a cigarillo, would you smoke it?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked cigarillos, or continuing youth respondents who have never smoked cigarillos.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2)
OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	31	0.3 %
2	2 = Probably yes	211	1.7 %
3	3 = Probably not	729	6.0 %
4	4 = Definitely not	10196	84.3 %
	Total	11,167	92.3%

This variable has 11,167 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	921	7.6 %
	Total	931	7.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2219-2226 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9012: Ever been curious about smoking a filtered cigar

Have you ever been curious about smoking a filtered cigar?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	47	0.4 %
2	2 = Somewhat curious	95	0.8 %
3	3 = A little curious	430	3.6 %
4	4 = Not at all curious	10856	89.7 %
	Total	11,428	94.5%

This variable has 11,428 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	657	5.4 %
	Total	670	5.5%

Percentages for both tables are based on 12,098 total cases.

Location: 2227-2234 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9022: Think you will smoke a filtered cigar in the next year

Do you think you will smoke a filtered cigar in the next year?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	14	0.1 %
2	2 = Probably yes	51	0.4 %
3	3 = Probably not	607	5.0 %
4	4 = Definitely not	10759	88.9 %
	Total	11,431	94.5%

This variable has 11,431 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	657	5.4 %
	Total	667	5.5%

Percentages for both tables are based on 12,098 total cases.

Location: 2235-2242 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9015: Think you will try a filtered cigar soon

Do you think that you will try a filtered cigar soon?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	16	0.1 %
2	2 = Probably yes	33	0.3 %
3	3 = Probably not	605	5.0 %
4	4 = Definitely not	10780	89.1 %
	Total	11,434	94.5%

This variable has 11,434 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	657	5.4 %
	Total	664	5.5%

Percentages for both tables are based on 12,098 total cases.

Location: 2243-2250 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9018: Would smoke a filtered cigar if one of your best friends offered you one

If one of your best friends were to offer you a filtered cigar, would you smoke it?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have never smoked filtered cigars, or continuing youth respondents who have never smoked filtered cigars.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	44	0.4 %
2	2 = Probably yes	204	1.7 %
3	3 = Probably not	714	5.9 %
4	4 = Definitely not	10471	86.6 %
	Total	11,433	94.5%

This variable has 11,433 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	657	5.4 %
	Total	665	5.5%

Percentages for both tables are based on 12,098 total cases.

Location: 2251-2258 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9105_NB: Ever smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it (blunt)

Sometimes people take tobacco out of a traditional cigar, cigarillo, or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".

Have you ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it? (Remember all information you give to the PATH Study will be kept private.)

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YGV01.]

ASK: New baseline youth respondents who have ever seen or heard of traditional cigars, cigarillos, or filtered cigars.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	1100	9.1 %
	Total	1,119	9.2%

This variable has 1,119 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10979	90.8 %
	Total	10,979	90.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2259-2266 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9107: In past 12 months, smoked part or all of a cigar, cigarillo or filtered cigar with marijuana in it

[Sometimes people take tobacco out of a traditional cigar, cigarillo, or filtered cigar and replace it with marijuana. This is sometimes called a "blunt".]

In the past 12 months, have you smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it? [(Remember all information you give to the PATH Study will be kept private.)]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YGV01.]

ASK: New baseline youth respondents who ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG9105_NB = 1) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	827	6.8 %
2	2 = No	9619	79.5 %
	Total	10,446	86.3%

This variable has 10,446 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	1633	13.5 %
	Total	1,652	13.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2267-2274 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1095_01: Type of cigar usually smoked as a blunt: Group 1 (Traditional cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

Group 1

ASK: New baseline youth respondents who ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG9105_NB = 1 AND R05_YG9107 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	131	1.1 %
2	2 = Not Marked	684	5.7 %
	Total	815	6.7%

This variable has 815 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11271	93.2 %
	Total	11,283	93.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2275-2282 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1095_02: Type of cigar usually smoked as a blunt: Group 2 (Cigarillos with and without tips)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

Group 2

ASK: New baseline youth respondents who ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG9105_NB = 1 AND R05_YG9107 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	709	5.9 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	106	0.9 %
	Total	815	6.7%

This variable has 815 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11271	93.2 %
	Total	11,283	93.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2283-2290 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1095_03: Type of cigar usually smoked as a blunt: Group 3 (Filtered cigar)

Which of the following looks like the type of cigar you usually smoke as a blunt? Choose all that apply.

[SHOW GENERIC IMAGE OF 3 CIGAR GROUPS]

Group 3

ASK: New baseline youth respondents who ever seen or heard of traditional cigars, cigarillos, or filtered cigars and have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months, or continuing youth respondents who have smoked part or all of a traditional cigar, cigarillo and have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YG9101_NB = 1 AND R05_YG9105_NB = 1 AND R05_YG9107 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YG9107 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	53	0.4 %
2	2 = Not Marked	762	6.3 %
	Total	815	6.7%

This variable has 815 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11271	93.2 %
	Total	11,283	93.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2291-2298 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9106_01: In past 12 months, frequency with which the tobacco in traditional cigars was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]]

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months and usually smoke traditional cigars as blunts.

ASK Specification: IF R05_YG9107 = 1 AND R05_YG1095_01 = 1.

[PROGRAM NOTE: Repeat this question for every cigar type identified in R05_YG1095[_01/_02/_03].

If R05_YG1095_01 = 1, show image of traditional cigars.

If R05_YG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R05_YG1095_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	66	0.5 %
2	2 = Most of the time	19	0.2 %
3	3 = Sometimes	18	0.1 %
4	4 = Rarely	21	0.2 %
5	5 = Never	6	0.0 %
	Total	130	1.1%

This variable has 130 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11967	98.9 %
	Total	11,968	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2299-2306 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9106_02: In past 12 months, frequency with which the tobacco in cigarillos with or without tips was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]]

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months and usually smoke cigarillos as blunts.

ASK Specification: IF R05_YG9107 = 1 AND R05_YG1095_02 = 1.

[PROGRAM NOTE: Repeat this question for every cigar type identified in R05_YG1095[_01/_02/_03].

If R05_YG1095_01 = 1, show image of traditional cigars.

If R05_YG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R05_YG1095_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	397	3.3 %
2	2 = Most of the time	95	0.8 %
3	3 = Sometimes	69	0.6 %
4	4 = Rarely	105	0.9 %
5	5 = Never	41	0.3 %
	Total	707	5.8%

This variable has 707 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11389	94.1 %
	Total	11,391	94.2%

Percentages for both tables are based on 12,098 total cases.

Location: 2307-2314 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9106_03: In past 12 months, frequency with which the tobacco in filtered cigars was replaced with marijuana

Now think about the past 12 months when you smoked the type of cigar shown below.

In the past 12 months, how often was any of the tobacco replaced with marijuana?

[SHOW GENERIC IMAGE OF [YG1095CIGARTYPE]]

ASK: Youth respondents who have smoked part or all of a traditional cigar, cigarillo, or filtered cigar as a blunt in the past 12 months and usually smoke filtered cigars as blunts.

ASK Specification: IF R05_YG9107 = 1 AND R05_YG1095_03 = 1.

[PROGRAM NOTE: Repeat this question for every cigar type identified in R05_YG1095[_01/_02/_03].

If R05_YG1095_01 = 1, show image of traditional cigars.

If R05_YG1095_02 = 1, show image of cigarillos with tips and cigarillos without tips.

If R05_YG1095_03 = 1, show image of filtered cigars.]

Value	Label	Unweighted Frequency	%
1	1 = Every time	21	0.2 %
2	2 = Most of the time	7	0.1 %
3	3 = Sometimes	6	0.0 %
4	4 = Rarely	10	0.1 %
5	5 = Never	9	0.1 %
	Total	53	0.4%

This variable has 53 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12045	99.6 %
	Total	12,045	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 2315-2322 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1108TC: First traditional cigar smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first traditional cigar you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YJ1112TC.]

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar smokers, or continuing youth respondents who initiated blunt-only traditional cigar smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BTRAD = 1) OR R05_INIT_BLUNT_BTRAD_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2 %
2	2 = No	18	0.1 %
3	3 = I don't know	11	0.1 %
	Total	51	0.4%

This variable has 51 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12047	99.6 %
	Total	12,047	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 2323-2330 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011TC_01: Flavor of first traditional cigar smoked as a blunt: Menthol or mint

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar smokers and whose first traditional cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1108TC = 1) OR (R05_INIT_BLUNT_BTRAD_YOUTH = 1 AND R05_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	19	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2331-2338 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011TC_02: Flavor of first traditional cigar smoked as a blunt: Clove or spice

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar smokers and whose first traditional cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1108TC = 1) OR (R05_INIT_BLUNT_BTRAD_YOUTH = 1 AND R05_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2339-2346 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011TC_03: Flavor of first traditional cigar smoked as a blunt: Fruit

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar smokers and whose first traditional cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1108TC = 1) OR (R05_INIT_BLUNT_BTRAD_YOUTH = 1 AND R05_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	9	0.1 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2347-2354 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011TC_04: Flavor of first traditional cigar smoked as a blunt: Chocolate

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar smokers and whose first traditional cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1108TC = 1) OR (R05_INIT_BLUNT_BTRAD_YOUTH = 1 AND R05_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2355-2362 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011TC_05: Flavor of first traditional cigar smoked as a blunt: An alcoholic drink

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar smokers and whose first traditional cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1108TC = 1) OR (R05_INIT_BLUNT_BTRAD_YOUTH = 1 AND R05_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2363-2370 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011TC_06: Flavor of first traditional cigar smoked as a blunt: Candy or other sweets

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar smokers and whose first traditional cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1108TC = 1) OR (R05_INIT_BLUNT_BTRAD_YOUTH = 1 AND R05_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	12	0.1 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2371-2378 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011TC_07: Flavor of first traditional cigar smoked as a blunt: Some other flavor

What flavor was that first traditional cigar you smoked as a blunt? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who are past 12 month blunt-only traditional cigar smokers and whose first traditional cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only traditional cigar smoking since their last completed interview and whose first traditional cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1108TC = 1) OR (R05_INIT_BLUNT_BTRAD_YOUTH = 1 AND R05_YJ1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2379-2386 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1112TC: Last time smoked a traditional cigar as a blunt, even one or two puffs

When was the last time you smoked a traditional cigar as a blunt, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar smokers.

ASK Specification: IF R05_12MBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	8	0.1 %
2	2 = Not today but sometime in the past 7 days	14	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	11	0.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	22	0.2 %
5	5 = Not in the past 6 months but sometime in the past year	9	0.1 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12032	99.5 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 2387-2394 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0100TC: When last smoked a traditional cigar as a blunt

When did you last smoke a traditional cigar as a blunt?

[If in the past hour (1), GO TO R05_YJ0103TC. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar smokers and last smoked a traditional cigar as a blunt earlier today or sometime in the past 7 days.

ASK Specification: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	5	0.0 %
2	2 = Sometime today, but more than an hour ago	3	0.0 %
3	3 = Yesterday	7	0.1 %
4	4 = Day before yesterday	1	0.0 %
5	5 = Three or more days ago	6	0.0 %
	Total	22	0.2%

This variable has 22 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2395-2402 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0102TC: Time period of day when you last smoked a traditional cigar as a blunt

When you last smoked a traditional cigar as a blunt [FILL BASED ON R05_YJ0100], was it...

ASK: Youth respondents who are past 12 month blunt-only traditional cigar smokers and last smoked a traditional cigar as a blunt earlier today or sometime in the past 7 days and last smoked a traditional cigar as a blunt sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2 AND R05_YJ0100TC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	1	0.0 %
2	2 = After 6AM but before noon	4	0.0 %
3	3 = Between noon and 6PM	1	0.0 %
4	4 = After 6PM but before midnight	5	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2403-2410 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0103TC: Number of traditional cigars as a blunt smoked today/yesterday/day before yesterday

How many traditional cigars [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R05_YJ0100TC]?
(If less than 1, enter 1.)

___ Traditional Cigars as Blunts

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YJV02TC.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar smokers and last smoked a traditional cigar as a blunt earlier today or sometime in the past 7 days and last smoked a traditional cigar as a blunt in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2
AND R05_YJ0100TC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 16 valid cases out of 12,098 total cases.

- Mean: 4.50
- Median: 2.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 24.00
- Standard Deviation: 5.99

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12082	99.9 %
	Total	12,082	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2411-2418 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1022TC: In past 30 days, number of days smoked a traditional cigar as a blunt

In the past 30 days, on how many days did you smoke a traditional cigar as a blunt?

__ Days

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 32 valid cases out of 12,098 total cases.

- Mean: 10.25
- Median: 5.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.60

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12065	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2419-2426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1023TC: In past 30 days, number of traditional cigars smoked as a blunt per day on the days that you smoked

In the past 30 days, on the days you smoked traditional cigars as blunts, how many traditional cigars did you smoke as a blunt per day?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 traditional cigar per day	12	0.1 %
2	2 = 1 traditional cigar per day	9	0.1 %
3	3 = 2 to 5 traditional cigars per day	8	0.1 %
4	4 = 6 to 10 traditional cigars per day	3	0.0 %
5	5 = 11 to 20 traditional cigars per day	1	0.0 %
6	6 = More than 20 traditional cigars per day	0	0.0 %
	Total	33	0.3%

This variable has 33 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12065	99.7 %
	Total	12,065	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2427-2434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1130TC: In past 30 days, smoked traditional cigars as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the traditional cigars that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YJ1142TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	8	0.1 %
3	3 = I don't know	6	0.0 %
	Total	33	0.3%

This variable has 33 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12065	99.7 %
	Total	12,065	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2435-2442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131TC_01: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and have smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2443-2450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131TC_02: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and have smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2451-2458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131TC_03: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and have smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	5	0.0 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2459-2466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131TC_04: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and have smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	15	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2467-2474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131TC_05: In past 30 days, smoked traditional cigars as blunts flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and have smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	17	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2475-2482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131TC_06: In past 30 days, smoked traditional cigars as a blunt flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and have smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	11	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2483-2490 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131TC_07: In past 30 days, smoked traditional cigars as blunts flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and have smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2491-2498 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1133TC: In past 30 days, flavor of traditional cigars smoked as blunts most often

In the past 30 days, which flavor of traditional cigars have you smoked as blunts most often?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and have smoked flavored traditional cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1
AND R05_YJ1130TC = 1 AND (R05_YJ1131TC_[01/.../07]
= 1 FOR 2 OR MORE FLAVORS OR R05_YJ1131TC_[01/.../07] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	0	0.0 %
2	2 = Clove or spice	0	0.0 %
3	3 = Fruit	5	0.0 %
4	4 = Chocolate	0	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0 %
6	6 = Candy or other sweets	3	0.0 %
7	7 = Some other flavor	0	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %

	Missing Data		
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2499-2506 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1147TC: How often smoked flavored traditional cigars as blunts on days smoked in past 30 days

On the days you smoked traditional cigars as blunts in the past 30 days, how often did you smoke flavored traditional cigars?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and have smoked flavored traditional cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	8	0.1 %
2	2 = Most of the time	7	0.1 %
3	3 = Sometimes	2	0.0 %
4	4 = Rarely	1	0.0 %
5	5 = Never	1	0.0 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2507-2514 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1142TC: In past 30 days, did anyone sell you traditional cigars

In the past 30 days, did anyone sell you traditional cigars?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	28	0.2 %
	Total	33	0.3%

This variable has 33 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12065	99.7 %
	Total	12,065	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2515-2522 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1123TC: In the past 30 days, someone refused to sell you traditional cigars you use as blunts because of your age

In the past 30 days, did anyone refuse to sell you traditional cigars because of your age?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	25	0.2 %
	Total	33	0.3%

This variable has 33 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12065	99.7 %
	Total	12,065	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2523-2530 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1118TC: In past 30 days, how you usually got your own traditional cigars as a blunt

In the past 30 days, how did you usually get your own traditional cigars for when you smoke blunts?

[If 3-7, Don't know (-8), or Refused (-7), GO TO R05_YJ1047TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	10	0.1 %
2	2 = I bought them myself from a store (including a cigar bar)	4	0.0 %
3	3 = I asked someone to give me one	3	0.0 %
4	4 = Someone offered it to me	8	0.1 %
5	5 = I bought them from another person	5	0.0 %
6	6 = I took them from a store or another person	1	0.0 %
7	7 = I got them some other way	2	0.0 %
	Total	33	0.3%

This variable has 33 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12065	99.7 %
	Total	12,065	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2531-2538 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1030TC: How you usually buy your traditional cigars for blunts

How do [you/they] usually buy your traditional cigars for when you smoke blunts?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO R05_YJ1039TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar

smokers and usually get traditional cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	13	0.1 %
2	2 = From the internet	1	0.0 %
3	3 = By telephone	0	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,084	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2539-2546 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1033TC: Retail location where your traditional cigars for blunts are purchased most of the time

Where do [you/they] buy your traditional cigars for blunts most of the time?

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and usually get traditional cigars for blunts by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2 AND R05_YJ1030TC = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	9	0.1 %
3	3 = A supermarket, grocery store, or drug store	1	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	1	0.0 %

Value	Label	Unweighted Frequency	%
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	1	0.0 %
10	10 = Somewhere else	1	0.0 %
	Total	13	0.1%

This variable has 13 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12085	99.9 %
	Total	12,085	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2547-2554 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1039TC: Usually buy traditional cigars for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] traditional cigars for blunts.
Did you buy them by the box or pack, or as single traditional cigars?

[If Single traditional cigar (2), Don't know (-8), or Refused (-7), GO TO R05_YJ1034TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and usually get traditional cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	8	0.1 %
2	2 = Single traditional cigars	6	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,084	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2555-2562 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1040TC: Number of traditional cigars that come in box or pack usually bought for blunts

How many traditional cigars came in the box or pack that you last bought for blunts?

___ Traditional Cigars

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and usually get traditional cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars for blunts by the box or pack.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2 AND R05_YJ1039TC = 1.

[PROGRAM NOTE: Allow 2 digits.]

Value	Label	Unweighted Frequency	%
2	-	4	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
10	-	1	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,091	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2563-2570 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1034TC_D: Amount paid when last time bought a box of traditional cigars for blunts/pack of traditional cigars for blunts/single traditional cigar for blunts - Dollars

How much did you pay for a [box or pack of traditional cigars/single traditional cigar] for blunts?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO R05_YJ1047TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and usually get traditional cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars for blunts by the box or pack or usually buy single traditional cigars for blunts.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2
AND R05_YJ1039TC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Label	Unweighted Frequency	%
0	-	3	0.0 %
1	-	7	0.1 %
2	-	1	0.0 %
3	-	2	0.0 %
5	-	1	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,098 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 1.40

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,084	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2571-2578 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1034TC_C: Amount paid when last time bought a box of traditional cigars for blunts/pack of traditional cigars for blunts/single traditional cigar for blunts - Cents

How much did you pay for a [box or pack of traditional cigars/single traditional cigar] for blunts?

__ Cents

[If Don't know (-8), or Refused (-7), GO TO R05_YJ1047TC.]

ASK: Youth respondents who are past 30 day blunt-only traditional cigar smokers and usually get traditional cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars for blunts by the box or pack or usually buy single traditional cigars for blunts.

ASK Specification: IF R05_30DBLUNT_ONLY_BTRAD = 1 AND R05_YJ1118TC = 1, 2 AND R05_YJ1039TC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 14 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,084	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2579-2586 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1047TC: Have a regular brand of traditional cigars you usually smoke as blunts

Do you have a regular brand of traditional cigars that you usually smoke as blunts?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar smokers.

ASK Specification: IF R05_12MBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.2 %
2	2 = No	36	0.3 %
	Total	66	0.5%

This variable has 66 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12032	99.5 %
	Total	12,032	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 2587-2594 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1945TC: Know the name of brand of traditional cigars usually smoke/last smoked as blunts

Do you know the name of the brand of traditional cigars you [usually smoke/last smoked] as blunts?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YJR08.]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar smokers.

ASK Specification: IF R05_12MBLUNT_ONLY_BTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	36	0.3 %
2	2 = No	30	0.2 %
	Total	66	0.5%

This variable has 66 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12032	99.5 %
	Total	12,032	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 2595-2602 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1048TC_BRAND: Brand of traditional cigars usually/last smoked as blunts

What brand of traditional cigar [do/did] you [usually/last] smoke as a blunt?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar smokers who know the name of the brand of traditional cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1945TC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12062	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2603-2610 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the

button marked "NEXT".If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only traditional cigar smokers who know the name of the brand of traditional cigars they usually smoke as blunts or last smoked as blunts and selected a brand of traditional cigars for blunts.

ASK Specification: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND (R05_YJ1945TC = 1 AND R05_YJ1048TC_BRAND != 9995, -8, -7).

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2611-2618 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0104TC: Brand of very last traditional cigar smoked as a blunt is same as brand regularly/last smoked

You said earlier that you smoked a traditional cigar as a blunt [TIME OF LAST USE].

Think about the very last traditional cigar you smoked as a blunt. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 12 month blunt-only traditional cigar smokers and last smoked a traditional cigar as a blunt earlier today or sometime in the past 7 days and last smoked a traditional cigar as a blunt in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars they usually smoke as blunts or last smoked as blunts and selected a brand and subbrand of traditional cigars for blunts.

ASK Specification: IF R05_12MBLUNT_ONLY_BTRAD = 1 AND R05_YJ1112TC = 1, 2 AND R05_YJ0100TC = 1, 2, 3, 4 AND R05_YJ1945TC = 1 AND R05_YJ1048TC_BRAND != 9995, -8, -7 AND R05_YJ1070TC_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	3	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2619-2626 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1108CG: First cigarillo smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first cigarillo you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YJ1112CG.]

ASK: New baseline youth respondents who are past 12 month blunt-only cigarillo smokers, or continuing youth respondents who initiated blunt-only cigarillo smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BRILLO = 1)
OR R05_INIT_BLUNT_BRILLO_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	134	1.1 %
2	2 = No	75	0.6 %
3	3 = I don't know	63	0.5 %
	Total	272	2.2%

This variable has 272 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11825	97.7 %
	Total	11,826	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2627-2634 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011CG_01: Flavor of first cigarillo smoked as a blunt: Menthol or mint

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who are past 12 month blunt-only cigarillo smokers and whose first traditional cigarillo for blunts was flavored, or continuing youth respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1108CG = 1) OR (R05_INIT_BLUNT_BRILLO_YOUTH = 1 AND R05_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	115	1.0 %
	Total	131	1.1%

This variable has 131 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11964	98.9 %
	Total	11,967	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2635-2642 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011CG_02: Flavor of first cigarillo smoked as a blunt: Clove or spice

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only cigarillo smokers and whose first traditional cigarillo for blunts was flavored, or continuing youth respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1108CG = 1)
OR (R05_INIT_BLUNT_BRILLO_YOUTH = 1 AND R05_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	127	1.0 %
	Total	131	1.1%

This variable has 131 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11964	98.9 %
	Total	11,967	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2643-2650 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011CG_03: Flavor of first cigarillo smoked as a blunt: Fruit

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only cigarillo smokers and whose first traditional cigarillo for blunts was flavored, or continuing youth respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1108CG = 1)
OR (R05_INIT_BLUNT_BRILLO_YOUTH = 1 AND R05_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	109	0.9 %
2	2 = Not Marked	22	0.2 %
	Total	131	1.1%

This variable has 131 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11964	98.9 %
	Total	11,967	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2651-2658 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011CG_04: Flavor of first cigarillo smoked as a blunt: Chocolate

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only cigarillo smokers and whose first traditional cigarillo for blunts was flavored, or continuing youth respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1108CG = 1) OR (R05_INIT_BLUNT_BRILLO_YOUTH = 1 AND R05_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	118	1.0 %
	Total	131	1.1%

This variable has 131 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11964	98.9 %
	Total	11,967	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2659-2666 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011CG_05: Flavor of first cigarillo smoked as a blunt: An alcoholic drink

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who are past 12 month blunt-only cigarillo smokers and whose first traditional cigarillo for blunts was flavored, or continuing youth respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1108CG = 1) OR (R05_INIT_BLUNT_BRILLO_YOUTH = 1 AND R05_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	125	1.0 %
	Total	131	1.1%

This variable has 131 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11964	98.9 %
	Total	11,967	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2667-2674 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011CG_06: Flavor of first cigarillo smoked as a blunt: Candy or other sweets

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only cigarillo smokers and whose first traditional cigarillo for blunts was flavored, or continuing youth respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1108CG = 1)
OR (R05_INIT_BLUNT_BRILLO_YOUTH = 1 AND R05_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	35	0.3 %
2	2 = Not Marked	96	0.8 %
	Total	131	1.1%

This variable has 131 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11964	98.9 %
	Total	11,967	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2675-2682 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011CG_07: Flavor of first cigarillo smoked as a blunt: Some other flavor

What flavor was that first cigarillo you smoked as a blunt? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who are past 12 month blunt-only cigarillo smokers and whose first traditional cigarillo for blunts was flavored, or continuing youth respondents who initiated blunt-only cigarillo smoking since their last completed interview and whose first cigarillo for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1108CG = 1)
OR (R05_INIT_BLUNT_BRILLO_YOUTH = 1 AND R05_YJ1108CG = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	129	1.1 %
	Total	131	1.1%

This variable has 131 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11964	98.9 %
	Total	11,967	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 2683-2690 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1112CG: Last time smoked a cigarillo as a blunt, even one or two puffs

When was the last time you smoked a cigarillo as a blunt, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only cigarillo smokers.

ASK Specification: IF R05_12MBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	33	0.3 %
2	2 = Not today but sometime in the past 7 days	84	0.7 %
3	3 = Not in the past 7 days but sometime in the past 30 days	90	0.7 %
4	4 = Not in the past 30 days but sometime in the past 6 months	121	1.0 %
5	5 = Not in the past 6 months but sometime in the past year	64	0.5 %
	Total	392	3.2%

This variable has 392 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11701	96.7 %
	Total	11,706	96.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2691-2698 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0100CG: When last smoked a cigarillo as a blunt

When did you last smoke a cigarillo as a blunt?

[If in the past hour (1), GO TO R05_YJ0103CG. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only cigarillo smokers and last smoked a cigarillo as a blunt earlier today or sometime in the past 7 days.

ASK Specification: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	14	0.1 %
2	2 = Sometime today, but more than an hour ago	17	0.1 %
3	3 = Yesterday	28	0.2 %
4	4 = Day before yesterday	19	0.2 %
5	5 = Three or more days ago	37	0.3 %
	Total	115	1.0%

This variable has 115 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11981	99.0 %
	Total	11,983	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2699-2706 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0102CG: Time period of day when you last smoked a cigarillo as a blunt

When you last smoked a cigarillo as a blunt [FILL BASED ON R05_YJ0100], was it...

ASK: Youth respondents who are past 12 month blunt-only cigarillo smokers and last smoked a cigarillo as a blunt earlier today or sometime in the past 7 days and last smoked a cigarillo as a blunt sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2 AND R05_YJ0100CG = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	9	0.1 %
2	2 = After 6AM but before noon	11	0.1 %
3	3 = Between noon and 6PM	23	0.2 %
4	4 = After 6PM but before midnight	19	0.2 %
	Total	62	0.5%

This variable has 62 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12034	99.5 %
	Total	12,036	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 2707-2714 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0103CG: Number of cigarillos as blunts smoked today/yesterday/day before yesterday

How many cigarillos [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R05_YJ0100CG]?
(If less than 1, enter 1.)

___ Cigarillos as Blunts

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YJV02CG.]

ASK: Youth respondents who are past 12 month blunt-only cigarillo smokers and last smoked a cigarillo as a blunt earlier today or sometime in the past 7 days and last smoked a cigarillo as a blunt in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2 AND R05_YJ0100CG = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

Value	Label	Unweighted Frequency	%
1	-	39	0.3 %
2	-	23	0.2 %
3	-	3	0.0 %
4	-	3	0.0 %
5	-	5	0.0 %

Value	Label	Unweighted Frequency	%
7	-	2	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
	Total	77	0.6%

This variable has 77 valid cases out of 12,098 total cases.

- Mean: 2.17
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 2.02

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	12020	99.4 %
	Total	12,021	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 2715-2722 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1022CG: In past 30 days, number of days smoked a cigarillo as a blunt

In the past 30 days, on how many days did you smoke a cigarillo as a blunt?

__ Days

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 202 valid cases out of 12,098 total cases.

- Mean: 8.25
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00

- Standard Deviation: 9.36

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11891	98.3 %
	Total	11,896	98.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2723-2730 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1023CG: In past 30 days, number of cigarillos smoked as a blunt per day on the days that you smoked

In the past 30 days, on the days you smoked cigarillos as blunts, how many cigarillos did you smoke as a blunt per day?

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarillo per day	67	0.6 %
2	2 = 1 cigarillo per day	66	0.5 %
3	3 = 2 to 5 cigarillos per day	63	0.5 %
4	4 = 6 to 10 cigarillos per day	4	0.0 %
5	5 = 11 to 20 cigarillos per day	0	0.0 %
6	6 = More than 20 cigarillos per day	1	0.0 %
	Total	201	1.7%

This variable has 201 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11891	98.3 %
	Total	11,897	98.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2731-2738 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1130CG: In past 30 days, smoked cigarillos as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the cigarillos that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YJ1142CG.]

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	127	1.0 %
2	2 = No	43	0.4 %
3	3 = I don't know	35	0.3 %
	Total	205	1.7%

This variable has 205 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11891	98.3 %
	Total	11,893	98.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2739-2746 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131CG_01: In past 30 days, smoked cigarillos as blunts flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and have smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	25	0.2 %
2	2 = Not Marked	102	0.8 %
	Total	127	1.0%

This variable has 127 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11971	99.0 %
	Total	11,971	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2747-2754 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131CG_02: In past 30 days, smoked cigarillos as blunts flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and have smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	121	1.0 %
	Total	127	1.0%

This variable has 127 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11971	99.0 %
	Total	11,971	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2755-2762 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131CG_03: In past 30 days, smoked cigarillos as blunts flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and have smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	108	0.9 %
2	2 = Not Marked	19	0.2 %
	Total	127	1.0%

This variable has 127 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11971	99.0 %
	Total	11,971	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2763-2770 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131CG_04: In past 30 days, smoked cigarillos as blunts flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and have smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %
2	2 = Not Marked	110	0.9 %
	Total	127	1.0%

This variable has 127 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11971	99.0 %
	Total	11,971	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2771-2778 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131CG_05: In past 30 days, smoked cigarillos as blunts flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and have smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	110	0.9 %
	Total	127	1.0%

This variable has 127 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11971	99.0 %
	Total	11,971	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2779-2786 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131CG_06: In past 30 days, smoked cigarillos as a blunt flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and have smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	42	0.3 %
2	2 = Not Marked	85	0.7 %
	Total	127	1.0%

This variable has 127 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11971	99.0 %

	Missing Data		
	Total	11,971	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2787-2794 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131CG_07: In past 30 days, smoked cigarillos as blunts flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and have smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	126	1.0 %
	Total	127	1.0%

This variable has 127 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11971	99.0 %
	Total	11,971	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2795-2802 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1133CG: In past 30 days, flavor of cigarillos smoked as blunts most often

In the past 30 days, which flavor of cigarillos have you smoked as blunts most often?

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and have smoked flavored cigarillos as blunts in the past 30 days and

smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1 AND (R05_YJ1131CG_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YJ1131CG_[01/.../07] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	4	0.0 %
2	2 = Clove or spice	0	0.0 %
3	3 = Fruit	31	0.3 %
4	4 = Chocolate	3	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	3	0.0 %
6	6 = Candy or other sweets	17	0.1 %
7	7 = Some other flavor	1	0.0 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 2803-2810 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1147CG: How often smoked flavored cigarillos as blunts on days smoked in past 30 days

On the days you smoked cigarillos as blunts in the past 30 days, how often did you smoke flavored cigarillos?

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and have smoked flavored cigarillos as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1130CG = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	84	0.7 %
2	2 = Most of the time	24	0.2 %
3	3 = Sometimes	10	0.1 %

Value	Label	Unweighted Frequency	%
4	4 = Rarely	5	0.0 %
5	5 = Never	4	0.0 %
	Total	127	1.0%

This variable has 127 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11971	99.0 %
	Total	11,971	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2811-2818 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1142CG: In past 30 days, did anyone sell you cigarillos

In the past 30 days, did anyone sell you cigarillos?

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.4 %
2	2 = No	158	1.3 %
	Total	205	1.7%

This variable has 205 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11891	98.3 %
	Total	11,893	98.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2819-2826 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1123CG: In the past 30 days, someone refused to sell you cigarillos you use as blunts because of your age

In the past 30 days, did anyone refuse to sell you cigarillos because of your age?

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	35	0.3 %
2	2 = No	169	1.4 %
	Total	204	1.7%

This variable has 204 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11891	98.3 %
	Total	11,894	98.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2827-2834 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1118CG: In past 30 days, how you usually got your own cigarillo as a blunt

In the past 30 days, how did you usually get your own cigarillos for when you smoke blunts?

[If 3-7, Don't know (-8), or Refused (-7), GO TO R05_YJ1047CG.]

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	62	0.5 %
2	2 = I bought them myself from a store (including a cigar bar)	29	0.2 %
3	3 = I asked someone to give me one	15	0.1 %

Value	Label	Unweighted Frequency	%
4	4 = Someone offered it to me	71	0.6 %
5	5 = I bought them from another person	15	0.1 %
6	6 = I took them from a store or another person	1	0.0 %
7	7 = I got them some other way	6	0.0 %
	Total	199	1.6%

This variable has 199 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11891	98.3 %
	Total	11,899	98.4%

Percentages for both tables are based on 12,098 total cases.

Location: 2835-2842 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1030CG: How you usually buy your cigarillos for blunts

How do [you/they] usually buy your cigarillos for when you smoke blunts?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO R05_YJ1039CG.]

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and usually get cigarillos for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	87	0.7 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	4	0.0 %
	Total	91	0.8%

This variable has 91 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12007	99.2 %
	Total	12,007	99.2%

Percentages for both tables are based on 12,098 total cases.

Location: 2843-2850 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1033CG: Retail location where your cigarillos for blunts are purchased most of the time

Where do [you/they] buy your cigarillos for blunts most of the time?

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and usually get cigarillos for blunts by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2 AND R05_YJ1030CG = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	2	0.0 %
2	2 = A convenience store or gas station	67	0.6 %
3	3 = A supermarket, grocery store, or drug store	8	0.1 %
4	4 = A warehouse club, such as Sam's or Costco	1	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	6	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	1	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	85	0.7%

This variable has 85 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12011	99.3 %
	Total	12,013	99.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2851-2858 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1039CG: Usually buy cigarillos for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] cigarillos for blunts.
Did you buy them by the box or pack, or as single cigarillos?

[If Single cigarillo (2), Don't know (-8), or Refused (-7), GO TO R05_YJ1034CG.]

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and usually get cigarillos for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	52	0.4 %
2	2 = Single cigarillos	37	0.3 %
	Total	89	0.7%

This variable has 89 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12007	99.2 %
	Total	12,009	99.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2859-2866 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1040CG: Number of cigarillos that come in box or pack usually bought for blunts

How many cigarillos came in the box or pack that you last bought for blunts?

___ Cigarillos as Blunts

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and usually get traditional cigarillos for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy cigarillos for blunts by the box or pack.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2 AND R05_YJ1039CG = 1.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 52 valid cases out of 12,098 total cases.

- Mean: 4.69
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 82.00
- Standard Deviation: 11.48

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12046	99.6 %
	Total	12,046	99.6 %

Percentages for both tables are based on 12,098 total cases.

Location: 2867-2874 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1034CG_D: Amount paid when last time bought a box of cigarillos for blunts/pack of cigarillos for blunts/single cigarillo for blunts - Dollars

How much did you pay for a [box or pack of cigarillos/single cigarillo] for blunts?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO R05_YJ1047CG.]

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and usually get cigarillos for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single cigarillos for blunts.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2 AND R05_YJ1039CG = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 88 valid cases out of 12,098 total cases.

- Mean: 2.27

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 43.00
- Standard Deviation: 5.19

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12009	99.3 %
	Total	12,010	99.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2875-2882 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1034CG_C: Amount paid when last time bought a box of cigarillos for blunts/pack of cigarillos for blunts/single cigarillo for blunts - Cents

How much did you pay for a [box or pack of cigarillos/single cigarillo] for blunts?

__ Cents

[If Don't know (-8), or Refused (-7), GO TO R05_YJ1047CG.]

ASK: Youth respondents who are past 30 day blunt-only cigarillo smokers and usually get cigarillos for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars/cigarillos/filtered cigars for blunts by the box or pack or usually buy single cigarillos for blunts.

ASK Specification: IF R05_30DBLUNT_ONLY_BRILLO = 1 AND R05_YJ1118CG = 1, 2 AND R05_YJ1039CG = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 88 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12010	99.3 %

	Missing Data		
	Total	12,010	99.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2883-2890 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1047CG: Have a regular brand of cigarillos you usually smoke as blunts

Do you have a regular brand of cigarillos that you usually smoke as blunts?

ASK: Youth respondents who are past 12 month blunt-only cigarillo smokers.

ASK Specification: IF R05_12MBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	184	1.5 %
2	2 = No	210	1.7 %
	Total	394	3.3%

This variable has 394 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11701	96.7 %
	Total	11,704	96.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2891-2898 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1945CG: Know the name of brand of cigarillos usually smoke/last smoked as blunts

Do you know the name of the brand of cigarillos you [usually smoke/last smoked] as blunts?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YJR08.]

ASK: Youth respondents who are past 12 month blunt-only cigarillo smokers.

ASK Specification: IF R05_12MBLUNT_ONLY_BRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	224	1.9 %
2	2 = No	171	1.4 %
	Total	395	3.3%

This variable has 395 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11701	96.7 %
	Total	11,703	96.7%

Percentages for both tables are based on 12,098 total cases.

Location: 2899-2906 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1048CG_BRAND: Brand of cigarillos usually/last smoked as blunts

What brand of cigarillo [do/did] you [usually/last] smoke as a blunt?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only cigarillo smokers who know the name of the brand of cigarillos they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1945CG = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 224 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11874	98.1 %
	Total	11,874	98.1%

Percentages for both tables are based on 12,098 total cases.

Location: 2907-2914 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1070CG_PRODUCT: Sub-brand of cigarillo product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only cigarillo smokers who know the name of the brand of cigarillos they usually smoke as blunts or last smoked as blunts and selected a brand of cigarillos for blunts.

ASK Specification: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND (R05_YJ1945CG = 1 AND R05_YJ1048CG_BRAND != 9995, -8, -7).

This variable has 211 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11878	98.2 %
	Total	11,887	98.3%

Percentages for both tables are based on 12,098 total cases.

Location: 2915-2922 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0104CG: Brand of very last cigarillo smoked as a blunt is same as brand regularly/last smoked

You said earlier that you smoked a cigarillo as a blunt [TIME OF LAST USE].

Think about the very last cigarillo you smoked as a blunt. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 12 month blunt-only cigarillo smokers and last smoked a cigarillo as a blunt earlier today or sometime in the past 7 days and last smoked a cigarillo as a blunt in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of cigarillos they usually smoke as blunts or last smoked as blunts and selected a brand and subbrand of cigarillos for blunts.

ASK Specification: IF R05_12MBLUNT_ONLY_BRILLO = 1 AND R05_YJ1112CG = 1, 2 AND R05_YJ0100CG

= 1, 2, 3, 4 AND R05_YJ1945CG = 1 AND R05_YJ1048CG_BRAND != 9995, -8, -7 AND R05_YJ1070CG_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	27	0.2 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12045	99.6 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 2923-2930 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1108FC: First filtered cigar smoked as a blunt was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first filtered cigar you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YJ1112FC.]

ASK: New baseline youth respondents who are past 12 month blunt-only filtered cigar smokers, or continuing youth respondents who initiated blunt-only filtered cigar smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BFILTR = 1)
OR R05_INIT_BLUNT_BFILTR_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	10	0.1 %
3	3 = I don't know	5	0.0 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2931-2938 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011FC_01: Flavor of first filtered cigar smoked as a blunt: Menthol or mint

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who are past 12 month blunt-only filtered cigar smokers and whose first filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1108FC = 1) OR (R05_INIT_BLUNT_BFILTR_YOUTH = 1 AND R05_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2939-2946 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011FC_02: Flavor of first filtered cigar smoked as a blunt: Clove or spice

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who are past 12 month blunt-only filtered cigar smokers and whose first filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1108FC = 1) OR (R05_INIT_BLUNT_BFILTR_YOUTH = 1 AND R05_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2947-2954 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011FC_03: Flavor of first filtered cigar smoked as a blunt: Fruit

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Fruit

ASK: New baseline youth respondents who are past 12 month blunt-only filtered cigar smokers and whose first filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only filtered cigar smoking since their last completed interview

and whose first filtered cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1108FC = 1)
OR (R05_INIT_BLUNT_BFILTR_YOUTH = 1 AND R05_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2955-2962 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011FC_04: Flavor of first filtered cigar smoked as a blunt: Chocolate

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who are past 12 month blunt-only filtered cigar smokers and whose first filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1108FC = 1)
OR (R05_INIT_BLUNT_BFILTR_YOUTH = 1 AND R05_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %

Value	Label	Unweighted Frequency	%
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2963-2970 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011FC_05: Flavor of first filtered cigar smoked as a blunt: An alcoholic drink

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who are past 12 month blunt-only filtered cigar smokers and whose first filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1108FC = 1)
OR (R05_INIT_BLUNT_BFILTR_YOUTH = 1 AND R05_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2971-2978 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011FC_06: Flavor of first filtered cigar smoked as a blunt: Candy or other sweets

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who are past 12 month blunt-only filtered cigar smokers and whose first filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1108FC = 1) OR (R05_INIT_BLUNT_BFILTR_YOUTH = 1 AND R05_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2979-2986 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1011FC_07: Flavor of first filtered cigar smoked as a blunt: Some other flavor

What flavor was that first filtered cigar you smoked as a blunt? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who are past 12 month blunt-only filtered cigar smokers and whose first filtered cigar for blunts was flavored, or continuing youth respondents who initiated blunt-only filtered cigar smoking since their last completed interview and whose first filtered cigar for blunts was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1108FC = 1) OR (R05_INIT_BLUNT_BFILTR_YOUTH = 1 AND R05_YJ1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 2987-2994 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1112FC: Last time smoked a filtered cigar as a blunt, even one or two puffs

When was the last time you smoked a filtered cigar as a blunt, even one or two puffs?

[If Not in the past 7 days but sometime in the past 30 days (3), Not in the past 30 days but sometime in the past 6 months (4), Not in the past 6 months but sometime in the past year (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only filtered cigar smokers.

ASK Specification: IF R05_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	0	0.0 %
2	2 = Not today but sometime in the past 7 days	4	0.0 %
3	3 = Not in the past 7 days but sometime in the past 30 days	4	0.0 %
4	4 = Not in the past 30 days but sometime in the past 6 months	5	0.0 %
5	5 = Not in the past 6 months but sometime in the past year	8	0.1 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 2995-3002 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0100FC: When last smoked a filtered cigar as a blunt

When did you last smoke a filtered cigar as a blunt?

[If in the past hour (1), GO TO R05_YJ0103FC. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YJV02.]

ASK: Youth respondents who are past 12 month blunt-only filtered cigar smokers and last smoked a filtered cigar as a blunt earlier today or sometime in the past 7 days.

ASK Specification: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	0	0.0 %
2	2 = Sometime today, but more than an hour ago	0	0.0 %
3	3 = Yesterday	1	0.0 %
4	4 = Day before yesterday	1	0.0 %
5	5 = Three or more days ago	2	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3003-3010 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0102FC: Time period of day when you last smoked a filtered cigar as a blunt

When you last smoked a filtered cigar as a blunt [FILL BASED ON R05_YJ0100], was it...

ASK: Youth respondents who are past 12 month blunt-only filtered cigar smokers and last smoked a filtered cigar as a blunt earlier today or sometime in the past 7 days and last smoked a filtered cigar as a blunt sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2 AND R05_YJ0100FC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	1	0.0 %
2	2 = After 6AM but before noon	0	0.0 %
3	3 = Between noon and 6PM	1	0.0 %
4	4 = After 6PM but before midnight	0	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3011-3018 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0103FC: Number of filtered cigars as blunts smoked today/yesterday/day before yesterday

How many filtered cigars [have/did] you [smoked/smoke] as a blunt [FILL BASED ON R05_YJ0100FC]?
(If less than 1, enter 1.)

___ Filtered Cigars as Blunts

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YJV02FC.]

ASK: Youth respondents who are past 12 month blunt-only filtered cigar smokers and last smoked a filtered cigar as a blunt earlier today or sometime in the past 7 days and last smoked a filtered cigar as a blunt in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2 AND R05_YJ0100FC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,098 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 1.00
- Standard Deviation: 0.00

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3019-3026 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1022FC: In past 30 days, number of days smoked a filtered cigar as a blunt

In the past 30 days, on how many days did you smoke a filtered cigar as a blunt?

___ Days

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

Value	Label	Unweighted Frequency	%
1	-	1	0.0 %
2	-	5	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,098 total cases.

- Mean: 3.00
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 2.20

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3027-3034 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1023FC: In past 30 days, number of filtered cigars smoked as a blunt per day on the days that you smoked

In the past 30 days, on the days you smoked filtered cigars as blunts, how many filtered cigars did you smoke as a blunt per day?

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 filtered cigar per day	4	0.0 %
2	2 = 1 filtered cigar per day	1	0.0 %
3	3 = 2 to 5 filtered cigars per day	2	0.0 %
4	4 = 6 to 10 filtered cigars per day	0	0.0 %
5	5 = 11 to 20 filtered cigars per day	0	0.0 %
6	6 = More than 20 filtered cigars per day	0	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,091	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3035-3042 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1130FC: In past 30 days, smoked filtered cigars as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the filtered cigars that you smoked as a blunt flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YJ1142FC.]

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	3	0.0 %
3	3 = I don't know	1	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3043-3050 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131FC_01: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and have smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3051-3058 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131FC_02: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and have smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3059-3066 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131FC_03: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and have smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3067-3074 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131FC_04: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and have smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3075-3082 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131FC_05: In past 30 days, smoked filtered cigars as blunts flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and have smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3083-3090 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131FC_06: In past 30 days, smoked filtered cigars as a blunt flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and have smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	1	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3091-3098 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1131FC_07: In past 30 days, smoked filtered cigars as blunts flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and have smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3099-3106 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1133FC: In past 30 days, flavor of filtered cigars smoked as blunts most often

In the past 30 days, which flavor of filtered cigars have you smoked as blunts most often?

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and have smoked flavored filtered cigars as blunts in the past 30 days and smoked 2 or more flavors as blunts in the past 30 days or did not know or refused to report which flavors they smoked as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1 AND (R05_YJ1131FC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YJ1131FC_[01/.../07] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	0	0.0 %
2	2 = Clove or spice	0	0.0 %
3	3 = Fruit	3	0.0 %
4	4 = Chocolate	0	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0 %
6	6 = Candy or other sweets	0	0.0 %
7	7 = Some other flavor	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12095	100.0 %
	Total	12,095	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3107-3114 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1147FC: How often smoked flavored filtered cigars as blunts on days smoked in past 30 days

On the days you smoked filtered cigars as blunts in the past 30 days, how often did you smoke flavored filtered cigars?

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and have smoked flavored filtered cigars as blunts in the past 30 days.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	2	0.0 %
2	2 = Most of the time	0	0.0 %
3	3 = Sometimes	2	0.0 %
4	4 = Rarely	0	0.0 %
5	5 = Never	0	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3115-3122 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1142FC: In past 30 days, did anyone sell you filtered cigars

In the past 30 days, did anyone sell you filtered cigars?

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	8	0.1 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3123-3130 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1123FC: In the past 30 days, someone refused to sell you filtered cigars you use as blunts because of your age

In the past 30 days, did anyone refuse to sell you filtered cigars because of your age?

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	7	0.1 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3131-3138 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1118FC: In past 30 days, how you usually got your own filtered cigars as a blunt

In the past 30 days, how did you usually get your own filtered cigars for when you smoke blunts?

[If 3-7, Don't know (-8), or Refused (-7), GO TO R05_YJ1047FC.]

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	2	0.0 %
2	2 = I bought them myself from a store (including a cigar bar)	0	0.0 %
3	3 = I asked someone to give me one	2	0.0 %
4	4 = Someone offered it to me	4	0.0 %
5	5 = I bought them from another person	0	0.0 %
6	6 = I took them from a store or another person	0	0.0 %
7	7 = I got them some other way	0	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3139-3146 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1030FC: How you usually buy your filtered cigars for blunts

How do [you/they] usually buy your filtered cigars for when you smoke blunts?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO R05_YJ1039FC.]

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and usually get filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTER = 1 AND R05_YJ1118FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	2	0.0 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	0	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3147-3154 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1033FC: Retail location where your filtered cigars for blunts are purchased most of the time

Where do [you/they] buy your filtered cigars for blunts most of the time?

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and usually get filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTER = 1 AND R05_YJ1118FC = 1, 2 AND R05_YJ1030FC = 1.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	2	0.0 %
3	3 = A supermarket, grocery store, or drug store	0	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %

Value	Label	Unweighted Frequency	%
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3155-3162 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1039FC: Usually buy filtered cigars for blunts by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] filtered cigars for blunts.
Did you buy them by the box or pack, or as single filtered cigars?

[If Single filtered cigar (2), Don't know (-8), or Refused (-7), GO TO R05_YJ1034FC.]

ASK: Youth respondents who are past 30 day blunt-only filtered
cigar smokers and usually get filtered cigars for blunts by
giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1118FC = 1, 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	1	0.0 %
2	2 = Single filtered cigars	1	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3163-3170 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1040FC: Number of filtered cigars that come in box or pack usually bought for blunts

How many filtered cigars came in the box or pack that you last bought for blunts?

___ Filtered Cigars as Blunts

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and usually get filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy filtered cigars for blunts by the box or pack.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1118FC = 1, 2 AND R05_YJ1039FC = 1.

[PROGRAM NOTE: Allow 2 digits.]

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12097	100.0 %
	Total	12,097	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3171-3178 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1034FC_D: Amount paid when last time bought a box of filtered cigars for blunts/pack of filtered cigars for blunts/single filtered cigar for blunts - Dollars

How much did you pay for a [box or pack of filtered cigars/single filtered cigar] for blunts?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO R05_YJ1047FC.]

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and usually get filtered cigars for blunts by giving someone else money to buy for them or buying themselves from a store and usually buy filtered cigars for blunts by the box or pack or usually buy single filtered cigars for blunts.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1118FC = 1, 2 AND R05_YJ1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	-	1	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3179-3186 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1034FC_C: Amount paid when last time bought a box of filtered cigars for blunts/pack of filtered cigars for blunts/single filtered cigar for blunts - Cents

How much did you pay for a [box or pack of filtered cigars/single filtered cigar] for blunts?

___ Cents

[If Don't know (-8), or Refused (-7), GO TO R05_YJ1047FC.]

ASK: Youth respondents who are past 30 day blunt-only filtered cigar smokers and usually get filtered cigars for blunts by giving someone

else money to buy for them or buying themselves from a store and usually buy filtered cigars for blunts by the box or pack or usually buy single filtered cigars for blunts.

ASK Specification: IF R05_30DBLUNT_ONLY_BFILTR = 1 AND R05_YJ1118FC = 1, 2 AND R05_YJ1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3187-3194 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YJ1047FC: Have a regular brand of filtered cigars you usually smoke as blunts

Do you have a regular brand of filtered cigars that you usually smoke as blunts?

ASK: Youth respondents who are past 12 month blunt-only filtered cigar smokers.

ASK Specification: IF R05_12MBLUNT_ONLY_BFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	18	0.1 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3195-3202 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1945FC: Know the name of brand of filtered cigars usually smoke/last smoked as blunts

Do you know the name of the brand of filtered cigars you [usually smoke/last smoked] as blunts?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YJR08.]

ASK: Youth respondents who are past 12 month blunt-only filtered cigar smokers.

ASK Specification: IF R05_12MBLUNT_ONLY_BFILTER = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	19	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3203-3210 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1048FC_BRAND: Brand of filtered cigars usually/last smoked as blunts

What brand of filtered cigar [do/did] you [usually/last] smoke as a blunt?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only filtered cigar smokers who know the name of the brand of filtered cigars they usually smoke as blunts or last smoked as blunts.

ASK Specification: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3211-3218 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked as a blunt

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke as a blunt?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 12 month blunt-only filtered cigar smokers who know the name of the brand of filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand of filtered cigars for blunts.

ASK Specification: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND (R05_YJ1945FC = 1 AND R05_YJ1048FC_BRAND != 9995, -8, -7).

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3219-3226 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YJ0104FC: Brand of very last filtered cigar smoked as a blunt is same as brand regularly/last smoked

You said earlier that you smoked a filtered cigar as a blunt [TIME OF LAST USE].

Think about the very last filtered cigar you smoked as a blunt. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 12 month blunt-only filtered cigar smokers and last smoked a filtered cigar as a blunt earlier today or sometime in the past 7 days and last smoked a filtered cigar as a blunt in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of filtered cigars they usually smoke as blunts or last smoked as blunts and selected a brand and subbrand of filtered cigars for blunts.

ASK Specification: IF R05_12MBLUNT_ONLY_BFILTR = 1 AND R05_YJ1112FC = 1, 2 AND R05_YJ0100FC = 1, 2, 3, 4 AND R05_YJ1945FC = 1 AND R05_YJ1048FC_BRAND != 9995, -8, -7 AND R05_YJ1070FC_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3227-3234 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YG1006TC_NB: DERIVED - Age range when first tried a traditional cigar, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a traditional cigar, even one or two puffs?

Algorithm: IF R05_YG1120TC_NB = 1 OR (0 <= R05_YG1006TC_NB <= 11) THEN
R05R_Y_YG1006TC_NB = 1; ELSE IF R05_YG1120TC_NB = 2 OR
(12 <= R05_YG1006TC_NB <= 14) THEN R05R_Y_YG1006TC_NB = 2; ELSE IF
R05_YG1120TC_NB = 3 OR (15 <= R05_YG1006TC_NB <= 17) THEN
R05R_Y_YG1006TC_NB = 3; ELSE IF R05_YG1006TC_NB = -9 OR

```

R05_YG1120TC_NB = -9 THEN R05R_Y_YG1006TC_NB = -99999; ELSE IF
R05_YG1006TC_NB = -8 OR R05_YG1120TC_NB = -8 THEN
R05R_Y_YG1006TC_NB = -99988; ELSE IF R05_YG1006TC_NB = -7 OR
R05_YG1120TC_NB = -7 THEN R05R_Y_YG1006TC_NB = -99977; ELSE IF
R05_YG1006TC_NB = -5 THEN R05R_Y_YG1006TC_NB = -99955; ELSE IF
R05_YG1006TC_NB = -1 OR R05_YG1120TC_NB = -1 THEN
R05R_Y_YG1006TC_NB = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	1	0.0 %
2	2 = 12 to 14 years old	0	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12097	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,097	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3235-3242 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YG1108TC: First traditional cigar smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first traditional cigar you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YGR09.]

ASK: New baseline youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers, or continuing youth respondents who have initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	31	0.3 %
3	3 = I don't know	16	0.1 %
	Total	67	0.6%

This variable has 67 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12030	99.4 %
	Total	12,031	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 3243-3250 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011TC_01: Flavor of first traditional cigar smoked: Menthol or mint

What flavor was that first traditional cigar you smoked? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored, or continuing youth respondents who have initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	15	0.1 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12078	99.8 %
	Total	12,078	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3251-3258 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011TC_02: Flavor of first traditional cigar smoked: Clove or spice

What flavor was that first traditional cigar you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored, or continuing youth respondents who have initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12078	99.8 %
	Total	12,078	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3259-3266 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011TC_03: Flavor of first traditional cigar smoked: Fruit

What flavor was that first traditional cigar you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored, or continuing youth respondents who have initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	10	0.1 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12078	99.8 %
	Total	12,078	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3267-3274 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011TC_04: Flavor of first traditional cigar smoked: Chocolate

What flavor was that first traditional cigar you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored, or continuing youth respondents who have initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	15	0.1 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12078	99.8 %
	Total	12,078	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3275-3282 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011TC_05: Flavor of first traditional cigar smoked: An alcoholic drink

What flavor was that first traditional cigar you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored, or continuing youth respondents who have initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	17	0.1 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12078	99.8 %
	Total	12,078	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3283-3290 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011TC_06: Flavor of first traditional cigar smoked: Candy or other sweets

What flavor was that first traditional cigar you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored, or continuing youth respondents who have initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	16	0.1 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12078	99.8 %
	Total	12,078	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3291-3298 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011TC_07: Flavor of first traditional cigar smoked: Some other flavor

What flavor was that first traditional cigar you smoked? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored, or continuing youth respondents who have initiated traditional cigar smoking since their last completed interview and are not past 12 month blunt-only traditional cigar smokers and whose first traditional cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1108TC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12078	99.8 %
	Total	12,078	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3299-3306 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1005TC: Number of traditional cigars smoked in entire life

How many traditional cigars have you smoked in your entire life?

ASK: New baseline youth respondents who have ever smoked traditional cigars and are not past 12 month blunt-only traditional cigar, or continuing youth respondents who have ever smoked a traditional cigar and have initiated traditional cigar smoking since their last completed interview or had not smoked 100 or more traditional cigars in their lifetime as of their last completed interview and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND (R05_INIT_GTRAD_YOUTH = 1 OR R04_NUMLIFE_GTRAD != 1) AND R05_12MBLUNT_ONLY_BTRAD != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	64	0.5 %
2	2 = 1	21	0.2 %
3	3 = 2 to 10	36	0.3 %
4	4 = 11 to 20	9	0.1 %
5	5 = 21 to 50	4	0.0 %
6	6 = 51 to 99	1	0.0 %
7	7 = 100 or more	9	0.1 %
	Total	144	1.2%

This variable has 144 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11938	98.7 %
	Total	11,954	98.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3307-3314 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9040TC: Group most like traditional cigar usually smoked

Please look at this picture. Which group is most like the traditional cigar you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	86	0.7 %
2	2 = Group 2	29	0.2 %
3	3 = Group 3	28	0.2 %
4	4 = Group 4	11	0.1 %
	Total	154	1.3%

This variable has 154 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11930	98.6 %
	Total	11,944	98.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3315-3322 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1100TC: Ever smoked traditional cigars fairly regularly

Have you ever smoked traditional cigars fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YG1112TC.]

ASK: New baseline youth respondents who have ever smoked traditional cigar and are not past 12 month blunt-only traditional cigar smokers, or continuing youth respondents who have ever smoked a traditional cigar and had not reported ever smoking traditional cigars fairly regularly as of their last completed interview and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R04_REGUSE_GTRAD != 1 AND R05_12MBLUNT_ONLY_BTRAD != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	132	1.1 %
	Total	142	1.2%

This variable has 142 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11955	98.8 %
	Total	11,956	98.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3323-3330 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YG1007TC: DERIVED - Age range when first started smoking traditional cigars fairly regularly (3 levels)

Long Description: How old were you when you first started smoking traditional cigars fairly regularly?

Algorithm: IF R05_YG1121TC = 1 OR (0<=R05_YG1007TC<=11) THEN
R05R_Y_YG1007TC = 1; ELSE IF R05_YG1121TC = 2 OR (12<=R05_YG1007TC<=14)
THEN R05R_Y_YG1007TC = 2; ELSE IF R05_YG1121TC = 3 OR
(15<=R05_YG1007TC<=17) THEN R05R_Y_YG1007TC = 3; ELSE IF R05_YG1007TC =
-9 OR R05_YG1121TC = -9 THEN R05R_Y_YG1007TC = -99999; ELSE IF
R05_YG1007TC = -8 OR R05_YG1121TC = -8 THEN R05R_Y_YG1007TC = -99988;
ELSE IF R05_YG1007TC = -7 OR R05_YG1121TC = -7 THEN R05R_Y_YG1007TC =
-99977; ELSE IF R05_YG1007TC = -5 THEN R05R_Y_YG1007TC = -99955; ELSE IF

R05_YG1007TC = -1 OR R05_YG1121TC = -1 THEN R05R_Y_YG1007TC = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	4	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	4	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12088	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3331-3338 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YG112TC: Last time smoked a traditional cigar, even one or two puffs

When was the last time you smoked a traditional cigar, even one or two puffs?

[If 3-7, Don't know (-8), or Refused (-7), GO TO BOX R05_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R05_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	8	0.1 %
2	2 = Not today but sometime in the past 7 days	10	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	19	0.2 %

Value	Label	Unweighted Frequency	%
4	4 = Not in the past 30 days but sometime in the past 6 months	40	0.3 %
5	5 = Not in the past 6 months but sometime in the past year	38	0.3 %
6	6 = 1 to 4 years ago	19	0.2 %
7	7 = 5 or more years ago	20	0.2 %
	Total	154	1.3%

This variable has 154 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11930	98.6 %
	Total	11,944	98.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3339-3346 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0100TC: When last smoked a traditional cigar

When did you last smoke a traditional cigar

[If In the past hour (1), GO TO R05_YG0103TC. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers and last smoked a traditional cigar earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1112TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	2	0.0 %
2	2 = Sometime today, but more than an hour ago	4	0.0 %
3	3 = Yesterday	6	0.0 %
4	4 = Day before yesterday	1	0.0 %
5	5 = Three or more days ago	5	0.0 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12080	99.9 %
	Total	12,080	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3347-3354 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0102TC: Time period of day when you last smoked a traditional cigar

When you last smoked a traditional cigar [FILL BASED ON R05_YG0100TC], was it...

ASK: Youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers and last smoked a traditional cigar earlier today or sometime in the past 7 days and last smoked a traditional cigar sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1112TC = 1, 2 AND R05_YG0100TC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	4	0.0 %
2	2 = After 6AM but before noon	3	0.0 %
3	3 = Between noon and 6PM	3	0.0 %
4	4 = After 6PM but before midnight	0	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3355-3362 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0103TC: Number of traditional cigars smoked today/yesterday/day before yesterday

How many traditional cigars [have/did] you [smoked/smoke] [FILL BASED ON R05_YG0100TC]? (If less than 1, enter 1.)

___ Traditional Cigars

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YGV02.]

ASK: Youth respondents who have ever smoked a traditional cigar and are not past 12 month blunt-only traditional cigar smokers and last smoked a traditional cigar earlier today or sometime in the past 7 days and last smoked a traditional cigar in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_12MBLUNT_ONLY_BTRAD != 1 AND R05_YG1112TC = 1, 2 AND R05_YG0100TC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 13 valid cases out of 12,098 total cases.

- Mean: 3.85
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 4.06

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12085	99.9 %
	Total	12,085	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3363-3370 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1022TC: In past 30 days, number of days smoked a traditional cigar

In the past 30 days, on how many days did you smoke a traditional cigar?

___ Days

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 37 valid cases out of 12,098 total cases.

- Mean: 4.14
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 6.05

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3371-3378 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1023TC: In past 30 days, number of traditional cigars smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a traditional cigar, how many traditional cigars did you smoke per day?

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 traditional cigar per day	20	0.2 %
2	2 = 1 traditional cigar per day	9	0.1 %
3	3 = 2 to 5 traditional cigars per day	5	0.0 %
4	4 = 6 to 10 traditional cigars per day	3	0.0 %
5	5 = 11 to 20 traditional cigars per day	0	0.0 %
6	6 = More than 20 traditional cigars per day	0	0.0 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3379-3386 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1130TC: In past 30 days, smoked traditional cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the traditional cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YG1142TC.]

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	21	0.2 %
3	3 = I don't know	5	0.0 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3387-3394 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131TC_01: In past 30 days, smoked traditional cigars flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day traditional cigar smokers and have smoked flavored traditional cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3395-3402 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131TC_02: In past 30 days, smoked traditional cigars flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day traditional cigar smokers and have smoked flavored traditional cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3403-3410 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131TC_03: In past 30 days, smoked traditional cigars flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day traditional cigar smokers and have smoked flavored traditional cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %

	Missing Data		
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3411-3418 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131TC_04: In past 30 days, smoked traditional cigars flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day traditional cigar smokers and have smoked flavored traditional cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	10	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3419-3426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131TC_05: In past 30 days, smoked traditional cigars flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day traditional cigar smokers and have smoked flavored traditional cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3427-3434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131TC_06: In past 30 days, smoked traditional cigars flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day traditional cigar smokers and have smoked flavored traditional cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	10	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3435-3442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131TC_07: In past 30 days, smoked traditional cigars flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day traditional cigar smokers and have smoked flavored traditional cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	11	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3443-3450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1133TC: In past 30 days, flavor of traditional cigars smoked most often

In the past 30 days, which flavor of traditional cigars have you smoked most often?

ASK: Youth respondents who are past 30 day traditional cigar smokers and have smoked flavored traditional cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1 AND (R05_YG1131TC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YG1131TC_[01/.../07] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	0	0.0 %
2	2 = Clove or spice	0	0.0 %
3	3 = Fruit	1	0.0 %
4	4 = Chocolate	0	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0 %
6	6 = Candy or other sweets	0	0.0 %
7	7 = Some other flavor	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12097	100.0 %
	Total	12,097	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3451-3458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1147TC: How often smoked flavored traditional cigars on days smoked in past 30 days

On the days you smoked traditional cigars in the past 30 days, how often did you smoke flavored traditional cigars?

ASK: Youth respondents who are past 30 day traditional cigar smokers and have smoked flavored traditional cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1130TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	3	0.0 %
2	2 = Most of the time	3	0.0 %
3	3 = Sometimes	4	0.0 %
4	4 = Rarely	1	0.0 %
5	5 = Never	0	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3459-3466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1142TC: In past 30 days, did anyone sell you traditional cigars

In the past 30 days, did anyone sell you traditional cigars?

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	30	0.2 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %

	Missing Data		
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3467-3474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1123TC: In the past 30 days, someone refused to sell you traditional cigars because of your age

In the past 30 days, did anyone refuse to sell you traditional cigars because of your age?

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	32	0.3 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3475-3482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1118TC: In past 30 days, how you usually got your own traditional cigars

In the past 30 days, how did you usually get your own traditional cigars?

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	6	0.0 %
2	2 = I bought them myself from a store (including a cigar bar)	5	0.0 %
3	3 = I asked someone to give me one	3	0.0 %
4	4 = Someone offered it to me	17	0.1 %
5	5 = I bought them from another person	1	0.0 %
6	6 = I took them from a store or another person	1	0.0 %
7	7 = I got them some other way	3	0.0 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3483-3490 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1030TC: How you usually buy your traditional cigars

How do [you/they] usually buy your traditional cigars?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YGR22.]

ASK: Youth respondents who are past 30 day traditional cigar smokers and usually get traditional cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_YG1118TC = 1, 2 AND R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	9	0.1 %
2	2 = From the internet	1	0.0 %
3	3 = By telephone	1	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3491-3498 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1033TC: Retail location where your traditional cigars are purchased most of the time

Where do [you/they] buy your traditional cigars most of the time?

ASK: Youth respondents who are past 30 day traditional cigar smokers and usually get traditional cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1118TC = 1, 2 AND R05_YG1030TC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	1	0.0 %
2	2 = A convenience store or gas station	4	0.0 %
3	3 = A supermarket, grocery store, or drug store	0	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	4	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12089	99.9 %

	Missing Data		
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3499-3506 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1039TC: Usually buy traditional cigars by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] traditional cigars.

Did you buy them by the box or pack, or as single traditional cigar?

[If Single traditional cigar (2), Don't know (-8), or Refused (-7), GO TO R05_YG1034TC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar smokers and usually get traditional cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_GTRAD_LEVEL = 2 AND R05_YG1118TC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	3	0.0 %
2	2 = Single traditional cigars	2	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3507-3514 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1040TC: Number of traditional cigars that come in box or pack usually bought

How many traditional cigars came in the box or pack that you last bought?

___ Traditional Cigars

ASK: Youth respondents who are past 30 day "not-light" traditional cigar smokers and usually get traditional cigars by giving someone else money to buy for

them or buying themselves from a store and usually buy traditional cigars by the box or pack.

ASK Specification: IF R05_PAST30DAY_GTRAD_LEVEL = 2 AND R05_YG1118TC = 1, 2
AND R05_YG1039TC = 1.

[PROGRAM NOTE: Allow 2 digits.]

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
12	-	1	0.0 %
35	-	1	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12095	100.0 %
	Total	12,095	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3515-3522 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1034TC_D: Amount paid when last time bought a box of traditional cigars/pack of traditional cigars/single traditional cigar - Dollars

How much did you pay for a [box or pack of traditional cigars/single traditional cigar]?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO R05_YG1047TC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar smokers and usually get traditional cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars by the box or pack or usually buy single traditional cigars.

ASK Specification: IF R05_PAST30DAY_GTRAD_LEVEL = 2 AND
R05_YG1118TC = 1, 2 AND R05_YG1039TC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
5	-	1	0.0 %
120	-	1	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

- Mean: 31.75
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 120.00
- Standard Deviation: 58.86

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3523-3530 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1034TC_C: Amount paid when last time bought a box of traditional cigars/pack of traditional cigars/single traditional cigar - Cents

How much did you pay for a [box or pack of traditional cigars/single traditional cigar]?

___ Cents

[If Don't know (-8), or Refused (-7), GO TO R05_YG1047TC.]

ASK: Youth respondents who are past 30 day "not-light" traditional cigar smokers and usually get traditional cigars by giving someone else money to buy for them or buying themselves from a store and usually buy traditional cigars by the box or pack or usually buy single traditional cigars.

ASK Specification: IF R05_PAST30DAY_GTRAD_LEVEL = 2 AND R05_YG1118TC = 1, 2 AND R05_YG1039TC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3531-3538 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1047TC: Have a regular brand of traditional cigars you usually smoke

Do you have a regular brand of traditional cigars that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	4	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3539-3546 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1945TC: Know the name of brand of traditional cigars you usually/last smoked

Do you know the name of the brand of traditional cigars you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YGR11.]

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.1 %
2	2 = No	21	0.2 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3547-3554 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1048TC_BRAND: Brand of traditional cigars usually/last smoked

What brand of traditional cigar [do/did] you [usually/last] smoke?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day traditional cigar smokers who know the name of the brand of traditional cigars they usually smoke or last smoked.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1945TC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 15 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12083	99.9 %
	Total	12,083	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3555-3562 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1070TC_PRODUCT: Sub-brand of traditional cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day traditional cigar smokers who know the name of the brand of traditional cigars they usually smoke or last smoked and selected a brand of traditional cigars cigars.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG1945TC = 1 AND R05_YG1048TC_BRAND != 9995, -8, -7.

This variable has 15 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12083	99.9 %
	Total	12,083	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3563-3570 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0104TC: Brand of very last traditional cigar smoked is same as brand regularly/last smoked

You said earlier that you smoked a traditional cigar [TIME OF LAST USE].

Think about the very last traditional cigar you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day traditional cigar smokers and have smoked a traditional cigar in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of traditional cigars they usually smoke or last smoked and selected a brand and subbrand of traditional cigars.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YG0100TC = 1, 2, 3, 4 AND R05_YG1945TC = 1 AND R05_YG1048TC_BRAND != 9995, -8, -7 AND R05_YG1070TC_PRODUCT != 99990, 99995, -8, -7.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	0	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3571-3578 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1060TC_RANDOM_01: YG1060TC series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060TC through R05_YG1077TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12061	99.7 %
R05_YG1060TC	-	11	0.1 %
R05_YG1062TC	-	4	0.0 %

Value	Label	Unweighted Frequency	%
R05_YG1063TC	-	4	0.0 %
R05_YG1064TC	-	1	0.0 %
R05_YG1066TC	-	4	0.0 %
R05_YG1075TC	-	3	0.0 %
R05_YG1077TC	-	4	0.0 %
R05_YG1085TC	-	6	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 3579-3593 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060TC_RANDOM_02: YG1060TC series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060TC through R05_YG1077TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12061	99.7 %
R05_YG1060TC	-	5	0.0 %
R05_YG1062TC	-	3	0.0 %
R05_YG1063TC	-	8	0.1 %
R05_YG1064TC	-	2	0.0 %
R05_YG1066TC	-	7	0.1 %
R05_YG1075TC	-	6	0.0 %
R05_YG1077TC	-	2	0.0 %
R05_YG1085TC	-	4	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 3594-3608 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060TC_RANDOM_03: YG1060TC series random question 3

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060TC through R05_YG1077TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12061	99.7 %
R05_YG1060TC	-	7	0.1 %
R05_YG1062TC	-	7	0.1 %
R05_YG1063TC	-	3	0.0 %
R05_YG1064TC	-	1	0.0 %
R05_YG1066TC	-	3	0.0 %
R05_YG1075TC	-	9	0.1 %
R05_YG1077TC	-	1	0.0 %
R05_YG1085TC	-	6	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 3609-3623 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060TC_RANDOM_04: YG1060TC series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060TC through R05_YG1077TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12061	99.7 %
R05_YG1060TC	-	1	0.0 %
R05_YG1062TC	-	5	0.0 %
R05_YG1063TC	-	8	0.1 %
R05_YG1064TC	-	5	0.0 %
R05_YG1066TC	-	8	0.1 %
R05_YG1075TC	-	5	0.0 %
R05_YG1077TC	-	1	0.0 %
R05_YG1085TC	-	4	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 3624-3638 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060TC_RANDOM_05: YG1060TC series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060TC through R05_YG1077TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12061	99.7 %
R05_YG1060TC	-	5	0.0 %
R05_YG1062TC	-	5	0.0 %
R05_YG1063TC	-	4	0.0 %
R05_YG1064TC	-	2	0.0 %
R05_YG1066TC	-	6	0.0 %
R05_YG1075TC	-	6	0.0 %
R05_YG1077TC	-	1	0.0 %
R05_YG1085TC	-	8	0.1 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 3639-3653 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060TC_RANDOM_06: YG1060TC series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060TC through R05_YG1077TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12061	99.7 %
R05_YG1060TC	-	4	0.0 %
R05_YG1062TC	-	8	0.1 %
R05_YG1063TC	-	7	0.1 %

Value	Label	Unweighted Frequency	%
R05_YG1064TC	-	3	0.0 %
R05_YG1066TC	-	4	0.0 %
R05_YG1075TC	-	3	0.0 %
R05_YG1077TC	-	4	0.0 %
R05_YG1085TC	-	4	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 3654-3668 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060TC_RANDOM_07: YG1060TC series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060TC through R05_YG1077TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12080	99.9 %
R05_YG1060TC	-	2	0.0 %
R05_YG1062TC	-	4	0.0 %
R05_YG1063TC	-	2	0.0 %
R05_YG1064TC	-	2	0.0 %
R05_YG1066TC	-	2	0.0 %
R05_YG1075TC	-	2	0.0 %
R05_YG1077TC	-	3	0.0 %
R05_YG1085TC	-	1	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 3669-3683 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060TC_RANDOM_08: YG1060TC series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060TC through R05_YG1077TC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12080	99.9 %
R05_YG1060TC	-	2	0.0 %
R05_YG1062TC	-	1	0.0 %
R05_YG1063TC	-	1	0.0 %
R05_YG1064TC	-	2	0.0 %
R05_YG1066TC	-	3	0.0 %
R05_YG1075TC	-	3	0.0 %
R05_YG1077TC	-	2	0.0 %
R05_YG1085TC	-	4	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 3684-3698 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060TC: Smoke traditional cigars because: They are affordable

The next questions are about the reasons people smoke traditional cigars. Please select which reasons apply to you.

I smoke traditional cigars because...

They are affordable.

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	27	0.2 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %

	Missing Data		
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3699-3706 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1085TC: Smoke traditional cigars because: I can smoke them in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke traditional cigars. Please select which reasons apply to you.

I smoke traditional cigars because...

I can smoke traditional cigars at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	28	0.2 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3707-3714 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1062TC: Smoke traditional cigars because: They might be less harmful than cigarettes

The next questions are about the reasons people smoke traditional cigars. Please select which reasons apply to you.

I smoke traditional cigars because...

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	24	0.2 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3715-3722 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1075TC: Smoke traditional cigars because: Might be less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke traditional cigars. Please select which reasons apply to you.

I smoke traditional cigars because...

They might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigarsmokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	29	0.2 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3723-3730 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1063TC: Smoke traditional cigars because: They come in flavors I like

The next questions are about the reasons people smoke traditional cigars. Please select which reasons apply to you.

I smoke traditional cigars because...

Traditional cigars come in flavors I like.

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	24	0.2 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3731-3738 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1064TC: Smoke traditional cigars because: It helps people to quit smoking cigarettes

The next questions are about the reasons people smoke traditional cigars. Please select which reasons apply to you.

I smoke traditional cigars because...

Smoking traditional cigars helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	11	0.1 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12080	99.9 %
	Total	12,080	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3739-3746 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1066TC: Smoke traditional cigars because: It feels like smoking a regular cigarette

The next questions are about the reasons people smoke traditional cigars. Please select which reasons apply to you.

I smoke traditional cigars because...

Smoking a traditional cigar feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	30	0.2 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3747-3754 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1077TC: Smoke traditional cigars because: Smoking traditional cigars satisfies my cravings for cigarettes

The next questions are about the reasons people smoke traditional cigars. Please select which reasons apply to you.

I smoke traditional cigars because...

Smoking traditional cigars satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day traditional cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	8	0.1 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12080	99.9 %
	Total	12,080	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3755-3762 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1139TC: Level of agreement: Easier to talk and get along with other people when smoking a traditional cigar

Please rate your level of agreement for each statement using the following scale:
1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a traditional cigar.

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	15	0.1 %
2	2 = 2 on a scale of 1 to 4	13	0.1 %
3	3 = 3 on a scale of 1 to 4	6	0.0 %
4	4 = Very true of me	3	0.0 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3763-3770 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1140TC: Level of agreement: Feel more confident with other people while smoking a traditional cigar

Please rate your level of agreement for each statement using the following scale:
1 = not true of me at all to 4 = very true of me.

While smoking a traditional cigar, I feel more confident with other people.

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	16	0.1 %
2	2 = 2 on a scale of 1 to 4	12	0.1 %
3	3 = 3 on a scale of 1 to 4	6	0.0 %
4	4 = Very true of me	2	0.0 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3771-3778 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1141TC: Level of agreement: Smoke traditional cigars much more when with other people

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

I smoke traditional cigars much more when I am with other people.

ASK: Youth respondents who are past 30 day traditional cigar smokers.

ASK Specification: IF R05_PAST30DAY_GTRAD = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	10	0.1 %
2	2 = 2 on a scale of 1 to 4	11	0.1 %
3	3 = 3 on a scale of 1 to 4	5	0.0 %
4	4 = Very true of me	10	0.1 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3779-3786 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YG1006CL_NB: DERIVED - Age range when first tried a cigarillo, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a cigarillo, even one or two puffs?

Algorithm: Algorithm: IF R05_YG1120CL_NB = 1 OR
 (0 <= R05_YG1006CL_NB <= 11) THEN R05R_Y_YG1006CL_NB = 1; ELSE IF
 R05_YG1120CL_NB = 2 OR (12 <= R05_YG1006CL_NB <= 14) THEN
 R05R_Y_YG1006CL_NB = 2; ELSE IF R05_YG1120CL_NB = 3 OR
 (15 <= R05_YG1006CL_NB <= 17) THEN R05R_Y_YG1006CL_NB = 3; ELSE IF
 R05_YG1006CL_NB = -9 OR R05_YG1120CL_NB = -9 THEN
 R05R_Y_YG1006CL_NB = -99999; ELSE IF R05_YG1006CL_NB = -8 OR
 R05_YG1120CL_NB = -8 THEN R05R_Y_YG1006CL_NB = -99988; ELSE IF
 R05_YG1006CL_NB = -7 OR R05_YG1120CL_NB = -7 THEN
 R05R_Y_YG1006CL_NB = -99977; ELSE IF R05_YG1006CL_NB = -5 THEN
 R05R_Y_YG1006CL_NB = -99955; ELSE IF R05_YG1006CL_NB = -1 OR
 R05_YG1120CL_NB = -1 THEN R05R_Y_YG1006CL_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	4	0.0 %
2	2 = 12 to 14 years old	0	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12093	100.0 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3787-3794 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YG1108CL: First cigarillo smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first cigarillo you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YGR09.]

ASK: New baseline youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo cigar smokers, or continuing youth respondents who have initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo cigar smokers.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	45	0.4 %
2	2 = No	36	0.3 %
3	3 = I don't know	26	0.2 %
	Total	107	0.9%

This variable has 107 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11990	99.1 %
	Total	11,991	99.1%

Percentages for both tables are based on 12,098 total cases.

Location: 3795-3802 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011CL_01: Flavor of first cigarillo smoked: Menthol or mint

What flavor was that first cigarillo you smoked? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo cigar was flavored, or continuing youth respondents who have initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	38	0.3 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 3803-3810 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011CL_02: Flavor of first cigarillo smoked: Clove or spice

What flavor was that first cigarillo you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo cigar was flavored, or continuing youth respondents who have initiated

cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	41	0.3 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 3811-3818 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011CL_03: Flavor of first cigarillo smoked: Fruit

What flavor was that first cigarillo you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo cigar was flavored, or continuing youth respondents who have initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.2 %
2	2 = Not Marked	17	0.1 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 3819-3826 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011CL_04: Flavor of first cigarillo smoked: Chocolate

What flavor was that first cigarillo you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo cigar was flavored, or continuing youth respondents who have initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	42	0.3 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 3827-3834 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011CL_05: Flavor of first cigarillo smoked: An alcoholic drink

What flavor was that first cigarillo you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo cigar was flavored, or continuing youth respondents who have initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	39	0.3 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 3835-3842 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011CL_06: Flavor of first cigarillo smoked: Candy or other sweets

What flavor was that first cigarillo you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo cigar was flavored, or continuing youth respondents who have initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	35	0.3 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 3843-3850 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011CL_07: Flavor of first cigarillo smoked: Some other flavor

What flavor was that first cigarillo you smoked? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo cigar was flavored, or continuing youth respondents who have initiated cigarillo smoking since their last completed interview and are not past 12 month blunt-only cigarillo smokers and whose first cigarillo was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1108CL = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	42	0.3 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 3851-3858 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1005CL: Number of cigarillos smoked in entire life

How many cigarillos have you smoked in your entire life?

ASK: New baseline youth respondents who have ever smoked cigarillos and are not past 12 month blunt-only cigarillo smokers, or continuing youth respondents who have ever smoked a cigarillo and have initiated cigarillo smoking since their last completed interview or had not smoked 100 or more cigarillos in their lifetime as of their last completed interview and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND (R05_INIT_GRILLO_YOUTH = 1 OR R04_NUMLIFE_GRILLO != 1) AND R05_12MBLUNT_ONLY_BRILLO != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	90	0.7 %
2	2 = 1	29	0.2 %
3	3 = 2 to 10	55	0.5 %
4	4 = 11 to 20	22	0.2 %
5	5 = 21 to 50	24	0.2 %
6	6 = 51 to 99	14	0.1 %
7	7 = 100 or more	14	0.1 %
	Total	248	2.0%

This variable has 248 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11822	97.7 %
	Total	11,850	98.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3859-3866 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9040CL: Group most like cigarillo usually smoked

Please look at this picture. Which group is most like the cigarillo you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	16	0.1 %
2	2 = Group 2	138	1.1 %
3	3 = Group 3	78	0.6 %
4	4 = Group 4	14	0.1 %
	Total	246	2.0%

This variable has 246 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11816	97.7 %
	Total	11,852	98.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3867-3874 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1100CL: Ever smoked cigarillos fairly regularly

Have you ever smoked cigarillos fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YG1112CL.]

ASK: New baseline youth respondents who have ever smoked cigarillos and are not past 12 month blunt-only cigarillo smokers, or continuing youth respondents who have ever smoked a cigarillo and had not reported ever smoking cigarillos fairly regularly as of their last completed interview and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R04_REGUSE_GRILLO != 1 AND R05_12MBLUNT_ONLY_BRILLO != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.3 %
2	2 = No	214	1.8 %
	Total	247	2.0%

This variable has 247 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11850	98.0 %
	Total	11,851	98.0%

Percentages for both tables are based on 12,098 total cases.

Location: 3875-3882 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YG1007CL: DERIVED - Age range when first started smoking cigarillos fairly regularly (3 levels)

Long Description: How old were you when you first started smoking cigarillos fairly regularly?

Algorithm: IF R05_YG1121CL = 1 OR (0<=R05_YG1007CL<=11) THEN
R05R_Y_YG1007CL = 1; ELSE IF R05_YG1121CL = 2 OR (12<=R05_YG1007CL<=14)
THEN R05R_Y_YG1007CL = 2; ELSE IF R05_YG1121CL = 3 OR
(15<=R05_YG1007CL<=17) THEN R05R_Y_YG1007CL = 3; ELSE IF
R05_YG1007CL = -9 OR R05_YG1121CL = -9 THEN R05R_Y_YG1007CL = -99999;
ELSE IF R05_YG1007CL = -8 OR R05_YG1121CL = -8 THEN
R05R_Y_YG1007CL = -99988; ELSE IF R05_YG1007CL = -7 OR
R05_YG1121CL = -7 THEN R05R_Y_YG1007CL = -99977; ELSE IF
R05_YG1007CL = -5 THEN R05R_Y_YG1007CL = -99955; ELSE IF
R05_YG1007CL = -1 OR R05_YG1121CL = -1 THEN R05R_Y_YG1007CL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	4	0.0 %
2	2 = 12 to 14 years old	13	0.1 %
3	3 = 15 to 17 years old	16	0.1 %
	Total	33	0.3%

This variable has 33 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12065	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,065	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3883-3890 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YG112CL: Last time smoked a cigarillo, even one or two puffs

When was the last time you smoked a cigarillo, even one or two puffs?

[If 3-7, Don't know (-8), or Refused (-7), GO TO BOX R05_YGV02.]

ASK: Youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R05_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	14	0.1 %
2	2 = Not today but sometime in the past 7 days	20	0.2 %
3	3 = Not in the past 7 days but sometime in the past 30 days	35	0.3 %
4	4 = Not in the past 30 days but sometime in the past 6 months	61	0.5 %
5	5 = Not in the past 6 months but sometime in the past year	66	0.5 %
6	6 = 1 to 4 years ago	43	0.4 %
7	7 = 5 or more years ago	14	0.1 %
	Total	253	2.1%

This variable has 253 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11816	97.7 %
	Total	11,845	97.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3891-3898 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0100CL: When last smoked a cigarillo

When did you last smoke a cigarillo?

[If In the past hour (1), GO TO R05_YG0103CL. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YGV02.]

ASK: Youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers and last smoked a cigarillo earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1112CL = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	5	0.0 %
2	2 = Sometime today, but more than an hour ago	7	0.1 %
3	3 = Yesterday	8	0.1 %
4	4 = Day before yesterday	4	0.0 %
5	5 = Three or more days ago	10	0.1 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 3899-3906 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0102CL: Time period of day when you last smoked a cigarillo

When you last smoked a cigarillo [FILL BASED ON R05_YG0100CL], was it...

ASK: Youth respondents who have ever smoked a traditional cigarillo and are not past 12 month blunt-only cigarillo smokers and last smoked a cigarillo earlier today or sometime in the past 7 days and last smoked a cigarillo sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1112CL = 1, 2 AND R05_YG0100CL = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	3	0.0 %
2	2 = After 6AM but before noon	6	0.0 %
3	3 = Between noon and 6PM	6	0.0 %
4	4 = After 6PM but before midnight	3	0.0 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,080	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 3907-3914 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0103CL: Number of cigarillos smoked today/yesterday/day before yesterday

How many cigarillos [have/did] you [smoked/smoke] [FILL BASED ON R05_YG0100CL]? (If less than 1, enter 1.)

___ Cigarillos

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YGV02.]

ASK: Youth respondents who have ever smoked a cigarillo and are not past 12 month blunt-only cigarillo smokers and last smoked a cigarillo cigar earlier today or sometime in the past 7 days and last smoked a cigarillo in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND

R05_12MBLUNT_ONLY_BRILLO != 1 AND R05_YG1112CL = 1, 2 AND R05_YG0100CL = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 22 valid cases out of 12,098 total cases.

- Mean: 2.64
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.01

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3915-3922 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1022CL: In past 30 days, number of days smoked a cigarillo

In the past 30 days, on how many days did you smoke a cigarillo?

___ Days

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 67 valid cases out of 12,098 total cases.

- Mean: 6.33
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 8.39

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,031	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 3923-3930 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1023CL: In past 30 days, number of cigarillos smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a cigarillo, how many cigarillos did you smoke per day?

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 cigarillo per day	30	0.2 %
2	2 = 1 cigarillo per day	20	0.2 %
3	3 = 2 to 5 cigarillos per day	14	0.1 %
4	4 = 6 to 10 cigarillos per day	0	0.0 %
5	5 = 11 to 20 cigarillos per day	1	0.0 %
6	6 = More than 20 cigarillos per day	0	0.0 %
	Total	65	0.5%

This variable has 65 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,033	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 3931-3938 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1130CL: In past 30 days, smoked cigarillos flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the cigarillos that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YG1142CL.]

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.2 %
2	2 = No	34	0.3 %
3	3 = I don't know	5	0.0 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,029	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 3939-3946 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131CL_01: In past 30 days, smoked cigarillos flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day cigarillo smokers and have smoked flavored cigarillos in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	21	0.2 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3947-3954 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131CL_02: In past 30 days, smoked cigarillos flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day cigarillo smokers and have smoked flavored cigarillos in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3955-3962 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131CL_03: In past 30 days, smoked cigarillos flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day cigarillo smokers and have smoked flavored cigarillos in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	16	0.1 %
2	2 = Not Marked	13	0.1 %

Value	Label	Unweighted Frequency	%
	Total	29	0.2%

This variable has 29 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3963-3970 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131CL_04: In past 30 days, smoked cigarillos flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day cigarillo smokers and have smoked flavored cigarillos in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3971-3978 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131CL_05: In past 30 days, smoked cigarillos flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day cigarillo smokers and have smoked flavored traditional cigarillos in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7	0.1 %
2	2 = Not Marked	22	0.2 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3979-3986 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131CL_06: In past 30 days, smoked cigarillos flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day cigarillos and have smoked flavored cigarillos in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	25	0.2 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3987-3994 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131CL_07: In past 30 days, smoked cigarillos flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day cigarillo smokers and have smoked flavored traditional cigarillos in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	28	0.2 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 3995-4002 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1133CL: In past 30 days, flavor of cigarillos smoked most often

In the past 30 days, which flavor of cigarillos have you smoked most often?

ASK: Youth respondents who are past 30 day cigarillo smokers and have smoked flavored cigarillos in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1 AND (R05_YG1131CL_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YG1131CL_[01/.../07] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	1	0.0 %
2	2 = Clove or spice	0	0.0 %
3	3 = Fruit	5	0.0 %
4	4 = Chocolate	1	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0 %
6	6 = Candy or other sweets	1	0.0 %
7	7 = Some other flavor	0	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4003-4010 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1147CL: How often smoked flavored cigarillos on days smoked in past 30 days

On the days you smoked cigarillos in the past 30 days, how often did you smoke flavored cigarillos?

ASK: Youth respondents who are past 30 day cigarillo smokers and have smoked flavored cigarillos in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1130CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	9	0.1 %
2	2 = Most of the time	5	0.0 %
3	3 = Sometimes	7	0.1 %
4	4 = Rarely	7	0.1 %
5	5 = Never	2	0.0 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4011-4018 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1142CL: In past 30 days, did anyone sell you cigarillos

In the past 30 days, did anyone sell you cigarillos?

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.1 %
2	2 = No	53	0.4 %

Value	Label	Unweighted Frequency	%
	Total	68	0.6%

This variable has 68 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,030	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 4019-4026 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1123CL: In the past 30 days, someone refused to sell you cigarillos because of your age

In the past 30 days, did anyone refuse to sell you cigarillos because of your age?

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	50	0.4 %
	Total	66	0.5%

This variable has 66 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,032	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 4027-4034 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1118CL: In past 30 days, how you usually got your own cigarillos

In the past 30 days, how did you usually get your own cigarillos?

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	23	0.2 %
2	2 = I bought them myself from a store (including a cigar bar)	13	0.1 %
3	3 = I asked someone to give me one	8	0.1 %
4	4 = Someone offered it to me	13	0.1 %
5	5 = I bought them from another person	5	0.0 %
6	6 = I took them from a store or another person	1	0.0 %
7	7 = I got them some other way	3	0.0 %
	Total	66	0.5%

This variable has 66 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,032	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 4035-4042 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1030CL: How you usually buy your cigarillos

How do [you/they] usually buy your cigarillos?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YGR22.]

ASK: Youth respondents who are past 30 day cigarillo smokers and usually get cigarillos by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_YG1118CL = 1, 2 AND R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	33	0.3 %
2	2 = From the internet	3	0.0 %
3	3 = By telephone	0	0.0 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12062	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 4043-4050 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1033CL: Retail location where your cigarillos are purchased most of the time

Where do [you/they] buy your cigarillos most of the time?

ASK: Youth respondents who are past 30 day cigarillo smokers and usually get cigarillos by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1118CL = 1, 2 AND R05_YG1030CL = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	25	0.2 %
3	3 = A supermarket, grocery store, or drug store	4	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	3	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	1	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	33	0.3%

This variable has 33 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12065	99.7 %
	Total	12,065	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 4051-4058 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1039CL: Usually buy cigarillos by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] cigarillos.
Did you buy them by the box or pack, or as single cigarillos?

[If Single cigarillo (2), Don't know (-8), or Refused (-7), GO TO R05_YG1034CG.]

ASK: Youth respondents who are past 30 day "not-light" cigarillo smokers
and usually get cigarillos by giving someone else money to buy for them
or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_GRILLO_LEVEL = 2 AND R05_YG1118CL = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	11	0.1 %
2	2 = Single cigarillos	16	0.1 %
	Total	27	0.2%

This variable has 27 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12071	99.8 %
	Total	12,071	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4059-4066 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1040CL: Number of cigarillos that come in box or pack usually bought

How many cigarillos came in the box or pack that you last bought?

__ Cigarillos

ASK: Youth respondents who are past 30 day "not-light" cigarillo smokers and usually get cigarillos by giving someone else money to buy for them or buying themselves from a store and usually buy cigarillos by the box or pack.

ASK Specification: IF R05_PAST30DAY_GRILLO_LEVEL = 2 AND R05_YG1118CL = 1, 2 AND R05_YG1039CL = 1.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 11 valid cases out of 12,098 total cases.

- Mean: 3.00
- Median: 2.00
- Mode: 2.00
- Minimum: 2.00
- Maximum: 5.00
- Standard Deviation: 1.41

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4067-4074 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1034CL_D: Amount paid when last time bought a box of cigarillos/pack of cigarillos/single cigarillo - Dollars

How much did you pay for a [box or pack of cigarillos/single cigarillo]?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO R05_YG1047CL.]

ASK: Youth respondents who are past 30 day "not-light" cigarillo smokers and usually get cigarillos by giving someone else money to buy for them or buying themselves from a store and usually buy cigarillos by the box or pack or usually

buy single cigarillos.

ASK Specification: IF R05_PAST30DAY_GRILLO_LEVEL = 2 AND R05_YG1118CL = 1, 2 AND R05_YG1039CL = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 27 valid cases out of 12,098 total cases.

- Mean: 2.04
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.89

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12071	99.8 %
	Total	12,071	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4075-4082 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1034CL_C: Amount paid when last time bought a box of cigarillos/pack of cigarillos/single cigarillo - Cents

How much did you pay for a [box or pack of cigarillos/single cigarillo]?

__ Cents

[If Don't know (-8), or Refused (-7), GO TO R05_YG1047CL.]

ASK: Youth respondents who are past 30 day "not-light" cigarillo smokers and usually get cigarillos by giving someone else money to buy for them or buying themselves from a store and usually buy cigarillos by the box or pack or usually buy single cigarillos.

ASK Specification: IF R05_PAST30DAY_GRILLO_LEVEL = 2 AND R05_YG1118CL = 1, 2 AND R05_YG1039CL = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 27 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12071	99.8 %
	Total	12,071	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4083-4090 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1047CL: Have a regular brand of cigarillos you usually smoke

Do you have a regular brand of cigarillos that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	18	0.1 %
	Total	43	0.4%

This variable has 43 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12055	99.6 %
	Total	12,055	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 4091-4098 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1945CL: Know the name of brand of cigarillos you usually/last smoked

Do you know the name of the brand of cigarillos you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YGR11.]

ASK: Youth respondents who are past 30 day cigarillosmokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.3 %
2	2 = No	27	0.2 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,029	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 4099-4106 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1048CL_BRAND: Brand of cigarillos usually/last smoked

What brand of cigarillo [do/did] you [usually/last] smoke?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day cigarillo smokers who know the name of the brand of cigarillos they usually smoke or last smoked.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1945CL = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12056	99.7 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 4107-4114 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1070CL_PRODUCT: Sub-brand of cigarillo product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day cigarillo smokers who know the name of the brand of cigarillos they usually smoke or last smoked and selected a brand of cigarillos.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG1945CL = 1 AND R05_YG1048CL_BRAND != 9995, -8, -7.

This variable has 41 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12056	99.7 %
	Total	12,057	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 4115-4122 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0104CL: Brand of very last cigarillo smoked is same as brand regularly/last smoked

You said earlier that you smoked a cigarillo [TIME OF LAST USE].

Think about the very last cigarillo you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day cigarillo smokers and have smoked a cigarillo in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of cigarillos they usually smoke or last smoked and selected a brand and subbrand of cigarillos.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YG0100CL = 1, 2, 3, 4 AND R05_YG1945CL = 1 AND R05_YG1048CL_BRAND != 9995, -8, -7 AND R05_YG1070CL_PRODUCT != 99990, 99995, -8, -7.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	4	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12081	99.9 %
	Total	12,082	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4123-4130 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1060CL_RANDOM_01: YG1060CL series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060CL through R05_YG1077CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12029	99.4 %
R05_YG1060CL	-	7	0.1 %
R05_YG1062CL	-	19	0.2 %
R05_YG1063CL	-	10	0.1 %
R05_YG1064CL	-	4	0.0 %

Value	Label	Unweighted Frequency	%
R05_YG1066CL	-	9	0.1 %
R05_YG1075CL	-	6	0.0 %
R05_YG1077CL	-	6	0.0 %
R05_YG1085CL	-	8	0.1 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4131-4145 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060CL_RANDOM_02: YG1060CL series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060CL through R05_YG1077CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12029	99.4 %
R05_YG1060CL	-	8	0.1 %
R05_YG1062CL	-	14	0.1 %
R05_YG1063CL	-	8	0.1 %
R05_YG1064CL	-	6	0.0 %
R05_YG1066CL	-	10	0.1 %
R05_YG1075CL	-	10	0.1 %
R05_YG1077CL	-	5	0.0 %
R05_YG1085CL	-	8	0.1 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4146-4160 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060CL_RANDOM_03: YG1060CL series random question 3

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060CL through R05_YG1077CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the

order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12029	99.4 %
R05_YG1060CL	-	8	0.1 %
R05_YG1062CL	-	7	0.1 %
R05_YG1063CL	-	12	0.1 %
R05_YG1064CL	-	6	0.0 %
R05_YG1066CL	-	13	0.1 %
R05_YG1075CL	-	11	0.1 %
R05_YG1077CL	-	1	0.0 %
R05_YG1085CL	-	11	0.1 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4161-4175 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060CL_RANDOM_04: YG1060CL series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060CL through R05_YG1077CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12029	99.4 %
R05_YG1060CL	-	14	0.1 %
R05_YG1062CL	-	5	0.0 %
R05_YG1063CL	-	6	0.0 %
R05_YG1064CL	-	4	0.0 %
R05_YG1066CL	-	11	0.1 %
R05_YG1075CL	-	10	0.1 %
R05_YG1077CL	-	1	0.0 %
R05_YG1085CL	-	18	0.1 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4176-4190 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060CL_RANDOM_05: YG1060CL series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060CL through R05_YG1077CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12029	99.4 %
R05_YG1060CL	-	9	0.1 %
R05_YG1062CL	-	8	0.1 %
R05_YG1063CL	-	14	0.1 %
R05_YG1064CL	-	5	0.0 %
R05_YG1066CL	-	7	0.1 %
R05_YG1075CL	-	9	0.1 %
R05_YG1077CL	-	8	0.1 %
R05_YG1085CL	-	9	0.1 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4191-4205 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060CL_RANDOM_06: YG1060CL series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060CL through R05_YG1077CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12029	99.4 %
R05_YG1060CL	-	11	0.1 %
R05_YG1062CL	-	8	0.1 %
R05_YG1063CL	-	9	0.1 %
R05_YG1064CL	-	8	0.1 %
R05_YG1066CL	-	6	0.0 %
R05_YG1075CL	-	11	0.1 %

Value	Label	Unweighted Frequency	%
R05_YG1077CL	-	7	0.1 %
R05_YG1085CL	-	9	0.1 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4206-4220 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060CL_RANDOM_07: YG1060CL series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060CL through R05_YG1077CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12054	99.6 %
R05_YG1060CL	-	7	0.1 %
R05_YG1062CL	-	3	0.0 %
R05_YG1063CL	-	5	0.0 %
R05_YG1064CL	-	6	0.0 %
R05_YG1066CL	-	7	0.1 %
R05_YG1075CL	-	6	0.0 %
R05_YG1077CL	-	9	0.1 %
R05_YG1085CL	-	1	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4221-4235 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060CL_RANDOM_08: YG1060CL series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060CL through R05_YG1077CL) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12054	99.6 %
R05_YG1060CL	-	5	0.0 %
R05_YG1062CL	-	5	0.0 %
R05_YG1063CL	-	5	0.0 %
R05_YG1064CL	-	5	0.0 %
R05_YG1066CL	-	6	0.0 %
R05_YG1075CL	-	6	0.0 %
R05_YG1077CL	-	7	0.1 %
R05_YG1085CL	-	5	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4236-4250 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060CL: Smoke cigarillos because: They are affordable

The next questions are about the reasons people smoke cigarillos. Please select which reasons apply to you.

I smoke cigarillos because...

They are affordable.

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.3 %
2	2 = No	29	0.2 %
	Total	68	0.6 %

This variable has 68 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,030	99.4 %

Percentages for both tables are based on 12,098 total cases.

Location: 4251-4258 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1085CL: Smoke cigarillos because: I can smoke them in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke cigarillos. Please select which reasons apply to you.

I smoke cigarillos because...

I can smoke cigarillos at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	58	0.5 %
	Total	67	0.6%

This variable has 67 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,031	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 4259-4266 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1062CL: Smoke cigarillos because: They might be less harmful than cigarettes

The next questions are about the reasons people smoke cigarillos. Please select which reasons apply to you.

I smoke cigarillos because...

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	48	0.4 %
	Total	68	0.6%

This variable has 68 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,030	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 4267-4274 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1075CL: Smoke cigarillos because: Might be less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke cigarillos. Please select which reasons apply to you.

I smoke cigarillos because...

They might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	48	0.4 %
	Total	68	0.6%

This variable has 68 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12029	99.4 %

	Missing Data		
	Total	12,030	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 4275-4282 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1063CL: Smoke cigarillos because: They come in flavors I like

The next questions are about the reasons people smoke cigarillos. Please select which reasons apply to you.

I smoke cigarillos because...

Cigarillos come in flavors I like.

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	39	0.3 %
2	2 = No	30	0.2 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,029	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 4283-4290 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1064CL: Smoke cigarillos because: It helps people to quit smoking cigarettes

The next questions are about the reasons people smoke cigarillos. Please select which reasons apply to you.

I smoke cigarillos because...

Smoking cigarillos helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day cigarillo smokers and last smoked a

cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	31	0.3 %
	Total	43	0.4%

This variable has 43 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12054	99.6 %
	Total	12,055	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 4291-4298 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1066CL: Smoke cigarillos because: It feels like smoking a regular cigarette

The next questions are about the reasons people smoke cigarillos. Please select which reasons apply to you.

I smoke cigarillos because...

Smoking a cigarillo feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	48	0.4 %
	Total	68	0.6%

This variable has 68 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,030	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 4299-4306 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1077CL: Smoke cigarillos because: Smoking cigarillos satisfies my cravings for cigarettes

The next questions are about the reasons people smoke cigarillos. Please select which reasons apply to you.

I smoke cigarillos because...

Smoking cigarillos satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day cigarillo smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	23	0.2 %
	Total	43	0.4%

This variable has 43 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12054	99.6 %
	Total	12,055	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 4307-4314 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1139CL: Level of agreement: Easier to talk and get along with other people when smoking a cigarillo

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a cigarillo.

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	36	0.3 %
2	2 = 2 on a scale of 1 to 4	14	0.1 %
3	3 = 3 on a scale of 1 to 4	9	0.1 %
4	4 = Very true of me	10	0.1 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,029	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 4315-4322 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1140CL: Level of agreement: Feel more confident with other people while smoking a cigarillo

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

While smoking a cigarillo, I feel more confident with other people.

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	38	0.3 %
2	2 = 2 on a scale of 1 to 4	17	0.1 %

Value	Label	Unweighted Frequency	%
3	3 = 3 on a scale of 1 to 4	7	0.1 %
4	4 = Very true of me	7	0.1 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,029	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 4323-4330 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1141CL: Level of agreement: Smoke cigarillos much more when with other people

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

I smoke cigarillos much more when I am with other people.

ASK: Youth respondents who are past 30 day cigarillo smokers.

ASK Specification: IF R05_PAST30DAY_GRILLO = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	25	0.2 %
2	2 = 2 on a scale of 1 to 4	20	0.2 %
3	3 = 3 on a scale of 1 to 4	14	0.1 %
4	4 = Very true of me	9	0.1 %
	Total	68	0.6%

This variable has 68 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,030	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 4331-4338 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YG1006FC_NB: DERIVED - Age range when first tried a filtered cigar, even one or two puffs (3 levels)

Long Description: How old were you when you first tried a filtered cigar, even one or two puffs?

Algorithm: IF R05_YG1120FC_NB = 1 OR (0 <= R05_YG1006FC_NB <= 11) THEN
R05R_Y_YG1006FC_NB = 1; ELSE IF R05_YG1120FC_NB = 2 OR
(12 <= R05_YG1006FC_NB <= 14) THEN R05R_Y_YG1006FC_NB = 2; ELSE IF
R05_YG1120FC_NB = 3 OR (15 <= R05_YG1006FC_NB <= 17) THEN
R05R_Y_YG1006FC_NB = 3; ELSE IF R05_YG1006FC_NB = -9 OR
R05_YG1120FC_NB = -9 THEN R05R_Y_YG1006FC_NB = -99999; ELSE IF
R05_YG1006FC_NB = -8 OR R05_YG1120FC_NB = -8 THEN
R05R_Y_YG1006FC_NB = -99988; ELSE IF R05_YG1006FC_NB = -7 OR
R05_YG1120FC_NB = -7 THEN R05R_Y_YG1006FC_NB = -99977; ELSE IF
R05_YG1006FC_NB = -5 THEN R05R_Y_YG1006FC_NB = -99955; ELSE IF
R05_YG1006FC_NB = -1 OR R05_YG1120FC_NB = -1 THEN
R05R_Y_YG1006FC_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0 %
2	2 = 12 to 14 years old	0	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12096	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 4339-4346 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YG1108FC: First filtered cigar smoked was flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first filtered cigar you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YGR09.]

ASK: New baseline youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only filtered cigar smokers, or continuing youth respondents who have initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only traditional filtered cigar smokers.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	15	0.1 %
3	3 = I don't know	8	0.1 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12056	99.7 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 4347-4354 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011FC_01: Flavor of first filtered cigar smoked: Menthol or mint

What flavor was that first filtered cigar you smoked? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first filtered cigar was flavored, or continuing youth respondents who have initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	14	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4355-4362 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011FC_02: Flavor of first filtered cigar smoked: Clove or spice

What flavor was that first filtered cigar you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first filtered cigar was flavored, or continuing youth respondents who have initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1) OR (R05_YOUTHTYPE = 1

AND R05_INIT_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4363-4370 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011FC_03: Flavor of first filtered cigar smoked: Fruit

What flavor was that first filtered cigar you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first filtered cigar was flavored, or continuing youth respondents who have initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	6	0.0 %

Value	Label	Unweighted Frequency	%
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4371-4378 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011FC_04: Flavor of first filtered cigar smoked: Chocolate

What flavor was that first filtered cigar you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first filtered cigar was flavored, or continuing youth respondents who have initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	15	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4379-4386 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011FC_05: Flavor of first filtered cigar smoked: An alcoholic drink

What flavor was that first filtered cigar you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first filtered cigar was flavored, or continuing youth respondents who have initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4387-4394 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011FC_06: Flavor of first filtered cigar smoked: Candy or other sweets

What flavor was that first filtered cigar you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first filtered cigar was flavored, or continuing youth respondents who have initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	17	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4395-4402 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1011FC_07: Flavor of first filtered cigar smoked: Some other flavor

What flavor was that first filtered cigar you smoked? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever smoked a

filtered cigar and are not past 12 month blunt-only traditional cigar/cigarillo/filtered cigar smokers and whose first filtered cigar was flavored, or continuing youth respondents who have initiated filtered cigar smoking since their last completed interview and are not past 12 month blunt-only filtered cigar smokers and whose first filtered cigar was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1) OR (R05_YOUTHTYPE = 1 AND R05_INIT_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1108FC = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4403-4410 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1005FC: Number of filtered cigars smoked in entire life

How many filtered cigars have you smoked in your entire life?

ASK: New baseline youth respondents who have ever smoked filtered cigars and are not past 12 month blunt-only filtered cigar smokers, or continuing youth respondents who have ever smoked a filtered cigar and have initiated filtered cigar smoking since their last completed interview or had not smoked 100 or more filtered cigars in their lifetime as of their last completed interview and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND (R05_INIT_GFILTR_YOUTH = 1 OR R04_NUMLIFE_GFILTR != 1) AND R05_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = 1 or more puffs but never a whole one	46	0.4 %
2	2 = 1	14	0.1 %
3	3 = 2 to 10	14	0.1 %
4	4 = 11 to 20	15	0.1 %
5	5 = 21 to 50	8	0.1 %
6	6 = 51 to 99	4	0.0 %
7	7 = 100 or more	7	0.1 %
	Total	108	0.9%

This variable has 108 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11978	99.0 %
	Total	11,990	99.1%

Percentages for both tables are based on 12,098 total cases.

Location: 4411-4418 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9040FC: Group most like filtered cigar usually smoked

Please look at this picture. Which group is most like the filtered cigar you usually smoke?

[SHOW GENERIC IMAGE OF 4 CIGAR GROUPS]

ASK: Youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1.

Value	Label	Unweighted Frequency	%
1	1 = Group 1	10	0.1 %
2	2 = Group 2	33	0.3 %
3	3 = Group 3	24	0.2 %
4	4 = Group 4	46	0.4 %
	Total	113	0.9%

This variable has 113 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11975	99.0 %
	Total	11,985	99.1%

Percentages for both tables are based on 12,098 total cases.

Location: 4419-4426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1100FC: Ever smoked filtered cigars fairly regularly

Have you ever smoked filtered cigars fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YG1112FC.]

ASK: New baseline youth respondents who have ever smoked filtered cigars and are not past 12 month blunt-only filtered cigar smokers, or continuing youth respondents who have ever smoked a filtered cigar and had not reported ever smoking filtered cigars fairly regularly as of their last completed interview and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R04_REGUSE_GFILTR != 1 AND R05_12MBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	90	0.7 %
	Total	103	0.9%

This variable has 103 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11995	99.1 %
	Total	11,995	99.1%

Percentages for both tables are based on 12,098 total cases.

Location: 4427-4434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YG1007FC: DERIVED - Age range when first started smoking filtered cigars fairly regularly (3 levels)

Long Description: How old were you when you first started smoking filtered cigars fairly regularly?

Algorithm: IF R05_YG1121FC = 1 OR (0<=R05_YG1007FC<=11) THEN
R05R_Y_YG1007FC = 1; ELSE IF R05_YG1121FC = 2 OR (12<=R05_YG1007FC<=14)
THEN R05R_Y_YG1007FC = 2; ELSE IF R05_YG1121FC = 3 OR
(15<=R05_YG1007FC<=17) THEN R05R_Y_YG1007FC = 3; ELSE IF R05_YG1007FC = -9
OR R05_YG1121FC = -9 THEN R05R_Y_YG1007FC = -99999; ELSE IF
R05_YG1007FC = -8 OR R05_YG1121FC = -8 THEN R05R_Y_YG1007FC = -99988; ELSE
IF R05_YG1007FC = -7 OR R05_YG1121FC = -7 THEN R05R_Y_YG1007FC = -99977;
ELSE IF R05_YG1007FC = -5 THEN R05R_Y_YG1007FC = -99955; ELSE IF
R05_YG1007FC = -1 OR R05_YG1121FC = -1 THEN R05R_Y_YG1007FC = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	1	0.0 %
2	2 = 12 to 14 years old	5	0.0 %
3	3 = 15 to 17 years old	7	0.1 %
	Total	13	0.1%

This variable has 13 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12085	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,085	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4435-4442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YG112FC: Last time smoked a filtered cigar, even one or two puffs

When was the last time you smoked a filtered cigar, even one or two puffs?

[If 3-7, Don't know (-8), or Refused (-7), GO TO BOX R05_YGV02.]

ASK: Youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only filtered cigar smokers.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R05_YG1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	9	0.1 %
2	2 = Not today but sometime in the past 7 days	7	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	8	0.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	25	0.2 %
5	5 = Not in the past 6 months but sometime in the past year	41	0.3 %
6	6 = 1 to 4 years ago	16	0.1 %
7	7 = 5 or more years ago	12	0.1 %
	Total	118	1.0%

This variable has 118 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11975	99.0 %
	Total	11,980	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 4443-4450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0100FC: When last smoked a filtered cigar

When did you last smoke a filtered cigar?

[If In the past hour (1), GO TO R05_YG0103FC. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YGV02.]

ASK: Youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only filtered cigar smokers and last smoked a filtered cigar earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1112FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	4	0.0 %
2	2 = Sometime today, but more than an hour ago	5	0.0 %
3	3 = Yesterday	3	0.0 %
4	4 = Day before yesterday	2	0.0 %
5	5 = Three or more days ago	2	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12082	99.9 %
	Total	12,082	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4451-4458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0102FC: Time period of day when you last smoked a filtered cigar

When you last smoked a filtered cigar [FILL BASED ON R05_YG0100FC], was it...

ASK: Youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only filtered cigar smokers and last smoked a filtered cigar earlier today or sometime in the past 7 days and last smoked a filtered cigar sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1112FC = 1, 2 AND R05_YG0100FC = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	1	0.0 %
2	2 = After 6AM but before noon	3	0.0 %
3	3 = Between noon and 6PM	3	0.0 %
4	4 = After 6PM but before midnight	3	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4459-4466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0103FC: Number of filtered cigars smoked today/yesterday/day before yesterday

How many filtered cigars [have/did] you [smoked/smoke] [FILL BASED ON R05_YG0100FC]? (If less than 1, enter 1.)

___ Filtered Cigars

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YGV02.]

ASK: Youth respondents who have ever smoked a filtered cigar and are not past 12 month blunt-only filtered cigar smokers and last smoked a filtered cigar earlier today or sometime in the past 7 days and last smoked a filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_12MBLUNT_ONLY_BFILTR != 1 AND R05_YG1112FC = 1, 2 AND R05_YG0100FC = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

Value	Label	Unweighted Frequency	%
1	-	7	0.1 %
2	-	1	0.0 %
6	-	1	0.0 %
36	-	1	0.0 %
41	-	1	0.0 %
44	-	1	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,098 total cases.

- Mean: 11.33
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 44.00
- Standard Deviation: 17.63

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	2	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,086	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4467-4474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1022FC: In past 30 days, number of days smoked a filtered cigar

In the past 30 days, on how many days did you smoke a filtered cigar?

__ Days

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 24 valid cases out of 12,098 total cases.

- Mean: 6.25
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 8.19

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4475-4482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1023FC: In past 30 days, number of filtered cigars smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a filtered cigar, how many filtered cigars did you smoke per day?

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 filtered cigar per day	14	0.1 %
2	2 = 1 filtered cigar per day	5	0.0 %
3	3 = 2 to 5 filtered cigars per day	1	0.0 %
4	4 = 6 to 10 filtered cigars per day	1	0.0 %
5	5 = 11 to 20 filtered cigars per day	1	0.0 %
6	6 = More than 20 filtered cigars per day	2	0.0 %
	Total	24	0.2%

This variable has 24 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4483-4490 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1130FC: In past 30 days, smoked filtered cigars flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, were any of the filtered cigars that you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YG1142FC.]

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	11	0.1 %
3	3 = I don't know	2	0.0 %
	Total	23	0.2%

This variable has 23 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,075	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4491-4498 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131FC_01: In past 30 days, smoked filtered cigars flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day filtered cigar smokers and have smoked flavored filtered cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	7	0.1 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4499-4506 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131FC_02: In past 30 days, smoked filtered cigars flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day filtered cigar smokers and have smoked flavored filtered cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4507-4514 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131FC_03: In past 30 days, smoked filtered cigars flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day filtered cigar smokers and have smoked flavored filtered cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4515-4522 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131FC_04: In past 30 days, smoked filtered cigars flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day filtered cigar smokers and have smoked flavored filtered cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	10	0.1 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4523-4530 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131FC_05: In past 30 days, smoked filtered cigars flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day filtered cigar smokers and have smoked flavored filtered cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4531-4538 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131FC_06: In past 30 days, smoked filtered cigars flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day filtered cigar smokers and have smoked flavored filtered cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4539-4546 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1131FC_07: In past 30 days, smoked filtered cigars flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day filtered cigar smokers and have smoked flavored filtered cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4547-4554 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1133FC: In past 30 days, flavor of filtered cigars smoked most often

In the past 30 days, which flavor of filtered cigars have you smoked most often?

Some other flavor (SPECIFIED)

ASK: Youth respondents who are past 30 day filtered cigar smokers and have smoked flavored filtered cigars in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1 AND (R05_YG1131FC_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YG1131FC_[01/.../07] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	0	0.0 %
2	2 = Clove or spice	0	0.0 %
3	3 = Fruit	1	0.0 %
4	4 = Chocolate	0	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0 %
6	6 = Candy or other sweets	2	0.0 %
7	7 = Some other flavor	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12095	100.0 %
	Total	12,095	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 4555-4562 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1147FC: How often smoked flavored filtered cigars on days smoked in past 30 days

On the days you smoked filtered cigars in the past 30 days, how often did you smoke flavored filtered cigars?

ASK: Youth respondents who are past 30 day filtered cigar smokers and have smoked flavored filtered cigars in the past 30 days.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1130FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	5	0.0 %
2	2 = Most of the time	0	0.0 %
3	3 = Sometimes	1	0.0 %
4	4 = Rarely	2	0.0 %
5	5 = Never	2	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4563-4570 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1142FC: In past 30 days, did anyone sell you filtered cigars

In the past 30 days, did anyone sell you filtered cigars?

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	20	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4571-4578 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1123FC: In the past 30 days, someone refused to sell you filtered cigars because of your age

In the past 30 days, did anyone refuse to sell you filtered cigars because of your age?

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	21	0.2 %
	Total	24	0.2%

This variable has 24 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4579-4586 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG118FC: In past 30 days, how you usually got your own filtered cigars

In the past 30 days, how did you usually get your own filtered cigars?

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy them for me	6	0.0 %
2	2 = I bought them myself from a store (including a cigar bar)	2	0.0 %
3	3 = I asked someone to give me one	3	0.0 %
4	4 = Someone offered it to me	10	0.1 %
5	5 = I bought them from another person	1	0.0 %
6	6 = I took them from a store or another person	0	0.0 %
7	7 = I got them some other way	1	0.0 %
	Total	23	0.2%

This variable has 23 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,075	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4587-4594 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1030FC: How you usually buy your filtered cigars

How do [you/they] usually buy your filtered cigars?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YGR22.]

ASK: Youth respondents who are past 30 day filtered cigar smokers and usually get filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_YG1118FC = 1, 2 AND R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or cigar bar)	5	0.0 %
2	2 = From the internet	2	0.0 %
3	3 = By telephone	1	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4595-4602 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1033FC: Retail location where your filtered cigars are purchased most of the time

Where do [you/they] buy your filtered cigars most of the time?

ASK: Youth respondents who are past 30 day filtered cigar smokers and usually get filtered cigars by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1118FC = 1, 2 AND R05_YG1030FC = 1.

Value	Label	Unweighted Frequency	%
1	1 = A cigar bar	0	0.0 %
2	2 = A convenience store or gas station	4	0.0 %

Value	Label	Unweighted Frequency	%
3	3 = A supermarket, grocery store, or drug store	1	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 4603-4610 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1039FC: Usually buy filtered cigars by the box, pack or as singles

Think about the last time you [bought/gave money to someone else to buy you] filtered cigars.
Did you buy them by the box or pack, or as single filtered cigars?

[If Single filtered cigar (2), Don't know (-8), or Refused (-7), GO TO R05_YG1034FC.]

ASK: Youth respondents who are past 30 day "not-light" filtered cigar smokers and usually get filtered cigars by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_GFILTR_LEVEL = 2 AND R05_YG1118FC = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = Box or pack	2	0.0 %
2	2 = Single filtered cigars	3	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 4611-4618 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1040FC: Number of filtered cigars that come in box or pack usually bought

How many filtered cigars came in the box or pack that you last bought?

___ Filtered Cigars

ASK: Youth respondents who are past 30 day "not-light" filtered cigar smokers and usually get filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy filtered cigars by the box or pack.

ASK Specification: IF R05_PAST30DAY_GFILTR_LEVEL = 2 AND R05_YG1118FC = 1, 2 AND R05_YG1039FC = 1.

[PROGRAM NOTE: Allow 2 digits.]

Value	Label	Unweighted Frequency	%
2	-	1	0.0 %
44	-	1	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 4619-4626 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1034FC_D: Amount paid when last time bought a box of filtered cigars/pack of filtered cigars/single filtered cigar - Dollars

How much did you pay for a [box or pack of filtered cigars/single filtered cigar]?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO R05_YG1047FC.]

ASK: Youth respondents who are past 30 day "not-light" filtered cigar smokers and usually get filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy filtered cigars by the box or pack or usually buy single filtered cigars.

ASK Specification: IF R05_PAST30DAY_GFILTR_LEVEL = 2 AND R05_YG1118FC = 1, 2 AND R05_YG1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 5 valid cases out of 12,098 total cases.

- Mean: 100.80
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 500.00
- Standard Deviation: 223.16

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 4627-4634 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1034FC_C: Amount paid when last time bought a box of filtered cigars/pack of filtered cigars/single filtered cigar - Cents

How much did you pay for a [box or pack of filtered cigars/single filtered cigar]?

___ Cents

[If Don't know (-8), or Refused (-7), GO TO R05_YG1047FC.]

ASK: Youth respondents who are past 30 day "not-light" filtered cigar smokers and usually get filtered cigars by giving someone else money to buy for them or buying themselves from a store and usually buy filtered cigars by the box or pack or usually buy single filtered cigars.

ASK Specification: IF R05_PAST30DAY_GFILTR_LEVEL = 2 AND R05_YG1118FC = 1, 2 AND R05_YG1039FC = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 4635-4642 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YG1047FC: Have a regular brand of filtered cigars you usually smoke

Do you have a regular brand of filtered cigars that you usually smoke?

ASK: Youth respondents who are past 30 day "not-light" filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	8	0.1 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4643-4650 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1945FC: Know the name of brand of filtered cigars you usually/last smoked

Do you know the name of the brand of filtered cigars you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YGR11.]

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	13	0.1 %
	Total	23	0.2%

This variable has 23 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,075	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4651-4658 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1048FC_BRAND: Brand of filtered cigars usually/last smoked

What brand of filtered cigar [do/did] you [usually/last] smoke?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day filtered cigar smokers who know the name of the brand of filtered cigars they usually smoke or last smoked.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1945FC = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4659-4666 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1070FC_PRODUCT: Sub-brand of filtered cigar product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day filtered cigar smokers who know the name of the brand of filtered cigars they usually smoke or last smoked and selected a brand of filtered cigars.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG1945FC = 1 AND R05_YG1048FC_BRAND != 9995, -8, -7.

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4667-4674 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG0104FC: Brand of very last filtered cigar smoked is same as brand regularly/last smoked

You said earlier that you smoked a filtered cigar [TIME OF LAST USE].

Think about the very last filtered cigar you smoked. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day filtered cigar smokers and have smoked a filtered cigar in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of filtered cigars they usually smoke or last smoked and selected a brand and subbrand of filtered cigars.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YG0100FC = 1, 2, 3, 4 AND R05_YG1945FC = 1 AND R05_YG1048FC_BRAND != 9995, -8, -7 AND R05_YG1070FC_PRODUCT != 99990, 99995, -8, -7.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	1	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 4675-4682 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1060FC_RANDOM_01: YG1060FC series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060FC through R05_YG1077FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12074	99.8 %
R05_YG1060FC	-	5	0.0 %
R05_YG1062FC	-	1	0.0 %
R05_YG1063FC	-	3	0.0 %
R05_YG1066FC	-	4	0.0 %
R05_YG1075FC	-	7	0.1 %
R05_YG1077FC	-	1	0.0 %
R05_YG1085FC	-	3	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4683-4697 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060FC_RANDOM_02: YG1060FC series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060FC through R05_YG1077FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12074	99.8 %
R05_YG1060FC	-	4	0.0 %
R05_YG1062FC	-	5	0.0 %
R05_YG1063FC	-	1	0.0 %
R05_YG1064FC	-	4	0.0 %
R05_YG1066FC	-	5	0.0 %
R05_YG1075FC	-	1	0.0 %
R05_YG1077FC	-	3	0.0 %
R05_YG1085FC	-	1	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4698-4712 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060FC_RANDOM_03: YG1060FC series random question 3

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060FC through R05_YG1077FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12074	99.8 %
R05_YG1060FC	-	4	0.0 %
R05_YG1062FC	-	3	0.0 %
R05_YG1063FC	-	3	0.0 %
R05_YG1064FC	-	2	0.0 %
R05_YG1066FC	-	2	0.0 %
R05_YG1075FC	-	5	0.0 %
R05_YG1077FC	-	1	0.0 %
R05_YG1085FC	-	4	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4713-4727 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060FC_RANDOM_04: YG1060FC series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060FC through R05_YG1077FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12074	99.8 %
R05_YG1060FC	-	3	0.0 %
R05_YG1062FC	-	5	0.0 %
R05_YG1063FC	-	3	0.0 %
R05_YG1064FC	-	2	0.0 %
R05_YG1066FC	-	4	0.0 %
R05_YG1075FC	-	2	0.0 %

Value	Label	Unweighted Frequency	%
R05_YG1077FC	-	1	0.0 %
R05_YG1085FC	-	4	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4728-4742 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060FC_RANDOM_05: YG1060FC series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060FC through R05_YG1077FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12074	99.8 %
R05_YG1060FC	-	4	0.0 %
R05_YG1062FC	-	1	0.0 %
R05_YG1063FC	-	4	0.0 %
R05_YG1064FC	-	2	0.0 %
R05_YG1066FC	-	4	0.0 %
R05_YG1075FC	-	4	0.0 %
R05_YG1077FC	-	1	0.0 %
R05_YG1085FC	-	4	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4743-4757 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060FC_RANDOM_06: YG1060FC series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060FC through R05_YG1077FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12074	99.8 %
R05_YG1060FC	-	1	0.0 %
R05_YG1062FC	-	3	0.0 %
R05_YG1063FC	-	5	0.0 %
R05_YG1066FC	-	2	0.0 %
R05_YG1075FC	-	4	0.0 %
R05_YG1077FC	-	3	0.0 %
R05_YG1085FC	-	6	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4758-4772 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060FC_RANDOM_07: YG1060FC series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060FC through R05_YG1077FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12084	99.9 %
R05_YG1060FC	-	2	0.0 %
R05_YG1062FC	-	4	0.0 %
R05_YG1063FC	-	3	0.0 %
R05_YG1064FC	-	1	0.0 %
R05_YG1066FC	-	3	0.0 %
R05_YG1085FC	-	1	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4773-4787 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060FC_RANDOM_08: YG1060FC series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YG1060FC through R05_YG1077FC) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YGD04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12084	99.9 %
R05_YG1060FC	-	1	0.0 %
R05_YG1062FC	-	2	0.0 %
R05_YG1063FC	-	2	0.0 %
R05_YG1064FC	-	3	0.0 %
R05_YG1075FC	-	1	0.0 %
R05_YG1077FC	-	4	0.0 %
R05_YG1085FC	-	1	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 4788-4802 (width: 15; decimal: 0)

Variable Type: character

R05_YG1060FC: Smoke filtered cigars because: They are affordable

The next questions are about the reasons people smoke filtered cigars. Please select which reasons apply to you.

I smoke filtered cigars because...

They are affordable.

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.1 %
2	2 = No	9	0.1 %
	Total	24	0.2%

This variable has 24 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %

	Missing Data		
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4803-4810 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1085FC: Smoke filtered cigars because: I can smoke them in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke filtered cigars. Please select which reasons apply to you.

I smoke filtered cigars because...

I can smoke filtered cigars at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	17	0.1 %
	Total	24	0.2%

This variable has 24 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4811-4818 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1062FC: Smoke filtered cigars because: They might be less harmful than cigarettes

The next questions are about the reasons people smoke filtered cigars. Please select which reasons apply to you.

I smoke filtered cigars because...

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	15	0.1 %
	Total	24	0.2%

This variable has 24 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4819-4826 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1075FC: Smoke filtered cigars because: Might be less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke filtered cigars. Please select which reasons apply to you.

I smoke filtered cigars because...

They might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	18	0.1 %
	Total	24	0.2%

This variable has 24 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4827-4834 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1063FC: Smoke filtered cigars because: They come in flavors I like

The next questions are about the reasons people smoke filtered cigars. Please select which reasons apply to you.

I smoke filtered cigars because...

Filtered cigars come in flavors I like.

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	8	0.1 %
	Total	24	0.2%

This variable has 24 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4835-4842 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1064FC: Smoke filtered cigars because: It helps people to quit smoking cigarettes

The next questions are about the reasons people smoke filtered cigars. Please select which reasons apply to you.

I smoke filtered cigars because...

Smoking filtered cigars helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	11	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,084	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4843-4850 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1066FC: Smoke filtered cigars because: It feels like smoking a regular cigarette

The next questions are about the reasons people smoke filtered cigars. Please select which reasons apply to you.

I smoke filtered cigars because...

Smoking a filtered cigar feels like smoking a regular cigarette.

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	14	0.1 %
	Total	23	0.2%

This variable has 23 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,075	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4851-4858 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1077FC: Smoke filtered cigars because: Smoking filtered cigars satisfies my cravings for cigarettes

The next questions are about the reasons people smoke filtered cigars. Please select which reasons apply to you.

I smoke filtered cigars because...

Smoking filtered cigars satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day filtered cigar smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	9	0.1 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,086	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4859-4866 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1139FC: Level of agreement: Easier to talk and get along with other people when smoking a filtered cigar

Please rate your level of agreement for each statement using the following scale:
1 = not true of me at all to 4 = very true of me.

It is easier to talk and get along with other people when smoking a filtered cigar.

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	11	0.1 %
2	2 = 2 on a scale of 1 to 4	6	0.0 %
3	3 = 3 on a scale of 1 to 4	4	0.0 %
4	4 = Very true of me	2	0.0 %
	Total	23	0.2%

This variable has 23 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,075	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4867-4874 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1140FC: Level of agreement: Feel more confident with other people while smoking a filtered cigar

Please rate your level of agreement for each statement using the following scale:
1 = not true of me at all to 4 = very true of me.

While smoking a filtered cigar, I feel more confident with other people.

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	13	0.1 %
2	2 = 2 on a scale of 1 to 4	3	0.0 %
3	3 = 3 on a scale of 1 to 4	5	0.0 %
4	4 = Very true of me	2	0.0 %
	Total	23	0.2%

This variable has 23 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,075	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4875-4882 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1141FC: Level of agreement: Smoke filtered cigars much more when with other people

Please rate your level of agreement for each statement using the following scale:

1 = not true of me at all to 4 = very true of me.

I smoke filtered cigars much more when I am with other people.

ASK: Youth respondents who are past 30 day filtered cigar smokers.

ASK Specification: IF R05_PAST30DAY_GFILTR = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	12	0.1 %
2	2 = 2 on a scale of 1 to 4	3	0.0 %
3	3 = 3 on a scale of 1 to 4	5	0.0 %
4	4 = Very true of me	3	0.0 %
	Total	23	0.2%

This variable has 23 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,075	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4883-4890 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP1001_NB: Ever seen or heard of a pipe before this study

Have you ever seen or heard of a pipe before this study?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YPV01.]

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1208	10.0 %
2	2 = No	440	3.6 %
	Total	1,648	13.6%

This variable has 1,648 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,450	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 4891-4898 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP1002_NB: Ever smoked a pipe filled with tobacco, even one or two puffs

Have you ever smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YPV01.]

ASK: New baseline youth respondents who have seen or heard of a pipe, or continuing youth respondents who are previous wave non-responders and have never smoked a pipe as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YP1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_PIPE = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	1783	14.7 %
	Total	1,794	14.8%

This variable has 1,794 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10300	85.1 %
	Total	10,304	85.2%

Percentages for both tables are based on 12,098 total cases.

Location: 4899-4906 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP1002_12M: In past 12 months, smoked a pipe filled with tobacco, even one or two puffs

In the past 12 months, have you smoked a pipe filled with tobacco, even one or two puffs?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked a pipe as of their last completed interview, or have never smoked a pipe as of their last completed interview and have ever smoked a pipe.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_PIPE = 1 OR (R04_EVER_NEVER_PIPE = 2 AND R05_YP1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	57	0.5 %
2	2 = No	9784	80.9 %
	Total	9,841	81.3%

This variable has 9,841 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	2237	18.5 %
	Total	2,257	18.7%

Percentages for both tables are based on 12,098 total cases.

Location: 4907-4914 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP1112: Last time smoked a pipe, even one or two puffs

When was the last time you smoked a pipe, even one or two puffs?

[If 3-7, Don't know (-8), or Refused (-7), GO TO BOX R05_YPV02.]

ASK: Youth respondents who have ever smoked a pipe.

ASK Specification: IF R05_EVER_NEVER_PIPE_YOUTH = 1

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked a pipe in the past year (R05_YP1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	4	0.0 %
2	2 = Not today but sometime in the past 7 days	12	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	5	0.0 %
4	4 = Not in the past 30 days but sometime in the past 6 months	24	0.2 %
5	5 = Not in the past 6 months but sometime in the past year	27	0.2 %
6	6 = 1 to 4 years ago	16	0.1 %
7	7 = 5 or more years ago	25	0.2 %
	Total	113	0.9%

This variable has 113 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	11951	98.8 %
	Total	11,985	99.1%

Percentages for both tables are based on 12,098 total cases.

Location: 4915-4922 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP0100: When last smoked a pipe filled with tobacco

When did you last smoke a pipe filled with tobacco?

[If In the past hour (1), GO TO R05_YP0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YPV02.]

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_PIPE_YOUTH = 1 AND R05_YP1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	1	0.0 %
2	2 = Sometime today, but more than an hour ago	3	0.0 %
3	3 = Yesterday	6	0.0 %
4	4 = Day before yesterday	2	0.0 %
5	5 = Three or more days ago	4	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12082	99.9 %
	Total	12,082	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4923-4930 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP0102: Time period of day when you last smoked a pipe filled with tobacco

When you last smoked a pipe filled with tobacco [FILL BASED ON R05_YP0100], was it...

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or sometime in the past 7 days and last smoked a pipe sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_PIPE_YOUTH = 1 AND R05_YP1112 = 1, 2 AND R05_YP0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	5	0.0 %
2	2 = After 6AM but before noon	4	0.0 %
3	3 = Between noon and 6PM	2	0.0 %
4	4 = After 6PM but before midnight	0	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4931-4938 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP0103: Number of bowls filled with pipe tobacco smoked today/yesterday/day before yesterday

How many bowls filled with pipe tobacco [have/did] you [smoked/smoke] [FILL BASED ON R05_YP0100]?

(If less than 1, enter 1.)

___ Bowls

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YPV02.]

ASK: Youth respondents who have ever smoked a pipe and last smoked a pipe earlier today or sometime in the past 7 days and last smoked a pipe in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_PIPE_YOUTH = 1 AND R05_YP1112 = 1, 2 AND R05_YP0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

Value	Label	Unweighted Frequency	%
1	-	4	0.0 %
2	-	2	0.0 %
5	-	4	0.0 %
9	-	1	0.0 %
66	-	1	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,098 total cases.

- Mean: 8.58
- Median: 3.50
- Minimum: 1.00
- Maximum: 66.00
- Standard Deviation: 18.25

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12086	99.9 %
	Total	12,086	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4939-4946 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YP1022: In past 30 days, number of days smoked a pipe

In the past 30 days, on how many days did you smoke a pipe?

__ Days

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R05_PAST30DAY_PIPE = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 19 valid cases out of 12,098 total cases.

- Mean: 6.00
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 8.34

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4947-4954 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YP1023: In past 30 days, number of bowls filled with pipe tobacco smoked per day on the days that you smoked

In the past 30 days, on the days you smoked a pipe, how many bowls filled with tobacco did you smoke per day?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R05_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Less than 1 bowl per day	7	0.1 %
2	2 = 1 bowl per day	9	0.1 %
3	3 = 2 to 5 bowls per day	1	0.0 %
4	4 = 6 to 10 bowls per day	2	0.0 %
5	5 = 11 to 20 bowls per day	1	0.0 %
6	6 = More than 20 bowls per day	1	0.0 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4955-4962 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP1142: In past 30 days, did anyone sell you pipe tobacco

In the past 30 days, did anyone sell you pipe tobacco?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R05_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	11	0.1 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4963-4970 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP1123: In the past 30 days, someone refused to sell you pipe tobacco because of your age

In the past 30 days, did anyone refuse to sell you pipe tobacco because of your age?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R05_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	12	0.1 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4971-4978 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP1118: In past 30 days, how you usually got your own pipe tobacco

In the past 30 days, how did you usually get your own pipe tobacco?

ASK: Youth respondents who are past 30 day pipe smokers.

ASK Specification: IF R05_PAST30DAY_PIPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	4	0.0 %
2	2 = I bought it myself from a store	6	0.0 %
3	3 = I asked someone to give me some	4	0.0 %
4	4 = Someone offered it to me	3	0.0 %
5	5 = I bought it from another person	3	0.0 %
6	6 = I took it from a store or another person	0	0.0 %
7	7 = I got it some other way	1	0.0 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 4979-4986 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP1030: How you usually buy your pipe tobacco

[When you give money to someone else, how do they/How do you] usually buy your pipe tobacco?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO R05_YP1034.]

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_PIPE = 1 AND R05_YP1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	7	0.1 %
2	2 = From the internet	1	0.0 %
3	3 = By telephone	2	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4987-4994 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP1033: Retail location where your pipe tobacco is purchased most of the time

Where do [you/they] buy your pipe tobacco most of the time?

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_PIPE = 1 AND R05_YP1118 = 1, 2 AND R05_YP1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	5	0.0 %
2	2 = A supermarket, grocery store, or drug store	1	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	0	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	1	0.0 %

Value	Label	Unweighted Frequency	%
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	0	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12091	99.9 %
	Total	12,091	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 4995-5002 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YP1034_D: Amount paid when last time bought pipe tobacco - Dollars

Think about the last time you [bought/gave money to someone else to buy you] pipe tobacco.

How much did you pay for it?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO R05_YHT01.]

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_PIPE = 1 AND R05_YP1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 8 valid cases out of 12,098 total cases.

- Mean: 12.88
- Median: 7.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 63.00
- Standard Deviation: 20.68

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5003-5010 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YP1034_C: Amount paid when last time bought pipe tobacco - Cents

Think about the last time you [bought/gave money to someone else to buy you] pipe tobacco.
How much did you pay for it?

__ Cents

[If Don't know (-8), or Refused (-7), GO TO R05_YHT01.]

ASK: Youth respondents who are past 30 day pipe smokers and usually get pipe tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_PIPE = 1 AND R05_YP1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5011-5018 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YH1001_NB: Ever seen or heard of a hookah before this study

Have you ever seen or heard of a hookah before this study?

[SHOW GENERIC IMAGE OF HOOKAH]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YHV01.]

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	510	4.2 %
2	2 = No	1142	9.4 %
	Total	1,652	13.7%

This variable has 1,652 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,446	86.3%

Percentages for both tables are based on 12,098 total cases.

Location: 5019-5026 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1002_NB: Ever smoked tobacco in a hookah, even one or two puffs

Have you ever smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YHV01.]

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents who are previous wave non-responders and have never smoked hookah as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_HOOK = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	1071	8.9 %
	Total	1,085	9.0%

This variable has 1,085 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11009	91.0 %
	Total	11,013	91.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5027-5034 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1002_12M: In past 12 months, smoked tobacco in a hookah, even one or two puffs

In the past 12 months, have you smoked tobacco in a hookah, even one or two puffs?

[SHOW GENERIC IMAGE OF HOOKAH]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever smoked hookah as of their last completed interview, or have never smoked hookah as of their last completed interview and have ever smoked hookah.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_HOOK = 1 OR (R04_EVER_NEVER_HOOK = 2 AND R05_YH1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	113	0.9 %
2	2 = No	9752	80.6 %
	Total	9,865	81.5%

This variable has 9,865 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	2221	18.4 %
	Total	2,233	18.5%

Percentages for both tables are based on 12,098 total cases.

Location: 5035-5042 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1103: Ever been curious about smoking tobacco in a hookah

Have you ever been curious about smoking tobacco in a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB != 2, -8, -7 AND R05_EVER_NEVER_HOOK_YOUTH = 2)
OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	113	0.9 %
2	2 = Somewhat curious	291	2.4 %
3	3 = A little curious	955	7.9 %
4	4 = Not at all curious	9309	76.9 %
	Total	10,668	88.2%

This variable has 10,668 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	1418	11.7 %
	Total	1,430	11.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5043-5050 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1206: Think you will smoke hookah tobacco in the next year

Do you think you will smoke tobacco in a hookah in the next year?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB != 2, -8, -7 AND R05_EVER_NEVER_HOOK_YOUTH = 2)
OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	17	0.1 %
2	2 = Probably yes	88	0.7 %

Value	Label	Unweighted Frequency	%
3	3 = Probably not	766	6.3 %
4	4 = Definitely not	9798	81.0 %
	Total	10,669	88.2%

This variable has 10,669 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	1418	11.7 %
	Total	1,429	11.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5051-5058 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1104: Think you will try smoking tobacco in a hookah soon

Do you think you will try smoking tobacco in a hookah soon?

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB != 2, -8, -7 AND R05_EVER_NEVER_HOOK_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	9	0.1 %
2	2 = Probably yes	72	0.6 %
3	3 = Probably not	724	6.0 %
4	4 = Definitely not	9863	81.5 %
	Total	10,668	88.2%

This variable has 10,668 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	1418	11.7 %

	Missing Data		
	Total	1,430	11.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5059-5066 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1105: Would smoke a hookah if one of your best friends offered you one

If one of your best friends were to offer you a hookah, would you try it?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YH9041]

ASK: New baseline youth respondents who have ever seen or heard of hookah and have never smoked hookah, or continuing youth respondents who have never smoked hookah.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB != 2, -8, -7 AND R05_EVER_NEVER_HOOK_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	113	0.9 %
2	2 = Probably yes	442	3.7 %
3	3 = Probably not	895	7.4 %
4	4 = Definitely not	9212	76.1 %
	Total	10,662	88.1%

This variable has 10,662 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	1418	11.7 %
	Total	1,436	11.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5067-5074 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YH1006_NB: DERIVED - Age range when first tried smoking hookah, even one or two puffs (3 levels)

Long Description: How old were you when you first tried smoking hookah, even one or two puffs?

Algorithm: IF R05_YH1120_NB = 1 OR (0<=R05_YH1006_NB<=11) THEN

R05R_Y_YH1006_NB = 1; ELSE IF R05_YH1120_NB = 2 OR (12<=R05_YH1006_NB<=14)
 THEN R05R_Y_YH1006_NB = 2; ELSE IF R05_YH1120_NB = 3 OR
 (15<=R05_YH1006_NB<=17) THEN R05R_Y_YH1006_NB = 3; ELSE IF
 R05_YH1006_NB = -9 OR R05_YH1120_NB = -9 THEN R05R_Y_YH1006_NB = -99999;
 ELSE IF R05_YH1006_NB = -8 OR R05_YH1120_NB = -8 THEN
 R05R_Y_YH1006_NB = -99988; ELSE IF R05_YH1006_NB = -7 OR
 R05_YH1120_NB = -7 THEN R05R_Y_YH1006_NB = -99977; ELSE IF
 R05_YH1006_NB = -5 THEN R05R_Y_YH1006_NB = -99955; ELSE IF
 R05_YH1006_NB = -1 OR R05_YH1120_NB = -1 THEN
 R05R_Y_YH1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	3	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12094	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5075-5082 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YH1108: First shisha or hookah tobacco used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YH9045.]

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have initiated hookah smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1) OR R05_INIT_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	45	0.4 %
2	2 = No	10	0.1 %
3	3 = I don't know	16	0.1 %
	Total	71	0.6%

This variable has 71 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12026	99.4 %
	Total	12,027	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 5083-5090 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1011_01: Flavor of first shisha or hookah tobacco smoked: Menthol or mint

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1108 = 1) OR (R05_INIT_HOOK_YOUTH = 1 AND R05_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1 %
2	2 = Not Marked	30	0.2 %
	Total	45	0.4%

This variable has 45 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,053	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 5091-5098 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1011_02: Flavor of first shisha or hookah tobacco smoked: Clove or spice

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1108 = 1) OR (R05_INIT_HOOK_YOUTH = 1 AND R05_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	45	0.4 %
	Total	45	0.4%

This variable has 45 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,053	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 5099-5106 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1011_03: Flavor of first shisha or hookah tobacco smoked: Fruit

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1108 = 1) OR (R05_INIT_HOOK_YOUTH = 1 AND R05_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.2 %
2	2 = Not Marked	18	0.1 %
	Total	45	0.4%

This variable has 45 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,053	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 5107-5114 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1011_04: Flavor of first shisha or hookah tobacco smoked: Chocolate

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1108 = 1) OR (R05_INIT_HOOK_YOUTH = 1 AND R05_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	44	0.4 %
	Total	45	0.4%

This variable has 45 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,053	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 5115-5122 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1011_05: Flavor of first shisha or hookah tobacco smoked: An alcoholic drink

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1108 = 1) OR (R05_INIT_HOOK_YOUTH = 1 AND R05_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	43	0.4 %
	Total	45	0.4%

This variable has 45 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,053	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 5123-5130 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1011_06: Flavor of first shisha or hookah tobacco smoked: Candy or other sweets

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1108 = 1) OR (R05_INIT_HOOK_YOUTH = 1 AND R05_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	36	0.3 %
	Total	45	0.4%

This variable has 45 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,053	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 5131-5138 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1011_07: Flavor of first shisha or hookah tobacco smoked: Some other flavor

What flavor was that first shisha or hookah tobacco you smoked? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever smoked hookah and whose first shisha or hookah tobacco was flavored, or continuing youth respondents who have initiated hookah smoking since their last completed interview and whose first shisha or hookah tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1108 = 1) OR (R05_INIT_HOOK_YOUTH = 1 AND R05_YH1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	43	0.4 %
	Total	45	0.4%

This variable has 45 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12053	99.6 %
	Total	12,053	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 5139-5146 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9045: Where you were when you first tried a hookah, even one or two puffs

Where were you when you first tried a hookah, even one or two puffs?

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have initiated hookah smoking since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1) OR R05_INIT_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = In your home	11	0.1 %
2	2 = In someone else's home	43	0.4 %
3	3 = In a hookah bar or café	9	0.1 %
4	4 = In a dance club or lounge	2	0.0 %
5	5 = Somewhere else	6	0.0 %

Value	Label	Unweighted Frequency	%
	Total	71	0.6%

This variable has 71 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12026	99.4 %
	Total	12,027	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 5147-5154 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1005: Number of times smoked tobacco in a hookah in entire life

Value	Label	Unweighted Frequency	%
1	1 = 1	93	0.8 %
2	2 = 2 to 10	79	0.7 %
3	3 = 11 to 20	22	0.2 %
4	4 = 21 to 50	9	0.1 %
5	5 = 51 to 99	1	0.0 %
6	6 = 100 or more	13	0.1 %
	Total	217	1.8%

This variable has 217 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.3 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	11830	97.8 %
	Total	11,881	98.2%

Percentages for both tables are based on 12,098 total cases.

Location: 5155-5162 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1100: Ever smoked tobacco in a hookah fairly regularly

Have you ever smoked tobacco in a hookah fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YH1112.]

ASK: New baseline youth respondents who have ever smoked hookah, or continuing youth respondents who have ever smoked hookah and had not reported ever smoking hookah fairly regularly as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_HOOK_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_HOOK_YOUTH = 1 AND R04_REGUSE_HOOK != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	229	1.9 %
	Total	245	2.0%

This variable has 245 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11851	98.0 %
	Total	11,853	98.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5163-5170 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YH1007: DERIVED - Age range when first started smoking a hookah fairly regularly (3 levels)

Long Description: How old were you when you first started smoking hookah fairly regularly?

Algorithm: IF R05_YH1121 = 1 OR (0<=R05_YH1007<=11) THEN
R05R_Y_YH1007 = 1; ELSE IF R05_YH1121 = 2 OR (12<=R05_YH1007<=14) THEN
R05R_Y_YH1007 = 2; ELSE IF R05_YH1121 = 3 OR (15<=R05_YH1007<=17) THEN
R05R_Y_YH1007 = 3; ELSE IF R05_YH1007 = -9 OR R05_YH1121 = -9 THEN
R05R_Y_YH1007 = -99999; ELSE IF R05_YH1007 = -8 OR R05_YH1121 = -8 THEN
R05R_Y_YH1007 = -99988; ELSE IF R05_YH1007 = -7 OR R05_YH1121 = -7 THEN
R05R_Y_YH1007 = -99977; ELSE IF R05_YH1007 = -5 THEN
R05R_Y_YH1007 = -99955; ELSE IF R05_YH1007 = -1 OR R05_YH1121 = -1 THEN
R05R_Y_YH1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	3	0.0 %
2	2 = 12 to 14 years old	9	0.1 %
3	3 = 15 to 17 years old	4	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12082	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,082	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5171-5178 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YH1112: Last time smoked tobacco in a hookah, even one or two puffs

When was the last time you smoked tobacco in a hookah, even one or two puffs?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have smoked in the past year (R05_YH1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	5	0.0 %
2	2 = Not today but sometime in the past 7 days	15	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	14	0.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	48	0.4 %
5	5 = Not in the past 6 months but sometime in the past year	62	0.5 %
6	6 = 1 to 4 years ago	53	0.4 %
7	7 = 5 or more years ago	38	0.3 %

Value	Label	Unweighted Frequency	%
	Total	235	1.9%

This variable has 235 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	33	0.3 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11822	97.7 %
	Total	11,863	98.1%

Percentages for both tables are based on 12,098 total cases.

Location: 5179-5186 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH0100: When last smoked hookah

When did you last smoke tobacco in a hookah?

[If In the past hour (1), GO TO R05_YH0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO R05_YH9003.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	3	0.0 %
2	2 = Sometime today, but more than an hour ago	2	0.0 %
3	3 = Yesterday	7	0.1 %
4	4 = Day before yesterday	2	0.0 %
5	5 = Three or more days ago	6	0.0 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12078	99.8 %

	Missing Data		
	Total	12,078	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5187-5194 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH0102: Time period of day when you last smoked hookah

When you last smoked tobacco in a hookah [FILL BASED ON R05_YH0100], was it...

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or sometime in the past 7 days and last smoked hookah sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2 AND R05_YH0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	1	0.0 %
2	2 = After 6AM but before noon	2	0.0 %
3	3 = Between noon and 6PM	5	0.0 %
4	4 = After 6PM but before midnight	3	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5195-5202 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH0103: Number of puffs taken from a hookah today/yesterday/day before yesterday

How many puffs from a hookah [have/did] you [taken/take] [FILL BASED ON R05_YH0100]?

___ Puffs

[If Don't know (-8), or Refused (-7), GO TO R05_YH9003.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today or sometime in the past 7 days

and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2 AND R05_YH0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

Value	Label	Unweighted Frequency	%
1	-	2	0.0 %
2	-	1	0.0 %
3	-	1	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
9	-	1	0.0 %
10	-	2	0.0 %
12	-	1	0.0 %
20	-	2	0.0 %
45	-	1	0.0 %
66	-	1	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,098 total cases.

- Mean: 15.14
- Median: 9.50
- Minimum: 1.00
- Maximum: 66.00
- Standard Deviation: 18.60

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,084	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5203-5210 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YH9003: How often you usually smoke hookah tobacco in a hookah

Which of the following choices best describes your hookah smoking? Usually I smoke hookah tobacco in a hookah...

[If Weekly (2), GO TO R05_YH9005. If Monthly (3), GO TO R05_YH9004. If Every couple of months (4), About once a year (5), Don't know (-8), or Refused (-7), GO TO R05_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, 3, 4, 5, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Every day	4	0.0 %
2	2 = Weekly	14	0.1 %
3	3 = Monthly	15	0.1 %
4	4 = Every couple of months	31	0.3 %
5	5 = About once a year	75	0.6 %
	Total	139	1.1%

This variable has 139 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	36	0.3 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	11913	98.5 %
	Total	11,959	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5211-5218 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9006: Average number of times you smoke tobacco in a hookah each day

On average, about how many times do you smoke tobacco in a hookah each day? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

___ Times a day

[If Don't know (-8), or Refused (-7), GO TO R05_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah every day.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R05_YH9003 = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 4 valid cases out of 12,098 total cases.

- Mean: 191.00
- Median: 3.00
- Minimum: 0.00
- Maximum: 758.00
- Standard Deviation: 378.01

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5219-5226 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YH9005: Average number of times you smoke tobacco in a hookah in a week

On average, about how many times do you smoke tobacco in a hookah in a week? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

___ Times a week

[If Don't know (-8), or Refused (-7), GO TO R05_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah weekly.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R05_YH9003 = 2.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 12 valid cases out of 12,098 total cases.

- Mean: 8.83
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 28.00
- Standard Deviation: 10.16

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	1	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,086	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5227-5234 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YH9004: Average number of times you smoke tobacco in a hookah in a month

On average, about how many times do you smoke tobacco in a hookah in a month? Count each sitting or session where you smoked tobacco in a hookah, whether alone or with others.

___ Times a month

[If Don't know (-8), or Refused (-7), GO TO R05_YH1090.]

ASK: Youth respondents who have ever smoked hookah and last smoked hookah earlier today, sometime in the past 7 days, sometime in the past 30 days, sometime in the past 6 months, sometime in the past year, or did not know or refused to report when they last smoked hookah and usually smoke hookah monthly.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YH1112 = 1, 2, 3, 4, 5, -8, -7 AND R05_YH9003 = 3.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 14 valid cases out of 12,098 total cases.

- Mean: 4.71
- Median: 3.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 5.51

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12083	99.9 %
	Total	12,084	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5235-5242 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YH1090: Owns a hookah

Do you own a hookah?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2 %
2	2 = No	255	2.1 %
	Total	276	2.3%

This variable has 276 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11822	97.7 %
	Total	11,822	97.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5243-5250 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9041: Someone else in home owns a hookah

Does anyone[else] living in your home own a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB = 1) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	148	1.2 %
2	2 = No	10781	89.1 %
	Total	10,929	90.3%

This variable has 10,929 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	1142	9.4 %
	Total	1,169	9.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5251-5258 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9048: How often you experience unpleasant sensations such as headache, dizziness, nausea or difficulty breathing when you smoke a hookah

When you smoke a hookah, how often do you experience unpleasant sensations such as headache, dizziness, nausea or difficulty breathing?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	3	0.0 %
2	2 = Most of the time	3	0.0 %
3	3 = Sometimes	9	0.1 %
4	4 = Rarely	8	0.1 %
5	5 = Never	11	0.1 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5259-5266 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9012: Usually share the same hookah with others

Do you usually share a hookah with others when you smoke?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YH9014.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	5	0.0 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5267-5274 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9013: Number of people hookah is usually shared with

How many people do you usually share a hookah with?

ASK: Youth respondents who are past 30 day hookah smokers and share a hookah with other when they smoke.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH9012 = 1.

Value	Label	Unweighted Frequency	%
1	1 = 1 other person	5	0.0 %
2	2 = 2 other people	7	0.1 %
3	3 = 3 other people	9	0.1 %
4	4 = 4 or more other people	8	0.1 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12069	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5275-5282 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9014: Average length of hookah session

On average, how long is one hookah session for you[and the people you share it with]?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1

Value	Label	Unweighted Frequency	%
1	1 = Less than 30 minutes	8	0.1 %
2	2 = More than 30 minutes up to 1 hour	16	0.1 %
3	3 = 1 to 2 hours	7	0.1 %
4	4 = More than 2 hours	2	0.0 %
	Total	33	0.3%

This variable has 33 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,065	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5283-5290 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9015: Number of times hookah is refilled with tobacco

On average, when you [smoke/share a] hookah, how many times is the hookah refilled with tobacco during a session?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = 0 times	6	0.0 %
2	2 = 1 time	12	0.1 %
3	3 = 2 to 3 times	12	0.1 %
4	4 = 4 or more times	3	0.0 %
	Total	33	0.3%

This variable has 33 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,065	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5291-5298 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9016: How often you personally set up the hookah

How often do you personally set up the hookah?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Every time	5	0.0 %
2	2 = Most of the time	5	0.0 %
3	3 = Some of the time	8	0.1 %
4	4 = Rarely	4	0.0 %
5	5 = Never, someone else always sets it up for me	12	0.1 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5299-5306 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9011_01: Usually smoke hookah: At home

Where do you usually smoke hookah? Choose all that apply.

In your home

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	26	0.2 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5307-5314 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9011_02: Usually smoke hookah: In someone else's home

Where do you usually smoke hookah? Choose all that apply.

In someone else's home

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2 %
2	2 = Not Marked	10	0.1 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5315-5322 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9011_03: Usually smoke hookah: In a hookah bar or café

Where do you usually smoke hookah? Choose all that apply.

In a hookah bar or hookah café

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	25	0.2 %

Value	Label	Unweighted Frequency	%
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5323-5330 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9011_04: Usually smoke hookah: In a dance club or lounge

Where do you usually smoke hookah? Choose all that apply.

In a dance club or lounge

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5331-5338 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9011_05: Usually smoke hookah: Somewhere else

Where do you usually smoke hookah? Choose all that apply.

Somewhere else

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5339-5346 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1022: In past 30 days, number of days smoked a hookah

In the past 30 days, on how many days did you smoke hookah?

__ Days

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 34 valid cases out of 12,098 total cases.

- Mean: 7.00
- Median: 2.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 8.79

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5347-5354 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YH1130: In past 30 days, used shisha or hookah tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the shisha or hookah tobacco you smoked flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YH1142.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2 %
2	2 = No	7	0.1 %
3	3 = I don't know	5	0.0 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5355-5362 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1131_01: In past 30 days, smoked hookah tobacco flavored to taste like: Menthol or mint

Which flavors have you smoked in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	10	0.1 %
	Total	22	0.2%

This variable has 22 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5363-5370 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1131_02: In past 30 days, smoked hookah tobacco flavored to taste like: Clove or spice

Which flavors have you smoked in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	22	0.2%

This variable has 22 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5371-5378 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1131_03: In past 30 days, smoked hookah tobacco flavored to taste like: Fruit

Which flavors have you smoked in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	10	0.1 %
	Total	22	0.2%

This variable has 22 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5379-5386 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1131_04: In past 30 days, smoked hookah tobacco flavored to taste like: Chocolate

Which flavors have you smoked in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	22	0.2%

This variable has 22 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5387-5394 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1131_05: In past 30 days, smoked hookah tobacco flavored to taste like: An alcoholic drink

Which flavors have you smoked in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	22	0.2%

This variable has 22 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5395-5402 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1131_06: In past 30 days, smoked hookah tobacco flavored to taste like: Candy or other sweets

Which flavors have you smoked in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	22	0.2%

This variable has 22 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5403-5410 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1131_07: In past 30 days, smoked hookah tobacco flavored to taste like: Some other flavor

Which flavors have you smoked in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1.

[PROGRAM NOTE: Allow respondents to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	22	0.2 %
	Total	22	0.2%

This variable has 22 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5411-5418 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1133: In past 30 days, flavor of hookah smoked most often

In the past 30 days, which flavor of hookah have you smoked most often?

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days and smoked 2 or more flavors in the past 30 days or did not know or refused to report which flavors they smoked in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1 AND (R05_YH1131_[01/.../07] = 1 FOR 2 OR MORE FLAVORS OR R05_YH1131_[01/.../07] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	3	0.0 %
2	2 = Clove or spice	0	0.0 %
3	3 = Fruit	2	0.0 %
4	4 = Chocolate	0	0.0 %
5	5 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0 %
6	6 = Candy or other sweets	0	0.0 %
7	7 = Some other flavor	0	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5419-5426 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1147: How often smoked flavored hookah tobacco on days smoked in past 30 days

On the days you smoked shisha or hookah tobacco in the past 30 days, how often did you smoke flavored shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers and have smoked flavored shisha or hookah tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	7	0.1 %
2	2 = Most of the time	3	0.0 %
3	3 = Sometimes	6	0.0 %
4	4 = Rarely	3	0.0 %
5	5 = Never	3	0.0 %
	Total	22	0.2%

This variable has 22 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5427-5434 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1142: In past 30 days,did anyone sell you shisha or hookah tobacco

In the past 30 days, did anyone sell you shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	26	0.2 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5435-5442 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1123: In the past 30 days, someone refused to sell you shisha or hookah tobacco because of your age

In the past 30 days, did anyone refuse to sell you shisha or hookah tobacco because of your age?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	25	0.2 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5443-5450 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1118: In past 30 days, how you usually got your own shisha or hookah tobacco

In the past 30 days, how did you usually get your own shisha or hookah tobacco?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	6	0.0 %
2	2 = I bought it myself from a store (including a hookah bar or café	6	0.0 %
3	3 = I asked someone to give me some	4	0.0 %
4	4 = Someone offered it to me	8	0.1 %
5	5 = I bought it from another person	2	0.0 %
6	6 = I took it from a store or another person	0	0.0 %
7	7 = I got it some other way	6	0.0 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5451-5458 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1030: How you usually buy your shisha or hookah tobacco

[When you give money to someone else, how do they/How do you] usually buy your shisha or hookah tobacco?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO R05_YH1036.]

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person (such as at a store or hookah bar)	10	0.1 %
2	2 = From the internet	1	0.0 %
3	3 = By telephone	1	0.0 %
	Total	12	0.1%

This variable has 12 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12086	99.9 %
	Total	12,086	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5459-5466 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1033: Retail location where your shisha or hookah tobacco is purchased most of the time

Where do [you/they] buy your shisha or hookah tobacco most of the time?

[If 2-10, Don't know (-8), or Refused (-7), GO TO R05_YH1036.]

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2 AND R05_YH1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A hookah bar or café	4	0.0 %
2	2 = A convenience store or gas station	1	0.0 %
3	3 = A supermarket, grocery store, or drug store	2	0.0 %
4	4 = A warehouse club, such as Sam's or Costco	0	0.0 %
5	5 = A smoke shop, tobacco specialty store or tobacco outlet store	3	0.0 %
6	6 = A duty free shop or military commissary	0	0.0 %
7	7 = A bar, pub, restaurant or casino	0	0.0 %
8	8 = A friend or relative	0	0.0 %
9	9 = A swap meet or flea market	0	0.0 %
10	10 = Somewhere else	0	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5467-5474 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1035_D: Cost of single session of hookah when last smoked hookah at a bar or café - Dollars

Think about the last time you smoked hookah at a hookah bar or café. How much did a single session cost?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO R05_YH1036.]

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person and buy at a hookah bar or café.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2 AND R05_YH1030 = 1 AND R05_YH1033 = 1.

[PROGRAM NOTE: Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 3 valid cases out of 12,098 total cases.

- Mean: 17.67
- Median: 21.00
- Minimum: 10.00
- Maximum: 22.00
- Standard Deviation: 6.66

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,095	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5475-5482 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YH1035_C: Cost of single session of hookah when last smoked hookah at a bar or café - Cents

Think about the last time you smoked hookah at a hookah bar or café. How much did a single session cost?

__ Cents

[If Don't know (-8), or Refused (-7), GO TO R05_YH1036.]

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person and buy at a hookah bar or café.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2 AND R05_YH1030 = 1 AND R05_YH1033 = 1.

[PROGRAM NOTE: Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 3 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12095	100.0 %
	Total	12,095	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5483-5490 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YH1037: Number of refills included in hookah session when last smoked hookah at a bar or café

You reported that the last time you smoked hookah at a hookah bar or café, it cost \$[R05_YH1035].
How many refills of shisha or hookah tobacco did that include?

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person and buy at a hookah bar or café and reported how much a single session cost the last time they smoked hookah at a hookah bar or café.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2 AND R05_YH1030 = 1 AND R05_YH1033 = 1 AND R05_YH1035_D != -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = None	0	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = 1	1	0.0 %
3	3 = 2	0	0.0 %
4	4 = 3	1	0.0 %
5	5 = 4	0	0.0 %
6	6 = More than 4	1	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12095	100.0 %
	Total	12,095	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5491-5498 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1036_D: Amount paid for a container of hookah last time you bought or gave someone else money to buy - Dollars

Think about the last time you [bought/gave money to someone else to buy you] a container of shisha or hookah tobacco. How much did you pay for it?

___ Dollars

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 11 valid cases out of 12,098 total cases.

- Mean: 60.27
- Median: 10.00
- Mode: 10.00
- Minimum: 3.00
- Maximum: 550.00
- Standard Deviation: 162.64

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12086	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5499-5506 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YH1036_C: Amount paid for a container of hookah last time you bought or gave someone else money to buy - Cents

Think about the last time you [bought/gave money to someone else to buy you] a container of shisha or hookah tobacco. How much did you pay for it?

__ Cents

ASK: Youth respondents who are past 30 day hookah smokers and usually get shisha or hookah tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5507-5514 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YH1047: Have a regular brand of shisha or hookah tobacco you usually smoke

Do you have a regular brand of shisha or hookah tobacco that you usually smoke?

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	25	0.2 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5515-5522 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1945: Know the name of brand of shisha or hookah tobacco you [usually smoke/last smoked]

Do you know the name of the brand of shisha or hookah tobacco you [usually smoke/last smoked]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YHD01.]

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	26	0.2 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5523-5530 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1048_BRAND: Brand of shisha or hookah tobacco usually/last smoked

What brand of shisha or hookah tobacco [do/did] you [usually/last] smoke?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1945 = 1.

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5531-5538 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1070_PRODUCT: Sub-brand of hookah tobacco product usually/last smoked

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] smoke?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1945 = 1 AND R05_YH1048_BRAND != 9995, -8, -7.

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5539-5546 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9108: This brand of shisha contains tobacco

Does this brand of shisha contain tobacco?

ASK: Youth respondents who are past 30 day hookah smokers who know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand of shisha or hookah tobacco or selected "Something else" for their brand of shisha or hookah tobacco and specified what brand "Something else" is.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH1945 = 1 AND (R05_YH1048_BRAND != 9995, -8, -7 OR (R05_YH1048_BRAND = 9995 AND R05_YH1049 != -1, -8, -7)).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	0	0.0 %
3	3 = I don't know	3	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %

	Missing Data		
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5547-5554 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH0104: Brand of very last puff of hookah smoked is same as brand regularly/last smoked

You said earlier that you last smoked hookah [TIME OF LAST USE].

Think about the very last puff you took. Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day hookah smokers and last smoked hookah in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of shisha or hookah tobacco they usually smoke or last smoked and selected a brand and subbrand of shisha or hookah tobacco.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YH0100 = 1, 2, 3, 4 AND R05_YH1945 = 1 AND R05_YH1048_BRAND != 9995, -8, -7 AND R05_YH1070_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	0	0.0 %
	Total	3	0.0%

This variable has 3 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12095	100.0 %
	Total	12,095	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5555-5562 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1060_RANDOM_01: YH1060 series random question 1

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05_YH1060 through R05_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12064	99.7 %
R05_YH1060	-	2	0.0 %
R05_YH1062	-	6	0.0 %
R05_YH1063	-	1	0.0 %
R05_YH1064	-	1	0.0 %
R05_YH1069	-	7	0.1 %
R05_YH1073	-	5	0.0 %
R05_YH1075	-	4	0.0 %
R05_YH1077	-	3	0.0 %
R05_YH1085	-	5	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 5563-5577 (width: 15; decimal: 0)

Variable Type: character

R05_YH1060_RANDOM_02: YH1060 series random question 2

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05_YH1060 through R05_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12064	99.7 %
R05_YH1060	-	4	0.0 %
R05_YH1062	-	3	0.0 %
R05_YH1063	-	5	0.0 %
R05_YH1064	-	3	0.0 %
R05_YH1069	-	5	0.0 %
R05_YH1073	-	3	0.0 %
R05_YH1075	-	3	0.0 %
R05_YH1077	-	1	0.0 %
R05_YH1085	-	7	0.1 %

Value	Label	Unweighted Frequency	%
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 5578-5592 (width: 15; decimal: 0)

Variable Type: character

R05_YH1060_RANDOM_03: YH1060 series random question 3

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05_YH1060 through R05_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12064	99.7 %
R05_YH1060	-	8	0.1 %
R05_YH1062	-	2	0.0 %
R05_YH1063	-	5	0.0 %
R05_YH1064	-	2	0.0 %
R05_YH1069	-	2	0.0 %
R05_YH1073	-	4	0.0 %
R05_YH1075	-	6	0.0 %
R05_YH1085	-	5	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 5593-5607 (width: 15; decimal: 0)

Variable Type: character

R05_YH1060_RANDOM_04: YH1060 series random question 4

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05_YH1060 through R05_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12064	99.7 %
R05_YH1060	-	4	0.0 %
R05_YH1062	-	5	0.0 %
R05_YH1063	-	5	0.0 %
R05_YH1069	-	3	0.0 %
R05_YH1073	-	7	0.1 %
R05_YH1075	-	5	0.0 %
R05_YH1077	-	3	0.0 %
R05_YH1085	-	2	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 5608-5622 (width: 15; decimal: 0)

Variable Type: character

R05_YH1060_RANDOM_05: YH1060 series random question 5

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05_YH1060 through R05_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12064	99.7 %
R05_YH1060	-	3	0.0 %
R05_YH1062	-	5	0.0 %
R05_YH1063	-	4	0.0 %
R05_YH1064	-	2	0.0 %
R05_YH1069	-	3	0.0 %
R05_YH1073	-	5	0.0 %
R05_YH1075	-	6	0.0 %
R05_YH1077	-	2	0.0 %
R05_YH1085	-	4	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 5623-5637 (width: 15; decimal: 0)

Variable Type: character

R05_YH1060_RANDOM_06: YH1060 series random question 6

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05_YH1060 through R05_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12064	99.7 %
R05_YH1060	-	5	0.0 %
R05_YH1062	-	5	0.0 %
R05_YH1063	-	5	0.0 %
R05_YH1069	-	5	0.0 %
R05_YH1073	-	5	0.0 %
R05_YH1075	-	5	0.0 %
R05_YH1077	-	1	0.0 %
R05_YH1085	-	3	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 5638-5652 (width: 15; decimal: 0)

Variable Type: character

R05_YH1060_RANDOM_07: YH1060 series random question 7

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05_YH1060 through R05_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12064	99.7 %
R05_YH1060	-	6	0.0 %
R05_YH1062	-	6	0.0 %
R05_YH1063	-	8	0.1 %
R05_YH1064	-	1	0.0 %
R05_YH1069	-	2	0.0 %
R05_YH1073	-	2	0.0 %

Value	Label	Unweighted Frequency	%
R05_YH1075	-	3	0.0 %
R05_YH1085	-	6	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 5653-5667 (width: 15; decimal: 0)

Variable Type: character

R05_YH1060_RANDOM_08: YH1060 series random question 8

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05_YH1060 through R05_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12084	99.9 %
R05_YH1062	-	2	0.0 %
R05_YH1064	-	3	0.0 %
R05_YH1069	-	5	0.0 %
R05_YH1077	-	2	0.0 %
R05_YH1085	-	2	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 5668-5682 (width: 15; decimal: 0)

Variable Type: character

R05_YH1060_RANDOM_09: YH1060 series random question 9

[ICPSR NOTE: The 9 items that follow in the questionnaire (R05_YH1060 through R05_YH1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YHD01 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12084	99.9 %

Value	Label	Unweighted Frequency	%
R05_YH1060	-	2	0.0 %
R05_YH1063	-	1	0.0 %
R05_YH1064	-	2	0.0 %
R05_YH1069	-	2	0.0 %
R05_YH1073	-	3	0.0 %
R05_YH1075	-	2	0.0 %
R05_YH1077	-	2	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 5683-5697 (width: 15; decimal: 0)

Variable Type: character

R05_YH1060: Smoke hookah because: It is affordable

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because...

It is affordable.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	18	0.1 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5698-5705 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1085: Smoke hookah because: It can be smoked in places where smoking cigarettes is not allowed

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because...

I can smoke hookah at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	22	0.2 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5706-5713 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1062: Smoke hookah because: It might be less harmful than smoking cigarettes

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because...

It might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = No	17	0.1 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5714-5721 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1075: Smoke hookah because: It might be less harmful to people around me than smoking cigarettes

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because...

It might be less harmful to people around me than smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	18	0.1 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5722-5729 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1063: Smoke hookah because: It comes in flavors I like

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because...

Shisha or hookah tobacco comes in flavors I like.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.1 %
2	2 = No	16	0.1 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5730-5737 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1064: Smoke hookah because: It helps people to quit smoking cigarettes

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because...

Smoking hookah helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	7	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,084	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5738-5745 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1069: Smoke hookah because: I like socializing while smoking it

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because...

I like socializing while smoking hookah.

ASK: Youth respondents who are past 30 day hookah smokers.

ASK Specification: IF R05_PAST30DAY_HOOK = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	9	0.1 %
	Total	34	0.3%

This variable has 34 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,064	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5746-5753 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1077: Smoke hookah because: Smoking hookah satisfies my cravings for cigarettes

The next questions are about the reasons people smoke hookah. Please select which reasons apply to you.

I smoke hookah because...

Smoking hookah satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day hookah smokers and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_HOOK = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	7	0.1 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,084	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5754-5761 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9042: Ever used another liquid besides water in the bowl of the hookah

Have you ever used another liquid besides water in the bowl of the hookah?

ASK: Youth respondents who have ever smoked hookah.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	22	0.2 %
2	2 = No	250	2.1 %
	Total	272	2.2%

This variable has 272 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11822	97.7 %
	Total	11,826	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5762-5769 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9031: Ever smoked marijuana in a hookah

Have you ever smoked marijuana in a hookah? (Remember all information you give to the PATH Study will be kept private.)

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB = 1) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	178	1.5 %
2	2 = No	10769	89.0 %
	Total	10,947	90.5%

This variable has 10,947 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1142	9.4 %
	Total	1,151	9.5%

Percentages for both tables are based on 12,098 total cases.

Location: 5770-5777 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9040: Ever smoked herbal or tobacco-free shisha in a hookah

Have you ever smoked herbal or tobacco-free shisha in a hookah?

ASK: New baseline youth respondents who have ever seen or heard of hookah, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YH1001_NB = 1) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	62	0.5 %
2	2 = No	10883	90.0 %
	Total	10,945	90.5%

This variable has 10,945 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	1142	9.4 %
	Total	1,153	9.5%

Percentages for both tables are based on 12,098 total cases.

Location: 5778-5785 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1001_NB: Have you ever seen or heard of snus, before this study

Have you ever seen or heard of snus, before this study?

[SHOW GENERIC IMAGE OF SNUS]

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YUV03.]

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	273	2.3 %

Value	Label	Unweighted Frequency	%
2	2 = No	1378	11.4 %
	Total	1,651	13.6%

This variable has 1,651 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,447	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 5786-5793 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1002_NB: Have you ever used snus, even one or two times

Have you ever used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS]

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YUV03.]

ASK: New baseline youth respondents who have ever seen or heard of snus, or continuing youth respondents who are previous wave non-responders and have never used snus as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YU1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_SNUS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	853	7.1 %
	Total	862	7.1%

This variable has 862 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11233	92.9 %

	Missing Data		
	Total	11,236	92.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5794-5801 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1002_12M: In the past 12 months, have you used snus, even one or two times

In the past 12 months, have you used snus, even one or two times?

[SHOW GENERIC IMAGE OF SNUS]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever used snus as of their last completed interview, or have never used snus as of their last completed interview and have ever used snus.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_SNUS = 1 OR (R04_EVER_NEVER_SNUS = 2 AND R05_YU1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	68	0.6 %
2	2 = No	9759	80.7 %
	Total	9,827	81.2%

This variable has 9,827 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.2 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	2237	18.5 %
	Total	2,271	18.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5802-5809 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1103: Ever been curious about using snus

Have you ever been curious about using snus?

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YU1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SNUS_YOUTH = 2)

OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	27	0.2 %
2	2 = Somewhat curious	57	0.5 %
3	3 = A little curious	262	2.2 %
4	4 = Not at all curious	10201	84.3 %
	Total	10,547	87.2%

This variable has 10,547 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	1535	12.7 %
	Total	1,551	12.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5810-5817 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1206: Think you will use snus in the next year

Do you think you will try snus in the next year?

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YU1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SNUS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3	0.0 %
2	2 = Probably yes	15	0.1 %
3	3 = Probably not	302	2.5 %
4	4 = Definitely not	10226	84.5 %
	Total	10,546	87.2%

This variable has 10,546 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	1535	12.7 %
	Total	1,552	12.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5818-5825 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1104: Think you will try snus soon

Do you think you will try snus soon?

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YU1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SNUS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3	0.0 %
2	2 = Probably yes	10	0.1 %
3	3 = Probably not	280	2.3 %
4	4 = Definitely not	10260	84.8 %
	Total	10,553	87.2%

This variable has 10,553 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	1535	12.7 %
	Total	1,545	12.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5826-5833 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1105: Would use snus if one of your best friends offered you one

If one of your best friends were to offer you snus, would you try it?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05_YST01]

ASK: New baseline youth respondents who have ever seen or heard of snus and have never used snus, or continuing youth respondents who have never used snus.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YU1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SNUS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	6	0.0 %
2	2 = Probably yes	95	0.8 %
3	3 = Probably not	434	3.6 %
4	4 = Definitely not	10016	82.8 %
	Total	10,551	87.2%

This variable has 10,551 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	1535	12.7 %
	Total	1,547	12.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5834-5841 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YU1006_NB: DERIVED - Age range when first tried snus pouches, even one or two times (3 levels)

Long Description: How old were you when you first tried snus pouches, even one or two times?

Algorithm: IF R05_YU1120_NB = 1 OR (0<=R05_YU1006_NB<=11) THEN
R05R_Y_YU1006_NB = 1; ELSE IF R05_YU1120_NB = 2 OR (12<=R05_YU1006_NB<=14)
THEN R05R_Y_YU1006_NB = 2; ELSE IF R05_YU1120_NB = 3 OR
(15<=R05_YU1006_NB<=17) THEN R05R_Y_YU1006_NB = 3; ELSE IF
R05_YU1006_NB = -9 OR R05_YU1120_NB = -9 THEN R05R_Y_YU1006_NB = -99999;
ELSE IF R05_YU1006_NB = -8 OR R05_YU1120_NB = -8 THEN R05R_Y_YU1006_NB =
-99988; ELSE IF R05_YU1006_NB = -7 OR R05_YU1120_NB = -7 THEN
R05R_Y_YU1006_NB = -99977; ELSE IF R05_YU1006_NB = -5 THEN
R05R_Y_YU1006_NB = -99955; ELSE IF R05_YU1006_NB = -1 OR
R05_YU1120_NB = -1 THEN R05R_Y_YU1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0 %
2	2 = 12 to 14 years old	0	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12096	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5842-5849 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YU1108: First snus used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, candy, fruit, chocolate, alcohol or other sweets

Was the first snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YUR16.]

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have initiated snus use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1) OR R05_INIT_SNUS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.3 %
2	2 = No	8	0.1 %
3	3 = I don't know	6	0.0 %
	Total	46	0.4%

This variable has 46 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12052	99.6 %
	Total	12,052	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 5850-5857 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1011_01: Flavor of first snus used: Menthol or mint

What flavor was that first snus you used? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1108 = 1) OR (R05_INIT_SNUS_YOUTH = 1 AND R05_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	19	0.2 %
2	2 = Not Marked	13	0.1 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12066	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5858-5865 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1011_02: Flavor of first snus used: Wintergreen, spearmint or frost

What flavor was that first snus you used? Choose all that apply.

Wintergreen, spearmint, or frost

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1108 = 1) OR (R05_INIT_SNUS_YOUTH = 1 AND R05_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	22	0.2 %
2	2 = Not Marked	10	0.1 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12066	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5866-5873 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1011_03: Flavor of first snus used: Clove or spice

What flavor was that first snus you used? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1108 = 1) OR (R05_INIT_SNUS_YOUTH = 1 AND R05_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12066	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5874-5881 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1011_04: Flavor of first snus used: Fruit

What flavor was that first snus you used? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1108 = 1) OR (R05_INIT_SNUS_YOUTH = 1 AND R05_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12066	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5882-5889 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1011_05: Flavor of first snus used: Chocolate

What flavor was that first snus you used? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1108 = 1) OR (R05_INIT_SNUS_YOUTH = 1 AND R05_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12066	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5890-5897 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1011_06: Flavor of first snus used: An alcoholic drink

What flavor was that first snus you used? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1108 = 1) OR (R05_INIT_SNUS_YOUTH = 1 AND R05_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12066	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5898-5905 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1011_07: Flavor of first snus used: Candy or other sweets

What flavor was that first snus you used? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1108 = 1) OR (R05_INIT_SNUS_YOUTH = 1 AND R05_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12066	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5906-5913 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1011_08: Flavor of first snus used: Some other flavor

What flavor was that first snus you used? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever used snus and whose first snus was flavored, or continuing youth respondents who have initiated snus use since their last completed interview and whose first snus was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1108 = 1) OR (R05_INIT_SNUS_YOUTH = 1 AND R05_YU1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12066	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 5914-5921 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1005: Number of times used snus in your entire life

How many times have you used snus in your entire life?

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have ever used snus and have initiated snus use since their last completed interview or had not used snus 100 or more times in their lifetime as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND (R05_INIT_SNUS_YOUTH = 1 OR R04_NUMLIFE_SNUS != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1	45	0.4 %
2	2 = 2 to 10	35	0.3 %
3	3 = 11 to 20	13	0.1 %
4	4 = 21 to 50	6	0.0 %
5	5 = 51 to 99	4	0.0 %
6	6 = 100 or more	11	0.1 %
	Total	114	0.9%

This variable has 114 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	11956	98.8 %
	Total	11,984	99.1%

Percentages for both tables are based on 12,098 total cases.

Location: 5922-5929 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1100: Ever used snus fairly regularly

Have you ever used snus fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YU1112.]

ASK: New baseline youth respondents who have ever used snus, or continuing youth respondents who have ever used snus and had not reported ever using snus fairly regularly as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SNUS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SNUS_YOUTH = 1 AND R04_REGUSE_SNUS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	108	0.9 %
	Total	120	1.0%

This variable has 120 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11977	99.0 %
	Total	11,978	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 5930-5937 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YU1007: DERIVED - Age range when first started using snus pouches fairly regularly (3 levels)

Long Description: How old were you when you first started using snus pouches fairly regularly?

Algorithm: IF R05_YU1121 = 1 OR (0<=R05_YU1007<=11) THEN
R05R_Y_YU1007 = 1; ELSE IF R05_YU1121 = 2 OR (12<=R05_YU1007<=14) THEN
R05R_Y_YU1007 = 2; ELSE IF R05_YU1121 = 3 OR (15<=R05_YU1007<=17) THEN
R05R_Y_YU1007 = 3; ELSE IF R05_YU1007 = -9 OR R05_YU1121 = -9 THEN
R05R_Y_YU1007 = -99999; ELSE IF R05_YU1007 = -8 OR R05_YU1121 = -8 THEN
R05R_Y_YU1007 = -99988; ELSE IF R05_YU1007 = -7 OR R05_YU1121 = -7 THEN
R05R_Y_YU1007 = -99977; ELSE IF R05_YU1007 = -5 THEN
R05R_Y_YU1007 = -99955; ELSE IF R05_YU1007 = -1 OR R05_YU1121 = -1 THEN
R05R_Y_YU1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0 %
2	2 = 12 to 14 years old	6	0.0 %
3	3 = 15 to 17 years old	3	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	1	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12086	99.9 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5938-5945 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YU1112: Last time used snus, even one or two times

When did you last use snus even one or two times?

[If Not in the past 7 days but sometime in the past 30 days (3), GO TO BOX R05_YUV04. If 4-7, Don't know (-8), or Refused (-7), GO TO BOX R05_YST01.]

ASK: Youth respondents who have ever used snus.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have used in the past year (R05_YU1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	9	0.1 %
2	2 = Not today but sometime in the past 7 days	8	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	13	0.1 %
4	4 = Not in the past 30 days but sometime in the past 6 months	21	0.2 %
5	5 = Not in the past 6 months but sometime in the past year	32	0.3 %

Value	Label	Unweighted Frequency	%
6	6 = 1 to 4 years ago	21	0.2 %
7	7 = 5 or more years ago	27	0.2 %
	Total	131	1.1%

This variable has 131 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11942	98.7 %
	Total	11,967	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5946-5953 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU0100: When last used snus

When did you last use snus?

[If In the past hour (1), GO TO R05_YU0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YUV04.]

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	5	0.0 %
2	2 = Sometime today, but more than an hour ago	2	0.0 %
3	3 = Yesterday	4	0.0 %
4	4 = Day before yesterday	3	0.0 %
5	5 = Three or more days ago	3	0.0 %
	Total	17	0.1%

This variable has 17 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12081	99.9 %
	Total	12,081	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5954-5961 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU0102: Time period of day when you last used snus

When you last used snus [FILL BASED ON R05_YU0100], was it...

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days and last used snus sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1112 = 1, 2 AND R05_YU0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	2	0.0 %
2	2 = After 6AM but before noon	4	0.0 %
3	3 = Between noon and 6PM	0	0.0 %
4	4 = After 6PM but before midnight	3	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12089	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5962-5969 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU0103: Number of times used snus today/yesterday/day before yesterday

How many times [have/did] you [used/use] snus [FILL BASED ON R05_YU0100]?

___ Times

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YUV04.]

ASK: Youth respondents who have ever used snus and last used snus earlier today or in the past 7 days and last used snus in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YU1112 = 1, 2 AND R05_YU0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

Value	Label	Unweighted Frequency	%
1	-	3	0.0 %
2	-	3	0.0 %
3	-	2	0.0 %
5	-	3	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	1	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,098 total cases.

- Mean: 3.64
- Median: 3.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.34

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,084	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 5970-5977 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YU1022: In past 30 days, number of days used snus

In the past 30 days, on how many days did you use snus?

__ Days

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 29 valid cases out of 12,098 total cases.

- Mean: 10.72
- Median: 5.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.34

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5978-5985 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YU1023: In past 30 days, number of times used snus per day on the days that you used

In the past 30 days, on the days you used snus, how many times did you use snus per day?

___ Times per day

[If Don't know (-8), or Refused (-7), GO TO R05_YU1130.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 30 valid cases out of 12,098 total cases.

- Mean: 12.40
- Median: 4.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 90.00
- Standard Deviation: 21.81

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5986-5993 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YU1130: In past 30 days, used snus flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, candy, fruit, chocolate, alcohol or other sweets

In the past 30 days, was any of the snus you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YU1142.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2 %
2	2 = No	5	0.0 %
3	3 = I don't know	4	0.0 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 5994-6001 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1131_01: In past 30 days, used snus flavored to taste like: Menthol or mint

Which flavors have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	12	0.1 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6002-6009 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1131_02: In past 30 days, used snus flavored to taste like: Wintergreen, spearmint or frost

Which flavors have you used in the past 30 days? Choose all that apply.

Wintergreen, spearmint, or frost

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	8	0.1 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6010-6017 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1131_03: In past 30 days, used snus flavored to taste like: Clove or spice

Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6018-6025 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1131_04: In past 30 days, used snus flavored to taste like: Fruit

Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	17	0.1 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6026-6033 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1131_05: In past 30 days, used snus flavored to taste like: Chocolate

Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6034-6041 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1131_06: In past 30 days, used snus flavored to taste like: An alcoholic drink

Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6042-6049 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1131_07: In past 30 days, used snus flavored to taste like: Candy or other sweets

Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	20	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6050-6057 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1131_08: In past 30 days, used snus flavored to taste like: Some other flavor

Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	21	0.2 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6058-6065 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1133: In past 30 days, flavor of snus used most often

In the past 30 days, which flavor of snus have you used most often?

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1 AND (R05_YU1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_YU1131_[01/.../08] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	1	0.0 %
2	2 = Wintergreen, spearmint, or frost	5	0.0 %
3	3 = Clove or spice	0	0.0 %
4	4 = Fruit	0	0.0 %
5	5 = Chocolate	0	0.0 %
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	0	0.0 %
7	7 = Candy or other sweets	0	0.0 %
8	8 = Some other flavor	0	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 6066-6073 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1147: How often used flavored snus on days used in past 30 days

On the days you used snus in the past 30 days, how often did you use flavored snus?

ASK: Youth respondents who are past 30 day snus users and have used flavored snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	11	0.1 %
2	2 = Most of the time	4	0.0 %
3	3 = Sometimes	2	0.0 %
4	4 = Rarely	2	0.0 %
5	5 = Never	2	0.0 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6074-6081 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1142: In past 30 days, did anyone sell you snus

In the past 30 days, did anyone sell you snus?

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	19	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6082-6089 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1123: In the past 30 days, someone refused to sell you snus because of your age

In the past 30 days, did anyone refuse to sell you snus because of your age?

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	26	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6090-6097 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU9041: Type of snus used in past 30 days

In the past 30 days, what type of snus have you used?

[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]

[If Snus pouches (1), Loose snus (2), Don't know (-8), or Refused (-7), GO TO R05_YU1118.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Snus pouches	11	0.1 %
2	2 = Loose snus	12	0.1 %
3	3 = Both snus pouches and loose snus	6	0.0 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6098-6105 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU9042: Type of snus used most often in past 30 days

You mentioned you have used both loose snus and snus pouches. Which type of snus do you use most often?

[SHOW GENERIC IMAGE OF SNUS POUCHES AND LOOSE SNUS]

ASK: Youth respondents who are past 30 day snus users and have used both snus pouches and loose snus in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU9041 = 3.

Value	Label	Unweighted Frequency	%
1	1 = Snus pouches	4	0.0 %
2	2 = Loose snus	2	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 6106-6113 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1118: In past 30 days, how you usually got your own snus

[Please think of the type of snus you use most often when answering these questions.]

In the past 30 days, how did you usually get your own snus?

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	9	0.1 %
2	2 = I bought it myself from a store	1	0.0 %
3	3 = I asked someone to give me some	6	0.0 %
4	4 = Someone offered it to me	8	0.1 %
5	5 = I bought it from another person	5	0.0 %
6	6 = I took it from a store or another person	0	0.0 %
7	7 = I got it some other way	1	0.0 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6114-6121 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1030: How you usually buy your snus

[When you give money to someone else, how do they/How do you] usually buy your snus?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YUR20.]

ASK: Youth respondents who are past 30 day snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	7	0.1 %
2	2 = From the internet	3	0.0 %
3	3 = By telephone	0	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6122-6129 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1033: Retail location where your snus is purchased most of the time

Where do [you/they] buy your snus most of the time?

ASK: Youth respondents who are past 30 day snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1118 = 1, 2 AND R05_YU1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	5	0.0 %
2	2 = A supermarket, grocery store, or drug store	1	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	1	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	0	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	0	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12091	99.9 %
	Total	12,091	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6130-6137 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1034_D: Amount paid when last time bought snus - Dollars

Think about the last time you [bought/gave money to someone else to buy you] snus.

How much did you pay for a container of snus?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YUR18.]

ASK: Youth respondents who are past 30 day "not-light" snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_SNUS_LEVEL = 2 AND R05_YU1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
5	-	1	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
20	-	1	0.0 %
589	-	1	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6138-6145 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YU1034_C: Amount paid when last time bought snus - Cents

Think about the last time you [bought/gave money to someone else to buy you] snus.
How much did you pay for a container of snus?

__ Cents

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YUR18.]

ASK: Youth respondents who are past 30 day "not-light" snus users and usually get snus by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_SNUS_LEVEL = 2 AND R05_YU1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.

Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12090	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6146-6153 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YU9001: Number of pouches in container of snus you usually buy

How many pouches are in the container of snus that you usually buy?

__ Pouches

ASK: Youth respondents who are past 30 day "not-light" snus users and have only or most often used snus pouches in the past 30 days and usually get snus by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_SNUS_LEVEL = 2 AND (R05_YU9041 = 1 OR R05_YU9042 = 1) AND R05_YU1118 = 1, 2.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 4 valid cases out of 12,098 total cases.

- Mean: 28.75
- Median: 15.00
- Mode: 15.00
- Minimum: 0.00
- Maximum: 85.00
- Standard Deviation: 38.16

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %

	Missing Data		
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 6154-6161 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YU1047: Have a regular brand of snus you usually use

Do you have a regular brand of snus that you usually use?

ASK: Youth respondents who are past 30 day "not-light" snus users.

ASK Specification: IF R05_PAST30DAY_SNUS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	7	0.1 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12078	99.8 %
	Total	12,078	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6162-6169 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1945: Know the name of brand of snus you usually use

Do you know the name of the brand of snus you [usually use/last used]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YUD02.]

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	10	0.1 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6170-6177 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1048_BRAND: Brand of snus usually/last used

What brand of snus [do/did] you [usually/last] use?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 18 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12078	99.8 %
	Total	12,080	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6178-6185 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1070_PRODUCT: Sub-brand of snus usually / last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT".If you do not see it below, touch the box marked "Something else".]

Product

ASK: Youth respondents who are past 30 day snus users who know the name of the brand of snus they usually use or last used and selected a brand of snus.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU1945 = 1 AND R05_YU1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.]

This variable has 18 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12080	99.9 %
	Total	12,080	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6186-6193 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU0104: Brand of very last snus used is same as brand regularly/last used

You said earlier that you last used snus [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day snus users and last used snus in the past hour, sometime today, yesterday, or the day before yesterday and know the name of the brand of snus they usually use or last used and selected a brand and subbrand of snus.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YU0100 = 1, 2, 3, 4 AND R05_YU1945 = 1 AND R05_YU1048_BRAND != 9995, -8, -7 AND R05_YU1070_PRODUCT != 99990, 99995, -8, -7.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	0	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 6194-6201 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1086: In past 30 days, used snus at times when or in places you could not smoke cigarettes

In the past 30 days, have you used snus at times when or in places where you could not smoke cigarettes?

ASK: Youth respondents who are past 30 day snus users and are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	2	0.0 %
	Total	8	0.1%

This variable has 8 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12089	99.9 %
	Total	12,090	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6202-6209 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1060_RANDOM_01: YU1060 series random question 1

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YU1060 through R05_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12068	99.8 %
R05_YU1060	-	5	0.0 %
R05_YU1062	-	3	0.0 %
R05_YU1063	-	2	0.0 %
R05_YU1064	-	1	0.0 %
R05_YU1065	-	4	0.0 %
R05_YU1067	-	5	0.0 %
R05_YU1075	-	4	0.0 %
R05_YU1076	-	4	0.0 %
R05_YU1085	-	2	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6210-6224 (width: 15; decimal: 0)
Variable Type: character

R05_YU1060_RANDOM_02: YU1060 series random question 2

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YU1060 through R05_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12068	99.8 %
R05_YU1060	-	4	0.0 %
R05_YU1062	-	5	0.0 %

Value	Label	Unweighted Frequency	%
R05_YU1063	-	4	0.0 %
R05_YU1064	-	2	0.0 %
R05_YU1067	-	6	0.0 %
R05_YU1075	-	2	0.0 %
R05_YU1076	-	2	0.0 %
R05_YU1077	-	4	0.0 %
R05_YU1085	-	1	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6225-6239 (width: 15; decimal: 0)

Variable Type: character

R05_YU1060_RANDOM_03: YU1060 series random question 3

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YU1060 through R05_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12068	99.8 %
R05_YU1060	-	3	0.0 %
R05_YU1062	-	2	0.0 %
R05_YU1063	-	3	0.0 %
R05_YU1064	-	1	0.0 %
R05_YU1065	-	4	0.0 %
R05_YU1067	-	5	0.0 %
R05_YU1075	-	2	0.0 %
R05_YU1076	-	4	0.0 %
R05_YU1077	-	4	0.0 %
R05_YU1085	-	2	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6240-6254 (width: 15; decimal: 0)

Variable Type: character

R05_YU1060_RANDOM_04: YU1060 series random question 4

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YU1060 through R05_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12068	99.8 %
R05_YU1060	-	6	0.0 %
R05_YU1062	-	4	0.0 %
R05_YU1063	-	2	0.0 %
R05_YU1064	-	6	0.0 %
R05_YU1065	-	2	0.0 %
R05_YU1067	-	1	0.0 %
R05_YU1075	-	5	0.0 %
R05_YU1076	-	2	0.0 %
R05_YU1077	-	1	0.0 %
R05_YU1085	-	1	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6255-6269 (width: 15; decimal: 0)

Variable Type: character

R05_YU1060_RANDOM_05: YU1060 series random question 5

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YU1060 through R05_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12068	99.8 %
R05_YU1060	-	1	0.0 %
R05_YU1062	-	2	0.0 %
R05_YU1064	-	2	0.0 %
R05_YU1065	-	2	0.0 %
R05_YU1067	-	2	0.0 %

Value	Label	Unweighted Frequency	%
R05_YU1075	-	3	0.0 %
R05_YU1076	-	9	0.1 %
R05_YU1077	-	3	0.0 %
R05_YU1085	-	6	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6270-6284 (width: 15; decimal: 0)

Variable Type: character

R05_YU1060_RANDOM_06: YU1060 series random question 6

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YU1060 through R05_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12068	99.8 %
R05_YU1060	-	1	0.0 %
R05_YU1062	-	4	0.0 %
R05_YU1063	-	3	0.0 %
R05_YU1064	-	3	0.0 %
R05_YU1065	-	4	0.0 %
R05_YU1067	-	4	0.0 %
R05_YU1075	-	5	0.0 %
R05_YU1076	-	1	0.0 %
R05_YU1085	-	5	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6285-6299 (width: 15; decimal: 0)

Variable Type: character

R05_YU1060_RANDOM_07: YU1060 series random question 7

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YU1060 through R05_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12068	99.8 %
R05_YU1060	-	4	0.0 %
R05_YU1063	-	7	0.1 %
R05_YU1065	-	4	0.0 %
R05_YU1067	-	3	0.0 %
R05_YU1075	-	1	0.0 %
R05_YU1076	-	1	0.0 %
R05_YU1077	-	6	0.0 %
R05_YU1085	-	4	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6300-6314 (width: 15; decimal: 0)

Variable Type: character

R05_YU1060_RANDOM_08: YU1060 series random question 8

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YU1060 through R05_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YUD021 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12068	99.8 %
R05_YU1060	-	3	0.0 %
R05_YU1062	-	3	0.0 %
R05_YU1063	-	2	0.0 %
R05_YU1064	-	4	0.0 %
R05_YU1065	-	4	0.0 %
R05_YU1067	-	3	0.0 %
R05_YU1075	-	3	0.0 %
R05_YU1076	-	2	0.0 %
R05_YU1077	-	1	0.0 %
R05_YU1085	-	5	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6315-6329 (width: 15; decimal: 0)

Variable Type: character

R05_YU1060_RANDOM_09: YU1060 series random question 9

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YU1060 through R05_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12076	99.8 %
R05_YU1060	-	3	0.0 %
R05_YU1062	-	5	0.0 %
R05_YU1063	-	2	0.0 %
R05_YU1065	-	2	0.0 %
R05_YU1067	-	1	0.0 %
R05_YU1075	-	2	0.0 %
R05_YU1076	-	4	0.0 %
R05_YU1085	-	3	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6330-6344 (width: 15; decimal: 0)

Variable Type: character

R05_YU1060_RANDOM_10: YU1060 series random question 10

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YU1060 through R05_YU1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 10th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YUD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12076	99.8 %
R05_YU1062	-	2	0.0 %
R05_YU1063	-	5	0.0 %
R05_YU1064	-	3	0.0 %

Value	Label	Unweighted Frequency	%
R05_YU1065	-	4	0.0 %
R05_YU1075	-	3	0.0 %
R05_YU1076	-	1	0.0 %
R05_YU1077	-	3	0.0 %
R05_YU1085	-	1	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6345-6359 (width: 15; decimal: 0)

Variable Type: character

R05_YU1060: Use snus because: It is affordable

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

It is affordable.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	10	0.1 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6360-6367 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1085: Use snus because: I can use snus in places where smoking cigarettes is not allowed

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

I can use snus at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	10	0.1 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6368-6375 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1062: Use snus because: They might be less harmful to me than cigarettes

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

They might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %

Value	Label	Unweighted Frequency	%
2	2 = No	10	0.1 %
	Total	29	0.2%

This variable has 29 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6376-6383 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1075: Use snus because: They might be less harmful to people around me than cigarettes

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

They might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	10	0.1 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6384-6391 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1063: Use snus because: They come in flavors I like

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

Snus comes in flavors I like.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	11	0.1 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6392-6399 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1064: Use snus because: It helps people to quit smoking cigarettes

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

Using snus helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day snus users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	9	0.1 %
	Total	21	0.2%

This variable has 21 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,077	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6400-6407 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1065: Use snus because: They don't smell

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

Snus doesn't smell.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	17	0.1 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6408-6415 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1067: Use snus because: They don't bother non-tobacco users

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

Snus doesn't bother non-tobacco users.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	13	0.1 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6416-6423 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1076: Use snus because: No one can tell when I am using it

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

No one can tell when I am using snus.

ASK: Youth respondents who are past 30 day snus users.

ASK Specification: IF R05_PAST30DAY_SNUS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	10	0.1 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6424-6431 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1077: Use snus because: Using snus satisfies my cravings for cigarettes

The next questions are about the reasons people use snus. Please select which reasons apply to you.

I use snus because...

Using snus satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day snus users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_SNUS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	8	0.1 %
	Total	22	0.2%

This variable has 22 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6432-6439 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1001_NB: Ever seen or heard of smokeless tobacco before this study

Have you ever seen or heard of smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, before this study?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YSV03.]

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	920	7.6 %
2	2 = No	730	6.0 %
	Total	1,650	13.6%

This variable has 1,650 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,448	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 6440-6447 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1002_NB: Ever used smokeless tobacco products, even one or two times

Have you ever used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YSV03.]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco, or continuing youth respondents who are previous wave non-responders and have never used smokeless tobacco as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YS1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_SMKLS = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	15	0.1 %
2	2 = No	1489	12.3 %
	Total	1,504	12.4%

This variable has 1,504 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10591	87.5 %
	Total	10,594	87.6%

Percentages for both tables are based on 12,098 total cases.

Location: 6448-6455 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1002_12M: In the past 12 months, used smokeless tobacco products, even one or two time

In the past 12 months, have you used smokeless tobacco, such as dip, spit, moist snuff, pouches, or chewing tobacco, even one or two times?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

ASK: Continuing youth respondents who are not previous wave non-responders, or continuing youth respondents who are previous wave non-responders and have ever used smokeless tobacco as of their last completed interview, or have never used smokeless tobacco as of their last completed interview and have ever used smokeless tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND (R04_EVER_NEVER_SMKLS = 1 OR (R04_EVER_NEVER_SMKLS = 2 AND R05_YS1002_NB = 1))).

Value	Label	Unweighted Frequency	%
1	1 = Yes	162	1.3 %
2	2 = No	9692	80.1 %
	Total	9,854	81.5%

This variable has 9,854 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	2230	18.4 %
	Total	2,244	18.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6456-6463 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1103: Ever been curious about using smokeless tobacco

Have you ever been curious about using smokeless tobacco?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YS1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SMKLS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Very curious	28	0.2 %
2	2 = Somewhat curious	102	0.8 %
3	3 = A little curious	398	3.3 %
4	4 = Not at all curious	10499	86.8 %
	Total	11,027	91.1%

This variable has 11,027 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	1055	8.7 %

	Missing Data		
	Total	1,071	8.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6464-6471 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1206: Think you will use a smokeless tobacco in the next year

Do you think you will try smokeless tobacco in the next year?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YS1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SMKLS_YOUTH = 2) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3	0.0 %
2	2 = Probably yes	22	0.2 %
3	3 = Probably not	372	3.1 %
4	4 = Definitely not	10637	87.9 %
	Total	11,034	91.2%

This variable has 11,034 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	1055	8.7 %
	Total	1,064	8.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6472-6479 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1104: Think you will try smokeless tobacco soon

Do you think you will try smokeless tobacco soon?

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YS1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SMKLS_YOUTH = 2)

OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	4	0.0 %
2	2 = Probably yes	11	0.1 %
3	3 = Probably not	357	3.0 %
4	4 = Definitely not	10662	88.1 %
	Total	11,034	91.2%

This variable has 11,034 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	1055	8.7 %
	Total	1,064	8.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6480-6487 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1105: Would use smokeless tobacco if one of your best friends offered you one

If one of your best friends were to offer you smokeless tobacco, would you try it?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05_YDT01]

ASK: New baseline youth respondents who have ever seen or heard of smokeless tobacco and have never used smokeless tobacco, or continuing youth respondents who have never used smokeless tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YS1001_NB != 2, -8, -7 AND R05_EVER_NEVER_SMKLS_YOUTH = 2)
OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 2).

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	12	0.1 %
2	2 = Probably yes	100	0.8 %
3	3 = Probably not	511	4.2 %
4	4 = Definitely not	10409	86.0 %
	Total	11,032	91.2%

This variable has 11,032 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	1055	8.7 %
	Total	1,066	8.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6488-6495 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_Y_S1006_NB: DERIVED - Age range when first tried smokeless tobacco, even one or two times (3 levels)

Long Description: How old were you when you first tried smokeless tobacco, even one or two times?

Algorithm: IF R05_Y_S1120_NB = 1 OR (0<=R05_Y_S1006_NB<=11) THEN
R05R_Y_Y_S1006_NB = 1; ELSE IF R05_Y_S1120_NB = 2 OR (12<=R05_Y_S1006_NB<=14)
THEN R05R_Y_Y_S1006_NB = 2; ELSE IF R05_Y_S1120_NB = 3 OR
(15<=R05_Y_S1006_NB<=17) THEN R05R_Y_Y_S1006_NB = 3; ELSE IF
R05_Y_S1006_NB = -9 OR R05_Y_S1120_NB = -9 THEN R05R_Y_Y_S1006_NB = -99999;
ELSE IF R05_Y_S1006_NB = -8 OR R05_Y_S1120_NB = -8 THEN
R05R_Y_Y_S1006_NB = -99988; ELSE IF R05_Y_S1006_NB = -7 OR
R05_Y_S1120_NB = -7 THEN R05R_Y_Y_S1006_NB = -99977; ELSE IF
R05_Y_S1006_NB = -5 THEN R05R_Y_Y_S1006_NB = -99955; ELSE IF
R05_Y_S1006_NB = -1 OR R05_Y_S1120_NB = -1 THEN
R05R_Y_Y_S1006_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	5	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12092	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 6496-6503 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YS1108: First smokeless tobacco used flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

Was the first smokeless tobacco product you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YSR13.]

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1) OR R05_INIT_SMKLS_YOUTH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	59	0.5 %
2	2 = No	18	0.1 %
3	3 = I don't know	20	0.2 %
	Total	97	0.8%

This variable has 97 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12001	99.2 %
	Total	12,001	99.2%

Percentages for both tables are based on 12,098 total cases.

Location: 6504-6511 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1011_01: Flavor of first smokeless tobacco product used: Menthol or mint

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Menthol or mint

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1) OR (R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	23	0.2 %
2	2 = Not Marked	36	0.3 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6512-6519 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1011_02: Flavor of first smokeless tobacco product used: Wintergreen, spearmint or frost

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Wintergreen, spearmint, or frost

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1) OR (R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	45	0.4 %
2	2 = Not Marked	14	0.1 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6520-6527 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1011_03: Flavor of first smokeless tobacco product used: Clove or spice

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Clove or spice

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1) OR (R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	57	0.5 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6528-6535 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1011_04: Flavor of first smokeless tobacco product used: Fruit

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Fruit

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1) OR (R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	55	0.5 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6536-6543 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1011_05: Flavor of first smokeless tobacco product used: Chocolate

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Chocolate

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1) OR (R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	56	0.5 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6544-6551 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1011_06: Flavor of first smokeless tobacco product used: An alcoholic drink

What flavor was that first smokeless tobacco product you used? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1) OR (R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	57	0.5 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6552-6559 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1011_07: Flavor of first smokeless tobacco product used: Candy or other sweets

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Candy or other sweets

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1) OR (R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	56	0.5 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %

	Missing Data		
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6560-6567 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1011_08: Flavor of first smokeless tobacco product used: Some other flavor

What flavor was that first smokeless tobacco product you used? Choose all that apply.

Some other flavor

ASK: New baseline youth respondents who have ever used smokeless tobacco and whose first smokeless tobacco was flavored, or continuing youth respondents who have initiated smokeless tobacco use since their last completed interview and whose first smokeless tobacco was flavored.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1) OR (R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1108 = 1).

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	57	0.5 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6568-6575 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1005: Number of times you used smokeless tobacco in your entire life

How many times have you used smokeless tobacco in your entire life?

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and have initiated smokeless tobacco use since their last completed interview or

had not used smokeless tobacco 100 or more times as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND (R05_INIT_SMKLS_YOUTH = 1 OR R04_NUMLIFE_SMKLS != 1)).

Value	Label	Unweighted Frequency	%
1	1 = 1	101	0.8 %
2	2 = 2 to 10	84	0.7 %
3	3 = 11 to 20	22	0.2 %
4	4 = 21 to 50	23	0.2 %
5	5 = 51 to 99	7	0.1 %
6	6 = 100 or more	8	0.1 %
	Total	245	2.0%

This variable has 245 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.3 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	11806	97.6 %
	Total	11,853	98.0%

Percentages for both tables are based on 12,098 total cases.

Location: 6576-6583 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1100: Ever used smokeless tobacco fairly regularly

Have you ever used smokeless tobacco fairly regularly?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YS1112.]

ASK: New baseline youth respondents who have ever used smokeless tobacco, or continuing youth respondents who have ever used smokeless tobacco and had not reported ever using smokeless tobacco fairly regularly as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_EVER_NEVER_SMKLS_YOUTH = 1) OR (R05_YOUTHTYPE = 1 AND R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R04_REGUSE_SMKLS != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	227	1.9 %
	Total	251	2.1%

This variable has 251 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11847	97.9 %
	Total	11,847	97.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6584-6591 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YS1007: DERIVED - Age range when first started using smokeless tobacco fairly regularly (3 levels)

Long Description: How old were you when you first started using smokeless tobacco fairly regularly?

Algorithm: IF R05_YS1121 = 1 OR (0<=R05_YS1007<=11) THEN
R05R_Y_YS1007 = 1; ELSE IF R05_YS1121 = 2 OR (12<=R05_YS1007<=14) THEN
R05R_Y_YS1007 = 2; ELSE IF R05_YS1121 = 3 OR (15<=R05_YS1007<=17) THEN
R05R_Y_YS1007 = 3; ELSE IF R05_YS1007 = -9 OR R05_YS1121 = -9 THEN
R05R_Y_YS1007 = -99999; ELSE IF R05_YS1007 = -8 OR R05_YS1121 = -8 THEN
R05R_Y_YS1007 = -99988; ELSE IF R05_YS1007 = -7 OR R05_YS1121 = -7 THEN
R05R_Y_YS1007 = -99977; ELSE IF R05_YS1007 = -5 THEN
R05R_Y_YS1007 = -99955; ELSE IF R05_YS1007 = -1 OR R05_YS1121 = -1 THEN
R05R_Y_YS1007 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	2	0.0 %
2	2 = 12 to 14 years old	10	0.1 %
3	3 = 15 to 17 years old	12	0.1 %
	Total	24	0.2%

This variable has 24 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12074	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6592-6599 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YS1112: Last time used smokeless tobacco, even one or two times

When did you last use smokeless tobacco, even one or two times?

[If Not in the past 7 days but sometime in the past 30 days (3), GO TO BOX R05_YSV04. If 4-7, Don't know (-8), or Refused (-7), GO TO BOX R05_YDT01.]

ASK: Youth respondents who have ever used smokeless tobacco.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1.

[PROGRAM NOTE: Suppress options 6 & 7 for respondents who have used in the past year (R05_YS1002_12M = 1).]

Value	Label	Unweighted Frequency	%
1	1 = Earlier today	19	0.2 %
2	2 = Not today but sometime in the past 7 days	14	0.1 %
3	3 = Not in the past 7 days but sometime in the past 30 days	26	0.2 %
4	4 = Not in the past 30 days but sometime in the past 6 months	60	0.5 %
5	5 = Not in the past 6 months but sometime in the past year	68	0.6 %
6	6 = 1 to 4 years ago	49	0.4 %
7	7 = 5 or more years ago	42	0.3 %
	Total	278	2.3%

This variable has 278 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.3 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11775	97.3 %
	Total	11,820	97.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6600-6607 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS0100: When last used smokeless tobacco

When did you last use smokeless tobacco (not including snus)?

[If In the past hour (1), GO TO R05_YS0103. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YSV04.]

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier today or sometime in the past 7 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1112 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	12	0.1 %
2	2 = Sometime today, but more than an hour ago	7	0.1 %
3	3 = Yesterday	6	0.0 %
4	4 = Day before yesterday	3	0.0 %
5	5 = Three or more days ago	5	0.0 %
	Total	33	0.3%

This variable has 33 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12065	99.7 %
	Total	12,065	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6608-6615 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS0102: Time period of day when you last used smokeless tobacco

When you last used smokeless tobacco (not including snus) [FILL BASED ON R05_YS0100], was it...

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier today or sometime in the past 7 days and last used smokeless tobacco sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1112 = 1, 2 AND R05_YS0100 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0 %
2	2 = After 6AM but before noon	5	0.0 %
3	3 = Between noon and 6PM	7	0.1 %
4	4 = After 6PM but before midnight	4	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12082	99.9 %
	Total	12,082	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6616-6623 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS0103: Number of times used smokeless tobacco today/yesterday/day before yesterday

How many times [have/did] you [used/use] smokeless tobacco (not including snus) [FILL BASED ON R05_YS0100]?

___ Times

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YSV04.]

ASK: Youth respondents who have ever used smokeless tobacco and last used smokeless tobacco earlier today or sometime in the past 7 days and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YS1112 = 1, 2 AND R05_YS0100 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 3 digits.]

Value	Label	Unweighted Frequency	%
1	-	4	0.0 %
2	-	7	0.1 %
3	-	7	0.1 %
5	-	4	0.0 %
6	-	1	0.0 %
7	-	1	0.0 %
8	-	2	0.0 %

Value	Label	Unweighted Frequency	%
14	-	1	0.0 %
21	-	1	0.0 %
	Total	28	0.2%

This variable has 28 valid cases out of 12,098 total cases.

- Mean: 4.39
- Median: 3.00
- Minimum: 1.00
- Maximum: 21.00
- Standard Deviation: 4.32

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12070	99.8 %
	Total	12,070	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6624-6631 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YS1022: In past 30 days, number of days used smokeless tobacco

In the past 30 days, on how many days did you use smokeless tobacco?

__ Days

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

[PROGRAM NOTE: Range check: 1-30 days.]

This variable has 58 valid cases out of 12,098 total cases.

- Mean: 10.48
- Median: 5.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.79

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,040	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6632-6639 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YS1023: In past 30 days, number of times smokeless tobacco used per day on the days that you used

In the past 30 days, on the days you used smokeless tobacco, how many times did you use smokeless tobacco per day?

___ Times per day

[If Don't know (-8), or Refused (-7), GO TO R05_YS1130.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 58 valid cases out of 12,098 total cases.

- Mean: 6.62
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 99.00
- Standard Deviation: 17.63

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,040	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6640-6647 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YS1130: In past 30 days, used smokeless tobacco flavored to taste like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy or other sweets

In the past 30 days, was any of the smokeless tobacco you used flavored to taste like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets?

[If No (2), I don't know (3), Don't know (-8), or Refused (-7), GO TO R05_YS1142.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	35	0.3 %
2	2 = No	16	0.1 %
3	3 = I don't know	8	0.1 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6648-6655 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1131_01: In past 30 days, used smokeless tobacco flavored to taste like: Menthol or mint

Which flavors have you used in the past 30 days? Choose all that apply.

Menthol or mint

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	22	0.2 %
	Total	35	0.3%

This variable has 35 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12063	99.7 %
	Total	12,063	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6656-6663 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1131_02: In past 30 days, used smokeless tobacco flavored to taste like: Wintergreen, spearmint or frost

Which flavors have you used in the past 30 days? Choose all that apply.

Wintergreen, spearmint, or frost

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	26	0.2 %
2	2 = Not Marked	9	0.1 %
	Total	35	0.3%

This variable has 35 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12063	99.7 %
	Total	12,063	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6664-6671 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1131_03: In past 30 days, used smokeless tobacco flavored to taste like: Clove or spice

Which flavors have you used in the past 30 days? Choose all that apply.

Clove or spice

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	34	0.3 %
	Total	35	0.3%

This variable has 35 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12063	99.7 %
	Total	12,063	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6672-6679 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1131_04: In past 30 days, used smokeless tobacco flavored to taste like: Fruit

Which flavors have you used in the past 30 days? Choose all that apply.

Fruit

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	35	0.3%

This variable has 35 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12063	99.7 %
	Total	12,063	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6680-6687 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1131_05: In past 30 days, used smokeless tobacco flavored to taste like: Chocolate

Which flavors have you used in the past 30 days? Choose all that apply.

Chocolate

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	33	0.3 %

Value	Label	Unweighted Frequency	%
	Total	35	0.3%

This variable has 35 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12063	99.7 %
	Total	12,063	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6688-6695 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1131_06: In past 30 days, used smokeless tobacco flavored to taste like: An alcoholic drink

Which flavors have you used in the past 30 days? Choose all that apply.

An alcoholic drink (such as wine, cognac, margarita, or other cocktails)

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	34	0.3 %
	Total	35	0.3%

This variable has 35 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12063	99.7 %
	Total	12,063	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6696-6703 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1131_07: In past 30 days, used smokeless tobacco flavored to taste like: Candy or other sweets

Which flavors have you used in the past 30 days? Choose all that apply.

Candy or other sweets

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	35	0.3%

This variable has 35 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12063	99.7 %
	Total	12,063	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6704-6711 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1131_08: In past 30 days, used smokeless tobacco flavored to taste like: Some other flavor

Which flavors have you used in the past 30 days? Choose all that apply.

Some other flavor

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1.

[PROGRAM NOTE: Allow respondent to choose all that apply.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	35	0.3 %
	Total	35	0.3%

This variable has 35 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12063	99.7 %
	Total	12,063	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6712-6719 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1133: In past 30 days, flavor of smokeless tobacco used most often

In the past 30 days, which flavor of smokeless tobacco have you used most often?

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days and used 2 or more flavors in the past 30 days or did not know or refused to report which flavors they used in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1 AND (R05_YS1131_[01/.../08] = 1 FOR 2 OR MORE FLAVORS OR R05_YS1131_[01/.../08] = -8, -7).

Value	Label	Unweighted Frequency	%
1	1 = Menthol or mint	6	0.0 %
2	2 = Wintergreen, spearmint, or frost	4	0.0 %
3	3 = Clove or spice	0	0.0 %
4	4 = Fruit	0	0.0 %
5	5 = Chocolate	0	0.0 %
6	6 = An alcoholic drink (such as wine, cognac, margarita, or other cocktails)	1	0.0 %
7	7 = Candy or other sweets	0	0.0 %
8	8 = Some other flavor	0	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6720-6727 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1147: How often used flavored smokeless tobacco on days used in past 30 days

On the days you used smokeless tobacco in the past 30 days, how often did you use flavored smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users and have used flavored smokeless tobacco in the past 30 days.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1130 = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	19	0.2 %
2	2 = Most of the time	6	0.0 %
3	3 = Sometimes	3	0.0 %
4	4 = Rarely	5	0.0 %
5	5 = Never	2	0.0 %
	Total	35	0.3%

This variable has 35 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12063	99.7 %
	Total	12,063	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6728-6735 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1142: In past 30 days, did anyone sell you smokeless tobacco

In the past 30 days, did anyone sell you smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	46	0.4 %
	Total	58	0.5%

This variable has 58 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,040	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6736-6743 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1123: In the past 30 days, someone refused to sell you smokeless tobacco because of your age

In the past 30 days, did anyone refuse to sell you smokeless tobacco because of your age?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	7	0.1 %
2	2 = No	50	0.4 %
	Total	57	0.5%

This variable has 57 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,041	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6744-6751 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS9041: Type of smokeless tobacco used in past 30 days

In the past 30 days, what type of smokeless tobacco have you used?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

[If Loose smokeless tobacco (such as dip, spit, or chewing tobacco) (1),
Smokeless tobacco pouches (not including snus) (2), Don't know (-8), or Refused (-7),
GO TO R05_YS1118].

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Loose smokeless tobacco (such as dip, spit or chewing tobacco)	35	0.3 %
2	2 = Smokeless tobacco pouches (not including snus)	9	0.1 %
3	3 = Both loose and pouched smokeless tobacco	14	0.1 %
	Total	58	0.5%

This variable has 58 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,040	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6752-6759 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS9042: Type of smokeless tobacco used most often in past 30 days

You mentioned you have used both loose and pouched smokeless tobacco. Which type of smokeless tobacco do you use most often?

[SHOW GENERIC IMAGE OF SMOKELESS TOBACCO - BOTH LOOSE AND POUCHES]

ASK: Youth respondents who have used both loose smokeless tobacco and pouched smokeless tobacco.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS9041 = 3.

Value	Label	Unweighted Frequency	%
1	1 = Loose smokeless tobacco (such as dip, spit or chewing tobacco)	11	0.1 %
2	2 = Smokeless tobacco pouches (not including snus)	3	0.0 %
	Total	14	0.1%

This variable has 14 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12084	99.9 %
	Total	12,084	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6760-6767 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1118: In past 30 days, how you usually got your own smokeless tobacco

In the past 30 days, how did you usually get your own smokeless tobacco?

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = I gave someone else money to buy it for me	14	0.1 %
2	2 = I bought it myself from a store	6	0.0 %
3	3 = I asked someone to give me some	11	0.1 %
4	4 = Someone offered it to me	8	0.1 %
5	5 = I bought it from another person	9	0.1 %

Value	Label	Unweighted Frequency	%
6	6 = I took it from a store or another person	2	0.0 %
7	7 = I got it some other way	5	0.0 %
	Total	55	0.5%

This variable has 55 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,043	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6768-6775 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1030: How you usually buy your smokeless tobacco

[When you give money to someone else, how do they/How do you] usually buy your smokeless tobacco?

[If From the internet (2), By telephone (3), Don't know (-8), or Refused (-7), GO TO BOX R05_YSR20.]

ASK: Youth respondents who are past 30 day smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1118 = 1, 2.

Value	Label	Unweighted Frequency	%
1	1 = In person	19	0.2 %
2	2 = From the internet	0	0.0 %
3	3 = By telephone	1	0.0 %
	Total	20	0.2%

This variable has 20 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12078	99.8 %

	Missing Data		
	Total	12,078	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6776-6783 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1033: Retail location where your smokeless tobacco is purchased most of the time

Where do [you/they] buy your smokeless tobacco most of the time?

ASK: Youth respondents who are past 30 day smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store and buy in person.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1118 = 1, 2 AND R05_YS1030 = 1.

Value	Label	Unweighted Frequency	%
1	1 = A convenience store or gas station	16	0.1 %
2	2 = A supermarket, grocery store, or drug store	2	0.0 %
3	3 = A warehouse club, such as Sam's or Costco	0	0.0 %
4	4 = A smoke shop, tobacco specialty store or tobacco outlet store	1	0.0 %
5	5 = A duty free shop or military commissary	0	0.0 %
6	6 = A bar, pub, restaurant or casino	0	0.0 %
7	7 = A friend or relative	0	0.0 %
8	8 = A swap meet or flea market	0	0.0 %
9	9 = Somewhere else	0	0.0 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6784-6791 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1034_D: Amount paid when last time bought smokeless tobacco - Dollars

Think about the last time you [bought/gave money to someone else to buy you] smokeless tobacco.
How much did you pay for a container of smokeless tobacco?

___ Dollars

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YSR18.]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_SMKLS_LEVEL = 2 AND R05_YS1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 17 valid cases out of 12,098 total cases.

- Mean: 8.65
- Median: 5.00
- Mode: 4.00
- Minimum: 2.00
- Maximum: 51.00
- Standard Deviation: 11.75

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12081	99.9 %
	Total	12,081	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6792-6799 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YS1034_C: Amount paid when last time bought smokeless tobacco - Cents

Think about the last time you [bought/gave money to someone else to buy you] smokeless tobacco.
How much did you pay for a container of smokeless tobacco?

___ Cents

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YSR18.]

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_SMKLS_LEVEL = 2 AND R05_YS1118 = 1, 2.

[PROGRAM NOTE: Display as Quantity/Quantity.
Allow 3 digits for dollars; allow 2 digits for cents.]

This variable has 17 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12081	99.9 %
	Total	12,081	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6800-6807 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YS9001: Number of pouches in the container of smokeless tobacco you usually buy

How many pouches are in the container of smokeless tobacco that you usually buy?

__ Pouches

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users and have only or most often used pouched smokeless tobacco in the past 30 days and usually get smokeless tobacco by giving someone else money to buy for them or buying themselves from a store.

ASK Specification: IF R05_PAST30DAY_SMKLS_LEVEL = 2 AND (R05_YS9041 = 2 OR R05_YS9042 = 2)
AND R05_YS1118 = 1, 2.

[PROGRAM NOTE: Allow 2 digits.]

Value	Label	Unweighted Frequency	%
5	-	1	0.0 %
85	-	1	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,098 total cases.

- Mean: 45.00
- Median: 45.00
- Minimum: 5.00
- Maximum: 85.00
- Standard Deviation: 56.57

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 6808-6815 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YS1047: Have a regular brand of smokeless tobacco you usually use

Do you have a regular brand of smokeless tobacco that you usually use?

ASK: Youth respondents who are past 30 day "not-light" smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	27	0.2 %
2	2 = No	10	0.1 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12060	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6816-6823 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1945: Know the name of brand of smokeless tobacco you [usually use]

Do you know the name of the brand of smokeless tobacco you [usually use/last used]?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YSD02.]

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.3 %
2	2 = No	17	0.1 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6824-6831 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1048_BRAND: Brand of smokeless tobacco usually/last used

What brand of smokeless tobacco [do/did] you [usually/last] use?

Brand

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1945 = 1.

[PROGRAM NOTE: SHOW PICTURES OF THE MAJOR BRANDS ON THE TOUCHSCREEN.]

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12056	99.7 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6832-6839 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1070_PRODUCT: Sub-brand of smokeless tobacco product usually/last used

You selected [BRANDFILL] as your brand. What kind of [BRANDFILL] [do/did] you [usually/last] use?

Product

Please select it from the choices below by touching the screen. [If you do not see it below, touch the button marked "NEXT"./If you do not see it below, touch the box marked "Something else".]

ASK: Youth respondents who are past 30 day smokeless tobacco users who know the name of the brand of smokeless tobacco they usually use or last used and selected a brand of smokeless tobacco.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS1945 = 1 AND R05_YS1048_BRAND != 9995, -8, -7.

[PROGRAM NOTE: SHOW PICTURES ON THE TOUCHSCREEN FOR MAJOR PRODUCTS ASSOCIATED WITH THE BRAND SELECTED.]

This variable has 41 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12056	99.7 %
	Total	12,057	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 6840-6847 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS0104: Brand of very last smokeless tobacco used is same as brand regularly/last used

You said earlier that you used smokeless tobacco [TIME OF LAST USE].

Think about the very last time you used it.

Was the brand [NEQBRAND]?

ASK: Youth respondents who are past 30 day smokeless tobacco users and last used smokeless tobacco in the past hour, sometime today, yesterday, or the day before yesterday and know the name of brand of smokeless

tobacco they usually use or last used and selected a brand and subbrand of smokeless tobacco.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YS0100 = 1, 2, 3, 4 AND R05_YS1945 = 1 AND R05_YS1048_BRAND != 9995, -8, -7 AND R05_YS1070_PRODUCT != 99990, 99995, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	20	0.2 %
2	2 = No	4	0.0 %
	Total	24	0.2%

This variable has 24 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 6848-6855 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1086: In past 30 days, used smokeless tobacco at times when or in places you could not smoke cigarettes

In the past 30 days, have you used smokeless tobacco at times when or in places where you could not smoke cigarettes?

ASK: Youth respondents who are past 30 day smokeless tobacco users and are past 30 day cigarette smokers.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_PAST30DAY_CIGS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	11	0.1 %
2	2 = No	5	0.0 %
	Total	16	0.1%

This variable has 16 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12082	99.9 %
	Total	12,082	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 6856-6863 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1060_RANDOM_01: YS1060 series random question 1

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YS1060 through R05_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12039	99.5 %
R05_YS1060	-	10	0.1 %
R05_YS1062	-	8	0.1 %
R05_YS1063	-	6	0.0 %
R05_YS1064	-	4	0.0 %
R05_YS1065	-	4	0.0 %
R05_YS1067	-	8	0.1 %
R05_YS1075	-	6	0.0 %
R05_YS1077	-	4	0.0 %
R05_YS1085	-	9	0.1 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6864-6878 (width: 15; decimal: 0)

Variable Type: character

R05_YS1060_RANDOM_02: YS1060 series random question 2

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YS1060 through R05_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12039	99.5 %
R05_YS1060	-	11	0.1 %
R05_YS1062	-	9	0.1 %
R05_YS1063	-	6	0.0 %
R05_YS1064	-	3	0.0 %
R05_YS1065	-	7	0.1 %
R05_YS1067	-	7	0.1 %
R05_YS1075	-	6	0.0 %
R05_YS1077	-	3	0.0 %
R05_YS1085	-	7	0.1 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6879-6893 (width: 15; decimal: 0)

Variable Type: character

R05_YS1060_RANDOM_03: YS1060 series random question 3

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YS1060 through R05_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12039	99.5 %
R05_YS1060	-	7	0.1 %
R05_YS1062	-	5	0.0 %
R05_YS1063	-	9	0.1 %
R05_YS1064	-	3	0.0 %
R05_YS1065	-	5	0.0 %
R05_YS1067	-	9	0.1 %
R05_YS1075	-	8	0.1 %
R05_YS1077	-	4	0.0 %
R05_YS1085	-	9	0.1 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6894-6908 (width: 15; decimal: 0)

Variable Type: character

R05_YS1060_RANDOM_04: YS1060 series random question 4

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YS1060 through R05_YS1077)) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12039	99.5 %
R05_YS1060	-	7	0.1 %
R05_YS1062	-	9	0.1 %
R05_YS1063	-	9	0.1 %
R05_YS1064	-	5	0.0 %
R05_YS1065	-	7	0.1 %
R05_YS1067	-	12	0.1 %
R05_YS1075	-	5	0.0 %
R05_YS1077	-	2	0.0 %
R05_YS1085	-	3	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6909-6923 (width: 15; decimal: 0)

Variable Type: character

R05_YS1060_RANDOM_05: YS1060 series random question 5

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YS1060 through R05_YS1077)) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12039	99.5 %
R05_YS1060	-	7	0.1 %
R05_YS1062	-	8	0.1 %
R05_YS1063	-	5	0.0 %
R05_YS1064	-	2	0.0 %
R05_YS1065	-	7	0.1 %

Value	Label	Unweighted Frequency	%
R05_YS1067	-	6	0.0 %
R05_YS1075	-	11	0.1 %
R05_YS1077	-	7	0.1 %
R05_YS1085	-	6	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6924-6938 (width: 15; decimal: 0)

Variable Type: character

R05_YS1060_RANDOM_06: YS1060 series random question 6

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YS1060 through R05_YS1077)) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 6th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12039	99.5 %
R05_YS1060	-	8	0.1 %
R05_YS1062	-	9	0.1 %
R05_YS1063	-	8	0.1 %
R05_YS1064	-	4	0.0 %
R05_YS1065	-	7	0.1 %
R05_YS1067	-	6	0.0 %
R05_YS1075	-	8	0.1 %
R05_YS1077	-	2	0.0 %
R05_YS1085	-	7	0.1 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6939-6953 (width: 15; decimal: 0)

Variable Type: character

R05_YS1060_RANDOM_07: YS1060 series random question 7

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YS1060 through R05_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 7th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12039	99.5 %
R05_YS1060	-	3	0.0 %
R05_YS1062	-	4	0.0 %
R05_YS1063	-	6	0.0 %
R05_YS1064	-	9	0.1 %
R05_YS1065	-	12	0.1 %
R05_YS1067	-	5	0.0 %
R05_YS1075	-	8	0.1 %
R05_YS1077	-	4	0.0 %
R05_YS1085	-	8	0.1 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6954-6968 (width: 15; decimal: 0)

Variable Type: character

R05_YS1060_RANDOM_08: YS1060 series random question 8

[ICPSR NOTE: The 8 items that follow in the questionnaire (R05_YS1060 through R05_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 8th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12061	99.7 %
R05_YS1060	-	4	0.0 %
R05_YS1062	-	1	0.0 %
R05_YS1063	-	5	0.0 %
R05_YS1064	-	2	0.0 %
R05_YS1065	-	7	0.1 %
R05_YS1067	-	1	0.0 %
R05_YS1075	-	6	0.0 %
R05_YS1077	-	6	0.0 %
R05_YS1085	-	5	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6969-6983 (width: 15; decimal: 0)

Variable Type: character

R05_YS1060_RANDOM_09: YS1060 series random question 9

[ICPSR NOTE: The 10 items that follow in the questionnaire (R05_YS1060 through R05_YS1077) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 9th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YSD02 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	12061	99.7 %
R05_YS1060	-	2	0.0 %
R05_YS1062	-	6	0.0 %
R05_YS1063	-	5	0.0 %
R05_YS1064	-	5	0.0 %
R05_YS1065	-	3	0.0 %
R05_YS1067	-	5	0.0 %
R05_YS1075	-	1	0.0 %
R05_YS1077	-	5	0.0 %
R05_YS1085	-	5	0.0 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 6984-6998 (width: 15; decimal: 0)

Variable Type: character

R05_YS1060: Use smokeless tobacco because: It is affordable

The next questions are about the reasons people use smokeless tobacco.
Please select which reasons apply to you.

I use smokeless tobacco because...

It is affordable.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	32	0.3 %

Value	Label	Unweighted Frequency	%
2	2 = No	27	0.2 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 6999-7006 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_Y51085: Use smokeless tobacco because: It can be used in places where smoking cigarettes is not allowed

The next questions are about the reasons people use smokeless tobacco.
Please select which reasons apply to you.

I use smokeless tobacco because...

I can use smokeless tobacco at times when or in places where smoking cigarettes isn't allowed.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.3 %
2	2 = No	25	0.2 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %

	Missing Data		
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7007-7014 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_Y51062: Use smokeless tobacco because: It might be less harmful to me than cigarettes

The next questions are about the reasons people use smokeless tobacco.
Please select which reasons apply to you.

I use smokeless tobacco because...

It might be less harmful to me than smoking cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.3 %
2	2 = No	25	0.2 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7015-7022 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_Y51075: Use smokeless tobacco because: It might be less harmful to people around me than cigarettes

The next questions are about the reasons people use smokeless tobacco.
Please select which reasons apply to you.

I use smokeless tobacco because...

It might be less harmful to people around me than cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	21	0.2 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7023-7030 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_Y51063: Use smokeless tobacco because: It comes in flavors I like

The next questions are about the reasons people use smokeless tobacco.
Please select which reasons apply to you.

I use smokeless tobacco because...

Smokeless tobacco comes in flavors I like.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	35	0.3 %
2	2 = No	23	0.2 %
	Total	58	0.5%

This variable has 58 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,040	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7031-7038 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_Y51064: Use smokeless tobacco because: It helps people to quit smoking cigarettes

The next questions are about the reasons people use smokeless tobacco.

Please select which reasons apply to you.

I use smokeless tobacco because...

Using smokeless tobacco helps people quit smoking cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.1 %
2	2 = No	19	0.2 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7039-7046 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1065: Use smokeless tobacco because: It doesn't smell

The next questions are about the reasons people use smokeless tobacco.
Please select which reasons apply to you.

I use smokeless tobacco because...

Smokeless tobacco doesn't smell.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	29	0.2 %
2	2 = No	30	0.2 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7047-7054 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1067: Use smokeless tobacco because: It doesn't bother non-tobacco users

The next questions are about the reasons people use smokeless tobacco.
Please select which reasons apply to you.

I use smokeless tobacco because...

Smokeless tobacco doesn't bother non-tobacco users.

ASK: Youth respondents who are past 30 day smokeless tobacco users.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.2 %
2	2 = No	29	0.2 %
	Total	59	0.5%

This variable has 59 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,039	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7055-7062 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_Y51077: Use smokeless tobacco because: Using smokeless tobacco satisfies my cravings for cigarettes

The next questions are about the reasons people use smokeless tobacco.
Please select which reasons apply to you.

I use smokeless tobacco because...

Using smokeless tobacco satisfies my cravings for cigarettes.

ASK: Youth respondents who are past 30 day smokeless tobacco users and last smoked a cigarette earlier today, sometime in the past 7 days, in the past 30 days, in the past 6 months, or in the past year.

ASK Specification: IF R05_PAST30DAY_SMKLS = 1 AND R05_YC1112 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.1 %
2	2 = No	19	0.2 %
	Total	37	0.3%

This variable has 37 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7063-7070 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YD1001_NB: Ever seen or heard of dissolvable tobacco before this study

Have you ever seen or heard of dissolvable tobacco before this study?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YDV01.]

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	67	0.6 %
2	2 = No	1584	13.1 %
	Total	1,651	13.6%

This variable has 1,651 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,447	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 7071-7078 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YD1002_NB: Ever used dissolvable tobacco products, even one or two times

Have you ever used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YDV01.]

ASK: New baseline youth respondents who have ever seen or heard of dissolvable tobacco, or continuing youth respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YD1001_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	663	5.5 %
	Total	664	5.5%

This variable has 664 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11431	94.5 %
	Total	11,434	94.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7079-7086 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YD1002_12M: In past 12 months, used dissolvable tobacco products, even one or two times

In the past 12 months, have you used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YDV01.]

ASK: Continuing youth respondents who are not previous wave non-responders, or Continuing youth respondents who are previous wave non-responders and have ever used dissolvable tobacco as of their last completed interview, or

New baseline youth respondents who have ever seen or heard of dissolvable tobacco and have ever used dissolvable tobacco, or

Continuing youth respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview and have ever used dissolvable tobacco.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 1) OR (R05_YOUTHTYPE = 2 AND R05_YD1001_NB = 1 AND R05_YD1002_NB = 1) OR

(R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 2 AND R05_YD1002_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	9819	81.2 %
	Total	9,829	81.2%

This variable has 9,829 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	2251	18.6 %
	Total	2,269	18.8%

Percentages for both tables are based on 12,098 total cases.

Location: 7087-7094 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YD1002_30D: In past 30 days, used dissolvable tobacco products, even one or two times

In the past 30 days, have you used dissolvable tobacco products, such as Ariva, Stonewall, or Camel Orbs, Sticks, or Strips, even one or two times?

[SHOW GENERIC IMAGE OF DISSOLVABLE TOBACCO]

ASK: Continuing youth respondents who are not previous wave non-responders who have used dissolvable tobacco in the past 12 months, or

Continuing youth respondents who are previous wave non-responders and have ever used dissolvable tobacco as of their last completed interview and have used dissolvable tobacco in the past 12 months, or

New baseline youth respondents who have ever seen or heard of dissolvable tobacco and have ever used dissolvable tobacco and have used dissolvable tobacco in the past 12 months, or

Continuing youth respondents who are previous wave non-responders and have never used dissolvable tobacco as of their last completed interview and have ever used dissolvable tobacco and have used dissolvable tobacco in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YD1002_12M = 1) OR
(R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 1 AND R05_YD1002_12M = 1)
OR (R05_YOUTHTYPE = 2 AND R05_YD1001_NB = 1 AND R05_YD1002_NB = 1 AND R05_YD1002_12M = 1) OR
(R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_DISSBL = 2 AND R05_YD1002_NB = 1
AND R05_YD1002_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	5	0.0 %

Value	Label	Unweighted Frequency	%
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7095-7102 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YB9101_NB_01: Ever heard of bidis before this study

Which of the following tobacco products have you ever seen or heard of before this study?
Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Bidis

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	48	0.4 %
2	2 = Not Marked	1598	13.2 %
	Total	1,646	13.6%

This variable has 1,646 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10446	86.3 %

	Missing Data		
	Total	10,452	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 7103-7110 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YB9101_NB_02: Ever heard of kreteks before this study

Which of the following tobacco products have you ever seen or heard of before this study?

Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Kreteks

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	67	0.6 %
2	2 = Not Marked	1579	13.1 %
	Total	1,646	13.6%

This variable has 1,646 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,452	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 7111-7118 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YB9101_NB_03: Never heard of bidis or kreteks

Which of the following tobacco products have you ever seen or heard of before this study?

Choose all that apply.

[SHOW GENERIC IMAGE OF BIDIS AND KRETEKS]

Never seen or heard of either of these products

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

[PROGRAM NOTE: Allow respondents to choose all that apply. Option 3 cannot be selected if options 1 or 2 are selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1557	12.9 %
2	2 = Not Marked	89	0.7 %
	Total	1,646	13.6%

This variable has 1,646 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,452	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 7119-7126 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YB1002BD_NB: Ever smoked a bidi, even one or two puffs

Have you ever smoked a bidi, even one or two puffs?

[SHOW GENERIC IMAGE OF BIDIS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YBR04.]

ASK: New baseline youth respondents who have ever seen or heard of bidis, or continuing youth respondents who are previous wave non-responders and have never smoked bidis as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_01 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_BIDI = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = No	639	5.3 %
	Total	643	5.3%

This variable has 643 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11450	94.6 %
	Total	11,455	94.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7127-7134 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YB1002BD_12M: In past 12 months, smoked a bidi, even one or two puffs

In the past 12 months, have you smoked a bidi, even one or two puffs?

[SHOW GENERIC IMAGE OF BIDIS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YBR04.]

ASK: Continuing youth respondents who are not previous wave non-responders, or
Continuing youth respondents who are previous wave non-responders and have ever smoked bidis
as of their last completed interview, or
New baseline youth respondents who have ever seen or heard of bidis and have ever smoked
bidis, or
Continuing youth respondents who are previous wave non-responders and have never smoked
bidis as of their last completed interview and have ever smoked bidis.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND
R05_WNR = 1 AND R04_EVER_NEVER_BIDI = 1) OR (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_01 = 1
AND R05_YB1002BD_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_BIDI
= 2 AND R05_YB1002BD_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	9819	81.2 %
	Total	9,835	81.3%

This variable has 9,835 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	2248	18.6 %
	Total	2,263	18.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7135-7142 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YB1002BD_30D: In past 30 days, smoked a bidi, even one or two puffs

In the past 30 days, have you smoked a bidi, even one or two puffs?

[SHOW GENERIC IMAGE OF BIDIS]

ASK: Continuing youth respondents who are not previous wave non-responders who have smoked bidis in the past 12 months, or Continuing youth respondents who are previous wave non-responders and have ever smoked bidis as of their last completed interview and have smoked bidis in the past 12 months, or

New baseline youth respondents who have ever seen or heard of bidis and have ever smoked bidis and have smoked bidis in the past 12 months, or

Continuing youth respondents who are previous wave non-responders and have never smoked bidis as of their last completed interview and have ever smoked bidis and have smoked bidis in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YB1002BD_12M = 1)
OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_BIDI = 1 AND
R05_YB1002BD_12M = 1) OR (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_01
= 1 AND R05_YB1002BD_NB = 1 AND R05_YB1002BD_12M = 1) OR (R05_YOUTHTYPE = 1
AND R05_WNR = 1 AND R04_EVER_NEVER_BIDI = 2 AND R05_YB1002BD_NB = 1 AND
R05_YB1002BD_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	10	0.1 %
	Total	16	0.1%

This variable has 16 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12082	99.9 %
	Total	12,082	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7143-7150 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YB1002KK_NB: Ever smoked a kretek, even one or two puffs

Have you ever smoked a kretek, even one or two puffs?

[SHOW GENERIC IMAGE OF KRETEKS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YBV01.]

ASK: New baseline youth respondents who have ever seen or heard of kreteks, or continuing youth respondents who are previous wave non-responders and have never smoked kreteks as of their last completed interview.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_KRETEK = 2).

Value	Label	Unweighted Frequency	%
1	1 = Yes	3	0.0 %
2	2 = No	658	5.4 %
	Total	661	5.5%

This variable has 661 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11433	94.5 %
	Total	11,437	94.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7151-7158 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YB1002KK_12M: In past 12 months, smoked a kretek, even one or two puffs

In the past 12 months, have you smoked a kretek, even one or two puffs?

[SHOW GENERIC IMAGE OF KRETEKS]

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YBV01.]

ASK: Continuing youth respondents who are not previous wave non-responders, or Continuing youth respondents who are previous wave non-responders and have ever smoked kreteks

as of their last completed interview, or
 New baseline youth respondents who have ever seen or heard of kreteks and have ever
 smoked kreteks, or
 Continuing youth respondents who are previous wave non-responders and have never smoked
 kreteks as of their last completed interview and have ever smoked kreteks.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2) OR (R05_YOUTHTYPE = 1 AND
 R05_WNR = 1 AND R04_EVER_NEVER_KRETEK = 1) OR (R05_YOUTHTYPE = 2 AND R05_YB9101_NB_02
 = 1 AND R05_YB1002KK_NB = 1) OR (R05_YOUTHTYPE = 1 AND R05_WNR = 1 AND
 R04_EVER_NEVER_KRETEK = 2 AND R05_YB1002KK_NB = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.1 %
2	2 = No	9826	81.2 %
	Total	9,844	81.4%

This variable has 9,844 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	2247	18.6 %
	Total	2,254	18.6%

Percentages for both tables are based on 12,098 total cases.

Location: 7159-7166 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YB1002KK_30D: In past 30 days, smoked a kretek, even one or two puffs

In the past 30 days, have you smoked a kretek, even one or two puffs?

[SHOW GENERIC IMAGE OF KRETEKS]

ASK: Continuing youth respondents who are not previous wave non-responders who have smoked kreteks in
 the past 12 months, or

Continuing youth respondents who are previous wave non-responders and have ever smoked kreteks as of
 their last completed interview and have smoked kreteks in the past 12 months, or

New baseline youth respondents who have ever seen or heard of kreteks and have ever smoked kreteks and
 have smoked kreteks in the past 12 months, or

Continuing youth respondents who are previous wave non-responders and have never smoked kreteks as of
 their last completed interview and have ever smoked kreteks and have smoked kreteks in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 1 AND R05_WNR = 2 AND R05_YB1002KK_12M = 1) OR (R05_YOUTHTYPE
 = 1 AND R05_WNR = 1 AND R04_EVER_NEVER_KRETEK = 1 AND R05_YB1002KK_12M = 1) OR (R05_YOUTHTYPE = 2
 AND R05_YB9101_NB_02 = 1 AND R05_YB1002KK_NB = 1 AND R05_YB1002KK_12M = 1) OR (R05_YOUTHTYPE = 1
 AND R05_WNR = 1 AND R04_EVER_NEVER_KRETEK = 2 AND R05_YB1002KK_NB = 1 AND R05_YB1002KK_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	8	0.1 %
	Total	18	0.1%

This variable has 18 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12080	99.9 %
	Total	12,080	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7167-7174 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YZ1002: Ever used any other tobacco products

You were just asked questions about cigarettes, electronic nicotine products, traditional cigars, cigarillos, filtered cigars, pipes, hookahs, snus, smokeless tobacco, dissolvable tobacco, bidis, [and] kreteks[LIST ALL AVAILABLE HEATED TOBACCO BRANDS].

Besides these products, have you ever used any other tobacco products? Please do not include products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge.

ASK: All youth respondents.

[PROGRAM NOTE: If IQOS or other heated tobacco brands have become available on the US market, then list the available brands after kreteks. Include all the heated tobacco brands that have been made available. Separate with commas with ", and" preceding the last brand for English. Separate with commas with "y" preceding the last brand for Spanish.]

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.3 %
2	2 = No	12037	99.5 %
	Total	12,071	99.8%

This variable has 12,071 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	11	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	27	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 7175-7182 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YY0600: First tobacco product ever tried was flavored

Some tobacco products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts, or other sweets.

In thinking of the first tobacco product you ever tried, was it flavored?

ASK: Youth respondents who have ever used tobacco.

ASK Specification: IF R05_EVER_USE_TOB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1064	8.8 %
2	2 = No	1776	14.7 %
	Total	2,840	23.5%

This variable has 2,840 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.2 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	9223	76.2 %
	Total	9,258	76.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7183-7190 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YY0601: First type of tobacco you tried

You mentioned that you started using [LIST OF ALL PRODUCTS INITIATED/USED AT EARLIEST AGE] [in the past 12 months/at age {EARLIEST AGE}]. Which type of tobacco did you try first?

ASK: New baseline youth respondents who used 2 or more tobacco products for the first time at the same age, not including pipe tobacco, dissolvable tobacco, bidis, or kreteks, or continuing youth respondents who had never used any tobacco products as of their last completed interview and initiated use of two or more tobacco products

since their last completed interview, not including pipe tobacco, dissolvable tobacco, bidis, or kreteks.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB) = AGE AT FIRST USE OF 2 OR MORE PRODUCTS) OR (R05_YOUTHTYPE = 1 AND R04_EVER_NEVER_CIGS != 1 AND R04_EVER_NEVER_EPRODS != 1 AND R04_EVER_NEVER_GTRAD != 1 AND R04_EVER_NEVER_GRILLO != 1 AND R04_EVER_NEVER_GFILTR != 1 AND R04_EVER_NEVER_PIPE != 1 AND R04_EVER_NEVER_HOOK != 1 AND R04_EVER_NEVER_SNUS != 1 AND R04_EVER_NEVER_SMKLS != 1 AND R04_EVER_NEVER_DISSBL != 1 AND R04_EVER_NEVER_BIDI != 1 AND R04_EVER_NEVER_KRETEK != 1 AND R05_INIT_[PRODUCT]_YOUTH = 1 FOR 2 OR MORE OF THESE PRODUCTS: CIGARETTES, ELECTRONIC NICOTINE PRODUCTS, TRADITIONAL CIGARS, CIGARILLOS, FILTERED CIGARS, HOOKAH, SNUS, SMOKELESS TOBACCO).

[PROGRAM NOTE: Make response options a dynamic list with fills based on the products that were used at MIN VALID AGE or initiated. Always include the unspecified other.]

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes	50	0.4 %
2	2 = E-cigarettes or other electronic nicotine products	114	0.9 %
3	3 = Traditional cigars	2	0.0 %
4	4 = Cigarillos	15	0.1 %
5	5 = Filtered cigars	2	0.0 %
7	7 = Shisha or hookah tobacco	6	0.0 %
8	8 = Smokeless tobacco (other than snus)	11	0.1 %
9	9 = Snus	4	0.0 %
14	14 = Other	6	0.0 %
	Total	210	1.7%

This variable has 210 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11884	98.2 %
	Total	11,888	98.3%

Percentages for both tables are based on 12,098 total cases.

Location: 7191-7198 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0703E: Time to wanting to use first electronic nicotine product after waking

How soon after you wake up do you want to use electronic nicotine products?

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Within 5 minutes	87	0.7 %
2	2 = From 6 to 30 minutes	100	0.8 %
3	3 = From more than 30 minutes to 1 hour	78	0.6 %
4	4 = After more than 1 hour but less than 24 hours	169	1.4 %
5	5 = Rarely want to use electronic nicotine products	1432	11.8 %
	Total	1,866	15.4%

This variable has 1,866 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	37	0.3 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	10178	84.1 %
	Total	10,232	84.6%

Percentages for both tables are based on 12,098 total cases.

Location: 7199-7206 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0704E: Ever have strong cravings to use electronic nicotine products

Do you ever have strong cravings to use electronic nicotine products?

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	279	2.3 %
2	2 = No	1637	13.5 %
	Total	1,916	15.8%

This variable has 1,916 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10178	84.1 %
	Total	10,182	84.2%

Percentages for both tables are based on 12,098 total cases.

Location: 7207-7214 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0705E: Ever felt like you really needed to use electronic nicotine products

Have you ever felt like you really needed to use electronic nicotine products?

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	282	2.3 %
2	2 = No	1635	13.5 %
	Total	1,917	15.8%

This variable has 1,917 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10178	84.1 %
	Total	10,181	84.2%

Percentages for both tables are based on 12,098 total cases.

Location: 7215-7222 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0055E: Level of agreement: I find myself reaching for electronic nicotine products without thinking about it

Please rate your level of agreement for each statement using the following scale:
1= not true of me at all to 5=extremely true of me.

I find myself reaching for electronic nicotine products without thinking about it.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1345	11.1 %
2	2 = 2 on a scale of 1 to 5	252	2.1 %
3	3 = 3 on a scale of 1 to 5	170	1.4 %
4	4 = 4 on a scale of 1 to 5	76	0.6 %
5	5 = Extremely true of me	63	0.5 %
	Total	1,906	15.8%

This variable has 1,906 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	10178	84.1 %
	Total	10,192	84.2%

Percentages for both tables are based on 12,098 total cases.

Location: 7223-7230 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0025E_RANDOM_01: YN0025E series random question 1

[ICPSR NOTE: The 5 items that follow in the questionnaire (R05_YN0025E through R05_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10178	84.1 %
R05_YN0025E	-	402	3.3 %

Value	Label	Unweighted Frequency	%
R05_YN0045E	-	376	3.1 %
R05_YN0070E	-	401	3.3 %
R05_YN0075E	-	372	3.1 %
R05_YN0080E	-	369	3.1 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 7231-7245 (width: 15; decimal: 0)

Variable Type: character

R05_YN0025E_RANDOM_02: YN0025E series random question 2

[ICPSR NOTE: The 5 items that follow in the questionnaire (R05_YN0025E through R05_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10178	84.1 %
R05_YN0025E	-	388	3.2 %
R05_YN0045E	-	409	3.4 %
R05_YN0070E	-	387	3.2 %
R05_YN0075E	-	352	2.9 %
R05_YN0080E	-	384	3.2 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 7246-7260 (width: 15; decimal: 0)

Variable Type: character

R05_YN0025E_RANDOM_03: YN0025E series random question 3

[ICPSR NOTE: The 5 items that follow in the questionnaire (R05_YN0025E through R05_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10178	84.1 %
R05_YN0025E	-	396	3.3 %
R05_YN0045E	-	395	3.3 %
R05_YN0070E	-	374	3.1 %
R05_YN0075E	-	399	3.3 %
R05_YN0080E	-	356	2.9 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 7261-7275 (width: 15; decimal: 0)

Variable Type: character

R05_YN0025E_RANDOM_04: YN0025E series random question 4

[ICPSR NOTE: The 5 items that follow in the questionnaire (R05_YN0025E through R05_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10178	84.1 %
R05_YN0025E	-	340	2.8 %
R05_YN0045E	-	368	3.0 %
R05_YN0070E	-	385	3.2 %
R05_YN0075E	-	407	3.4 %
R05_YN0080E	-	420	3.5 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 7276-7290 (width: 15; decimal: 0)

Variable Type: character

R05_YN0025E_RANDOM_05: YN0025E series random question 5

[ICPSR NOTE: The 5 items that follow in the questionnaire (R05_YN0025E through R05_YN0080E) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YND02E for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	10178	84.1 %
R05_YN0025E	-	394	3.3 %
R05_YN0045E	-	372	3.1 %
R05_YN0070E	-	373	3.1 %
R05_YN0075E	-	390	3.2 %
R05_YN0080E	-	391	3.2 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 7291-7305 (width: 15; decimal: 0)

Variable Type: character

R05_YN0025E: Level of agreement: Frequently crave electronic nicotine products

Please rate your level of agreement for each statement using the following scale:

1= not true of me at all to 5=extremely true of me.

I frequently crave electronic nicotine products.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1484	12.3 %
2	2 = 2 on a scale of 1 to 5	209	1.7 %
3	3 = 3 on a scale of 1 to 5	97	0.8 %
4	4 = 4 on a scale of 1 to 5	52	0.4 %
5	5 = Extremely true of me	67	0.6 %
	Total	1,909	15.8%

This variable has 1,909 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	10178	84.1 %
	Total	10,189	84.2%

Percentages for both tables are based on 12,098 total cases.

Location: 7306-7313 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0045E: Level of agreement: My electronic nicotine product use is out of control

Please rate your level of agreement for each statement using the following scale:

1= not true of me at all to 5=extremely true of me.

My electronic nicotine product use is out of control.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1651	13.6 %
2	2 = 2 on a scale of 1 to 5	120	1.0 %
3	3 = 3 on a scale of 1 to 5	71	0.6 %
4	4 = 4 on a scale of 1 to 5	34	0.3 %
5	5 = Extremely true of me	33	0.3 %
	Total	1,909	15.8%

This variable has 1,909 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	10178	84.1 %
	Total	10,189	84.2%

Percentages for both tables are based on 12,098 total cases.

Location: 7314-7321 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0070E: Level of agreement: Using electronic nicotine products helps me feel better if I've been feeling down

Please rate your level of agreement for each statement using the following scale:

1= not true of me at all to 5=extremely true of me.

Using electronic nicotine products really helps me feel better if I've been feeling down.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1318	10.9 %
2	2 = 2 on a scale of 1 to 5	191	1.6 %
3	3 = 3 on a scale of 1 to 5	177	1.5 %
4	4 = 4 on a scale of 1 to 5	126	1.0 %
5	5 = Extremely true of me	98	0.8 %
	Total	1,910	15.8%

This variable has 1,910 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10178	84.1 %
	Total	10,188	84.2%

Percentages for both tables are based on 12,098 total cases.

Location: 7322-7329 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0075E: Level of agreement: Using electronic nicotine products helps me think better

Please rate your level of agreement for each statement using the following scale:

1= not true of me at all to 5=extremely true of me.

Using electronic nicotine products helps me think better.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1512	12.5 %
2	2 = 2 on a scale of 1 to 5	157	1.3 %
3	3 = 3 on a scale of 1 to 5	123	1.0 %
4	4 = 4 on a scale of 1 to 5	62	0.5 %
5	5 = Extremely true of me	54	0.4 %
	Total	1,908	15.8%

This variable has 1,908 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10178	84.1 %
	Total	10,190	84.2%

Percentages for both tables are based on 12,098 total cases.

Location: 7330-7337 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0080E: Level of agreement: I would feel alone without my electronic nicotine products

Please rate your level of agreement for each statement using the following scale:

1= not true of me at all to 5=extremely true of me.

I would feel alone without my electronic nicotine products.

ASK: Youth respondents who are past 12 month ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	1711	14.1 %
2	2 = 2 on a scale of 1 to 5	85	0.7 %
3	3 = 3 on a scale of 1 to 5	58	0.5 %
4	4 = 4 on a scale of 1 to 5	22	0.2 %
5	5 = Extremely true of me	31	0.3 %
	Total	1,907	15.8%

This variable has 1,907 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	10178	84.1 %
	Total	10,191	84.2%

Percentages for both tables are based on 12,098 total cases.

Location: 7338-7345 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0060E: Level of agreement: I usually want to use electronic nicotine products after waking up

Please rate your level of agreement for each statement using the following scale:
1= not true of me at all to 5=extremely true of me.

I usually want to use electronic nicotine products right after I wake up.

ASK: Youth respondents who are past 12 month ENP users and did not report that they rarely want to use ENPs after waking up.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3 AND R05_YN0703E = 1, 2, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	215	1.8 %
2	2 = 2 on a scale of 1 to 5	103	0.9 %
3	3 = 3 on a scale of 1 to 5	65	0.5 %
4	4 = 4 on a scale of 1 to 5	37	0.3 %
5	5 = Extremely true of me	64	0.5 %
	Total	484	4.0%

This variable has 484 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11610	96.0 %
	Total	11,614	96.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7346-7353 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0126E: In past 12 months, tried to completely stop using electronic nicotine products

Have you tried to completely stop using electronic nicotine products within the past 12 months?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YN0127E.]

ASK: Youth respondents who are past 12 month ENP users and are past 30 day "not-light" ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3 AND R05_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	338	2.8 %
2	2 = No	561	4.6 %
	Total	899	7.4%

This variable has 899 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11197	92.6 %
	Total	11,199	92.6%

Percentages for both tables are based on 12,098 total cases.

Location: 7354-7361 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0120E: In past 12 months, stopped using electronic nicotine products for one day or longer because you were trying to quit for good

In the past 12 months, have you stopped using electronic nicotine products for one day or longer because you were trying to quit for good?

ASK: Youth respondents who are past 12 month ENP users and are past 30 day "not-light" ENP users and have tried to completely stop using ENPs within the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3 AND R05_PAST30DAY_EPRODS_LEVEL = 2 AND R05_YN0126E = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	285	2.4 %
2	2 = No	51	0.4 %
	Total	336	2.8%

This variable has 336 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11760	97.2 %
	Total	11,762	97.2%

Percentages for both tables are based on 12,098 total cases.

Location: 7362-7369 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0127E: Seriously thinking about quitting electronic nicotine products

Are you seriously thinking about quitting electronic nicotine products?

ASK: Youth respondents who are past 12 month ENP users and are past 30 day "not-light" ENP users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 2, 3 AND R05_PAST30DAY_EPRODS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes, within the next 30 days	274	2.3 %
2	2 = Yes, within the next 6 months	69	0.6 %
3	3 = Yes, within the year	92	0.8 %
4	4 = Yes, but not within the year	101	0.8 %
5	5 = No, I am not seriously thinking about quitting	339	2.8 %
	Total	875	7.2%

This variable has 875 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	22	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11197	92.6 %
	Total	11,223	92.8%

Percentages for both tables are based on 12,098 total cases.

Location: 7370-7377 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0703: Time to wanting to use first tobacco product after waking

How soon after you wake up do you want to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Within 5 minutes	31	0.3 %
2	2 = From 6 to 30 minutes	39	0.3 %
3	3 = From more than 30 minutes to 1 hour	38	0.3 %
4	4 = After more than 1 hour but less than 24 hours	70	0.6 %
5	5 = Rarely want to use tobacco	787	6.5 %
	Total	965	8.0%

This variable has 965 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	11108	91.8 %
	Total	11,133	92.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7378-7385 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0704: Ever have strong cravings to use tobacco

Do you ever have strong cravings to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	130	1.1 %
2	2 = No	857	7.1 %
	Total	987	8.2%

This variable has 987 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11108	91.8 %

	Missing Data		
	Total	11,111	91.8%

Percentages for both tables are based on 12,098 total cases.

Location: 7386-7393 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0705: Ever felt like you really needed to use tobacco

Have you ever felt like you really needed to use tobacco?

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	142	1.2 %
2	2 = No	843	7.0 %
	Total	985	8.1%

This variable has 985 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11108	91.8 %
	Total	11,113	91.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7394-7401 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0055: Level of agreement: Find myself reaching for a tobacco product without thinking about it

Please rate your level of agreement for each statement using the following scale:

1= not true of me at all to 5=extremely true of me.

I find myself reaching for a tobacco product without thinking about it.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	783	6.5 %
2	2 = 2 on a scale of 1 to 5	91	0.8 %
3	3 = 3 on a scale of 1 to 5	49	0.4 %
4	4 = 4 on a scale of 1 to 5	30	0.2 %
5	5 = Extremely true of me	26	0.2 %
	Total	979	8.1%

This variable has 979 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11108	91.8 %
	Total	11,119	91.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7402-7409 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0025_RANDOM_01: YN0025 series random question 1

[ICPSR NOTE: The 5 items that follow in the questionnaire (R05_YN0025 through R05_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 1st question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11108	91.8 %
R05_YN0025	-	191	1.6 %
R05_YN0045	-	217	1.8 %
R05_YN0070	-	212	1.8 %
R05_YN0075	-	176	1.5 %
R05_YN0080	-	194	1.6 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 7410-7424 (width: 15; decimal: 0)

Variable Type: character

R05_YN0025_RANDOM_02: YN0025 series random question 2

[ICPSR NOTE: The 5 items that follow in the questionnaire (R05_YN0025 through R05_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 2nd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11108	91.8 %
R05_YN0025	-	201	1.7 %
R05_YN0045	-	211	1.7 %
R05_YN0070	-	196	1.6 %
R05_YN0075	-	201	1.7 %
R05_YN0080	-	181	1.5 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 7425-7439 (width: 15; decimal: 0)

Variable Type: character

R05_YN0025_RANDOM_03: YN0025 series random question 3

[ICPSR NOTE: The 5 items that follow in the questionnaire (R05_YN0025 through R05_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 3rd question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11108	91.8 %
R05_YN0025	-	208	1.7 %
R05_YN0045	-	174	1.4 %
R05_YN0070	-	212	1.8 %
R05_YN0075	-	175	1.4 %
R05_YN0080	-	221	1.8 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 7440-7454 (width: 15; decimal: 0)

Variable Type: character

R05_YN0025_RANDOM_04: YN0025 series random question 4

[ICPSR NOTE: The 5 items that follow in the questionnaire (R05_YN0025 through R05_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 4th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11108	91.8 %
R05_YN0025	-	204	1.7 %
R05_YN0045	-	183	1.5 %
R05_YN0070	-	177	1.5 %
R05_YN0075	-	226	1.9 %
R05_YN0080	-	200	1.7 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 7455-7469 (width: 15; decimal: 0)

Variable Type: character

R05_YN0025_RANDOM_05: YN0025 series random question 5

[ICPSR NOTE: The 5 items that follow in the questionnaire (R05_YN0025 through R05_YN0080) were randomized by the computer as to the order that they were asked.]

This item identifies the variable name of the 5th question asked in the randomized set.

[PROGRAM NOTE: Please see Box R05_YND04 for further information about the randomization of the order these variables were asked.]

Value	Label	Unweighted Frequency	%
-1	-	11108	91.8 %
R05_YN0025	-	186	1.5 %
R05_YN0045	-	205	1.7 %
R05_YN0070	-	193	1.6 %
R05_YN0075	-	212	1.8 %
R05_YN0080	-	194	1.6 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 7470-7484 (width: 15; decimal: 0)

Variable Type: character

R05_YN0025: Level of agreement: Frequently crave tobacco

Please rate your level of agreement for each statement using the following scale:
1= not true of me at all to 5=extremely true of me.

I frequently crave tobacco.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	795	6.6 %
2	2 = 2 on a scale of 1 to 5	75	0.6 %
3	3 = 3 on a scale of 1 to 5	47	0.4 %
4	4 = 4 on a scale of 1 to 5	30	0.2 %
5	5 = Extremely true of me	34	0.3 %
	Total	981	8.1%

This variable has 981 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	11108	91.8 %
	Total	11,117	91.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7485-7492 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0045: Level of agreement: My tobacco use is out of control

Please rate your level of agreement for each statement using the following scale:
1= not true of me at all to 5=extremely true of me.

My tobacco use is out of control.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	868	7.2 %
2	2 = 2 on a scale of 1 to 5	62	0.5 %
3	3 = 3 on a scale of 1 to 5	27	0.2 %
4	4 = 4 on a scale of 1 to 5	9	0.1 %
5	5 = Extremely true of me	18	0.1 %
	Total	984	8.1%

This variable has 984 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11108	91.8 %
	Total	11,114	91.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7493-7500 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0070: Level of agreement: Using tobacco helps me feel better if feeling down

Please rate your level of agreement for each statement using the following scale:

1= not true of me at all to 5=extremely true of me.

Using tobacco really helps me feel better if I've been feeling down.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	726	6.0 %
2	2 = 2 on a scale of 1 to 5	95	0.8 %
3	3 = 3 on a scale of 1 to 5	74	0.6 %
4	4 = 4 on a scale of 1 to 5	33	0.3 %
5	5 = Extremely true of me	55	0.5 %
	Total	983	8.1%

This variable has 983 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11108	91.8 %
	Total	11,115	91.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7501-7508 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0075: Level of agreement: Using tobacco helps me think better

Please rate your level of agreement for each statement using the following scale:

1= not true of me at all to 5=extremely true of me.

Using tobacco helps me think better.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	795	6.6 %
2	2 = 2 on a scale of 1 to 5	76	0.6 %
3	3 = 3 on a scale of 1 to 5	58	0.5 %
4	4 = 4 on a scale of 1 to 5	28	0.2 %
5	5 = Extremely true of me	26	0.2 %
	Total	983	8.1%

This variable has 983 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11108	91.8 %
	Total	11,115	91.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7509-7516 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0080: Level of agreement: Would feel alone without my tobacco

Please rate your level of agreement for each statement using the following scale:
1= not true of me at all to 5=extremely true of me.

I would feel alone without my tobacco.

ASK: Youth respondents who are past 12 month non-electronic tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	871	7.2 %
2	2 = 2 on a scale of 1 to 5	51	0.4 %
3	3 = 3 on a scale of 1 to 5	24	0.2 %
4	4 = 4 on a scale of 1 to 5	15	0.1 %
5	5 = Extremely true of me	21	0.2 %
	Total	982	8.1%

This variable has 982 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11108	91.8 %
	Total	11,116	91.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7517-7524 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0060: Level of agreement: Usually want to use tobacco after waking up

Please rate your level of agreement for each statement using the following scale:
1= not true of me at all to 5=extremely true of me.

I usually want to use tobacco right after I wake up.

ASK: Youth respondents who are past 12 month non-electronic tobacco users and did not report that they rarely want to use tobacco after waking up.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 3 AND R05_YN0703 = 1, 2, 3, 4, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Not true of me at all	101	0.8 %
2	2 = 2 on a scale of 1 to 5	41	0.3 %
3	3 = 3 on a scale of 1 to 5	19	0.2 %
4	4 = 4 on a scale of 1 to 5	15	0.1 %
5	5 = Extremely true of me	23	0.2 %
	Total	199	1.6%

This variable has 199 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11895	98.3 %
	Total	11,899	98.4%

Percentages for both tables are based on 12,098 total cases.

Location: 7525-7532 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0126: In past 12 months, tried to completely stop use of all tobacco products

Have you tried to completely stop using all tobacco products within the past 12 months?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YN0128.]

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2
OR R05_PAST30DAY_GRILLO_LEVEL = 2
OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1
OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL
= 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1
OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	58	0.5 %
2	2 = No	87	0.7 %
	Total	145	1.2%

This variable has 145 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11951	98.8 %
	Total	11,953	98.8%

Percentages for both tables are based on 12,098 total cases.

Location: 7533-7540 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0120: In past 12 months, stopped using all tobacco products for one day or longer because you were trying to quit for good

In the past 12 months, have you stopped using all tobacco products for one day or longer because you were trying to quit for good?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YN0127]

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have tried to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR
R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR
R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR
R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR
R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	53	0.4 %
2	2 = No	4	0.0 %
	Total	57	0.5%

This variable has 57 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12040	99.5 %
	Total	12,041	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7541-7548 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0128: In past 12 months, tried to completely stop using any tobacco product

In the past 12 months, have you tried to completely stop using ANY tobacco product?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YN0127.]

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	82	0.7 %
	Total	88	0.7%

This variable has 88 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12009	99.3 %
	Total	12,010	99.3%

Percentages for both tables are based on 12,098 total cases.

Location: 7549-7556 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_01: In past 12 months, tried to completely stop using: Cigarettes

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7557-7564 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_02: In past 12 months, tried to completely stop using: E-cigarettes or other electronic nicotine products

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar

smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	2	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7565-7572 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_03: In past 12 months, tried to completely stop using: Traditional cigars

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL =

2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR
R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR
R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR
R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1)
AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7573-7580 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_04: In past 12 months, tried to completely stop using: Cigarillos

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7581-7588 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_05: In past 12 months, tried to completely stop using: Filtered cigars

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7589-7596 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_06: In past 12 months, tried to completely stop using: Pipes

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %

	Missing Data		
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7597-7604 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_07: In past 12 months, tried to completely stop using: Shisha or hookah tobacco

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Shisha or hookah tobacco

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7605-7612 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_08: In past 12 months, tried to completely stop using: Snus

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7613-7620 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_09: In past 12 months, tried to completely stop using: Smokeless tobacco (other than snus)

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Smokeless tobacco (other than snus)

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar

smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7621-7628 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_10: In past 12 months, tried to completely stop using: Dissolvable tobacco

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL =

2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR
R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR
R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR
R05_PAST30DAY DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1)
AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7629-7636 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_11: In past 12 months, tried to completely stop using: Bidis

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7637-7644 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_12: In past 12 months, tried to completely stop using: Kreteks

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7645-7652 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0129_13: In past 12 months, tried to completely stop using: Other

Which products have you tried to completely stop using in the past 12 months? Choose all that apply.

Other

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers and have not tried to completely stop using all tobacco products within the past 12 months or did not know or refused to report whether they have tried to completely stop using all tobacco products within the past 12 months and have tried to completely stop using any tobacco product in the past 12 months.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1) AND R05_YN0126 = 2, -8, -7 AND R05_YN0128 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %

	Missing Data		
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7653-7660 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0127: Seriously thinking about quitting cigarettes/all tobacco products

Are you seriously thinking about quitting [cigarettes/all tobacco products/cigarettes and tobacco products]?

ASK: Youth respondents who are past 30 day tobacco users and are past 30 day "not-light" traditional cigar smokers or past 30 day "not-light" cigarillo smokers or past 30 day "not-light" filtered cigar smokers or past 30 day pipe smokers or past 30 day hookah smokers or past 30 day "not-light" snus pouch users or past 30 day "not-light" smokeless tobacco users or past 30 day dissolvable tobacco users or past 30 day bidi smokers or past 30 day kretek smokers, or youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS_LEVEL = 2 OR R05_PAST30DAY_GTRAD_LEVEL = 2 OR R05_PAST30DAY_GRILLO_LEVEL = 2 OR R05_PAST30DAY_GFILTR_LEVEL = 2 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SMKLS_LEVEL = 2 OR R05_PAST30DAY_SNUS_LEVEL = 2 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes, within the next 30 days	82	0.7 %
2	2 = Yes, within the next 6 months	25	0.2 %
3	3 = Yes, within the year	41	0.3 %
4	4 = Yes, but not within the year	41	0.3 %
5	5 = No, I am not seriously thinking about quitting	93	0.8 %
	Total	282	2.3%

This variable has 282 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11809	97.6 %
	Total	11,816	97.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7661-7668 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1210: Wants to completely stop smoking cigarettes

Do you want to completely stop smoking cigarettes?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	112	0.9 %
2	2 = No	74	0.6 %
	Total	186	1.5%

This variable has 186 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11911	98.5 %
	Total	11,912	98.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7669-7676 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1215: In past 12 months, tried to completely stop smoking cigarettes

In the past 12 months, have you tried to completely stop smoking cigarettes?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YC1230.]

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and did not report trying to completely stop using all tobacco products within the past 12 months.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND R05_YN0126 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	66	0.5 %
2	2 = No	104	0.9 %
	Total	170	1.4%

This variable has 170 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11927	98.6 %
	Total	11,928	98.6%

Percentages for both tables are based on 12,098 total cases.

Location: 7677-7684 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1220: In past 12 months, number of times you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good

In the past 12 months, how many times have you stopped smoking for one day or longer because you were trying to quit smoking cigarettes for good?

___ Times

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop using all tobacco products within the past 12 months or did not report trying to completely stop using all tobacco products within the past 12 months and have tried to completely stop smoking cigarettes within the past 12 months.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND (R05_YN0126 = 1 OR (R05_YN0126 != 1 AND R05_YC1215 = 1)).

[PROGRAM NOTE: Allow 3 digits.]

This variable has 73 valid cases out of 12,098 total cases.

- Mean: 46.07
- Median: 5.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 999.00
- Standard Deviation: 169.44

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12016	99.3 %
	Total	12,025	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 7685-7692 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YC1225: How long stayed off cigarettes when last tried to quit for good

When you last tried to quit for good, how long did you stay off cigarettes? Please choose the first answer that fits.

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers and have tried to completely stop using all tobacco products within the past 12 months or did not report trying to completely stop using all tobacco products within the past 12 months and have tried to completely stop smoking cigarettes within the past 12 months.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2 AND (R05_YN0126 = 1 OR (R05_YN0126 != 1 AND R05_YC1215 = 1)).

Value	Label	Unweighted Frequency	%
1	1 = Less than one day	5	0.0 %
2	2 = 1 to 7 days	18	0.1 %
3	3 = More than 7 days but less than 30 days	13	0.1 %
4	4 = More than 30 days but less than 6 months	21	0.2 %
5	5 = More than 6 months but less than 1 year	13	0.1 %
6	6 = 1 year or more	10	0.1 %
	Total	80	0.7%

This variable has 80 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12016	99.3 %
	Total	12,018	99.3%

Percentages for both tables are based on 12,098 total cases.

Location: 7693-7700 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1230: Likeliness you would succeed if decided to quit cigarettes for good

If you decided to quit cigarettes for good, how likely is it that you would succeed?

ASK: Youth respondents who are past 30 day "not-light" cigarette smokers.

ASK Specification: IF R05_PAST30DAY_CIGS_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Very likely	97	0.8 %
2	2 = Somewhat likely	40	0.3 %
3	3 = Somewhat unlikely	22	0.2 %
4	4 = Very unlikely	24	0.2 %
	Total	183	1.5%

This variable has 183 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11911	98.5 %
	Total	11,915	98.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7701-7708 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0330_12M: Used a nicotine patch, nicotine gum, a nicotine inhaler, nicotine nasal spray, or lozenge in past 12 months (past 12 month tobacco users)

In the past 12 months, have you used a nicotine patch, nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YN0331_12M.]

ASK: Youth respondents who are past year tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	43	0.4 %
2	2 = No	2185	18.1 %
	Total	2,228	18.4%

This variable has 2,228 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	9865	81.5 %
	Total	9,870	81.6%

Percentages for both tables are based on 12,098 total cases.

Location: 7709-7716 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0161_01: Type of nicotine replacement therapy product used in past 12 months: Nicotine patch (past year tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine patch

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	31	0.3 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12055	99.6 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7717-7724 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0161_02: Type of nicotine replacement therapy product used in past 12 months: Nicotine gum (past year tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine gum

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.2 %
2	2 = Not Marked	15	0.1 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12055	99.6 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7725-7732 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0161_03: Type of nicotine replacement therapy product used in past 12 months: Nicotine inhaler (past year tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine inhaler

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	34	0.3 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12055	99.6 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7733-7740 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0161_04: Type of nicotine replacement therapy product used in past 12 months: Nicotine nasal spray (past year tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine nasal spray

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	40	0.3 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12055	99.6 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7741-7748 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0161_05: Type of nicotine replacement therapy product used in past 12 months: Nicotine lozenge (past year tobacco users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine lozenge

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	39	0.3 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12055	99.6 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7749-7756 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0347: When last removed a nicotine patch (past year tobacco users)

When you last used a nicotine patch, when did you remove it?

[If I am currently wearing a nicotine patch (1), In the past hour (2), or Day before yesterday (5),
GO TO R05_YN0349. If Three or more days ago (6), Don't know (-8), or Refused (-7), GO TO BOX R05_YNR07.]

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_01 = 1.

Value	Label	Unweighted Frequency	%
1	1 = I am currently wearing a nicotine patch	1	0.0 %
2	2 = In the past hour	3	0.0 %
3	3 = Sometime today, but more than an hour ago	1	0.0 %
4	4 = Yesterday	1	0.0 %
5	5 = Day before yesterday	1	0.0 %
6	6 = Three or more days ago	4	0.0 %
	Total	11	0.1%

This variable has 11 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12087	99.9 %
	Total	12,087	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7757-7764 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0348: Number of hours since you removed a nicotine patch (past year tobacco users)

How many hours has it been since you removed a nicotine patch?

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_01 = 1 AND R05_YN0347 = 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = 1 to 4 hours	0	0.0 %
2	2 = 5 to 11 hours	1	0.0 %
3	3 = More than 12 hours	1	0.0 %
	Total	2	0.0%

This variable has 2 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12096	100.0 %
	Total	12,096	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7765-7772 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0349: Strength of nicotine patch last used (past year tobacco users)

When you last used a nicotine patch [FILL BASED ON R05_YN0347], what strength did you use? (If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and are currently using a nicotine patch or last used in the past hour, sometime today, yesterday or the day before yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_01 = 1 AND R05_YN0347 = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = 21 mg (Step 1)	4	0.0 %
2	2 = 14 mg (Step 2)	1	0.0 %
3	3 = 7 mg (Step 3)	0	0.0 %
4	4 = Some other strength	1	0.0 %
5	5 = I don't know	1	0.0 %
	Total	7	0.1%

This variable has 7 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12091	99.9 %
	Total	12,091	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7773-7780 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0357: When last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge (past year tobacco users)

When did you last use nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

[If In the past hour (1), GO TO R05_YN0359. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO R05_YN0336.]

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_[02/03/04/05] = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	0	0.0 %
2	2 = Sometime today, but more than an hour ago	2	0.0 %
3	3 = Yesterday	2	0.0 %
4	4 = Day before yesterday	3	0.0 %
5	5 = Three or more days ago	24	0.2 %
	Total	31	0.3%

This variable has 31 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,067	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7781-7788 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0358: Time period of day when you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge (past year tobacco users)

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_YN0357], was it...

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_[02/03/04/05] = 1 AND R05_YN0357 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0 %
2	2 = After 6AM but before noon	1	0.0 %
3	3 = Between noon and 6PM	5	0.0 %
4	4 = After 6PM but before midnight	0	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12091	99.9 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 7789-7796 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0359: Number of nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenges last used (past year tobacco users)

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_YN0357], how many did you use?

___ Items

[If Don't know (-8), or Refused (-7), GO TO R05_YN0336.]

ASK: Youth respondents who are past year tobacco users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1 AND R05_YN0161_[02/03/04/05] = 1 AND R05_YN0357 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 7 valid cases out of 12,098 total cases.

- Mean: 2.57
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 2.64

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12091	99.9 %
	Total	12,091	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 7797-7804 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YN0336: Main reason you used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge (past year tobacco users)

What was the main reason you used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge?

ASK: Youth respondents who are past year tobacco users and have used a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0330_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = To stop using tobacco/electronic nicotine products completely	11	0.1 %
2	2 = To reduce the amount of tobacco/electronic nicotine products you use	5	0.0 %
3	3 = To cope with times when you could not or were not allowed to use tobacco/electronic nicotine products	14	0.1 %
4	4 = Some other reason	12	0.1 %
	Total	42	0.3%

This variable has 42 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12055	99.6 %
	Total	12,056	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7805-7812 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0331_12M: Used prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or Bupropion in past 12 months (past 12 month tobacco users)

In the past 12 months, have you used any of the following prescription drugs: Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YRT01.]

ASK: Youth respondents who are past year tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3.

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.4 %
2	2 = No	2182	18.0 %
	Total	2,228	18.4%

This variable has 2,228 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	9865	81.5 %
	Total	9,870	81.6%

Percentages for both tables are based on 12,098 total cases.

Location: 7813-7820 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0327: When did you last use Chantix, varenicline, Wellbutrin, Zyban or Bupropion (past 12 month tobacco users)

When did you last use Chantix, varenicline, Wellbutrin, Zyban, or bupropion?

[If in the past hour (1), GO TO R05_YN0329. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YRT01.]

ASK: Youth respondents who are past year tobacco users and have used a prescription drug in the past 12 months.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0331_12M = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	3	0.0 %
2	2 = Sometime today, but more than an hour ago	11	0.1 %
3	3 = Yesterday	5	0.0 %
4	4 = Day before yesterday	3	0.0 %
5	5 = Three or more days ago	21	0.2 %
	Total	43	0.4%

This variable has 43 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12052	99.6 %
	Total	12,055	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 7821-7828 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0328: Time period of day when you last used Chantix, varenicline, Wellbutrin, Zyban or Bupropion (past 12 month tobacco users)

When you last used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05_YN0327], was it...

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YRT01.]

ASK: Youth respondents who are past year tobacco users and have used a prescription drug in the past 12 months and last used a prescription drug sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0331_12M = 1 AND R05_YN0327 = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	5	0.0 %
2	2 = After 6AM but before noon	7	0.1 %
3	3 = Between noon and 6PM	2	0.0 %
4	4 = After 6PM but before midnight	5	0.0 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12079	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 7829-7836 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0329: Number of Chantix, varenicline, Wellbutrin, Zyban or Bupropion taken today/yesterday/the day before yesterday (past 12 month tobacco users)

When you used Chantix, varenicline, Wellbutrin, Zyban, or bupropion [FILL BASED ON R05_YN0327], how many did you take?

___ Number taken

ASK: Youth respondents who are past year tobacco users and have used a prescription drug in the past 12 months and last used a prescription drug in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_PASTYEAR_TOB_USE = 1, 2, 3 AND R05_YN0331_12M = 1 AND R05_YN0327 = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 2 digits.]

This variable has 22 valid cases out of 12,098 total cases.

- Mean: 3.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 27.00
- Standard Deviation: 5.66

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12076	99.8 %
	Total	12,076	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 7837-7844 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YR0142: In past 12 months, how often thought about the chemicals contained in tobacco

In the past 12 months, how often have you thought about the chemicals contained in tobacco products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	5196	42.9 %
2	2 = Rarely	3152	26.1 %
3	3 = Sometimes	2484	20.5 %

Value	Label	Unweighted Frequency	%
4	4 = Often	748	6.2 %
5	5 = Very often	477	3.9 %
	Total	12,057	99.7%

This variable has 12,057 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	41	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 7845-7852 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0141: In past 12 months, often saw a list of the chemicals contained in tobacco products

In the past 12 months, how often have you seen a list of the chemicals contained in tobacco products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	6773	56.0 %
2	2 = Rarely	2875	23.8 %
3	3 = Sometimes	1485	12.3 %
4	4 = Often	583	4.8 %
5	5 = Very often	343	2.8 %
	Total	12,059	99.7%

This variable has 12,059 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.3 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	39	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 7853-7860 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0005: In past 30 days, how often noticed health warnings on cigarette packages

In the past 30 days, how often, if at all, have you noticed the health warnings on cigarette packs?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	6836	56.5 %
2	2 = Rarely	1850	15.3 %
3	3 = Sometimes	1416	11.7 %
4	4 = Often	1022	8.4 %
5	5 = Very often	904	7.5 %
	Total	12,028	99.4%

This variable has 12,028 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	61	0.5 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	70	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 7861-7868 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0259: In past 30 days, how often talked to anyone about the warning labels on cigarette packs

In the past 30 days, how often, if at all, have you talked to anyone about the warning labels on cigarette packs?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9046	74.8 %
2	2 = Rarely	1568	13.0 %

Value	Label	Unweighted Frequency	%
3	3 = Sometimes	827	6.8 %
4	4 = Often	334	2.8 %
5	5 = Very often	296	2.4 %
	Total	12,071	99.8%

This variable has 12,071 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	27	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 7869-7876 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0202: How often read or looked closely at the health warnings on cigarette packages in past 30 days

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on cigarette packs?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	235	1.9 %
2	2 = Rarely	166	1.4 %
3	3 = Sometimes	125	1.0 %
4	4 = Often	72	0.6 %
5	5 = Very often	68	0.6 %
	Total	666	5.5%

This variable has 666 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11429	94.5 %
	Total	11,432	94.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7877-7884 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0010: In past 30 days, how often health warnings stopped you from having a cigarette when you were about to smoke one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarette when you were about to smoke one?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	297	2.5 %
2	2 = Rarely	89	0.7 %
3	3 = Sometimes	84	0.7 %
4	4 = Often	46	0.4 %
5	5 = Very often	132	1.1 %
	Total	648	5.4%

This variable has 648 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11429	94.5 %
	Total	11,450	94.6%

Percentages for both tables are based on 12,098 total cases.

Location: 7885-7892 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0015: Tried to avoid looking at or thinking about the health warnings on cigarette packs in past 30 days

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on cigarette packs - such as covering them up, keeping them out of sight, using a cigarette case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	68	0.6 %
2	2 = No	595	4.9 %
	Total	663	5.5%

This variable has 663 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11429	94.5 %
	Total	11,435	94.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7893-7900 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0025: Believability of health warnings on cigarette packs

How believable do you consider the health warnings on cigarette packs to be?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	23	0.2 %
2	2 = A little believable	35	0.3 %
3	3 = Somewhat believable	118	1.0 %
4	4 = Very believable	197	1.6 %
5	5 = Extremely believable	294	2.4 %
	Total	667	5.5%

This variable has 667 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11429	94.5 %
	Total	11,431	94.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7901-7908 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0035: Extent to which health warnings on cigarette packs make you think about the health risks of smoking

To what extent, if at all, do the health warnings on cigarette packs make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	81	0.7 %
2	2 = A little	147	1.2 %
3	3 = Somewhat	183	1.5 %
4	4 = A lot	255	2.1 %
	Total	666	5.5%

This variable has 666 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	11429	94.5 %
	Total	11,432	94.5%

Percentages for both tables are based on 12,098 total cases.

Location: 7909-7916 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0203: Extent to which health warnings on cigarette packs make you never want to smoke again

To what extent, if at all, do the health warnings on cigarette packs make you never want to smoke again?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YR0110]

ASK: Youth respondents who have ever smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND R05_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	156	1.3 %
2	2 = A little	132	1.1 %
3	3 = Somewhat	146	1.2 %
4	4 = A lot	225	1.9 %
	Total	659	5.4%

This variable has 659 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11429	94.5 %
	Total	11,439	94.6%

Percentages for both tables are based on 12,098 total cases.

Location: 7917-7924 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0055: Extent to which health warnings on cigarette packs made you less likely to start smoking

To what extent, if at all, have the health warnings on cigarette packs made you less likely to start smoking?

ASK: Youth respondents who have never smoked a cigarette and have noticed health warnings on cigarette packs in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 2 AND R05_YR0005 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	869	7.2 %
2	2 = A little	387	3.2 %

Value	Label	Unweighted Frequency	%
3	3 = Somewhat	710	5.9 %
4	4 = A lot	2462	20.4 %
	Total	4,428	36.6%

This variable has 4,428 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	76	0.6 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	7575	62.6 %
	Total	7,670	63.4%

Percentages for both tables are based on 12,098 total cases.

Location: 7925-7932 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0110: In past 30 days, how often noticed health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: All youth respondents.

ASK Specification:

Value	Label	Unweighted Frequency	%
1	1 = Never	8135	67.2 %
2	2 = Rarely	1617	13.4 %
3	3 = Sometimes	1067	8.8 %
4	4 = Often	622	5.1 %
5	5 = Very often	586	4.8 %
	Total	12,027	99.4%

This variable has 12,027 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	58	0.5 %

	Missing Data		
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	71	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 7933-7940 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0222: In past 30 days, how often you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products?

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	324	2.7 %
2	2 = Rarely	392	3.2 %
3	3 = Sometimes	292	2.4 %
4	4 = Often	120	1.0 %
5	5 = Very often	114	0.9 %
	Total	1,242	10.3%

This variable has 1,242 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10849	89.7 %
	Total	10,856	89.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7941-7948 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0223: In past 30 days, how often health warnings stopped you from using an e-cigarette, e-liquid, or other electronic nicotine product when you were about to use it

In the past 30 days, how often, if at all, have the health warnings stopped you from using an e-cigarette, e-liquid, or other electronic nicotine product when you were about to use it?

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	448	3.7 %
2	2 = Rarely	251	2.1 %
3	3 = Sometimes	209	1.7 %
4	4 = Often	116	1.0 %
5	5 = Very often	207	1.7 %
	Total	1,231	10.2%

This variable has 1,231 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10849	89.7 %
	Total	10,867	89.8%

Percentages for both tables are based on 12,098 total cases.

Location: 7949-7956 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0224: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products - such as covering them up, keeping them out of sight, using a case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	134	1.1 %
2	2 = No	1103	9.1 %
	Total	1,237	10.2%

This variable has 1,237 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10849	89.7 %
	Total	10,861	89.8%

Percentages for both tables are based on 12,098 total cases.

Location: 7957-7964 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0263: Believability of health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products

How believable do you consider the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products to be?

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	36	0.3 %
2	2 = A little believable	113	0.9 %
3	3 = Somewhat believable	329	2.7 %
4	4 = Very believable	403	3.3 %
5	5 = Extremely believable	361	3.0 %
	Total	1,242	10.3%

This variable has 1,242 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10849	89.7 %
	Total	10,856	89.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7965-7972 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0226: Extent to which health warnings on packages of e-cigarettes, e-liquid or other electronic nicotine products make you think about the health risks of using them

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you think about the health risks of using them?

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	147	1.2 %
2	2 = A little	297	2.5 %
3	3 = Somewhat	434	3.6 %
4	4 = A lot	364	3.0 %
	Total	1,242	10.3%

This variable has 1,242 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10849	89.7 %
	Total	10,856	89.7%

Percentages for both tables are based on 12,098 total cases.

Location: 7973-7980 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0227: Extent to which the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you never want to use them again

To what extent, if at all, do the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products make you never want to use them again?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YR0115]

ASK: Youth respondents who have ever used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND R05_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	308	2.5 %
2	2 = A little	265	2.2 %
3	3 = Somewhat	331	2.7 %
4	4 = A lot	329	2.7 %
	Total	1,233	10.2%

This variable has 1,233 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	10849	89.7 %
	Total	10,865	89.8%

Percentages for both tables are based on 12,098 total cases.

Location: 7981-7988 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0228: Extent to which the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products made you less likely to start using them

To what extent, if at all, have the health warnings on packages of e-cigarettes, e-liquid, or other electronic nicotine products made you less likely to start using them?

ASK: Youth respondents who have never used an ENP and have noticed health warnings on ENP packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 2 AND R05_YR0110 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	477	3.9 %
2	2 = A little	289	2.4 %
3	3 = Somewhat	513	4.2 %
4	4 = A lot	1330	11.0 %
	Total	2,609	21.6%

This variable has 2,609 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.2 %

	Missing Data		
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	9455	78.2 %
	Total	9,489	78.4%

Percentages for both tables are based on 12,098 total cases.

Location: 7989-7996 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0115: In past 30 days, how often noticed health warnings on packages of traditional cigars

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of traditional cigars?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9933	82.1 %
2	2 = Rarely	964	8.0 %
3	3 = Sometimes	499	4.1 %
4	4 = Often	271	2.2 %
5	5 = Very often	338	2.8 %
	Total	12,005	99.2%

This variable has 12,005 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	83	0.7 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	93	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 7997-8004 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0229: In past 30 days, how often you read or looked closely at the health warnings on packages of traditional cigars

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages

of traditional cigars?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	6	0.0 %
2	2 = Rarely	10	0.1 %
3	3 = Sometimes	10	0.1 %
4	4 = Often	8	0.1 %
5	5 = Very often	10	0.1 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12054	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8005-8012 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0264: In past 30 days, how often health warnings stopped you from having a traditional cigar when you were about to smoke one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a traditional cigar when you were about to smoke one?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	4	0.0 %
2	2 = Rarely	6	0.0 %
3	3 = Sometimes	9	0.1 %
4	4 = Often	12	0.1 %

Value	Label	Unweighted Frequency	%
5	5 = Very often	13	0.1 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12054	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8013-8020 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0231: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of traditional cigars

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of traditional cigars - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	35	0.3 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12054	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8021-8028 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0232: Believability of health warnings on packages of traditional cigars

How believable do you consider the health warnings on packages of traditional cigars to be?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	2	0.0 %
2	2 = A little believable	8	0.1 %
3	3 = Somewhat believable	7	0.1 %
4	4 = Very believable	9	0.1 %
5	5 = Extremely believable	17	0.1 %
	Total	43	0.4%

This variable has 43 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12054	99.6 %
	Total	12,055	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8029-8036 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0233: Extent to which health warnings on packages of traditional cigars make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of traditional cigars make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	2	0.0 %
2	2 = A little	8	0.1 %
3	3 = Somewhat	16	0.1 %
4	4 = A lot	18	0.1 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12054	99.6 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8037-8044 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0234: Extent to which the health warnings on packages of traditional cigars make you never want to smoke again

To what extent, if at all, do the health warnings on packages of traditional cigars make you never want to smoke again?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YR0120]

ASK: Youth respondents who have ever smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 1 AND R05_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	9	0.1 %
2	2 = A little	7	0.1 %
3	3 = Somewhat	9	0.1 %
4	4 = A lot	18	0.1 %
	Total	43	0.4%

This variable has 43 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12054	99.6 %
	Total	12,055	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8045-8052 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0235: Extent to which the health warnings on packages of traditional cigars made you less likely to start smoking traditional cigars

To what extent, if at all, have the health warnings on packages of traditional cigars made you less likely to start smoking traditional cigars?

ASK: Youth respondents who have never smoked a traditional cigar and have noticed health warnings on traditional cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GTRAD_YOUTH = 2 AND R05_YR0115 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	336	2.8 %
2	2 = A little	215	1.8 %
3	3 = Somewhat	416	3.4 %
4	4 = A lot	1045	8.6 %
	Total	2,012	16.6%

This variable has 2,012 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10070	83.2 %
	Total	10,086	83.4%

Percentages for both tables are based on 12,098 total cases.

Location: 8053-8060 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0120: In past 30 days, how often noticed health warnings on packages of cigarillos

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of cigarillos?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	10003	82.7 %
2	2 = Rarely	823	6.8 %
3	3 = Sometimes	551	4.6 %
4	4 = Often	285	2.4 %
5	5 = Very often	349	2.9 %
	Total	12,011	99.3%

This variable has 12,011 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	72	0.6 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	87	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8061-8068 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0236: In past 30 days, how often you read or looked closely at the health warnings on packages of cigarillos

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of cigarillos?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	33	0.3 %
2	2 = Rarely	36	0.3 %
3	3 = Sometimes	35	0.3 %
4	4 = Often	16	0.1 %

Value	Label	Unweighted Frequency	%
5	5 = Very often	20	0.2 %
	Total	140	1.2%

This variable has 140 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11958	98.8 %
	Total	11,958	98.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8069-8076 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0237: In past 30 days, how often health warnings stopped you from having a cigarillo when you were about to smoke one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a cigarillo when you were about to smoke one?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	55	0.5 %
2	2 = Rarely	24	0.2 %
3	3 = Sometimes	24	0.2 %
4	4 = Often	13	0.1 %
5	5 = Very often	23	0.2 %
	Total	139	1.1%

This variable has 139 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	11958	98.8 %
	Total	11,959	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8077-8084 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0238: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of cigarillos

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of cigarillos - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.1 %
2	2 = No	121	1.0 %
	Total	139	1.1%

This variable has 139 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11958	98.8 %
	Total	11,959	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8085-8092 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0239: Believability of health warnings on packages of cigarillos

How believable do you consider the health warnings on packages of cigarillos to be?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	7	0.1 %
2	2 = A little believable	9	0.1 %
3	3 = Somewhat believable	33	0.3 %
4	4 = Very believable	50	0.4 %
5	5 = Extremely believable	41	0.3 %
	Total	140	1.2%

This variable has 140 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11958	98.8 %
	Total	11,958	98.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8093-8100 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0240: Extent to which health warnings on packages of cigarillos make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of cigarillos make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	20	0.2 %
2	2 = A little	24	0.2 %
3	3 = Somewhat	47	0.4 %
4	4 = A lot	47	0.4 %
	Total	138	1.1%

This variable has 138 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11958	98.8 %
	Total	11,960	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8101-8108 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0241: Extent to which the health warnings on packages of cigarillos make you never want to smoke again

To what extent, if at all, do the health warnings on packages of cigarillos make you never want to smoke again?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YR0125]

ASK: Youth respondents who have ever smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 1 AND R05_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	33	0.3 %
2	2 = A little	34	0.3 %
3	3 = Somewhat	34	0.3 %
4	4 = A lot	37	0.3 %
	Total	138	1.1%

This variable has 138 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11958	98.8 %
	Total	11,960	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8109-8116 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0242: Extent to which the health warnings on packages of cigarillos made you less likely to start smoking cigarillos

To what extent, if at all, have the health warnings on packages of cigarillos made you less likely to start smoking cigarillos?

ASK: Youth respondents who have never smoked a cigarillo and have noticed health warnings on cigarillo packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GRILLO_YOUTH = 2 AND R05_YR0120 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	277	2.3 %
2	2 = A little	182	1.5 %
3	3 = Somewhat	407	3.4 %
4	4 = A lot	987	8.2 %
	Total	1,853	15.3%

This variable has 1,853 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10230	84.6 %
	Total	10,245	84.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8117-8124 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0125: In past 30 days, how often noticed health warnings on packages of filtered cigars

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of filtered cigars?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	10048	83.1 %

Value	Label	Unweighted Frequency	%
2	2 = Rarely	796	6.6 %
3	3 = Sometimes	510	4.2 %
4	4 = Often	281	2.3 %
5	5 = Very often	383	3.2 %
	Total	12,018	99.3%

This variable has 12,018 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	68	0.6 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	80	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8125-8132 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0243: In past 30 days, how often you read or looked closely at the health warnings on packages of filtered cigars

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of filtered cigars?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	2	0.0 %
2	2 = Rarely	4	0.0 %
3	3 = Sometimes	10	0.1 %
4	4 = Often	3	0.0 %
5	5 = Very often	7	0.1 %
	Total	26	0.2%

This variable has 26 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12072	99.8 %
	Total	12,072	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8133-8140 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0244: In past 30 days, how often health warnings stopped you from having a filtered cigar when you were about to smoke one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a filtered cigar when you were about to smoke one?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	4	0.0 %
2	2 = Rarely	4	0.0 %
3	3 = Sometimes	8	0.1 %
4	4 = Often	3	0.0 %
5	5 = Very often	7	0.1 %
	Total	26	0.2%

This variable has 26 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12072	99.8 %
	Total	12,072	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8141-8148 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0245: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of filtered cigars

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of filtered cigars - such as covering them up, keeping them out of sight, using a cigar case, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	21	0.2 %
	Total	23	0.2%

This variable has 23 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12072	99.8 %
	Total	12,075	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8149-8156 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0246: Believability of health warnings on packages of filtered cigars

How believable do you consider the health warnings on packages of filtered cigars to be?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	1	0.0 %
2	2 = A little believable	0	0.0 %
3	3 = Somewhat believable	6	0.0 %
4	4 = Very believable	6	0.0 %

Value	Label	Unweighted Frequency	%
5	5 = Extremely believable	13	0.1 %
	Total	26	0.2%

This variable has 26 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12072	99.8 %
	Total	12,072	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8157-8164 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0247: Extent to which health warnings on packages of filtered cigars make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of filtered cigars make you think about the health risks of smoking?

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	5	0.0 %
2	2 = A little	1	0.0 %
3	3 = Somewhat	11	0.1 %
4	4 = A lot	9	0.1 %
	Total	26	0.2%

This variable has 26 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12072	99.8 %

	Missing Data		
	Total	12,072	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8165-8172 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0248: Extent to which the health warnings on packages of filtered cigars make you never want to smoke again

To what extent, if at all, do the health warnings on packages of filtered cigars make you never want to smoke again?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YR0130]

ASK: Youth respondents who have ever smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 1 AND R05_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	5	0.0 %
2	2 = A little	2	0.0 %
3	3 = Somewhat	11	0.1 %
4	4 = A lot	8	0.1 %
	Total	26	0.2%

This variable has 26 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12072	99.8 %
	Total	12,072	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8173-8180 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0249: Extent to which the health warnings on packages of filtered cigars made you less likely to start smoking filtered cigars

To what extent, if at all, have the health warnings on packages of filtered cigars made you less likely to start smoking filtered cigars?

ASK: Youth respondents who have never smoked a filtered cigar and have noticed health warnings on filtered cigar packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_GFILTR_YOUTH = 2 AND R05_YR0125 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	259	2.1 %
2	2 = A little	194	1.6 %
3	3 = Somewhat	406	3.4 %
4	4 = A lot	1067	8.8 %
	Total	1,926	15.9 %

This variable has 1,926 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10154	83.9 %
	Total	10,172	84.1 %

Percentages for both tables are based on 12,098 total cases.

Location: 8181-8188 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0130: In past 30 days, how often noticed health warnings on packages of pipe tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of pipe tobacco?

[SHOW GENERIC IMAGE OF PIPE AND PIPE TOBACCO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	10335	85.4 %
2	2 = Rarely	702	5.8 %
3	3 = Sometimes	420	3.5 %
4	4 = Often	244	2.0 %
5	5 = Very often	316	2.6 %
	Total	12,017	99.3 %

This variable has 12,017 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	71	0.6 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	81	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8189-8196 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0135: In past 30 days, how often noticed health warnings on packages of shisha or hookah tobacco

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of shisha or hookah tobacco?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	10434	86.2 %
2	2 = Rarely	683	5.6 %
3	3 = Sometimes	401	3.3 %
4	4 = Often	199	1.6 %
5	5 = Very often	298	2.5 %
	Total	12,015	99.3%

This variable has 12,015 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.6 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	83	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8197-8204 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0250: In past 30 days, how often you read or looked closely at the health warnings on packages of shisha or hookah tobacco

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on packages of shisha or hookah tobacco?

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	11	0.1 %
2	2 = Rarely	21	0.2 %
3	3 = Sometimes	23	0.2 %
4	4 = Often	8	0.1 %
5	5 = Very often	6	0.0 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12028	99.4 %
	Total	12,029	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 8205-8212 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0251: In past 30 days, how often health warnings stopped you from smoking hookah when you were about to

In the past 30 days, how often, if at all, have the health warnings stopped you from smoking hookah when you were about to?

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	17	0.1 %
2	2 = Rarely	13	0.1 %
3	3 = Sometimes	15	0.1 %
4	4 = Often	7	0.1 %
5	5 = Very often	16	0.1 %
	Total	68	0.6%

This variable has 68 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12028	99.4 %
	Total	12,030	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 8213-8220 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0252: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of shisha or hookah tobacco

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of shisha or hookah tobacco - such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	17	0.1 %
2	2 = No	52	0.4 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12028	99.4 %
	Total	12,029	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 8221-8228 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0253: Believability of health warnings on packages of shisha or hookah tobacco

How believable do you consider the health warnings on packages of shisha or hookah tobacco to be?

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	5	0.0 %
2	2 = A little believable	9	0.1 %
3	3 = Somewhat believable	15	0.1 %
4	4 = Very believable	21	0.2 %
5	5 = Extremely believable	20	0.2 %
	Total	70	0.6%

This variable has 70 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12028	99.4 %
	Total	12,028	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 8229-8236 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0254: Extent to which health warnings on packages of shisha or hookah tobacco make you think about the health risks of smoking

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you think

about the health risks of smoking?

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	7	0.1 %
2	2 = A little	9	0.1 %
3	3 = Somewhat	28	0.2 %
4	4 = A lot	25	0.2 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12028	99.4 %
	Total	12,029	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 8237-8244 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0255: Extent to which the health warnings on packages of shisha or hookah tobacco make you never want to smoke again

To what extent, if at all, do the health warnings on packages of shisha or hookah tobacco make you never want to smoke again?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YR0206]

ASK: Youth respondents who have ever smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 1 AND R05_YR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	9	0.1 %
2	2 = A little	14	0.1 %
3	3 = Somewhat	23	0.2 %

Value	Label	Unweighted Frequency	%
4	4 = A lot	23	0.2 %
	Total	69	0.6%

This variable has 69 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12028	99.4 %
	Total	12,029	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 8245-8252 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0256: Extent to which the health warnings on packages of shisha or hookah tobacco made you less likely to start smoking hookah

To what extent, if at all, have the health warnings on packages of shisha or hookah tobacco made you less likely to start smoking hookah?

ASK: Youth respondents who have never smoked hookah and have noticed health warnings on shisha or hookah tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_HOOK_YOUTH = 2 AND R05_YR0135 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	215	1.8 %
2	2 = A little	176	1.5 %
3	3 = Somewhat	306	2.5 %
4	4 = A lot	804	6.6 %
	Total	1,501	12.4%

This variable has 1,501 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10587	87.5 %

	Missing Data		
	Total	10,597	87.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8253-8260 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0206: In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers

In the past 30 days, how often, if at all, have you noticed the health warnings on snus containers?

[SHOW GENERIC IMAGE OF SNUS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	10323	85.3 %
2	2 = Rarely	649	5.4 %
3	3 = Sometimes	420	3.5 %
4	4 = Often	255	2.1 %
5	5 = Very often	363	3.0 %
	Total	12,010	99.3%

This variable has 12,010 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	76	0.6 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	88	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8261-8268 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0207: In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on snus containers?

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	9	0.1 %
2	2 = Rarely	15	0.1 %
3	3 = Sometimes	9	0.1 %
4	4 = Often	9	0.1 %
5	5 = Very often	10	0.1 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	12044	99.6 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8269-8276 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0208: In past 30 days, how often health warnings stopped you from having a snus product when you were about to use one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a snus product when you were about to use one?

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	14	0.1 %
2	2 = Rarely	12	0.1 %
3	3 = Sometimes	7	0.1 %
4	4 = Often	9	0.1 %
5	5 = Very often	11	0.1 %
	Total	53	0.4%

This variable has 53 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12044	99.6 %
	Total	12,045	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8277-8284 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0209: In past 30 days, tried to avoid looking at or thinking about the health warnings on containers of snus

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on containers of snus -- such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	43	0.4 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12044	99.6 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8285-8292 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0210: Believability of health warnings on snus containers

How believable do you consider the health warnings on snus containers to be?

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	8	0.1 %
2	2 = A little believable	8	0.1 %
3	3 = Somewhat believable	11	0.1 %
4	4 = Very believable	11	0.1 %
5	5 = Extremely believable	16	0.1 %
	Total	54	0.4%

This variable has 54 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12044	99.6 %
	Total	12,044	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8293-8300 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0211: Extent to which health warnings on snus containers make you think about the health risks of using snus

To what extent, if at all, do the health warnings on snus containers make you think about the health risks of using snus?

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	10	0.1 %
2	2 = A little	13	0.1 %
3	3 = Somewhat	16	0.1 %

Value	Label	Unweighted Frequency	%
4	4 = A lot	14	0.1 %
	Total	53	0.4%

This variable has 53 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12044	99.6 %
	Total	12,045	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8301-8308 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0212: Extent to which the health warnings on snus containers make you never want to use snus again

To what extent, if at all, do the health warnings on snus containers make you never want to use snus again?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YR0060]

ASK: Youth respondents who have ever used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 1 AND R05_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	11	0.1 %
2	2 = A little	12	0.1 %
3	3 = Somewhat	16	0.1 %
4	4 = A lot	15	0.1 %
	Total	54	0.4%

This variable has 54 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12044	99.6 %

	Missing Data		
	Total	12,044	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8309-8316 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0213: Extent to which the health warnings on snus containers made you less likely to start using snus

To what extent, if at all, have the health warnings on snus containers made you less likely to start using snus?

ASK: Youth respondents who have never used snus and have noticed health warnings on snus containers in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SNUS_YOUTH = 2 AND R05_YR0206 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	202	1.7 %
2	2 = A little	143	1.2 %
3	3 = Somewhat	319	2.6 %
4	4 = A lot	958	7.9 %
	Total	1,622	13.4%

This variable has 1,622 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10465	86.5 %
	Total	10,476	86.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8317-8324 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0060: In past 30 days, how often noticed health warnings on packages of smokeless tobacco products

In the past 30 days, how often, if at all, have you noticed the health warnings on packages of other smokeless tobacco products like dip, spit, and chew?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9977	82.5 %
2	2 = Rarely	758	6.3 %
3	3 = Sometimes	552	4.6 %
4	4 = Often	309	2.6 %
5	5 = Very often	420	3.5 %
	Total	12,016	99.3%

This variable has 12,016 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	72	0.6 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	82	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8325-8332 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0205: How often read or looked closely at the health warnings on smokeless tobacco packages in past 30 days

In the past 30 days, how often, if at all, have you read or looked closely at the health warnings on smokeless tobacco packages?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	29	0.2 %
2	2 = Rarely	31	0.3 %
3	3 = Sometimes	24	0.2 %
4	4 = Often	20	0.2 %
5	5 = Very often	25	0.2 %
	Total	129	1.1%

This variable has 129 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11969	98.9 %
	Total	11,969	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8333-8340 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0065: In past 30 days, how often health warnings stopped you from having a smokeless tobacco product when you were about to use one

In the past 30 days, how often, if at all, have the health warnings stopped you from having a smokeless tobacco product when you were about to use one?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	45	0.4 %
2	2 = Rarely	22	0.2 %
3	3 = Sometimes	12	0.1 %
4	4 = Often	18	0.1 %
5	5 = Very often	30	0.2 %
	Total	127	1.0%

This variable has 127 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11969	98.9 %
	Total	11,971	99.0%

Percentages for both tables are based on 12,098 total cases.

Location: 8341-8348 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0070: In past 30 days, tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products

In the past 30 days, have you tried to avoid looking at or thinking about the health warnings on packages of smokeless tobacco products - such as covering them up, keeping them out of sight, avoiding certain warnings, or any other means?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	14	0.1 %
2	2 = No	114	0.9 %
	Total	128	1.1%

This variable has 128 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11969	98.9 %
	Total	11,970	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8349-8356 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0075: Believability of health warnings on packages of smokeless tobacco products

How believable do you consider the health warnings on packages of smokeless tobacco products to be?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all believable	8	0.1 %
2	2 = A little believable	15	0.1 %

Value	Label	Unweighted Frequency	%
3	3 = Somewhat believable	26	0.2 %
4	4 = Very believable	36	0.3 %
5	5 = Extremely believable	44	0.4 %
	Total	129	1.1%

This variable has 129 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11969	98.9 %
	Total	11,969	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8357-8364 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0085: Extent to which health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you think about the health risks of using smokeless tobacco products?

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	23	0.2 %
2	2 = A little	27	0.2 %
3	3 = Somewhat	35	0.3 %
4	4 = A lot	43	0.4 %
	Total	128	1.1%

This variable has 128 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11969	98.9 %
	Total	11,970	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8365-8372 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0218: Extent to which the health warnings on packages of smokeless tobacco products make you never want to use smokeless tobacco again

To what extent, if at all, do the health warnings on packages of smokeless tobacco products make you never want to use smokeless tobacco again?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05_YXT30]

ASK: Youth respondents who have ever used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 1 AND R05_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	26	0.2 %
2	2 = A little	34	0.3 %
3	3 = Somewhat	24	0.2 %
4	4 = A lot	44	0.4 %
	Total	128	1.1%

This variable has 128 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11969	98.9 %
	Total	11,970	98.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8373-8380 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YR0220: Extent to which health warnings on packages of smokeless tobacco products make you less likely to start using smokeless tobacco

To what extent, if at all, have the health warnings on smokeless tobacco packages made you less likely to start using smokeless tobacco?

ASK: Youth respondents who have never used smokeless tobacco and have noticed health warnings on smokeless tobacco packages in the past 30 days.

ASK Specification: IF R05_EVER_NEVER_SMKLS_YOUTH = 2 AND R05_YR0060 > 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	195	1.6 %
2	2 = A little	186	1.5 %
3	3 = Somewhat	372	3.1 %
4	4 = A lot	1146	9.5 %
	Total	1,899	15.7%

This variable has 1,899 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10188	84.2 %
	Total	10,199	84.3%

Percentages for both tables are based on 12,098 total cases.

Location: 8381-8388 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0722: General perception of harmfulness of nicotine to health

How harmful do you think nicotine is to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	242	2.0 %
2	2 = Slightly harmful	339	2.8 %
3	3 = Somewhat harmful	1412	11.7 %
4	4 = Very harmful	3381	27.9 %

Value	Label	Unweighted Frequency	%
5	5 = Extremely harmful	6679	55.2 %
	Total	12,053	99.6%

This variable has 12,053 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.3 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	45	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 8389-8396 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0250: Believe that nicotine is the main substance in tobacco that makes people want to use tobacco products

Do you believe nicotine is the main substance in tobacco that makes people want to use tobacco products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	5182	42.8 %
2	2 = Probably yes	5111	42.2 %
3	3 = Probably not	864	7.1 %
4	4 = Definitely not	751	6.2 %
	Total	11,908	98.4%

This variable has 11,908 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	183	1.5 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	190	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8397-8404 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0667: Agree/disagree: Some tobacco products are safer than others

Please tell me how much you agree or disagree with the following statement.

Some tobacco products are safer than others.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	631	5.2 %
2	2 = Agree	2595	21.4 %
3	3 = Neither agree nor disagree	2966	24.5 %
4	4 = Disagree	2321	19.2 %
5	5 = Strongly disagree	3505	29.0 %
	Total	12,018	99.3%

This variable has 12,018 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.6 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	80	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8405-8412 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0723: Level of harm: Additive-free tobacco products compared to regular tobacco products

Do you think a tobacco product described as additive-free is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1304	10.8 %
2	2 = About the same	8795	72.7 %

Value	Label	Unweighted Frequency	%
3	3 = More harmful	1676	13.9 %
	Total	11,775	97.3%

This variable has 11,775 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	304	2.5 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	323	2.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8413-8420 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0724: Level of harm: Organic tobacco product compared to regular tobacco product

Do you think a tobacco product described as organic is less harmful, about the same, or more harmful than a regular tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1290	10.7 %
2	2 = About the same	8950	74.0 %
3	3 = More harmful	1608	13.3 %
	Total	11,848	97.9%

This variable has 11,848 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	232	1.9 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	250	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 8421-8428 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9050: General perception: Harmfulness of cigarettes to health

How harmful do you think cigarettes are to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	118	1.0 %
2	2 = Slightly harmful	132	1.1 %
3	3 = Somewhat harmful	755	6.2 %
4	4 = Very harmful	2912	24.1 %
5	5 = Extremely harmful	8142	67.3 %
	Total	12,059	99.7%

This variable has 12,059 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	32	0.3 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	39	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 8429-8436 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1149: Harmfulness of nicotine in cigarettes to health

How harmful do you think the nicotine in cigarettes is to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	145	1.2 %
2	2 = Slightly harmful	335	2.8 %
3	3 = Somewhat harmful	1371	11.3 %
4	4 = Very harmful	3426	28.3 %
5	5 = Extremely harmful	6761	55.9 %
	Total	12,038	99.5%

This variable has 12,038 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	52	0.4 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	60	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 8437-8444 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1125: Thoughts on how much people harm themselves when they smoke cigarettes

How much do you think people harm themselves when they smoke cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	103	0.9 %
2	2 = A little harm	260	2.1 %
3	3 = Some harm	1802	14.9 %
4	4 = A lot of harm	9905	81.9 %
	Total	12,070	99.8%

This variable has 12,070 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	24	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	28	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 8445-8452 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1170: How much you think people harm themselves when they smoke cigarettes some days but not every day

How much do you think people harm themselves when they smoke cigarettes some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	121	1.0 %
2	2 = A little harm	807	6.7 %
3	3 = Some harm	4322	35.7 %
4	4 = A lot of harm	6809	56.3 %
	Total	12,059	99.7%

This variable has 12,059 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	35	0.3 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	39	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 8453-8460 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1180: How long you think someone has to smoke cigarettes before it harms their health

How long do you think someone has to smoke cigarettes before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	109	0.9 %
2	2 = Less than a year	7503	62.0 %
3	3 = 1 year	1991	16.5 %
4	4 = 5 years	1202	9.9 %
5	5 = 10 years	580	4.8 %
6	6 = 20 years or more	591	4.9 %
	Total	11,976	99.0%

This variable has 11,976 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	112	0.9 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	122	1.0%

Percentages for both tables are based on 12,098 total cases.

Location: 8461-8468 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9062: General perception of harm to health if someone switched completely to cigarettes with lower amounts of nicotine, but still smoked the same number of cigarettes as before

If someone switched completely to cigarettes with lower amounts of nicotine, but still smoked the same number of cigarettes as before, would it be less harmful, about the same, or more harmful to their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1599	13.2 %
2	2 = About the same	8716	72.0 %
3	3 = More harmful	1639	13.5 %
	Total	11,954	98.8%

This variable has 11,954 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	135	1.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	144	1.2%

Percentages for both tables are based on 12,098 total cases.

Location: 8469-8476 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9040: Harmfulness of cigarettes flavored like menthol or mint compared to regular cigarettes

Do you think cigarettes flavored like menthol or mint are less harmful, no different, or more harmful than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	174	1.4 %
2	2 = No different	7080	58.5 %
3	3 = More harmful	1798	14.9 %
4	4 = I don't know	2972	24.6 %
	Total	12,024	99.4%

This variable has 12,024 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	66	0.5 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	74	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8477-8484 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9118: Ease of smoking cigarettes that are flavored compared to non-flavored cigarettes

Do you think cigarettes flavored like menthol or mint are easier to smoke, about the same, or harder to smoke than regular cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1744	14.4 %
2	2 = About the same	3842	31.8 %
3	3 = Harder to smoke	482	4.0 %
4	4 = I don't know	5948	49.2 %
	Total	12,016	99.3%

This variable has 12,016 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	72	0.6 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	82	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8485-8492 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1124: Likeliness of someone becoming addicted to cigarettes

How likely is someone to become addicted to cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	234	1.9 %
2	2 = Somewhat unlikely	261	2.2 %
3	3 = Neither likely nor unlikely	875	7.2 %
4	4 = Somewhat likely	3225	26.7 %
5	5 = Very likely	7401	61.2 %
	Total	11,996	99.2%

This variable has 11,996 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	95	0.8 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	102	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8493-8500 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9043: Likely to become addicted to cigarettes

How likely are you to become addicted to cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	8711	72.0 %
2	2 = Somewhat unlikely	668	5.5 %
3	3 = Neither likely nor unlikely	1063	8.8 %
4	4 = Somewhat likely	556	4.6 %
5	5 = Very likely	976	8.1 %
	Total	11,974	99.0%

This variable has 11,974 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	104	0.9 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	124	1.0%

Percentages for both tables are based on 12,098 total cases.

Location: 8501-8508 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC9120: Believe nicotine is the chemical that causes most cancer from smoking cigarettes

Do you believe nicotine is the chemical that causes most of the cancer caused by smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3519	29.1 %
2	2 = Probably yes	5579	46.1 %
3	3 = Probably not	1902	15.7 %
4	4 = Definitely not	834	6.9 %
	Total	11,834	97.8%

This variable has 11,834 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	258	2.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	264	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 8509-8516 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YE9050: General perception: Harmfulness of e-cigarettes or other electronic nicotine products to health

How harmful do you think e-cigarettes or other electronic nicotine products are to health?

[SHOW GENERIC IMAGE OF E-PRODUCTS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	169	1.4 %
2	2 = Slightly harmful	638	5.3 %
3	3 = Somewhat harmful	2207	18.2 %
4	4 = Very harmful	3291	27.2 %
5	5 = Extremely harmful	5715	47.2 %
	Total	12,020	99.4%

This variable has 12,020 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.6 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	78	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8517-8524 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1125: Thoughts on how much people harm themselves when they use e-cigarettes or other electronic nicotine products

How much do you think people harm themselves when they use e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	181	1.5 %
2	2 = Little harm	1133	9.4 %
3	3 = Some harm	3561	29.4 %
4	4 = A lot of harm	7157	59.2 %
	Total	12,032	99.5%

This variable has 12,032 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	53	0.4 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	66	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 8525-8532 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1149: Harmfulness of nicotine in electronic nicotine products to health

How harmful do you think the nicotine in e-cigarettes or other electronic nicotine products is to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	190	1.6 %
2	2 = Slightly harmful	680	5.6 %
3	3 = Somewhat harmful	2097	17.3 %
4	4 = Very harmful	3185	26.3 %
5	5 = Extremely harmful	5870	48.5 %
	Total	12,022	99.4%

This variable has 12,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	67	0.6 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	76	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8533-8540 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1180: How long you think someone has to use e-cigarettes before it harms their health

How long do you think someone has to use e-cigarettes or other electronic nicotine products before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	187	1.5 %
2	2 = Less than a year	6212	51.3 %
3	3 = 1 year	2698	22.3 %
4	4 = 5 years	1469	12.1 %
5	5 = 10 years	711	5.9 %
6	6 = 20 years or more	652	5.4 %
	Total	11,929	98.6%

This variable has 11,929 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	158	1.3 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	169	1.4%

Percentages for both tables are based on 12,098 total cases.

Location: 8541-8548 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1099: Harmfulness of using e-cigarettes or other electronic nicotine products compared to smoking cigarettes

Do you think using e-cigarettes or other electronic nicotine products is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	2451	20.3 %
2	2 = About the same	7301	60.3 %
3	3 = More harmful	2195	18.1 %
	Total	11,947	98.8%

This variable has 11,947 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	135	1.1 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	151	1.2%

Percentages for both tables are based on 12,098 total cases.

Location: 8549-8556 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1146: General perception: Menthol or mint flavored e-cigarettes are easier to use, about the same, or harder to use than tobacco-flavored or unflavored e-cigarettes

Some e-cigarettes and other electronic nicotine products come in flavors like menthol or mint, clove or spice, fruit, chocolate, alcoholic drinks, non-alcoholic drinks, candy, desserts, or other sweets. Other e-cigarettes or electronic nicotine products are tobacco-flavored or unflavored.

Do you think menthol or mint flavored e-cigarettes are easier to use, about the same, or harder to use than tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2669	22.1 %
2	2 = About the same	7924	65.5 %
3	3 = Harder to use	873	7.2 %

Value	Label	Unweighted Frequency	%
	Total	11,466	94.8%

This variable has 11,466 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	605	5.0 %
-7	-7 = Refused	27	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	632	5.2%

Percentages for both tables are based on 12,098 total cases.

Location: 8557-8564 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1153: Flavored e-cigarettes (other than menthol or mint) are easier to use than tobacco-flavored or unflavored e-cigarettes

Do you think flavored e-cigarettes (other than menthol or mint) are easier to use, about the same, or harder to use than tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2728	22.5 %
2	2 = About the same	7876	65.1 %
3	3 = Harder to use	874	7.2 %
	Total	11,478	94.9%

This variable has 11,478 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	597	4.9 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	620	5.1%

Percentages for both tables are based on 12,098 total cases.

Location: 8565-8572 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1148: Harmfulness of using menthol or mint flavored e-cigarettes compared to tobacco-flavored or unflavored e-cigarettes

Do you think using menthol or mint flavored e-cigarettes is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	415	3.4 %
2	2 = About the same	9811	81.1 %
3	3 = More harmful	1509	12.5 %
	Total	11,735	97.0%

This variable has 11,735 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	336	2.8 %
-7	-7 = Refused	27	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	363	3.0%

Percentages for both tables are based on 12,098 total cases.

Location: 8573-8580 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1152: Harmfulness of using flavored e-cigarettes (other than menthol or mint) compared to tobacco-flavored or unflavored e-cigarettes

Do you think using flavored e-cigarettes (other than menthol or mint) is less harmful, about the same, or more harmful than using tobacco-flavored or unflavored e-cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	442	3.7 %
2	2 = About the same	9772	80.8 %
3	3 = More harmful	1602	13.2 %
	Total	11,816	97.7%

This variable has 11,816 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	265	2.2 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	282	2.3%

Percentages for both tables are based on 12,098 total cases.

Location: 8581-8588 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1124: Likeliness of someone becoming addicted to e-cigarettes or other electronic nicotine products

How likely is someone to become addicted to e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	316	2.6 %
2	2 = Somewhat unlikely	435	3.6 %
3	3 = Neither likely nor unlikely	1321	10.9 %
4	4 = Somewhat likely	3729	30.8 %
5	5 = Very likely	6164	51.0 %
	Total	11,965	98.9%

This variable has 11,965 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	122	1.0 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	133	1.1%

Percentages for both tables are based on 12,098 total cases.

Location: 8589-8596 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9050: General perception: Harmfulness of traditional cigars to health

How harmful do you think traditional cigars are to health?

[SHOW GENERIC IMAGE OF TRADITIONAL CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	138	1.1 %
2	2 = Slightly harmful	283	2.3 %
3	3 = Somewhat harmful	1529	12.6 %
4	4 = Very harmful	3207	26.5 %
5	5 = Extremely harmful	6852	56.6 %
	Total	12,009	99.3%

This variable has 12,009 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	71	0.6 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	89	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8597-8604 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9025: How much you think people harm themselves when they smoke traditional cigars

How much do you think people harm themselves when they smoke traditional cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	134	1.1 %
2	2 = A little harm	631	5.2 %
3	3 = Some harm	2956	24.4 %
4	4 = A lot of harm	8300	68.6 %
	Total	12,021	99.4%

This variable has 12,021 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	61	0.5 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	77	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8605-8612 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1180: How long you think someone has to smoke traditional cigars before it harms their health

How long do you think someone has to smoke traditional cigars before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	130	1.1 %
2	2 = Less than a year	6853	56.6 %
3	3 = 1 year	2455	20.3 %
4	4 = 5 years	1356	11.2 %
5	5 = 10 years	617	5.1 %
6	6 = 20 years or more	534	4.4 %
	Total	11,945	98.7%

This variable has 11,945 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	144	1.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	153	1.3%

Percentages for both tables are based on 12,098 total cases.

Location: 8613-8620 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9097: Harmfulness of smoking traditional cigars compared to cigarettes

Do you think smoking traditional cigars is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1069	8.8 %
2	2 = About the same	7452	61.6 %
3	3 = More harmful	3394	28.1 %
	Total	11,915	98.5%

This variable has 11,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	167	1.4 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	183	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 8621-8628 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9058: General perception: Smoking flavored tobacco in traditional cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in traditional cigar

Some traditional cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in traditional cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in traditional cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	333	2.8 %
2	2 = About the same	9448	78.1 %
3	3 = More harmful	2075	17.2 %
	Total	11,856	98.0%

This variable has 11,856 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	225	1.9 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	242	2.0%

Percentages for both tables are based on 12,098 total cases.

Location: 8629-8636 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9146: General perception: Flavored traditional cigars are easier to smoke, about the same, or harder to smoke than unflavored traditional cigars

Do you think flavored traditional cigars are easier to smoke, about the same, or harder to smoke than unflavored traditional cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	1911	15.8 %
2	2 = About the same	8446	69.8 %
3	3 = Harder to smoke	1217	10.1 %
	Total	11,574	95.7%

This variable has 11,574 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	510	4.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	524	4.3%

Percentages for both tables are based on 12,098 total cases.

Location: 8637-8644 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9955: General perception of harmfulness of cigarillos to health

How harmful do you think cigarillos are to health?

[SHOW GENERIC IMAGE OF CIGARILLOS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	106	0.9 %
2	2 = Slightly harmful	232	1.9 %
3	3 = Somewhat harmful	1657	13.7 %
4	4 = Very harmful	3417	28.2 %
5	5 = Extremely harmful	6568	54.3 %
	Total	11,980	99.0%

This variable has 11,980 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	103	0.9 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	118	1.0%

Percentages for both tables are based on 12,098 total cases.

Location: 8645-8652 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9026: How much you think people harm themselves when they smoke cigarillos

How much do you think people harm themselves when they smoke cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	115	1.0 %
2	2 = A little harm	554	4.6 %
3	3 = Some harm	3247	26.8 %
4	4 = A lot of harm	8081	66.8 %
	Total	11,997	99.2%

This variable has 11,997 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	85	0.7 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	101	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8653-8660 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9047: How much you think people harm themselves when they smoke cigarillos some days but not every day

How much do you think people harm themselves when they smoke cigarillos some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	134	1.1 %
2	2 = A little harm	910	7.5 %
3	3 = Some harm	4421	36.5 %
4	4 = A lot of harm	6518	53.9 %
	Total	11,983	99.0%

This variable has 11,983 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	98	0.8 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	115	1.0%

Percentages for both tables are based on 12,098 total cases.

Location: 8661-8668 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9048: How long you think someone has to smoke cigarillos before it harms their health

How long do you think someone has to smoke cigarillos before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	110	0.9 %
2	2 = Less than a year	6687	55.3 %
3	3 = 1 year	2641	21.8 %
4	4 = 5 years	1375	11.4 %
5	5 = 10 years	599	5.0 %
6	6 = 20 years or more	500	4.1 %
	Total	11,912	98.5%

This variable has 11,912 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	167	1.4 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	186	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 8669-8676 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9098: Harmfulness of smoking cigarillos compared to cigarettes

Do you think smoking cigarillos is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	776	6.4 %
2	2 = About the same	8937	73.9 %
3	3 = More harmful	2168	17.9 %
	Total	11,881	98.2%

This variable has 11,881 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	202	1.7 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	217	1.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8677-8684 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9059: General perception: Smoking flavored tobacco in cigarillos is less harmful, about the same, or more harmful than smoking unflavored tobacco in cigarillos

Some cigarillos come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in cigarillos is less harmful, about the same, or more harmful than smoking unflavored tobacco in cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	282	2.3 %
2	2 = About the same	9655	79.8 %
3	3 = More harmful	1918	15.9 %
	Total	11,855	98.0%

This variable has 11,855 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	225	1.9 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	243	2.0%

Percentages for both tables are based on 12,098 total cases.

Location: 8685-8692 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9147: General perception: Flavored cigarillos are easier to smoke, about the same, or harder to smoke than unflavored cigarillos

Do you think flavored cigarillos are easier to smoke, about the same, or harder to smoke than unflavored cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	2045	16.9 %
2	2 = About the same	8426	69.6 %
3	3 = Harder to smoke	1118	9.2 %
	Total	11,589	95.8%

This variable has 11,589 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	484	4.0 %
-7	-7 = Refused	25	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	509	4.2%

Percentages for both tables are based on 12,098 total cases.

Location: 8693-8700 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9125: Likeliness of someone getting addicted to cigarillos

How likely is someone to become addicted to cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	257	2.1 %
2	2 = Somewhat unlikely	388	3.2 %
3	3 = Neither likely nor unlikely	1559	12.9 %
4	4 = Somewhat likely	3965	32.8 %
5	5 = Very likely	5742	47.5 %
	Total	11,911	98.5%

This variable has 11,911 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	174	1.4 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	187	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 8701-8708 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9950: General perception of harmfulness of filtered cigars to health

How harmful do you think filtered cigars are to health?

[SHOW GENERIC IMAGE OF FILTERED CIGARS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	94	0.8 %
2	2 = Slightly harmful	260	2.1 %
3	3 = Somewhat harmful	1715	14.2 %
4	4 = Very harmful	3329	27.5 %
5	5 = Extremely harmful	6601	54.6 %
	Total	11,999	99.2%

This variable has 11,999 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	89	0.7 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	99	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8709-8716 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9027: How much you think people harm themselves when they smoke filtered cigars

How much do you think people harm themselves when they smoke filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	101	0.8 %
2	2 = A little harm	626	5.2 %
3	3 = Some harm	3510	29.0 %
4	4 = A lot of harm	7769	64.2 %
	Total	12,006	99.2%

This variable has 12,006 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.6 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	92	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8717-8724 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9054: How much you think people harm themselves when they smoke filtered cigars some days but not every day

How much do you think people harm themselves when they smoke filtered cigars some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	130	1.1 %
2	2 = A little harm	913	7.5 %
3	3 = Some harm	4381	36.2 %
4	4 = A lot of harm	6588	54.5 %
	Total	12,012	99.3%

This variable has 12,012 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.6 %

	Missing Data		
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	86	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8725-8732 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9055: How long you think someone has to smoke filtered cigars before it harms their health

How long do you think someone has to smoke filtered cigars before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	100	0.8 %
2	2 = Less than a year	6606	54.6 %
3	3 = 1 year	2729	22.6 %
4	4 = 5 years	1382	11.4 %
5	5 = 10 years	623	5.1 %
6	6 = 20 years or more	503	4.2 %
	Total	11,943	98.7%

This variable has 11,943 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	145	1.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	155	1.3%

Percentages for both tables are based on 12,098 total cases.

Location: 8733-8740 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9099: Harmfulness of smoking filtered cigars compared to cigarettes

Do you think smoking filtered cigars is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1031	8.5 %
2	2 = About the same	8886	73.5 %
3	3 = More harmful	1978	16.3 %
	Total	11,895	98.3%

This variable has 11,895 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	1.6 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	203	1.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8741-8748 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9960: General perception: Smoking flavored tobacco in filtered cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in filtered cigars

Some filtered cigars come in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think smoking flavored tobacco in filtered cigars is less harmful, about the same, or more harmful than smoking unflavored tobacco in filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	347	2.9 %
2	2 = About the same	9674	80.0 %
3	3 = More harmful	1842	15.2 %
	Total	11,863	98.1%

This variable has 11,863 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	217	1.8 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	235	1.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8749-8756 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9148: General perception: Flavored filtered cigars are easier to smoke, about the same, or harder to smoke than unflavored filtered cigars

Do you think flavored filtered cigars are easier to smoke, about the same, or harder to smoke than unflavored filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	2009	16.6 %
2	2 = About the same	8429	69.7 %
3	3 = Harder to smoke	1186	9.8 %
	Total	11,624	96.1%

This variable has 11,624 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	456	3.8 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	474	3.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8757-8764 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG9126: Likelihood of someone getting addicted to filtered cigars

How likely is someone to become addicted to filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	242	2.0 %
2	2 = Somewhat unlikely	351	2.9 %
3	3 = Neither likely nor unlikely	1602	13.2 %
4	4 = Somewhat likely	3945	32.6 %
5	5 = Very likely	5801	48.0 %
	Total	11,941	98.7%

This variable has 11,941 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	144	1.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	157	1.3%

Percentages for both tables are based on 12,098 total cases.

Location: 8765-8772 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9050: General perception: Harmfulness of shisha or hookah tobacco to health

How harmful do you think shisha or hookah tobacco is to health?

[SHOW GENERIC IMAGE OF HOOKAH AND SHISHA]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	116	1.0 %
2	2 = Slightly harmful	346	2.9 %
3	3 = Somewhat harmful	1648	13.6 %
4	4 = Very harmful	2858	23.6 %
5	5 = Extremely harmful	6982	57.7 %
	Total	11,950	98.8%

This variable has 11,950 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	129	1.1 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	148	1.2%

Percentages for both tables are based on 12,098 total cases.

Location: 8773-8780 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1125: Thoughts on how much people harm themselves when they smoke hookah

How much do you think people harm themselves when they smoke shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	129	1.1 %
2	2 = A little harm	694	5.7 %
3	3 = Some harm	3184	26.3 %
4	4 = A lot of harm	7986	66.0 %
	Total	11,993	99.1%

This variable has 11,993 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	92	0.8 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	105	0.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8781-8788 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9044: Harmfulness of being around people who are smoking shisha or hookah tobacco

How harmful is it to be around people who are smoking shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	208	1.7 %
2	2 = Slightly harmful	832	6.9 %
3	3 = Somewhat harmful	2722	22.5 %
4	4 = Very harmful	2900	24.0 %
5	5 = Extremely harmful	5255	43.4 %
	Total	11,917	98.5%

This variable has 11,917 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	164	1.4 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	181	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 8789-8796 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH9110: Harmfulness of shisha that does not contain tobacco compared to shisha that does contain tobacco

Do you think shisha that does not contain tobacco is less harmful, about the same, or more harmful than shisha that does contain tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	3098	25.6 %
2	2 = About the same	6757	55.9 %
3	3 = More harmful	2006	16.6 %
	Total	11,861	98.0%

This variable has 11,861 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	225	1.9 %
-7	-7 = Refused	12	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	237	2.0%

Percentages for both tables are based on 12,098 total cases.

Location: 8797-8804 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1180: How long you think someone has to smoke shisha or hookah tobacco before it harms their health

How long do you think someone has to smoke shisha or hookah tobacco before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	126	1.0 %
2	2 = Less than a year	6592	54.5 %
3	3 = 1 year	2711	22.4 %
4	4 = 5 years	1303	10.8 %
5	5 = 10 years	626	5.2 %
6	6 = 20 years or more	550	4.5 %
	Total	11,908	98.4%

This variable has 11,908 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	179	1.5 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	190	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8805-8812 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1099: Harmfulness of smoking a hookah compared to smoking cigarettes

Do you think smoking hookah is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1435	11.9 %
2	2 = About the same	7544	62.4 %
3	3 = More harmful	2887	23.9 %
	Total	11,866	98.1%

This variable has 11,866 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	217	1.8 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	232	1.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8813-8820 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1146: General perception: Flavored shisha or hookah tobacco is easier to smoke, about the same, or harder to smoke than unflavored shisha or hookah tobacco?

Some shisha or hookah tobacco comes in flavors like menthol, mint, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think flavored shisha or hookah tobacco is easier to smoke, about the same, or harder to smoke than unflavored shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to smoke	2329	19.3 %
2	2 = About the same	8093	66.9 %
3	3 = Harder to smoke	1159	9.6 %
	Total	11,581	95.7%

This variable has 11,581 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	492	4.1 %
-7	-7 = Refused	25	0.2 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	517	4.3%

Percentages for both tables are based on 12,098 total cases.

Location: 8821-8828 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1124: Likeliness of someone becoming addicted to shisha or hookah tobacco

How likely is someone to become addicted to shisha or hookah tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	263	2.2 %
2	2 = Somewhat unlikely	400	3.3 %
3	3 = Neither likely nor unlikely	1701	14.1 %
4	4 = Somewhat likely	3778	31.2 %
5	5 = Very likely	5771	47.7 %
	Total	11,913	98.5%

This variable has 11,913 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	172	1.4 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	185	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 8829-8836 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU9050: General perception: Harmfulness of snus to health

How harmful do you think snus is to health?

[SHOW GENERIC IMAGE OF SNUS TIN AND POUCHES]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	107	0.9 %
2	2 = Slightly harmful	240	2.0 %
3	3 = Somewhat harmful	1446	12.0 %
4	4 = Very harmful	2900	24.0 %
5	5 = Extremely harmful	7271	60.1 %
	Total	11,964	98.9%

This variable has 11,964 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	115	1.0 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	134	1.1%

Percentages for both tables are based on 12,098 total cases.

Location: 8837-8844 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1125: Thoughts on how much people harm themselves when they use snus pouches

How much do you think people harm themselves when they use snus?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	105	0.9 %
2	2 = A little harm	530	4.4 %
3	3 = Some harm	3008	24.9 %
4	4 = A lot of harm	8351	69.0 %
	Total	11,994	99.1%

This variable has 11,994 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	85	0.7 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	104	0.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8845-8852 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1170: How much you think people harm themselves when they use snus some days but not every day

How much do you think people harm themselves when they use snus some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	135	1.1 %
2	2 = A little harm	892	7.4 %
3	3 = Some harm	3983	32.9 %
4	4 = A lot of harm	6979	57.7 %
	Total	11,989	99.1%

This variable has 11,989 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	95	0.8 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	109	0.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8853-8860 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1180: How long you think someone has to use snus before it harms their health

How long do you think someone has to use snus before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	101	0.8 %

Value	Label	Unweighted Frequency	%
2	2 = Less than a year	6865	56.7 %
3	3 = 1 year	2535	21.0 %
4	4 = 5 years	1302	10.8 %
5	5 = 10 years	601	5.0 %
6	6 = 20 years or more	508	4.2 %
	Total	11,912	98.5%

This variable has 11,912 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	165	1.4 %
-7	-7 = Refused	21	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	186	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 8861-8868 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1099: Harmfulness of using snus compared to smoking cigarettes

Do you think using snus is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1137	9.4 %
2	2 = About the same	7565	62.5 %
3	3 = More harmful	3179	26.3 %
	Total	11,881	98.2%

This variable has 11,881 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	203	1.7 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	217	1.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8869-8876 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1146: General perception: Flavored snus is easier to use, about the same, or harder to use than unflavored snus

Some snus comes in flavors like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think flavored snus is easier to use, about the same, or harder to use than unflavored snus?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2323	19.2 %
2	2 = About the same	8009	66.2 %
3	3 = Harder to use	1293	10.7 %
	Total	11,625	96.1%

This variable has 11,625 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	457	3.8 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	473	3.9%

Percentages for both tables are based on 12,098 total cases.

Location: 8877-8884 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1124: Likeliness of someone becoming addicted to snus

How likely is someone to become addicted to snus?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	223	1.8 %
2	2 = Somewhat unlikely	352	2.9 %

Value	Label	Unweighted Frequency	%
3	3 = Neither likely nor unlikely	1523	12.6 %
4	4 = Somewhat likely	3773	31.2 %
5	5 = Very likely	6041	49.9 %
	Total	11,912	98.5%

This variable has 11,912 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	167	1.4 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	186	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 8885-8892 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS9050: General perception: Harmfulness of other smokeless tobacco products (such as dip, spit, or chew) to health

How harmful do you think other smokeless tobacco products (such as dip, spit, or chew) are to health?

[SHOW GENERIC IMAGE OF SMOKELESS PRODUCTS, EXCLUDING SNUS]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	113	0.9 %
2	2 = Slightly harmful	281	2.3 %
3	3 = Somewhat harmful	1479	12.2 %
4	4 = Very harmful	2920	24.1 %
5	5 = Extremely harmful	7188	59.4 %
	Total	11,981	99.0%

This variable has 11,981 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	101	0.8 %
-7	-7 = Refused	16	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	117	1.0%

Percentages for both tables are based on 12,098 total cases.

Location: 8893-8900 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1125: Thoughts on how much people harm themselves when they use smokeless tobacco

How much do you think people harm themselves when they use smokeless tobacco? (Smokeless tobacco includes dip, spit, or chew.)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	121	1.0 %
2	2 = A little harm	618	5.1 %
3	3 = Some harm	3255	26.9 %
4	4 = A lot of harm	8013	66.2 %
	Total	12,007	99.2%

This variable has 12,007 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.6 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	91	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8901-8908 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1170: How much you think people harm themselves when they use smokeless tobacco some days but not every day

How much do you think people harm themselves when they use smokeless tobacco some days but not every day?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = No harm	162	1.3 %
2	2 = A little harm	858	7.1 %
3	3 = Some harm	4038	33.4 %
4	4 = A lot of harm	6950	57.4 %
	Total	12,008	99.3%

This variable has 12,008 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.6 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	90	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8909-8916 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1180: How long you think someone has to use smokeless tobacco before it harms their health

How long do you think someone has to use smokeless tobacco before it harms their health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = It will never harm their health	120	1.0 %
2	2 = Less than a year	6675	55.2 %
3	3 = 1 year	2676	22.1 %
4	4 = 5 years	1346	11.1 %
5	5 = 10 years	606	5.0 %
6	6 = 20 years or more	509	4.2 %
	Total	11,932	98.6%

This variable has 11,932 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	149	1.2 %

	Missing Data		
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	166	1.4%

Percentages for both tables are based on 12,098 total cases.

Location: 8917-8924 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1099: Harmfulness of using smokeless tobacco compared to smoking cigarettes

Do you think using smokeless tobacco is less harmful, about the same, or more harmful than smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Less harmful	1275	10.5 %
2	2 = About the same	7809	64.5 %
3	3 = More harmful	2820	23.3 %
	Total	11,904	98.4%

This variable has 11,904 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	177	1.5 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	194	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 8925-8932 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1146: General perception: Flavored smokeless tobacco is easier to use, about the same, or harder to use than unflavored smokeless tobacco

Some smokeless tobacco comes in flavors like menthol, mint, wintergreen, spearmint or frost, clove, spice, fruit, chocolate, alcoholic drinks, candy, or other sweets.

Do you think flavored smokeless tobacco is easier to use, about the same, or harder to use than unflavored smokeless tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Easier to use	2382	19.7 %
2	2 = About the same	8051	66.5 %
3	3 = Harder to use	1185	9.8 %
	Total	11,618	96.0%

This variable has 11,618 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	458	3.8 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	480	4.0%

Percentages for both tables are based on 12,098 total cases.

Location: 8933-8940 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1124: Likeliness of someone becoming addicted to smokeless tobacco

How likely is someone to become addicted to smokeless tobacco?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	197	1.6 %
2	2 = Somewhat unlikely	347	2.9 %
3	3 = Neither likely nor unlikely	1526	12.6 %
4	4 = Somewhat likely	3711	30.7 %
5	5 = Very likely	6152	50.9 %
	Total	11,933	98.6%

This variable has 11,933 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	147	1.2 %
-7	-7 = Refused	18	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	165	1.4%

Percentages for both tables are based on 12,098 total cases.

Location: 8941-8948 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0759: Harmfulness of nicotine in nicotine replacement products such as nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray, lozenge, or pill

Sometimes people who are trying to quit using tobacco use nicotine replacement products such as a nicotine patch, nicotine gum, nicotine inhaler, nicotine nasal spray or lozenge.

How harmful do you think the nicotine in these products is to health?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all harmful	240	2.0 %
2	2 = Slightly harmful	908	7.5 %
3	3 = Somewhat harmful	2542	21.0 %
4	4 = Very harmful	3010	24.9 %
5	5 = Extremely harmful	5253	43.4 %
	Total	11,953	98.8%

This variable has 11,953 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	130	1.1 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	145	1.2%

Percentages for both tables are based on 12,098 total cases.

Location: 8949-8956 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0300: Agree/disagree: Considered switching completely from using [other tobacco products used in past 30 days] to smoking cigarettes

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(2-12)] to smoking cigarettes.

ASK: Youth respondents who have ever smoked a cigarette and are past 30 days users of at least one non-cigarette tobacco product.

ASK Specification: IF R05_EVER_NEVER_CIGS_YOUTH = 1 AND (R05_PAST30DAY_EPRODS = 1 OR R05_PAST30DAY_GTRAD = 1 OR R05_PAST30DAY_GRILLO = 1 OR R05_PAST30DAY_GFILTR = 1 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS = 1 OR R05_PAST30DAY_SMKLS = 1 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1).

[PROGRAM NOTE: EXCLUDE USEPROD(1)=CIGARETTES from USEPROD list for this question.
Ask the question one time and list all product(s) the respondent has used in the past 30 days, excluding cigarettes, in [USEPROD(2-12)].]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	24	0.2 %
2	2 = Agree	33	0.3 %
3	3 = Neither agree nor disagree	155	1.3 %
4	4 = Disagree	71	0.6 %
5	5 = Strongly disagree	233	1.9 %
	Total	516	4.3%

This variable has 516 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11576	95.7 %
	Total	11,582	95.7%

Percentages for both tables are based on 12,098 total cases.

Location: 8957-8964 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0301: Agree/disagree: Considered switching completely from using [other tobacco products used in past 30 days] to using e-cigarettes or other electronic nicotine products

How much do you agree or disagree with this statement?

I have considered switching completely from using [USEPROD(1, 3-12)] to using e-cigarettes or other electronic nicotine products.

ASK: Youth respondents who have ever used an ENP and are past 30 days users of at least one non-electronic tobacco product.

ASK Specification: IF R05_EVER_NEVER_EPRODS_YOUTH = 1 AND (R05_PAST30DAY_CIGS = 1 OR R05_PAST30DAY_GTRAD

= 1 OR R05_PAST30DAY_GRILLO = 1 OR R05_PAST30DAY_GFILTR = 1 OR R05_PAST30DAY_PIPE = 1 OR R05_PAST30DAY_HOOK = 1 OR R05_PAST30DAY_SNUS = 1 OR R05_PAST30DAY_SMKLS = 1 OR R05_PAST30DAY_DISS = 1 OR R05_PAST30DAY_BIDI = 1 OR R05_PAST30DAY_KRETEK = 1).

[PROGRAM NOTE: EXCLUDE USEPROD(2)=ELECTRONIC NICOTINE PRODUCTS from USEPROD list for this question.
Ask the question one time and list all product(s) the respondent has used in the past 30 days, excluding electronic nicotine products, in [USEPROD(1, 3-12)].]

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	39	0.3 %
2	2 = Agree	51	0.4 %
3	3 = Neither agree nor disagree	142	1.2 %
4	4 = Disagree	51	0.4 %
5	5 = Strongly disagree	70	0.6 %
	Total	353	2.9%

This variable has 353 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11737	97.0 %
	Total	11,745	97.1%

Percentages for both tables are based on 12,098 total cases.

Location: 8965-8972 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_01: Have not considered switching from cigarettes to another product

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	210	1.7 %
2	2 = Not Marked	54	0.4 %
	Total	264	2.2%

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8973-8980 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_03: Considered switching from cigarettes to e-cigarettes or other electronic nicotine products

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	14	0.1 %
2	2 = Not Marked	250	2.1 %
	Total	264	2.2%

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8981-8988 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_04: Considered switching from cigarettes to traditional cigars

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	258	2.1 %
	Total	264	2.2%

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8 %

Percentages for both tables are based on 12,098 total cases.

Location: 8989-8996 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_05: Considered switching from cigarettes to cigarillos

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	254	2.1 %
	Total	264	2.2 %

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %

	Missing Data		
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 8997-9004 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_06: Considered switching from cigarettes to filtered cigars

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	255	2.1 %
	Total	264	2.2%

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9005-9012 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_07: Considered switching from cigarettes to pipes

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	256	2.1 %
	Total	264	2.2%

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9013-9020 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_08: Considered switching from cigarettes to hookahs

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	256	2.1 %
	Total	264	2.2%

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9021-9028 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_09: Considered switching from cigarettes to snus

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR

R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5	0.0 %
2	2 = Not Marked	259	2.1 %
	Total	264	2.2%

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9029-9036 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_10: Considered switching from cigarettes to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	254	2.1 %
	Total	264	2.2%

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9037-9044 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_11: Considered switching from cigarettes to dissolvable tobacco

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	260	2.1 %
	Total	264	2.2%

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9045-9052 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_12: Considered switching from cigarettes to bidis

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	258	2.1 %
	Total	264	2.2%

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8 %

Percentages for both tables are based on 12,098 total cases.

Location: 9053-9060 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307C_13: Considered switching from cigarettes to kreteks

Have you considered switching from cigarettes to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	260	2.1 %
	Total	264	2.2 %

This variable has 264 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %

	Missing Data		
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	11791	97.5 %
	Total	11,834	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9061-9068 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_01: Have not considered switching from electronic nicotine products to another product

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	953	7.9 %
2	2 = Not Marked	69	0.6 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9069-9076 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_02: Considered switching from electronic nicotine products to cigarettes

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	1013	8.4 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9077-9084 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_04: Considered switching from electronic nicotine products to traditional cigars

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	1020	8.4 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9085-9092 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_05: Considered switching from electronic nicotine products to cigarillos

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	1009	8.3 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9093-9100 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_06: Considered switching from electronic nicotine products to filtered cigars

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.
 Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	1011	8.4 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9101-9108 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_07: Considered switching from electronic nicotine products to pipes

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	10	0.1 %
2	2 = Not Marked	1012	8.4 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9109-9116 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_08: Considered switching from electronic nicotine products to hookahs

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	17	0.1 %
2	2 = Not Marked	1005	8.3 %

Value	Label	Unweighted Frequency	%
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9117-9124 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_09: Considered switching from electronic nicotine products to snus

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	1018	8.4 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9125-9132 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_10: Considered switching from electronic nicotine products to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	1014	8.4 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %

	Missing Data		
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9133-9140 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_11: Considered switching from electronic nicotine products to dissolvable tobacco

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	6	0.0 %
2	2 = Not Marked	1016	8.4 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9141-9148 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_12: Considered switching from electronic nicotine products to bidis

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	1019	8.4 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9149-9156 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307E_13: Considered switching from electronic nicotine products to kreteks

Have you considered switching from electronic nicotine products to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	1020	8.4 %
	Total	1,022	8.4%

This variable has 1,022 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	11010	91.0 %
	Total	11,076	91.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9157-9164 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_01: Have not considered switching from traditional cigars to another product

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS

!= 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2 %
2	2 = Not Marked	12	0.1 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9165-9172 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_02: Considered switching from traditional cigars to cigarettes

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	35	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9173-9180 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_03: Considered switching from traditional cigars to e-cigarettes or other electronic nicotine products

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9181-9188 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_05: Considered switching from traditional cigars to cigarillos

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	35	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9189-9196 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_06: Considered switching from traditional cigars to filtered cigars

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	35	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9197-9204 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_07: Considered switching from traditional cigars to pipes

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9205-9212 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_08: Considered switching from traditional cigars to hookahs

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	35	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9213-9220 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_09: Considered switching from traditional cigars to snus

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	34	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9221-9228 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_10: Considered switching from traditional cigars to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR

R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	36	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9229-9236 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_11: Considered switching from traditional cigars to dissolvable tobacco

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	33	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9237-9244 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_12: Considered switching from traditional cigars to bidis

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	36	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9245-9252 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307T_13: Considered switching from traditional cigars to kreteks

Have you considered switching from traditional cigars to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	36	0.3 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12061	99.7 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9253-9260 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_01: Have not considered switching from cigarillos to another product

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	53	0.4 %
2	2 = Not Marked	11	0.1 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9261-9268 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_02: Considered switching from cigarillos to cigarettes

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	64	0.5 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9269-9276 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_03: Considered switching from cigarillos to e-cigarettes or other electronic nicotine products

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	61	0.5 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9277-9284 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_04: Considered switching from cigarillos to traditional cigars

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	62	0.5 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9285-9292 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_06: Considered switching from cigarillos to filtered cigars

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	63	0.5 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9293-9300 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_07: Considered switching from cigarillos to pipes

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1. Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1. Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1. Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1. Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1. Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	61	0.5 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9301-9308 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_08: Considered switching from cigarillos to hookahs

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1. Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1. Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	62	0.5 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9309-9316 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_09: Considered switching from cigarillos to snus

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	63	0.5 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9317-9324 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_10: Considered switching from cigarillos to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	62	0.5 %

Value	Label	Unweighted Frequency	%
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9325-9332 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_11: Considered switching from cigarillos to dissolvable tobacco

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	63	0.5 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9333-9340 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_12: Considered switching from cigarillos to bidis

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	64	0.5 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9341-9348 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307G_13: Considered switching from cigarillos to kreteks

Have you considered switching from cigarillos to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	64	0.5 %
	Total	64	0.5%

This variable has 64 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12029	99.4 %
	Total	12,034	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 9349-9356 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_01: Have not considered switching from filtered cigars to another product

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	13	0.1 %
2	2 = Not Marked	6	0.0 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9357-9364 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_02: Considered switching from filtered cigars to cigarettes

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9365-9372 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_03: Considered switching from filtered cigars to e-cigarettes or other electronic nicotine products

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR

R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9373-9380 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_04: Considered switching from filtered cigars to traditional cigars

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9381-9388 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_05: Considered switching from filtered cigars to cigarillos

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9389-9396 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_07: Considered switching from filtered cigars to pipes

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9397-9404 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_08: Considered switching from filtered cigars to hookahs

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

	Missing Data		
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9405-9412 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_09: Considered switching from filtered cigars to snus

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9413-9420 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_10: Considered switching from filtered cigars to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9421-9428 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_11: Considered switching from filtered cigars to dissolvable tobacco

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9429-9436 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_12: Considered switching from filtered cigars to bidis

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS !=

1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9437-9444 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307F_13: Considered switching from filtered cigars to kreteks

Have you considered switching from filtered cigars to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	12074	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9445-9452 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_01: Have not considered switching from pipes to another product

Have you considered switching from pipes to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	8	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9453-9460 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_02: Considered switching from pipes to cigarettes

Have you considered switching from pipes to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9461-9468 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_03: Considered switching from pipes to e-cigarettes or other electronic nicotine products

Have you considered switching from pipes to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9469-9476 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_04: Considered switching from pipes to traditional cigars

Have you considered switching from pipes to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	17	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9477-9484 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_05: Considered switching from pipes to cigarillos

Have you considered switching from pipes to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9485-9492 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_06: Considered switching from pipes to filtered cigars

Have you considered switching from pipes to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	17	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9493-9500 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_08: Considered switching from pipes to hookahs

Have you considered switching from pipes to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1

OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	16	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9501-9508 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_09: Considered switching from pipes to snus

Have you considered switching from pipes to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9509-9516 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_10: Considered switching from pipes to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from pipes to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9517-9524 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_11: Considered switching from pipes to dissolvable tobacco

Have you considered switching from pipes to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9525-9532 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_12: Considered switching from pipes to bidis

Have you considered switching from pipes to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	18	0.1 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9533-9540 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307P_13: Considered switching from pipes to kreteks

Have you considered switching from pipes to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	19	0.2 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12077	99.8 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9541-9548 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_01: Have not considered switching from hookahs to another product

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1
OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR
R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR
R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR
R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS
!= 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,
do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	24	0.2 %
2	2 = Not Marked	8	0.1 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9549-9556 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_02: Considered switching from hookahs to cigarettes

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1. Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1. Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1. Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1. Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1. Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9557-9564 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_03: Considered switching from hookahs to e-cigarettes or other electronic nicotine products

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1. Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1. Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1. Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1. Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1. Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9565-9572 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_04: Considered switching from hookahs to traditional cigars

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR

R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR
R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR
R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.
If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,
do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9573-9580 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_05: Considered switching from hookahs to cigarillos

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1
OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR
R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR
R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR
R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR
R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR
R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.
 Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9581-9588 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_06: Considered switching from hookahs to filtered cigars

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1
 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR
 R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR
 R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR
 R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR
 R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR
 R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9589-9596 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_07: Considered switching from hookahs to pipes

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1
 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR
 R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR
 R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR
 R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR
 R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR
 R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	31	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9597-9604 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_09: Considered switching from hookahs to snus

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %

Value	Label	Unweighted Frequency	%
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9605-9612 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_10: Considered switching from hookahs to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	28	0.2 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9613-9620 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_11: Considered switching from hookahs to dissolvable tobacco

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9621-9628 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_12: Considered switching from hookahs to bidis

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9629-9636 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307H_13: Considered switching from hookahs to kreteks

Have you considered switching from Shisha or Hookah tobacco to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	32	0.3 %
	Total	32	0.3%

This variable has 32 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12064	99.7 %

	Missing Data		
	Total	12,066	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 9637-9644 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_01: Have not considered switching from snus to another product

Have you considered switching from snus to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	12	0.1 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9645-9652 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_02: Considered switching from snus to cigarettes

Have you considered switching from snus to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9653-9660 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_03: Considered switching from snus to e-cigarettes or other electronic nicotine products

Have you considered switching from snus to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9661-9668 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_04: Considered switching from snus to traditional cigars

Have you considered switching from snus to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.
 Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9669-9676 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_05: Considered switching from snus to cigarillos

Have you considered switching from snus to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	28	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9677-9684 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_06: Considered switching from snus to filtered cigars

Have you considered switching from snus to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	27	0.2 %

Value	Label	Unweighted Frequency	%
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9685-9692 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_07: Considered switching from snus to pipes

Have you considered switching from snus to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9693-9700 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_08: Considered switching from snus to hookahs

Have you considered switching from snus to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	27	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9701-9708 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_10: Considered switching from snus to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from snus to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	28	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9709-9716 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_11: Considered switching from snus to dissolvable tobacco

Have you considered switching from snus to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	28	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9717-9724 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_12: Considered switching from snus to bidis

Have you considered switching from snus to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	29	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9725-9732 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307U_13: Considered switching from snus to kreteks

Have you considered switching from snus to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR

R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	30	0.2 %
	Total	30	0.2%

This variable has 30 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12068	99.8 %
	Total	12,068	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 9733-9740 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_01: Have not considered switching from smokeless tobacco to another product

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	38	0.3 %
2	2 = Not Marked	14	0.1 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9741-9748 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_02: Considered switching from smokeless tobacco to cigarettes

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	50	0.4 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9749-9756 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_03: Considered switching from smokeless tobacco to e-cigarettes or other electronic nicotine products

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	49	0.4 %

Value	Label	Unweighted Frequency	%
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9757-9764 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_04: Considered switching from smokeless tobacco to traditional cigars

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	51	0.4 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9765-9772 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_05: Considered switching from smokeless tobacco to cigarillos

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	48	0.4 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9773-9780 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_06: Considered switching from smokeless tobacco to filtered cigars

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	48	0.4 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9781-9788 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_07: Considered switching from smokeless tobacco to pipes

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	48	0.4 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9789-9796 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_08: Considered switching from smokeless tobacco to hookahs

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	50	0.4 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9797-9804 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_09: Considered switching from smokeless tobacco to snus

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	50	0.4 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9805-9812 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_11: Considered switching from smokeless tobacco to dissolvable tobacco

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1. Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1. Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1. Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1. Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1. Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	49	0.4 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9813-9820 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_12: Considered switching from smokeless tobacco to bidis

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1. Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1. Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1. Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1. Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	50	0.4 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9821-9828 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307S_13: Considered switching from smokeless tobacco to kreteks

Have you considered switching from smokeless tobacco to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	51	0.4 %
	Total	52	0.4%

This variable has 52 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	12039	99.5 %
	Total	12,046	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 9829-9836 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_01: Have not considered switching from dissolvable tobacco to another product

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9837-9844 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_02: Considered switching from dissolvable tobacco to cigarettes

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9845-9852 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_03: Considered switching from dissolvable tobacco to e-cigarettes or other electronic nicotine products

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9853-9860 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_04: Considered switching from dissolvable tobacco to traditional cigars

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9861-9868 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_05: Considered switching from dissolvable tobacco to cigarillos

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9869-9876 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_06: Considered switching from dissolvable tobacco to filtered cigars

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR

R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9877-9884 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_07: Considered switching from dissolvable tobacco to pipes

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9885-9892 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_08: Considered switching from dissolvable tobacco to hookahs

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	4	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9893-9900 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_09: Considered switching from dissolvable tobacco to snus

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented,

do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9901-9908 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_10: Considered switching from dissolvable tobacco to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9909-9916 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_12: Considered switching from dissolvable tobacco to bidis

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9917-9924 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307D_13: Considered switching from dissolvable tobacco to kreteks

Have you considered switching from dissolvable tobacco to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12093	100.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9925-9932 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_01: Have not considered switching from bidis to another product

Have you considered switching from bidis to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR
R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1
OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3	0.0 %
2	2 = Not Marked	3	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9933-9940 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_02: Considered switching from bidis to cigarettes

Have you considered switching from bidis to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR
R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1
OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9941-9948 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_03: Considered switching from bidis to e-cigarettes or other electronic nicotine products

Have you considered switching from bidis to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR

R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1
OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9949-9956 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_04: Considered switching from bidis to traditional cigars

Have you considered switching from bidis to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR
R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1
OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1. Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1. Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1. Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1. Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1. Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9957-9964 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_05: Considered switching from bidis to cigarillos

Have you considered switching from bidis to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR
R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1
OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days. If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected. Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9965-9972 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_06: Considered switching from bidis to filtered cigars

Have you considered switching from bidis to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
 (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR
 R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY DISS != 1
 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9973-9980 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_07: Considered switching from bidis to pipes

Have you considered switching from bidis to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR
R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1
OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9981-9988 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_08: Considered switching from bidis to hookahs

Have you considered switching from bidis to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR
R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1
OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	5	0.0 %

Value	Label	Unweighted Frequency	%
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9989-9996 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_09: Considered switching from bidis to snus

Have you considered switching from bidis to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR
R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1
OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 9997-10004 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_10: Considered switching from bidis to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from bidis to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR
R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1
OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10005-10012 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_11: Considered switching from bidis to dissolvable tobacco

Have you considered switching from bidis to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR
R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1
OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10013-10020 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307B_13: Considered switching from bidis to kreteks

Have you considered switching from bidis to any of the following products? Choose all that apply.

Kreteks

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND
(R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR
R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1
OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1
OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1
OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1
OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	6	0.0 %
	Total	6	0.0%

This variable has 6 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12092	100.0 %
	Total	12,092	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10021-10028 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_01: Have not considered switching from kreteks to another product

Have you considered switching from kreteks to any of the following products? Choose all that apply.

I have not considered switching to another product

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4	0.0 %
2	2 = Not Marked	5	0.0 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10029-10036 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_02: Considered switching from kreteks to cigarettes

Have you considered switching from kreteks to any of the following products? Choose all that apply.

Cigarettes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10037-10044 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_03: Considered switching from kreteks to e-cigarettes or other electronic nicotine products

Have you considered switching from kreteks to any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10045-10052 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_04: Considered switching from kreteks to traditional cigars

Have you considered switching from kreteks to any of the following products? Choose all that apply.

Traditional cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR

R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10053-10060 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_05: Considered switching from kreteks to cigarillos

Have you considered switching from kreteks to any of the following products? Choose all that apply.

Cigarillos

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1 %

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9 %

Percentages for both tables are based on 12,098 total cases.

Location: 10061-10068 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_06: Considered switching from kreteks to filtered cigars

Have you considered switching from kreteks to any of the following products? Choose all that apply.

Filtered cigars

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
 Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
 Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
 Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
 Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
 Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10069-10076 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_07: Considered switching from kreteks to pipes

Have you considered switching from kreteks to any of the following products? Choose all that apply.

Pipes

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10077-10084 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_08: Considered switching from kreteks to hookahs

Have you considered switching from kreteks to any of the following products? Choose all that apply.

Hookahs

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %

	Missing Data		
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10085-10092 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_09: Considered switching from kreteks to snus

Have you considered switching from kreteks to any of the following products? Choose all that apply.

Snus

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10093-10100 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_10: Considered switching from kreteks to other smokeless tobacco such as moist snuff, dip, spit, or chewing tobacco

Have you considered switching from kreteks to any of the following products? Choose all that apply.

[Other smokeless/Smokeless] tobacco such as moist snuff, dip, spit, or chewing tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.
Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.
Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.
Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.
Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.
Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	9	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10101-10108 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_11: Considered switching from kreteks to dissolvable tobacco

Have you considered switching from kreteks to any of the following products? Choose all that apply.

Dissolvable tobacco

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10109-10116 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0307K_12: Considered switching from kreteks to bidis

Have you considered switching from kreteks to any of the following products? Choose all that apply.

Bidis

ASK: Youth respondents who are past 30 day tobacco users and are not past 30 day users of every tobacco product.

ASK Specification: IF R05_PAST30DAY_TOB = 1 AND (R05_PAST30DAY_CIGS != 1 OR R05_PAST30DAY_EPRODS != 1 OR

R05_PAST30DAY_GTRAD != 1 OR R05_PAST30DAY_GRILLO != 1 OR R05_PAST30DAY_GFILTR != 1 OR R05_PAST30DAY_PIPE != 1 OR R05_PAST30DAY_HOOK != 1 OR R05_PAST30DAY_SNUS != 1 OR R05_PAST30DAY_SMKLS != 1 OR R05_PAST30DAY_DISS != 1 OR R05_PAST30DAY_BIDI != 1 OR R05_PAST30DAY_KRETEK != 1).

[PROGRAM NOTE: Repeat the question one time for each product the respondent has used in the past 30 days.

If the respondent has used every tobacco type in the past 30 days, resulting in no options presented, do not ask this question. If option 1 is selected, no other options may be selected.

Suppress option 2 if R05_PAST30DAY_CIGS = 1. Suppress option 3 if R05_PAST30DAY_EPRODS = 1.

Suppress option 4 if R05_PAST30DAY_GTRAD = 1. Suppress option 5 if R05_PAST30DAY_GRILLO = 1.

Suppress option 6 if R05_PAST30DAY_GFILTR = 1. Suppress option 7 if R05_PAST30DAY_PIPE = 1.

Suppress option 8 if R05_PAST30DAY_HOOK = 1. Suppress option 9 if R05_PAST30DAY_SNUS = 1.

Suppress option 10 if R05_PAST30DAY_SMKLS = 1. Suppress option 11 if R05_PAST30DAY_DISS = 1.

Suppress option 12 if R05_PAST30DAY_BIDI = 1. Suppress option 13 if R05_PAST30DAY_KRETEK = 1.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1	0.0 %
2	2 = Not Marked	8	0.1 %
	Total	9	0.1%

This variable has 9 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,089	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10117-10124 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0494: Amount of time spent watching TV or videos on a television, computer, tablet or smartphone on an average weekday

On an average weekday, about how much time do you spend watching television and streaming videos that include commercials?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	869	7.2 %
2	2 = Half hour or less	1585	13.1 %
3	3 = About 1 hour	1916	15.8 %
4	4 = About 2 hours	2216	18.3 %

Value	Label	Unweighted Frequency	%
5	5 = About 3 hours	1857	15.3 %
6	6 = About 4 hours	1260	10.4 %
7	7 = About 5 hours	818	6.8 %
8	8 = About 6 hours	404	3.3 %
9	9 = 7 hours or more	1131	9.3 %
	Total	12,056	99.7%

This variable has 12,056 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	42	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10125-10132 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0474: Amount of time spent watching television and steaming videos that include commercials on an average weekend day

On an average weekend day, how much time do you spend watching television and streaming videos that include commercials?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	906	7.5 %
2	2 = Less than 1 hour	1701	14.1 %
3	3 = 1 to 2 hours	2840	23.5 %
4	4 = 3 to 4 hours	2845	23.5 %
5	5 = 5 to 6 hours	1763	14.6 %
6	6 = 7 to 8 hours	880	7.3 %
7	7 = 9 to 10 hours	453	3.7 %
8	8 = 11 hours or more	673	5.6 %
	Total	12,061	99.7%

This variable has 12,061 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	37	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10133-10140 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0060: Amount of time spent listening to the radio or online radio stations that include commercials on an average weekday

On an average weekday, how much time do you spend listening to the radio or online radio stations that include commercials?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	2584	21.4 %
2	2 = Half hour or less	3542	29.3 %
3	3 = About 1 hour	2127	17.6 %
4	4 = About 2 hours	1314	10.9 %
5	5 = About 3 hours	870	7.2 %
6	6 = About 4 hours	503	4.2 %
7	7 = About 5 hours	340	2.8 %
8	8 = About 6 hours	194	1.6 %
9	9 = 7 hours or more	586	4.8 %
	Total	12,060	99.7%

This variable has 12,060 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	38	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10141-10148 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0061: Amount of time spent listening to the radio or online radio stations that include commercials on an average weekend day

On an average weekend day, how much time do you spend listening to the radio or online radio stations that include commercials?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	2868	23.7 %
2	2 = Less than 1 hour	3887	32.1 %
3	3 = 1 to 2 hours	2616	21.6 %
4	4 = 3 to 4 hours	1213	10.0 %
5	5 = 5 to 6 hours	623	5.1 %
6	6 = 7 to 8 hours	328	2.7 %
7	7 = 9 to 10 hours	163	1.3 %
8	8 = 11 hours or more	365	3.0 %
	Total	12,063	99.7%

This variable has 12,063 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	28	0.2 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	35	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10149-10156 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0062: Has a social media account

Sometimes people use the internet to connect with other people online through social networks like Facebook, Google Plus, YouTube, LinkedIn, Twitter, Tumblr, Instagram, Pinterest, or Snapchat. This is often called social media.

Do you have a social media account?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YXR13.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	10455	86.4 %
2	2 = No	1616	13.4 %
	Total	12,071	99.8%

This variable has 12,071 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	27	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 10157-10164 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0317: How often you visit your social media accounts

About how often do you visit your social media accounts?

[If Never (7), GO TO BOX R05_YXR13.]

ASK: Youth respondents who have a social media account.

ASK Specification: IF R05_YX0062 = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	7153	59.1 %
2	2 = About once a day	1579	13.1 %
3	3 = 3 - 5 days a week	651	5.4 %
4	4 = 1 - 2 days a week	346	2.9 %
5	5 = Every few weeks	232	1.9 %
6	6 = Less often	341	2.8 %
7	7 = Never	137	1.1 %
	Total	10,439	86.3%

This variable has 10,439 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	1643	13.6 %
	Total	1,659	13.7%

Percentages for both tables are based on 12,098 total cases.

Location: 10165-10172 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_00: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Have not liked or followed any brands on social media sites

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

I have not liked or followed any brands on social media sites

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9466	78.2 %
2	2 = Not Marked	449	3.7 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10173-10180 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_01: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Camel

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Camel

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	98	0.8 %
2	2 = Not Marked	9817	81.1 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10181-10188 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_02: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Marlboro

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Marlboro

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	115	1.0 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	9800	81.0 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10189-10196 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_03: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Newport

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Newport

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	104	0.9 %
2	2 = Not Marked	9811	81.1 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %

	Missing Data		
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10197-10204 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_04: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: American Spirit

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

American Spirit

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	31	0.3 %
2	2 = Not Marked	9884	81.7 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10205-10212 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_05: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Vuse

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Vuse

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.2 %
2	2 = Not Marked	9885	81.7 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10213-10220 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_06: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Blu

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Blu

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	105	0.9 %
2	2 = Not Marked	9810	81.1 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10221-10228 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_07: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Logic

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Logic

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	33	0.3 %
2	2 = Not Marked	9882	81.7 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10229-10236 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_08: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Mark Ten

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

MarkTen

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	9897	81.8 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10237-10244 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_09: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: NJOY

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

NJOY

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	45	0.4 %
2	2 = Not Marked	9870	81.6 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10245-10252 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_10: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: eGo

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

eGo

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.2 %
2	2 = Not Marked	9887	81.7 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %

	Missing Data		
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10253-10260 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_11: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: iTaste

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

iTaste

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	18	0.1 %
2	2 = Not Marked	9897	81.8 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10261-10268 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_12: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Black & Mild

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Black & Mild

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	102	0.8 %
2	2 = Not Marked	9813	81.1 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10269-10276 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_13: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Swisher Sweets

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Swisher Sweets

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	147	1.2 %
2	2 = Not Marked	9768	80.7 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10277-10284 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_14: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Dutch Masters

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Dutch Masters

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	74	0.6 %
2	2 = Not Marked	9841	81.3 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10285-10292 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_15: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Phillies Blunts

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Phillies Blunts

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.2 %
2	2 = Not Marked	9887	81.7 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10293-10300 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_16: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Zig Zag

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Zig Zag

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	53	0.4 %
2	2 = Not Marked	9862	81.5 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10301-10308 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_17: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Skoal

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Skoal

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	31	0.3 %
2	2 = Not Marked	9884	81.7 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %

	Missing Data		
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10309-10316 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_18: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Redman

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Redman

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	28	0.2 %
2	2 = Not Marked	9887	81.7 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10317-10324 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_19: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Grizzly

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Grizzly

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	78	0.6 %
2	2 = Not Marked	9837	81.3 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10325-10332 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_20: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Copenhagen

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Copenhagen

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	56	0.5 %
2	2 = Not Marked	9859	81.5 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10333-10340 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0686_21: In past 12 months, liked or followed tobacco or electronic nicotine product brand on social media sites: Some other brand

In the past 12 months, have you liked or followed any of the following tobacco product, e-cigarette, or other electronic nicotine product brands on Facebook, Twitter, or other social media sites? Choose all that apply.

Some other brand

ASK: Youth respondents who have a social media account and visit their social media accounts.

ASK Specification: IF R05_YX0062 = 1 AND R05_YX0317 != 7.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 0 is selected, no other options can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	95	0.8 %
2	2 = Not Marked	9820	81.2 %
	Total	9,915	82.0%

This variable has 9,915 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	313	2.6 %
-7	-7 = Refused	90	0.7 %
-1	-1 = Inapplicable	1780	14.7 %
	Total	2,183	18.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10341-10348 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0505: Ever used an app on a tablet computer or smartphone to help you quit using tobacco products, e-cigarettes, or other electronic nicotine products

Have you ever used an app on a tablet computer or smartphone to help you quit using tobacco products, e-cigarettes, or other electronic nicotine products?

ASK: Youth respondents who have ever used tobacco.

ASK Specification: IF R05_EVER_USE_TOB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	141	1.2 %
2	2 = No	2711	22.4 %
	Total	2,852	23.6%

This variable has 2,852 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	19	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	9223	76.2 %
	Total	9,246	76.4%

Percentages for both tables are based on 12,098 total cases.

Location: 10349-10356 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0496_NB: Ever used a smart phone to scan a QR code for a tobacco product or to enter a sweepstakes or drawing from a tobacco company

A Quick Response code is a white square with black dots in it, sometimes called a QR code.

[SHOW IMAGE OF QR CODE FOR PATH WEBSITE]

Have you ever used a tablet or a smartphone to scan a QR code for a tobacco product or to enter a sweepstakes or drawing from a tobacco company?

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	45	0.4 %

Value	Label	Unweighted Frequency	%
2	2 = No	1596	13.2 %
	Total	1,641	13.6%

This variable has 1,641 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	11	0.1 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,457	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 10357-10364 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YX0671: DERIVED - Recoded anyone who lives with you now uses tobacco (4 levels)

Long Description: Does anyone who lives with you now do any of the following: Smoke cigarettes, use smokeless tobacco, smoke cigars, cigarillos or filtered cigars or use any other form of tobacco?

Algorithm: IF R05_YX0671_01 = 1 OR R05_YX0671_05 = 1 THEN
R05R_Y_YX0671 = 1; ELSE IF R05_YX0671_03 = 1 OR R05_YX0671_04 = 1 OR
R05_YX0671_06 = 1 OR R05_YX0671_07 = 1 THEN R05R_Y_YX0671 = 3; ELSE IF
R05_YX0671_02 = 1 THEN R05R_Y_YX0671 = 2; ELSE IF R05_YX0671_08 = 1 THEN
R05R_Y_YX0671 = 4; ELSE IF (R05_YX0671_01 = -9 OR R05_YX0671_02 = -9 OR
R05_YX0671_03 = -9 OR R05_YX0671_04 = -9 OR R05_YX0671_05 = -9 OR
R05_YX0671_06 = -9 OR R05_YX0671_07 = -9 OR R05_YX0671_08 = -9) THEN
R05R_Y_YX0671 = -99999; ELSE IF (R05_YX0671_01 = -8 OR R05_YX0671_02 = -8
OR R05_YX0671_03 = -8 OR R05_YX0671_04 = -8 OR R05_YX0671_05 = -8 OR
R05_YX0671_06 = -8 OR R05_YX0671_07 = -8 OR R05_YX0671_08 = -8) THEN
R05R_Y_YX0671 = -99988; ELSE IF (R05_YX0671_01 = -7 OR R05_YX0671_02 = -7
OR R05_YX0671_03 = -7 OR R05_YX0671_04 = -7 OR R05_YX0671_05 = -7 OR
R05_YX0671_06 = -7 OR R05_YX0671_07 = -7 OR R05_YX0671_08 = -7) THEN
R05R_Y_YX0671 = -99977; ELSE IF (R05_YX0671_01 = -1 OR R05_YX0671_02 = -1
OR R05_YX0671_03 = -1 OR R05_YX0671_04 = -1 OR R05_YX0671_05 = -1 OR
R05_YX0671_06 = -1 OR R05_YX0671_07 = -1 OR R05_YX0671_08 = -1) THEN
R05R_Y_YX0671 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Cigarettes, cigars, cigarillos or filtered cigars	2776	22.9 %
2	2 = E-products exclusively	399	3.3 %
3	3 = Other tobacco products, including smokeless, snus and hookah	430	3.6 %
4	4 = No one living in the home uses tobacco	8316	68.7 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	114	0.9 %
-99977	-99977 = Missing due to a refused response on one or more component variables	63	0.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 10365-10372 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05_YX0068: In past seven days, number of hours that you were in close contact with others when they were smoking

During the past seven days, about how many hours were you around others who were smoking[, whether or not you were smoking yourself]? Include time in your home, in a car, at school, or outdoors.

___ Hours

ASK: All youth respondents.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 11,834 valid cases out of 12,098 total cases.

- Mean: 2.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 168.00
- Standard Deviation: 9.39

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	210	1.7 %
-7	-7 = Refused	39	0.3 %
-5	-5 = Improbable response removed	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	264	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 10373-10380 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YV9066: In past 12 months, swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes

In the past 12 months, did you swallow e-liquid, or get it in your mouth, on your skin, or in your eyes?

(E-liquid is the nicotine fluid in e-cigarettes or other electronic nicotine products.)

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YXT01.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	658	5.4 %
2	2 = No	11386	94.1 %
	Total	12,044	99.6%

This variable has 12,044 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	38	0.3 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	54	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 10381-10388 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9063: In past 12 months, became sick after swallowing e-liquid, or got it in your mouth, on your skin, or in your eyes

In the past 12 months, after you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you become sick?

ASK: Youth respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_YV9066 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	79	0.7 %
2	2 = No	578	4.8 %
	Total	657	5.4%

This variable has 657 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11440	94.6 %
	Total	11,441	94.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10389-10396 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV9065: In past 12 months, went to a hospital after swallowing e-liquid, or got it in your mouth, on your skin, or in your eyes

In the past 12 months, after you swallowed e-liquid, or got it in your mouth, on your skin, or in your eyes, did you go to a hospital?

ASK: Youth respondents who have swallowed e-liquid, got it in their mouth, on their skin, or in their eyes in the past 12 months.

ASK Specification: IF R05_YV9066 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	42	0.3 %
2	2 = No	615	5.1 %
	Total	657	5.4%

This variable has 657 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11440	94.6 %
	Total	11,441	94.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10397-10404 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0090: Self perception of physical health

In general, how would you rate your...

physical health?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	5426	44.9 %
2	2 = Very good	3649	30.2 %
3	3 = Good	2244	18.5 %
4	4 = Fair	654	5.4 %
5	5 = Poor	90	0.7 %
	Total	12,063	99.7%

This variable has 12,063 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	22	0.2 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	35	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10405-10412 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0091: Self perception of mental health, including mood and ability to think

In general, how would you rate your...

mental health, which includes stress, depression, and problems with emotions?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	4031	33.3 %
2	2 = Very good	2826	23.4 %
3	3 = Good	2425	20.0 %
4	4 = Fair	1907	15.8 %
5	5 = Poor	829	6.9 %
	Total	12,018	99.3%

This variable has 12,018 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	52	0.4 %
-7	-7 = Refused	27	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	80	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 10413-10420 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0088: Self perception of overall health

In general, how would you rate your...

overall health?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	5282	43.7 %
2	2 = Very good	3744	30.9 %
3	3 = Good	2385	19.7 %
4	4 = Fair	562	4.6 %
5	5 = Poor	77	0.6 %
	Total	12,050	99.6%

This variable has 12,050 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	33	0.3 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	48	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 10421-10428 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0090_12M: Self perception of physical health compared to 12 months ago

Compared with 12 months ago, would you say...

your physical health is now...

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Better	6710	55.5 %
2	2 = Worse	662	5.5 %
3	3 = About the same	4692	38.8 %
	Total	12,064	99.7%

This variable has 12,064 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	34	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10429-10436 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0091_12M: Self perception of mental health compared to 12 months ago

Compared with 12 months ago, would you say...

your mental health is now...

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Better	5491	45.4 %
2	2 = Worse	1617	13.4 %
3	3 = About the same	4933	40.8 %
	Total	12,041	99.5%

This variable has 12,041 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	41	0.3 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	57	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 10437-10444 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0088_12M: Self perception of overall health compared to health 12 months ago

Compared with 12 months ago, would you say...

your overall health is now...

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Better	6511	53.8 %
2	2 = Worse	461	3.8 %
3	3 = About the same	5076	42.0 %
	Total	12,048	99.6%

This variable has 12,048 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	31	0.3 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	50	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 10445-10452 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0726: Self perception of overall health of teeth and gums

Overall, how would you rate the health of your teeth and gums?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Excellent	3326	27.5 %
2	2 = Very good	4458	36.8 %
3	3 = Good	3281	27.1 %
4	4 = Fair	859	7.1 %
5	5 = Poor	148	1.2 %
	Total	12,072	99.8%

This variable has 12,072 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	26	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 10453-10460 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0241: In past 7 days, number of days physically active for at least 60 minutes per day

During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?

(Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	1112	9.2 %
2	2 = 1 day	942	7.8 %
3	3 = 2 days	1278	10.6 %
4	4 = 3 days	1680	13.9 %
5	5 = 4 days	1497	12.4 %
6	6 = 5 days	2091	17.3 %
7	7 = 6 days	984	8.1 %
8	8 = 7 days	2405	19.9 %
	Total	11,989	99.1%

This variable has 11,989 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	92	0.8 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	109	0.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10461-10468 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0242: In past 7 days, number of days exercised or participated in physical activity for at least 20 minutes that made you sweat and breathe hard

On how many of the past 7 days did you exercise or participate in physical activity for at least 20 minutes that made you sweat and breathe hard, such as basketball, soccer, running, swimming laps, fast bicycling, fast dancing, or similar aerobic activities?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	1656	13.7 %
2	2 = 1 day	1138	9.4 %
3	3 = 2 days	1391	11.5 %

Value	Label	Unweighted Frequency	%
4	4 = 3 days	1539	12.7 %
5	5 = 4 days	1282	10.6 %
6	6 = 5 days	1988	16.4 %
7	7 = 6 days	872	7.2 %
8	8 = 7 days	2145	17.7 %
	Total	12,011	99.3%

This variable has 12,011 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	65	0.5 %
-7	-7 = Refused	22	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	87	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 10469-10476 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0243: In past 7 days, number of days did exercises to strengthen or tone your muscles

On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = 0 days	3346	27.7 %
2	2 = 1 day	1417	11.7 %
3	3 = 2 days	1450	12.0 %
4	4 = 3 days	1499	12.4 %
5	5 = 4 days	1047	8.7 %
6	6 = 5 days	1487	12.3 %
7	7 = 6 days	489	4.0 %
8	8 = 7 days	1296	10.7 %
	Total	12,031	99.4%

This variable has 12,031 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	44	0.4 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	67	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10477-10484 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0046_NB: Ever had wheezing or whistling in the chest

Have you ever had wheezing or whistling in the chest at any time in the past?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YX0052.]

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	403	3.3 %
2	2 = No	1196	9.9 %
	Total	1,599	13.2%

This variable has 1,599 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	53	0.4 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,499	86.8%

Percentages for both tables are based on 12,098 total cases.

Location: 10485-10492 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0047_12M: In past 12 months, had wheezing or whistling in the chest

Have you had wheezing or whistling in the chest in the past 12 months?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YX0052.]

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0046_NB = 1) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1546	12.8 %
2	2 = No	9250	76.5 %
	Total	10,796	89.2%

This variable has 10,796 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.4 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	1249	10.3 %
	Total	1,302	10.8%

Percentages for both tables are based on 12,098 total cases.

Location: 10493-10500 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0048: In past 12 months, number of times had wheezing in chest

How many attacks of wheezing have you had in the past 12 months?

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0046_NB = 1 AND R05_YX0047_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0047_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = None	385	3.2 %
2	2 = 1 to 3	900	7.4 %
3	3 = 4 to 12	180	1.5 %
4	4 = More than 12	67	0.6 %
	Total	1,532	12.7%

This variable has 1,532 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10552	87.2 %
	Total	10,566	87.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10501-10508 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0049: In past 12 months, how often had sleep disturbed due to wheezing

In the past 12 months how often, on average, has your sleep been disturbed due to wheezing?

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0046_NB = 1 AND R05_YX0047_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0047_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Never woken with wheezing	1229	10.2 %
2	2 = Less than one night per week	222	1.8 %
3	3 = One or more nights per week	87	0.7 %
	Total	1,538	12.7%

This variable has 1,538 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	10552	87.2 %
	Total	10,560	87.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10509-10516 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0050: In past 12 months, had speech limited to only one or two words between breaths due to wheezing

In the past 12 months, has wheezing ever been severe enough to limit your speech to only one or two words between breaths?

ASK: New baseline youth respondents who had wheezing or whistling in the chest at any time in the past and had wheezing or whistling in the chest in the past 12 months, or continuing youth respondents who had wheezing or whistling in the chest in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0046_NB = 1 AND R05_YX0047_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0047_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	357	3.0 %
2	2 = No	1179	9.7 %
	Total	1,536	12.7%

This variable has 1,536 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10552	87.2 %
	Total	10,562	87.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10517-10524 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0052: In past 12 months, chest has sounded wheezy during or after exercise

In the past 12 months, has your chest sounded wheezy during or after exercise?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1537	12.7 %
2	2 = No	10464	86.5 %
	Total	12,001	99.2%

This variable has 12,001 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	85	0.7 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	97	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 10525-10532 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0053: In past 12 months, had a dry cough at night

A dry cough is a cough without phlegm or mucus. In the past 12 months, have you had a dry cough at night?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	2197	18.2 %
2	2 = No	9770	80.8 %
	Total	11,967	98.9%

This variable has 11,967 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	119	1.0 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	131	1.1%

Percentages for both tables are based on 12,098 total cases.

Location: 10533-10540 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YT0031_12M: In past 12 months, been told by a doctor, nurse or other health professional that you have asthma

In the past 12 months, have you been told by a doctor, nurse, or other health professional that you have asthma?

[IF ANY ANSWER IS PROVIDED; GO TO BOX R05_YXV03]

ASK: Continuing youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	920	7.6 %
2	2 = No	9488	78.4 %
	Total	10,408	86.0%

This variable has 10,408 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	1652	13.7 %
	Total	1,690	14.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10541-10548 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YT0031_NB: Ever been told by a doctor, nurse or other health professional that you have asthma

Have you ever been told by a doctor, nurse, or other health professional that you have asthma?

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	248	2.0 %
2	2 = No	1397	11.5 %
	Total	1,645	13.6%

This variable has 1,645 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	1	0.0 %

	Missing Data		
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,453	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 10549-10556 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YT0038_NB: DERIVED - Age range when you were first told you had asthma (3 levels)

Long Description: How old were you when you were first told you had asthma?

Algorithm: IF R05_YT0260_NB = 1 OR (0 <= R05_YT0038_NB <= 11) THEN
R05R_Y_YT0038_NB = 1; ELSE IF R05_YT0260_NB = 2 OR
(12 <= R05_YT0038_NB <= 14) THEN R05R_Y_YT0038_NB = 2; ELSE IF
R05_YT0260_NB = 3 OR (15 <= R05_YT0038_NB <= 17) THEN
R05R_Y_YT0038_NB = 3; ELSE IF R05_YT0038_NB = -9 OR
R05_YT0260_NB = -9 THEN R05R_Y_YT0038_NB = -99999; ELSE IF
R05_YT0038_NB = -8 OR R05_YT0260_NB = -8 THEN R05R_Y_YT0038_NB = -99988;
ELSE IF R05_YT0038_NB = -7 OR R05_YT0260_NB = -7 THEN
R05R_Y_YT0038_NB = -99977; ELSE IF R05_YT0038_NB = -5 THEN
R05R_Y_YT0038_NB = -99955; ELSE IF R05_YT0038_NB = -1 OR
R05_YT0260_NB = -1 THEN R05R_Y_YT0038_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	239	2.0 %
2	2 = 12 to 14 years old	6	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	245	2.0%

This variable has 245 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11850	98.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,853	98.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10557-10564 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YX0227: In past 30 days, amount of time your asthma kept you from getting as much done at work, school, or home

In the past 30 days, how much of the time did your asthma keep you from getting as much done at work, school, or at home?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = All of the time	37	0.3 %
2	2 = Most of the time	47	0.4 %
3	3 = Some of the time	139	1.1 %
4	4 = A little of the time	369	3.1 %
5	5 = None of the time	1886	15.6 %
	Total	2,478	20.5%

This variable has 2,478 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	9595	79.3 %
	Total	9,620	79.5%

Percentages for both tables are based on 12,098 total cases.

Location: 10565-10572 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0228: In past 30 days, how often had shortness of breath

In the past 30 days, how often have you had shortness of breath?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = More than once a day	64	0.5 %

Value	Label	Unweighted Frequency	%
2	2 = Once a day	123	1.0 %
3	3 = 3 - 6 times a week	124	1.0 %
4	4 = Once or twice a week	542	4.5 %
5	5 = None at all	1629	13.5 %
	Total	2,482	20.5%

This variable has 2,482 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	9595	79.3 %
	Total	9,616	79.5%

Percentages for both tables are based on 12,098 total cases.

Location: 10573-10580 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0229: In past 30 days, how often asthma symptoms woke you up at night or earlier than usual in the morning

In the past 30 days, how often did your asthma symptoms (such as wheezing, coughing, shortness of breath, chest tightness, or pain) wake you up at night or earlier than usual in the morning?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 4 or more nights a week	30	0.2 %
2	2 = 2 or 3 nights	70	0.6 %
3	3 = Once a week	70	0.6 %
4	4 = Once or twice	253	2.1 %
5	5 = None at all	2063	17.1 %
	Total	2,486	20.5%

This variable has 2,486 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	9595	79.3 %
	Total	9,612	79.5%

Percentages for both tables are based on 12,098 total cases.

Location: 10581-10588 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YT0022: In past 12 months, took medications for asthma regularly

In the past 12 months, have you taken medications regularly for asthma?

(Taken regularly means according to a health care provider's instructions.)

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YT0127.]

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	634	5.2 %
2	2 = No	1850	15.3 %
	Total	2,484	20.5%

This variable has 2,484 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	9595	79.3 %
	Total	9,614	79.5%

Percentages for both tables are based on 12,098 total cases.

Location: 10589-10596 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YT0036_01: In past 12 months, medications taken for asthma: Quick-relief inhaler

In the past 12 months, which of the following medications did you regularly take for asthma?

Quick-relief inhaler - for example: albuterol (ProAir, Ventolin, Xopenex), ipratropium (Atrovent), or a combination inhaler (Combivent)

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	509	4.2 %
2	2 = No	106	0.9 %
	Total	615	5.1%

This variable has 615 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	17	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11464	94.8 %
	Total	11,483	94.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10597-10604 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YT0036_02: In past 12 months, medications taken for asthma: Controller/long-acting inhaler

In the past 12 months, which of the following medications did you regularly take for asthma?

Controller or long-acting inhaler including steroid inhaler – for example: beclomethasone (Qvar), fluticasone (Flovent), salmeterol (Serevent), tiotropium (Spiriva), or a combination inhaler (Advair)

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	266	2.2 %
2	2 = No	344	2.8 %
	Total	610	5.0%

This variable has 610 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	11464	94.8 %
	Total	11,488	95.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10605-10612 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YT0036_03: In past 12 months, medications taken for asthma: Other controlling medication

In the past 12 months, which of the following medications did you regularly take for asthma?

Other controlling medication – for example: montelukast (Singulair), zafirlukast (Accolate), theophylline, roflumilast (Daliresp)

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	179	1.5 %
2	2 = No	432	3.6 %
	Total	611	5.1%

This variable has 611 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11464	94.8 %
	Total	11,487	94.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10613-10620 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YT0036_04: In past 12 months, medications taken for asthma: Other asthma medication

In the past 12 months, which of the following medications did you regularly take for asthma?

Other asthma medication

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	150	1.2 %
2	2 = No	464	3.8 %
	Total	614	5.1%

This variable has 614 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	11464	94.8 %
	Total	11,484	94.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10621-10628 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YT0125: In past 12 months, had an asthma attack that required use of an oral or injected steroid medication at the time of the attack

In the past 12 months, have you had an asthma attack that required use of an oral or injected steroid medication at the time of the attack? Examples of oral or injected steroid medications include prednisone, prednisolone (Orapred), and dexamethasone (Decadron).

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YT0127.]

ASK: Youth respondents who have ever had asthma and have taken medications regularly for asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0022 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	104	0.9 %
2	2 = No	525	4.3 %
	Total	629	5.2%

This variable has 629 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11464	94.8 %
	Total	11,469	94.8%

Percentages for both tables are based on 12,098 total cases.

Location: 10629-10636 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YT0039: In past 12 months, number of asthma attacks that required use of an oral or injected steroid medication

In the past 12 months, how many asthma attacks have you had that required use of an oral or injected steroid medication at the time of the attack?

___ Attacks requiring use

ASK: Youth respondents who ever had had asthma and have taken medications regularly for asthma in the past 12 months and had an asthma attack in the past 12 months that required use of an oral or injected steroid medication.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0022 = 1 AND R05_YT0125 = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 100 valid cases out of 12,098 total cases.

- Mean: 5.56
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 180.00
- Standard Deviation: 19.49

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	2	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11994	99.1 %
	Total	11,998	99.2%

Percentages for both tables are based on 12,098 total cases.

Location: 10637-10644 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YT0127: In past 12 months, visited an emergency room or urgent care center because of asthma

In the past 12 months, have you had to visit an emergency room or urgent care center because of asthma?

[If No (2), Don't know (-8), or Refused (-7), GO TO R05_YX0230.]

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	122	1.0 %
2	2 = No	2367	19.6 %
	Total	2,489	20.6%

This variable has 2,489 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	9595	79.3 %
	Total	9,609	79.4%

Percentages for both tables are based on 12,098 total cases.

Location: 10645-10652 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YT0282: In past 12 months, number of times you visited an emergency room or urgent care center because of asthma

In the past 12 months, how many times have you had to visit an emergency room or urgent care center because of asthma?

___ Visits due to asthma

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YXR42.]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0127 = 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 120 valid cases out of 12,098 total cases.

- Mean: 2.47
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 3.12

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	1	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11976	99.0 %
	Total	11,978	99.0 %

Percentages for both tables are based on 12,098 total cases.

Location: 10653-10660 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YX0695: In past 12 months, single visit to emergency room or urgent care center was due to an asthma attack (youth)

Was that visit due to an asthma attack?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YX0230]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center one time because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0127 = 1 AND R05_YT0282 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.3 %
2	2 = No	17	0.1 %
	Total	50	0.4 %

This variable has 50 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12048	99.6 %
	Total	12,048	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10661-10668 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0720: Number of visits to emergency room due to asthma attack (youth)

How many of those visits were due to an asthma attack?

___ Visits due to asthma attack

[If Don't know (-8), or Refused (-7), GO TO R05_YX0230.]

ASK: Youth respondents who have ever had asthma and visited an emergency room or urgent care center because of asthma in the past 12 months and visited an emergency room or urgent care center more than one time because of asthma in the past 12 months.

ASK Specification: IF R05_YOUTH_ASTHMA = 1 AND R05_YT0127 = 1 AND R05_YT0282 > 1.

[PROGRAM NOTE: Allow 3 digits.]

This variable has 62 valid cases out of 12,098 total cases.

- Mean: 3.32
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 3.15

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12036	99.5 %
	Total	12,036	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 10669-10676 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YX0230: In past 30 days, how often used a rescue inhaler, nebulizer treatment, or other controlling medication

In the past 30 days, how often have you used a rescue inhaler, nebulizer treatment, or other controlling medication (such as albuterol)?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = 3 or more times per day	27	0.2 %
2	2 = 1 or 2 times per day	95	0.8 %
3	3 = 2 or 3 times per week	99	0.8 %
4	4 = Once a week or less	333	2.8 %
5	5 = Not at all	1932	16.0 %
	Total	2,486	20.5%

This variable has 2,486 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	9595	79.3 %
	Total	9,612	79.5%

Percentages for both tables are based on 12,098 total cases.

Location: 10677-10684 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0231: In past 30 days, how would you rate your asthma control

How would you rate your asthma control during the past 30 days?

ASK: Youth respondents who have ever had asthma.

ASK Specification: IF R05_YOUTH_ASTHMA = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not controlled at all	54	0.4 %
2	2 = Poorly controlled	27	0.2 %
3	3 = Somewhat controlled	149	1.2 %

Value	Label	Unweighted Frequency	%
4	4 = Well controlled	593	4.9 %
5	5 = Completely controlled	1637	13.5 %
	Total	2,460	20.3%

This variable has 2,460 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	30	0.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	9595	79.3 %
	Total	9,638	79.7%

Percentages for both tables are based on 12,098 total cases.

Location: 10685-10692 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0003: In past 12 months, any medical doctor, dentist or other health professional advised you to stop using tobacco (including e-cigarettes or other electronic nicotine products)

In the past 12 months, did any medical doctor, dentist, or other health professional advise you to stop using tobacco[, including e-cigarettes or other electronic nicotine products]?

ASK: Youth respondents who have ever used tobacco.

ASK Specification: IF R05_EVER_USE_TOB = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	112	0.9 %
2	2 = No	2731	22.6 %
	Total	2,843	23.5%

This variable has 2,843 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	9223	76.2 %
	Total	9,255	76.5%

Percentages for both tables are based on 12,098 total cases.

Location: 10693-10700 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0158_01: In past 12 months, took Ibuprofen (Motrin, Advil, Naprosyn, or Aleve) even once

In the past 12 months, did you take any of the following medications, even once?

Ibuprofen (Motrin, Advil, Naprosyn, or Aleve)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	8587	71.0 %
2	2 = No	3409	28.2 %
	Total	11,996	99.2%

This variable has 11,996 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	87	0.7 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	102	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 10701-10708 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0158_02: In past 12 months, took Acetaminophen (Tylenol) even once

In the past 12 months, did you take any of the following medications, even once?

Acetaminophen (Tylenol)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	6890	57.0 %
2	2 = No	5048	41.7 %
	Total	11,938	98.7%

This variable has 11,938 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	132	1.1 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	160	1.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10709-10716 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0158_03: In past 12 months, took Aspirin even once

In the past 12 months, did you take any of the following medications, even once?

Aspirin

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3139	25.9 %
2	2 = No	8859	73.2 %
	Total	11,998	99.2%

This variable has 11,998 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	90	0.7 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	100	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 10717-10724 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0158_04: In past 12 months, took Cox-2 inhibitors (Celebrex) even once

In the past 12 months, did you take any of the following medications, even once?

Cox-2 inhibitors (Celebrex)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	145	1.2 %
2	2 = No	11849	97.9 %
	Total	11,994	99.1%

This variable has 11,994 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	92	0.8 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	104	0.9%

Percentages for both tables are based on 12,098 total cases.

Location: 10725-10732 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0330_12MH: Used a nicotine patch, nicotine gum, a nicotine inhaler, nicotine nasal spray, or lozenge in past 12 months (past 12 month tobacco non-users)

In the past 12 months, have you used a nicotine patch, nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YXR19.]

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	632	5.2 %
	Total	636	5.3%

This variable has 636 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %

	Missing Data		
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11456	94.7 %
	Total	11,462	94.7%

Percentages for both tables are based on 12,098 total cases.

Location: 10733-10740 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0161H_01: Type of nicotine replacement therapy product used in past 12 months: Nicotine patch (past year tobacco non-users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine patch

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10741-10748 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0161H_02: Type of nicotine replacement therapy product used in past 12 months: Nicotine gum (past year tobacco non-users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine gum

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10749-10756 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0161H_03: Type of nicotine replacement therapy product used in past 12 months: Nicotine inhaler (past year tobacco non-users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine inhaler

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10757-10764 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0161H_04: Type of nicotine replacement therapy product used in past 12 months: Nicotine nasal spray (past year tobacco non-users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine nasal spray

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10765-10772 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0161H_05: Type of nicotine replacement therapy product used in past 12 months: Nicotine lozenge (past year tobacco non-users)

Which product did you use in the past 12 months? Choose all that apply.

Nicotine lozenge

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1.

Value	Label	Unweighted Frequency	%
1	1 = Marked	0	0.0 %
2	2 = Not Marked	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10773-10780 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0347H: When last removed a nicotine patch (past year tobacco non-users)

When you last used a nicotine patch, when did you remove it?

[If I am currently wearing a nicotine patch (1), In the past hour (2), or Day before yesterday (5),
GO TO R05_YN0349H. If Three or more days ago (6), Don't know (-8), or Refused (-7), GO TO BOX R05_YNR10.]

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_01 = 1.

Value	Label	Unweighted Frequency	%
1	1 = I am currently wearing a nicotine patch	0	0.0 %

Value	Label	Unweighted Frequency	%
2	2 = In the past hour	0	0.0 %
3	3 = Sometime today, but more than an hour ago	0	0.0 %
4	4 = Yesterday	0	0.0 %
5	5 = Day before yesterday	0	0.0 %
6	6 = Three or more days ago	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10781-10788 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0348H: Number of hours since you removed a nicotine patch (past year tobacco non-users)

How many hours has it been since you removed a nicotine patch?

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and last used sometime today or yesterday.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_01 = 1 AND R05_YN0347H = 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = 1 to 4 hours	0	0.0 %
2	2 = 5 to 11 hours	0	0.0 %
3	3 = More than 12 hours	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10789-10796 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0349H: Strength of nicotine patch last used (past year tobacco non-users)

When you last used a nicotine patch [FILL BASED ON R05_YN0347H], what strength did you use? (If you are currently wearing a nicotine patch, please answer for the patch you are currently wearing.)

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used a nicotine patch in the past 12 months and are currently using a nicotine patch or last used in the past hour, sometime today, yesterday or the day before yesterday

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4
AND R05_YN0330_12MH = 1 AND R05_YN0161H_01
= 1 AND R05_YN0347H = 1, 2, 3, 4, 5.

Value	Label	Unweighted Frequency	%
1	1 = 21 mg (Step 1)	0	0.0 %
2	2 = 14 mg (Step 2)	0	0.0 %
3	3 = 7 mg (Step 3)	0	0.0 %
4	4 = Some other strength	0	0.0 %
5	5 = I don't know	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10797-10804 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0357H: When last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge (past year tobacco non-users)

When did you last use nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge?

[If In the past hour (1), GO TO R05_YN0359H. If Three or more days ago (5), Don't know (-8), or Refused (-7), GO TO BOX R05_YXR19.]

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_[02/03/04/05] = 1.

Value	Label	Unweighted Frequency	%
1	1 = In the past hour	0	0.0 %
2	2 = Sometime today, but more than an hour ago	0	0.0 %
3	3 = Yesterday	0	0.0 %
4	4 = Day before yesterday	0	0.0 %
5	5 = Three or more days ago	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10805-10812 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0358H: Time period of day when you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge (past year tobacco non-users)

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_YN0357H], was it...

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND

R05_YN0161H_[02/03/04/05] = 1 AND R05_YN0357H = 2, 3, 4.

Value	Label	Unweighted Frequency	%
1	1 = Between midnight and 6AM	0	0.0 %
2	2 = After 6AM but before noon	0	0.0 %
3	3 = Between noon and 6PM	0	0.0 %
4	4 = After 6PM but before midnight	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10813-10820 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YN0359H: Number of nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenges last used (past year tobacco non-users)

When you last used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge [FILL BASED ON R05_YN0357H], how many did you use?

—

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YXR19.]

ASK: Youth respondents who have ever used tobacco and are past year tobacco non-users and used nicotine replacement therapy in the past 12 months and have used nicotine gum, a nicotine inhaler, nicotine nasal spray or lozenge in the past 12 months and last used in the past hour, sometime today, yesterday, or the day before yesterday.

ASK Specification: IF R05_EVER_USE_TOB = 1 AND R05_PASTYEAR_TOB_USE = 4 AND R05_YN0330_12MH = 1 AND R05_YN0161H_[02/03/04/05] = 1 AND R05_YN0357H = 1, 2, 3, 4.

[PROGRAM NOTE: Allow 2 digits.]

Value	Label	Unweighted Frequency	%
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	12098	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 10821-10828 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YX0708_01: In past 12 months received discounts or coupons: Cigarettes

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Cigarettes

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	485	4.0 %
2	2 = Not Marked	11423	94.4 %
	Total	11,908	98.4%

This variable has 11,908 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	138	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	190	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10829-10836 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0708_02: In past 12 months received discounts or coupons: E-cigarettes or other electronic nicotine products

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

E-cigarettes or other electronic nicotine products (including e-liquid)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	518	4.3 %
2	2 = Not Marked	11390	94.1 %
	Total	11,908	98.4%

This variable has 11,908 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	138	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	190	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10837-10844 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0708_03: In past 12 months received discounts or coupons: Cigars

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Cigars

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	138	1.1 %
2	2 = Not Marked	11770	97.3 %
	Total	11,908	98.4%

This variable has 11,908 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	138	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	190	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10845-10852 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0708_04: In past 12 months received discounts or coupons: Shisha or hookah tobacco

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Shisha or hookah tobacco

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	50	0.4 %
2	2 = Not Marked	11858	98.0 %
	Total	11,908	98.4%

This variable has 11,908 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	138	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	190	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10853-10860 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0708_05: In past 12 months received discounts or coupons: Snus

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Snus

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	56	0.5 %
2	2 = Not Marked	11852	98.0 %
	Total	11,908	98.4%

This variable has 11,908 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	138	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	190	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10861-10868 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0708_06: In past 12 months received discounts or coupons: Other types of smokeless tobacco

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Other types of smokeless tobacco (such as dip, spit, or chew)

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	120	1.0 %
2	2 = Not Marked	11788	97.4 %
	Total	11,908	98.4%

This variable has 11,908 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	138	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	190	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10869-10876 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0708_07: In past 12 months received discounts or coupons: Some other type of tobacco

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

Some other type of tobacco product

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	60	0.5 %
2	2 = Not Marked	11848	97.9 %
	Total	11,908	98.4%

This variable has 11,908 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	138	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	190	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10877-10884 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0708_08: In past 12 months received discounts or coupons: None of the above

In the past 12 months, have you received discounts or coupons for any of the following products? Choose all that apply.

None of the above

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 8 is selected, options 1-7 cannot be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11091	91.7 %
2	2 = Not Marked	817	6.8 %
	Total	11,908	98.4%

This variable has 11,908 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	138	1.1 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	190	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 10885-10892 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0479: In past 30 days, used a discount coupon or promotion to purchase a tobacco product, including e-cigarettes or other electronic nicotine products

In the past 30 days, have you used a discount coupon or promotion to purchase a tobacco product, including e-cigarettes or other electronic nicotine products?

ASK: Youth respondents who have received discounts or coupons for a tobacco product.

ASK Specification: IF R05_YX0708_01 = 1 OR R05_YX0708_02 = 1 OR R05_YX0708_03 = 1 OR R05_YX0708_04 = 1 OR R05_YX0708_05 = 1 OR R05_YX0708_06 = 1 OR R05_YX0708_07 = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	44	0.4 %
2	2 = No	770	6.4 %
	Total	814	6.7%

This variable has 814 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11281	93.2 %
	Total	11,284	93.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10893-10900 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0678: In past 30 days, received a free sample of an e-cigarette or other electronic nicotine product

In the past 30 days, have you gotten a free sample of an e-cigarette or other electronic nicotine product (including e-liquid)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	86	0.7 %
2	2 = No	11980	99.0 %
	Total	12,066	99.7%

This variable has 12,066 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	14	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	32	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 10901-10908 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0182: In past 30 days, how often visited a convenience store, small market, or liquor store

In the past 30 days, how often did you visit a convenience store, small market, or liquor store?

[If Not at all (1), GO TO R05_YX0203.]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	4610	38.1 %
2	2 = Once in the past 30 days	1755	14.5 %
3	3 = 2-3 times in the past 30 days	2471	20.4 %
4	4 = Once a week	1590	13.1 %
5	5 = 2-3 times per week	1125	9.3 %
6	6 = Almost every day	453	3.7 %
	Total	12,004	99.2%

This variable has 12,004 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	74	0.6 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	94	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 10909-10916 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0183: In past 30 days, how often noticed ads for e-cigarettes or other electronic nicotine products when visiting convenience stores, small markets, or liquor stores

In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for e-cigarettes or other electronic nicotine products?

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R05_YX0182 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1200	9.9 %
2	2 = Rarely	1810	15.0 %
3	3 = Sometimes	2256	18.6 %
4	4 = Often	2170	17.9 %

Value	Label	Unweighted Frequency	%
	Total	7,436	61.5%

This variable has 7,436 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	40	0.3 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	4610	38.1 %
	Total	4,662	38.5%

Percentages for both tables are based on 12,098 total cases.

Location: 10917-10924 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0203_01: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Haven't seen any advertisements

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

I haven't seen any advertisements in the past 30 days

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	4570	37.8 %
2	2 = Not Marked	7279	60.2 %
	Total	11,849	97.9%

This variable has 11,849 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 10925-10932 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0203_02: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At gas stations, convenience stores or other retail stores

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5827	48.2 %
2	2 = Not Marked	6022	49.8 %
	Total	11,849	97.9%

This variable has 11,849 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 10933-10940 (width: 8; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0203_03: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On billboards

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On billboards

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2013	16.6 %
2	2 = Not Marked	9836	81.3 %
	Total	11,849	97.9%

This variable has 11,849 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 10941-10948 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0203_04: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: In newspapers or magazines

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

In newspapers or magazines

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1199	9.9 %
2	2 = Not Marked	10650	88.0 %
	Total	11,849	97.9%

This variable has 11,849 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 10949-10956 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0203_05: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On radio

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On radio

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1087	9.0 %
2	2 = Not Marked	10762	89.0 %
	Total	11,849	97.9%

This variable has 11,849 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 10957-10964 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0203_06: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On television

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On television

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2255	18.6 %
2	2 = Not Marked	9594	79.3 %
	Total	11,849	97.9%

This variable has 11,849 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 10965-10972 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0203_07: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At events such as fairs, festivals, or sporting events

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At events such as fairs, festivals, or sporting events

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	489	4.0 %
2	2 = Not Marked	11360	93.9 %
	Total	11,849	97.9%

This variable has 11,849 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 10973-10980 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0203_08: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: At nightclubs, bars, or music concerts

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	389	3.2 %
2	2 = Not Marked	11460	94.7 %
	Total	11,849	97.9%

This variable has 11,849 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 10981-10988 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0203_09: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: On websites or social media sites

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

On websites or social media sites

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2645	21.9 %
2	2 = Not Marked	9204	76.1 %
	Total	11,849	97.9%

This variable has 11,849 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 10989-10996 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0203_10: In past 30 days, noticed e-cigarettes or other electronic nicotine products being advertised: Somewhere else

In the past 30 days, have you noticed e-cigarettes or other electronic nicotine products being advertised in any of the following places? Choose all that apply.

Somewhere else

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	99	0.8 %
2	2 = Not Marked	11750	97.1 %
	Total	11,849	97.9%

This variable has 11,849 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	190	1.6 %
-7	-7 = Refused	59	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	249	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 10997-11004 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0709: Has a favorite e-cigarette or electronic nicotine product advertisement

Do you have a favorite e-cigarette or electronic nicotine product advertisement?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	244	2.0 %
2	2 = No	11817	97.7 %
	Total	12,061	99.7%

This variable has 12,061 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	37	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11005-11012 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0481: In past 30 days, obtained a free sample of a tobacco product

In the past 30 days, have you gotten a free sample of a tobacco product (not including e-cigarettes or electronic nicotine products)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	58	0.5 %
2	2 = No	12007	99.2 %
	Total	12,065	99.7%

This variable has 12,065 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	33	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11013-11020 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0178: In past 30 days, how often noticed tobacco ads when visiting convenience stores, small markets, or liquor stores

In the past 30 days, when you visited convenience stores, small markets, or liquor stores, how often did you see ads for cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products)?

ASK: Youth respondents who have visited a convenience store, small market, or liquor store in the past 30 days or did not know or refused to report if they visited a convenience store, small market, or liquor store in the past 30 days.

ASK Specification: IF R05_YX0182 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Never	1612	13.3 %
2	2 = Rarely	1900	15.7 %
3	3 = Sometimes	2162	17.9 %
4	4 = Often	1758	14.5 %
	Total	7,432	61.4%

This variable has 7,432 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	44	0.4 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	4610	38.1 %
	Total	4,666	38.6%

Percentages for both tables are based on 12,098 total cases.

Location: 11021-11028 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0677_01: In past 30 days, noticed cigarettes or other tobacco products being advertised: Haven't seen any advertisements

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

I haven't seen any advertisements in the past 30 days

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5335	44.1 %
2	2 = Not Marked	6500	53.7 %
	Total	11,835	97.8%

This variable has 11,835 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	1.6 %
-7	-7 = Refused	69	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	Total	263	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11029-11036 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0677_02: In past 30 days, noticed cigarettes or other tobacco products being advertised: At gas stations, convenience stores, or other retail stores

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

At gas stations, convenience stores, or other retail stores

ASK: All youth respondents.

ASK Specification:

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	5344	44.2 %
2	2 = Not Marked	6491	53.7 %
	Total	11,835	97.8%

This variable has 11,835 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	1.6 %
-7	-7 = Refused	69	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	Total	263	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11037-11044 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0677_03: In past 30 days, noticed cigarettes or other tobacco products being advertised: On billboards

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On billboards

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1601	13.2 %
2	2 = Not Marked	10234	84.6 %
	Total	11,835	97.8%

This variable has 11,835 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	1.6 %
-7	-7 = Refused	69	0.6 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	263	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11045-11052 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0677_04: In past 30 days, noticed cigarettes or other tobacco products being advertised: In newspapers or magazines

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

In newspapers or magazines

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	936	7.7 %
2	2 = Not Marked	10899	90.1 %
	Total	11,835	97.8%

This variable has 11,835 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	1.6 %
-7	-7 = Refused	69	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	Total	263	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11053-11060 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0677_05: In past 30 days, noticed cigarettes or other tobacco products being advertised: On radio

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On radio

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	778	6.4 %
2	2 = Not Marked	11057	91.4 %
	Total	11,835	97.8%

This variable has 11,835 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	1.6 %
-7	-7 = Refused	69	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	Total	263	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11061-11068 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0677_06: In past 30 days, noticed cigarettes or other tobacco products being advertised: On television

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On television

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1679	13.9 %
2	2 = Not Marked	10156	83.9 %
	Total	11,835	97.8%

This variable has 11,835 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	1.6 %
-7	-7 = Refused	69	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	Total	263	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11069-11076 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0677_07: In past 30 days, noticed cigarettes or other tobacco products being advertised: At events such as fairs, festivals, or sporting events

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

At events such as fairs, festivals, or sporting events

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	356	2.9 %
2	2 = Not Marked	11479	94.9 %
	Total	11,835	97.8%

This variable has 11,835 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	1.6 %
-7	-7 = Refused	69	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	Total	263	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11077-11084 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0677_08: In past 30 days, noticed cigarettes or other tobacco products being advertised: At nightclubs, bars, or music concerts

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

At nightclubs, bars, or music concerts

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	264	2.2 %
2	2 = Not Marked	11571	95.6 %
	Total	11,835	97.8%

This variable has 11,835 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	1.6 %
-7	-7 = Refused	69	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	Total	263	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11085-11092 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0677_09: In past 30 days, noticed cigarettes or other tobacco products being advertised: On websites or social media sites

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

On websites or social media sites

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	1606	13.3 %
2	2 = Not Marked	10229	84.6 %
	Total	11,835	97.8%

This variable has 11,835 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	1.6 %
-7	-7 = Refused	69	0.6 %
-1	-1 = Inapplicable	0	0.0 %
	Total	263	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11093-11100 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0677_10: In past 30 days, noticed cigarettes or other tobacco products being advertised: Somewhere else

In the past 30 days, have you noticed cigarettes or other tobacco products (not including e-cigarettes or electronic nicotine products) being advertised in any of the following places? Choose all that apply.

Somewhere else

ASK: All youth respondents.

[PROGRAM NOTE: Allow respondent to choose all that apply. If option 1 is selected, no other option can be selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	72	0.6 %
2	2 = Not Marked	11763	97.2 %
	Total	11,835	97.8%

This variable has 11,835 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	194	1.6 %
-7	-7 = Refused	69	0.6 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	263	2.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11101-11108 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0710: Have a favorite tobacco advertisement

Do you have a favorite tobacco advertisement?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	148	1.2 %
2	2 = No	11915	98.5 %
	Total	12,063	99.7%

This variable has 12,063 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	35	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11109-11116 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0234: In past 12 months, how often seen or heard of any ads on TV, the internet, or radio with the following slogan or theme: A Tip From a Former Smoker

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"A Tip From a Former Smoker"

[DISPLAY IMAGE OF TIPS CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	6060	50.1 %
2	2 = Rarely	2169	17.9 %
3	3 = Sometimes	2270	18.8 %
4	4 = Often	982	8.1 %
5	5 = Very often	567	4.7 %
	Total	12,048	99.6%

This variable has 12,048 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	44	0.4 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	50	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11117-11124 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0235: In past 12 months, how often seen or heard of any ads on TV, the internet, or radio with the following slogan or theme: Truth

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"Truth"

[DISPLAY IMAGE OF TRUTH CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	4030	33.3 %
2	2 = Rarely	1553	12.8 %
3	3 = Sometimes	2317	19.2 %
4	4 = Often	2163	17.9 %
5	5 = Very often	1991	16.5 %
	Total	12,054	99.6%

This variable has 12,054 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	44	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11125-11132 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0728: In past 12 months, how often seen or heard of any ads on TV, the internet, or radio with the following slogan or theme: Know the real costs

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"Know the real cost."

[DISPLAY IMAGE OF REAL COST CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	2284	18.9 %
2	2 = Rarely	1412	11.7 %
3	3 = Sometimes	2695	22.3 %
4	4 = Often	2737	22.6 %
5	5 = Very often	2945	24.3 %
	Total	12,073	99.8%

This variable has 12,073 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	21	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	25	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11133-11140 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0713: In past 12 months, how often seen or heard of any ads on TV, the internet, or radio with the following slogan or theme: Keep it Fresh. Live Tobacco-Free

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"Keep it Fresh. Live Tobacco-Free."

[DISPLAY IMAGE OF FRESH EMPIRE LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	8255	68.2 %
2	2 = Rarely	1442	11.9 %
3	3 = Sometimes	868	7.2 %
4	4 = Often	671	5.5 %
5	5 = Very often	829	6.9 %
	Total	12,065	99.7%

This variable has 12,065 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	26	0.2 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	33	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11141-11148 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0764: In past 12 months, how often seen or heard of any ads on TV, the internet or radio with slogan or theme: This Free Life. Freedom To Be. Tobacco-Free.

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"This Free Life. Freedom To Be. Tobacco-Free."

[DISPLAY IMAGE OF THIS FREE LIFE/LGBT CAMPAIGN LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	9891	81.8 %
2	2 = Rarely	1263	10.4 %
3	3 = Sometimes	499	4.1 %
4	4 = Often	210	1.7 %
5	5 = Very often	196	1.6 %
	Total	12,059	99.7%

This variable has 12,059 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	27	0.2 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	39	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11149-11156 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0765: In past 12 months, how often seen or heard of any ads on TV, the internet or radio with slogan or theme: Smokeless doesn't mean harmless.

In the past 12 months, how often have you seen or heard of any ads on television, the internet, or radio with the following slogan or theme?

"Smokeless doesn't mean harmless."

[DISPLAY IMAGE OF REAL COST SMOKELESS TOBACCO LOGO]

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Never	3197	26.4 %
2	2 = Rarely	1696	14.0 %
3	3 = Sometimes	2640	21.8 %
4	4 = Often	2124	17.6 %
5	5 = Very often	2408	19.9 %
	Total	12,065	99.7%

This variable has 12,065 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	29	0.2 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	33	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11157-11164 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0008: General perception: Most people disapprove of smoking cigarettes

In general, do you think most people disapprove of smoking cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	3150	26.0 %
2	2 = Probably yes	5818	48.1 %
3	3 = Probably not	2217	18.3 %
4	4 = Definitely not	729	6.0 %
	Total	11,914	98.5%

This variable has 11,914 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	171	1.4 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	184	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11165-11172 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0012: General perception: Most people disapprove of e-cigarettes or electronic nicotine products

In general, do you think most people disapprove of using e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Definitely yes	2024	16.7 %
2	2 = Probably yes	5162	42.7 %
3	3 = Probably not	3688	30.5 %
4	4 = Definitely not	1008	8.3 %
	Total	11,882	98.2%

This variable has 11,882 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	196	1.6 %
-7	-7 = Refused	20	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	216	1.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11173-11180 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0071: People who are important to you: Their views on tobacco use in general

Thinking about the people who are important to you, how would you describe their views on using tobacco in general?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	270	2.2 %
2	2 = Positive	474	3.9 %
3	3 = Neither positive nor negative	2673	22.1 %
4	4 = Negative	3298	27.3 %
5	5 = Very negative	5132	42.4 %
	Total	11,847	97.9%

This variable has 11,847 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	223	1.8 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	251	2.1%

Percentages for both tables are based on 12,098 total cases.

Location: 11181-11188 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YC1143: People who are important to you: Their views on smoking cigarettes

Thinking about the people who are important to you, how would you describe their views on the following?

Smoking cigarettes

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	295	2.4 %
2	2 = Positive	374	3.1 %
3	3 = Neither positive nor negative	1719	14.2 %
4	4 = Negative	2633	21.8 %
5	5 = Very negative	6919	57.2 %
	Total	11,940	98.7%

This variable has 11,940 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	125	1.0 %
-7	-7 = Refused	33	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	158	1.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11189-11196 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YV1143: People who are important to you: Their views on using e-cigarettes or other electronic nicotine products

Thinking about the people who are important to you, how would you describe their views on the following?

Using e-cigarettes or other electronic nicotine products

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	233	1.9 %
2	2 = Positive	500	4.1 %
3	3 = Neither positive nor negative	2101	17.4 %
4	4 = Negative	2861	23.6 %
5	5 = Very negative	6239	51.6 %
	Total	11,934	98.6%

This variable has 11,934 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	129	1.1 %
-7	-7 = Refused	35	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	164	1.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11197-11204 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YG1143: People who are important to you: Their views on smoking traditional cigars, cigarillos, or filtered cigars

Thinking about the people who are important to you, how would you describe their views on the following?

Smoking traditional cigars, cigarillos, or filtered cigars

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	196	1.6 %
2	2 = Positive	219	1.8 %
3	3 = Neither positive nor negative	1668	13.8 %
4	4 = Negative	2738	22.6 %
5	5 = Very negative	7106	58.7 %

Value	Label	Unweighted Frequency	%
	Total	11,927	98.6%

This variable has 11,927 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	133	1.1 %
-7	-7 = Refused	38	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	171	1.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11205-11212 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YH1143: People who are important to you: Their views on smoking shisha or hookah tobacco

Thinking about the people who are important to you, how would you describe their views on the following?

Smoking shisha or hookah tobacco

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	188	1.6 %
2	2 = Positive	159	1.3 %
3	3 = Neither positive nor negative	1546	12.8 %
4	4 = Negative	2600	21.5 %
5	5 = Very negative	7429	61.4 %
	Total	11,922	98.5%

This variable has 11,922 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	131	1.1 %
-7	-7 = Refused	45	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	176	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11213-11220 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YU1143: People who are important to you: Their views on using snus

Thinking about the people who are important to you, how would you describe their views on the following?

Using snus

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	180	1.5 %
2	2 = Positive	116	1.0 %
3	3 = Neither positive nor negative	1368	11.3 %
4	4 = Negative	2608	21.6 %
5	5 = Very negative	7651	63.2 %
	Total	11,923	98.6%

This variable has 11,923 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	134	1.1 %
-7	-7 = Refused	41	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	175	1.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11221-11228 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YS1143: People who are important to you: Their views on other types of smokeless tobacco

Thinking about the people who are important to you, how would you describe their views on the following?

Using other types of smokeless tobacco (such as dip, spit, or chew)

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very positive	199	1.6 %
2	2 = Positive	180	1.5 %
3	3 = Neither positive nor negative	1486	12.3 %
4	4 = Negative	2623	21.7 %
5	5 = Very negative	7447	61.6 %
	Total	11,935	98.7%

This variable has 11,935 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	127	1.0 %
-7	-7 = Refused	36	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	163	1.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11229-11236 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0741_01: People who are important to you use: Cigarettes

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

Cigarettes

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	3347	27.7 %
2	2 = Not Marked	8574	70.9 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	1.1 %

	Missing Data		
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11237-11244 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0741_02: People who are important to you use: E-cigarettes or other electronic nicotine products

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

E-cigarettes or other electronic nicotine products

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	2267	18.7 %
2	2 = Not Marked	9654	79.8 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	1.1 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11245-11252 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0741_03: People who are important to you use: Traditional Cigars

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

Traditional cigars

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	443	3.7 %
2	2 = Not Marked	11478	94.9 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	1.1 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11253-11260 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0741_04: People who are important to you use: Cigarillos

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

Cigarillos

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	266	2.2 %
2	2 = Not Marked	11655	96.3 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	128	1.1 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11261-11268 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0741_05: People who are important to you use: Filtered Cigars

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

Filtered cigars

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	149	1.2 %
2	2 = Not Marked	11772	97.3 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	1.1 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11269-11276 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0741_06: People who are important to you use: Pipe tobacco

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

Pipe tobacco

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	153	1.3 %
2	2 = Not Marked	11768	97.3 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	1.1 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11277-11284 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0741_07: People who are important to you use: Shisha or hookah tobacco

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

Shisha or hookah tobacco

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	195	1.6 %
2	2 = Not Marked	11726	96.9 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	128	1.1 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11285-11292 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0741_08: People who are important to you use: Snus

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

Snus

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	132	1.1 %
2	2 = Not Marked	11789	97.4 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	1.1 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11293-11300 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0741_09: People who are important to you use: Other types of smokeless tobacco

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

Other types of smokeless tobacco (such as dip, spit, or chew)

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	800	6.6 %
2	2 = Not Marked	11121	91.9 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	128	1.1 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11301-11308 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0741_10: People who are important to you use: None of the above

Thinking about the people who are important to you, do any of them use any of the following products?
Choose all that apply.

None of the above

ASK: All youth respondents.

[PROGRAM NOTE: Option 10 cannot be selected if any option 1-9 is selected.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	7079	58.5 %
2	2 = Not Marked	4842	40.0 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	128	1.1 %
-7	-7 = Refused	49	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11309-11316 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0680: How many of your best friends smoke cigarettes

How many of your best friends smoke cigarettes?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	10124	83.7 %
2	2 = A few	1315	10.9 %
3	3 = Some	392	3.2 %
4	4 = Most	141	1.2 %
5	5 = All	65	0.5 %
	Total	12,037	99.5%

This variable has 12,037 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.4 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	61	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11317-11324 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0681: How many of your best friends use e-cigarettes

How many of your best friends use e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	7564	62.5 %
2	2 = A few	2645	21.9 %
3	3 = Some	1012	8.4 %
4	4 = Most	666	5.5 %
5	5 = All	147	1.2 %
	Total	12,034	99.5%

This variable has 12,034 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	46	0.4 %
-7	-7 = Refused	18	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	64	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11325-11332 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0682: How many of your best friends smoke traditional cigars

How many of your best friends smoke traditional cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11404	94.3 %
2	2 = A few	392	3.2 %
3	3 = Some	138	1.1 %
4	4 = Most	51	0.4 %
5	5 = All	46	0.4 %
	Total	12,031	99.4%

This variable has 12,031 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.4 %
-7	-7 = Refused	16	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	67	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 11333-11340 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0683: How many of your best friends smoke cigarillos

How many of your best friends smoke cigarillos?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11316	93.5 %
2	2 = A few	396	3.3 %
3	3 = Some	184	1.5 %
4	4 = Most	79	0.7 %
5	5 = All	51	0.4 %
	Total	12,026	99.4%

This variable has 12,026 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.5 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	72	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 11341-11348 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0684: How many of your best friends smoke filtered cigars

How many of your best friends smoke filtered cigars?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11488	95.0 %
2	2 = A few	300	2.5 %
3	3 = Some	143	1.2 %
4	4 = Most	63	0.5 %
5	5 = All	36	0.3 %
	Total	12,030	99.4%

This variable has 12,030 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	59	0.5 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	68	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 11349-11356 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX9686: How many of your best friends smoke hookah

How many of your best friends smoke hookah?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11106	91.8 %
2	2 = A few	628	5.2 %
3	3 = Some	184	1.5 %
4	4 = Most	79	0.7 %
5	5 = All	43	0.4 %
	Total	12,040	99.5%

This variable has 12,040 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	50	0.4 %
-7	-7 = Refused	8	0.1 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	58	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11357-11364 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0693: How many best friends use snus

How many of your best friends use snus?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11639	96.2 %
2	2 = A few	242	2.0 %
3	3 = Some	99	0.8 %
4	4 = Most	30	0.2 %
5	5 = All	25	0.2 %
	Total	12,035	99.5%

This variable has 12,035 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	53	0.4 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	63	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11365-11372 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0685: How many of your best friends use smokeless tobacco

How many of your best friends use other types of smokeless tobacco (such as dip, spit, or chew)?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	11040	91.3 %
2	2 = A few	717	5.9 %
3	3 = Some	183	1.5 %
4	4 = Most	65	0.5 %
5	5 = All	36	0.3 %
	Total	12,041	99.5%

This variable has 12,041 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	44	0.4 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	57	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11373-11380 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0742: In past 12 months, disapproval of close friends and family led to thoughts about quitting

In the past 12 months, to what extent, if at all, has the disapproval of close friends and family led you to think about quitting?

[IF ANY ANSWER IS PROVIDED; GO TO R05_YX0714]

ASK: Youth respondents who are past year "not-light" tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE_LEVEL = 2.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	837	6.9 %
2	2 = Somewhat	457	3.8 %
3	3 = Very much	307	2.5 %
	Total	1,601	13.2%

This variable has 1,601 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	41	0.3 %
-7	-7 = Refused	12	0.1 %
-1	-1 = Inapplicable	10444	86.3 %
	Total	10,497	86.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11381-11388 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0743: In past 12 months, disapproval of close friends and family led to thoughts about not using

In the past 12 months, to what extent, if at all, has the disapproval of close friends and family led you to think about not using?

ASK: Youth respondents who are past year "very-light" tobacco users.

ASK Specification: IF R05_PASTYEAR_TOB_USE_LEVEL = 1.

Value	Label	Unweighted Frequency	%
1	1 = Not at all	281	2.3 %
2	2 = Somewhat	162	1.3 %
3	3 = Very much	194	1.6 %
	Total	637	5.3%

This variable has 637 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	12	0.1 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11447	94.6 %
	Total	11,461	94.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11389-11396 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0714: In past 12 months, parents talked with you about not using e-cigarettes or other electronic nicotine products

In the past 12 months, have your parents or guardians talked with you, even once, about not using

e-cigarettes or other electronic nicotine products?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5927	49.0 %
2	2 = No	6083	50.3 %
	Total	12,010	99.3%

This variable has 12,010 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	64	0.5 %
-7	-7 = Refused	24	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	88	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11397-11404 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0694: Parents reaction if they found out you used e-cigarettes or other electronic nicotine products

If your parents or guardians found you using e-cigarettes or other electronic nicotine products, how do you think they would react? Would they...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Be very upset	10698	88.4 %
2	2 = Not be too upset	891	7.4 %
3	3 = Have no reaction	409	3.4 %
	Total	11,998	99.2%

This variable has 11,998 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	71	0.6 %
-7	-7 = Refused	29	0.2 %

	Missing Data		
-1	-1 = Inapplicable	0	0.0 %
	Total	100	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11405-11412 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0500: In past 12 months, parents or guardians talked with you, even once, about not using any type of tobacco product

In the past 12 months, have your parents or guardians talked with you, even once, about not using any other type of tobacco product?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5311	43.9 %
2	2 = No	6691	55.3 %
	Total	12,002	99.2%

This variable has 12,002 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	70	0.6 %
-7	-7 = Refused	26	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	96	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11413-11420 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0200: Reaction if parent/guardian found you using tobacco

If your parents or guardians found you using tobacco, how do you think they would react? Would they...

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Be very upset	11046	91.3 %

Value	Label	Unweighted Frequency	%
2	2 = Not be too upset	640	5.3 %
3	3 = Have no reaction	342	2.8 %
	Total	12,028	99.4%

This variable has 12,028 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	51	0.4 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	70	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 11421-11428 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0715: Level of ease for youth to buy e-cigarettes or other electronic nicotine products

How easy do you think it is for people your age to buy e-cigarettes or other electronic nicotine products in a store?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very easy	1935	16.0 %
2	2 = Somewhat easy	3809	31.5 %
3	3 = Somewhat difficult	3333	27.6 %
4	4 = Very difficult	2799	23.1 %
	Total	11,876	98.2%

This variable has 11,876 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	193	1.6 %
-7	-7 = Refused	29	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	222	1.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11429-11436 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0716: In next 30 days, likely to purchase e-cigarettes or electronic nicotine products

How likely is it that you will try to purchase an e-cigarette or other electronic nicotine products within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	10145	83.9 %
2	2 = Somewhat unlikely	529	4.4 %
3	3 = Neither likely nor unlikely	739	6.1 %
4	4 = Somewhat likely	266	2.2 %
5	5 = Very likely	314	2.6 %
	Total	11,993	99.1%

This variable has 11,993 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	75	0.6 %
-7	-7 = Refused	30	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	105	0.9%

Percentages for both tables are based on 12,098 total cases.

Location: 11437-11444 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0499: How easy you think it is for people your age to buy tobacco products in a store

How easy do you think it is for people your age to buy tobacco products in a store?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very easy	1145	9.5 %
2	2 = Somewhat easy	2717	22.5 %

Value	Label	Unweighted Frequency	%
3	3 = Somewhat difficult	3918	32.4 %
4	4 = Very difficult	4122	34.1 %
	Total	11,902	98.4%

This variable has 11,902 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	173	1.4 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	196	1.6%

Percentages for both tables are based on 12,098 total cases.

Location: 11445-11452 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0501: In next 30 days, likeliness that you will try to purchase cigarettes

How likely is it that you will try to purchase cigarettes within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	10801	89.3 %
2	2 = Somewhat unlikely	297	2.5 %
3	3 = Neither likely nor unlikely	536	4.4 %
4	4 = Somewhat likely	171	1.4 %
5	5 = Very likely	205	1.7 %
	Total	12,010	99.3%

This variable has 12,010 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.5 %
-7	-7 = Refused	33	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	88	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11453-11460 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0502: In next 30 days, likeliness that you will try to purchase tobacco products other than cigarettes

How likely is it that you will try to purchase tobacco products other than cigarettes within the next 30 days?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Very unlikely	10828	89.5 %
2	2 = Somewhat unlikely	314	2.6 %
3	3 = Neither likely nor unlikely	530	4.4 %
4	4 = Somewhat likely	171	1.4 %
5	5 = Very likely	171	1.4 %
	Total	12,014	99.3%

This variable has 12,014 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	55	0.5 %
-7	-7 = Refused	29	0.2 %
-1	-1 = Inapplicable	0	0.0 %
	Total	84	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11461-11468 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0161: Last time you had significant problems with: Feeling very trapped, lonely, sad, blue, depressed or hopeless about the future

When was the last time that you had significant problems with...

feeling very trapped, lonely, sad, blue, depressed, or hopeless about the future?

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3252	26.9 %
2	2 = 2 to 12 months ago	1840	15.2 %
3	3 = Over a year ago	1285	10.6 %
4	4 = Never	5647	46.7 %
	Total	12,024	99.4%

This variable has 12,024 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.3 %
-7	-7 = Refused	43	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	74	0.6%

Percentages for both tables are based on 12,098 total cases.

Location: 11469-11476 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0162: Last time you had significant problems with: Sleep trouble - such as bad dreams, sleeping restlessly or falling asleep during the day

When was the last time that you had significant problems with...

sleep trouble, such as bad dreams, sleeping restlessly, or falling asleep during the day?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4140	34.2 %
2	2 = 2 to 12 months ago	1801	14.9 %
3	3 = Over a year ago	1073	8.9 %
4	4 = Never	4969	41.1 %
	Total	11,983	99.0%

This variable has 11,983 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %

	Missing Data		
-8	-8 = Don't know	48	0.4 %
-7	-7 = Refused	66	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	115	1.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11477-11484 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0163: Last time you had significant problems with: Feeling very anxious, nervous, tense, scared, panicked or like something bad was going to happen

When was the last time that you had significant problems with...

feeling very anxious, nervous, tense, scared, panicked, or like something bad was going to happen?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3981	32.9 %
2	2 = 2 to 12 months ago	1897	15.7 %
3	3 = Over a year ago	1125	9.3 %
4	4 = Never	4987	41.2 %
	Total	11,990	99.1%

This variable has 11,990 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	42	0.3 %
-7	-7 = Refused	65	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	108	0.9%

Percentages for both tables are based on 12,098 total cases.

Location: 11485-11492 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0164: Last time you had significant problems with: Becoming very distressed and upset when something reminded you of the past

When was the last time that you had significant problems with...

becoming very distressed and upset when something reminded you of the past?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3078	25.4 %
2	2 = 2 to 12 months ago	1807	14.9 %
3	3 = Over a year ago	1281	10.6 %
4	4 = Never	5686	47.0 %
	Total	11,852	98.0%

This variable has 11,852 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	120	1.0 %
-7	-7 = Refused	125	1.0 %
-1	-1 = Inapplicable	0	0.0 %
	Total	246	2.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11493-11500 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0165: Last time you did the following two or more times: Lied or conned to get things you wanted or to avoid having to do something

When was the last time that you did any of the following things two or more times...

lied or conned to get things you wanted or to avoid having to do something?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	2997	24.8 %
2	2 = 2 to 12 months ago	2325	19.2 %
3	3 = Over a year ago	1820	15.0 %

Value	Label	Unweighted Frequency	%
4	4 = Never	4855	40.1 %
	Total	11,997	99.2%

This variable has 11,997 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	48	0.4 %
-7	-7 = Refused	52	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	101	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11501-11508 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0166: Last time you did the following two or more times: Had a hard time paying attention at school, work or home

When was the last time that you did any of the following things two or more times...

had a hard time paying attention at school, work, or home?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	4079	33.7 %
2	2 = 2 to 12 months ago	2245	18.6 %
3	3 = Over a year ago	1214	10.0 %
4	4 = Never	4469	36.9 %
	Total	12,007	99.2%

This variable has 12,007 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	44	0.4 %
-7	-7 = Refused	46	0.4 %
-1	-1 = Inapplicable	0	0.0 %

	Missing Data		
	Total	91	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11509-11516 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0167: Last time you did the following two or more times: Had a hard time listening to instructions at school, work or home

When was the last time that you did any of the following things two or more times...

had a hard time listening to instructions at school, work, or home?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3227	26.7 %
2	2 = 2 to 12 months ago	1991	16.5 %
3	3 = Over a year ago	1282	10.6 %
4	4 = Never	5506	45.5 %
	Total	12,006	99.2%

This variable has 12,006 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	43	0.4 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	92	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11517-11524 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0168: Last time you did the following two or more times: Were a bully or threatened other people

When was the last time that you did any of the following things two or more times...

were a bully or threatened other people?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	440	3.6 %
2	2 = 2 to 12 months ago	484	4.0 %
3	3 = Over a year ago	1034	8.5 %
4	4 = Never	10045	83.0 %
	Total	12,003	99.2%

This variable has 12,003 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	45	0.4 %
-7	-7 = Refused	48	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	95	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11525-11532 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0169: Last time you did the following two or more times: Started physical fights with other people

When was the last time that you did any of the following things two or more times...

started physical fights with other people?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	404	3.3 %
2	2 = 2 to 12 months ago	617	5.1 %
3	3 = Over a year ago	1111	9.2 %
4	4 = Never	9863	81.5 %
	Total	11,995	99.1%

This variable has 11,995 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	2	0.0 %
-8	-8 = Don't know	47	0.4 %
-7	-7 = Refused	54	0.4 %
-1	-1 = Inapplicable	0	0.0 %
	Total	103	0.9%

Percentages for both tables are based on 12,098 total cases.

Location: 11533-11540 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0250: Last time you did the following two or more times: Felt restless or the need to run around or climb on things

When was the last time that you did any of the following things two or more times...

felt restless or the need to run around or climb on things?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	2122	17.5 %
2	2 = 2 to 12 months ago	1236	10.2 %
3	3 = Over a year ago	1018	8.4 %
4	4 = Never	7607	62.9 %
	Total	11,983	99.0%

This variable has 11,983 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	55	0.5 %
-7	-7 = Refused	57	0.5 %
-1	-1 = Inapplicable	0	0.0 %
	Total	115	1.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11541-11548 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0251: Last time you did the following two or more times: Gave answers before the other person finished asking the question

When was the last time that you did any of the following things two or more times...

gave answers before the other person finished asking the question?

ASK: All youth respondents.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Past month	3733	30.9 %
2	2 = 2 to 12 months ago	1645	13.6 %
3	3 = Over a year ago	936	7.7 %
4	4 = Never	5563	46.0 %
	Total	11,877	98.2%

This variable has 11,877 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	3	0.0 %
-8	-8 = Don't know	125	1.0 %
-7	-7 = Refused	93	0.8 %
-1	-1 = Inapplicable	0	0.0 %
	Total	221	1.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11549-11556 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0510_NB: Agree/disagree: Like to do frightening things

Please answer how much you agree or disagree with each of the following statements:

I like to do frightening things.

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	78	0.6 %
2	2 = Agree	215	1.8 %
3	3 = Neither agree nor disagree	345	2.9 %
4	4 = Disagree	372	3.1 %
5	5 = Strongly disagree	626	5.2 %
	Total	1,636	13.5%

This variable has 1,636 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	9	0.1 %
-7	-7 = Refused	6	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,462	86.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11557-11564 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0515_NB: Agree/disagree: Like new and exciting experiences, even if I have to break the rules

Please answer how much you agree or disagree with each of the following statements:

I like new and exciting experiences, even if I have to break the rules.

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	79	0.7 %
2	2 = Agree	194	1.6 %
3	3 = Neither agree nor disagree	333	2.8 %
4	4 = Disagree	425	3.5 %
5	5 = Strongly disagree	604	5.0 %
	Total	1,635	13.5%

This variable has 1,635 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	7	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,463	86.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11565-11572 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0520_NB: Agree/disagree: Prefer friends who are exciting and unpredictable

Please answer how much you agree or disagree with each of the following statements:

I prefer friends who are exciting and unpredictable.

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

NOTES: ***DATA ERROR: Some respondents have missing data (-9) for this variable.

Value	Label	Unweighted Frequency	%
1	1 = Strongly agree	159	1.3 %
2	2 = Agree	351	2.9 %
3	3 = Neither agree nor disagree	589	4.9 %
4	4 = Disagree	238	2.0 %
5	5 = Strongly disagree	290	2.4 %
	Total	1,627	13.4%

This variable has 1,627 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	1	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,471	86.6%

Percentages for both tables are based on 12,098 total cases.

Location: 11573-11580 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0084_NB: Ever used alcohol at all

The next questions ask about your use of alcohol and other drugs.
Remember all information you give to the PATH Study will be kept private.

Have you ever used alcohol at all, including sips of someone's drink or your own drink?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YXR06.]

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	273	2.3 %
2	2 = No	1365	11.3 %
	Total	1,638	13.5%

This variable has 1,638 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	5	0.0 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,460	86.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11581-11588 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YX0086_NB: DERIVED - Age range when first drank alcohol at all, counting small tastes or sips (3 levels)

Long Description: About how old were you when you first drank alcohol at all, counting small tastes or sips?

Algorithm: IF R05_YX0087_NB = 1 OR (0 <= R05_YX0086_NB <= 11) THEN
R05R_Y_YX0086_NB = 1; ELSE IF R05_YX0087_NB = 2 OR
(12 <= R05_YX0086_NB <= 14) THEN R05R_Y_YX0086_NB = 2; ELSE IF
R05_YX0087_NB = 3 OR (15 <= R05_YX0086_NB <= 17) THEN
R05R_Y_YX0086_NB = 3; ELSE IF R05_YX0087_NB = -9 OR
R05_YX0086_NB = -9 THEN R05R_Y_YX0086_NB = -99999; ELSE IF
R05_YX0087_NB = -8 OR R05_YX0086_NB = -8 THEN R05R_Y_YX0086_NB = -99988;
ELSE IF R05_YX0087_NB = -7 OR R05_YX0086_NB = -7 THEN
R05R_Y_YX0086_NB = -99977; ELSE IF R05_YX0086_NB = -5 THEN

R05R_Y_YX0086_NB = -99955; ELSE IF R05_YX0087_NB = -1 OR
R05_YX0086_NB = -1 THEN R05R_Y_YX0086_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	213	1.8 %
2	2 = 12 to 14 years old	54	0.4 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	267	2.2%

This variable has 267 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	4	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11825	97.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,831	97.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11589-11596 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05R_Y_YX0074_NB: DERIVED - Age range when had first alcoholic drink, other than small tastes or sips (3 levels)

Long Description: About how old were you when you had your first alcoholic drink, other than small tastes or sips?

Algorithm: IF R05_YX0270_NB = 1 OR (0 <= R05_YX0074_NB <= 11) THEN
R05R_Y_YX0074_NB = 1 ; ELSE IF R05_YX0270_NB = 2 OR
(12 <= R05_YX0074_NB <= 14) THEN R05R_Y_YX0074_NB = 2 ; ELSE IF
R05_YX0270_NB = 3 OR (15 <= R05_YX0074_NB <= 17) THEN
R05R_Y_YX0074_NB = 3 ; ELSE IF R05_YX0074_NB = -2 THEN
R05R_Y_YX0074_NB = -2; ELSE IF R05_YX0270_NB = -9 OR R05_YX0074_NB
= -9 THEN R05R_Y_YX0074_NB = -99999; ELSE IF R05_YX0270_NB = -8 OR
R05_YX0074_NB = -8 THEN R05R_Y_YX0074_NB = -99988; ELSE IF
R05_YX0270_NB = -7 OR R05_YX0074_NB = -7 THEN R05R_Y_YX0074_NB = -99977;
ELSE IF R05_YX0074_NB = -5 THEN R05R_Y_YX0074_NB = -99955; ELSE IF
R05_YX0270_NB = -1 OR R05_YX0074_NB = -1 THEN R05R_Y_YX0074_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	45	0.4 %
2	2 = 12 to 14 years old	23	0.2 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	68	0.6%

This variable has 68 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	5	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11825	97.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-2	-2 = I have never had an alcoholic drink other than small tastes or sips	200	1.7 %
	Total	12,030	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11597-11604 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777 , -2

R05_YX0077_NB: At the age you first started drinking, did you also smoke cigarettes or use any other tobacco products

When you first used alcohol when you were {AGE OF FIRST ALCOHOL USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have ever used alcohol and whose age of first tobacco use precedes age of first alcohol use.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0084_NB = 1 AND R05_YX0074_NB > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	3	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11605-11612 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0084_12M: In past 12 months, used alcohol at all

[The next questions ask about your use of alcohol and other drugs. Remember all information you give to the PATH Study will be kept private.]

]In the past 12 months, have you used any alcohol, including small sips or tastes?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YXR06.]

ASK: New baseline youth respondents who have ever used alcohol, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	3052	25.2 %
2	2 = No	7632	63.1 %
	Total	10,684	88.3%

This variable has 10,684 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	17	0.1 %
-1	-1 = Inapplicable	1379	11.4 %
	Total	1,414	11.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11613-11620 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0673: In past 30 days, used alcohol

Have you used alcohol in the past 30 days?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YXR06.]

ASK: New baseline youth respondents who have ever used alcohol and have used alcohol in the past 12 months, or continuing youth respondents who have used alcohol in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0084_12M = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0084_12M = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1227	10.1 %
2	2 = No	1821	15.1 %
	Total	3,048	25.2%

This variable has 3,048 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	9046	74.8 %
	Total	9,050	74.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11621-11628 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0075: In past 30 days, number of days drank one or more alcoholic beverages

In the past 30 days, on how many days did you have one or more alcoholic drinks?

A drink is a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

___ Days

ASK: New baseline youth respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days, or continuing youth respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1).

[PROGRAM NOTE: Range check: 0-30 days.]

This variable has 1,214 valid cases out of 12,098 total cases.

- Mean: 2.87
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.24

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	5	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	10871	89.9 %
	Total	10,884	90.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11629-11636 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YX0076: In past 30 days, number of drinks usually consumed on days drank

On average, on those days that you drank in the past 30 days, how many alcoholic drinks did you usually have each day?

Count a drink as a can or bottle of beer; a wine cooler or a glass of wine, champagne, or sherry; a shot of liquor or a mixed drink or cocktail.

___ Drinks per day

[If Don't know (-8), or Refused (-7), GO TO BOX R05_YXR06.]

ASK: New baseline youth respondents who have ever used alcohol and have used alcohol in the past 12 months and have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days, or continuing youth respondents who have used alcohol in the past 12 months and have used alcohol in the past 30 days and have had an alcoholic drink on one or more of the past 30 days.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0084_NB = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1 AND R05_YX0075 > 0) OR (R05_YOUTHTYPE = 1 AND R05_YX0084_12M = 1 AND R05_YX0673 = 1 AND R05_YX0075 > 0).

[PROGRAM NOTE: Allow 2 digits.]

This variable has 1,048 valid cases out of 12,098 total cases.

- Mean: 2.59
- Median: 1.00
- Mode: 1.00

- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 3.67

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	8	0.1 %
-7	-7 = Refused	0	0.0 %
-5	-5 = Improbable response removed	0	0.0 %
-1	-1 = Inapplicable	11042	91.3 %
	Total	11,050	91.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11637-11644 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -5 , -1

R05_YX0085_NB: Ever used marijuana, hash, THC or grass

Have you ever used marijuana, hash, THC, grass, pot, or weed?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YXD02.]

ASK: New baseline youth respondents who have not ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or did not know or refused to report if they had ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it, and who have not ever smoked marijuana from a hookah or did not know or refused to report if they had ever smoked marijuana from a hookah and who have not ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP or did not know or refused to report if they had ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_YG9105_NB != 1 AND R05_YH9031 != 1 AND R05_YV9042 != 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	9	0.1 %
2	2 = No	1605	13.3 %
	Total	1,614	13.3%

This variable has 1,614 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	3	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10481	86.6 %

	Missing Data		
	Total	10,484	86.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11645-11652 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YX0079_NB: DERIVED - Age range when first used marijuana, hash, THC or grass (3 levels)

Long Description: How old were you when you first used marijuana, hash, THC, grass?

Algorithm: IF R05_YX0271_NB = 1 OR (0 <= R05_YX0079_NB <= 11) THEN
R05R_Y_YX0079_NB = 1; ELSE IF R05_YX0271_NB = 2 OR
(12 <= R05_YX0079_NB <= 14) THEN R05R_Y_YX0079_NB = 2; ELSE IF
R05_YX0271_NB = 3 OR (15 <= R05_YX0079_NB <= 17) THEN
R05R_Y_YX0079_NB = 3; ELSE IF R05_YX0271_NB = -9 OR
R05_YX0079_NB = -9 THEN R05R_Y_YX0079_NB = -99999; ELSE IF
R05_YX0271_NB = -8 OR R05_YX0079_NB = -8 THEN R05R_Y_YX0079_NB = -99988;
ELSE IF R05_YX0271_NB = -7 OR R05_YX0079_NB = -7 THEN
R05R_Y_YX0079_NB = -99977; ELSE IF R05_YX0079_NB = -5 THEN
R05R_Y_YX0079_NB = -99955; ELSE IF R05_YX0271_NB = -1 OR
R05_YX0079_NB = -1 THEN R05R_Y_YX0079_NB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	21	0.2 %
2	2 = 12 to 14 years old	14	0.1 %
3	3 = 15 to 17 years old	1	0.0 %
	Total	36	0.3%

This variable has 36 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12054	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,062	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11653-11660 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YX0080_NB: At the age you first started using marijuana, did you also smoke cigarettes or use any other tobacco products

When you first used marijuana when you were {AGE OF FIRST MARIJUANA USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have ever used marijuana, hash, THC, grass, pot, or weed or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP and whose age of first tobacco use precedes age of first marijuana use.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1) AND R05_YX0079_NB > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	4	0.0 %
2	2 = No	6	0.0 %
	Total	10	0.1%

This variable has 10 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12088	99.9 %
	Total	12,088	99.9%

Percentages for both tables are based on 12,098 total cases.

Location: 11661-11668 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0085_12M: In past 12 months, used marijuana, hash, THC or grass

In the past 12 months, have you used marijuana, hash, THC, grass, pot, or weed?

[If No (2), Don't know (-8), or Refused (-7), GO TO BOX R05_YXR28.]

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot, or weed or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP, or continuing youth respondents who did not smoke part or all of a

traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months or did not know or refused to report if they smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1) AND R05_YG9107 != 1) OR (R05_YOUTHTYPE = 1 AND R05_YG9107 != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	754	6.2 %
2	2 = No	8863	73.3 %
	Total	9,617	79.5%

This variable has 9,617 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	2435	20.1 %
	Total	2,481	20.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11669-11676 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0675: In past 30 days, used marijuana

Have you used marijuana, hash, THC, grass, pot, or weed in the past 30 days?

ASK: New baseline youth respondents who have ever used marijuana, hash, THC, grass, pot, or weed or have ever smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it or have ever smoked marijuana from a hookah or have ever used marijuana, marijuana concentrates, marijuana waxes, THC, or hash oils in an ENP, and are not past 30 day blunt-only traditional cigar, cigarillo, or filtered cigar smokers, or continuing youth respondents who have used marijuana, hash, THS, grass, pot, or weed in the past 12 months or have smoked part or all of a traditional cigar, cigarillo, or filtered cigar with marijuana in it in the past 12 months, and are not past 30 day blunt-only traditional cigar, cigarillo, or filtered cigar smokers.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND (R05_YX0085_NB = 1 OR R05_YG9105_NB = 1 OR R05_YH9031 = 1 OR R05_YV9042 = 1) AND (R05_YX0085_12M = 1 OR R05_YG9107 = 1) AND R05_30DBLUNT_ONLY_BTRAD != 1 AND R05_30DBLUNT_ONLY_BRILLO != 1 AND R05_30DBLUNT_ONLY_BFILTR != 1) OR (R05_YOUTHTYPE = 1 AND (R05_YX0085_12M = 1 OR R05_YG9107 = 1) AND R05_30DBLUNT_ONLY_BTRAD != 1 AND R05_30DBLUNT_ONLY_BRILLO != 1 AND R05_30DBLUNT_ONLY_BFILTR != 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	713	5.9 %
2	2 = No	630	5.2 %

Value	Label	Unweighted Frequency	%
	Total	1,343	11.1%

This variable has 1,343 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10755	88.9 %
	Total	10,755	88.9%

Percentages for both tables are based on 12,098 total cases.

Location: 11677-11684 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0089_NB_01: Ever used prescription drug not prescribed to you: Ritalin® or Adderall®

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	19	0.2 %
2	2 = No	1614	13.3 %
	Total	1,633	13.5%

This variable has 1,633 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	4	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,465	86.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11685-11692 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YX0082_NB_01: DERIVED - Age range when first used: Ritalin® or Adderall® (3 levels)

Long Description: How old were you when you first used Ritalin® or Adderall®?

Algorithm: IF R05_YX0272_NB_01 = 1 OR (0 <= R05_YX0082_NB_01 <= 11) THEN R05R_Y_YX0082_NB_01 = 1 ; ELSE IF R05_YX0272_NB_01 = 2 OR (12 <= R05_YX0082_NB_01 <= 14) THEN R05R_Y_YX0082_NB_01 = 2 ; ELSE IF R05_YX0272_NB_01 = 3 OR (15 <= R05_YX0082_NB_01 <= 17) THEN R05R_Y_YX0082_NB_01 = 3 ; ELSE IF R05_YX0272_NB_01 = -9 OR R05_YX0082_NB_01 = -9 THEN R05R_Y_YX0082_NB_01 = -99999; ELSE IF R05_YX0272_NB_01 = -8 OR R05_YX0082_NB_01 = -8 THEN R05R_Y_YX0082_NB_01 = -99988; ELSE IF R05_YX0272_NB_01 = -7 OR R05_YX0082_NB_01 = -7 THEN R05R_Y_YX0082_NB_01 = -99977; ELSE IF R05_YX0082_NB_01 = -5 THEN R05R_Y_YX0082_NB_01 = -99955; ELSE IF R05_YX0272_NB_01 = -1 OR R05_YX0082_NB_01 = -1 THEN R05R_Y_YX0082_NB_01 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	16	0.1 %
2	2 = 12 to 14 years old	3	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	19	0.2%

This variable has 19 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12079	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11693-11700 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YX0083_NB_01: At the age you first started using Ritalin® or Adderall®, did you also smoke cigarettes or use any other tobacco products

When you first used Ritalin® or Adderall® when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0089_NB_01 = 1 AND R05_YX0082_NB_01 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	3	0.0 %
	Total	4	0.0%

This variable has 4 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12094	100.0 %
	Total	12,094	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11701-11708 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0089_NB_02: Ever used prescription drug not prescribed to you: Painkillers, sedatives or tranquilizers

Have you ever used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.4 %
2	2 = No	1584	13.1 %

Value	Label	Unweighted Frequency	%
	Total	1,631	13.5%

This variable has 1,631 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	16	0.1 %
-7	-7 = Refused	5	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,467	86.5%

Percentages for both tables are based on 12,098 total cases.

Location: 11709-11716 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YX0082_NB_02: DERIVED - Age range when first used: Painkillers, sedatives or tranquilizers (3 levels)

Long Description: How old were you when you first used painkillers, sedatives or tranquilizers?

Algorithm: IF R05_YX0272_NB_02 = 1 OR (0 <= R05_YX0082_NB_02 <= 11) THEN
R05R_Y_YX0082_NB_02 = 1 ; ELSE IF R05_YX0272_NB_02 = 2 OR
(12 <= R05_YX0082_NB_02 <= 14) THEN R05R_Y_YX0082_NB_02 = 2 ; ELSE IF
R05_YX0272_NB_02 = 3 OR (15 <= R05_YX0082_NB_02 <= 17) THEN
R05R_Y_YX0082_NB_02 = 3 ; ELSE IF R05_YX0272_NB_02 = -9 OR
R05_YX0082_NB_02 = -9 THEN R05R_Y_YX0082_NB_02 = -99999; ELSE IF
R05_YX0272_NB_02 = -8 OR R05_YX0082_NB_02 = -8 THEN
R05R_Y_YX0082_NB_02 = -99988; ELSE IF R05_YX0272_NB_02 = -7 OR
R05_YX0082_NB_02 = -7 THEN R05R_Y_YX0082_NB_02 = -99977; ELSE IF
R05_YX0082_NB_02 = -5 THEN R05R_Y_YX0082_NB_02 = -99955; ELSE IF
R05_YX0272_NB_02 = -1 OR R05_YX0082_NB_02 = -1 THEN
R05R_Y_YX0082_NB_02 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	37	0.3 %
2	2 = 12 to 14 years old	7	0.1 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	44	0.4%

This variable has 44 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12051	99.6 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,054	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 11717-11724 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YX0083_NB_02: At the age you first started using painkillers, sedatives or tranquilizers, did you also smoke cigarettes or use any other tobacco products

When you first used painkillers, sedatives, or tranquilizers not prescribed for them when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0089_NB_02 = 1 AND R05_YX0082_NB_02 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	1	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12097	100.0 %
	Total	12,097	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11725-11732 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0220_NB_01: Ever used substance: Cocaine or crack

Have you ever used any of the following substances?

Cocaine or crack

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	1647	13.6 %
	Total	1,648	13.6%

This variable has 1,648 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	4	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,450	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11733-11740 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YX0082_NB_03: DERIVED - Age range when first used: Cocaine or crack (3 levels)

Long Description: How old were you when you first used cocaine or crack?

Algorithm: IF R05_YX0272_NB_03 = 1 OR (0 <= R05_YX0082_NB_03 <= 11) THEN
R05R_Y_YX0082_NB_03 = 1 ; ELSE IF R05_YX0272_NB_03 = 2 OR
(12 <= R05_YX0082_NB_03 <= 14) THEN R05R_Y_YX0082_NB_03 = 2 ; ELSE IF
R05_YX0272_NB_03 = 3 OR (15 <= R05_YX0082_NB_03 <= 17) THEN
R05R_Y_YX0082_NB_03 = 3 ; ELSE IF R05_YX0272_NB_03 = -9 OR
R05_YX0082_NB_03 = -9 THEN R05R_Y_YX0082_NB_03 = -99999; ELSE IF
R05_YX0272_NB_03 = -8 OR R05_YX0082_NB_03 = -8 THEN
R05R_Y_YX0082_NB_03 = -99988; ELSE IF R05_YX0272_NB_03 = -7 OR
R05_YX0082_NB_03 = -7 THEN R05R_Y_YX0082_NB_03 = -99977; ELSE IF
R05_YX0082_NB_03 = -5 THEN R05R_Y_YX0082_NB_03 = -99955; ELSE IF

R05_YX0272_NB_03 = -1 OR R05_YX0082_NB_03 = -1 THEN
R05R_Y_YX0082_NB_03 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	0	0.0 %
2	2 = 12 to 14 years old	0	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12097	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11741-11748 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YX0083_NB_03: At the age you first started using cocaine or crack, did you also smoke cigarettes or use any other tobacco products

When you first used cocaine or crack when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0220_NB_01 = 1 AND R05_YX0082_NB_03 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	0	0.0 %
	Total	0	0.0%

This variable has 0 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12098	100.0 %
	Total	12,098	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11749-11756 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0220_NB_02: Ever used substance: Stimulants like methamphetamine or speed

Have you ever used any of the following substances?

Stimulants like methamphetamine or speed

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	1639	13.5 %
	Total	1,644	13.6%

This variable has 1,644 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	6	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,454	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11757-11764 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YX0082_NB_04: DERIVED - Age range when first used: Stimulants like methamphetamine or speed (3 levels)

Long Description: How old were you when you first used stimulants like methamphetamine or speed?

Algorithm: IF R05_YX0272_NB_04 = 1 OR (0 <= R05_YX0082_NB_04 <= 11) THEN
R05R_Y_YX0082_NB_04 = 1 ; ELSE IF R05_YX0272_NB_04 = 2 OR
(12 <= R05_YX0082_NB_04 <= 14) THEN R05R_Y_YX0082_NB_04 = 2 ; ELSE IF
R05_YX0272_NB_04 = 3 OR (15 <= R05_YX0082_NB_04 <= 17) THEN
R05R_Y_YX0082_NB_04 = 3 ; ELSE IF R05_YX0272_NB_04 = -9 OR
R05_YX0082_NB_04 = -9 THEN R05R_Y_YX0082_NB_04 = -99999; ELSE IF
R05_YX0272_NB_04 = -8 OR R05_YX0082_NB_04 = -8 THEN
R05R_Y_YX0082_NB_04 = -99988; ELSE IF R05_YX0272_NB_04 = -7 OR
R05_YX0082_NB_04 = -7 THEN R05R_Y_YX0082_NB_04 = -99977; ELSE IF
R05_YX0082_NB_04 = -5 THEN R05R_Y_YX0082_NB_04 = -99955; ELSE IF
R05_YX0272_NB_04 = -1 OR R05_YX0082_NB_04 = -1 THEN
R05R_Y_YX0082_NB_04 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	4	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	5	0.0%

This variable has 5 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12093	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,093	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11765-11772 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YX0083_NB_04: At the age you first started using stimulants such as, methamphetamine or speed, did you also smoke cigarettes or use any other tobacco products

When you first used stimulants like methamphetamine or speed when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0220_NB_02 = 1 AND R05_YX0082_NB_04 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12097	100.0 %
	Total	12,097	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11773-11780 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0220_NB_03: Ever used substance: Any other drugs like heroin, inhalants, solvents or hallucinogens

Have you ever used any of the following substances?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: New baseline youth respondents.

ASK Specification: IF R05_YOUTHTYPE = 2.

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	1646	13.6 %
	Total	1,647	13.6%

This variable has 1,647 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	2	0.0 %
-7	-7 = Refused	3	0.0 %
-1	-1 = Inapplicable	10446	86.3 %
	Total	10,451	86.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11781-11788 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YX0082_NB_05: DERIVED - Age range when first used: Any other drugs like heroin, inhalants, solvents or hallucinogens (3 levels)

Long Description: How old were you when you first used any other drugs like heroin, inhalants, solvents or hallucinogens?

Algorithm: IF R05_YX0272_NB_05 = 1 OR (0 <= R05_YX0082_NB_05 <= 11) THEN
R05R_Y_YX0082_NB_05 = 1 ; ELSE IF R05_YX0272_NB_05 = 2 OR
(12 <= R05_YX0082_NB_05 <= 14) THEN R05R_Y_YX0082_NB_05 = 2 ; ELSE IF
R05_YX0272_NB_05 = 3 OR (15 <= R05_YX0082_NB_05 <= 17) THEN
R05R_Y_YX0082_NB_05 = 3 ; ELSE IF R05_YX0272_NB_05 = -9 OR
R05_YX0082_NB_05 = -9 THEN R05R_Y_YX0082_NB_05 = -99999; ELSE IF
R05_YX0272_NB_05 = -8 OR R05_YX0082_NB_05 = -8 THEN
R05R_Y_YX0082_NB_05 = -99988; ELSE IF R05_YX0272_NB_05 = -7 OR
R05_YX0082_NB_05 = -7 THEN R05R_Y_YX0082_NB_05 = -99977; ELSE IF
R05_YX0082_NB_05 = -5 THEN R05R_Y_YX0082_NB_05 = -99955; ELSE IF
R05_YX0272_NB_05 = -1 OR R05_YX0082_NB_05 = -1 THEN
R05R_Y_YX0082_NB_05 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Less than 12 years old	0	0.0 %
2	2 = 12 to 14 years old	1	0.0 %
3	3 = 15 to 17 years old	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12097	100.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,097	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11789-11796 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YX0083_NB_05: At the age you first started using any other drugs such as, heroin, inhalants, solvents or hallucinogens, methamphetamine or speed, did you also smoke cigarettes or use any other tobacco products

When you first used other drugs when you were {AGE OF FIRST SUBSTANCE USE} years old, did you also [smoke cigarettes/use tobacco products/smoke cigarettes or use other tobacco products]?

ASK: New baseline youth respondents who have ever used tobacco and have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs and whose age of first tobacco use precedes age of first Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers not prescribed for them/cocaine or crack/stimulants like methamphetamine or speed/other drugs use.

ASK Specification: IF R05_YOUTHTYPE = 2 AND R05_EVER_USE_TOB = 1 AND R05_YX0220_NB_03 = 1 AND R05_YX0082_NB_05 > MIN VALID AGE IN (R05_YC1006_NB OR R05_YV1006_NB OR R05_YG1006TC_NB OR R05_YG1006CL_NB OR R05_YG1006FC_NB OR R05_YH1006_NB OR R05_YU1006_NB OR R05_YS1006_NB).

Value	Label	Unweighted Frequency	%
1	1 = Yes	1	0.0 %
2	2 = No	0	0.0 %
	Total	1	0.0%

This variable has 1 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	0	0.0 %

	Missing Data		
-1	-1 = Inapplicable	12097	100.0 %
	Total	12,097	100.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11797-11804 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0089_12M_01: In past 12 months, used prescription drug not prescribed to you: Ritalin® or Adderall®

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Ritalin® or Adderall®

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND (R05_YX0089_NB_01 = 1 OR R05_YX0089_NB_02 = 1)) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	198	1.6 %
2	2 = No	10221	84.5 %
	Total	10,419	86.1%

This variable has 10,419 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	31	0.3 %
-7	-7 = Refused	15	0.1 %
-1	-1 = Inapplicable	1633	13.5 %
	Total	1,679	13.9%

Percentages for both tables are based on 12,098 total cases.

Location: 11805-11812 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0089_12M_02: In past 12 months, used prescription drug not prescribed to you: Painkillers, sedatives or tranquilizers

In the past 12 months, have you used any of the following prescription drugs that were not prescribed for you or that you took only for the experience or feeling they caused?

Painkillers, sedatives, or tranquilizers

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®, or painkillers, sedatives, or tranquilizers, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND (R05_YX0089_NB_01 = 1 OR R05_YX0089_NB_02 = 1)) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	682	5.6 %
2	2 = No	9739	80.5 %
	Total	10,421	86.1%

This variable has 10,421 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	44	0.4 %
-7	-7 = Refused	28	0.2 %
-1	-1 = Inapplicable	1605	13.3 %
	Total	1,677	13.9%

Percentages for both tables are based on 12,098 total cases.

Location: 11813-11820 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0220_12M_01: In past 12 months, used substance: Cocaine or crack

In the past 12 months, have you used any of the following substances?

Cocaine or crack

ASK: New baseline youth respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND (R05_YX0220_NB_01 = 1 OR R05_YX0220_NB_02 = 1 OR R05_YX0220_NB_03 = 1)) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	55	0.5 %
2	2 = No	10354	85.6 %
	Total	10,409	86.0%

This variable has 10,409 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	25	0.2 %
-7	-7 = Refused	13	0.1 %
-1	-1 = Inapplicable	1651	13.6 %
	Total	1,689	14.0%

Percentages for both tables are based on 12,098 total cases.

Location: 11821-11828 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0220_12M_02: In past 12 months, used substance: Stimulants like methamphetamine or speed

In the past 12 months, have you used any of the following substances?

Stimulants like methamphetamine or speed

ASK: New baseline youth respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND (R05_YX0220_NB_01 = 1 OR R05_YX0220_NB_02 = 1 OR R05_YX0220_NB_03 = 1)) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	47	0.4 %
2	2 = No	10342	85.5 %
	Total	10,389	85.9%

This variable has 10,389 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	39	0.3 %
-7	-7 = Refused	23	0.2 %
-1	-1 = Inapplicable	1647	13.6 %
	Total	1,709	14.1%

Percentages for both tables are based on 12,098 total cases.

Location: 11829-11836 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0220_12M_03: In past 12 months, used substance: Any other drugs like heroin, inhalants, solvents or hallucinogens

In the past 12 months, have you used any of the following substances?

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: New baseline youth respondents who have ever used cocaine or crack, stimulants, or other drugs, or continuing youth respondents.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND (R05_YX0220_NB_01 = 1 OR R05_YX0220_NB_02 = 1 OR R05_YX0220_NB_03 = 1)) OR R05_YOUTHTYPE = 1.

Value	Label	Unweighted Frequency	%
1	1 = Yes	107	0.9 %
2	2 = No	10318	85.3 %
	Total	10,425	86.2%

This variable has 10,425 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	1651	13.6 %
	Total	1,673	13.8%

Percentages for both tables are based on 12,098 total cases.

Location: 11837-11844 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0676_01: In past 30 days, used: Ritalin® or Adderall®

Have you used Ritalin® or Adderall® in the past 30 days?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs and have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0089_NB_01 = 1 AND R05_YX0089_12M_01 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0089_12M_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	72	0.6 %
2	2 = No	123	1.0 %
	Total	195	1.6%

This variable has 195 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11900	98.4 %
	Total	11,903	98.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11845-11852 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0676_02: In past 30 days, used: Painkillers, sedatives or tranquilizers

Have you used painkillers, sedatives, or tranquilizers in the past 30 days?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs and have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0089_NB_02 = 1 AND R05_YX0089_12M_02 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0089_12M_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	352	2.9 %
2	2 = No	328	2.7 %
	Total	680	5.6%

This variable has 680 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	2	0.0 %
-1	-1 = Inapplicable	11416	94.4 %

	Missing Data		
	Total	11,418	94.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11853-11860 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0676_03: In past 30 days, used: Cocaine or crack

Have you used cocaine or crack in the past 30 days?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs and have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0220_NB_01 = 1 AND R05_YX0220_12M_01 = 1) OR (R05_YOUTHTYPE = 1 AND R05_YX0220_12M_01 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	42	0.3 %
	Total	54	0.4%

This variable has 54 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	0	0.0 %
-7	-7 = Refused	1	0.0 %
-1	-1 = Inapplicable	12043	99.5 %
	Total	12,044	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 11861-11868 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0676_04: In past 30 days, used: Stimulants like methamphetamine or speed

Have you used stimulants in the past 30 days?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs and have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers,

sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0220_NB_02 = 1 AND R05_YX0220_12M_02 = 1)
OR (R05_YOUTHTYPE = 1 AND R05_YX0220_12M_02 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	30	0.2 %
	Total	46	0.4%

This variable has 46 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	12051	99.6 %
	Total	12,052	99.6%

Percentages for both tables are based on 12,098 total cases.

Location: 11869-11876 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0676_05: In past 30 days, used: Any other drugs like heroin, inhalants, solvents or hallucinogens

Have you used other drugs in the past 30 days?

ASK: New baseline youth respondents who have ever used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs and have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months, or continuing youth respondents who have used Ritalin® or Adderall®/painkillers, sedatives, or tranquilizers/cocaine or crack/stimulants/other drugs in the past 12 months.

ASK Specification: IF (R05_YOUTHTYPE = 2 AND R05_YX0220_NB_03 = 1 AND R05_YX0220_12M_03 = 1)
OR (R05_YOUTHTYPE = 1 AND R05_YX0220_12M_03 = 1).

Value	Label	Unweighted Frequency	%
1	1 = Yes	25	0.2 %
2	2 = No	81	0.7 %
	Total	106	0.9%

This variable has 106 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	1	0.0 %
-7	-7 = Refused	0	0.0 %
-1	-1 = Inapplicable	11991	99.1 %
	Total	11,992	99.1%

Percentages for both tables are based on 12,098 total cases.

Location: 11877-11884 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0170: Last time that you used alcohol or other drugs weekly or more often

When was the last time that...

You used alcohol or other drugs weekly or more often?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	466	3.9 %
2	2 = 2 to 12 months ago	545	4.5 %
3	3 = Over a year ago	343	2.8 %
4	4 = Never	4648	38.4 %
	Total	6,002	49.6%

This variable has 6,002 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	18	0.1 %
-7	-7 = Refused	19	0.2 %
-1	-1 = Inapplicable	6059	50.1 %
	Total	6,096	50.4%

Percentages for both tables are based on 12,098 total cases.

Location: 11885-11892 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0175_01: Substance used weekly or more often: Alcohol

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Youth respondents who report ever using two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND R05_YX0170 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

If R05_EVER_USER_ALC = 1, display option 1.

If R05_EVER_USER_MJ = 1, display option 2.

If R05_EVER_USER_RIT= 1, display option 3.

If R05_EVER_USER_PK = 1, display option 4.

If R05_EVER_USER_COC = 1, display option 5.

If R05_EVER_USER_STIM = 1, display option 6.

If R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	404	3.3 %
2	2 = Not Marked	478	4.0 %
	Total	882	7.3%

This variable has 882 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	11166	92.3 %
	Total	11,216	92.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11893-11900 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0175_02: Substance used weekly or more often: Marijuana, hash, THC, grass, pot, or weed

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana, hash, THC, grass, pot, or weed

ASK: Youth respondents who report ever using two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND R05_YX0170 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

If R05_EVER_USER_ALC = 1, display option 1.

If R05_EVER_USER_MJ = 1, display option 2.

If R05_EVER_USER_RIT= 1, display option 3.

If R05_EVER_USER_PK = 1, display option 4.

If R05_EVER_USER_COC = 1, display option 5.

If R05_EVER_USER_STIM = 1, display option 6.

If R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	608	5.0 %
2	2 = Not Marked	274	2.3 %
	Total	882	7.3%

This variable has 882 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	11166	92.3 %
	Total	11,216	92.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11901-11908 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0175_03: Substance used weekly or more often: Ritalin® or Adderall®

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin® or Adderall®

ASK: Youth respondents who report ever using two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND R05_YX0170 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

If R05_EVER_USER_ALC = 1, display option 1.

If R05_EVER_USER_MJ = 1, display option 2.

If R05_EVER_USER_RIT= 1, display option 3.

If R05_EVER_USER_PK = 1, display option 4.

If R05_EVER_USER_COC = 1, display option 5.
 If R05_EVER_USER_STIM = 1, display option 6.
 If R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	27	0.2 %
2	2 = Not Marked	855	7.1 %
	Total	882	7.3%

This variable has 882 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	11166	92.3 %
	Total	11,216	92.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11909-11916 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0175_04: Substance used weekly or more often: Painkillers, sedatives or tranquilizers

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Youth respondents who report ever using two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND R05_YX0170 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

If R05_EVER_USER_ALC = 1, display option 1.

If R05_EVER_USER_MJ = 1, display option 2.

If R05_EVER_USER_RIT= 1, display option 3.

If R05_EVER_USER_PK = 1, display option 4.

If R05_EVER_USER_COC = 1, display option 5.

If R05_EVER_USER_STIM = 1, display option 6.

If R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	72	0.6 %

Value	Label	Unweighted Frequency	%
2	2 = Not Marked	810	6.7 %
	Total	882	7.3%

This variable has 882 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	11166	92.3 %
	Total	11,216	92.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11917-11924 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0175_05: Substance used weekly or more often: Cocaine or crack

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Youth respondents who report ever using two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND R05_YX0170 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

If R05_EVER_USER_ALC = 1, display option 1.

If R05_EVER_USER_MJ = 1, display option 2.

If R05_EVER_USER_RIT = 1, display option 3.

If R05_EVER_USER_PK = 1, display option 4.

If R05_EVER_USER_COC = 1, display option 5.

If R05_EVER_USER_STIM = 1, display option 6.

If R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	8	0.1 %
2	2 = Not Marked	874	7.2 %
	Total	882	7.3%

This variable has 882 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	11166	92.3 %
	Total	11,216	92.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11925-11932 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0175_06: Substance used weekly or more often: Stimulants like methamphetamine or speed

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Youth respondents who report ever using two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND R05_YX0170 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

If R05_EVER_USER_ALC = 1, display option 1.

If R05_EVER_USER_MJ = 1, display option 2.

If R05_EVER_USER_RIT= 1, display option 3.

If R05_EVER_USER_PK = 1, display option 4.

If R05_EVER_USER_COC = 1, display option 5.

If R05_EVER_USER_STIM = 1, display option 6.

If R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	873	7.2 %
	Total	882	7.3%

This variable has 882 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	16	0.1 %

	Missing Data		
-1	-1 = Inapplicable	11166	92.3 %
	Total	11,216	92.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11933-11940 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0175_07: Substance used weekly or more often: Any other drugs like heroin, inhalants, solvents or hallucinogens

You mentioned that you used alcohol or drugs at least weekly sometime in the past. Which substances did you use weekly or more often? Please do not include drugs that were prescribed for you. Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Youth respondents who report ever using two or more substances and used alcohol or other drugs weekly or more often in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND R05_YX0170 = 1, 2, 3.

[PROGRAM NOTE: Allow respondent to choose all that apply.

List only those substances a respondent previously indicated he/she used.

If R05_EVER_USER_ALC = 1, display option 1.

If R05_EVER_USER_MJ = 1, display option 2.

If R05_EVER_USER_RIT= 1, display option 3.

If R05_EVER_USER_PK = 1, display option 4.

If R05_EVER_USER_COC = 1, display option 5.

If R05_EVER_USER_STIM = 1, display option 6.

If R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	11	0.1 %
2	2 = Not Marked	871	7.2 %
	Total	882	7.3%

This variable has 882 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	34	0.3 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	11166	92.3 %
	Total	11,216	92.7%

Percentages for both tables are based on 12,098 total cases.

Location: 11941-11948 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0171: Last time that you spent a lot of time either getting alcohol or other drugs

When was the last time that...

You spent a lot of time getting alcohol or other drugs?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	223	1.8 %
2	2 = 2 to 12 months ago	341	2.8 %
3	3 = Over a year ago	224	1.9 %
4	4 = Never	5221	43.2 %
	Total	6,009	49.7%

This variable has 6,009 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	16	0.1 %
-1	-1 = Inapplicable	6059	50.1 %
	Total	6,089	50.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11949-11956 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0172: Last time that you kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people

When was the last time that...

You kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting you into trouble with other people?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	103	0.9 %
2	2 = 2 to 12 months ago	144	1.2 %
3	3 = Over a year ago	132	1.1 %
4	4 = Never	5641	46.6 %
	Total	6,020	49.8%

This variable has 6,020 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	10	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	6059	50.1 %
	Total	6,078	50.2%

Percentages for both tables are based on 12,098 total cases.

Location: 11957-11964 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0173: Last time that your use of alcohol or other drugs caused you to reduce your involvement in activities at work, school, home or social events

When was the last time that...

Your use of alcohol or other drugs reduced your involvement with activities at work, school, home, or social events?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	102	0.8 %
2	2 = 2 to 12 months ago	147	1.2 %
3	3 = Over a year ago	128	1.1 %
4	4 = Never	5637	46.6 %
	Total	6,014	49.7%

This variable has 6,014 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %

	Missing Data		
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	11	0.1 %
-1	-1 = Inapplicable	6059	50.1 %
	Total	6,084	50.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11965-11972 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0193: Last time that you spent a lot of time using or recovering from alcohol or other drugs

When was the last time that...

You spent a lot of time using or recovering from alcohol or other drugs?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	100	0.8 %
2	2 = 2 to 12 months ago	116	1.0 %
3	3 = Over a year ago	107	0.9 %
4	4 = Never	5686	47.0 %
	Total	6,009	49.7%

This variable has 6,009 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	20	0.2 %
-7	-7 = Refused	10	0.1 %
-1	-1 = Inapplicable	6059	50.1 %
	Total	6,089	50.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11973-11980 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0174: Last time that you had withdrawal problems

When was the last time that...

You had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	278	2.3 %
2	2 = 2 to 12 months ago	210	1.7 %
3	3 = Over a year ago	141	1.2 %
4	4 = Never	5388	44.5 %
	Total	6,017	49.7%

This variable has 6,017 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	15	0.1 %
-7	-7 = Refused	7	0.1 %
-1	-1 = Inapplicable	6059	50.1 %
	Total	6,081	50.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11981-11988 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0194: Last time that you used alcohol or other drugs to stop being sick or avoid withdrawal problems

When was the last time that...

You used any alcohol or other drugs to stop being sick or avoid withdrawal problems?

ASK: Youth respondents who report ever using alcohol or ever using drugs.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 1.

Value	Label	Unweighted Frequency	%
1	1 = Past month	74	0.6 %
2	2 = 2 to 12 months ago	88	0.7 %
3	3 = Over a year ago	91	0.8 %

Value	Label	Unweighted Frequency	%
4	4 = Never	5764	47.6 %
	Total	6,017	49.7%

This variable has 6,017 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	14	0.1 %
-7	-7 = Refused	8	0.1 %
-1	-1 = Inapplicable	6059	50.1 %
	Total	6,081	50.3%

Percentages for both tables are based on 12,098 total cases.

Location: 11989-11996 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0176_01: Substance that caused some problems for you: Alcohol

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Alcohol

ASK: Youth respondents who report ever using two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND (R05_YX0172 = 1, 2, 3 OR R05_YX0173 = 1, 2, 3 OR R05_YX0193 = 1, 2, 3 OR R05_YX0174 = 1, 2, 3 OR R05_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF R05_EVER_USER_ALC = 1, display option 1.

IF R05_EVER_USER_MJ = 1, display option 2.

IF R05_EVER_USER_RIT= 1, display option 3.

IF R05_EVER_USER_PK= 1, display option 4.

IF R05_EVER_USER_COC = 1, display option 5.

IF R05_EVER_USER_STIM = 1, display option 6.

IF R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	234	1.9 %
2	2 = Not Marked	257	2.1 %
	Total	491	4.1%

This variable has 491 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.6 %
-7	-7 = Refused	51	0.4 %
-1	-1 = Inapplicable	11478	94.9 %
	Total	11,607	95.9%

Percentages for both tables are based on 12,098 total cases.

Location: 11997-12004 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0176_02: Substance that caused some problems for you: Marijuana, hash, THC, grass, pot or weed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Marijuana, hash, THC, grass, pot, or weed

ASK: Youth respondents who report ever using two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND (R05_YX0172 = 1, 2, 3 OR R05_YX0173 = 1, 2, 3 OR R05_YX0193 = 1, 2, 3 OR R05_YX0174 = 1, 2, 3 OR R05_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF R05_EVER_USER_ALC = 1, display option 1.

IF R05_EVER_USER_MJ = 1, display option 2.

IF R05_EVER_USER_RIT= 1, display option 3.

IF R05_EVER_USER_PK= 1, display option 4.

IF R05_EVER_USER_COC = 1, display option 5.

IF R05_EVER_USER_STIM = 1, display option 6.

IF R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	242	2.0 %
2	2 = Not Marked	249	2.1 %
	Total	491	4.1%

This variable has 491 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.6 %
-7	-7 = Refused	51	0.4 %
-1	-1 = Inapplicable	11478	94.9 %
	Total	11,607	95.9%

Percentages for both tables are based on 12,098 total cases.

Location: 12005-12012 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0176_03: Substance that caused some problems for you: Ritalin® or Adderall®

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Ritalin® or Adderall®

ASK: Youth respondents who report ever using two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND (R05_YX0172 = 1, 2, 3 OR R05_YX0173 = 1, 2, 3 OR R05_YX0193 = 1, 2, 3 OR R05_YX0174 = 1, 2, 3 OR R05_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF R05_EVER_USER_ALC = 1, display option 1.

IF R05_EVER_USER_MJ = 1, display option 2.

IF R05_EVER_USER_RIT= 1, display option 3.

IF R05_EVER_USER_PK= 1, display option 4.

IF R05_EVER_USER_COC = 1, display option 5.

IF R05_EVER_USER_STIM = 1, display option 6.

IF R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	30	0.2 %
2	2 = Not Marked	461	3.8 %
	Total	491	4.1%

This variable has 491 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.6 %
-7	-7 = Refused	51	0.4 %
-1	-1 = Inapplicable	11478	94.9 %
	Total	11,607	95.9%

Percentages for both tables are based on 12,098 total cases.

Location: 12013-12020 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0176_04: Substance that caused some problems for you: Painkillers, sedatives or tranquilizers

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Painkillers, sedatives, or tranquilizers

ASK: Youth respondents who report ever using two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND (R05_YX0172 = 1, 2, 3 OR R05_YX0173 = 1, 2, 3 OR R05_YX0193 = 1, 2, 3 OR R05_YX0174 = 1, 2, 3 OR R05_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF R05_EVER_USER_ALC = 1, display option 1.

IF R05_EVER_USER_MJ = 1, display option 2.

IF R05_EVER_USER_RIT= 1, display option 3.

IF R05_EVER_USER_PK= 1, display option 4.

IF R05_EVER_USER_COC = 1, display option 5.

IF R05_EVER_USER_STIM = 1, display option 6.

IF R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	62	0.5 %
2	2 = Not Marked	429	3.5 %
	Total	491	4.1%

This variable has 491 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.6 %
-7	-7 = Refused	51	0.4 %
-1	-1 = Inapplicable	11478	94.9 %
	Total	11,607	95.9%

Percentages for both tables are based on 12,098 total cases.

Location: 12021-12028 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0176_05: Substance that caused some problems for you: Cocaine or crack

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Cocaine or crack

ASK: Youth respondents who report ever using two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND (R05_YX0172 = 1, 2, 3 OR R05_YX0173 = 1, 2, 3 OR R05_YX0193 = 1, 2, 3 OR R05_YX0174 = 1, 2, 3 OR R05_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF R05_EVER_USER_ALC = 1, display option 1.

IF R05_EVER_USER_MJ = 1, display option 2.

IF R05_EVER_USER_RIT= 1, display option 3.

IF R05_EVER_USER_PK= 1, display option 4.

IF R05_EVER_USER_COC = 1, display option 5.

IF R05_EVER_USER_STIM = 1, display option 6.

IF R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	15	0.1 %
2	2 = Not Marked	476	3.9 %
	Total	491	4.1%

This variable has 491 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.6 %
-7	-7 = Refused	51	0.4 %
-1	-1 = Inapplicable	11478	94.9 %
	Total	11,607	95.9%

Percentages for both tables are based on 12,098 total cases.

Location: 12029-12036 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0176_06: Substance that caused some problems for you: Stimulants like methamphetamine or speed

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Stimulants like methamphetamine or speed

ASK: Youth respondents who report ever using two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND (R05_YX0172 = 1, 2, 3 OR R05_YX0173 = 1, 2, 3 OR R05_YX0193 = 1, 2, 3 OR R05_YX0174 = 1, 2, 3 OR R05_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF R05_EVER_USER_ALC = 1, display option 1.

IF R05_EVER_USER_MJ = 1, display option 2.

IF R05_EVER_USER_RIT= 1, display option 3.

IF R05_EVER_USER_PK= 1, display option 4.

IF R05_EVER_USER_COC = 1, display option 5.

IF R05_EVER_USER_STIM = 1, display option 6.

IF R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	9	0.1 %
2	2 = Not Marked	482	4.0 %
	Total	491	4.1%

This variable has 491 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.6 %
-7	-7 = Refused	51	0.4 %
-1	-1 = Inapplicable	11478	94.9 %
	Total	11,607	95.9%

Percentages for both tables are based on 12,098 total cases.

Location: 12037-12044 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YX0176_07: Substance that caused some problems for you: Any other drugs like heroin, inhalants, solvents or hallucinogens

You mentioned that alcohol or drugs caused some problems for you. Which substances caused these problems?
Please do not include drugs that were prescribed for you. Choose all that apply.

Any other drugs like heroin, inhalants, solvents, or hallucinogens

ASK: Youth respondents who report ever using two or more substances and kept using alcohol or other drugs even though it was causing social problems, leading to fights, or getting them into trouble with other people in the past month, 2 to 12 months ago, or over a year ago, or their use of alcohol or other drugs reduced their involvement with activities at work, school, home, or social events in the past month, 2 to 12 months ago, or over a year ago, or spent a lot of time using or recovering from alcohol or other drugs in the past month, 2 to 12 months ago, or over a year ago, or had withdrawal problems such as shaky hands, throwing up, having trouble sitting still, or sleeping in the past month, 2 to 12 months ago, or over a year ago, or used any alcohol or other drugs to stop being sick or avoid withdrawal problems in the past month, 2 to 12 months ago, or over a year ago.

ASK Specification: IF R05_SUBSTANCE_COUNT >= 2 AND (R05_YX0172 = 1, 2, 3 OR R05_YX0173 = 1, 2, 3 OR R05_YX0193 = 1, 2, 3 OR R05_YX0174 = 1, 2, 3 OR R05_YX0194 = 1, 2, 3).

[PROGRAM NOTE: Allow respondent to choose all that apply. List only those substances a respondent previously indicated he/she used.

IF R05_EVER_USER_ALC = 1, display option 1.

IF R05_EVER_USER_MJ = 1, display option 2.

IF R05_EVER_USER_RIT= 1, display option 3.

IF R05_EVER_USER_PK= 1, display option 4.

IF R05_EVER_USER_COC = 1, display option 5.

IF R05_EVER_USER_STIM = 1, display option 6.

IF R05_EVER_USER_OTH = 1, display option 7.]

Value	Label	Unweighted Frequency	%
1	1 = Marked	12	0.1 %
2	2 = Not Marked	479	4.0 %
	Total	491	4.1%

This variable has 491 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	78	0.6 %
-7	-7 = Refused	51	0.4 %
-1	-1 = Inapplicable	11478	94.9 %
	Total	11,607	95.9%

Percentages for both tables are based on 12,098 total cases.

Location: 12045-12052 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_Y_YM0018_V2: DERIVED - Recoded grade level (If on holiday or break - grade level entering when returning to school) (6 levels)

Long Description: What grade are you in? If you are on a holiday or summer break, please select the grade or year you will enter when you return to school.

Algorithm: IF (1 <= R05_YM0018 <= 4) THEN R05R_Y_YM0018_V2 = 1; ELSE IF R05_YM0018 = 5 THEN R05R_Y_YM0018_V2 = 2; ELSE IF R05_YM0018 = 6 THEN R05R_Y_YM0018_V2 = 3; ELSE IF R05_YM0018 = 7 THEN R05R_Y_YM0018_V2 = 4; ELSE IF R05_YM0018 = 8 THEN R05R_Y_YM0018_V2 = 5; ELSE IF (9 <= R05_YM0018 <= 13) OR (R05_YM0019=2) THEN R05R_Y_YM0018_V2 = 6; ELSE IF R05_YM0018 = -9 OR R05_YM0019 = -9 THEN R05R_Y_YM0018_V2 = -99999; ELSE IF R05_YM0018 = -8 OR R05_YM0019 = -8 THEN R05R_Y_YM0018_V2 = -99988; ELSE IF R05_YM0018 = -7 OR R05_YM0019 = -7 THEN R05R_Y_YM0018_V2 = -99977; ELSE IF R05_YM0018 = -1 OR R05_YM0019 = -1 THEN R05R_Y_YM0018_V2 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = 7th grade or below	2030	16.8 %
2	2 = 8th grade	1734	14.3 %
3	3 = 9th grade	2014	16.6 %
4	4 = 10th grade	2142	17.7 %
5	5 = 11th grade	2014	16.6 %
6	6 = Other (including not enrolled this year or last, home schooled, school not graded, 12th grade, college or vocational)	2114	17.5 %
	Total	12,048	99.6%

This variable has 12,048 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	31	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	50	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 12053-12060 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05_YM0032: Worked for pay in past 30 days for someone outside home

In the past 30 days, did you work for pay for anyone outside your home? This includes both regular jobs and things like baby-sitting or yard work.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = Yes	4461	36.9 %
2	2 = No	7615	62.9 %
	Total	12,076	99.8%

This variable has 12,076 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	13	0.1 %
-7	-7 = Refused	9	0.1 %
-1	-1 = Inapplicable	0	0.0 %
	Total	22	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12061-12068 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05_YM0008: Money received in total during an average week

During an average week, how much money do you receive in total? Please include money from a job, your family, an allowance, or any other sources.

ASK: All youth respondents.

Value	Label	Unweighted Frequency	%
1	1 = None	4082	33.7 %
2	2 = Less than \$1	413	3.4 %
3	3 = \$1 to \$5	1160	9.6 %
4	4 = \$6 to \$10	1176	9.7 %
5	5 = \$11 to \$20	1792	14.8 %
6	6 = \$21 to \$50	1313	10.9 %
7	7 = \$51 to \$100	828	6.8 %
8	8 = \$101 to \$150	508	4.2 %
9	9 = \$151 or more	720	6.0 %
	Total	11,992	99.1%

This variable has 11,992 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
-9	-9 = Missing - Not ascertained	0	0.0 %
-8	-8 = Don't know	70	0.6 %
-7	-7 = Refused	36	0.3 %
-1	-1 = Inapplicable	0	0.0 %
	Total	106	0.9%

Percentages for both tables are based on 12,098 total cases.

Location: 12069-12076 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777 , -9 , -8 , -7 , -1

R05R_YV9035_01: DERIVED - Respondent reported using e-cigarettes in other-specify text response

Long Description: Respondent reported using e-cigarettes in other-specify text response for R05_YV9035.

Algorithm: IF (R05_YV9035_05 = 1 AND R05_YV9035_OS TEXT ANSWER INDICATES E-CIGARETTE USE) THEN R05R_YV9035_01 = 1; ELSE
IF (R05_YV9035_05 = 1 AND R05_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-CIGARETTE USE) THEN R05R_YV9035_01 = 2; ELSE
R05R_YV9035_01 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2	0.0 %
2	2 = No	38	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12058	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,058	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 12077-12084 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_YV9035_02: DERIVED - Respondent reported using e-cigars in other-specify text response

Long Description: Respondent reported using e-cigars in other-specify text response for R05_YV9035.

Algorithm: IF (R05_YV9035_05 = 1 AND R05_YV9035_OS TEXT ANSWER INDICATES E-CIGARETTE USE) THEN R05R_YV9035_01 = 1; ELSE
IF (R05_YV9035_05 = 1 AND R05_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-CIGARETTE USE) THEN R05R_YV9035_01 = 2; ELSE
R05R_YV9035_01 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	40	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12058	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,058	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 12085-12092 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_YV9035_03: DERIVED - Respondent reported using e-pipes in other-specify text response

Long Description: Respondent reported using e-pipes in other-specify text response for R05_YV9035.

Algorithm: IF (R05_YV9035_05 = 1 AND R05_YV9035_OS TEXT ANSWER INDICATES E-CIGARETTE USE) THEN R05R_YV9035_01 = 1; ELSE
IF (R05_YV9035_05 = 1 AND R05_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-CIGARETTE USE) THEN R05R_YV9035_01 = 2; ELSE
R05R_YV9035_01 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	40	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12058	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,058	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 12093-12100 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_YV9035_04: DERIVED - Respondent reported using e-hookah in other-specify text response

Long Description: Respondent reported using e-hookah in other-specify text response for R05_YV9035.

Algorithm: IF (R05_YV9035_05 = 1 AND R05_YV9035_OS TEXT ANSWER INDICATES E-CIGARETTE USE) THEN R05R_YV9035_01 = 1; ELSE
IF (R05_YV9035_05 = 1 AND R05_YV9035_OS TEXT ANSWER DOES NOT INDICATE E-CIGARETTE USE) THEN R05R_YV9035_01 = 2; ELSE
R05R_YV9035_01 = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	0	0.0 %
2	2 = No	40	0.3 %
	Total	40	0.3%

This variable has 40 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12058	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,058	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 12101-12108 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99911 , -97777

R05R_Y_AGE CAT2: DERIVED - Age range when interviewed (2 levels)

Long Description: Age (in years) at the time of interview.

Algorithm: [STEP 1: Create intermediate variable R05R_Y_AGE:]IF
R05_CPT07 (Date of Birth) != . THEN R05R_Y_AGE =
R05_YouthInterviewDT (Youth Wave 5 Interview Date) - R05_CPT07;
ELSE IF X04_CPT07 (Wave 4.5 Corrected Date of Birth) != .
THEN R05R_Y_AGE = R05_YouthInterviewDT - X04_CPT07; ELSE IF
R04_CPT07 (Wave 4 New/Corrected Date of Birth) != . THEN
R05R_Y_AGE = R05_YouthInterviewDT - R04_CPT07; ELSE IF
R03_CPT07 (Wave 3 Corrected Date of Birth) != . THEN R05R_Y_AGE =
R05_YouthInterviewDT - R03_CPT07; ELSE IF R02_CPT07 (Wave 2
Corrected Date of Birth) != . THEN R05R_Y_AGE = R05_YouthInterviewDT
- R02_CPT07; ELSE IF R01_CPT07 (Wave 1 Youth Date of Birth) != .

THEN R05R_Y_AGE = R05_YouthInterviewDT - R01_CPT07; [STEP2: Create R05R_Y_AGE CAT2:]IF (12 <= R05R_Y_AGE <= 14) THEN R05R_Y_AGE CAT2 = 1; ELSE IF (15 <= R05R_Y_AGE <= 17) THEN R05R_Y_AGE CAT2 = 2; ELSE IF R05_CPT07 = . AND R04_CPT07 AND R03_CPT07 = . AND R02_CPT07 = . AND R01_CPT07 = . THEN R05R_Y_AGE CAT2 = -99999;

Value	Label	Unweighted Frequency	%
1	1 = 12 to 14 years old	5340	44.1 %
2	2 = 15 to 17 years old	6758	55.9 %
	Total	12,098	100.0 %

This variable has 12,098 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0 %

Percentages for both tables are based on 12,098 total cases.

Location: 12109-12116 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -97777

R05R_Y_AGE_CHECK: DERIVED - Youth respondent's age (in years) at Wave 5 is within the expected range

Long Description: Youth respondent's age (in years) at the time of the Wave 5 interview is within the expected range.

Algorithm: STEP 1 - DECLARE A TEMPORARY VARIABLE W54321_DIFF TO CALCULATE DIFFERENCE BETWEEN WAVE 5 AGE (R05R_Y_AGE) AND AGE FROM LAST COMPLETED WAVE; SETP 2 - CALCULATE R05R_Y_AGE_CHECK: IF (WAVE4P5_INTERVIEW = 2 AND X04R_Y_AGE >= 0) THEN DO; IF (R05R_Y_AGE >= 0) THEN DO; W54321_DIFF = R05R_Y_AGE - X04R_Y_AGE ; IF (0 le W54321_DIFF le 2) THEN R05R_Y_AGE_CHECK = 1; ELSE R05R_Y_AGE_CHECK = 2; END; END; ELSE IF (WAVE4_INTERVIEW = 2 AND R04R_Y_AGE >= 0) THEN DO; IF (R05R_Y_AGE >= 0) THEN DO; W54321_DIFF = R05R_Y_AGE - R04R_Y_AGE; IF (1 le W54321_DIFF le 3) THEN R05R_Y_AGE_CHECK = 1; ELSE R05R_Y_AGE_CHECK = 2; END; END; ELSE IF (WAVE3_INTERVIEW = 2 AND R03R_Y_AGE >= 0) THEN DO; IF (R05R_Y_AGE >= 0) THEN DO; W54321_DIFF = R05R_Y_AGE - R03R_Y_AGE; IF (2 le W54321_DIFF le 5) THEN R05R_Y_AGE_CHECK = 1; ELSE R05R_Y_AGE_CHECK = 2; END; END; ELSE IF (WAVE2_INTERVIEW = 2 AND R02R_Y_AGE >= 0) THEN DO; IF (R05R_Y_AGE >= 0) THEN DO; W54321_DIFF = R05R_Y_AGE - R02R_Y_AGE; IF (3 le W54321_DIFF le 7) THEN R05R_Y_AGE_CHECK = 1; ELSE R05R_Y_AGE_CHECK = 2; END; END; ELSE IF (WAVE1_INTERVIEW = 2 AND R01R_Y_AGE >= 0) THEN DO; IF (R05R_Y_AGE >= 0) THEN DO; W54321_DIFF = R05R_Y_AGE - R01R_Y_AGE; IF (5 le W54321_DIFF le 9) THEN R05R_Y_AGE_CHECK = 1; ELSE R05R_Y_AGE_CHECK = 2; END; END; ELSE IF (WAVE1_INTERVIEW = 3)

```

THEN DO; IF (R05R_Y_AGE >= 14) THEN R05R_Y_AGE_CHECK = 1;
ELSE R05R_Y_AGE_CHECK = 2; END; ELSE IF (WAVE4_INTERVIEW
= 3) THEN DO; IF (R05R_Y_AGE In (12, 13, 14)) THEN R05R_Y_AGE_CHECK = 1;
ELSE R05R_Y_AGE_CHECK = 2; END; STEP 3 - ASSIGN
MISSING VALUES: IF (R05R_Y_AGE_CHECK = .) THEN DO; IF
(R05R_Y_AGE = -99999 OR X04R_Y_AGE = -99999 OR R04R_Y_AGE = -99999
OR R03R_Y_AGE = -99999 OR R02R_Y_AGE = -99999 OR R01R_Y_AGE = -99999)
THEN R05R_Y_AGE_CHECK = -99999; END;

```

Value	Label	Unweighted Frequency	%
1	1 = Age is within expected range	12098	100.0 %
2	2 = Age is not within expected range	0	0.0 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	0	0.0%

Percentages for both tables are based on 12,098 total cases.

Location: 12117-12124 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -97777

R05R_Y_SEX: DERIVED - Wave 5 Youth Gender

Long Description: Wave 5 youth gender from the interview.

```

Algorithm: IF WAVE4P5_INTERVIEW = 2 THEN R05R_Y_SEX = X04R_Y_SEX;
ELSE IF WAVE4P5_INTERVIEW IN (0, 9) AND WAVE4_INTERVIEW
= 2 THEN R05R_Y_SEX = R04R_Y_SEX; ELSE IF WAVE4_INTERVIEW = 9
AND WAVE3_INTERVIEW = 2 THEN R05R_Y_SEX = R03R_Y_SEX;
ELSE IF WAVE3_INTERVIEW = 9 AND WAVE2_INTERVIEW = 2 THEN
R05R_Y_SEX = R02R_Y_SEX; ELSE IF WAVE2_INTERVIEW = 9 AND
WAVE1_INTERVIEW = 2 THEN R05R_Y_SEX = R01R_Y_SEX; ELSE IF
R05_YM0004_NB >= 1 THEN R05R_Y_SEX = R05_YM0004_NB; ELSE IF
R05_YM0004_NB = -9 THEN R05R_Y_SEX = -99999; ELSE IF
R05_YM0004_NB = -8 THEN R05R_Y_SEX = -99988; ELSE IF R05_YM0004_NB =
-7 THEN R05R_Y_SEX = -99977;

```

Value	Label	Unweighted Frequency	%
1	1 = Male	6290	52.0 %
2	2 = Female	5758	47.6 %
	Total	12,048	99.6%

This variable has 12,048 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	2	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	21	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	27	0.2 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	50	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 12125-12132 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -97777

R05R_Y_BIOCOLLECT_URINE: DERIVED - Urine specimen collected from youth

Long Description: Urine specimen was collected from youth respondent.

Algorithm: IF Urine specimen was collected THEN R05R_Y_BIOCOLLECT_URINE = 1; ELSE R05R_Y_BIOCOLLECT_URINE = 2;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10584	87.5 %
2	2 = No	1514	12.5 %
	Total	12,098	100.0%

This variable has 12,098 valid cases out of 12,098 total cases.

Location: 12158-12165 (width: 8; decimal: 0)

Variable Type: numeric

R05R_Y_EVR_CIGS: DERIVED - Wave 5 Youth Ever Cigarette Smoker

Long Description: Wave 5 youth respondents who have ever smoked a cigarette.

Algorithm: IF R05_YC1002_NB = 1 OR R05_YC1002_12M = 1 OR X04M_EVR_CIGS = 1 THEN R05R_Y_EVR_CIGS = 1; ELSE IF R05_YC1002_NB = 2 OR (X04M_EVR_CIGS = 2 AND R05_YC1002_12M = 2 AND X04M_SKIPPED_WAVE = 2) THEN R05R_Y_EVR_CIGS = 2; ELSE IF R05_YC1002_12M = -9 OR R05_YC1002_NB = -9 THEN R05R_Y_EVR_CIGS = -99999; ELSE IF R05_YC1002_12M = -8 OR R05_YC1002_NB = -8 THEN R05R_Y_EVR_CIGS = -99988; ELSE IF R05_YC1002_12M = -7 OR R05_YC1002_NB = -7 THEN R05R_Y_EVR_CIGS = -99977; ELSE IF X04M_EVR_CIGS IN (-99933,-99999,-99988,-99977,-99966,-99911) OR X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_CIGS = -99966; ELSE IF R05_YC1002_12M = -1 OR R05_YC1002_NB = -1 THEN R05R_Y_EVR_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1078	8.9 %
2	2 = No	10990	90.8 %
	Total	12,068	99.8%

This variable has 12,068 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	21	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	30	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12166-12173 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_THRSH_CIGS: DERIVED - Wave 5 Youth Cigarette Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 5 youth respondents who have smoked 100 or more cigarettes in their lifetime.

Algorithm: IF R05R_Y_EVR_CIGS =1 AND (X04M_EVR_THRSH_CIGS=1 OR R05_YC1005=7) THEN R05R_Y_EVR_THRSH_CIGS=1; ELSE
IF R05R_Y_EVR_CIGS=2 OR (R05R_Y_EVR_CIGS=1 AND R05_YC1005 in (1,2,3,4,5,6)) THEN R05R_Y_EVR_THRSH_CIGS=2; ELSE
IF R05R_Y_EVR_CIGS=-99999 OR R05_YC1005=-9 THEN R05R_Y_EVR_THRSH_CIGS=-99999; ELSE IF R05R_Y_EVR_CIGS=-99988
OR R05_YC1005=-8 THEN R05R_Y_EVR_THRSH_CIGS=-99988; ELSE IF R05R_Y_EVR_CIGS=-99977 OR R05_YC1005=-7 THEN
R05R_Y_EVR_THRSH_CIGS=-99977; ELSE IF X04M_EVR_THRSH_CIGS IN (-99933,-99999,-99988,-99977,-99966,-99911) OR
X04M_SKIPPED_WAVE = 1 OR R05R_Y_EVR_CIGS= -99966 THEN
R05R_Y_EVR_THRSH_CIGS = -99966; ELSE IF R05R_Y_EVR_CIGS=-99911
OR R05_YC1005=-1 THEN R05R_Y_EVR_THRSH_CIGS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	153	1.3 %
2	2 = No	11835	97.8 %

Value	Label	Unweighted Frequency	%
	Total	11,988	99.1%

This variable has 11,988 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	61	0.5 %
-99977	-99977 = Missing due to a refused response on one or more component variables	28	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	21	0.2 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	110	0.9%

Percentages for both tables are based on 12,098 total cases.

Location: 12174-12181 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_CIGS: DERIVED - Wave 5 Youth Current Cigarette Smoker

Long Description: Wave 5 youth respondents who have smoked a cigarette within the past 30 days.

Algorithm: IF R05R_Y_EVR_CIGS = 1 AND R05_YC1112 IN (1,2,3) THEN
R05R_Y_CUR_CIGS = 1; ELSE IF R05R_Y_EVR_CIGS = 2 OR (R05R_Y_EVR_CIGS = 1
AND R05_YC1112 IN (4,5,6,7)) OR R05_YC1002_12M = 2 OR R05_YC1002_NB = 2
THEN R05R_Y_CUR_CIGS = 2; ELSE IF R05R_Y_EVR_CIGS = -99999 OR
R05_YC1112 = -9 OR R05_YC1002_12M = -9 OR R05_YC1002_NB = -9 THEN
R05R_Y_CUR_CIGS = -99999; ELSE IF R05R_Y_EVR_CIGS = -99988 OR
R05_YC1112 = -8 OR R05_YC1002_12M = -8 OR R05_YC1002_NB = -8 THEN
R05R_Y_CUR_CIGS = -99988; ELSE IF R05R_Y_EVR_CIGS = -99977 OR
R05_YC1112 = -7 OR R05_YC1002_12M = -7 OR R05_YC1002_NB = -7 THEN
R05R_Y_CUR_CIGS = -99977; ELSE IF R05R_Y_EVR_CIGS = -99966 THEN
R05R_Y_CUR_CIGS = -99966; ELSE IF R05R_Y_EVR_CIGS = -99911 OR
R05_YC1112 = -1 OR R05_YC1002_12M = -1 OR R05_YC1002_NB = -1 THEN
R05R_Y_CUR_CIGS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	307	2.5 %
2	2 = No	11777	97.3 %
	Total	12,084	99.9%

This variable has 12,084 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	14	0.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12182-12189 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_CIGS: DERIVED - Wave 5 Youth Never to Ever Cigarette Smoker

Long Description: Wave 5 youth respondents who started smoking cigarettes between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_CIGS = 2 AND R05R_Y_EVR_CIGS = 1) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_CIGS = 1; ELSE IF (X04M_EVR_CIGS = 1 OR R05R_Y_EVR_CIGS = 2) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_CIGS = 2; ELSE IF WAVE4P5_INTERVIEW IN (0,3) THEN R05R_Y_NEW_CIGS = -99933; ELSE IF R05R_Y_EVR_CIGS = -99999 THEN R05R_Y_NEW_CIGS = -99999; ELSE IF R05R_Y_EVR_CIGS = -99988 THEN R05R_Y_NEW_CIGS = -99988; ELSE IF R05R_Y_EVR_CIGS = -99977 THEN R05R_Y_NEW_CIGS = -99977; ELSE IF X04M_EVR_CIGS IN (-99933, -99999, -99988, -99977, -99966, -99911) OR R05R_Y_EVR_CIGS = -99966 OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_CIGS = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	259	2.1 %
2	2 = No	9882	81.7 %
	Total	10,141	83.8%

This variable has 10,141 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	5	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	381	3.1 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	1,957	16.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12190-12197 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_CIGS: DERIVED - Wave 5 Youth Past 12 Month Cigarette Smokers

Long Description: Wave 5 youth respondents who have smoked a cigarette within the past 12 months.

Algorithm: IF R05R_Y_EVR_CIGS =1 AND (R05_YC1002_12M =1 OR R05_YC1112 in (1,2,3,4,5))
 THEN R05R_Y_P12M_CIGS =1; ELSE IF
 R05R_Y_EVR_CIGS =2 OR R05_YC1002_NB = 2 OR R05_YC1002_12M =2 OR R05_YC1112 in (6,7)
 THEN R05R_Y_P12M_CIGS =2; ELSE IF
 R05_YC1002_12M =-9 OR R05_YC1112 =-9 OR R05_YC1002_NB =-9 OR R05R_Y_EVR_CIGS =-99999
 THEN R05R_Y_P12M_CIGS =-99999;
 ELSE IF R05_YC1002_12M =-8 OR R05_YC1112 =-8 OR R05_YC1002_NB =-8 OR
 R05R_Y_EVR_CIGS =-99988 THEN R05R_Y_P12M_CIGS
 =-99988; ELSE IF R05_YC1002_12M =-7 OR R05_YC1112 =-7 OR R05_YC1002_NB =-7
 OR R05R_Y_EVR_CIGS =-99977 THEN
 R05R_Y_P12M_CIGS =-99977; ELSE IF R05R_Y_EVR_CIGS =-99966 THEN
 R05R_Y_P12M_CIGS =-99966; ELSE IF R05_YC1002_12M =-1 OR
 R05_YC1112 =-1 OR R05_YC1002_NB =-1 OR R05R_Y_EVR_CIGS =-99911
 THEN R05R_Y_P12M_CIGS =-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	671	5.5 %
2	2 = No	11417	94.4 %
	Total	12,088	99.9%

This variable has 12,088 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	10	0.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12198-12205 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NUMDAYS_CIGS: DERIVED - Wave 5 Youth Past 30 Day Cigarette Smoking Frequency

Long Description: Wave 5 youth number of days smoked a cigarette within the past 30 days.

Algorithm: IF R05_YC1022 > 0 THEN R05R_Y_NUMDAYS_CIGS = R05_YC1022; ELSE IF R05_YC1022 = -9 THEN R05R_Y_NUMDAYS_CIGS = -99999; ELSE IF R05_YC1022 = -8 THEN R05R_Y_NUMDAYS_CIGS = -99988; ELSE IF R05_YC1022 = -7 THEN R05R_Y_NUMDAYS_CIGS = -99977; ELSE IF R05_YC1022 IN (0,-5) THEN R05R_Y_NUMDAYS_CIGS = -99955; ELSE IF R05_YC1022 = -1 THEN R05R_Y_NUMDAYS_CIGS = -99911;

This variable has 304 valid cases out of 12,098 total cases.

- Mean: 9.75
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.82

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	3	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11791	97.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,794	97.5%

Percentages for both tables are based on 12,098 total cases.

Location: 12206-12213 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05R_Y_DAYSREG_CIGS: DERIVED - Wave 5 Youth Number of Days Smoking Regular Brand of Cigarettes

Long Description: Wave 5 Youth Recode of length of time smoking regular brand of cigarettes into days.

Algorithm: IF R05_YC1051_UN = 1 AND R05_YC1051_NN => 0 THEN R05R_Y_DAYSREG_CIGS = R05_YC1051_NN; ELSE IF R05_YC1051_UN = 2 AND R05_YC1051_NN => 0 THEN R05R_Y_DAYSREG_CIGS = R05_YC1051_NN * 30.4375; ELSE IF R05_YC1051_UN = 3 AND R05_YC1051_NN => 0 THEN R05R_Y_DAYSREG_CIGS = R05_YC1051_NN * 365.25; ELSE IF R05_YC1051_NN = -9 THEN R05R_Y_DAYSREG_CIGS = -99999; ELSE IF R05_YC1051_NN = -8 THEN R05R_Y_DAYSREG_CIGS = -99988; ELSE IF R05_YC1051_NN = -7 THEN R05R_Y_DAYSREG_CIGS = -99977; ELSE IF R05_YC1051_NN = -5 THEN R05R_Y_DAYSREG_CIGS = -99955; ELSE IF R05_YC1051_NN = -1 THEN R05R_Y_DAYSREG_CIGS = -99911;

This variable has 114 valid cases out of 12,098 total cases.

- Mean: 695.45
- Median: 365.25
- Mode: 365.25
- Minimum: 0.00
- Maximum: 5113.50
- Standard Deviation: 838.78

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	4	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	4	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11976	99.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,984	99.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12214-12222 (width: 9; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05R_Y_EVR_EPRODS: DERIVED - Wave 5 Youth Ever Electronic Nicotine Product User

Long Description: Wave 5 youth respondents who have ever used any electronic nicotine products.

Algorithm: IF R05_YV1002_NB = 1 OR R05_YV1002_12M = 1 OR X04M_EVR_EPRODS = 1 THEN R05R_Y_EVR_EPRODS = 1; ELSE IF

```

R05_YV1001_NB = 2 OR R05_YV1002_NB = 2 OR (X04M_EVR_EPRODS = 2 AND
R05_YV1002_12M = 2 AND X04M_SKIPPED_WAVE = 2) THEN
R05R_Y_EVR_EPRODS = 2; ELSE IF R05_YV1001_NB = -9 OR R05_YV1002_12M
= -9 OR R05_YV1002_NB = -9 THEN R05R_Y_EVR_EPRODS
= -99999; ELSE IF R05_YV1001_NB = -8 OR R05_YV1002_12M = -8 OR R05_YV1002_NB
= -8 THEN R05R_Y_EVR_EPRODS = -99988;
ELSE IF R05_YV1001_NB = -7 OR R05_YV1002_12M = -7 OR R05_YV1002_NB = -7
THEN R05R_Y_EVR_EPRODS = -99977; ELSE IF
X04M_EVR_EPRODS IN (-99933,-99999,-99988,-99977,-99966,-99911) OR
X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_EPRODS = -99966;
ELSE IF R05_YV1001_NB = -1 OR R05_YV1002_12M = -1 OR R05_YV1002_NB
= -1 THEN R05R_Y_EVR_EPRODS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	2490	20.6 %
2	2 = No	9529	78.8 %
	Total	12,019	99.3%

This variable has 12,019 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	49	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	79	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 12223-12230 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_THRSH_EPRODS: DERIVED - Wave 5 Youth Electronic Nicotine Product Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 5 youth respondents who have used electronic nicotine products fairly regularly in their lifetime.

Algorithm: IF R05R_Y_EVR_EPRODS=1 AND (X04M_EVR_THRSH_EPRODS=1 OR R05_YV1100=1) THEN R05R_Y_EVR_THRSH_EPRODS=1;
ELSE IF R05R_Y_EVR_EPRODS=2 OR (R05R_Y_EVR_EPRODS=1 AND R05_YV1100 =2) THEN R05R_Y_EVR_THRSH_EPRODS=2; ELSE IF R05R_Y_EVR_EPRODS=-99999 OR R05_YV1100=-9 THEN R05R_Y_EVR_THRSH_EPRODS=-99999;

```

ELSE IF R05R_Y_EVR_EPRODS=-99988
OR R05_YV1100=-8 THEN R05R_Y_EVR_THRSH_EPRODS=-99988; ELSE IF
R05R_Y_EVR_EPRODS=-99977 OR R05_YV1100=-7 THEN
R05R_Y_EVR_THRSH_EPRODS=-99977; ELSE IF R05R_Y_EVR_EPRODS= -99966 THEN
R05R_Y_EVR_THRSH_EPRODS = -99966; ELSE IF
R05R_Y_EVR_EPRODS=-99911 OR R05_YV1100=-1 THEN R05R_Y_EVR_THRSH_EPRODS=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	788	6.5 %
2	2 = No	11215	92.7 %
	Total	12,003	99.2%

This variable has 12,003 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	49	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	9	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	95	0.8%

Percentages for both tables are based on 12,098 total cases.

Location: 12231-12238 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_EPRODS: DERIVED - Wave 5 Youth Current Electronic Nicotine Product User

Long Description: Wave 5 youth respondents who have used an electronic nicotine product within the past 30 days.

```

Algorithm: IF R05R_Y_EVR_EPRODS = 1 AND R05_YV1112 IN (1,2,3) THEN
R05R_Y_CUR_EPRODS = 1; ELSE IF R05R_Y_EVR_EPRODS = 2 OR
(R05R_Y_EVR_EPRODS = 1 AND R05_YV1112 IN (4,5,6,7)) OR R05_YV1002_12M = 2
OR R05_YV1002_NB = 2 OR R05_YV1001_NB = 2 THEN R05R_Y_CUR_EPRODS = 2; ELSE
IF R05R_Y_EVR_EPRODS = -99999 OR R05_YV1112 = -9 OR R05_YV1002_12M = -9 OR
R05_YV1002_NB = -9 OR R05_YV1001_NB = -9 THEN R05R_Y_CUR_EPRODS = -99999;
ELSE IF R05R_Y_EVR_EPRODS = -99988 OR R05_YV1112 = -8 OR
R05_YV1002_12M = -8 OR R05_YV1002_NB = -8 OR R05_YV1001_NB = -8 THEN
R05R_Y_CUR_EPRODS = -99988; ELSE IF R05R_Y_EVR_EPRODS = -99977 OR
R05_YV1112 = -7 OR R05_YV1002_12M = -7 OR R05_YV1002_NB = -7 OR
R05_YV1001_NB = -7 THEN R05R_Y_CUR_EPRODS = -99977; ELSE IF
R05R_Y_EVR_EPRODS = -99966 THEN R05R_Y_CUR_EPRODS = -99966; ELSE IF
R05R_Y_EVR_EPRODS = -99911 OR R05_YV1112 = -1 OR R05_YV1002_12M = -1 OR

```


R05_YV1002_NB = -1 OR R05_YV1001_NB = -1 THEN
R05R_Y_CUR_EPRODS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1088	9.0 %
2	2 = No	10966	90.6 %
	Total	12,054	99.6%

This variable has 12,054 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	22	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	22	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	44	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 12239-12246 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_EPRODS: DERIVED - Wave 5 Youth Never to Ever Electronic Nicotine Product User

Long Description: Wave 5 youth respondents who started using electronic nicotine products between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_EPRODS = 2 AND R05R_Y_EVR_EPRODS = 1) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_EPRODS = 1;
ELSE IF (X04M_EVR_EPRODS = 1 OR R05R_Y_EVR_EPRODS = 2) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_EPRODS = 2; ELSE IF WAVE4P5_INTERVIEW IN (0,3) THEN R05R_Y_NEW_EPRODS = -99933; ELSE IF R05R_Y_EVR_EPRODS = -99999 THEN R05R_Y_NEW_EPRODS = -99999; ELSE IF R05R_Y_EVR_EPRODS = -99988 THEN R05R_Y_NEW_EPRODS = -99988; ELSE IF R05R_Y_EVR_EPRODS = -99977 THEN R05R_Y_NEW_EPRODS = -99977; ELSE IF X04M_EVR_EPRODS IN (-99933, -99999,-99988,-99977,-99966,-99911) OR R05R_Y_EVR_EPRODS = -99966 OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_EPRODS = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	925	7.6 %
2	2 = No	9164	75.7 %
	Total	10,089	83.4%

This variable has 10,089 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	418	3.5 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,009	16.6%

Percentages for both tables are based on 12,098 total cases.

Location: 12247-12254 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_EPRODS: DERIVED - Wave 5 Youth Past 12 Month E-Product Users

Long Description: Wave 5 youth respondents who have used an electronic nicotine product within the past 12 months, including: e-cigarettes, vape pens, personal vaporizers and mods, e-cigars, epipes, e-hookahs and hookah pens.

Algorithm: IF R05R_Y_EVR_EPRODS =1 AND (R05_YV1002_12M =1 OR R05_YV1112 in (1,2,3,4,5)) THEN R05R_Y_P12M_EPRODS =1;
ELSE IF R05_YV1001_NB =2 OR R05_YV1002_NB =2 OR R05_YV1002_12M =2 OR R05R_Y_EVR_EPRODS =2 OR R05_YV1112 in (6,7)
THEN R05R_Y_P12M_EPRODS =2; ELSE IF R05_YV1001_NB =-9 OR R05_YV1002_NB =-9 OR R05_YV1002_12M =-9 OR R05_YV1112 =-9 OR R05R_Y_EVR_EPRODS =-99999 THEN R05R_Y_P12M_EPRODS =-99999;
ELSE IF R05_YV1001_NB =-8 OR R05_YV1002_NB =-8 OR R05_YV1002_12M =-8 OR R05_YV1112 =-8 OR R05R_Y_EVR_EPRODS =-99988 THEN R05R_Y_P12M_EPRODS =-99988; ELSE IF
R05_YV1001_NB =-7 OR R05_YV1002_NB =-7 OR R05_YV1002_12M =-7 OR R05_YV1112 =-7 OR R05R_Y_EVR_EPRODS =-99977 THEN
R05R_Y_P12M_EPRODS =-99977; ELSE IF R05R_Y_EVR_EPRODS =-99966 THEN
R05R_Y_P12M_EPRODS =-99966; ELSE IF R05_YV1001_NB =-1 OR R05_YV1002_NB =-1 OR R05_YV1002_12M =-1 OR R05_YV1112 =-1 OR R05R_Y_EVR_EPRODS =-99911 THEN R05R_Y_P12M_EPRODS =-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2057	17.0 %
2	2 = No	10008	82.7 %
	Total	12,065	99.7%

This variable has 12,065 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	33	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12255-12262 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NUMDAYS_EPRODS: DERIVED - Wave 5 Youth Past 30 Days E-product Use Frequency

Long Description: Wave 5 youth number of days used an e-product within the past 30 days.

Algorithm: IF R05_YV1022 > 0 THEN R05R_Y_NUMDAYS_EPRODS = R05_YV1022;
ELSE IF R05_YV1022 = -9 THEN R05R_Y_NUMDAYS_EPRODS
= -99999; ELSE IF R05_YV1022 = -8 THEN R05R_Y_NUMDAYS_EPRODS = -99988;
ELSE IF R05_YV1022 = -7 THEN
R05R_Y_NUMDAYS_EPRODS = -99977; ELSE IF R05_YV1022 IN (0,-5) THEN
R05R_Y_NUMDAYS_EPRODS = -99955; ELSE IF R05_YV1022 = -1
THEN R05R_Y_NUMDAYS_EPRODS = -99911;

This variable has 1,051 valid cases out of 12,098 total cases.

- Mean: 10.51
- Median: 5.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 10.72

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	13	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	11010	91.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	11,047	91.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12263-12270 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05R_Y_EVR_GTRAD: DERIVED - Wave 5 Youth Ever Traditional Cigar Smoker

Long Description: Wave 5 youth respondents who have ever smoked a traditional cigar.

Algorithm: IF R05_YG9104_NB_01 = 1 OR R05_YG9104_12M_01 = 1 OR X04M_EVR_GTRAD = 1 THEN R05R_Y_EVR_GTRAD = 1; ELSE IF R05_YG9101_NB = 2 OR R05_YG1002_NB = 2 OR R05_YG9104_NB_01 = 2 OR (X04M_EVR_GTRAD = 2 AND (R05_YG1002_12M = 2 OR R05_YG9104_12M_01 = 2) AND X04M_SKIPPED_WAVE = 2) THEN R05R_Y_EVR_GTRAD = 2; ELSE IF R05_YG9101_NB = -9 OR R05_YG1002_NB = -9 OR R05_YG9104_NB_01 = -9 OR R05_YG1002_12M = -9 OR R05_YG9104_12M_01 = -9 THEN R05R_Y_EVR_GTRAD = -99999; ELSE IF R05_YG9101_NB = -8 OR R05_YG1002_NB = -8 OR R05_YG9104_NB_01 = -8 OR R05_YG1002_12M = -8 OR R05_YG9104_12M_01 = -8 THEN R05R_Y_EVR_GTRAD = -99988; ELSE IF R05_YG9101_NB = -7 OR R05_YG1002_NB = -7 OR R05_YG9104_NB_01 = -7 OR R05_YG1002_12M = -7 OR R05_YG9104_12M_01 = -7 THEN R05R_Y_EVR_GTRAD = -99977; ELSE IF X04M_EVR_GTRAD IN (-99933,-99999,-99988,-99977,-99966,-99911) OR X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_GTRAD = -99966; ELSE IF R05_YG9101_NB = -1 OR R05_YG1002_NB = -1 OR R05_YG9104_NB_01 = -1 OR R05_YG1002_12M = -1 OR R05_YG9104_12M_01 = -1 THEN R05R_Y_EVR_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	177	1.5 %
2	2 = No	11756	97.2 %
	Total	11,933	98.6%

This variable has 11,933 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	126	1.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	165	1.4%

Percentages for both tables are based on 12,098 total cases.

Location: 12271-12278 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_THRSH_GTRAD: DERIVED - Wave 5 Youth Traditional Cigar Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 5 youth respondents who have used traditional cigars fairly regularly in their lifetime.

Algorithm: IF R05R_Y_EVR_GTRAD=1 AND (X04M_EVR_THRSH_GTRAD=1 OR R05_YG1100TC=1) THEN R05R_Y_EVR_THRSH_GTRAD=1;
ELSE IF R05R_Y_EVR_GTRAD=2 OR (R05R_Y_EVR_GTRAD=1 AND R05_YG1100TC =2) THEN R05R_Y_EVR_THRSH_GTRAD=2; ELSE IF
R05R_Y_EVR_GTRAD=-99999 OR R05_YG1100TC=-9 THEN R05R_Y_EVR_THRSH_GTRAD=-99999;
ELSE IF R05R_Y_EVR_GTRAD=-99988
OR R05_YG1100TC=-8 THEN R05R_Y_EVR_THRSH_GTRAD=-99988; ELSE IF
R05R_Y_EVR_GTRAD=-99977 OR R05_YG1100TC=-7 THEN
R05R_Y_EVR_THRSH_GTRAD=-99977; ELSE IF R05R_Y_EVR_GTRAD= -99966
THEN R05R_Y_EVR_THRSH_GTRAD = -99966; ELSE IF
R05R_Y_EVR_GTRAD=-99911 OR R05_YG1100TC=-1 THEN
R05R_Y_EVR_THRSH_GTRAD=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	36	0.3 %
2	2 = No	11888	98.3 %
	Total	11,924	98.6%

This variable has 11,924 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	126	1.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	8	0.1 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	174	1.4%

Percentages for both tables are based on 12,098 total cases.

Location: 12279-12286 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_GTRAD: DERIVED - Wave 5 Youth Current Traditional Cigar Smoker

Long Description: Wave 5 youth respondents who have ever smoked a traditional cigar had have smoked in the past 30 days. Does not include respondents who smoked traditional cigars only as blunts.

Algorithm: IF R05R_Y_EVR_GTRAD = 1 AND R05_YG1112TC IN (1,2,3) THEN
R05R_Y_CUR_GTRAD = 1; ELSE IF R05R_Y_EVR_GTRAD = 2 OR
(R05R_Y_EVR_GTRAD = 1 AND (R05_YG1112TC IN (4,5,6,7) OR
R05_YG9106_01 = 1)) OR R05_YG1002_12M = 2 OR R05_YG9104_12M_01 = 2 OR
R05_YG1002_NB = 2 OR R05_YG9104_NB_01 = 2 OR R05_YG9101_NB = 2 THEN
R05R_Y_CUR_GTRAD = 2; ELSE IF R05R_Y_EVR_GTRAD = -99999 OR
R05_YG1112TC = -9 OR R05_YG1002_12M = -9 OR R05_YG9104_12M_01 = -9 OR
R05_YG1002_NB = -9 OR R05_YG9104_NB_01 = -9 OR R05_YG9106_01 = -9 OR
R05_YG9101_NB = -9 THEN R05R_Y_CUR_GTRAD = -99999; ELSE IF
R05R_Y_EVR_GTRAD = -99988 OR R05_YG1112TC = -8 OR R05_YG1002_12M = -8
OR R05_YG9104_12M_01 = -8 OR R05_YG1002_NB = -8 OR R05_YG9104_NB_01 =
-8 OR R05_YG9106_01 = -8 OR R05_YG9101_NB = -8 THEN R05R_Y_CUR_GTRAD =
-99988; ELSE IF R05R_Y_EVR_GTRAD = -99977 OR R05_YG1112TC = -7 OR
R05_YG1002_12M = -7 OR R05_YG9104_12M_01 = -7 OR R05_YG1002_NB = -7 OR
R05_YG9104_NB_01 = -7 OR R05_YG9106_01 = -7 OR R05_YG9101_NB = -7 THEN
R05R_Y_CUR_GTRAD = -99977; ELSE IF R05R_Y_EVR_GTRAD = -99966 THEN
R05R_Y_CUR_GTRAD = -99966; ELSE IF R05R_Y_EVR_GTRAD = -99911 OR
R05_YG1112TC = -1 OR R05_YG1002_12M = -1 OR R05_YG9104_12M_01 = -1 OR
R05_YG1002_NB = -1 OR R05_YG9104_NB_01 = -1 OR R05_YG9106_01 = -1 OR
R05_YG9101_NB = -1 THEN R05R_Y_CUR_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	37	0.3 %
2	2 = No	12022	99.4 %
	Total	12,059	99.7%

This variable has 12,059 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	39	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12287-12294 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_GTRAD: DERIVED - Wave 5 Youth Never to Ever Traditional Cigar Smoker

Long Description: Wave 5 youth respondents who started smoking traditional cigars between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_GTRAD = 2 AND R05R_Y_EVR_GTRAD = 1) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_GTRAD = 1; ELSE IF (X04M_EVR_GTRAD = 1 OR R05R_Y_EVR_GTRAD = 2) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_GTRAD = 2; ELSE IF WAVE4P5_INTERVIEW IN (0, 3) THEN R05R_Y_NEW_GTRAD = -99933; ELSE IF R05R_Y_EVR_GTRAD = -99999 THEN R05R_Y_NEW_GTRAD = -99999; ELSE IF R05R_Y_EVR_GTRAD = -99988 THEN R05R_Y_NEW_GTRAD = -99988; ELSE IF R05R_Y_EVR_GTRAD = -99977 THEN R05R_Y_NEW_GTRAD = -99977; ELSE IF X04M_EVR_GTRAD IN (-99933, -99999, -99988, -99977, -99966, -99911) OR R05R_Y_EVR_GTRAD = -99966 OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_GTRAD = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	60	0.5 %
2	2 = No	9965	82.4 %
	Total	10,025	82.9%

This variable has 10,025 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.2 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	15	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	471	3.9 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,073	17.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12295-12302 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_GTRAD: DERIVED - Wave 5 Youth Past 12 Month Traditional Cigar Smokers

Long Description: Wave 5 youth respondents who have smoked a traditional cigar within the past 12 months.

Algorithm: IF R05R_Y_EVR_GTRAD = 1 AND (R05_YG9104_12M_01 = 1 OR R05_YG1112TC IN (1,2,3,4,5)) THEN R05R_Y_P12M_GTRAD = 1; ELSE IF R05R_Y_EVR_GTRAD = 2 OR R05_YG9101_NB = 2 OR R05_YG1002_NB = 2 OR R05_YG9104_NB_01 = 2 OR R05_YG1002_12M = 2 OR R05_YG9104_12M_01 = 2 OR R05_YG1112TC IN (6,7) THEN R05R_Y_P12M_GTRAD = 2; ELSE IF R05_YG9104_12M_01 = -9 OR R05_YG1112TC = -9 OR R05_YG9101_NB = -9 OR R05_YG1002_NB = -9 OR R05_YG9104_NB_01 = -9 OR R05_YG1002_12M = -9 OR R05R_Y_EVR_GTRAD = -99999 THEN R05R_Y_P12M_GTRAD = -99999; ELSE IF R05_YG9104_12M_01 = -8 OR R05_YG1112TC = -8 OR R05_YG9101_NB = -8 OR R05_YG1002_NB = -8 OR R05_YG9104_NB_01 = -8 OR R05_YG1002_12M = -8 OR R05R_Y_EVR_GTRAD = -99988 THEN R05R_Y_P12M_GTRAD = -99988; ELSE IF R05_YG9104_12M_01 = -7 OR R05_YG1112TC = -7 OR R05_YG9101_NB = -7 OR R05_YG1002_NB = -7 OR R05_YG9104_NB_01 = -7 OR R05_YG1002_12M = -7 OR R05R_Y_EVR_GTRAD = -99977 THEN R05R_Y_P12M_GTRAD = -99977; ELSE IF R05R_Y_EVR_GTRAD = -99966 THEN R05R_Y_P12M_GTRAD = -99966; ELSE IF R05_YG9104_12M_01 = -1 OR R05_YG1112TC = -1 OR R05_YG9101_NB = -1 OR R05_YG1002_NB = -1 OR R05_YG9104_NB_01 = -1 OR R05_YG1002_12M = -1 OR R05R_Y_EVR_GTRAD = -99911 THEN R05R_Y_P12M_GTRAD = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	118	1.0 %
2	2 = No	11941	98.7 %
	Total	12,059	99.7%

This variable has 12,059 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	16	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	39	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12303-12310 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NUMDAYS_GTRAD: DERIVED - Wave 5 Youth Past 30 Day Traditional Cigar Smoking Frequency

Long Description: Wave 5 youth number of days smoked a traditional cigar within the past 30 days.

Algorithm: IF R05_YG1022TC > 0 THEN R05R_Y_NUMDAYS_GTRAD = R05_YG1022TC; ELSE IF R05_YG1022TC = -9 THEN R05R_Y_NUMDAYS_GTRAD = -99999; ELSE IF R05_YG1022TC = -8 THEN R05R_Y_NUMDAYS_GTRAD = -99988; ELSE IF R05_YG1022TC = -7 THEN R05R_Y_NUMDAYS_GTRAD = -99977; ELSE IF R05_YG1022TC IN (0,-5) THEN R05R_Y_NUMDAYS_GTRAD = -99955; ELSE IF R05_YG1022TC = -1 THEN R05R_Y_NUMDAYS_GTRAD = -99911;

This variable has 37 valid cases out of 12,098 total cases.

- Mean: 4.14
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 6.05

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %

	Missing Data		
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12061	99.7 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,061	99.7%

Percentages for both tables are based on 12,098 total cases.

Location: 12311-12318 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05R_Y_EVR_GRILLO: DERIVED - Wave 5 Youth Ever Cigarillo Smoker

Long Description: Wave 5 youth respondents who have ever smoked a cigarillo.

Algorithm: IF R05_YG9009_NB_01 = 1 OR R05_YG9009_NB_03 = 1
OR R05_YG9009_12M_01 = 1 OR R05_YG9009_12M_03 = 1 OR
X04M_EVR_GRILLO = 1 THEN R05R_Y_EVR_GRILLO = 1; ELSE IF
R05_YG9101_NB = 2 OR R05_YG1002_NB = 2 OR R05_YG9104_NB_02
= 2 OR (R05_YG9009_NB_01 = 2 AND R05_YG9009_NB_03 = 2)
OR (X04M_EVR_GRILLO = 2 AND (R05_YG1002_12M = 2 OR
R05_YG9104_12M_02 = 2 OR (R05_YG9009_12M_01 = 2 AND
R05_YG9009_12M_03 = 2)) AND X04M_SKIPPED_WAVE = 2) THEN
R05R_Y_EVR_GRILLO = 2; ELSE IF R05_YG9101_NB = -9 OR
R05_YG1002_NB = -9 OR R05_YG9104_NB_02 = -9 OR R05_YG1002_12M
= -9 OR R05_YG9104_12M_02 = -9 OR R05_YG9009_NB_01 = -9
OR R05_YG9009_NB_03 = -9 OR R05_YG9009_12M_01 = -9 OR
R05_YG9009_12M_03 = -9 THEN R05R_Y_EVR_GRILLO = -99999;
ELSE IF R05_YG9101_NB = -8 OR R05_YG1002_NB = -8 OR
R05_YG9104_NB_02 = -8 OR R05_YG1002_12M = -8 OR
R05_YG9104_12M_02 = -8 OR R05_YG9009_NB_01 = -8 OR R05_YG9009_NB_03
= -8 OR R05_YG9009_12M_01 = -8 OR R05_YG9009_12M_03 = -8
THEN R05R_Y_EVR_GRILLO = -99988; ELSE IF R05_YG9101_NB = -7 OR
R05_YG1002_NB = -7 OR R05_YG9104_NB_02 = -7 OR
R05_YG1002_12M = -7 OR R05_YG9104_12M_02 = -7 OR R05_YG9009_NB_01 = -7
OR R05_YG9009_NB_03 = -7 OR R05_YG9009_12M_01 = -7 OR
R05_YG9009_12M_03 = -7 THEN R05R_Y_EVR_GRILLO = -99977; ELSE IF
X04M_EVR_GRILLO IN (-99933,-99999,-99988,-99977,-99966,-99911)
OR X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_GRILLO = -99966;
ELSE IF R05_YG9101_NB = -1 OR R05_YG1002_NB = -1 OR
R05_YG9104_NB_02 = -1 OR R05_YG1002_12M = -1 OR R05_YG9104_12M_02
= -1 OR R05_YG9009_NB_01 = -1 OR R05_YG9009_NB_03 = -1 OR
R05_YG9009_12M_01 = -1 OR R05_YG9009_12M_03 = -1 THEN
R05R_Y_EVR_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	395	3.3 %
2	2 = No	11529	95.3 %

Value	Label	Unweighted Frequency	%
	Total	11,924	98.6%

This variable has 11,924 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	133	1.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	174	1.4%

Percentages for both tables are based on 12,098 total cases.

Location: 12319-12326 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_THRSH_GRILLO: DERIVED - Wave 5 Youth Cigarillo Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 5 youth respondents who have used cigarillos fairly regularly in their lifetime.

Algorithm: IF R05R_Y_EVR_GRILLO=1 AND (X04M_EVR_THRSH_GRILLO=1 OR R05_YG1100CL=1) THEN R05R_Y_EVR_THRSH_GRILLO=1;
ELSE IF R05R_Y_EVR_GRILLO=2 OR (R05R_Y_EVR_GRILLO=1 AND R05_YG1100CL =2) THEN R05R_Y_EVR_THRSH_GRILLO=2; ELSE IF
R05R_Y_EVR_GRILLO=-99999 OR R05_YG1100CL=-9 THEN
R05R_Y_EVR_THRSH_GRILLO=-99999; ELSE IF R05R_Y_EVR_GRILLO=-99988
OR R05_YG1100CL=-8 THEN R05R_Y_EVR_THRSH_GRILLO=-99988;
ELSE IF R05R_Y_EVR_GRILLO=-99977 OR R05_YG1100CL=-7 THEN
R05R_Y_EVR_THRSH_GRILLO=-99977; ELSE IF R05R_Y_EVR_GRILLO=
-99966 THEN R05R_Y_EVR_THRSH_GRILLO = -99966; ELSE IF
R05R_Y_EVR_GRILLO=-99911 OR R05_YG1100CL=-1 THEN
R05R_Y_EVR_THRSH_GRILLO=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	79	0.7 %
2	2 = No	11743	97.1 %
	Total	11,822	97.7%

This variable has 11,822 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	133	1.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	101	0.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	276	2.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12327-12334 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_GRILLO: DERIVED - Wave 5 Youth Current Cigarillo Smoker

Long Description: Wave 5 youth respondents who have ever smoked a cigarillo and have smoked in the past 30 days. Does not include respondents who smoked cigarillos only as blunts.

Algorithm: IF R05R_Y_EVR_GRILLO = 1 AND R05_YG1112CL IN (1,2,3)
 THEN R05R_Y_CUR_GRILLO = 1; ELSE IF R05R_Y_EVR_GRILLO = 2 OR
 (R05R_Y_EVR_GRILLO = 1 AND (R05_YG1112CL IN (4,5,6,7) OR R05_YG9106_02 = 1))
 OR R05_YG1002_12M = 2 OR R05_YG9104_12M_02
 = 2 OR (R05_YG9009_12M_01 = 2 AND R05_YG9009_12M_03 = 2) THEN
 R05R_Y_CUR_GRILLO = 2; ELSE IF R05R_Y_EVR_GRILLO
 = -99999 OR R05_YG1112CL = -9 OR R05_YG1002_12M = -9 OR
 R05_YG9104_12M_02 = -9 OR R05_YG9009_12M_01 = -9 OR
 R05_YG9009_12M_03 = -9 OR R05_YG9106_02 = -9 THEN
 R05R_Y_CUR_GRILLO = -99999; ELSE IF R05R_Y_EVR_GRILLO = -99988 OR
 R05_YG1112CL = -8 OR R05_YG1002_12M = -8 OR R05_YG9104_12M_02
 = -8 OR R05_YG9009_12M_01 = -8 OR R05_YG9009_12M_03
 = -8 OR R05_YG9106_02 = -8 THEN R05R_Y_CUR_GRILLO = -99988;
 ELSE IF R05R_Y_EVR_GRILLO = -99977 OR R05_YG1112CL = -7 OR
 R05_YG1002_12M = -7 OR R05_YG9104_12M_02 = -7 OR
 R05_YG9009_12M_01 = -7 OR R05_YG9009_12M_03 = -7 OR R05_YG9106_02
 = -7 THEN R05R_Y_CUR_GRILLO = -99977; ELSE IF R05R_Y_EVR_GRILLO
 = -99966 THEN R05R_Y_CUR_GRILLO = -99966; ELSE IF
 R05R_Y_EVR_GRILLO = -99911 OR R05_YG1112CL = -1 OR
 R05_YG1002_12M = -1 OR R05_YG9104_12M_02 = -1 OR R05_YG9009_12M_01 =
 -1 OR R05_YG9009_12M_03 = -1 OR R05_YG9106_02 = -1
 THEN R05R_Y_CUR_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	69	0.6 %
2	2 = No	11984	99.1 %
	Total	12,053	99.6%

This variable has 12,053 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	26	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	45	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 12335-12342 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_GRILLO: DERIVED - Wave 5 Youth Never to Ever Cigarillo Smoker

Long Description: Wave 5 youth respondents who started smoking cigarillos between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_GRILLO = 2 AND R05R_Y_EVR_GRILLO = 1) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_GRILLO = 1; ELSE IF (X04M_EVR_GRILLO = 1 OR R05R_Y_EVR_GRILLO = 2) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_GRILLO = 2; ELSE IF WAVE4P5_INTERVIEW IN (0,3) THEN R05R_Y_NEW_GRILLO = -99933; ELSE IF R05R_Y_EVR_GRILLO = -99999 THEN R05R_Y_NEW_GRILLO = -99999; ELSE IF R05R_Y_EVR_GRILLO = -99988 THEN R05R_Y_NEW_GRILLO = -99988; ELSE IF R05R_Y_EVR_GRILLO = -99977 THEN R05R_Y_NEW_GRILLO = -99977; ELSE IF X04M_EVR_GRILLO IN (-99933, -99999, -99988, -99977, -99966, -99911) OR R05R_Y_EVR_GRILLO = -99966 OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_GRILLO = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	119	1.0 %
2	2 = No	9895	81.8 %
	Total	10,014	82.8%

This variable has 10,014 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	480	4.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,084	17.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12343-12350 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_GRILLO: DERIVED - Wave 5 Youth Past 12 Month Cigarillo Smokers

Long Description: Wave 5 youth respondents who have smoked a cigarillo within the past 12 months.

Algorithm: IF R05R_Y_EVR_GRILLO = 1 AND (R05_YG9009_12M_01 = 1 OR R05_YG9009_12M_03 = 1 OR R05_YG1112CL IN (1,2,3,4,5)) THEN R05R_Y_P12M_GRILLO = 1; ELSE IF R05R_Y_EVR_GRILLO = 2 OR R05_YG9101_NB = 2 OR R05_YG1002_NB = 2 OR R05_YG9104_NB_02 = 2 OR (R05_YG9009_NB_01 = 2 AND R05_YG9009_NB_03 = 2) OR R05_YG1002_12M = 2 OR R05_YG9104_12M_02 = 2 OR (R05_YG9009_12M_01 = 2 AND R05_YG9009_12M_03 = 2) OR R05_YG1112CL IN (6,7) THEN R05R_Y_P12M_GRILLO = 2; ELSE IF R05_YG9101_NB = -9 OR R05_YG9104_12M_02 = -9 OR R05_YG9104_NB_02 = -9 OR R05_YG1112CL = -9 OR R05_YG1002_NB = -9 OR R05_YG9009_NB_01 = -9 OR R05_YG9009_NB_03 = -9 OR R05_YG1002_12M = -9 OR R05_YG9009_12M_01 = -9 OR R05_YG9009_12M_03 = -9 OR R05R_Y_EVR_GRILLO = -99999 THEN R05R_Y_P12M_GRILLO = -99999; ELSE IF R05_YG9101_NB = -8 OR R05_YG9104_12M_02 = -8 OR R05_YG9104_NB_02 = -8 OR R05_YG1112CL = -8 OR R05_YG1002_NB = -8 OR R05_YG9009_NB_01 = -8 OR R05_YG9009_NB_03 = -8 OR R05_YG1002_12M = -8 OR R05_YG9009_12M_01 = -8 OR R05_YG9009_12M_03 = -8 OR R05R_Y_EVR_GRILLO = -99988 THEN R05R_Y_P12M_GRILLO = -99988; ELSE IF R05_YG9101_NB = -7 OR R05_YG9104_12M_02 = -7 OR R05_YG9104_NB_02 = -7 OR R05_YG1112CL = -7 OR R05_YG1002_NB = -7 OR R05_YG9009_NB_01 = -7 OR R05_YG9009_NB_03 = -7 OR R05_YG1002_12M = -7 OR R05_YG9009_12M_01 = -7 OR R05_YG9009_12M_03 = -7 OR R05R_Y_EVR_GRILLO = -99977 THEN R05R_Y_P12M_GRILLO = -99977; ELSE IF R05R_Y_EVR_GRILLO = -99966 THEN R05R_Y_P12M_GRILLO = -99966; ELSE IF R05_YG9101_NB = -1 OR R05_YG9104_12M_02 = -1 OR R05_YG9104_NB_02 = -1 OR R05_YG1112CL = -1 OR R05_YG1002_NB = -1 OR R05_YG9009_NB_01 = -1 OR R05_YG9009_NB_03 = -1 OR R05_YG1002_12M = -1 OR R05_YG9009_12M_01 = -1

OR R05_YG9009_12M_03 = -1 OR R05R_Y_EVR_GRILLO = -99911 THEN
R05R_Y_P12M_GRILLO = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	252	2.1 %
2	2 = No	11800	97.5 %
	Total	12,052	99.6%

This variable has 12,052 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	46	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 12351-12358 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NUMDAYS_GRILLO: DERIVED - Wave 5 Youth Past 30 Day Cigarillo Smoking Frequency

Long Description: Wave 5 youth number of days smoked cigarillos within the past 30 days.

Algorithm: IF R05_YG1022CL > 0 THEN R05R_Y_NUMDAYS_GRILLO = R05_YG1022CL; ELSE IF R05_YG1022CL = -9 THEN R05R_Y_NUMDAYS_GRILLO = -99999; ELSE IF R05_YG1022CL = -8 THEN R05R_Y_NUMDAYS_GRILLO = -99988; ELSE IF R05_YG1022CL = -7 THEN R05R_Y_NUMDAYS_GRILLO = -99977; ELSE IF R05_YG1022CL IN (0,-5) THEN R05R_Y_NUMDAYS_GRILLO = -99955; ELSE IF R05_YG1022CL = -1 THEN R05R_Y_NUMDAYS_GRILLO = -99911;

This variable has 67 valid cases out of 12,098 total cases.

- Mean: 6.33
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00

- Maximum: 30.00
- Standard Deviation: 8.39

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12029	99.4 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,031	99.4%

Percentages for both tables are based on 12,098 total cases.

Location: 12359-12366 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05R_Y_EVR_GFILTR: DERIVED - Wave 5 Youth Ever Filtered Cigar Smoker

Long Description: Wave 5 youth respondents who have ever smoked a filtered cigar.

Algorithm: IF R05_YG9009_NB_02 = 1 OR R05_YG9009_12M_02 = 1
OR X04M_EVR_GFILTR = 1 THEN R05R_Y_EVR_GFILTR = 1; ELSE
IF R05_YG9101_NB = 2 OR R05_YG1002_NB = 2 OR R05_YG9104_NB_02
= 2 OR R05_YG9009_NB_02 = 2 OR (X04M_EVR_GFILTR
= 2 AND (R05_YG1002_12M = 2 OR R05_YG9104_12M_02 = 2 OR
R05_YG9009_12M_02 = 2) AND X04M_SKIPPED_WAVE = 2) THEN
R05R_Y_EVR_GFILTR = 2; ELSE IF R05_YG9101_NB = -9 OR
R05_YG1002_NB = -9 OR R05_YG9104_NB_02 = -9 OR R05_YG1002_12M
= -9 OR R05_YG9104_12M_02 = -9 OR R05_YG9009_NB_02 = -9
OR R05_YG9009_12M_02 = -9 THEN R05R_Y_EVR_GFILTR =
-99999; ELSE IF R05_YG9101_NB = -8 OR R05_YG1002_NB = -8
OR R05_YG9104_NB_02 = -8 OR R05_YG1002_12M = -8 OR
R05_YG9104_12M_02 = -8 OR R05_YG9009_NB_02 = -8 OR
R05_YG9009_12M_02 = -8 THEN R05R_Y_EVR_GFILTR = -99988; ELSE
IF R05_YG9101_NB = -7 OR R05_YG1002_NB = -7 OR
R05_YG9104_NB_02 = -7 OR R05_YG1002_12M = -7 OR R05_YG9104_12M_02
= -7 OR R05_YG9009_NB_02 = -7 OR R05_YG9009_12M_02 = -7
THEN R05R_Y_EVR_GFILTR = -99977; ELSE IF X04M_EVR_GFILTR
IN (-99933,-99999,-99988,-99977,-99966,-99911) OR
X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_GFILTR = -99966; ELSE IF
R05_YG9101_NB = -1 OR R05_YG1002_NB = -1 OR R05_YG9104_NB_02
= -1 OR R05_YG1002_12M = -1 OR R05_YG9104_12M_02 = -1 OR
R05_YG9009_NB_02 = -1 OR R05_YG9009_12M_02 = -1
THEN R05R_Y_EVR_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	127	1.0 %
2	2 = No	11794	97.5 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	135	1.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 12367-12374 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_THRSH_GFILTR: DERIVED - Wave 5 Youth Filtered Cigar Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 5 youth respondents who have used filtered cigars fairly regularly in their lifetime.

Algorithm: IF R05R_Y_EVR_GFILTR=1 AND (X04M_EVR_THRSH_GFILTR=1 OR R05_YG1100FC=1) THEN R05R_Y_EVR_THRSH_GFILTR=1;
ELSE IF R05R_Y_EVR_GFILTR=2 OR (R05R_Y_EVR_GFILTR=1 AND R05_YG1100FC =2) THEN R05R_Y_EVR_THRSH_GFILTR=2; ELSE IF
R05R_Y_EVR_GFILTR=-99999 OR R05_YG1100FC=-9 THEN
R05R_Y_EVR_THRSH_GFILTR=-99999; ELSE IF R05R_Y_EVR_GFILTR=-99988
OR R05_YG1100FC=-8 THEN R05R_Y_EVR_THRSH_GFILTR=-99988;
ELSE IF R05R_Y_EVR_GFILTR=-99977 OR R05_YG1100FC=-7 THEN
R05R_Y_EVR_THRSH_GFILTR=-99977; ELSE IF R05R_Y_EVR_GFILTR=
-99966 THEN R05R_Y_EVR_THRSH_GFILTR = -99966; ELSE IF
R05R_Y_EVR_GFILTR=-99911 OR R05_YG1100FC=-1 THEN
R05R_Y_EVR_THRSH_GFILTR=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	35	0.3 %
2	2 = No	11884	98.2 %

Value	Label	Unweighted Frequency	%
	Total	11,919	98.5%

This variable has 11,919 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	135	1.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	2	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	179	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 12375-12382 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_GFILTR: DERIVED - Wave 5 Youth Current Filtered Cigar Smoker

Long Description: Wave 5 youth respondents who have ever smoked a filtered cigar and have smoked in the past 30 days. Does not include respondents who smoked filtered cigars only as blunts.

Algorithm: IF R05R_Y_EVR_GFILTR = 1 AND R05_YG1112FC IN (1,2,3) THEN
R05R_Y_CUR_GFILTR = 1; ELSE IF R05R_Y_EVR_GFILTR = 2 OR
(R05R_Y_EVR_GFILTR = 1 AND (R05_YG1112FC IN (4,5,6,7) OR
R05_YG9106_03 = 1)) OR R05_YG1002_12M = 2 OR R05_YG9104_12M_02 = 2 OR
R05_YG9009_12M_02 = 2 OR R05_YG1002_NB = 2 OR R05_YG9104_NB_02 = 2 OR
R05_YG9009_NB_02 = 2 OR R05_YG9101_NB = 2 THEN R05R_Y_CUR_GFILTR = 2;
ELSE IF R05R_Y_EVR_GFILTR = -99999 OR R05_YG1112FC = -9 OR
R05_YG1002_12M = -9 OR R05_YG9104_12M_02 = -9 OR R05_YG9009_12M_02 = -9
OR R05_YG1002_NB = -9 OR R05_YG9104_NB_02 = -9 OR R05_YG9009_NB_02 = -9
OR R05_YG9106_03 = -9 OR R05_YG9101_NB = -9 THEN R05R_Y_CUR_GFILTR =
-99999; ELSE IF R05R_Y_EVR_GFILTR = -99988 OR R05_YG1112FC = -8 OR
R05_YG1002_12M = -8 OR R05_YG9104_12M_02 = -8 OR R05_YG9009_12M_02 = -8
OR R05_YG1002_NB = -8 OR R05_YG9104_NB_02 = -8 OR R05_YG9009_NB_02 = -8
OR R05_YG9106_03 = -8 OR R05_YG9101_NB = -8 THEN R05R_Y_CUR_GFILTR =
-99988; ELSE IF R05R_Y_EVR_GFILTR = -99977 OR R05_YG1112FC = -7 OR
R05_YG1002_12M = -7 OR R05_YG9104_12M_02 = -7 OR R05_YG9009_12M_02 = -7
OR R05_YG1002_NB = -7 OR R05_YG9104_NB_02 = -7 OR R05_YG9009_NB_02 = -7
OR R05_YG9106_03 = -7 OR R05_YG9101_NB = -7 THEN R05R_Y_CUR_GFILTR =
-99977; ELSE IF R05R_Y_EVR_GFILTR = -99966 THEN R05R_Y_CUR_GFILTR =
-99966; ELSE IF R05R_Y_EVR_GFILTR = -99911 OR R05_YG1112FC = -1 OR
R05_YG1002_12M = -1 OR R05_YG9104_12M_02 = -1 OR R05_YG9009_12M_02 = -1
OR R05_YG1002_NB = -1 OR R05_YG9104_NB_02 = -1 OR R05_YG9009_NB_02 = -1

OR R05_YG9106_03 = -1 OR R05_YG9101_NB = -1 THEN R05R_Y_CUR_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	24	0.2 %
2	2 = No	12032	99.5 %
	Total	12,056	99.7%

This variable has 12,056 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	42	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12383-12390 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_GFILTR: DERIVED - Wave 5 Youth Never to Ever Filtered Cigar Smoker

Long Description: Wave 5 youth respondents who started smoking filtered cigars between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_GFILTR = 2 AND R05R_Y_EVR_GFILTR = 1) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_GFILTR = 1; ELSE IF (X04M_EVR_GFILTR = 1 OR R05R_Y_EVR_GFILTR = 2) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_GFILTR = 2; ELSE IF WAVE4P5_INTERVIEW IN (0,3) THEN R05R_Y_NEW_GFILTR = -99933; ELSE IF R05R_Y_EVR_GFILTR = -99999 THEN R05R_Y_NEW_GFILTR = -99999; ELSE IF R05R_Y_EVR_GFILTR = -99988 THEN R05R_Y_NEW_GFILTR = -99988; ELSE IF R05R_Y_EVR_GFILTR = -99977 THEN R05R_Y_NEW_GFILTR = -99977; ELSE IF X04M_EVR_GFILTR IN (-99933, -99999, -99988, -99977, -99966, -99911) OR R05R_Y_EVR_GFILTR = -99966 OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_GFILTR = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	33	0.3 %

Value	Label	Unweighted Frequency	%
2	2 = No	9982	82.5 %
	Total	10,015	82.8%

This variable has 10,015 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	20	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	478	4.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,083	17.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12391-12398 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_GFILTR: DERIVED - Wave 5 Youth Past 12 Month Filtered Cigar Smokers

Long Description: Wave 5 youth respondents who have smoked a filtered cigar within the past 12 months.

Algorithm: IF R05R_Y_EVR_GFILTR = 1 AND (R05_YG9009_12M_02 = 1 OR R05_YG1112FC IN (1,2,3,4,5)) THEN R05R_Y_P12M_GFILTR = 1; ELSE IF R05R_Y_EVR_GFILTR = 2 OR R05_YG9101_NB = 2 OR R05_YG1002_NB = 2 OR R05_YG9104_NB_02 = 2 OR R05_YG9009_NB_02 = 2 OR R05_YG1002_12M = 2 OR R05_YG9104_12M_02 = 2 OR R05_YG9009_12M_02 = 2 OR R05_YG1112FC IN (6,7) THEN R05R_Y_P12M_GFILTR = 2; ELSE IF R05_YG9101_NB = -9 OR R05_YG1002_NB = -9 OR R05_YG9009_NB_02 = -9 OR R05_YG1002_12M = -9 OR R05_YG9009_12M_02 = -9 OR R05_YG9104_NB_02 = -9 OR R05_YG9104_12M_02 = -9 OR R05_YG1112FC = -9 OR R05R_Y_EVR_GFILTR = -99999 THEN R05R_Y_P12M_GFILTR = -99999; ELSE IF R05_YG9101_NB = -8 OR R05_YG1002_NB = -8 OR R05_YG9009_NB_02 = -8 OR R05_YG1002_12M = -8 OR R05_YG9009_12M_02 = -8 OR R05_YG9104_NB_02 = -8 OR R05_YG9104_12M_02 = -8 OR R05_YG1112FC = -8 OR R05R_Y_EVR_GFILTR = -99988 THEN R05R_Y_P12M_GFILTR = -99988; ELSE IF R05_YG9101_NB = -7 OR R05_YG1002_NB = -7 OR R05_YG9009_NB_02 = -7 OR R05_YG1002_12M = -7 OR R05_YG9009_12M_02 = -7 OR R05_YG9104_NB_02 = -7 OR R05_YG9104_12M_02 = -7 OR R05_YG1112FC = -7 OR R05R_Y_EVR_GFILTR = -99977 THEN R05R_Y_P12M_GFILTR = -99977; ELSE IF R05R_Y_EVR_GFILTR = -99966 THEN R05R_Y_P12M_GFILTR = -99966; ELSE IF R05_YG9101_NB = -1 OR R05_YG1002_NB = -1 OR R05_YG9009_NB_02 = -1 OR R05_YG1002_12M = -1 OR R05_YG9009_12M_02 = -1 OR

R05_YG9104_NB_02 = -1 OR R05_YG9104_12M_02 = -1 OR R05_YG1112FC = -1
OR R05R_Y_EVR_GFILTR = -99911 THEN R05R_Y_P12M_GFILTR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	91	0.8 %
2	2 = No	11965	98.9 %
	Total	12,056	99.7%

This variable has 12,056 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	42	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12399-12406 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NUMDAYS_GFILTR: DERIVED - Wave 5 Youth Past 30 Day Filtered Cigar Smoking Frequency

Long Description: Wave 5 youth number of days smoked filtered cigars within the past 30 days.

Algorithm: IF R05_YG1022FC > 0 THEN R05R_Y_NUMDAYS_GFILTR = R05_YG1022FC;
ELSE IF R05_YG1022FC = -9 THEN
R05R_Y_NUMDAYS_GFILTR = -99999; ELSE IF R05_YG1022FC = -8 THEN
R05R_Y_NUMDAYS_GFILTR = -99988; ELSE IF R05_YG1022FC
= -7 THEN R05R_Y_NUMDAYS_GFILTR = -99977; ELSE IF R05_YG1022FC
IN (0,-5) THEN R05R_Y_NUMDAYS_GFILTR = -99955; ELSE IF
R05_YG1022FC = -1 THEN R05R_Y_NUMDAYS_GFILTR = -99911;

This variable has 24 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	0	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12074	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,074	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 12407-12414 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05R_Y_EVR_CIGAR: DERIVED - Wave 5 Youth Ever Cigar Smoker

Long Description: Wave 5 youth respondents who have ever smoked any cigar product.

Algorithm: IF (R05R_Y_EVR_GTRAD = 1 OR R05R_Y_EVR_GRILLO = 1 OR R05R_Y_EVR_GFILTR = 1) THEN R05R_Y_EVR_CIGAR = 1; ELSE IF (R05R_Y_EVR_GTRAD = 2 AND R05R_Y_EVR_GRILLO = 2 AND R05R_Y_EVR_GFILTR = 2) THEN R05R_Y_EVR_CIGAR = 2; ELSE IF R05R_Y_EVR_GTRAD = -99999 OR R05R_Y_EVR_GRILLO = -99999 OR R05R_Y_EVR_GFILTR = -99999 THEN R05R_Y_EVR_CIGAR = -99999; ELSE IF R05R_Y_EVR_GTRAD = -99988 OR R05R_Y_EVR_GRILLO = -99988 OR R05R_Y_EVR_GFILTR = -99988 THEN R05R_Y_EVR_CIGAR = -99988; ELSE IF R05R_Y_EVR_GTRAD = -99977 OR R05R_Y_EVR_GRILLO = -99977 OR R05R_Y_EVR_GFILTR = -99977 THEN R05R_Y_EVR_CIGAR = -99977; ELSE IF R05R_Y_EVR_GTRAD = -99966 OR R05R_Y_EVR_GRILLO = -99966 OR R05R_Y_EVR_GFILTR = -99966 THEN R05R_Y_EVR_CIGAR = -99966; ELSE IF R05R_Y_EVR_GTRAD = -99911 OR R05R_Y_EVR_GRILLO = -99911 OR R05R_Y_EVR_GFILTR = -99911 THEN R05R_Y_EVR_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	507	4.2 %
2	2 = No	11414	94.3 %
	Total	11,921	98.5%

This variable has 11,921 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	22	0.2 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	18	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	137	1.1 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	177	1.5%

Percentages for both tables are based on 12,098 total cases.

Location: 12415-12422 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_CIGAR: DERIVED - Wave 5 Youth Current Cigar Smoker

Long Description: Wave 5 youth respondents who have smoked a cigar product within the past 30 days.

Algorithm: IF (R05R_Y_CUR_GTRAD = 1 OR R05R_Y_CUR_GRILLO = 1 OR R05R_Y_CUR_GFILTR = 1) THEN R05R_Y_CUR_CIGAR = 1; ELSE IF (R05R_Y_CUR_GTRAD = 2 AND R05R_Y_CUR_GRILLO = 2 AND R05R_Y_CUR_GFILTR = 2) THEN R05R_Y_CUR_CIGAR = 2; ELSE IF R05R_Y_CUR_GTRAD = -99999 OR R05R_Y_CUR_GRILLO = -99999 OR R05R_Y_CUR_GFILTR = -99999 THEN R05R_Y_CUR_CIGAR = -99999; ELSE IF R05R_Y_CUR_GTRAD = -99988 OR R05R_Y_CUR_GRILLO = -99988 OR R05R_Y_CUR_GFILTR = -99988 THEN R05R_Y_CUR_CIGAR = -99988; ELSE IF R05R_Y_CUR_GTRAD = -99977 OR R05R_Y_CUR_GRILLO = -99977 OR R05R_Y_CUR_GFILTR = -99977 THEN R05R_Y_CUR_CIGAR = -99977; ELSE IF R05R_Y_CUR_GTRAD = -99966 OR R05R_Y_CUR_GRILLO = -99966 OR R05R_Y_CUR_GFILTR = -99966 THEN R05R_Y_CUR_CIGAR = -99966; ELSE IF R05R_Y_CUR_GTRAD = -99911 OR R05R_Y_CUR_GRILLO = -99911 OR R05R_Y_CUR_GFILTR = -99911 THEN R05R_Y_CUR_CIGAR = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	109	0.9 %
2	2 = No	11943	98.7 %
	Total	12,052	99.6%

This variable has 12,052 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	27	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	46	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 12423-12430 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_CIGAR: DERIVED - Wave 5 Youth Never to Ever Cigar Smoker

Long Description: Wave 5 youth respondents who were never smokers of all cigar products at Wave 4.5 and started smoking at least one product at Wave 5.

Algorithm: IF (R05R_Y_NEW_GTRAD = 1 OR R05R_Y_NEW_GRILLO = 1 OR R05R_Y_NEW_GFILTR = 1) AND (X04M_EVR_GTRAD = 2 AND X04M_EVR_GRILLO = 2 AND X04M_EVR_GFILTR = 2) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_CIGAR = 1; ELSE IF ((R05R_Y_NEW_GTRAD = 2 AND R05R_Y_NEW_GRILLO = 2 AND R05R_Y_NEW_GFILTR = 2) OR (X04M_EVR_GTRAD = 1 OR X04M_EVR_GRILLO = 1 OR X04M_EVR_GFILTR = 1)) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_CIGAR = 2; ELSE IF R05R_Y_NEW_GTRAD = -99933 OR R05R_Y_NEW_GRILLO = -99933 OR R05R_Y_NEW_GFILTR = -99933 OR WAVE4P5_INTERVIEW IN (0,3) THEN R05R_Y_NEW_CIGAR = -99933; ELSE IF R05R_Y_NEW_GTRAD = -99999 OR R05R_Y_NEW_GRILLO = -99999 OR R05R_Y_NEW_GFILTR = -99999 THEN R05R_Y_NEW_CIGAR = -99999; ELSE IF R05R_Y_NEW_GTRAD = -99988 OR R05R_Y_NEW_GRILLO = -99988 OR R05R_Y_NEW_GFILTR = -99988 THEN R05R_Y_NEW_CIGAR = -99988; ELSE IF R05R_Y_NEW_GTRAD = -99977 OR R05R_Y_NEW_GRILLO = -99977 OR R05R_Y_NEW_GFILTR = -99977 THEN R05R_Y_NEW_CIGAR = -99977; ELSE IF R05R_Y_NEW_GTRAD = -99966 OR R05R_Y_NEW_GRILLO = -99966 OR R05R_Y_NEW_GFILTR = -99966 OR X04M_EVR_GRILLO IN (-99933, -99999, -99988, -99977, -99966, -99911) OR X04M_EVR_GTRAD IN (-99933, -99999, -99988, -99977, -99966, -99911) OR X04M_EVR_GFILTR IN (-99933, -99999, -99988, -99977, -99966, -99911) OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_CIGAR = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	163	1.3 %
2	2 = No	9846	81.4 %
	Total	10,009	82.7%

This variable has 10,009 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	17	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	486	4.0 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,089	17.3 %

Percentages for both tables are based on 12,098 total cases.

Location: 12431-12438 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_CIGAR: DERIVED - Wave 5 Youth Past 12 Month Any Cigar Smokers

Long Description: Wave 5 youth respondents who smoked a traditional cigar, cigarillo, or filtered cigar within the past 12 months.

Algorithm: IF R05R_Y_P12M_GTRAD=1 OR R05R_Y_P12M_GRILLO=1 OR R05R_Y_P12M_GFILTR=1 THEN R05R_Y_P12M_CIGAR= 1; ELSE IF R05R_Y_P12M_GTRAD =2 AND R05R_Y_P12M_GRILLO = 2 AND R05R_Y_P12M_GFILTR =2 THEN R05R_Y_P12M_CIGAR =2; ELSE IF R05R_Y_P12M_GTRAD= -99999 OR R05R_Y_P12M_GRILLO= -99999 OR R05R_Y_P12M_GFILTR= -99999 THEN R05R_Y_P12M_CIGAR= -99999; ELSE IF R05R_Y_P12M_GTRAD= -99988 OR R05R_Y_P12M_GRILLO= -99988 OR R05R_Y_P12M_GFILTR= -99988 THEN R05R_Y_P12M_CIGAR= -99988; ELSE IF R05R_Y_P12M_GTRAD= -99977 OR R05R_Y_P12M_GRILLO= -99977 OR R05R_Y_P12M_GFILTR= -99977 THEN R05R_Y_P12M_CIGAR= -99977; ELSE IF R05R_Y_P12M_GTRAD= -99966 OR R05R_Y_P12M_GRILLO= -99966 OR R05R_Y_P12M_GFILTR= -99966 THEN R05R_Y_P12M_CIGAR= -99966; ELSE IF R05R_Y_P12M_GTRAD= -99911 OR R05R_Y_P12M_GRILLO= -99911 OR R05R_Y_P12M_GFILTR= -99911 THEN R05R_Y_P12M_CIGAR= -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	342	2.8 %
2	2 = No	11713	96.8 %
	Total	12,055	99.6 %

This variable has 12,055 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	19	0.2 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	43	0.4%

Percentages for both tables are based on 12,098 total cases.

Location: 12439-12446 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_PIPE: DERIVED - Wave 5 Youth Ever Pipe Smoker

Long Description: Wave 5 youth respondents who have ever smoked a pipe.

Algorithm: IF R05_YP1002_NB = 1 OR R05_YP1002_12M = 1 OR X04M_EVR_PIPE = 1 THEN R05R_Y_EVR_PIPE = 1; ELSE IF R05_YP1001_NB = 2 OR R05_YP1002_NB = 2 OR (X04M_EVR_PIPE = 2 AND R05_YP1002_12M = 2 AND X04M_SKIPPED_WAVE = 2) THEN R05R_Y_EVR_PIPE = 2; ELSE IF R05_YP1001_NB = -9 OR R05_YP1002_12M = -9 OR R05_YP1002_NB = -9 THEN R05R_Y_EVR_PIPE = -99999; ELSE IF R05_YP1001_NB = -8 OR R05_YP1002_12M = -8 OR R05_YP1002_NB = -8 THEN R05R_Y_EVR_PIPE = -99988; ELSE IF R05_YP1001_NB = -7 OR R05_YP1002_12M = -7 OR R05_YP1002_NB = -7 THEN R05R_Y_EVR_PIPE = -99977; ELSE IF X04M_EVR_PIPE IN (-99933,-99999,-99988,-99977,-99966,-99911) OR X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_PIPE = -99966; ELSE IF R05_YP1001_NB = -1 OR R05_YP1002_12M = -1 OR R05_YP1002_NB = -1 THEN R05R_Y_EVR_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	147	1.2 %
2	2 = No	11862	98.0 %
	Total	12,009	99.3%

This variable has 12,009 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	17	0.1 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	61	0.5 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	89	0.7%

Percentages for both tables are based on 12,098 total cases.

Location: 12447-12454 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_PIPE: DERIVED - Wave 5 Youth Current Pipe Smoker

Long Description: Wave 5 youth respondents who have smoked a pipe within the past 30 days.

Algorithm: IF R05R_Y_EVR_PIPE = 1 AND R05_YP1112 IN (1,2,3) THEN
R05R_Y_CUR_PIPE = 1; ELSE IF R05R_Y_EVR_PIPE = 2 OR
(R05R_Y_EVR_PIPE = 1 AND R05_YP1112 IN (4,5,6,7)) OR R05_YP1002_12M = 2
OR R05_YP1002_NB = 2 OR R05_YP1001_NB = 2 THEN R05R_Y_CUR_PIPE = 2;
ELSE IF R05R_Y_EVR_PIPE = -99999 OR R05_YP1112 = -9 OR
R05_YP1002_12M = -9 OR R05_YP1002_NB = -9 OR R05_YP1001_NB = -9 THEN
R05R_Y_CUR_PIPE = -99999; ELSE IF R05R_Y_EVR_PIPE = -99988 OR
R05_YP1112 = -8 OR R05_YP1002_12M = -8 OR R05_YP1002_NB = -8 OR
R05_YP1001_NB = -8 THEN R05R_Y_CUR_PIPE = -99988; ELSE IF
R05R_Y_EVR_PIPE = -99977 OR R05_YP1112 = -7 OR R05_YP1002_12M = -7 OR
R05_YP1002_NB = -7 OR R05_YP1001_NB = -7 THEN R05R_Y_CUR_PIPE = -99977;
ELSE IF R05R_Y_EVR_PIPE = -99966 THEN R05R_Y_CUR_PIPE = -99966; ELSE
IF R05R_Y_EVR_PIPE = -99911 OR R05_YP1112 = -1 OR R05_YP1002_12M = -1
OR R05_YP1002_NB = -1 OR R05_YP1001_NB = -1 THEN
R05R_Y_CUR_PIPE = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	21	0.2 %
2	2 = No	12046	99.6 %
	Total	12,067	99.7%

This variable has 12,067 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	19	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	31	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12455-12462 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_PIPE: DERIVED - Wave 5 Youth Never to Ever Pipe Smoker

Long Description: Wave 5 youth respondents who started smoking pipe between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_PIPE = 2 AND R05R_Y_EVR_PIPE = 1) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_PIPE = 1; ELSE IF (X04M_EVR_PIPE = 1 OR R05R_Y_EVR_PIPE = 2) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_PIPE = 2; ELSE IF WAVE4P5_INTERVIEW IN (0,3) THEN R05R_Y_NEW_PIPE = -99933; ELSE IF R05R_Y_EVR_PIPE = -99999 THEN R05R_Y_NEW_PIPE = -99999; ELSE IF R05R_Y_EVR_PIPE = -99988 THEN R05R_Y_NEW_PIPE = -99988; ELSE IF R05R_Y_EVR_PIPE = -99977 THEN R05R_Y_NEW_PIPE = -99977; ELSE IF X04M_EVR_PIPE IN (-99933, -99999,-99988,-99977, -99966,-99911) OR R05R_Y_EVR_PIPE = -99966 OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_PIPE = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	41	0.3 %
2	2 = No	10060	83.2 %
	Total	10,101	83.5%

This variable has 10,101 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	15	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	404	3.3 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %

	Missing Data		
	Total	1,997	16.5%

Percentages for both tables are based on 12,098 total cases.

Location: 12463-12470 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_PIPE: DERIVED - Wave 5 Youth Past 12 Month Pipe Smokers

Long Description: Wave 5 youth respondents who have smoked a pipe within the past 12 months.

Algorithm: IF R05R_Y_EVR_PIPE =1 AND (R05_YP1002_12M =1 OR R05_YP1112 in (1,2,3,4,5)) THEN R05R_Y_P12M_PIPE =1; ELSE IF R05_YP1002_12M =2 OR R05R_Y_EVR_PIPE =2 OR R05_YP1112 in (6,7) OR R05_YP1001_NB =2 OR R05_YP1002_NB =2 THEN R05R_Y_P12M_PIPE =2; ELSE IF R05_YP1001_NB =-9 OR R05_YP1002_NB =-9 OR R05_YP1002_12M =-9 OR R05_YP1112=-9 OR R05R_Y_EVR_PIPE =-99999 THEN R05R_Y_P12M_PIPE =-99999; ELSE IF R05_YP1001_NB =-8 OR R05_YP1002_NB =-8 OR R05_YP1002_12M =-8 OR R05_YP1112=-8 OR R05R_Y_EVR_PIPE =-99988 THEN R05R_Y_P12M_PIPE =-99988; ELSE IF R05_YP1001_NB =-7 OR R05_YP1002_NB =-7 OR R05_YP1002_12M =-7 OR R05_YP1112=-7 OR R05R_Y_EVR_PIPE =-99977 THEN R05R_Y_P12M_PIPE =-99977; ELSE IF R05R_Y_EVR_PIPE =-99966 THEN R05R_Y_P12M_PIPE =-99966; ELSE IF R05_YP1001_NB =-1 OR R05_YP1002_NB =-1 OR R05_YP1002_12M =-1 OR R05_YP1112 =-1 OR R05R_Y_EVR_PIPE =-99911 THEN R05R_Y_P12M_PIPE =-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	73	0.6 %
2	2 = No	11995	99.1 %
	Total	12,068	99.8%

This variable has 12,068 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	18	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	12	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	30	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12471-12478 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NUMDAYS_PIPE: DERIVED - Wave 5 Youth Past 30 Day Pipe Smoking Frequency

Long Description: Wave 5 Youth number of days smoked pipe tobacco within past 30 days.

Algorithm: IF R05_YP1022 > 0 THEN R05R_Y_NUMDAYS_PIPE = R05_YP1022;
 ELSE IF R05_YP1022 = -9 THEN R05R_Y_NUMDAYS_PIPE =
 -99999; ELSE IF R05_YP1022 = -8 THEN R05R_Y_NUMDAYS_PIPE = -99988;
 ELSE IF R05_YP1022 = -7 THEN R05R_Y_NUMDAYS_PIPE =
 -99977; ELSE IF R05_YP1022 IN (0,-5) THEN R05R_Y_NUMDAYS_PIPE =
 -99955; ELSE IF R05_YP1022 = -1 THEN R05R_Y_NUMDAYS_PIPE =
 -99911;

This variable has 19 valid cases out of 12,098 total cases.

- Mean: 6.00
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 8.34

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	1	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12077	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,079	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 12479-12486 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05R_Y_EVR_HOOK: DERIVED - Wave 5 Youth Ever Hookah Smoker

Long Description: Wave 5 youth respondents who have ever smoked a hookah.

Algorithm: IF R05_YH1002_NB = 1 OR R05_YH1002_12M = 1 OR X04M_EVR_HOOK = 1 THEN R05R_Y_EVR_HOOK = 1; ELSE IF R05_YH1001_NB = 2 OR R05_YH1002_NB = 2 OR (X04M_EVR_HOOK = 2 AND R05_YH1002_12M = 2 AND X04M_SKIPPED_WAVE = 2) THEN R05R_Y_EVR_HOOK = 2; ELSE IF R05_YH1001_NB = -9 OR R05_YH1002_12M = -9 OR R05_YH1002_NB = -9 THEN R05R_Y_EVR_HOOK = -99999; ELSE IF R05_YH1001_NB = -8 OR R05_YH1002_12M = -8 OR R05_YH1002_NB = -8 THEN R05R_Y_EVR_HOOK = -99988; ELSE IF R05_YH1001_NB = -7 OR R05_YH1002_12M = -7 OR R05_YH1002_NB = -7 THEN R05R_Y_EVR_HOOK = -99977; ELSE IF X04M_EVR_HOOK IN (-99933,-99999,-99988,-99977,-99966,-99911) OR X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_HOOK = -99966; ELSE IF R05_YH1001_NB = -1 OR R05_YH1002_12M = -1 OR R05_YH1002_NB = -1 THEN R05R_Y_EVR_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	276	2.3 %
2	2 = No	11761	97.2 %
	Total	12,037	99.5%

This variable has 12,037 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	45	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	61	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 12487-12494 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_THRSH_HOOK: DERIVED - Wave 5 Youth Hookah Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 5 youth respondents who have used hookah fairly regularly in their lifetime.

Algorithm: IF R05R_Y_EVR_HOOK=1 AND (X04M_EVR_THRSH_HOOK=1 OR R05_YH1100=1) THEN R05R_Y_EVR_THRSH_HOOK=1; ELSE IF R05R_Y_EVR_HOOK=2 OR (R05R_Y_EVR_HOOK=1 AND

```

R05_YH1100 =2) THEN R05R_Y_EVR_THRSH_HOOK=2; ELSE IF
R05R_Y_EVR_HOOK=-99999 OR R05_YH1100=-9 THEN
R05R_Y_EVR_THRSH_HOOK=-99999; ELSE IF R05R_Y_EVR_HOOK=-99988
OR R05_YH1100=-8 THEN R05R_Y_EVR_THRSH_HOOK=-99988;
ELSE IF R05R_Y_EVR_HOOK=-99977 OR R05_YH1100=-7 THEN
R05R_Y_EVR_THRSH_HOOK=-99977; ELSE IF R05R_Y_EVR_HOOK=
-99966 THEN R05R_Y_EVR_THRSH_HOOK = -99966; ELSE IF
R05R_Y_EVR_HOOK=-99911 OR R05_YH1100=-1 THEN
R05R_Y_EVR_THRSH_HOOK=-99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	45	0.4 %
2	2 = No	11990	99.1 %
	Total	12,035	99.5%

This variable has 12,035 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	45	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	63	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 12495-12502 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_HOOK: DERIVED - Wave 5 Youth Current Hookah Smoker

Long Description: Wave 5 youth respondents who have smoked a hookah within the past 30 days.

```

Algorithm: IF R05R_Y_EVR_HOOK = 1 AND R05_YH1112 IN (1,2,3) THEN
R05R_Y_CUR_HOOK = 1; ELSE IF R05R_Y_EVR_HOOK = 2 OR
(R05R_Y_EVR_HOOK = 1 AND R05_YH1112 IN (4,5,6,7)) OR R05_YH1002_12M = 2
OR R05_YH1002_NB = 2 OR R05_YH1001_NB = 2 THEN R05R_Y_CUR_HOOK = 2; ELSE
IF R05R_Y_EVR_HOOK = -99999 OR R05_YH1112 = -9 OR R05_YH1002_12M = -9 OR
R05_YH1002_NB = -9 OR R05_YH1001_NB = -9 THEN R05R_Y_CUR_HOOK = -99999;
ELSE IF R05R_Y_EVR_HOOK = -99988 OR R05_YH1112 = -8 OR R05_YH1002_12M =
-8 OR R05_YH1002_NB = -8 OR R05_YH1001_NB = -8 THEN R05R_Y_CUR_HOOK =
-99988; ELSE IF R05R_Y_EVR_HOOK = -99977 OR R05_YH1112 = -7 OR
R05_YH1002_12M = -7 OR R05_YH1002_NB = -7 OR R05_YH1001_NB = -7 THEN

```


R05R_Y_CUR_HOOK = -99977; ELSE IF R05R_Y_EVR_HOOK = -99966 THEN
R05R_Y_CUR_HOOK = -99966; ELSE IF R05R_Y_EVR_HOOK = -99911 OR
R05_YH1112 = -1 OR R05_YH1002_12M = -1 OR R05_YH1002_NB = -1 OR
R05_YH1001_NB = -1 THEN R05R_Y_CUR_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	34	0.3 %
2	2 = No	12046	99.6 %
	Total	12,080	99.9%

This variable has 12,080 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	7	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	18	0.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12503-12510 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_HOOK: DERIVED - Wave 5 Youth Never to Ever Hookah Smoker

Long Description: Wave 5 youth respondents who started smoking hookah between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_HOOK = 2 AND R05R_Y_EVR_HOOK = 1) AND
WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_HOOK = 1;
ELSE IF (X04M_EVR_HOOK = 1 OR R05R_Y_EVR_HOOK = 2) AND
WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_HOOK = 2; ELSE IF
WAVE4P5_INTERVIEW IN (0,3) THEN R05R_Y_NEW_HOOK = -99933;
ELSE IF R05R_Y_EVR_HOOK = -99999 THEN R05R_Y_NEW_HOOK
= -99999; ELSE IF R05R_Y_EVR_HOOK = -99988 THEN R05R_Y_NEW_HOOK
= -99988; ELSE IF R05R_Y_EVR_HOOK = -99977 THEN
R05R_Y_NEW_HOOK = -99977; ELSE IF X04M_EVR_HOOK IN (-99933,
-99999,-99988,-99977,-99966,-99911) OR R05R_Y_EVR_HOOK =
-99966 OR WAVE4P5_INTERVIEW = 9 THEN
R05R_Y_NEW_HOOK = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	60	0.5 %
2	2 = No	10069	83.2 %
	Total	10,129	83.7%

This variable has 10,129 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	385	3.2 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	1,969	16.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12511-12518 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_HOOK: DERIVED - Wave 5 Youth Past 12 Month Hookah Smoker

Long Description: Wave 5 youth respondents who have smoked a hookah within the past 12 months.

Algorithm: IF R05R_Y_EVR_HOOK = 1 AND (R05_YH1002_12M = 1 OR R05_YH1112 in (1,2,3,4,5)) THEN R05R_Y_P12M_HOOK = 1;
ELSE IF R05_YH1001_NB = 2 OR R05_YH1002_NB = 2 OR R05_YH1002_12M = 2 OR R05R_Y_EVR_HOOK = 2 OR R05_YH1112 in (6,7)
THEN R05R_Y_P12M_HOOK = 2; ELSE IF R05_YH1001_NB = -9 OR R05_YH1002_NB = -9 OR R05_YH1002_12M = -9 OR R05_YH1112
= -9 OR R05R_Y_EVR_HOOK = -99999 THEN R05R_Y_P12M_HOOK = -99999; ELSE
IF R05_YH1001_NB = -8 OR R05_YH1002_NB = -8 OR R05_YH1002_12M = -8 OR R05_YH1112 = -8 OR R05R_Y_EVR_HOOK = -99988 THEN R05R_Y_P12M_HOOK = -99988; ELSE IF
R05_YH1001_NB = -7 OR R05_YH1002_NB = -7 OR R05_YH1002_12M = -7 OR R05_YH1112 = -7 OR R05R_Y_EVR_HOOK = -99977 THEN
R05R_Y_P12M_HOOK = -99977; ELSE IF R05R_Y_EVR_HOOK = -99966 THEN
R05R_Y_P12M_HOOK = -99966; ELSE IF R05_YH1001_NB = -1
OR R05_YH1002_NB = -1 OR R05_YH1002_12M = -1 OR R05_YH1112 = -1
OR R05R_Y_EVR_HOOK = -99911 THEN R05R_Y_P12M_HOOK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	146	1.2 %
2	2 = No	11936	98.7 %
	Total	12,082	99.9%

This variable has 12,082 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	6	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	16	0.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12519-12526 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NUMDAYS_HOOK: DERIVED - Wave 5 Youth Past 30 Day Hookah Smoking Frequency

Long Description: Wave 5 youth number of days smoked hookah within the past 30 days.

Values above 30 are capped at 30.

Algorithm: IF R05_YH9003 = 1 OR R05_YH9004 > 30 OR R05_YH9005 * 4 > 30 THEN R05R_Y_NUMDAYS_HOOK = 30; ELSE IF R05_YH9004 > 0 THEN R05R_Y_NUMDAYS_HOOK = R05_YH9004; ELSE IF R05_YH9005 > 0 THEN R05R_Y_NUMDAYS_HOOK = R05_YH9005 * 4; ELSE IF R05_YH9003 = -9 OR R05_YH9005 = -9 OR R05_YH9004 = -9 THEN R05R_Y_NUMDAYS_HOOK = -99999; ELSE IF R05_YH9003 = -8 OR R05_YH9005 = -8 OR R05_YH9004 = -8 THEN R05R_Y_NUMDAYS_HOOK = -99988; ELSE IF R05_YH9003 = -7 OR R05_YH9005 = -7 OR R05_YH9004 = -7 THEN R05R_Y_NUMDAYS_HOOK = -99977; ELSE IF R05_YH9004 IN (0,-5) OR R05_YH9005 IN (0,-5) THEN R05R_Y_NUMDAYS_HOOK = -99955; ELSE IF R05_YH9003 = -1 OR R05_YH9005 = -1 OR R05_YH9004 = -1 THEN R05R_Y_NUMDAYS_HOOK = -99911;

This variable has 28 valid cases out of 12,098 total cases.

- Mean: 13.64

- Median: 8.50
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.81

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	38	0.3 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.1 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	3	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12019	99.3 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,070	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 12527-12534 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05R_Y_EVR_SNUS: DERIVED - Wave 5 Youth Ever Snus Pouch User

Long Description: Wave 5 youth respondents who have ever used snus pouches.

Algorithm: IF R05_YU1002_NB = 1 OR R05_YU1002_12M = 1 OR X04M_EVR_SNUS = 1 THEN R05R_Y_EVR_SNUS = 1; ELSE IF R05_YU1001_NB = 2 OR R05_YU1002_NB = 2 OR (X04M_EVR_SNUS = 2 AND R05_YU1002_12M = 2 AND X04M_SKIPPED_WAVE = 2) THEN R05R_Y_EVR_SNUS = 2; ELSE IF R05_YU1001_NB = -9 OR R05_YU1002_12M = -9 OR R05_YU1002_NB = -9 THEN R05R_Y_EVR_SNUS = -99999; ELSE IF R05_YU1001_NB = -8 OR R05_YU1002_12M = -8 OR R05_YU1002_NB = -8 THEN R05R_Y_EVR_SNUS = -99988; ELSE IF R05_YU1001_NB = -7 OR R05_YU1002_12M = -7 OR R05_YU1002_NB = -7 THEN R05R_Y_EVR_SNUS = -99977; ELSE IF X04M_EVR_SNUS IN (-99933,-99999,-99988,-99977,-99966,-99911) OR X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_SNUS = -99966; ELSE IF R05_YU1001_NB = -1 OR R05_YU1002_12M = -1 OR R05_YU1002_NB = -1 THEN R05R_Y_EVR_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	154	1.3 %
2	2 = No	11797	97.5 %
	Total	11,951	98.8%

This variable has 11,951 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	109	0.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	147	1.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12535-12542 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_THRSH_SNUS: DERIVED - Wave 5 Youth Snus Pouch Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 5 youth respondents who have used snus pouches fairly regularly in their lifetime.

Algorithm: IF R05R_Y_EVR_SNUS=1 AND (X04M_EVR_THRSH_SNUS=1 OR R05_YU1100=1) THEN R05R_Y_EVR_THRSH_SNUS=1;
ELSE IF R05R_Y_EVR_SNUS=2 OR (R05R_Y_EVR_SNUS=1 AND R05_YU1100 =2) THEN R05R_Y_EVR_THRSH_SNUS=2; ELSE IF R05R_Y_EVR_SNUS=-99999 OR R05_YU1100=-9 THEN R05R_Y_EVR_THRSH_SNUS=-99999; ELSE IF R05R_Y_EVR_SNUS=-99988 OR R05_YU1100=-8 THEN R05R_Y_EVR_THRSH_SNUS=-99988; ELSE IF R05R_Y_EVR_SNUS=-99977 OR R05_YU1100=-7 THEN R05R_Y_EVR_THRSH_SNUS=-99977; ELSE IF R05R_Y_EVR_SNUS= -99966 THEN R05R_Y_EVR_THRSH_SNUS = -99966; ELSE IF R05R_Y_EVR_SNUS=-99911 OR R05_YU1100=-1 THEN R05R_Y_EVR_THRSH_SNUS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	46	0.4 %
2	2 = No	11904	98.4 %
	Total	11,950	98.8%

This variable has 11,950 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	25	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	109	0.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	148	1.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12543-12550 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_SNUS: DERIVED - Wave 5 Youth Current Snus Pouch User

Long Description: Wave 5 youth respondents who have used snus pouches within the past 30 days.

Algorithm: IF R05R_Y_EVR_SNUS = 1 AND R05_YU1112 IN (1,2,3) THEN
R05R_Y_CUR_SNUS = 1; ELSE IF R05R_Y_EVR_SNUS = 2 OR (R05R_Y_EVR_SNUS = 1
AND R05_YU1112 IN (4,5,6,7)) OR R05_YU1002_12M = 2 OR R05_YU1002_NB = 2
OR R05_YU1001_NB = 2 THEN R05R_Y_CUR_SNUS = 2; ELSE IF R05R_Y_EVR_SNUS =
-99999 OR R05_YU1112 = -9 OR R05_YU1002_12M = -9 OR R05_YU1002_NB = -9 OR
R05_YU1001_NB = -9 THEN R05R_Y_CUR_SNUS = -99999; ELSE IF
R05R_Y_EVR_SNUS = -99988 OR R05_YU1112 = -8 OR R05_YU1002_12M = -8 OR
R05_YU1002_NB = -8 OR R05_YU1001_NB = -8 THEN R05R_Y_CUR_SNUS = -99988;
ELSE IF R05R_Y_EVR_SNUS = -99977 OR R05_YU1112 = -7 OR
R05_YU1002_12M = -7 OR R05_YU1002_NB = -7 OR R05_YU1001_NB = -7 THEN
R05R_Y_CUR_SNUS = -99977; ELSE IF R05R_Y_EVR_SNUS = -99966 THEN
R05R_Y_CUR_SNUS = -99966; ELSE IF R05R_Y_EVR_SNUS = -99911 OR
R05_YU1112 = -1 OR R05_YU1002_12M = -1 OR R05_YU1002_NB = -1 OR
R05_YU1001_NB = -1 THEN R05R_Y_CUR_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	30	0.2 %
2	2 = No	12030	99.4 %
	Total	12,060	99.7%

This variable has 12,060 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %

	Missing Data		
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	38	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12551-12558 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_SNUS: DERIVED - Wave 5 Youth Never to Ever Snus Pouch User

Long Description: Wave 5 youth respondents who started using snus pouches between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_SNUS = 2 AND R05R_Y_EVR_SNUS = 1) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_SNUS = 1; ELSE IF (X04M_EVR_SNUS = 1 OR R05R_Y_EVR_SNUS = 2) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_SNUS = 2; ELSE IF WAVE4P5_INTERVIEW IN (0,3) THEN R05R_Y_NEW_SNUS = -99933; ELSE IF R05R_Y_EVR_SNUS = -99999 THEN R05R_Y_NEW_SNUS = -99999; ELSE IF R05R_Y_EVR_SNUS = -99988 THEN R05R_Y_NEW_SNUS = -99988; ELSE IF R05R_Y_EVR_SNUS = -99977 THEN R05R_Y_NEW_SNUS = -99977; ELSE IF X04M_EVR_SNUS IN (-99933, -99999, -99988, -99977, -99966, -99911) OR R05R_Y_EVR_SNUS = -99966 OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_SNUS = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	10002	82.7 %
	Total	10,040	83.0%

This variable has 10,040 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	23	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	453	3.7 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,058	17.0%

Percentages for both tables are based on 12,098 total cases.

Location: 12559-12566 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_SNUS: DERIVED - Wave 5 Youth Past 12 Month Snus Pouch Users

Long Description: Wave 5 youth respondents who have used snus pouches within the past 12 months.

Algorithm: IF R05R_Y_EVR_SNUS = 1 AND (R05_YU1002_12M = 1 OR R05_YU1112 IN (1,2,3,4,5)) THEN R05R_Y_P12M_SNUS = 1;
ELSE IF R05_YU1001_NB = 2 OR R05_YU1002_NB = 2 OR R05_YU1002_12M = 2 OR R05R_Y_EVR_SNUS = 2 OR R05_YU1112 IN (6,7) THEN R05R_Y_P12M_SNUS = 2; ELSE IF R05_YU1001_NB = -9 OR R05_YU1002_NB = -9 OR R05_YU1002_12M = -9 OR R05_YU1112 = -9 OR R05R_Y_EVR_SNUS = -99999 THEN R05R_Y_P12M_SNUS = -99999; ELSE IF R05_YU1001_NB = -8 OR R05_YU1002_NB = -8 OR R05_YU1002_12M = -8 OR R05_YU1112 = -8 OR R05R_Y_EVR_SNUS = -99988 THEN R05R_Y_P12M_SNUS = -99988; ELSE IF R05_YU1001_NB = -7 OR R05_YU1002_NB = -7 OR R05_YU1002_12M = -7 OR R05_YU1112 = -7 OR R05R_Y_EVR_SNUS = -99977 THEN R05R_Y_P12M_SNUS = -99977; ELSE IF R05R_Y_EVR_SNUS = -99966 THEN R05R_Y_P12M_SNUS = -99966; ELSE IF R05_YU1001_NB = -1 OR R05_YU1002_NB = -1 OR R05_YU1002_12M = -1 OR R05_YU1112 = -1 OR R05R_Y_EVR_SNUS = -99911 THEN R05R_Y_P12M_SNUS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	82	0.7 %
2	2 = No	11978	99.0 %
	Total	12,060	99.7%

This variable has 12,060 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	24	0.2 %
-99977	-99977 = Missing due to a refused response on one or more component variables	14	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	38	0.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12567-12574 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NUMDAYS_SNUS: DERIVED - Wave 5 Youth Past 30 Day Snus Pouch Use Frequency

Long Description: Wave 5 Youth number of days used a snus pouch within the past 30 days.

Algorithm: IF R05_YU1022 > 0 THEN R05R_Y_NUMDAYS_SNUS = R05_YU1022;
ELSE IF R05_YU1022 = -9 THEN R05R_Y_NUMDAYS_SNUS =
-99999; ELSE IF R05_YU1022 = -8 THEN R05R_Y_NUMDAYS_SNUS = -99988;
ELSE IF R05_YU1022 = -7 THEN R05R_Y_NUMDAYS_SNUS =
-99977; ELSE IF R05_YU1022 IN (0,-5) THEN R05R_Y_NUMDAYS_SNUS =
-99955; ELSE IF R05_YU1022 = -1 THEN R05R_Y_NUMDAYS_SNUS
= -99911;

This variable has 29 valid cases out of 12,098 total cases.

- Mean: 10.72
- Median: 5.00
- Mode: 30.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 11.34

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12068	99.8 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,069	99.8%

Percentages for both tables are based on 12,098 total cases.

Location: 12575-12582 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05R_Y_EVR_SMKLS: DERIVED - Wave 5 Youth Ever Smokeless Tobacco User

Long Description: Wave 5 youth respondents who have ever used smokeless tobacco.

Algorithm: IF R05_YS1002_NB = 1 OR R05_YS1002_12M = 1 OR X04M_EVR_SMKLS = 1 THEN R05R_Y_EVR_SMKLS = 1; ELSE IF R05_YS1001_NB = 2 OR R05_YS1002_NB = 2 OR (X04M_EVR_SMKLS = 2 AND R05_YS1002_12M = 2 AND X04M_SKIPPED_WAVE = 2) THEN R05R_Y_EVR_SMKLS = 2; ELSE IF R05_YS1001_NB = -9 OR R05_YS1002_12M = -9 OR R05_YS1002_NB = -9 THEN R05R_Y_EVR_SMKLS = -99999; ELSE IF R05_YS1001_NB = -8 OR R05_YS1002_12M = -8 OR R05_YS1002_NB = -8 THEN R05R_Y_EVR_SMKLS = -99988; ELSE IF R05_YS1001_NB = -7 OR R05_YS1002_12M = -7 OR R05_YS1002_NB = -7 THEN R05R_Y_EVR_SMKLS = -99977; ELSE IF X04M_EVR_SMKLS IN (-99933,-99999,-99988,-99977,-99966,-99911) OR X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_SMKLS = -99966; ELSE IF R05_YS1001_NB = -1 OR R05_YS1002_12M = -1 OR R05_YS1002_NB = -1 THEN R05R_Y_EVR_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	324	2.7 %
2	2 = No	11645	96.3 %
	Total	11,969	98.9%

This variable has 11,969 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	111	0.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	129	1.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12583-12590 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_THRSH_SMKLS: DERIVED - Wave 5 Youth Smokeless Tobacco Lifetime Threshold of Use -Intermediate Derived Variable

Long Description: Wave 5 youth respondents who have used smokeless tobacco fairly regularly in their lifetime.

Algorithm: IF R05R_Y_EVR_SMKLS=1 AND (X04M_EVR_THRSH_SMKLS=1 OR R05_YS1100=1) THEN R05R_Y_EVR_THRSH_SMKLS=1;
 ELSE IF R05R_Y_EVR_SMKLS=2 OR (R05R_Y_EVR_SMKLS=1 AND R05_YS1100 =2) THEN R05R_Y_EVR_THRSH_SMKLS=2; ELSE IF R05R_Y_EVR_SMKLS=-99999 OR R05_YS1100=-9 THEN R05R_Y_EVR_THRSH_SMKLS=-99999; ELSE IF R05R_Y_EVR_SMKLS=-99988 OR R05_YS1100=-8 THEN R05R_Y_EVR_THRSH_SMKLS=-99988;
 ELSE IF R05R_Y_EVR_SMKLS=-99977 OR R05_YS1100=-7 THEN R05R_Y_EVR_THRSH_SMKLS=-99977; ELSE IF R05R_Y_EVR_SMKLS=-99966 THEN R05R_Y_EVR_THRSH_SMKLS = -99966; ELSE IF R05R_Y_EVR_SMKLS=-99911 OR R05_YS1100=-1 THEN R05R_Y_EVR_THRSH_SMKLS=-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	96	0.8 %
2	2 = No	11872	98.1 %
	Total	11,968	98.9%

This variable has 11,968 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	111	0.9 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	1	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	130	1.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12591-12598 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_SMKLS: DERIVED - Wave 5 Youth Current Smokeless Tobacco User

Long Description: Wave 5 youth respondents who have used smokeless tobacco within the past 30 days.

Algorithm: IF R05R_Y_EVR_SMKLS = 1 AND R05_YS1112 IN (1,2,3) THEN R05R_Y_CUR_SMKLS = 1; ELSE IF R05R_Y_EVR_SMKLS = 2 OR

```

(R05R_Y_EVR_SMKLS = 1 AND R05_YS1112 IN (4,5,6,7)) OR
R05_YS1002_12M = 2 OR R05_YS1002_NB = 2 OR R05_YS1001_NB = 2 THEN
R05R_Y_CUR_SMKLS = 2; ELSE IF R05R_Y_EVR_SMKLS = -99999 OR
R05_YS1112 = -9 OR R05_YS1002_12M = -9 OR R05_YS1002_NB = -9 OR
R05_YS1001_NB = -9 THEN R05R_Y_CUR_SMKLS = -99999; ELSE IF
R05R_Y_EVR_SMKLS = -99988 OR R05_YS1112 = -8 OR R05_YS1002_12M = -8
OR R05_YS1002_NB = -8 OR R05_YS1001_NB = -8 THEN R05R_Y_CUR_SMKLS =
-99988; ELSE IF R05R_Y_EVR_SMKLS = -99977 OR R05_YS1112 = -7 OR
R05_YS1002_12M = -7 OR R05_YS1002_NB = -7 OR R05_YS1001_NB = -7
THEN R05R_Y_CUR_SMKLS = -99977; ELSE IF R05R_Y_EVR_SMKLS = -99966
THEN R05R_Y_CUR_SMKLS = -99966; ELSE IF R05R_Y_EVR_SMKLS = -99911
OR R05_YS1112 = -1 OR R05_YS1002_12M = -1 OR R05_YS1002_NB = -1 OR
R05_YS1001_NB = -1 THEN R05R_Y_CUR_SMKLS = -99911;

```

Value	Label	Unweighted Frequency	%
1	1 = Yes	59	0.5 %
2	2 = No	12019	99.3 %
	Total	12,078	99.8%

This variable has 12,078 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	10	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	20	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12599-12606 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_SMKLS: DERIVED - Wave 5 Youth Never to Ever Smokeless Tobacco User

Long Description: Wave 5 youth respondents who started using smokeless tobacco between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_SMKLS = 2 AND R05R_Y_EVR_SMKLS = 1)
AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_SMKLS = 1;
ELSE IF (X04M_EVR_SMKLS = 1 OR R05R_Y_EVR_SMKLS = 2) AND
WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_SMKLS = 2; ELSE IF
WAVE4P5_INTERVIEW IN (0, 3) THEN R05R_Y_NEW_SMKLS = -99933;
ELSE IF R05R_Y_EVR_SMKLS = -99999 THEN R05R_Y_NEW_SMKLS

= -99999; ELSE IF R05R_Y_EVR_SMKLS = -99988 THEN
R05R_Y_NEW_SMKLS = -99988; ELSE IF R05R_Y_EVR_SMKLS = -99977 THEN
R05R_Y_NEW_SMKLS = -99977; ELSE IF X04M_EVR_SMKLS IN
(-99933, -99999, -99988, -99977, -99966, -99911) OR R05R_Y_EVR_SMKLS =
-99966 OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_SMKLS = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	83	0.7 %
2	2 = No	9976	82.5 %
	Total	10,059	83.1%

This variable has 10,059 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	6	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	456	3.8 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,039	16.9%

Percentages for both tables are based on 12,098 total cases.

Location: 12607-12614 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_SMKLS: DERIVED - Wave 5 Youth Past 12 Month Smokeless Tobacco Users

Long Description: Wave 5 youth respondents who have used smokeless tobacco within the past 12 months.

Algorithm: IF R05R_Y_EVR_SMKLS = 1 AND (R05_YS1002_12M = 1 OR
R05_YS1112 IN (1,2,3,4,5)) THEN R05R_Y_P12M_SMKLS = 1;
ELSE IF R05_YS1001_NB = 2 OR R05_YS1002_NB = 2 OR R05_YS1002_12M = 2
OR R05R_Y_EVR_SMKLS = 2 OR R05_YS1112 IN (6,7)
THEN R05R_Y_P12M_SMKLS = 2; ELSE IF R05_YS1001_NB = -9 OR
R05_YS1002_NB = -9 OR R05_YS1002_12M = -9 OR R05_YS1112
= -9 OR R05R_Y_EVR_SMKLS = -99999 THEN R05R_Y_P12M_SMKLS =
-99999; ELSE IF R05_YS1001_NB = -8 OR R05_YS1002_NB =
-8 OR R05_YS1002_12M = -8 OR R05_YS1112 = -8 OR
R05R_Y_EVR_SMKLS = -99988 THEN R05R_Y_P12M_SMKLS = -99988; ELSE IF
R05_YS1001_NB = -7 OR R05_YS1002_NB = -7 OR R05_YS1002_12M
= -7 OR R05_YS1112 = -7 OR R05R_Y_EVR_SMKLS = -99977 THEN
R05R_Y_P12M_SMKLS = -99977; ELSE IF R05R_Y_EVR_SMKLS =
-99966 THEN R05R_Y_P12M_SMKLS = -99966; ELSE IF R05_YS1001_NB = -1
OR R05_YS1002_NB = -1 OR R05_YS1002_12M = -1 OR

R05_YS1112 = -1 OR R05R_Y_EVR_SMKLS = -99911 THEN R05R_Y_P12M_SMKLS = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	189	1.6 %
2	2 = No	11891	98.3 %
	Total	12,080	99.9%

This variable has 12,080 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	9	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	9	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	18	0.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12615-12622 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NUMDAYS_SMKLS: DERIVED - Wave 5 Youth Past 30 Day Smokeless Tobacco Use Frequency

Long Description: Wave 5 youth number of days used smokeless tobacco within the past 30 days.

Algorithm: IF R05_YS1022 > 0 THEN R05R_Y_NUMDAYS_SMKLS = R05_YS1022;
ELSE IF R05_YS1022 = -9 THEN R05R_Y_NUMDAYS_SMKLS
= -99999; ELSE IF R05_YS1022 = -8 THEN R05R_Y_NUMDAYS_SMKLS = -99988;
ELSE IF R05_YS1022 = -7 THEN R05R_Y_NUMDAYS_SMKLS
= -99977; ELSE IF R05_YS1022 IN (0,-5) THEN R05R_Y_NUMDAYS_SMKLS = -99955;
ELSE IF R05_YS1022 = -1 THEN
R05R_Y_NUMDAYS_SMKLS = -99911;

This variable has 58 valid cases out of 12,098 total cases.

- Mean: 10.48
- Median: 5.00
- Minimum: 1.00
- Maximum: 30.00

- Standard Deviation: 10.79

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	1	0.0 %
-99977	-99977 = Missing due to a refused response on one or more component variables	0	0.0 %
-99955	-99955 = Missing due to an improbable response on one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	12039	99.5 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	12,040	99.5%

Percentages for both tables are based on 12,098 total cases.

Location: 12623-12630 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99955 , -99911 , -97777

R05R_Y_EVR_DISSBL: DERIVED - Wave 5 Youth Ever Dissolvable Tobacco User

Long Description: Wave 5 youth respondents who have ever used dissolvable tobacco.

Algorithm: IF R05_YD1002_NB = 1 OR R05_YD1002_12M = 1 OR
R05_YD1002_30D = 1 OR X04M_EVR_DISSBL = 1 THEN
R05R_Y_EVR_DISSBL = 1; ELSE IF R05_YD1001_NB = 2 OR
R05_YD1002_NB = 2 OR (X04M_EVR_DISSBL = 2 AND (R05_YD1002_12M = 2 OR
R05_YD1002_30D = 2) AND X04M_SKIPPED_WAVE = 2) THEN
R05R_Y_EVR_DISSBL = 2; ELSE IF R05_YD1001_NB = -9 OR R05_YD1002_12M
= -9 OR R05_YD1002_NB = -9 OR R05_YD1002_30D = -9 THEN
R05R_Y_EVR_DISSBL = -99999; ELSE IF R05_YD1001_NB = -8 OR
R05_YD1002_12M = -8 OR R05_YD1002_NB = -8 OR R05_YD1002_30D
= -8 THEN R05R_Y_EVR_DISSBL = -99988; ELSE IF R05_YD1001_NB
= -7 OR R05_YD1002_12M = -7 OR R05_YD1002_NB = -7 OR
R05_YD1002_30D = -7 THEN R05R_Y_EVR_DISSBL = -99977; ELSE IF
X04M_EVR_DISSBL IN (-99933,-99999,-99988,-99977,-99966,-99911)
OR X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_DISSBL = -99966;
ELSE IF R05_YD1001_NB = -1 OR R05_YD1002_12M = -1 OR
R05_YD1002_NB = -1 OR R05_YD1002_30D = -1 THEN R05R_Y_EVR_DISSBL =
-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	36	0.3 %
2	2 = No	11997	99.2 %
	Total	12,033	99.5%

This variable has 12,033 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	43	0.4 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	65	0.5%

Percentages for both tables are based on 12,098 total cases.

Location: 12631-12638 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_DISSBL: DERIVED - Wave 5 Youth Current Dissolvable Tobacco User

Long Description: Wave 5 youth respondents who have used dissolvable tobacco within the past 30 days.

Algorithm: IF R05R_Y_EVR_DISSBL = 1 AND R05_YD1002_30D = 1 THEN
R05R_Y_CUR_DISSBL = 1; ELSE IF R05R_Y_EVR_DISSBL = 2 OR
(R05R_Y_EVR_DISSBL = 1 AND R05_YD1002_30D = 2) OR R05_YD1002_12M = 2 OR
R05_YD1002_NB = 2 OR R05_YD1001_NB = 2 THEN R05R_Y_CUR_DISSBL = 2; ELSE
IF R05R_Y_EVR_DISSBL = -99999 OR R05_YD1002_30D = -9 OR
R05_YD1002_12M = -9 OR R05_YD1002_NB = -9 OR R05_YD1001_NB = -9 THEN
R05R_Y_CUR_DISSBL = -99999; ELSE IF R05R_Y_EVR_DISSBL = -99988 OR
R05_YD1002_30D = -8 OR R05_YD1002_12M = -8 OR R05_YD1002_NB = -8 OR
R05_YD1001_NB = -8 THEN R05R_Y_CUR_DISSBL = -99988; ELSE IF
R05R_Y_EVR_DISSBL = -99977 OR R05_YD1002_30D = -7 OR R05_YD1002_12M = -7
OR R05_YD1002_NB = -7 OR R05_YD1001_NB = -7 THEN R05R_Y_CUR_DISSBL =
-99977; ELSE IF R05R_Y_EVR_DISSBL = -99966 THEN R05R_Y_CUR_DISSBL =
-99966; ELSE IF R05R_Y_EVR_DISSBL = -99911 OR R05_YD1002_30D = -1 OR
R05_YD1002_12M = -1 OR R05_YD1002_NB = -1 OR R05_YD1001_NB = -8 THEN
R05R_Y_CUR_DISSBL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	5	0.0 %
2	2 = No	12071	99.8 %
	Total	12,076	99.8%

This variable has 12,076 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	22	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12639-12646 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_DISSBL: DERIVED - Wave 5 Youth Never to Ever Dissolvable Tobacco User

Long Description: Wave 5 youth respondents who started using dissolvable tobacco between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_DISSBL = 2 AND R05R_Y_EVR_DISSBL = 1) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_DISSBL = 1; ELSE IF (X04M_EVR_DISSBL = 1 OR R05R_Y_EVR_DISSBL = 2) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_DISSBL = 2; ELSE IF WAVE4P5_INTERVIEW IN (0, 3) THEN R05R_Y_NEW_DISSBL = -99933; ELSE IF R05R_Y_EVR_DISSBL = -99999 THEN R05R_Y_NEW_DISSBL = -99999; ELSE IF R05R_Y_EVR_DISSBL = -99988 THEN R05R_Y_NEW_DISSBL = -99988; ELSE IF R05R_Y_EVR_DISSBL = -99977 THEN R05R_Y_NEW_DISSBL = -99977; ELSE IF X04M_EVR_DISSBL IN (-99933, -99999, -99988, -99977, -99966, -99911) OR R05R_Y_EVR_DISSBL = -99966 OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_DISSBL = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	8	0.1 %
2	2 = No	10118	83.6 %
	Total	10,126	83.7%

This variable has 10,126 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.1 %

	Missing Data		
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	383	3.2 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	1,972	16.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12647-12654 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_DISSBL: DERIVED - Wave 5 Youth Past 12 Month Dissolvable Tobacco Users

Long Description: Wave 5 youth respondents who have used dissolvable tobacco within the past 12 months.

Algorithm: IF R05R_Y_EVR_DISSBL = 1 AND R05_YD1002_12M = 1 THEN
R05R_Y_P12M_DISSBL = 1; ELSE IF R05_YD1002_12M = 2 OR
R05R_Y_EVR_DISSBL = 2 OR R05_YD1001_NB = 2 OR R05_YD1002_NB = 2
THEN R05R_Y_P12M_DISSBL = 2; ELSE IF R05_YD1001_NB =
-9 OR R05_YD1002_NB = -9 OR R05_YD1002_12M = -9 OR R05R_Y_EVR_DISSBL
= -99999 THEN R05R_Y_P12M_DISSBL = -99999; ELSE IF
R05_YD1001_NB = -8 OR R05_YD1002_NB = -8 OR R05_YD1002_12M = -8
OR R05R_Y_EVR_DISSBL = -99988 THEN R05R_Y_P12M_DISSBL
= -99988; ELSE IF R05_YD1001_NB = -7 OR R05_YD1002_NB = -7 OR
R05_YD1002_12M = -7 OR R05R_Y_EVR_DISSBL = -99977 THEN
R05R_Y_P12M_DISSBL = -99977; ELSE IF R05R_Y_EVR_DISSBL = -99966
THEN R05R_Y_P12M_DISSBL = -99966; ELSE IF R05_YD1001_NB =
-1 OR R05_YD1002_NB = -1 OR R05_YD1002_12M = -1 OR
R05R_Y_EVR_DISSBL = -99911 THEN R05R_Y_P12M_DISSBL = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	12066	99.7 %
	Total	12,076	99.8%

This variable has 12,076 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	11	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	11	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	22	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12655-12662 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_BIDI: DERIVED - Wave 5 Youth Ever Bidi Smoker

Long Description: Wave 5 youth respondents who have ever smoked a bidi.

Algorithm: IF R05_YB1002BD_NB = 1 OR R05_YB1002BD_12M = 1 OR X04M_EVR_BIDI = 1 THEN R05R_Y_EVR_BIDI = 1; ELSE IF R05_YB9101_NB_01 = 2 OR R05_YB1002BD_NB = 2 OR (X04M_EVR_BIDI = 2 AND R05_YB1002BD_12M = 2 AND X04M_SKIPPED_WAVE = 2) THEN R05R_Y_EVR_BIDI = 2; ELSE IF R05_YB9101_NB_01 = -9 OR R05_YB1002BD_12M = -9 OR R05_YB1002BD_NB = -9 THEN R05R_Y_EVR_BIDI = -99999; ELSE IF R05_YB9101_NB_01 = -8 OR R05_YB1002BD_12M = -8 OR R05_YB1002BD_NB = -8 THEN R05R_Y_EVR_BIDI = -99988; ELSE IF R05_YB9101_NB_01 = -7 OR R05_YB1002BD_12M = -7 OR R05_YB1002BD_NB = -7 THEN R05R_Y_EVR_BIDI = -99977; ELSE IF X04M_EVR_BIDI IN (-99933, -99999, -99988, -99977, -99966, -99911) OR X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_BIDI = -99966; ELSE IF R05_YB9101_NB_01 = -1 OR R05_YB1002BD_12M = -1 OR R05_YB1002BD_NB = -1 THEN R05R_Y_EVR_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	38	0.3 %
2	2 = No	11914	98.5 %
	Total	11,952	98.8%

This variable has 11,952 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	120	1.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %

	Missing Data		
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	146	1.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12663-12670 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_BIDI: DERIVED - Wave 5 Youth Current Bidi Smoker

Long Description: Wave 5 youth respondents who have smoked a bidi within the past 30 days.

Algorithm: IF R05R_Y_EVR_BIDI = 1 AND R05_YB1002BD_30D = 1 THEN
R05R_Y_CUR_BIDI = 1; ELSE IF R05R_Y_EVR_BIDI = 2 OR
(R05R_Y_EVR_BIDI = 1 AND R05_YB1002BD_30D = 2) OR R05_YB1002BD_12M = 2
OR R05_YB1002BD_NB = 2 OR R05_YB9101_NB_01 = 2 OR R05_YB9101_NB_03 = 1
THEN R05R_Y_CUR_BIDI = 2; ELSE IF R05R_Y_EVR_BIDI = -99999 OR
R05_YB1002BD_30D = -9 OR R05_YB1002BD_12M = -9 OR R05_YB1002BD_NB = -9
OR R05_YB9101_NB_01 = -9 OR R05_YB9101_NB_03 = -9 THEN
R05R_Y_CUR_BIDI = -99999; ELSE IF R05R_Y_EVR_BIDI = -99988 OR
R05_YB1002BD_30D = -8 OR R05_YB1002BD_12M = -8 OR R05_YB1002BD_NB = -8
OR R05_YB9101_NB_01 = -8 OR R05_YB9101_NB_03 = -8 THEN
R05R_Y_CUR_BIDI = -99988; ELSE IF R05R_Y_EVR_BIDI = -99977 OR
R05_YB1002BD_30D = -7 OR R05_YB1002BD_12M = -7 OR R05_YB1002BD_NB = -7
OR R05_YB9101_NB_01 = -7 OR R05_YB9101_NB_03 = -7 THEN
R05R_Y_CUR_BIDI = -99977; ELSE IF R05R_Y_EVR_BIDI = -99966 THEN
R05R_Y_CUR_BIDI = -99966; ELSE IF R05R_Y_EVR_BIDI = -99911 OR
R05_YB1002BD_30D = -1 OR R05_YB1002BD_12M = -1 OR R05_YB1002BD_NB = 1
OR R05_YB9101_NB_01 = -1 OR R05_YB9101_NB_03 = -1 THEN
R05R_Y_CUR_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	6	0.0 %
2	2 = No	12066	99.7 %
	Total	12,072	99.8%

This variable has 12,072 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %

	Missing Data		
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	26	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12671-12678 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_BIDI: DERIVED - Wave 5 Youth Never to Ever Bidi Smoker

Long Description: Wave 5 youth respondents who started smoking bidi between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_BIDI = 2 AND R05R_Y_EVR_BIDI = 1) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_BIDI = 1; ELSE IF (X04M_EVR_BIDI = 1 OR R05R_Y_EVR_BIDI = 2) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_BIDI = 2; ELSE IF WAVE4P5_INTERVIEW IN (0, 3) THEN R05R_Y_NEW_BIDI = -99933; ELSE IF R05R_Y_EVR_BIDI = -99999 THEN R05R_Y_NEW_BIDI = -99999; ELSE IF R05R_Y_EVR_BIDI = -99988 THEN R05R_Y_NEW_BIDI = -99988; ELSE IF R05R_Y_EVR_BIDI = -99977 THEN R05R_Y_NEW_BIDI = -99977; ELSE IF X04M_EVR_BIDI IN (-99933, -99999, -99988, -99977, -99966, -99911) OR R05R_Y_EVR_BIDI = -99966 OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_BIDI = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	12	0.1 %
2	2 = No	10038	83.0 %
	Total	10,050	83.1%

This variable has 10,050 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	8	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	460	3.8 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,048	16.9%

Percentages for both tables are based on 12,098 total cases.

Location: 12679-12686 (width: 8; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_BIDI: DERIVED - Wave 5 Youth Past 12 Month Bidi Smokers

Long Description: Wave 5 youth respondents who have smoked a bidi within the past 12 months.

Algorithm: IF R05R_Y_EVR_BIDI = 1 AND R05_YB1002BD_12M = 1
THEN R05R_Y_P12M_BIDI = 1; ELSE IF R05_YB1002BD_NB = 2 OR
R05_YB1002BD_12M = 2 OR R05R_Y_EVR_BIDI = 2 OR R05_YB9101_NB_01
= 2 OR R05_YB9101_NB_03 = 1 THEN R05R_Y_P12M_BIDI
= 2; ELSE IF R05_YB1002BD_NB = -9 OR R05_YB1002BD_12M = -9 OR
R05R_Y_EVR_BIDI = -99999 OR R05_YB9101_NB_01 = -9
OR R05_YB9101_NB_03 = -9 THEN R05R_Y_P12M_BIDI = -99999;
ELSE IF R05_YB1002BD_NB = -8 OR R05_YB1002BD_12M = -8
OR R05R_Y_EVR_BIDI = -99988 OR R05_YB9101_NB_01 = -8 OR
R05_YB9101_NB_03 = -8 THEN R05R_Y_P12M_BIDI = -99988;
ELSE IF R05_YB1002BD_NB = -7 OR R05_YB1002BD_12M = -7
OR R05R_Y_EVR_BIDI = -99977 OR R05_YB9101_NB_01 = -7 OR
R05_YB9101_NB_03 = -7 THEN R05R_Y_P12M_BIDI = -99977;
ELSE IF R05R_Y_EVR_BIDI = -99966 THEN R05R_Y_P12M_BIDI =
-99966; ELSE IF R05_YB1002BD_NB = -1 OR R05_YB1002BD_12M
= -1 OR R05R_Y_EVR_BIDI = -99911 OR R05_YB9101_NB_01 = -1 OR
R05_YB9101_NB_03 = -1 THEN R05R_Y_P12M_BIDI = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	16	0.1 %
2	2 = No	12056	99.7 %
	Total	12,072	99.8%

This variable has 12,072 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	16	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	10	0.1 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	26	0.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12687-12694 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_KRETEK: DERIVED - Wave 5 Youth Ever Kretek Smoker

Long Description: Wave 5 youth respondents who have ever smoked a kretek.

Algorithm: IF R05_YB1002KK_NB = 1 OR R05_YB1002KK_12M = 1 OR X04M_EVR_KRETEK = 1 THEN R05R_Y_EVR_KRETEK = 1; ELSE IF R05_YB9101_NB_02 = 2 OR R05_YB1002KK_NB = 2 OR (X04M_EVR_KRETEK = 2 AND R05_YB1002KK_12M = 2 AND X04M_SKIPPED_WAVE = 2) THEN R05R_Y_EVR_KRETEK = 2; ELSE IF R05_YB9101_NB_02 = -9 OR R05_YB1002KK_12M = -9 OR R05_YB1002KK_NB = -9 THEN R05R_Y_EVR_KRETEK = -99999; ELSE IF R05_YB9101_NB_02 = -8 OR R05_YB1002KK_12M = -8 OR R05_YB1002KK_NB = -8 THEN R05R_Y_EVR_KRETEK = -99988; ELSE IF R05_YB9101_NB_02 = -7 OR R05_YB1002KK_12M = -7 OR R05_YB1002KK_NB = -7 THEN R05R_Y_EVR_KRETEK = -99977; ELSE IF X04M_EVR_KRETEK IN (-99933,-99999,-99988,-99977,-99966,-99911) OR X04M_SKIPPED_WAVE = 1 THEN R05R_Y_EVR_KRETEK = -99966; ELSE IF R05_YB9101_NB_02 = -1 OR R05_YB1002KK_12M = -1 OR R05_YB1002KK_NB = -1 THEN R05R_Y_EVR_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	44	0.4 %
2	2 = No	11915	98.5 %
	Total	11,959	98.9%

This variable has 11,959 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	122	1.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	139	1.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12695-12702 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_KRETEK: DERIVED - Wave 5 Youth Current Kretek Smoker

Long Description: Wave 5 youth respondents who have smoked kreteks within the past 30 days.

Algorithm: IF R05R_Y_EVR_KRETEK = 1 AND R05_YB1002KK_30D = 1 THEN
R05R_Y_CUR_KRETEK = 1; ELSE IF R05R_Y_EVR_KRETEK = 2 OR
(R05R_Y_EVR_KRETEK = 1 AND R05_YB1002KK_30D = 2) OR R05_YB1002KK_12M = 2
OR R05_YB1002KK_NB = 2 OR R05_YB9101_NB_02 = 2 OR R05_YB9101_NB_03 = 1
THEN R05R_Y_CUR_KRETEK = 2; ELSE IF R05R_Y_EVR_KRETEK = -99999 OR
R05_YB1002KK_30D = -9 OR R05_YB1002KK_12M = -9 OR R05_YB1002KK_NB = -9
OR R05_YB9101_NB_02 = -9 OR R05_YB9101_NB_03 = -9 THEN
R05R_Y_CUR_KRETEK = -99999; ELSE IF R05R_Y_EVR_KRETEK = -99988 OR
R05_YB1002KK_30D = -8 OR R05_YB1002KK_12M = -8 OR R05_YB1002KK_NB = -8
OR R05_YB9101_NB_02 = -8 OR R05_YB9101_NB_03 = -8 THEN
R05R_Y_CUR_KRETEK = -99988; ELSE IF R05R_Y_EVR_KRETEK = -99977 OR
R05_YB1002KK_30D = -7 OR R05_YB1002KK_12M = -7 OR R05_YB1002KK_NB = -7
OR R05_YB9101_NB_02 = -7 OR R05_YB9101_NB_03 = -7 THEN
R05R_Y_CUR_KRETEK = -99977; ELSE IF R05R_Y_EVR_KRETEK = -99966 THEN
R05R_Y_CUR_KRETEK = -99966; ELSE IF R05R_Y_EVR_KRETEK = -99911 OR
R05_YB1002KK_30D = -1 OR R05_YB1002KK_12M = -1 OR R05_YB1002KK_NB = -1
OR R05_YB9101_NB_02 = -1 OR R05_YB9101_NB_03 = -1 THEN
R05R_Y_CUR_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	10	0.1 %
2	2 = No	12071	99.8 %
	Total	12,081	99.9%

This variable has 12,081 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	17	0.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12703-12710 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_NEW_KRETEK: DERIVED - Wave 5 Youth Never to Ever Kretek Smoker

Long Description: Wave 5 youth respondents who started smoking kreteks between Wave 4.5 and Wave 5.

Algorithm: IF (X04M_EVR_KRETEK = 2 AND R05R_Y_EVR_KRETEK = 1) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_KRETEK = 1; ELSE IF (X04M_EVR_KRETEK = 1 OR R05R_Y_EVR_KRETEK = 2) AND WAVE4P5_INTERVIEW = 2 THEN R05R_Y_NEW_KRETEK = 2; ELSE IF WAVE4P5_INTERVIEW IN (0, 3) THEN R05R_Y_NEW_KRETEK = -99933; ELSE IF R05R_Y_EVR_KRETEK = -99999 THEN R05R_Y_NEW_KRETEK = -99999; ELSE IF R05R_Y_EVR_KRETEK = -99988 THEN R05R_Y_NEW_KRETEK = -99988; ELSE IF R05R_Y_EVR_KRETEK = -99977 THEN R05R_Y_NEW_KRETEK = -99977; ELSE IF X04M_EVR_KRETEK IN (-99933, -99999, -99988, -99977, -99966, -99911) OR R05R_Y_EVR_KRETEK = -99966 OR WAVE4P5_INTERVIEW = 9 THEN R05R_Y_NEW_KRETEK = -99966;

Value	Label	Unweighted Frequency	%
1	1 = Yes	13	0.1 %
2	2 = No	10043	83.0 %
	Total	10,056	83.1%

This variable has 10,056 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	8	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	3	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	463	3.8 %
-99933	-99933 = Missing due to respondent not being in previous wave	1568	13.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	2,042	16.9%

Percentages for both tables are based on 12,098 total cases.

Location: 12711-12718 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99933 , -97777

R05R_Y_P12M_KRETEK: DERIVED - Wave 5 Youth Past 12 Month Kretek Smokers

Long Description: Wave 5 youth respondents who have smoked a kretek within the past 12 months.

Algorithm: IF R05R_Y_EVR_KRETEK = 1 AND R05_YB1002KK_12M = 1

THEN R05R_Y_P12M_KRETEK = 1; ELSE IF R05_YB1002KK_NB = 2 OR R05_YB1002KK_12M = 2 OR R05R_Y_EVR_KRETEK = 2 OR R05_YB9101_NB_02 = 2 OR R05_YB9101_NB_03 = 1 THEN R05R_Y_P12M_KRETEK = 2; ELSE IF R05_YB1002KK_NB = -9 OR R05_YB1002KK_12M = -9 OR R05R_Y_EVR_KRETEK = -99999 OR R05_YB9101_NB_02 = -9 OR R05_YB9101_NB_03 = -9 THEN R05R_Y_P12M_KRETEK = -99999; ELSE IF R05_YB1002KK_NB = -8 OR R05_YB1002KK_12M = -8 OR R05R_Y_EVR_KRETEK = -99988 OR R05_YB9101_NB_02 = -8 OR R05_YB9101_NB_03 = -8 THEN R05R_Y_P12M_KRETEK = -99988; ELSE IF R05_YB1002KK_NB = -7 OR R05_YB1002KK_12M = -7 OR R05R_Y_EVR_KRETEK = -99977 OR R05_YB9101_NB_02 = -7 OR R05_YB9101_NB_03 = -7 THEN R05R_Y_P12M_KRETEK = -99977; ELSE IF R05R_Y_EVR_KRETEK = -99966 THEN R05R_Y_P12M_KRETEK = -99966; ELSE IF R05_YB1002KK_NB = -1 OR R05_YB1002KK_12M = -1 OR R05R_Y_EVR_KRETEK = -99911 OR R05_YB9101_NB_02 = -1 OR R05_YB9101_NB_03 = -1 THEN R05R_Y_P12M_KRETEK = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	18	0.1 %
2	2 = No	12063	99.7 %
	Total	12,081	99.9%

This variable has 12,081 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	12	0.1 %
-99977	-99977 = Missing due to a refused response on one or more component variables	5	0.0 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	17	0.1%

Percentages for both tables are based on 12,098 total cases.

Location: 12719-12726 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_EVR_TOB: DERIVED - Wave 5 Youth Ever Tobacco User

Long Description: Wave 5 youth respondents who have ever smoked cigarettes, traditional cigars, cigarillos, filtered cigars, pipe, hookah, bidis or kretek, or have ever used e-products, smokeless tobacco, snus pouches or dissolvable tobacco.

Algorithm: IF R05R_Y_EVR_CIGS = 1 OR R05R_Y_EVR_EPRODS = 1 OR

R05R_Y_EVR_GTRAD = 1 OR R05R_Y_EVR_GRILLO = 1 OR
 R05R_Y_EVR_GFILTR = 1 OR R05R_Y_EVR_PIPE = 1 OR R05R_Y_EVR_HOOK
 = 1 OR R05R_Y_EVR_SMKLS = 1 OR R05R_Y_EVR_SNUS = 1 OR
 R05R_Y_EVR_DISSBL = 1 OR R05R_Y_EVR_BIDI = 1 OR R05R_Y_EVR_KRETEK
 = 1 THEN R05R_Y_EVR_TOB= 1; ELSE IF R05R_Y_EVR_CIGS
 = 2 AND R05R_Y_EVR_EPRODS = 2 AND R05R_Y_EVR_GTRAD = 2 AND
 R05R_Y_EVR_GRILLO = 2 AND R05R_Y_EVR_GFILTR = 2 AND
 R05R_Y_EVR_PIPE = 2 AND R05R_Y_EVR_HOOK = 2 AND
 R05R_Y_EVR_SMKLS = 2 AND R05R_Y_EVR_SNUS = 2 AND R05R_Y_EVR_DISSBL
 = 2 AND R05R_Y_EVR_BIDI = 2 AND R05R_Y_EVR_KRETEK = 2
 THEN R05R_Y_EVR_TOB= 2; ELSE IF R05R_Y_EVR_GTRAD=-99999 OR
 R05R_Y_EVR_GRILLO=-99999 OR R05R_Y_EVR_GFILTR=-99999 OR
 R05R_Y_EVR_CIGS=-99999 OR R05R_Y_EVR_EPRODS=-99999
 OR R05R_Y_EVR_PIPE=-99999 OR R05R_Y_EVR_HOOK=-99999 OR
 R05R_Y_EVR_SMKLS=-99999 OR R05R_Y_EVR_SNUS=-99999 OR
 R05R_Y_EVR_DISSBL=-99999 OR R05R_Y_EVR_BIDI=-99999 OR
 R05R_Y_EVR_KRETEK=-99999 THEN R05R_Y_EVR_TOB = -99999; ELSE
 IF R05R_Y_EVR_GTRAD=-99988 OR R05R_Y_EVR_GRILLO=-99988
 OR R05R_Y_EVR_GFILTR=-99988 OR R05R_Y_EVR_CIGS=-99988
 OR R05R_Y_EVR_EPRODS=-99988 OR R05R_Y_EVR_PIPE=-99988
 OR R05R_Y_EVR_HOOK=-99988 OR R05R_Y_EVR_SMKLS=-99988 OR
 R05R_Y_EVR_SNUS=-99988 OR R05R_Y_EVR_DISSBL=-99988 OR
 R05R_Y_EVR_BIDI=-99988 OR R05R_Y_EVR_KRETEK=-99988 THEN
 R05R_Y_EVR_TOB = -99988; ELSE IF R05R_Y_EVR_GTRAD=-99977
 OR R05R_Y_EVR_GRILLO=-99977 OR R05R_Y_EVR_GFILTR=-99977
 OR R05R_Y_EVR_CIGS=-99977 OR R05R_Y_EVR_EPRODS=-99977 OR
 R05R_Y_EVR_PIPE=-99977 OR R05R_Y_EVR_HOOK=-99977 OR
 R05R_Y_EVR_SMKLS=-99977 OR R05R_Y_EVR_SNUS=-99977 OR
 R05R_Y_EVR_DISSBL=-99977 OR R05R_Y_EVR_BIDI=-99977 OR
 R05R_Y_EVR_KRETEK=-99977 THEN R05R_Y_EVR_TOB = -99977;
 ELSE IF R05R_Y_EVR_GTRAD=-99966 OR R05R_Y_EVR_GRILLO=-99966
 OR R05R_Y_EVR_GFILTR=-99966 OR R05R_Y_EVR_CIGS=-99966
 OR R05R_Y_EVR_EPRODS=-99966 OR R05R_Y_EVR_PIPE=-99966 OR
 R05R_Y_EVR_HOOK=-99966 OR R05R_Y_EVR_SMKLS=-99966 OR
 R05R_Y_EVR_SNUS=-99966 OR R05R_Y_EVR_DISSBL=-99966 OR
 R05R_Y_EVR_BIDI=-99966 OR R05R_Y_EVR_KRETEK=-99966 THEN
 R05R_Y_EVR_TOB = -99966; ELSE IF R05R_Y_EVR_GTRAD=-99911
 OR R05R_Y_EVR_GRILLO=-99911 OR R05R_Y_EVR_GFILTR=-99911
 OR R05R_Y_EVR_CIGS=-99911 OR R05R_Y_EVR_EPRODS=-99911
 OR R05R_Y_EVR_PIPE=-99911 OR R05R_Y_EVR_HOOK=-99911 OR
 R05R_Y_EVR_SMKLS=-99911 OR R05R_Y_EVR_SNUS=-99911 OR
 R05R_Y_EVR_DISSBL=-99911 OR R05R_Y_EVR_BIDI=-99911 OR
 R05R_Y_EVR_KRETEK=-99911 THEN R05R_Y_EVR_TOB = -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2890	23.9 %
2	2 = No	8826	73.0 %
	Total	11,716	96.8%

This variable has 11,716 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %

	Missing Data		
-99988	-99988 = Missing due to a don't know response on one or more component variables	69	0.6 %
-99977	-99977 = Missing due to a refused response on one or more component variables	39	0.3 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	274	2.3 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	382	3.2%

Percentages for both tables are based on 12,098 total cases.

Location: 12727-12734 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_CUR_TOB: DERIVED - Wave 5 Youth Current Tobacco User

Long Description: Wave 5 youth respondents who have smoked a cigarette, traditional cigar, cigarillo, filtered cigar, pipe, hook, bidi or kretek within the past 30 days or have used an electronic nicotine product, smokeless tobacco, snus pouches or dissolvable tobacco product within the past 30 days.

Algorithm: IF R05R_Y_CUR_CIGS = 1 OR R05R_Y_CUR_EPRODS = 1 OR
R05R_Y_CUR_GTRAD = 1 OR R05R_Y_CUR_GRILLO = 1 OR
R05R_Y_CUR_GFILTR = 1 OR R05R_Y_CUR_PIPE = 1 OR R05R_Y_CUR_HOOK = 1
OR R05R_Y_CUR_SMKLS = 1 OR R05R_Y_CUR_SNUS = 1 OR
R05R_Y_CUR_DISSBL = 1 OR R05R_Y_CUR_BIDI = 1 OR
R05R_Y_CUR_KRETEK = 1 THEN R05R_Y_CUR_TOB = 1; ELSE IF R05R_Y_CUR_CIGS
= 2 AND R05R_Y_CUR_EPRODS = 2 AND R05R_Y_CUR_GTRAD = 2
AND R05R_Y_CUR_GRILLO = 2 AND R05R_Y_CUR_GFILTR = 2 AND
R05R_Y_CUR_PIPE = 2 AND R05R_Y_CUR_HOOK = 2 AND R05R_Y_CUR_SMKLS
= 2 AND R05R_Y_CUR_SNUS = 2 AND R05R_Y_CUR_DISSBL
= 2 AND R05R_Y_CUR_BIDI = 2 AND R05R_Y_CUR_KRETEK = 2 THEN
R05R_Y_CUR_TOB = 2; ELSE IF R05R_Y_CUR_GTRAD = -99999 OR
R05R_Y_CUR_GRILLO = -99999 OR R05R_Y_CUR_GFILTR = -99999
OR R05R_Y_CUR_CIGS = -99999 OR R05R_Y_CUR_EPRODS = -99999
OR R05R_Y_CUR_PIPE = -99999 OR R05R_Y_CUR_HOOK = -99999 OR
R05R_Y_CUR_SMKLS = -99999 OR R05R_Y_CUR_SNUS = -99999 OR
R05R_Y_CUR_DISSBL = -99999 OR R05R_Y_CUR_BIDI = -99999 OR
R05R_Y_CUR_KRETEK = -99999 THEN R05R_Y_CUR_TOB = -99999; ELSE
IF R05R_Y_CUR_GTRAD = -99988 OR R05R_Y_CUR_GRILLO = -99988
OR R05R_Y_CUR_GFILTR = -99988 OR R05R_Y_CUR_CIGS = -99988
OR R05R_Y_CUR_EPRODS = -99988 OR R05R_Y_CUR_PIPE = -99988
OR R05R_Y_CUR_HOOK = -99988 OR R05R_Y_CUR_SMKLS = -99988 OR
R05R_Y_CUR_SNUS = -99988 OR R05R_Y_CUR_DISSBL = -99988 OR
R05R_Y_CUR_BIDI = -99988 OR R05R_Y_CUR_KRETEK = -99988 THEN
R05R_Y_CUR_TOB = -99988; ELSE IF R05R_Y_CUR_GTRAD = -99977
OR R05R_Y_CUR_GRILLO = -99977 OR R05R_Y_CUR_GFILTR = -99977
OR R05R_Y_CUR_CIGS = -99977 OR R05R_Y_CUR_EPRODS = -99977
OR R05R_Y_CUR_PIPE = -99977 OR R05R_Y_CUR_HOOK = -99977
OR R05R_Y_CUR_SMKLS = -99977 OR R05R_Y_CUR_SNUS = -99977 OR

R05R_Y_CUR_DISSBL = -99977 OR R05R_Y_CUR_BIDI = -99977
 OR R05R_Y_CUR_KRETEK = -99977 THEN R05R_Y_CUR_TOB = -99977;
 ELSE IF R05R_Y_CUR_GTRAD = -99966 OR R05R_Y_CUR_GRILLO =
 -99966 OR R05R_Y_CUR_GFILTR = -99966 OR R05R_Y_CUR_CIGS =
 -99966 OR R05R_Y_CUR_EPRODS = -99966 OR R05R_Y_CUR_PIPE =
 -99966 OR R05R_Y_CUR_HOOK = -99966 OR R05R_Y_CUR_SMKLS =
 -99966 OR R05R_Y_CUR_SNUS = -99966 OR R05R_Y_CUR_DISSBL =
 -99966 OR R05R_Y_CUR_BIDI = -99966 OR R05R_Y_CUR_KRETEK =
 -99966 THEN R05R_Y_CUR_TOB = -99966; ELSE IF R05R_Y_CUR_GTRAD =
 -99911 OR R05R_Y_CUR_GRILLO = -99911 OR R05R_Y_CUR_GFILTR =
 -99911 OR R05R_Y_CUR_CIGS = -99911 OR R05R_Y_CUR_EPRODS =
 -99911 OR R05R_Y_CUR_PIPE = -99911 OR R05R_Y_CUR_HOOK =
 -99911 OR R05R_Y_CUR_SMKLS = -99911 OR R05R_Y_CUR_SNUS =
 -99911 OR R05R_Y_CUR_DISSBL = -99911 OR R05R_Y_CUR_BIDI =
 -99911 OR R05R_Y_CUR_KRETEK = -99911 THEN R05R_Y_CUR_TOB =
 -99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	1278	10.6 %
2	2 = No	10658	88.1 %
	Total	11,936	98.7%

This variable has 11,936 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	105	0.9 %
-99977	-99977 = Missing due to a refused response on one or more component variables	57	0.5 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	162	1.3%

Percentages for both tables are based on 12,098 total cases.

Location: 12735-12742 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

R05R_Y_P12M_TOB: DERIVED - Wave 5 Youth Past 12 Month Tobacco User

Long Description: Wave 5 youth respondents who have smoked or used any of the following tobacco products within the past 12 months: cigarettes, e-products, traditional cigars, cigarillos, filtered cigars, hookah, pipe, smokeless tobacco, snus pouches, dissolvable tobacco, bidis or kreteks.

Algorithm: IF R05R_Y_P12M_CIGS =1 OR R05R_Y_P12M_EPRODS =1 OR
R05R_Y_P12M_GTRAD =1 OR R05R_Y_P12M_GRILLO
=1 OR R05R_Y_P12M_GFILTR =1 OR R05R_Y_P12M_HOOK =1 OR
R05R_Y_P12M_PIPE =1 OR R05R_Y_P12M_SMKLS =1 OR
R05R_Y_P12M_SNUS =1 OR R05R_Y_P12M_DISSBL =1 OR
R05R_Y_P12M_BIDI =1 OR R05R_Y_P12M_KRETEK =1 THEN R05R_Y_P12M_TOB
=1; ELSE IF R05R_Y_P12M_CIGS =2 AND R05R_Y_P12M_EPRODS =2
AND R05R_Y_P12M_GTRAD =2 AND R05R_Y_P12M_GRILLO
=2 AND R05R_Y_P12M_GFILTR =2 AND R05R_Y_P12M_HOOK =2
AND R05R_Y_P12M_PIPE =2 AND R05R_Y_P12M_SMKLS =2
AND R05R_Y_P12M_SNUS =2 AND R05R_Y_P12M_DISSBL =2 AND
R05R_Y_P12M_BIDI =2 AND R05R_Y_P12M_KRETEK =2 THEN
R05R_Y_P12M_TOB =2; ELSE IF R05R_Y_P12M_CIGS =-99999
OR R05R_Y_P12M_EPRODS =-99999 OR R05R_Y_P12M_GTRAD =-99999 OR
R05R_Y_P12M_GRILLO =-99999 OR R05R_Y_P12M_GFILTR =-99999
OR R05R_Y_P12M_HOOK =-99999 OR R05R_Y_P12M_PIPE =-99999
OR R05R_Y_P12M_SMKLS =-99999 OR R05R_Y_P12M_SNUS =-99999
OR R05R_Y_P12M_DISSBL =-99999 OR R05R_Y_P12M_BIDI =-99999
OR R05R_Y_P12M_KRETEK =-99999 THEN R05R_Y_P12M_TOB =-99999;
ELSE IF R05R_Y_P12M_CIGS =-99988 OR R05R_Y_P12M_EPRODS
=-99988 OR R05R_Y_P12M_GTRAD =-99988 OR R05R_Y_P12M_GRILLO
=-99988 OR R05R_Y_P12M_GFILTR =-99988 OR R05R_Y_P12M_HOOK
=-99988 OR R05R_Y_P12M_PIPE =-99988 OR R05R_Y_P12M_SMKLS
=-99988 OR R05R_Y_P12M_SNUS =-99988 OR R05R_Y_P12M_DISSBL
=-99988 OR R05R_Y_P12M_BIDI =-99988 OR R05R_Y_P12M_KRETEK
=-99988 THEN R05R_Y_P12M_TOB =-99988; ELSE IF
R05R_Y_P12M_CIGS =-99977 OR R05R_Y_P12M_EPRODS =-99977 OR
R05R_Y_P12M_GTRAD =-99977 OR R05R_Y_P12M_GRILLO =-99977 OR
R05R_Y_P12M_GFILTR =-99977 OR R05R_Y_P12M_HOOK =-99977 OR
R05R_Y_P12M_PIPE =-99977 OR R05R_Y_P12M_SMKLS =-99977 OR
R05R_Y_P12M_SNUS =-99977 OR R05R_Y_P12M_DISSBL =-99977 OR
R05R_Y_P12M_BIDI =-99977 OR R05R_Y_P12M_KRETEK =-99977 THEN
R05R_Y_P12M_TOB =-99977; ELSE IF R05R_Y_P12M_CIGS =-99966
OR R05R_Y_P12M_EPRODS =-99966 OR R05R_Y_P12M_GTRAD =-99966
OR R05R_Y_P12M_GRILLO =-99966 OR R05R_Y_P12M_GFILTR =-99966
OR R05R_Y_P12M_HOOK =-99966 OR R05R_Y_P12M_PIPE =-99966
OR R05R_Y_P12M_SMKLS =-99966 OR R05R_Y_P12M_SNUS =-99966 OR
R05R_Y_P12M_DISSBL =-99966 OR R05R_Y_P12M_BIDI =-99966
OR R05R_Y_P12M_KRETEK =-99966 THEN R05R_Y_P12M_TOB =-99966;
ELSE IF R05R_Y_P12M_CIGS =-99911 OR R05R_Y_P12M_EPRODS
=-99911 OR R05R_Y_P12M_GTRAD =-99911 OR R05R_Y_P12M_GRILLO
=-99911 OR R05R_Y_P12M_GFILTR =-99911 OR R05R_Y_P12M_HOOK
=-99911 OR R05R_Y_P12M_PIPE =-99911 OR R05R_Y_P12M_SMKLS
=-99911 OR R05R_Y_P12M_SNUS =-99911 OR R05R_Y_P12M_DISSBL
=-99911 OR R05R_Y_P12M_BIDI =-99911 OR R05R_Y_P12M_KRETEK
=-99911 THEN R05R_Y_P12M_TOB =-99911;

Value	Label	Unweighted Frequency	%
1	1 = Yes	2328	19.2 %
2	2 = No	9648	79.7 %
	Total	11,976	99.0%

This variable has 11,976 valid cases out of 12,098 total cases.

	Missing Data		
-99999	-99999 = Missing due to data not ascertained on one or more component variables	0	0.0 %
-99988	-99988 = Missing due to a don't know response on one or more component variables	79	0.7 %
-99977	-99977 = Missing due to a refused response on one or more component variables	43	0.4 %
-99966	-99966 = Missing due to missing data on a prior wave for one or more component variables	0	0.0 %
-99911	-99911 = Missing due to an instrument skip pattern for one or more component variables	0	0.0 %
-97777	-97777 = Missing due to data removed per respondent request	0	0.0 %
	Total	122	1.0%

Percentages for both tables are based on 12,098 total cases.

Location: 12743-12750 (width: 8; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -99999 , -99988 , -99977 , -99966 , -99911 , -97777

APPENDIX

**Top Response Options for
Tobacco Brand / Product Variables**

Total tables = 21

Table Name	Variable Name	Top Ranked Response
R05_YC1048_BRAND	R05_YC1048_BRAND	1125 = Marlboro
R05_YC1070_PRODUCT	R05_YC1070_PRODUCT	11218 = Newport Full Flavor menthol kings
R05_YV1048_BRAND	R05_YV1048_BRAND	1269 = Juul
R05_YJ1048TC_BRAND	R05_YJ1048TC_BRAND	1019 = Backwoods
R05_YJ1070TC_PRODUCT	R05_YJ1070TC_PRODUCT	10211 = Backwoods Honey
R05_YJ1048CG_BRAND	R05_YJ1048CG_BRAND	1019 = Backwoods
R05_YJ1070CG_PRODUCT	R05_YJ1070CG_PRODUCT	10212 = Backwoods Honey Berry
R05_YJ1048FC_BRAND	R05_YJ1048FC_BRAND	1024 = Black & Mild
R05_YJ1070FC_PRODUCT	R05_YJ1070FC_PRODUCT	10243 = Black & Mild Classic
R05_YG1048TC_BRAND	R05_YG1048TC_BRAND	1024 = Black & Mild
R05_YG1070TC_PRODUCT	R05_YG1070TC_PRODUCT	10245 = Black & Mild Wine
R05_YG1048CL_BRAND	R05_YG1048CL_BRAND	1024 = Black & Mild
R05_YG1070CL_PRODUCT	R05_YG1070CL_PRODUCT	10243 = Black & Mild Classic
R05_YG1048FC_BRAND	R05_YG1048FC_BRAND	1204 = Swisher Sweets
R05_YG1070FC_PRODUCT	R05_YG1070FC_PRODUCT	10243 = Black & Mild Classic
R05_YH1048_BRAND	R05_YH1048_BRAND	1253 = Al Fakher
R05_YH1070_PRODUCT	R05_YH1070_PRODUCT	12081 = Al Fakher Mint
R05_YU1048_BRAND	R05_YU1048_BRAND	1033 = Camel
R05_YU1070_PRODUCT	R05_YU1070_PRODUCT	10290 = Camel Snus Mellow
R05_YS1048_BRAND	R05_YS1048_BRAND	1049 = Copenhagen
R05_YS1070_PRODUCT	R05_YS1070_PRODUCT	10719 = Grizzly Long Cut Wintergreen

Obs	R05_YC1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1125 = Marlboro	73	0.603
2	1144 = Newport	45	0.372
3	1033 = Camel	30	0.248
4	1012 = American Spirit	14	0.116
5	1115 = L & M	4	0.033
6	1021 = Basic	3	0.025
7	1036 = Capri	2	0.017
8	1152 = Pall Mall	2	0.017
9	1196 = Sonoma	2	0.017
10	1269 = Juul	2	0.017
11	1002 = 305's	1	0.008
12	1038 = Carlton	1	0.008
13	1042 = Cheyenne	1	0.008
14	1053 = Decade	1	0.008
15	1057 = Doral	1	0.008
16	1110 = King Mountain	1	0.008
17	1113 = Kool	1	0.008
18	1128 = Merit	1	0.008
19	1132 = Misty	1	0.008
20	1153 = Parliament	1	0.008
21	All other coded responses	4	0.033
22	9995 = Some other brand	2	0.017
23	-8 = Don't know	1	0.008
24	-7 = Refused	1	0.008
25	-1 = Inapplicable	11,903	98.388
26			
27	Total	12,098	100.000

R05_YC1070_PRODUCT		Unweighted Frequency	Percent of Total Frequency
Obs			
1	11218 = Newport Full Flavor menthol kings	33	0.273
2	11031 = Marlboro Red non-menthol kings	23	0.190
3	10271 = Camel Crush non-menthol and menthol kings	13	0.107
4	11006 = Marlboro Black non-menthol 100s	9	0.074
5	11020 = Marlboro Gold non-menthol kingss	8	0.066
6	10169 = American Spirit Full-bodied non-menthol kings	6	0.050
7	11026 = Marlboro Full Flavor menthol kings	6	0.050
8	10273 = Camel Filters non-menthol kings	5	0.041
9	10288 = Camel Silver menthol kings	5	0.041
10	11219 = Newport Full Flavor menthol 100s	5	0.041
11	11005 = Marlboro Black non-menthol kings	4	0.033
12	10173 = American Spirit Mellow non-methol kings	3	0.025
13	10268 = Camel Blue non-menthol kings	3	0.025
14	10275 = Camel Filters menthol kings	3	0.025
15	10928 = L & M Filter non-menthol 100s	3	0.025
16	11032 = Marlboro Red non-menthol 100s	3	0.025
17	12036 = Marlboro NXT	3	0.025
18	11007 = Marlboro Black menthol kings	2	0.017
19	11008 = Marlboro Black menthol 100s	2	0.017
20	11025 = Marlboro Gold menthol kingss	2	0.017
21	All other coded responses	38	0.314
22	99995 = Some other product	7	0.058
23	99990 = No data (Brand text response up-coded)	4	0.033
24	-8 = Don't know	1	0.008
25	-1 = Inapplicable	11,907	98.421
26			
27	Total	12,098	100.000

Obs	R05_YV1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1269 = Juul	245	2.025
2	1028 = Blu Cigs	34	0.281
3	1275 = Smok	23	0.190
4	1245 = E-Swisher	15	0.124
5	1146 = NJOY	7	0.058
6	1297 = Naked 100	7	0.058
7	1254 = eGo Twist	5	0.041
8	1258 = Vuse	5	0.041
9	1259 = Eleaf	5	0.041
10	1221 = Vapor King	3	0.025
11	1243 = 21st Century Smoke	2	0.017
12	1244 = Cigirex	2	0.017
13	1067 = EonSmoke	1	0.008
14	1068 = eSmoke	1	0.008
15	1076 = Fifty-One	1	0.008
16	1145 = NicStick	1	0.008
17	1193 = SmokeTip	1	0.008
18	1256 = MarkTen	1	0.008
19	1260 = iTaste	1	0.008
20	9995 = Some other brand	32	0.265
21	-8 = Don't know	4	0.033
22	-7 = Refused	4	0.033
23	-1 = Inapplicable	11,698	96.694
24			
25	Total	12,098	100.000

Obs	R05_YJ1048TC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1019 = Backwoods	21	0.174
2	1024 = Black & Mild	4	0.033
3	1061 = Dutch Masters	4	0.033
4	1204 = Swisher Sweets	2	0.017
5	1231 = White Owl	2	0.017
6	1202 = Supre Sweets	1	0.008
7	9995 = Some other brand	2	0.017
8	-1 = Inapplicable	12,062	99.702
9			
10	Total	12,098	100.000

Obs	R05_YJ1070TC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10211 = Backwoods Honey	7	0.058
2	10212 = Backwoods Honey Berry	7	0.058
3	10213 = Backwoods Original	4	0.033
4	10244 = Black & Mild Sweets	3	0.025
5	10243 = Black & Mild Classic	1	0.008
6	10498 = Dutch Masters Cigarillos Grape	1	0.008
7	10500 = Dutch Masters Cigarillos Honey Sports	1	0.008
8	10503 = Dutch Masters Cigarillos Vanilla	1	0.008
9	10518 = Dutch Masters Panetela	1	0.008
10	11697 = Supre Sweets Perfectos	1	0.008
11	11702 = Swisher Sweets Blunt XL Peach	1	0.008
12	11707 = Swisher Sweets Cigarillos	1	0.008
13	11928 = White Owl Blunt Peach	1	0.008
14	11944 = White Owl New Yorker	1	0.008
15	99995 = Some other product	1	0.008
16	-8 = Don't know	2	0.017
17	-1 = Inapplicable	12,064	99.719
18			
19	Total	12,098	100.000

Obs	R05_YJ1048CG_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1019 = Backwoods	103	0.851
2	1204 = Swisher Sweets	54	0.446
3	1231 = White Owl	18	0.149
4	1024 = Black & Mild	16	0.132
5	1061 = Dutch Masters	15	0.124
6	1239 = Zig Zag	6	0.050
7	1082 = Game (Garcia y Vega)	3	0.025
8	1150 = Optimo	2	0.017
9	1058 = Double Diamond	1	0.008
10	1062 = Dutch Treat	1	0.008
11	1084 = Garcia y Vega	1	0.008
12	9995 = Some other brand	4	0.033
13	-1 = Inapplicable	11,874	98.148
14			
15	Total	12,098	100.000

Obs	R05_YJ1070CG_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10212 = Backwoods Honey Berry	33	0.273
2	10211 = Backwoods Honey	30	0.248
3	10213 = Backwoods Original	19	0.157
4	10244 = Black & Mild Sweets	8	0.066
5	11701 = Swisher Sweets Blunt XL Grape	8	0.066
6	11929 = White Owl Blunt White Grape	7	0.058
7	10214 = Backwoods Sweet Aromatic	5	0.041
8	10243 = Black & Mild Classic	5	0.041
9	11723 = Swisher Sweets Strawberry Cigarillos	5	0.041
10	10210 = Backwoods Black 'n Sweet Aromatic	4	0.033
11	11704 = Swisher Sweets Blunts	4	0.033
12	11711 = Swisher Sweets Grape 100s	4	0.033
13	11729 = Swisher Sweets White Grape Cigarillos	4	0.033
14	11927 = White Owl Blunt Grape	4	0.033
15	10245 = Black & Mild Wine	3	0.025
16	10498 = Dutch Masters Cigarillos Grape	3	0.025
17	11702 = Swisher Sweets Blunt XL Peach	3	0.025
18	11713 = Swisher Sweets Grape Tip Cigarillos	3	0.025
19	11928 = White Owl Blunt Peach	3	0.025
20	10503 = Dutch Masters Cigarillos Vanilla	2	0.017
21	All other coded responses	35	0.289
22	99995 = Some other product	18	0.149
23	99990 = No data (Brand text response up-coded)	1	0.008
24	-8 = Don't know	7	0.058
25	-7 = Refused	2	0.017
26	-1 = Inapplicable	11,878	98.182
27			
28	Total	12098	100.000

R05_YJ1048FC_BRAND		Unweighted Frequency	Percent of Total Frequency
Obs			
1	1024 = Black & Mild	1	0.008
2	1204 = Swisher Sweets	1	0.008
3	-1 = Inapplicable	12,096	99.983
4			
5	Total	12,098	100.000

R05_YJ1070FC_PRODUCT		Unweighted Frequency	Percent of Total Frequency
Obs			
1	10243 = Black & Mild Classic	1	0.008
2	11711 = Swisher Sweets Grape 100s	1	0.008
3	-1 = Inapplicable	12,096	99.983
4			
5	Total	12,098	100.000

Obs	R05_YG1048TC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1024 = Black & Mild	10	0.083
2	1019 = Backwoods	2	0.017
3	1061 = Dutch Masters	1	0.008
4	1204 = Swisher Sweets	1	0.008
5	1239 = Zig Zag	1	0.008
6	-1 = Inapplicable	12,083	99.876
7			
8	Total	12,098	100.000

Obs	R05_YG1070TC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10245 = Black & Mild Wine	4	0.033
2	10244 = Black & Mild Sweets	3	0.025
3	10243 = Black & Mild Classic	2	0.017
4	10212 = Backwoods Honey Berry	1	0.008
5	11704 = Swisher Sweets Blunts	1	0.008
6	12009 = Zig-Zag Cigarillos Grape	1	0.008
7	99995 = Some other product	3	0.025
8	-1 = Inapplicable	12,083	99.876
9			
10	Total	12,098	100.000

Obs	R05_YG1048CL_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1024 = Black & Mild	23	0.190
2	1019 = Backwoods	12	0.099
3	1204 = Swisher Sweets	4	0.033
4	1017 = Arturo Fuente	1	0.008
5	1026 = BLK	1	0.008
6	1082 = Game (Garcia y Vega)	1	0.008
7	-1 = Inapplicable	12,056	99.653
8			
9	Total	12,098	100.000

Obs	R05_YG1070CL_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10243 = Black & Mild Classic	10	0.083
2	10245 = Black & Mild Wine	5	0.041
3	10211 = Backwoods Honey	4	0.033
4	10212 = Backwoods Honey Berry	4	0.033
5	10244 = Black & Mild Sweets	3	0.025
6	10213 = Backwoods Original	2	0.017
7	12115 = Black & Mild Jazz	2	0.017
8	10198 = Arturo Fuente Chateau Fuente	1	0.008
9	10210 = Backwoods Black 'n Sweet Aromatic	1	0.008
10	10251 = BLK Cherry	1	0.008
11	10633 = Game Dutch Masters Grape	1	0.008
12	11699 = Swisher Sweets Blueberry Mini Cigarillos	1	0.008
13	11707 = Swisher Sweets Cigarillos	1	0.008
14	11718 = Swisher Sweets Peach 100s	1	0.008
15	11723 = Swisher Sweets Strawberry Cigarillos	1	0.008
16	99995 = Some other product	3	0.025
17	-8 = Don't know	1	0.008
18	-1 = Inapplicable	12,056	99.653
19			
20	Total	12,098	100.000

Obs	R05_YG1048FC_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1204 = Swisher Sweets	4	0.033
2	1024 = Black & Mild	3	0.025
3	1042 = Cheyenne	1	0.008
4	1182 = Santa Fe	1	0.008
5	1293 = Talon	1	0.008
6	-1 = Inapplicable	12,088	99.917
7			
8	Total	12,098	100.000

Obs	R05_YG1070FC_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	10243 = Black & Mild Classic	2	0.017
2	10244 = Black & Mild Sweets	1	0.008
3	10375 = Cheyenne Wild Cherry 100s	1	0.008
4	11468 = Santa Fe Sweet Strawberry 100s	1	0.008
5	11711 = Swisher Sweets Grape 100s	1	0.008
6	11718 = Swisher Sweets Peach 100s	1	0.008
7	11728 = Swisher Sweets Tip Cigarillos	1	0.008
8	99995 = Some other product	1	0.008
9	99990 = No data (Brand text response up-coded)	1	0.008
10	-1 = Inapplicable	12,088	99.917
11			
12	Total	12,098	100.000

Obs	R05_YH1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1253 = Al Fakher	3	0.025
2	1008 = Al Amir Exotic	1	0.008
3	1095 = Havana	1	0.008
4	1119 = Layalina	1	0.008
5	9995 = Some other brand	2	0.017
6	-1 = Inapplicable	12,090	99.934
7			
8	Total	12,098	100.000

Obs	R05_YH1070_PRODUCT	Unweighted Frequency	Percent of Total Frequency
1	12081 = Al Fakher Mint	2	0.017
2	10108 = Al Amir Exotic French Vanilla	1	0.008
3	10739 = Havana Grape & Mint	1	0.008
4	10968 = Laylalina Piña Colada	1	0.008
5	12065 = Al Fakher Gum	1	0.008
6	-1 = Inapplicable	12,092	99.950
7			
8	Total	12,098	100.000

Obs	R05_YU1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1033 = Camel	5	0.041
2	1049 = Copenhagen	3	0.025
3	1125 = Marlboro	3	0.025
4	1190 = Skoal	3	0.025
5	1092 = Grizzly	1	0.008
6	1171 = Red Seal	1	0.008
7	1249 = Mystic	1	0.008
8	1257 = Stoker's	1	0.008
9	-8 = Don't know	2	0.017
10	-1 = Inapplicable	12,078	99.835
11			
12	Total	12,098	100.000

Obs	R05_YU1070_PRODUCT	Percent of Total	
		Unweighted Frequency	Frequency
1	10290 = Camel Snus Mellow	2	0.017
2	10291 = Camel Snus Mint	1	0.008
3	10292 = Camel Snus Robust	1	0.008
4	10293 = Camel Snus Winterchill	1	0.008
5	11050 = Marlboro Snus Mint (Tin)	1	0.008
6	11388 = Red Seal Wintergreen	1	0.008
7	11513 = Skoal Apple	1	0.008
8	11523 = Skoal Smooth Mint	1	0.008
9	11528 = Skoal Wintergreen	1	0.008
10	11994 = Marlboro Snus Smooth Mint Box	1	0.008
11	11995 = Marlboro Snus Variety Pack	1	0.008
12	99995 = Some other product	1	0.008
13	99990 = No data (Brand text response up-coded)	5	0.041
14	-1 = Inapplicable	12,080	99.851
15			
16	Total	12,098	100.000

Obs	R05_YS1048_BRAND	Unweighted Frequency	Percent of Total Frequency
1	1049 = Copenhagen	16	0.132
2	1092 = Grizzly	14	0.116
3	1112 = Kodiak	3	0.025
4	1099 = Husky	2	0.017
5	1190 = Skoal	2	0.017
6	1104 = Kayak	1	0.008
7	1170 = Red Man	1	0.008
8	1212 = Timber Wolf	1	0.008
9	1240 = Beechnut	1	0.008
10	1241 = Levi Garrett	1	0.008
11	-1 = Inapplicable	12,056	99.653
12			
13	Total	12,098	100.000

R05_YS1070_PRODUCT		Unweighted Frequency	Percent of Total Frequency
Obs			
1	10719 = Grizzly Long Cut Wintergreen	8	0.066
2	10403 = Copenhagen Long Cut	4	0.033
3	10407 = Copenhagen Long Cut Wintergreen	4	0.033
4	12117 = Copenhagen Long Cut Mint	3	0.025
5	10409 = Copenhagen Snuff	2	0.017
6	10714 = Grizzly Fine Cut Wintergreen	2	0.017
7	10916 = Kodiak Pouches	2	0.017
8	11528 = Skoal Wintergreen	2	0.017
9	12129 = Copenhagen Mint Pouches	2	0.017
10	10713 = Grizzly Fine Cut Premium Natural	1	0.008
11	10715 = Grizzly Long Cut	1	0.008
12	10721 = Grizzly Pouches	1	0.008
13	10724 = Grizzly Wintergreen Pouches	1	0.008
14	10800 = Husky Mint	1	0.008
15	10802 = Husky Straight	1	0.008
16	10872 = Kayak Long Cut Wintergreen	1	0.008
17	10918 = Kodiak Wintergreen	1	0.008
18	11813 = Timber Wolf Apple	1	0.008
19	11979 = Levi Garrett Loose Leaf Chewing Tobacco	1	0.008
20	11983 = Red Man Loose Leaf Chewing Tobacco	1	0.008
21	99995 = Some other product	1	0.008
22	-8 = Don't know	1	0.008
23	-1 = Inapplicable	12,056	99.653
24			
25	Total	12,098	100.000